







802.11be 40MHz Chain0 5310MHz




802.11be 40MHz Chain0 5310MHz RU242 62




802.11be 40MHz Chain0 5510MHz



802.11be 40MHz Chain0 5510MHz RU242 61



802.11be 40MHz Chain0 5550MHz




802.11be 40MHz Chain0 5670MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11be 40MHz Chain0 5670MHz RU242 62




802.11be 40MHz Chain0 5710MHz UNII 2C




802.11be 40MHz Chain0 5710MHz UNII 3



802.11be 40MHz Chain0 5755MHz



802.11be 40MHz Chain0 5755MHz RU242 61




802.11be 40MHz Chain0 5795MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11be 40MHz Chain0 5795MHz RU242 62




802.11be 40MHz Chain0 5835MHz UNII 3




802.11be 40MHz Chain0 5875MHz



802.11be 40MHz Chain0 5875MHz RU242 61



802.11be 40MHz Chain0 5875MHz RU242 62




802.11be 40MHz Chain1 5190MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11be 40MHz Chain1 5190MHz RU242 61




802.11be 40MHz Chain1 5230MHz




802.11be 40MHz Chain1 5270MHz



802.11be 40MHz Chain1 5310MHz



802.11be 40MHz Chain1 5310MHz RU242 62




802.11be 40MHz Chain1 5510MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11be 40MHz Chain1 5510MHz RU242 61




802.11be 40MHz Chain1 5550MHz




802.11be 40MHz Chain1 5670MHz



802.11be 40MHz Chain1 5670MHz RU242 62



802.11be 40MHz Chain1 5710MHz UNII 2C




802.11be 40MHz Chain1 5710MHz UNII 3


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11be 40MHz Chain1 5755MHz




802.11be 40MHz Chain1 5755MHz RU242 61




802.11be 40MHz Chain1 5795MHz



802.11be 40MHz Chain1 5795MHz RU242 62



802.11be 40MHz Chain1 5835MHz UNII 3




802.11be 40MHz Chain1 5875MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11be 40MHz Chain1 5875MHz RU242 61




802.11be 40MHz Chain1 5875MHz RU242 62




802.11be 80MHz Chain0 5210MHz



802.11be 80MHz Chain0 5210MHz RU484 65



802.11be 80MHz Chain0 5210MHz 484+242 MRU4




802.11be 80MHz Chain0 5290MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11be 80MHz Chain0 5290MHz RU484 66




802.11be 80MHz Chain0 5290MHz 484+242 MRU1




802.11be 80MHz Chain0 5530MHz



802.11be 80MHz Chain0 5530MHz RU484 65



802.11be 80MHz Chain0 5530MHz 484+242 MRU4




802.11be 80MHz Chain0 5610MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11be 80MHz Chain0 5610MHz RU484 66




802.11be 80MHz Chain0 5610MHz 484+242 MRU1




802.11be 80MHz Chain0 5690MHz UNII 2C



802.11be 80MHz Chain0 5690MHz UNII 3



802.11be 80MHz Chain0 5775MHz




802.11be 80MHz Chain0 5775MHz RU484 65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11be 80MHz Chain0 5775MHz RU484 66




802.11be 80MHz Chain0 5775MHz 484+242 MRU1




802.11be 80MHz Chain0 5775MHz 484+242 MRU4



802.11be 80MHz Chain0 5855MHz UNII 3



802.11be 80MHz Chain1 5210MHz




802.11be 80MHz Chain1 5210MHz RU484 65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11be 80MHz Chain1 5210MHz 484+242 MRU4




802.11be 80MHz Chain1 5290MHz




802.11be 80MHz Chain1 5290MHz RU484 66



802.11be 80MHz Chain1 5290MHz 484+242 MRU1



802.11be 80MHz Chain1 5530MHz




802.11be 80MHz Chain1 5530MHz RU484 65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11be 80MHz Chain1 5530MHz 484+242 MRU4




802.11be 80MHz Chain1 5610MHz




802.11be 80MHz Chain1 5610MHz RU484 66



802.11be 80MHz Chain1 5610MHz 484+242 MRU1



802.11be 80MHz Chain1 5690MHz UNII 2C




802.11be 80MHz Chain1 5690MHz UNII 3


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11be 80MHz Chain1 5775MHz




802.11be 80MHz Chain1 5775MHz RU484 65




802.11be 80MHz Chain1 5775MHz RU484 66



802.11be 80MHz Chain1 5775MHz 484+242 MRU1



802.11be 80MHz Chain1 5775MHz 484+242 MRU4




802.11be 80MHz Chain1 5855MHz UNII 3


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11be 160MHz Chain0 5250MHz



802.11be 160MHz Chain0 5250MHz RU996 67




802.11be_160MHz_Chain0_5250MHz_RU996_S67




802.11be_160MHz_Chain0_5250MHz_996+484+242_MRU

1



802.11be_160MHz_Chain0_5250MHz_996+484_MRU1




802.11be_160MHz_Chain0_5250MHz_996+484+242_MRU

2


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11be 160MHz Chain0 5250MHz 996+484 MRU2




802.11be 160MHz Chain0 5570MHz




802.11be 160MHz Chain0 5570MHz RU996 67



802.11be 160MHz Chain0 5570MHz RU996 S67



802.11be 160MHz Chain0 5570MHz 996+484 MRU3




802.11be 160MHz Chain0 5570MHz 996+484 MRU4

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11be_160MHz_Chain0_5570MHz_996+484+242_MRU

7




802.11be_160MHz_Chain0_5570MHz_996+484+242_MRU


8




802.11be 160MHz Chain0 5815MHz UNII 3



802.11be 160MHz Chain1 5250MHz



802.11be 160MHz Chain1 5250MHz RU996 67




802.11be 160MHz Chain1 5250MHz RU996 S67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11be_160MHz_Chain1_5250MHz_996+484+242_MRU

1




802.11be_160MHz_Chain1_5250MHz_996+484_MRU1




802.11be_160MHz_Chain1_5250MHz_996+484+242_MRU


2



802.11be_160MHz_Chain1_5250MHz_996+484_MRU2



802.11be_160MHz_Chain1_5570MHz




802.11be_160MHz_Chain1_5570MHz_RU996_67


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11be_160MHz_Chain1_5570MHz_RU996_S67



802.11be_160MHz_Chain1_5570MHz_996+484_MRU3




802.11be_160MHz_Chain1_5570MHz_996+484_MRU4




802.11be_160MHz_Chain1_5570MHz_996+484+242_MRU

7



802.11be_160MHz_Chain1_5570MHz_996+484+242_MRU



802.11be_160MHz_Chain1_5815MHz_UNII 3

8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



7.4 Unwanted Emissions

7.4.1 Radiated Band Edge Measurement Result

Report Number	:TERF2504001440E2	Test Site	:SAC D
Operation Mode	:802.11a	Test Date	:2025-05-19
Test Frequency	:5180 MHz	Temp./Humi.	:22.5°C/53%
Test Mode	:Bandedge	Antenna Pol.	:Vertical
EUT Pol	:E2 Plane	Engineer	:Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5108.31	Average	41.35	10.69	52.04	54.00	-1.96
5126.80	Peak	50.83	10.73	61.56	74.00	-12.44
5180.00	Average	82.11	10.64	92.75	-	-
5180.00	Peak	90.26	10.64	100.90	-	-
5454.48	Peak	49.65	10.49	60.14	74.00	-13.86
5458.80	Average	39.84	10.51	50.35	54.00	-3.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11a
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-19
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBUV/m	dBUV/m	dB
5052.86	Peak	52.35	10.27	62.62	74.00	-11.38
5098.47	Average	41.50	10.65	52.15	54.00	-1.85
5180.00	Average	82.87	10.64	93.51	-	-
5180.00	Peak	90.41	10.64	101.05	-	-
5454.48	Peak	48.96	10.49	59.45	74.00	-14.55
5458.80	Average	39.78	10.51	50.29	54.00	-3.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11a
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC G Chamber
 Test Date :2025-10-14
 Temp./Humi. :23.6°C/56%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5028.37	Average	44.06	2.95	47.01	54.00	-6.99
5082.15	Peak	53.35	2.93	56.28	74.00	-17.72
5325.81	Average	97.96	2.55	100.51	-	-
5325.81	Peak	105.56	2.55	108.11	-	-
5350.77	Average	48.43	2.51	50.94	54.00	-3.06
5350.77	Peak	58.37	2.51	60.88	74.00	-13.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11a
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC G Chamber
 Test Date :2025-10-14
 Temp./Humi. :23.6°C/56%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
4889.62	Peak	53.42	2.73	56.15	74.00	-17.85
4900.90	Average	43.99	2.80	46.79	54.00	-7.21
5321.01	Average	100.20	2.55	102.75	-	-
5321.01	Peak	107.36	2.55	109.91	-	-
5350.05	Average	49.08	2.51	51.59	54.00	-2.41
5351.01	Peak	60.73	2.51	63.24	74.00	-10.76


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11a
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-19
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5442.53	Peak	50.50	10.45	60.95	74.00	-13.05
5457.95	Average	40.58	10.50	51.08	54.00	-2.92
5463.16	Peak	49.74	10.53	60.27	68.20	-7.93
5500.00	Average	90.28	10.70	100.98	-	-
5500.00	Peak	97.42	10.70	108.12	-	-
5933.11	Peak	49.86	11.92	61.78	68.20	-6.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11a
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-19
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5455.66	Peak	50.83	10.49	61.32	74.00	-12.68
5459.83	Average	41.47	10.51	51.98	54.00	-2.02
5466.50	Peak	51.91	10.55	62.46	68.20	-5.74
5500.00	Average	93.71	10.70	104.41	-	-
5500.00	Peak	100.85	10.70	111.55	-	-
5931.44	Peak	49.90	11.91	61.81	68.20	-6.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11a
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-19
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5397.93	Peak	49.27	10.33	59.60	74.00	-14.40
5454.83	Average	40.12	10.49	50.61	54.00	-3.39
5464.00	Peak	49.06	10.54	59.60	68.20	-8.60
5700.00	Average	86.52	11.27	97.79	-	-
5700.00	Peak	94.31	11.27	105.58	-	-
5750.55	Peak	50.47	11.29	61.76	68.20	-6.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2504001440E2
 Operation Mode :802.11a
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-19
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5425.23	Peak	50.04	10.39	60.43	74.00	-13.57
5455.04	Average	40.29	10.49	50.78	54.00	-3.22
5461.50	Peak	48.23	10.53	58.76	68.20	-9.44
5700.00	Average	90.93	11.27	102.20	-	-
5700.00	Peak	98.70	11.27	109.97	-	-
5916.44	Peak	49.61	11.86	61.47	68.20	-6.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2504001440E2
 Operation Mode :802.11a
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-19
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5412.31	Peak	49.85	10.36	60.21	74.00	-13.79
5451.70	Average	40.10	10.48	50.58	54.00	-3.42
5466.08	Peak	48.82	10.54	59.36	68.20	-8.84
5720.00	Average	92.34	11.28	103.62	-	-
5720.00	Peak	100.65	11.28	111.93	-	-
5909.15	Peak	49.89	11.85	61.74	68.20	-6.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2504001440E2
 Operation Mode :802.11a
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-19
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5451.08	Average	40.25	10.47	50.72	54.00	-3.28
5455.24	Peak	50.14	10.49	60.63	74.00	-13.37
5468.17	Peak	49.02	10.55	59.57	68.20	-8.63
5720.00	Average	91.96	11.28	103.24	-	-
5720.00	Peak	99.53	11.28	110.81	-	-
5900.18	Peak	49.82	11.82	61.64	68.20	-6.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11a
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-19
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5582.37	Peak	50.61	10.73	61.34	68.20	-6.86
5688.86	Peak	50.51	11.21	61.72	96.96	-35.24
5711.58	Peak	52.04	11.28	63.32	108.44	-45.12
5722.21	Peak	52.00	11.28	63.28	115.83	-52.55
5745.00	Peak	101.28	11.29	112.57	-	-
5853.08	Peak	48.23	11.57	59.80	115.17	-55.37
5855.59	Peak	49.28	11.59	60.87	110.64	-49.77
5903.31	Peak	49.73	11.83	61.56	84.25	-22.69
5925.61	Peak	49.62	11.89	61.51	68.20	-6.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11a
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-19
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5588.62	Peak	51.34	10.72	62.06	68.20	-6.14
5684.70	Peak	49.90	11.19	61.09	93.87	-32.78
5711.58	Peak	53.20	11.28	64.48	108.44	-43.96
5724.71	Peak	55.98	11.28	67.26	121.53	-54.27
5745.00	Peak	99.09	11.29	110.38	-	-
5852.88	Peak	49.79	11.57	61.36	115.64	-54.28
5866.21	Peak	49.12	11.64	60.76	107.66	-46.90
5881.64	Peak	49.94	11.73	61.67	100.29	-38.62
5957.08	Peak	49.36	11.97	61.33	68.20	-6.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11a
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-19
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5627.59	Peak	50.34	10.84	61.18	68.20	-7.02
5662.81	Peak	50.29	11.06	61.35	77.68	-16.33
5701.16	Peak	49.23	11.27	60.50	105.52	-45.02
5723.25	Peak	49.10	11.28	60.38	118.21	-57.83
5825.00	Peak	97.22	11.49	108.71	-	-
5853.71	Peak	62.64	11.57	74.21	113.74	-39.53
5856.00	Peak	58.78	11.59	70.37	110.52	-40.15
5877.47	Peak	51.51	11.70	63.21	103.37	-40.16
5930.19	Peak	49.38	11.91	61.29	68.20	-6.91


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11a
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-19
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5544.86	Peak	50.51	10.78	61.29	68.20	-6.91
5674.90	Peak	49.45	11.13	60.58	86.63	-26.05
5707.62	Peak	49.08	11.28	60.36	107.33	-46.97
5724.92	Peak	48.03	11.28	59.31	122.01	-62.70
5825.00	Peak	99.59	11.49	111.08	-	-
5854.13	Peak	63.26	11.58	74.84	112.79	-37.95
5859.96	Peak	62.42	11.61	74.03	109.41	-35.38
5875.38	Peak	51.17	11.69	62.86	104.92	-42.06
5965.62	Peak	49.51	11.97	61.48	68.20	-6.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11a
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-19
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5518.39	Peak	51.07	10.73	61.80	68.20	-6.40
5649.89	Peak	50.26	10.97	61.23	68.20	-6.97
5710.12	Peak	49.75	11.28	61.03	108.03	-47.00
5724.50	Peak	48.10	11.28	59.38	123.76	-64.38
5885.00	Average	51.07	11.74	62.81	-	-
5885.00	Peak	93.19	11.74	104.93	-	-
5895.00	Average	60.12	11.79	71.91	90.20	-18.29
5895.00	Peak	68.29	11.79	80.08	110.20	-30.12
5933.11	Peak	49.83	11.92	61.75	88.20	-26.45
5938.95	Average	40.33	11.93	52.26	68.20	-15.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11a
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-19
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5626.13	Peak	50.43	10.83	61.26	68.20	-6.94
5663.65	Peak	49.93	11.06	60.99	78.30	-17.31
5711.37	Peak	48.82	11.28	60.10	108.38	-48.28
5722.21	Peak	48.19	11.28	59.47	117.16	-57.69
5885.00	Average	50.43	11.74	62.17	-	-
5885.00	Peak	96.74	11.74	108.48	-	-
5895.00	Average	65.87	11.79	77.66	90.20	-12.54
5896.22	Peak	73.76	11.80	85.56	109.30	-23.74
5928.73	Average	40.26	11.90	52.16	68.20	-16.04
5964.58	Peak	49.47	11.97	61.44	88.20	-26.76


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n20
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-19
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBUV/m	dBUV/m	dB
5109.03	Average	41.75	10.69	52.44	54.00	-1.56
5143.36	Peak	51.40	10.78	62.18	74.00	-11.82
5180.00	Average	80.99	10.64	91.63	-	-
5180.00	Peak	87.94	10.64	98.58	-	-
5457.12	Average	39.89	10.50	50.39	54.00	-3.61
5457.12	Peak	49.19	10.50	59.69	74.00	-14.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n20
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-19
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5097.51	Average	41.86	10.65	52.51	54.00	-1.49
5132.08	Peak	52.25	10.74	62.99	74.00	-11.01
5180.00	Average	87.67	10.64	98.31	-	-
5180.00	Peak	95.17	10.64	105.81	-	-
5449.44	Peak	49.62	10.46	60.08	74.00	-13.92
5458.80	Average	39.97	10.51	50.48	54.00	-3.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n20
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-19
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5000.29	Peak	51.91	10.14	62.05	74.00	-11.95
5107.11	Average	41.66	10.68	52.34	54.00	-1.66
5320.00	Average	89.88	10.09	99.97	-	-
5320.00	Peak	97.77	10.09	107.86	-	-
5352.21	Average	40.35	10.26	50.61	54.00	-3.39
5399.27	Peak	49.27	10.33	59.60	74.00	-14.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n20
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-19
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5062.94	Peak	51.16	10.36	61.52	74.00	-12.48
5121.52	Average	41.76	10.71	52.47	54.00	-1.53
5320.00	Average	93.21	10.09	103.30	-	-
5320.00	Peak	101.21	10.09	111.30	-	-
5350.53	Average	42.05	10.26	52.31	54.00	-1.69
5351.25	Peak	50.76	10.26	61.02	74.00	-12.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n20
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-19
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5453.99	Peak	49.62	10.49	60.11	74.00	-13.89
5460.00	Average	41.17	10.51	51.68	54.00	-2.32
5468.17	Peak	52.32	10.55	62.87	68.20	-5.33
5500.00	Average	91.78	10.70	102.48	-	-
5500.00	Peak	99.51	10.70	110.21	-	-
5804.32	Peak	50.38	11.43	61.81	68.20	-6.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n20
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-19
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5450.03	Peak	50.33	10.47	60.80	74.00	-13.20
5451.28	Average	41.13	10.48	51.61	54.00	-2.39
5468.58	Peak	53.36	10.55	63.91	68.20	-4.29
5500.00	Average	96.17	10.70	106.87	-	-
5500.00	Peak	104.12	10.70	114.82	-	-
5948.32	Peak	50.33	11.96	62.29	68.20	-5.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n20
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC G Chamber
 Test Date :2025-10-14
 Temp./Humi. :23.6°C/56%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5364.17	Peak	52.51	2.49	55.00	74.00	-19.00
5447.95	Average	42.04	2.76	44.80	54.00	-9.20
5462.75	Peak	50.86	2.83	53.69	68.20	-14.51
5698.03	Average	92.76	3.99	96.75	-	-
5698.03	Peak	100.62	3.99	104.61	-	-
5725.96	Peak	56.62	4.16	60.78	68.20	-7.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n20
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC G Chamber
 Test Date :2025-10-14
 Temp./Humi. :23.6°C/56%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5355.84	Average	42.96	2.51	45.47	54.00	-8.53
5443.57	Peak	53.09	2.73	55.82	74.00	-18.18
5468.58	Peak	51.91	2.86	54.77	68.20	-13.43
5704.08	Average	97.58	4.02	101.60	-	-
5704.08	Peak	105.25	4.02	109.27	-	-
5725.00	Peak	62.87	4.15	67.02	68.20	-1.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n20
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-19
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBUV/m	dBUV/m	dB
5447.74	Average	39.91	10.46	50.37	54.00	-3.63
5456.29	Peak	49.04	10.50	59.54	74.00	-14.46
5469.62	Peak	48.88	10.56	59.44	68.20	-8.76
5720.00	Average	91.20	11.28	102.48	-	-
5720.00	Peak	98.89	11.28	110.17	-	-
5943.11	Peak	50.14	11.94	62.08	68.20	-6.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2504001440E2
 Operation Mode :802.11n20
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-19
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5417.31	Peak	49.67	10.38	60.05	74.00	-13.95
5454.20	Average	40.01	10.49	50.50	54.00	-3.50
5467.75	Peak	48.38	10.55	58.93	68.20	-9.27
5720.00	Average	95.08	11.28	106.36	-	-
5720.00	Peak	101.91	11.28	113.19	-	-
5873.72	Peak	49.75	11.68	61.43	68.20	-6.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2504001440E2
 Operation Mode :802.11n20
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5612.59	Peak	50.44	10.76	61.20	68.20	-7.00
5694.07	Peak	49.74	11.23	60.97	100.81	-39.84
5719.92	Peak	58.66	11.28	69.94	110.78	-40.84
5724.08	Peak	62.92	11.28	74.20	120.11	-45.91
5745.00	Peak	98.15	11.29	109.44	-	-
5851.63	Peak	48.39	11.57	59.96	118.50	-58.54
5869.34	Peak	49.18	11.66	60.84	106.78	-45.94
5880.80	Peak	50.17	11.72	61.89	100.91	-39.02
5934.99	Peak	49.70	11.92	61.62	68.20	-6.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n20
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5643.64	Peak	51.06	10.94	62.00	68.20	-6.20
5678.03	Peak	50.72	11.14	61.86	88.94	-27.08
5719.92	Peak	59.72	11.28	71.00	110.78	-39.78
5724.71	Peak	66.71	11.28	77.99	121.53	-43.54
5745.00	Peak	102.82	11.29	114.11	-	-
5851.83	Peak	49.34	11.57	60.91	118.02	-57.11
5866.63	Peak	49.44	11.65	61.09	107.54	-46.45
5922.07	Peak	49.39	11.88	61.27	70.37	-9.10
5956.24	Peak	50.48	11.97	62.45	68.20	-5.75


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n20
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5524.23	Peak	50.49	10.75	61.24	68.20	-6.96
5694.28	Peak	49.84	11.23	61.07	100.97	-39.90
5701.78	Peak	48.55	11.27	59.82	105.70	-45.88
5720.33	Peak	50.53	11.28	61.81	111.56	-49.75
5825.00	Peak	97.98	11.49	109.47	-	-
5850.17	Peak	65.48	11.56	77.04	121.82	-44.78
5858.09	Peak	53.04	11.60	64.64	109.94	-45.30
5923.32	Peak	50.15	11.89	62.04	69.45	-7.41
5930.40	Peak	49.28	11.91	61.19	68.20	-7.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n20
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5630.30	Peak	50.79	10.87	61.66	68.20	-6.54
5690.32	Peak	50.21	11.21	61.42	98.04	-36.62
5706.79	Peak	49.76	11.28	61.04	107.10	-46.06
5720.54	Peak	48.68	11.28	59.96	112.03	-52.07
5825.00	Peak	102.12	11.49	113.61	-	-
5850.00	Peak	66.98	11.57	78.55	122.20	-43.65
5855.59	Peak	56.75	11.59	68.34	110.64	-42.30
5921.86	Peak	49.44	11.88	61.32	70.53	-9.21
5963.75	Peak	49.49	11.97	61.46	68.20	-6.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n20
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5571.32	Peak	50.80	10.75	61.55	68.20	-6.65
5654.06	Peak	49.95	11.01	60.96	71.20	-10.24
5706.99	Peak	48.76	11.28	60.04	107.16	-47.12
5721.17	Peak	48.80	11.28	60.08	114.16	-54.08
5885.00	Average	50.81	11.74	62.55	-	-
5885.00	Peak	92.75	11.74	104.49	-	-
5895.00	Average	67.38	11.79	79.17	90.20	-11.03
5895.00	Peak	74.23	11.79	86.02	110.20	-24.18
5937.90	Average	40.11	11.93	52.04	68.20	-16.16
5960.20	Peak	48.95	11.97	60.92	88.20	-27.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n20
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :22.5°C/53%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5482.96	Peak	50.58	10.61	61.19	68.20	-7.01
5689.07	Peak	50.14	11.21	61.35	97.11	-35.76
5712.20	Peak	49.64	11.28	60.92	108.62	-47.70
5724.50	Peak	49.23	11.28	60.51	123.76	-63.25
5885.00	Average	50.58	11.74	62.32	-	-
5885.00	Peak	98.73	11.74	110.47	-	-
5895.00	Average	73.38	11.79	85.17	90.20	-5.03
5895.00	Peak	81.30	11.79	93.09	110.20	-17.11
5924.98	Peak	49.39	11.89	61.28	88.21	-26.93
5960.00	Average	40.11	11.97	52.08	68.20	-16.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11n40
Test Frequency :5190 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC G Chamber
Test Date :2025-10-14
Temp./Humi. :23.6°C/56%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5067.02	Peak	54.19	2.92	57.11	74.00	-16.89
5132.56	Average	44.31	2.86	47.17	54.00	-6.83
5205.30	Average	91.75	2.71	94.46	-	-
5205.30	Peak	99.82	2.71	102.53	-	-
5449.44	Average	41.87	2.77	44.64	54.00	-9.36
5457.36	Peak	52.29	2.81	55.10	74.00	-18.90


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n40
 Test Frequency :5190 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC G Chamber
 Test Date :2025-10-14
 Temp./Humi. :23.6°C/56%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5126.80	Average	44.65	2.88	47.53	54.00	-6.47
5148.64	Peak	54.89	2.83	57.72	74.00	-16.28
5194.49	Average	95.14	2.74	97.88	-	-
5194.49	Peak	102.83	2.74	105.57	-	-
5419.67	Peak	52.27	2.58	54.85	74.00	-19.15
5451.84	Average	42.30	2.79	45.09	54.00	-8.91


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n40
 Test Frequency :5310 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5037.98	Peak	51.96	10.23	62.19	74.00	-11.81
5100.87	Average	41.45	10.66	52.11	54.00	-1.89
5310.00	Average	82.68	10.03	92.71	-	-
5310.00	Peak	90.02	10.03	100.05	-	-
5351.01	Average	41.73	10.26	51.99	54.00	-2.01
5353.65	Peak	50.95	10.26	61.21	74.00	-12.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2504001440E2
 Operation Mode :802.11n40
 Test Frequency :5310 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBUV/m	dBUV/m	dB
5019.73	Peak	53.17	10.18	63.35	74.00	-10.65
5115.99	Average	41.46	10.71	52.17	54.00	-1.83
5310.00	Average	87.53	10.03	97.56	-	-
5310.00	Peak	94.88	10.03	104.91	-	-
5354.13	Peak	53.09	10.26	63.35	74.00	-10.65
5354.85	Average	42.06	10.26	52.32	54.00	-1.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n40
 Test Frequency :5510 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5457.74	Peak	50.35	10.50	60.85	74.00	-13.15
5459.00	Average	40.50	10.51	51.01	54.00	-2.99
5466.08	Peak	50.21	10.54	60.75	68.20	-7.45
5510.00	Average	83.49	10.72	94.21	-	-
5510.00	Peak	90.98	10.72	101.70	-	-
5794.94	Peak	51.22	11.40	62.62	68.20	-5.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2504001440E2
 Operation Mode :802.11n40
 Test Frequency :5510 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5453.79	Average	41.53	10.49	52.02	54.00	-1.98
5454.41	Peak	51.02	10.49	61.51	74.00	-12.49
5468.79	Peak	55.39	10.56	65.95	68.20	-2.25
5510.00	Average	89.44	10.72	100.16	-	-
5510.00	Peak	96.48	10.72	107.20	-	-
5946.87	Peak	49.37	11.95	61.32	68.20	-6.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n40
 Test Frequency :5670 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5448.16	Peak	49.29	10.46	59.75	74.00	-14.25
5459.62	Average	39.92	10.51	50.43	54.00	-3.57
5461.29	Peak	49.02	10.53	59.55	68.20	-8.65
5670.00	Average	89.16	11.09	100.25	-	-
5670.00	Peak	97.31	11.09	108.40	-	-
5903.10	Peak	49.57	11.83	61.40	68.20	-6.80


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n40
 Test Frequency :5670 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5434.20	Peak	49.37	10.42	59.79	74.00	-14.21
5456.29	Average	40.22	10.50	50.72	54.00	-3.28
5465.66	Peak	48.45	10.54	58.99	68.20	-9.21
5670.00	Average	91.55	11.09	102.64	-	-
5670.00	Peak	99.49	11.09	110.58	-	-
5894.77	Peak	49.96	11.79	61.75	68.20	-6.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2504001440E2
 Operation Mode :802.11n40
 Test Frequency :5710 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBUV/m	dBUV/m	dB
5455.24	Peak	49.34	10.49	59.83	74.00	-14.17
5459.41	Average	39.88	10.51	50.39	54.00	-3.61
5466.71	Peak	49.57	10.55	60.12	68.20	-8.08
5710.00	Average	82.50	11.28	93.78	-	-
5710.00	Peak	90.50	11.28	101.78	-	-
5893.31	Peak	49.97	11.78	61.75	68.20	-6.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n40
 Test Frequency :5710 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5409.40	Peak	49.65	10.36	60.01	74.00	-13.99
5459.41	Average	40.12	10.51	50.63	54.00	-3.37
5461.70	Peak	48.63	10.53	59.16	68.20	-9.04
5710.00	Average	94.04	11.28	105.32	-	-
5710.00	Peak	102.11	11.28	113.39	-	-
5851.42	Peak	51.17	11.57	62.74	68.20	-5.46


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n40
 Test Frequency :5795 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5560.07	Peak	50.56	10.77	61.33	68.20	-6.87
5695.32	Peak	49.97	11.25	61.22	101.74	-40.52
5713.87	Peak	50.18	11.27	61.45	109.08	-47.63
5723.04	Peak	52.61	11.28	63.89	117.73	-53.84
5795.00	Peak	93.82	11.40	105.22	-	-
5850.00	Peak	53.81	11.57	65.38	122.20	-56.82
5858.92	Peak	53.94	11.61	65.55	109.70	-44.15
5900.39	Peak	49.16	11.82	60.98	86.41	-25.43
5942.28	Peak	50.05	11.93	61.98	68.20	-6.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n40
 Test Frequency :5795 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5563.40	Peak	50.64	10.77	61.41	68.20	-6.79
5697.62	Peak	52.47	11.26	63.73	103.44	-39.71
5719.92	Peak	57.66	11.28	68.94	110.78	-41.84
5721.79	Peak	58.77	11.28	70.05	114.88	-44.83
5795.00	Peak	102.07	11.40	113.47	-	-
5852.04	Peak	60.56	11.57	72.13	117.54	-45.41
5858.71	Peak	60.14	11.60	71.74	109.76	-38.02
5886.22	Peak	50.89	11.74	62.63	96.90	-34.27
5963.96	Peak	49.59	11.97	61.56	68.20	-6.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n40
 Test Frequency :5875 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5532.56	Peak	50.39	10.76	61.15	68.20	-7.05
5699.28	Peak	50.53	11.27	61.80	104.67	-42.87
5708.45	Peak	49.16	11.28	60.44	107.57	-47.13
5720.54	Peak	47.96	11.28	59.24	112.36	-53.12
5875.00	Average	50.39	11.69	62.08	-	-
5875.00	Peak	92.90	11.69	104.59	-	-
5895.00	Average	60.52	11.79	72.31	90.20	-17.89
5895.00	Peak	69.78	11.79	81.57	110.20	-28.63
5928.11	Average	40.06	11.90	51.96	68.20	-16.24
5966.46	Peak	49.58	11.97	61.55	88.20	-26.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11n40
 Test Frequency :5875 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5612.59	Peak	50.47	10.76	61.23	68.20	-6.97
5696.16	Peak	50.03	11.25	61.28	102.36	-41.08
5704.70	Peak	50.19	11.27	61.46	106.52	-45.06
5722.00	Peak	50.48	11.28	61.76	116.56	-54.80
5875.00	Average	50.47	11.69	62.16	-	-
5875.00	Peak	98.55	11.69	110.24	-	-
5895.00	Average	63.25	11.79	75.04	90.20	-15.16
5895.18	Peak	71.44	11.79	83.23	110.07	-26.84
5941.45	Average	40.04	11.93	51.97	68.20	-16.23
5964.58	Peak	50.40	11.97	62.37	88.20	-25.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11ac80
 Test Frequency :5210 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC G Chamber
 Test Date :2025-10-14
 Temp./Humi. :23.6°C/56%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
4915.30	Peak	53.75	2.83	56.58	74.00	-17.42
5111.67	Average	44.40	2.91	47.31	54.00	-6.69
5244.19	Average	92.10	2.62	94.72	-	-
5244.19	Peak	99.85	2.62	102.47	-	-
5440.80	Peak	52.25	2.71	54.96	74.00	-19.04
5449.92	Average	42.49	2.77	45.26	54.00	-8.74


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11ac80
Test Frequency :5210 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC G Chamber
Test Date :2025-10-14
Temp./Humi. :23.6°C/56%
Antenna Pol. :Horizontal
Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5109.03	Average	45.29	2.91	48.20	54.00	-5.80
5147.44	Peak	54.84	2.84	57.68	74.00	-16.32
5246.11	Average	93.50	2.62	96.12	-	-
5246.11	Peak	100.58	2.62	103.20	-	-
5375.74	Peak	53.04	2.49	55.53	74.00	-18.47
5452.56	Average	43.37	2.79	46.16	54.00	-7.84


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11ac80
 Test Frequency :5290 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5087.43	Average	41.70	10.55	52.25	54.00	-1.75
5107.35	Peak	51.09	10.68	61.77	74.00	-12.23
5290.00	Average	75.30	10.00	85.30	-	-
5290.00	Peak	83.24	10.00	93.24	-	-
5455.68	Average	39.95	10.49	50.44	54.00	-3.56
5459.76	Peak	49.86	10.51	60.37	74.00	-13.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11ac80
 Test Frequency :5290 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
4962.36	Peak	52.27	9.93	62.20	74.00	-11.80
5072.54	Average	41.77	10.44	52.21	54.00	-1.79
5290.00	Average	82.59	10.00	92.59	-	-
5290.00	Peak	90.13	10.00	100.13	-	-
5355.09	Peak	51.09	10.26	61.35	74.00	-12.65
5359.90	Average	42.20	10.27	52.47	54.00	-1.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11ac80
 Test Frequency :5530 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC G Chamber
 Test Date :2025-10-14
 Temp./Humi. :23.6°C/56%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5393.14	Average	42.93	2.45	45.38	54.00	-8.62
5453.99	Peak	52.28	2.80	55.08	74.00	-18.92
5469.21	Peak	51.48	2.87	54.35	68.20	-13.85
5554.44	Average	87.74	3.17	90.91	-	-
5554.44	Peak	96.95	3.17	100.12	-	-
5859.34	Peak	52.97	4.32	57.29	68.20	-10.91


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11ac80
 Test Frequency :5530 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC G Chamber
 Test Date :2025-10-14
 Temp./Humi. :23.6°C/56%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5415.02	Peak	54.19	2.55	56.74	74.00	-17.26
5433.99	Average	42.87	2.67	45.54	54.00	-8.46
5464.83	Peak	52.52	2.84	55.36	68.20	-12.84
5564.86	Average	89.66	3.22	92.88	-	-
5564.86	Peak	97.44	3.22	100.66	-	-
5860.38	Peak	53.83	4.32	58.15	68.20	-10.05


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11ac80
 Test Frequency :5610 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5437.95	Peak	49.89	10.43	60.32	74.00	-13.68
5455.04	Average	40.54	10.49	51.03	54.00	-2.97
5461.91	Peak	49.60	10.53	60.13	68.20	-8.07
5610.00	Average	84.77	10.75	95.52	-	-
5610.00	Peak	92.68	10.75	103.43	-	-
5852.46	Peak	49.78	11.57	61.35	68.20	-6.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2504001440E2
 Operation Mode :802.11ac80
 Test Frequency :5610 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5448.99	Peak	51.36	10.46	61.82	74.00	-12.18
5454.20	Average	41.56	10.49	52.05	54.00	-1.95
5467.96	Peak	50.56	10.55	61.11	68.20	-7.09
5610.00	Average	88.61	10.75	99.36	-	-
5610.00	Peak	96.59	10.75	107.34	-	-
5725.75	Peak	50.26	11.28	61.54	68.20	-6.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11ac80
 Test Frequency :5690 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5453.16	Average	40.04	10.48	50.52	54.00	-3.48
5456.91	Peak	49.23	10.50	59.73	74.00	-14.27
5468.37	Peak	48.55	10.55	59.10	68.20	-9.10
5690.00	Average	78.52	11.21	89.73	-	-
5690.00	Peak	87.24	11.21	98.45	-	-
5926.86	Peak	49.69	11.89	61.58	68.20	-6.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11ac80
 Test Frequency :5690 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-20
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5445.66	Peak	50.48	10.45	60.93	74.00	-13.07
5452.74	Average	40.75	10.48	51.23	54.00	-2.77
5469.83	Peak	50.03	10.56	60.59	68.20	-7.61
5690.00	Average	90.22	11.21	101.43	-	-
5690.00	Peak	97.91	11.21	109.12	-	-
5952.49	Peak	50.54	11.96	62.50	68.20	-5.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11ac80
 Test Frequency :5775 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-21
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5631.76	Peak	51.31	10.88	62.19	68.20	-6.01
5698.66	Peak	69.82	11.26	81.08	104.21	-23.13
5719.92	Peak	74.10	11.28	85.38	110.78	-25.40
5719.92	Peak	74.10	11.28	85.38	110.78	-25.40
5775.00	Peak	93.60	11.35	104.95	-	-
5854.34	Peak	64.14	11.59	75.73	112.32	-36.59
5855.00	Peak	64.02	11.59	75.61	110.80	-35.19
5876.01	Peak	55.33	11.69	67.02	104.45	-37.43
5942.28	Peak	49.55	11.93	61.48	68.20	-6.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11ac80
 Test Frequency :5775 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-21
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5645.10	Peak	55.19	10.95	66.14	68.20	-2.06
5699.08	Peak	75.23	11.27	86.50	104.52	-18.02
5701.16	Peak	75.61	11.27	86.88	105.52	-18.64
5721.79	Peak	77.54	11.28	88.82	114.88	-26.06
5775.00	Peak	98.85	11.35	110.20	-	-
5850.79	Peak	68.81	11.56	80.37	120.39	-40.02
5862.67	Peak	69.96	11.63	81.59	108.65	-27.06
5878.72	Peak	63.26	11.70	74.96	102.45	-27.49
5948.12	Peak	49.38	11.96	61.34	68.20	-6.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11ac80
 Test Frequency :5855 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-21
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5590.91	Peak	50.64	10.71	61.35	68.20	-6.85
5684.28	Peak	50.32	11.19	61.51	93.57	-32.06
5708.66	Peak	51.79	11.28	63.07	107.63	-44.56
5723.25	Peak	51.82	11.28	63.10	120.16	-57.06
5855.00	Average	50.64	11.59	62.23	-	-
5855.00	Peak	93.15	11.59	104.74	-	-
5898.31	Average	52.24	11.81	64.05	87.77	-23.72
5899.56	Peak	62.52	11.82	74.34	106.86	-32.52
5927.69	Average	40.12	11.90	52.02	68.20	-16.18
5945.62	Peak	50.13	11.94	62.07	88.20	-26.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11ac80
 Test Frequency :5855 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-21
 Temp./Humi. :21.5°C/61%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5624.68	Peak	51.63	10.83	62.46	68.20	-5.74
5683.65	Peak	55.82	11.18	67.00	93.10	-26.10
5718.67	Peak	55.73	11.27	67.00	110.43	-43.43
5722.00	Peak	57.51	11.28	68.79	116.56	-47.77
5855.00	Average	51.63	11.59	63.22	-	-
5855.00	Peak	98.12	11.59	109.71	-	-
5895.00	Average	60.15	11.79	71.94	90.20	-18.26
5895.00	Peak	69.80	11.79	81.59	110.20	-28.61
5925.40	Average	40.69	11.89	52.58	68.20	-15.62
5974.79	Peak	49.71	11.98	61.69	88.20	-26.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11ac160
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC G Chamber
Test Date :2025-10-14
Temp./Humi. :23.6°C/56%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5144.56	Average	45.61	2.84	48.45	54.00	-5.55
5147.92	Peak	56.00	2.83	58.83	74.00	-15.17
5245.63	Average	89.21	2.62	91.83	-	-
5245.63	Peak	97.14	2.62	99.76	-	-
5367.34	Average	45.49	2.50	47.99	54.00	-6.01
5371.42	Peak	56.34	2.49	58.83	74.00	-15.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11ac160
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC G Chamber
Test Date :2025-10-14
Temp./Humi. :23.6°C/56%
Antenna Pol. :Horizontal
Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5148.64	Peak	56.13	2.83	58.96	74.00	-15.04
5149.36	Average	46.41	2.83	49.24	54.00	-4.76
5228.82	Average	90.49	2.66	93.15	-	-
5228.82	Peak	98.15	2.66	100.81	-	-
5389.90	Peak	57.56	2.46	60.02	74.00	-13.98
5408.87	Average	47.25	2.50	49.75	54.00	-4.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11ac160
 Test Frequency :5570 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-22
 Temp./Humi. :20.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5436.70	Peak	49.13	10.42	59.55	74.00	-14.45
5455.24	Average	41.01	10.49	51.50	54.00	-2.50
5463.16	Peak	51.57	10.53	62.10	68.20	-6.10
5570.00	Average	79.01	10.75	89.76	-	-
5570.00	Peak	86.91	10.75	97.66	-	-
5911.44	Peak	51.00	11.85	62.85	68.20	-5.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2504001440E2
 Operation Mode :802.11ac160
 Test Frequency :5570 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-22
 Temp./Humi. :20.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5428.36	Peak	50.48	10.41	60.89	74.00	-13.11
5444.20	Average	42.06	10.45	52.51	54.00	-1.49
5461.91	Peak	49.49	10.53	60.02	68.20	-8.18
5570.00	Average	81.61	10.75	92.36	-	-
5570.00	Peak	89.85	10.75	100.60	-	-
5774.93	Peak	50.96	11.35	62.31	68.20	-5.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11ac160
Test Frequency :5815 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC G Chamber
Test Date :2025-10-14
Temp./Humi. :23.6°C/56%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5610.71	Peak	56.65	3.45	60.10	68.20	-8.10
5696.57	Peak	60.09	3.98	64.07	102.66	-38.59
5718.87	Peak	60.43	4.10	64.53	110.48	-45.95
5724.50	Peak	61.93	4.15	66.08	123.76	-57.68
5795.15	Peak	96.05	4.38	100.43	-	-
5895.00	Average	49.94	4.34	54.28	90.20	-35.92
5895.00	Peak	64.86	4.34	69.20	110.20	-41.00
5927.28	Average	42.33	4.36	46.69	68.20	-21.51
5931.24	Peak	52.43	4.35	56.78	88.20	-31.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2504001440E2
 Operation Mode :802.11ac160
 Test Frequency :5815 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC G Chamber
 Test Date :2025-10-14
 Temp./Humi. :23.6°C/56%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5626.97	Peak	60.08	3.53	63.61	68.20	-4.59
5698.24	Peak	64.12	3.99	68.11	103.90	-35.79
5702.41	Peak	62.51	4.01	66.52	105.87	-39.35
5723.25	Peak	62.56	4.14	66.70	120.16	-53.46
5804.94	Peak	96.39	4.38	100.77	-	-
5895.60	Average	46.32	4.34	50.66	89.76	-39.10
5895.60	Peak	58.51	4.34	62.85	109.76	-46.91
5937.49	Average	42.53	4.36	46.89	68.20	-21.31
5966.66	Peak	52.37	4.38	56.75	88.20	-31.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2504001440E2
Operation Mode :802.11be20 RU Full
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2025-05-22
Temp./Humi. :20.3°C/52%
Antenna Pol. :Vertical
Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5086.47	Peak	51.40	10.55	61.95	74.00	-12.05
5114.79	Average	41.81	10.70	52.51	54.00	-1.49
5180.00	Average	85.71	10.64	96.35	-	-
5180.00	Peak	94.30	10.64	104.94	-	-
5421.11	Peak	49.52	10.39	59.91	74.00	-14.09
5458.56	Average	40.16	10.50	50.66	54.00	-3.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU Full
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-22
 Temp./Humi. :20.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5093.43	Average	41.77	10.60	52.37	54.00	-1.63
5107.59	Peak	52.63	10.69	63.32	74.00	-10.68
5180.00	Average	87.67	10.64	98.31	-	-
5180.00	Peak	97.49	10.64	108.13	-	-
5453.52	Average	40.23	10.48	50.71	54.00	-3.29
5458.56	Peak	48.81	10.50	59.31	74.00	-14.69


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 26/0
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5094.39	Peak	51.88	10.61	62.49	74.00	-11.51
5119.60	Average	41.66	10.71	52.37	54.00	-1.63
5171.45	Average	89.75	10.68	100.43	-	-
5171.45	Peak	96.86	10.68	107.54	-	-
5457.36	Peak	49.44	10.50	59.94	74.00	-14.06
5458.32	Average	39.81	10.50	50.31	54.00	-3.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 26/0
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5112.39	Peak	51.92	10.69	62.61	74.00	-11.39
5114.55	Average	41.62	10.70	52.32	54.00	-1.68
5172.17	Average	94.57	10.68	105.25	-	-
5172.17	Peak	101.22	10.68	111.90	-	-
5387.98	Peak	50.37	10.32	60.69	74.00	-13.31
5455.20	Average	40.06	10.49	50.55	54.00	-3.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52/37
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5033.41	Peak	51.48	10.21	61.69	74.00	-12.31
5119.84	Average	41.45	10.71	52.16	54.00	-1.84
5171.69	Average	83.65	10.68	94.33	-	-
5171.69	Peak	90.43	10.68	101.11	-	-
5455.20	Peak	48.98	10.49	59.47	74.00	-14.53
5459.28	Average	39.83	10.51	50.34	54.00	-3.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52/37
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5089.83	Average	41.64	10.58	52.22	54.00	-1.78
5117.19	Peak	51.00	10.70	61.70	74.00	-12.30
5171.21	Average	83.23	10.68	93.91	-	-
5171.21	Peak	91.03	10.68	101.71	-	-
5443.68	Peak	49.46	10.45	59.91	74.00	-14.09
5451.36	Average	39.69	10.48	50.17	54.00	-3.83


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 106/53
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5016.37	Peak	51.55	10.18	61.73	74.00	-12.27
5108.55	Average	41.52	10.69	52.21	54.00	-1.79
5174.09	Average	81.35	10.67	92.02	-	-
5174.09	Peak	89.29	10.67	99.96	-	-
5398.79	Peak	49.56	10.33	59.89	74.00	-14.11
5458.08	Average	39.72	10.50	50.22	54.00	-3.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 106/53
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5099.43	Average	41.63	10.66	52.29	54.00	-1.71
5130.64	Peak	51.42	10.74	62.16	74.00	-11.84
5170.49	Average	84.92	10.69	95.61	-	-
5170.49	Peak	91.54	10.69	102.23	-	-
5451.60	Peak	48.96	10.48	59.44	74.00	-14.56
5454.72	Average	39.86	10.49	50.35	54.00	-3.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11be20 RU 52+26MRU1
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2025-06-23
Temp./Humi. :20.4℃/67%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5093.19	Average	41.02	10.60	51.62	54.00	-2.38
5104.47	Peak	49.86	10.67	60.53	74.00	-13.47
5173.61	Average	70.21	10.67	80.88	-	-
5173.61	Peak	77.88	10.67	88.55	-	-
5418.47	Peak	48.43	10.39	58.82	74.00	-15.18
5428.31	Average	39.20	10.41	49.61	54.00	-4.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52+26MRU1
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-23
 Temp./Humi. :20.4°C/67%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5091.99	Average	41.05	10.59	51.64	54.00	-2.36
5111.19	Peak	50.83	10.69	61.52	74.00	-12.48
5176.73	Average	76.16	10.66	86.82	-	-
5176.73	Peak	84.11	10.66	94.77	-	-
5367.58	Peak	48.58	10.28	58.86	74.00	-15.14
5455.92	Average	39.34	10.49	49.83	54.00	-4.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 106+26MRU1
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-24
 Temp./Humi. :21.4°C/55%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
4983.72	Peak	52.25	10.05	62.30	74.00	-11.70
5101.11	Average	40.70	10.66	51.36	54.00	-2.64
5172.41	Average	71.69	10.68	82.37	-	-
5172.41	Peak	80.40	10.68	91.08	-	-
5411.51	Peak	48.52	10.36	58.88	74.00	-15.12
5457.36	Average	38.88	10.50	49.38	54.00	-4.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11be20 RU 106+26MRU1
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2025-06-24
Temp./Humi. :21.4°C/55%
Antenna Pol. :Horizontal
Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5114.55	Peak	50.18	10.70	60.88	74.00	-13.12
5149.60	Average	40.54	10.80	51.34	54.00	-2.66
5175.77	Average	75.40	10.67	86.07	-	-
5175.77	Peak	83.75	10.67	94.42	-	-
5363.26	Peak	48.66	10.28	58.94	74.00	-15.06
5446.32	Average	39.00	10.45	49.45	54.00	-4.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU Full
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-22
 Temp./Humi. :20.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5107.59	Average	41.66	10.69	52.35	54.00	-1.65
5148.64	Peak	51.21	10.80	62.01	74.00	-11.99
5320.00	Average	90.23	10.09	100.32	-	-
5320.00	Peak	98.82	10.09	108.91	-	-
5456.64	Average	40.03	10.50	50.53	54.00	-3.47
5458.56	Peak	49.81	10.50	60.31	74.00	-13.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU Full
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-22
 Temp./Humi. :20.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5024.29	Peak	52.34	10.19	62.53	74.00	-11.47
5095.59	Average	41.70	10.62	52.32	54.00	-1.68
5320.00	Average	94.26	10.09	104.35	-	-
5320.00	Peak	104.22	10.09	114.31	-	-
5355.33	Peak	49.81	10.26	60.07	74.00	-13.93
5357.25	Average	40.92	10.26	51.18	54.00	-2.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 26/8
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5002.21	Peak	52.02	10.14	62.16	74.00	-11.84
5099.91	Average	41.65	10.66	52.31	54.00	-1.69
5328.21	Average	87.86	10.13	97.99	-	-
5328.21	Peak	95.10	10.13	105.23	-	-
5426.87	Peak	49.80	10.39	60.19	74.00	-13.81
5451.84	Average	39.78	10.48	50.26	54.00	-3.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 26/8
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5081.19	Average	41.89	10.51	52.40	54.00	-1.60
5149.84	Peak	51.23	10.80	62.03	74.00	-11.97
5328.45	Average	92.31	10.13	102.44	-	-
5328.45	Peak	99.45	10.13	109.58	-	-
5452.80	Average	39.88	10.48	50.36	54.00	-3.64
5453.76	Peak	48.83	10.49	59.32	74.00	-14.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52/40
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
5067.98	Peak	50.95	10.40	61.35	74.00	-12.65
5097.75	Average	41.68	10.65	52.33	54.00	-1.67
5328.21	Average	91.55	10.13	101.68	-	-
5328.21	Peak	100.24	10.13	110.37	-	-
5447.28	Average	39.81	10.45	50.26	54.00	-3.74
5454.48	Peak	48.68	10.49	59.17	74.00	-14.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11be20 RU 52/40
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2025-06-19
Temp./Humi. :21.5°C/65%
Antenna Pol. :Horizontal
Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5072.78	Peak	51.22	10.44	61.66	74.00	-12.34
5106.63	Average	41.51	10.68	52.19	54.00	-1.81
5328.21	Average	96.25	10.13	106.38	-	-
5328.21	Peak	103.81	10.13	113.94	-	-
5442.24	Peak	49.26	10.44	59.70	74.00	-14.30
5453.28	Average	39.93	10.48	50.41	54.00	-3.59


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 106/54
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-20
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5083.59	Peak	51.06	10.52	61.58	74.00	-12.42
5092.47	Average	40.89	10.59	51.48	54.00	-2.52
5328.93	Average	70.38	10.14	80.52	-	-
5328.93	Peak	77.33	10.14	87.47	-	-
5457.36	Peak	49.25	10.50	59.75	74.00	-14.25
5457.84	Average	39.04	10.50	49.54	54.00	-4.46


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 106/54
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-20
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5097.75	Average	40.90	10.65	51.55	54.00	-2.45
5110.47	Peak	50.33	10.69	61.02	74.00	-12.98
5322.69	Average	74.43	10.10	84.53	-	-
5322.69	Peak	82.79	10.10	92.89	-	-
5450.40	Peak	48.79	10.47	59.26	74.00	-14.74
5456.40	Average	39.09	10.50	49.59	54.00	-4.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52+26MRU3
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-23
 Temp./Humi. :20.4°C/67%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5055.50	Peak	51.79	10.30	62.09	74.00	-11.91
5091.75	Average	40.89	10.59	51.48	54.00	-2.52
5324.61	Average	69.48	10.12	79.60	-	-
5324.61	Peak	77.94	10.12	88.06	-	-
5362.78	Peak	48.39	10.28	58.67	74.00	-15.33
5458.32	Average	39.06	10.50	49.56	54.00	-4.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52+26MRU3
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-23
 Temp./Humi. :20.4°C/67%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5111.91	Average	40.91	10.69	51.60	54.00	-2.40
5144.08	Peak	50.70	10.78	61.48	74.00	-12.52
5323.89	Average	75.21	10.12	85.33	-	-
5323.89	Peak	83.18	10.12	93.30	-	-
5420.63	Peak	48.16	10.39	58.55	74.00	-15.45
5455.68	Average	39.07	10.49	49.56	54.00	-4.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11be20 RU 106+26MRU2
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2025-06-24
Temp./Humi. :21.4°C/55%
Antenna Pol. :Vertical
Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5133.28	Average	40.90	10.75	51.65	54.00	-2.35
5145.28	Peak	50.02	10.79	60.81	74.00	-13.19
5324.37	Average	69.59	10.12	79.71	-	-
5324.37	Peak	77.47	10.12	87.59	-	-
5452.80	Average	39.28	10.48	49.76	54.00	-4.24
5453.04	Peak	48.40	10.48	58.88	74.00	-15.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 106+26MRU2
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-24
 Temp./Humi. :21.4°C/55%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5015.41	Average	41.06	10.18	51.24	54.00	-2.76
5113.59	Peak	50.36	10.70	61.06	74.00	-12.94
5323.41	Average	74.63	10.11	84.74	-	-
5323.41	Peak	82.35	10.11	92.46	-	-
5453.52	Average	38.74	10.48	49.22	54.00	-4.78
5457.84	Peak	49.15	10.50	59.65	74.00	-14.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU Full
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-22
 Temp./Humi. :20.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5459.20	Peak	52.42	10.51	62.93	74.00	-11.07
5459.41	Average	42.62	10.51	53.13	54.00	-0.87
5467.54	Peak	56.03	10.55	66.58	68.20	-1.62
5500.00	Average	91.65	10.70	102.35	-	-
5500.00	Peak	100.81	10.70	111.51	-	-
5934.15	Peak	50.66	11.92	62.58	68.20	-5.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU Full
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-22
 Temp./Humi. :20.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5459.83	Peak	53.65	10.51	64.16	74.00	-9.84
5460.00	Average	42.88	10.51	53.39	54.00	-0.61
5460.25	Peak	52.73	10.51	63.24	68.20	-4.96
5500.00	Average	92.43	10.70	103.13	-	-
5500.00	Peak	100.61	10.70	111.31	-	-
5972.71	Peak	49.86	11.98	61.84	68.20	-6.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11be20 RU 26/0
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2025-06-19
Temp./Humi. :21.5°C/65%
Antenna Pol. :Vertical
Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5446.07	Peak	49.06	10.45	59.51	74.00	-14.49
5457.54	Average	40.04	10.50	50.54	54.00	-3.46
5466.50	Peak	49.66	10.55	60.21	68.20	-7.99
5491.51	Average	88.07	10.66	98.73	-	-
5491.51	Peak	95.52	10.66	106.18	-	-
5961.25	Peak	49.75	11.97	61.72	68.20	-6.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 26/0
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5428.57	Peak	49.62	10.41	60.03	74.00	-13.97
5460.00	Average	40.10	10.51	50.61	54.00	-3.39
5462.95	Peak	48.98	10.53	59.51	68.20	-8.69
5491.51	Average	95.63	10.66	106.29	-	-
5491.51	Peak	103.29	10.66	113.95	-	-
5790.56	Peak	50.35	11.38	61.73	68.20	-6.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52/37
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5378.55	Peak	49.07	10.30	59.37	74.00	-14.63
5458.16	Average	39.82	10.50	50.32	54.00	-3.68
5463.16	Peak	49.00	10.53	59.53	68.20	-8.67
5492.13	Average	85.90	10.66	96.56	-	-
5492.13	Peak	92.89	10.66	103.55	-	-
5856.84	Peak	50.32	11.60	61.92	68.20	-6.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52/37
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5447.12	Average	39.96	10.45	50.41	54.00	-3.59
5457.54	Peak	49.51	10.50	60.01	74.00	-13.99
5460.87	Peak	48.51	10.51	59.02	68.20	-9.18
5491.71	Average	93.22	10.66	103.88	-	-
5491.71	Peak	101.20	10.66	111.86	-	-
5923.73	Peak	49.79	11.89	61.68	68.20	-6.52


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 106/53
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-20
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5412.52	Peak	50.17	10.37	60.54	74.00	-13.46
5446.28	Average	39.77	10.45	50.22	54.00	-3.78
5460.45	Peak	49.02	10.51	59.53	68.20	-8.67
5491.71	Average	82.81	10.66	93.47	-	-
5491.71	Peak	90.11	10.66	100.77	-	-
5813.91	Peak	50.53	11.46	61.99	68.20	-6.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 106/53
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-20
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5454.20	Average	39.88	10.49	50.37	54.00	-3.63
5460.00	Peak	48.75	10.51	59.26	68.20	-8.94
5467.75	Peak	50.00	10.55	60.55	68.20	-7.65
5491.30	Average	92.85	10.66	103.51	-	-
5491.30	Peak	101.25	10.66	111.91	-	-
5971.04	Peak	49.52	11.98	61.50	68.20	-6.70


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52+26MRU1
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-23
 Temp./Humi. :20.4℃/67%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5388.76	Peak	49.06	10.32	59.38	74.00	-14.62
5458.79	Average	39.10	10.51	49.61	54.00	-4.39
5467.54	Peak	48.11	10.55	58.66	68.20	-9.54
5494.01	Average	71.80	10.67	82.47	-	-
5494.01	Peak	79.15	10.67	89.82	-	-
5888.51	Peak	48.96	11.76	60.72	68.20	-7.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52+26MRU1
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-23
 Temp./Humi. :20.4°C/67%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5403.56	Peak	48.36	10.34	58.70	74.00	-15.30
5456.08	Average	39.12	10.49	49.61	54.00	-4.39
5462.75	Peak	48.03	10.53	58.56	68.20	-9.64
5493.38	Average	75.70	10.66	86.36	-	-
5493.38	Peak	83.55	10.66	94.21	-	-
5967.71	Peak	48.70	11.97	60.67	68.20	-7.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11be20 RU 106+26MRU1
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2025-06-24
Temp./Humi. :21.4°C/55%
Antenna Pol. :Vertical
Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5450.03	Peak	48.61	10.47	59.08	74.00	-14.92
5457.54	Average	38.87	10.50	49.37	54.00	-4.63
5461.50	Peak	48.80	10.53	59.33	68.20	-8.87
5491.09	Average	67.25	10.65	77.90	-	-
5491.09	Peak	74.89	10.65	85.54	-	-
5950.41	Peak	49.93	11.96	61.89	68.20	-6.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 106+26MRU1
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-24
 Temp./Humi. :21.4°C/55%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5381.26	Peak	48.57	10.30	58.87	74.00	-15.13
5453.99	Average	39.83	10.49	50.32	54.00	-3.68
5468.37	Peak	47.81	10.55	58.36	68.20	-9.84
5495.88	Average	74.59	10.68	85.27	-	-
5495.88	Peak	83.54	10.68	94.22	-	-
5813.28	Peak	49.91	11.46	61.37	68.20	-6.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU Full
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-22
 Temp./Humi. :20.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5452.33	Average	40.11	10.48	50.59	54.00	-3.41
5456.91	Peak	50.05	10.50	60.55	74.00	-13.45
5467.75	Peak	50.07	10.55	60.62	68.20	-7.58
5700.00	Average	86.06	11.27	97.33	-	-
5700.00	Peak	95.38	11.27	106.65	-	-
5959.16	Peak	50.46	11.97	62.43	68.20	-5.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU Full
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-22
 Temp./Humi. :20.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5433.15	Peak	50.20	10.42	60.62	74.00	-13.38
5458.79	Average	40.06	10.51	50.57	54.00	-3.43
5466.08	Peak	48.46	10.54	59.00	68.20	-9.20
5700.00	Average	89.79	11.27	101.06	-	-
5700.00	Peak	99.76	11.27	111.03	-	-
5811.40	Peak	50.38	11.44	61.82	68.20	-6.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 26/8
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5451.28	Average	39.70	10.48	50.18	54.00	-3.82
5455.66	Peak	49.19	10.49	59.68	74.00	-14.32
5467.33	Peak	48.77	10.55	59.32	68.20	-8.88
5708.04	Average	88.97	11.28	100.25	-	-
5708.04	Peak	95.87	11.28	107.15	-	-
5889.56	Peak	50.22	11.77	61.99	68.20	-6.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 26/8
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5437.74	Peak	49.42	10.43	59.85	74.00	-14.15
5456.91	Average	39.83	10.50	50.33	54.00	-3.67
5467.54	Peak	48.69	10.55	59.24	68.20	-8.96
5708.25	Average	96.83	11.28	108.11	-	-
5708.25	Peak	102.28	11.28	113.56	-	-
5903.10	Peak	49.88	11.83	61.71	68.20	-6.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52/40
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5441.70	Peak	49.20	10.44	59.64	74.00	-14.36
5456.91	Average	39.71	10.50	50.21	54.00	-3.79
5463.79	Peak	48.48	10.54	59.02	68.20	-9.18
5706.79	Average	92.19	11.28	103.47	-	-
5706.79	Peak	101.09	11.28	112.37	-	-
5935.40	Peak	49.80	11.92	61.72	68.20	-6.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52/40
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5449.20	Peak	49.43	10.46	59.89	74.00	-14.11
5452.33	Average	39.85	10.48	50.33	54.00	-3.67
5466.29	Peak	48.92	10.55	59.47	68.20	-8.73
5708.45	Average	96.62	11.28	107.90	-	-
5708.45	Peak	104.12	11.28	115.40	-	-
5965.21	Peak	50.57	11.97	62.54	68.20	-5.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 106/54
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-20
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5458.58	Average	39.20	10.50	49.70	54.00	-4.30
5460.00	Peak	48.11	10.51	58.62	68.20	-9.58
5467.75	Peak	48.41	10.55	58.96	68.20	-9.24
5703.45	Average	70.44	11.27	81.71	-	-
5703.45	Peak	79.35	11.27	90.62	-	-
5969.79	Peak	48.95	11.97	60.92	68.20	-7.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 106/54
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-20
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5442.74	Peak	49.39	10.45	59.84	74.00	-14.16
5459.00	Average	39.10	10.51	49.61	54.00	-4.39
5463.16	Peak	47.30	10.53	57.83	68.20	-10.37
5708.04	Average	75.34	11.28	86.62	-	-
5708.04	Peak	83.79	11.28	95.07	-	-
5924.98	Peak	49.35	11.89	61.24	68.20	-6.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52+26MRU3
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-23
 Temp./Humi. :20.4°C/67%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5454.41	Average	39.10	10.49	49.59	54.00	-4.41
5454.62	Peak	48.27	10.49	58.76	74.00	-15.24
5466.08	Peak	48.27	10.54	58.81	68.20	-9.39
5705.95	Average	70.85	11.27	82.12	-	-
5705.95	Peak	79.03	11.27	90.30	-	-
5908.52	Peak	49.30	11.85	61.15	68.20	-7.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52+26MRU3
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-23
 Temp./Humi. :20.4°C/67%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5437.53	Peak	48.68	10.43	59.11	74.00	-14.89
5451.28	Average	39.13	10.48	49.61	54.00	-4.39
5468.17	Peak	47.56	10.55	58.11	68.20	-10.09
5706.79	Average	75.69	11.28	86.97	-	-
5706.79	Peak	84.80	11.28	96.08	-	-
5957.29	Peak	48.85	11.97	60.82	68.20	-7.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11be20 RU 106+26MRU2
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2025-06-24
Temp./Humi. :21.4°C/55%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5415.23	Peak	48.23	10.37	58.60	74.00	-15.40
5450.24	Average	38.93	10.47	49.40	54.00	-4.60
5467.96	Peak	47.65	10.55	58.20	68.20	-10.00
5708.87	Average	71.59	11.28	82.87	-	-
5708.87	Peak	80.23	11.28	91.51	-	-
5961.87	Peak	48.99	11.97	60.96	68.20	-7.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11be20 RU 106+26MRU2
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2025-06-24
Temp./Humi. :21.4°C/55%
Antenna Pol. :Horizontal
Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5446.70	Average	39.62	10.45	50.07	54.00	-3.93
5457.12	Peak	48.31	10.50	58.81	74.00	-15.19
5461.50	Peak	49.11	10.53	59.64	68.20	-8.56
5708.25	Average	76.08	11.28	87.36	-	-
5708.25	Peak	83.24	11.28	94.52	-	-
5938.74	Peak	50.43	11.93	62.36	68.20	-5.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU Full
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-22
 Temp./Humi. :20.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5457.74	Average	40.25	10.50	50.75	54.00	-3.25
5459.00	Peak	49.63	10.51	60.14	74.00	-13.86
5465.87	Peak	49.91	10.54	60.45	68.20	-7.75
5720.00	Average	89.24	11.28	100.52	-	-
5720.00	Peak	98.63	11.28	109.91	-	-
5945.82	Peak	49.92	11.94	61.86	68.20	-6.34


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11b20 RU Full
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-22
 Temp./Humi. :20.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5450.87	Peak	49.54	10.47	60.01	74.00	-13.99
5453.58	Average	40.27	10.48	50.75	54.00	-3.25
5468.37	Peak	49.31	10.55	59.86	68.20	-8.34
5720.00	Average	94.98	11.28	106.26	-	-
5720.00	Peak	105.24	11.28	116.52	-	-
5940.61	Peak	49.70	11.93	61.63	68.20	-6.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU Full
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-22
 Temp./Humi. :20.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5545.27	Peak	50.94	10.78	61.72	68.20	-6.48
5673.65	Peak	49.97	11.12	61.09	85.70	-24.61
5719.71	Peak	60.07	11.28	71.35	110.72	-39.37
5721.37	Peak	61.01	11.28	72.29	113.93	-41.64
5745.00	Peak	98.59	11.29	109.88	-	-
5854.96	Peak	48.55	11.59	60.14	110.89	-50.75
5855.79	Peak	49.21	11.59	60.80	110.58	-49.78
5902.68	Peak	49.74	11.83	61.57	84.71	-23.14
5953.33	Peak	49.21	11.96	61.17	68.20	-7.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11be20 RU Full
Test Frequency :5745 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2025-05-22
Temp./Humi. :20.3°C/52%
Antenna Pol. :Horizontal
Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5566.32	Peak	50.94	10.76	61.70	68.20	-6.50
5694.91	Peak	52.34	11.25	63.59	101.43	-37.84
5710.54	Peak	61.83	11.28	73.11	108.15	-35.04
5724.50	Peak	61.82	11.28	73.10	121.06	-47.96
5745.00	Peak	103.30	11.29	114.59	-	-
5854.34	Peak	49.26	11.59	60.85	112.32	-51.47
5867.46	Peak	48.90	11.65	60.55	107.31	-46.76
5905.39	Peak	49.42	11.84	61.26	82.71	-21.45
5975.00	Peak	49.91	11.98	61.89	68.20	-6.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 26/0
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5540.90	Peak	50.29	10.78	61.07	68.20	-7.13
5663.23	Peak	49.47	11.06	60.53	77.99	-17.46
5718.46	Peak	48.86	11.27	60.13	110.37	-50.24
5722.00	Peak	48.03	11.28	59.31	115.36	-56.05
5737.00	Peak	99.63	11.29	110.92	-	-
5853.29	Peak	48.23	11.57	59.80	114.69	-54.89
5867.05	Peak	48.81	11.65	60.46	107.43	-46.97
5895.60	Peak	49.90	11.79	61.69	89.96	-28.27
5972.50	Peak	48.79	11.98	60.77	68.20	-7.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 26/0
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5611.96	Peak	50.56	10.76	61.32	68.20	-6.88
5681.78	Peak	50.29	11.16	61.45	91.72	-30.27
5700.53	Peak	48.61	11.27	59.88	105.35	-45.47
5721.58	Peak	49.21	11.28	60.49	114.41	-53.92
5737.00	Peak	102.77	11.29	114.06	-	-
5854.75	Peak	50.70	11.59	62.29	111.37	-49.08
5871.63	Peak	49.52	11.68	61.20	106.14	-44.94
5919.77	Peak	49.94	11.87	61.81	72.07	-10.26
5946.45	Peak	50.50	11.95	62.45	68.20	-5.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52/37
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5635.51	Peak	49.69	10.89	60.58	68.20	-7.62
5697.82	Peak	49.34	11.26	60.60	103.59	-42.99
5719.08	Peak	60.07	11.28	71.35	110.54	-39.19
5723.04	Peak	60.94	11.28	72.22	117.73	-45.51
5738.88	Peak	100.00	11.28	111.28	-	-
5850.17	Peak	49.03	11.56	60.59	121.82	-61.23
5871.42	Peak	49.24	11.68	60.92	106.20	-45.28
5875.38	Peak	49.24	11.69	60.93	104.92	-43.99
5972.29	Peak	49.48	11.98	61.46	68.20	-6.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11be20 RU 52/37
Test Frequency :5745 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2025-06-19
Temp./Humi. :21.5°C/65%
Antenna Pol. :Horizontal
Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5580.49	Peak	49.75	10.74	60.49	68.20	-7.71
5697.41	Peak	49.78	11.26	61.04	103.28	-42.24
5718.87	Peak	61.26	11.28	72.54	110.48	-37.94
5719.92	Peak	57.31	11.28	68.59	110.78	-42.19
5736.80	Peak	106.89	11.29	118.18	-	-
5851.00	Peak	48.21	11.56	59.77	119.92	-60.15
5855.79	Peak	49.49	11.59	61.08	110.58	-49.50
5887.05	Peak	49.35	11.75	61.10	96.28	-35.18
5963.33	Peak	50.04	11.97	62.01	68.20	-6.19


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11be20 RU 106/53
Test Frequency :5745 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2025-06-20
Temp./Humi. :21.5°C/65%
Antenna Pol. :Vertical
Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5524.85	Peak	50.27	10.75	61.02	68.20	-7.18
5694.28	Peak	49.85	11.23	61.08	100.97	-39.89
5718.46	Peak	54.59	11.27	65.86	110.37	-44.51
5724.71	Peak	66.69	11.28	77.97	121.53	-43.56
5737.21	Peak	101.92	11.29	113.21	-	-
5851.83	Peak	48.77	11.57	60.34	118.02	-57.68
5861.42	Peak	48.82	11.62	60.44	109.00	-48.56
5901.64	Peak	49.89	11.82	61.71	85.48	-23.77
5943.74	Peak	50.44	11.94	62.38	68.20	-5.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11be20 RU 106/53
Test Frequency :5745 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2025-06-20
Temp./Humi. :21.5°C/65%
Antenna Pol. :Horizontal
Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5647.81	Peak	49.82	10.96	60.78	68.20	-7.42
5689.91	Peak	49.26	11.21	60.47	97.73	-37.26
5719.92	Peak	58.51	11.28	69.79	110.78	-40.99
5723.67	Peak	67.12	11.28	78.40	119.16	-40.76
5736.59	Peak	105.27	11.29	116.56	-	-
5853.50	Peak	47.83	11.57	59.40	114.22	-54.82
5858.92	Peak	48.53	11.61	60.14	109.70	-49.56
5917.27	Peak	49.75	11.86	61.61	73.92	-12.31
5937.70	Peak	49.65	11.93	61.58	68.20	-6.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52+26MRU1
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-23
 Temp./Humi. :20.4°C/67%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5647.81	Peak	49.34	10.96	60.30	68.20	-7.90
5677.40	Peak	49.16	11.14	60.30	88.48	-28.18
5702.41	Peak	49.04	11.27	60.31	105.87	-45.56
5722.00	Peak	47.97	11.28	59.25	115.36	-56.11
5740.34	Peak	79.22	11.28	90.50	-	-
5851.83	Peak	47.90	11.57	59.47	118.02	-58.55
5871.22	Peak	48.61	11.67	60.28	106.26	-45.98
5896.64	Peak	48.75	11.81	60.56	89.19	-28.63
5958.33	Peak	48.43	11.97	60.40	68.20	-7.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52+26MRU1
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-23
 Temp./Humi. :20.4℃/67%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5561.95	Peak	49.12	10.76	59.88	68.20	-8.32
5696.16	Peak	49.33	11.25	60.58	102.36	-41.78
5719.08	Peak	48.58	11.28	59.86	110.54	-50.68
5720.33	Peak	48.23	11.28	59.51	111.56	-52.05
5738.25	Peak	82.68	11.28	93.96	-	-
5852.88	Peak	47.74	11.57	59.31	115.64	-56.33
5862.25	Peak	47.86	11.62	59.48	108.77	-49.29
5878.30	Peak	49.07	11.70	60.77	102.76	-41.99
5948.12	Peak	48.91	11.96	60.87	68.20	-7.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11be20 RU 106+26MRU1
Test Frequency :5745 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2025-06-24
Temp./Humi. :21.4°C/55%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5583.20	Peak	49.63	10.73	60.36	68.20	-7.84
5692.41	Peak	49.39	11.22	60.61	99.58	-38.97
5703.24	Peak	48.41	11.27	59.68	106.11	-46.43
5720.33	Peak	48.43	11.28	59.71	111.56	-51.85
5738.05	Peak	72.40	11.28	83.68	-	-
5853.29	Peak	47.29	11.57	58.86	114.69	-55.83
5855.38	Peak	48.89	11.59	60.48	110.69	-50.21
5905.60	Peak	49.65	11.84	61.49	82.55	-21.06
5939.99	Peak	48.62	11.93	60.55	68.20	-7.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 106+26MRU1
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-24
 Temp./Humi. :21.4°C/55%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5570.91	Peak	49.84	10.76	60.60	68.20	-7.60
5692.61	Peak	49.74	11.22	60.96	99.73	-38.77
5717.83	Peak	48.46	11.27	59.73	110.19	-50.46
5723.88	Peak	48.71	11.28	59.99	119.64	-59.65
5740.55	Peak	85.62	11.28	96.90	-	-
5852.88	Peak	49.23	11.57	60.80	115.64	-54.84
5873.72	Peak	48.40	11.68	60.08	105.56	-45.48
5882.47	Peak	48.79	11.73	60.52	99.67	-39.15
5953.74	Peak	50.49	11.96	62.45	68.20	-5.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU Full
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-23
 Temp./Humi. :20.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5551.32	Peak	49.42	10.79	60.21	68.20	-7.99
5671.15	Peak	49.94	11.09	61.03	83.85	-22.82
5712.83	Peak	49.29	11.27	60.56	108.79	-48.23
5724.08	Peak	49.68	11.28	60.96	120.11	-59.15
5825.00	Peak	99.35	11.49	110.84	-	-
5854.13	Peak	69.02	11.58	80.60	112.79	-32.19
5856.84	Peak	67.81	11.60	79.41	110.29	-30.88
5876.43	Peak	55.95	11.70	67.65	104.15	-36.50
5928.73	Peak	49.75	11.90	61.65	68.20	-6.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU Full
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-23
 Temp./Humi. :20.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5617.38	Peak	50.17	10.80	60.97	68.20	-7.23
5655.52	Peak	49.99	11.01	61.00	72.28	-11.28
5719.92	Peak	50.17	11.28	61.45	110.78	-49.33
5724.50	Peak	50.81	11.28	62.09	121.06	-58.97
5825.00	Peak	103.02	11.49	114.51	-	-
5850.00	Peak	68.29	11.57	79.86	122.20	-42.34
5859.13	Peak	70.77	11.61	82.38	109.64	-27.26
5881.22	Peak	61.16	11.72	72.88	100.60	-27.72
5941.45	Peak	49.49	11.93	61.42	68.20	-6.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 26/8
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5563.40	Peak	49.76	10.77	60.53	68.20	-7.67
5659.06	Peak	49.62	11.03	60.65	74.91	-14.26
5716.16	Peak	49.70	11.27	60.97	109.73	-48.76
5722.62	Peak	49.77	11.28	61.05	116.78	-55.73
5833.29	Peak	104.30	11.52	115.82	-	-
5850.38	Peak	64.52	11.56	76.08	121.35	-45.27
5864.96	Peak	78.63	11.64	90.27	108.01	-17.74
5883.30	Peak	54.94	11.73	66.67	99.06	-32.39
5974.79	Peak	49.30	11.98	61.28	68.20	-6.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 26/8
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5494.63	Peak	49.71	10.68	60.39	68.20	-7.81
5684.90	Peak	50.35	11.19	61.54	94.03	-32.49
5707.62	Peak	49.23	11.28	60.51	107.33	-46.82
5724.08	Peak	49.28	11.28	60.56	120.11	-59.55
5833.50	Peak	110.09	11.52	121.61	-	-
5850.00	Peak	63.21	11.57	74.78	122.20	-47.42
5868.92	Peak	77.51	11.66	89.17	106.90	-17.73
5896.02	Peak	63.45	11.80	75.25	89.65	-14.40
5974.17	Peak	50.79	11.98	62.77	68.20	-5.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52/40
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5515.89	Peak	50.03	10.73	60.76	68.20	-7.44
5686.57	Peak	50.88	11.20	62.08	95.26	-33.18
5718.25	Peak	49.73	11.27	61.00	110.31	-49.31
5723.67	Peak	48.24	11.28	59.52	119.16	-59.64
5832.66	Peak	102.40	11.52	113.92	-	-
5854.96	Peak	67.55	11.59	79.14	110.89	-31.75
5862.88	Peak	76.56	11.63	88.19	108.59	-20.40
5886.01	Peak	53.77	11.74	65.51	97.05	-31.54
5969.37	Peak	49.12	11.97	61.09	68.20	-7.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52/40
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5514.22	Peak	50.24	10.73	60.97	68.20	-7.23
5687.61	Peak	49.03	11.20	60.23	96.03	-35.80
5709.50	Peak	49.84	11.28	61.12	107.86	-46.74
5721.79	Peak	48.72	11.28	60.00	114.88	-54.88
5832.66	Peak	107.67	11.52	119.19	-	-
5853.50	Peak	68.31	11.57	79.88	114.22	-34.34
5860.17	Peak	78.09	11.61	89.70	109.35	-19.65
5893.72	Peak	58.32	11.78	70.10	91.34	-21.24
5938.53	Peak	49.15	11.93	61.08	68.20	-7.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 106/54
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-20
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5565.70	Peak	50.02	10.77	60.79	68.20	-7.41
5661.77	Peak	49.26	11.06	60.32	76.91	-16.59
5702.62	Peak	49.76	11.27	61.03	105.93	-44.90
5723.88	Peak	48.09	11.28	59.37	119.64	-60.27
5829.74	Peak	78.58	11.51	90.09	-	-
5853.71	Peak	47.63	11.57	59.20	113.74	-54.54
5860.80	Peak	48.05	11.61	59.66	109.18	-49.52
5890.18	Peak	49.92	11.77	61.69	93.97	-32.28
5948.12	Peak	48.92	11.96	60.88	68.20	-7.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 106/54
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-20
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5632.18	Peak	49.95	10.88	60.83	68.20	-7.37
5693.45	Peak	48.76	11.22	59.98	100.35	-40.37
5718.04	Peak	48.21	11.27	59.48	110.25	-50.77
5721.37	Peak	47.48	11.28	58.76	113.93	-55.17
5833.70	Peak	82.21	11.52	93.73	-	-
5852.46	Peak	47.82	11.57	59.39	116.59	-57.20
5859.13	Peak	49.16	11.61	60.77	109.64	-48.87
5923.73	Peak	49.66	11.89	61.55	69.14	-7.59
5969.37	Peak	49.40	11.97	61.37	68.20	-6.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52+26MRU3
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-24
 Temp./Humi. :20.4°C/67%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5644.47	Peak	49.22	10.95	60.17	68.20	-8.03
5669.90	Peak	49.90	11.09	60.99	82.92	-21.93
5701.37	Peak	48.91	11.27	60.18	105.58	-45.40
5723.67	Peak	47.81	11.28	59.09	119.16	-60.07
5828.29	Peak	70.34	11.50	81.84	-	-
5850.38	Peak	48.71	11.56	60.27	121.35	-61.08
5870.38	Peak	48.73	11.66	60.39	106.49	-46.10
5878.51	Peak	48.89	11.70	60.59	102.60	-42.01
5948.12	Peak	48.87	11.96	60.83	68.20	-7.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52+26MRU3
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-24
 Temp./Humi. :20.4°C/67%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5648.64	Peak	49.95	10.96	60.91	68.20	-7.29
5688.03	Peak	49.47	11.20	60.67	96.34	-35.67
5700.33	Peak	48.55	11.27	59.82	105.29	-45.47
5724.29	Peak	47.42	11.28	58.70	120.59	-61.89
5828.08	Peak	79.83	11.50	91.33	-	-
5854.54	Peak	47.67	11.59	59.26	111.84	-52.58
5860.38	Peak	48.56	11.61	60.17	109.29	-49.12
5921.02	Peak	48.72	11.88	60.60	71.14	-10.54
5931.44	Peak	48.59	11.91	60.50	68.20	-7.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2504001440E2
Operation Mode :802.11be20 RU 106+26MRU2
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2025-06-24
Temp./Humi. :21.4°C/55%
Antenna Pol. :Vertical
Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5480.67	Peak	49.97	10.60	60.57	68.20	-7.63
5663.23	Peak	48.82	11.06	59.88	77.99	-18.11
5702.20	Peak	48.38	11.27	59.65	105.82	-46.17
5720.33	Peak	47.78	11.28	59.06	111.56	-52.50
5826.20	Peak	68.56	11.49	80.05	-	-
5851.00	Peak	47.66	11.56	59.22	119.92	-60.70
5873.30	Peak	48.56	11.68	60.24	105.68	-45.44
5902.06	Peak	49.66	11.82	61.48	85.18	-23.70
5949.37	Peak	49.31	11.96	61.27	68.20	-6.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11be20 RU 106+26MRU2
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2025-06-24
Temp./Humi. :21.4°C/55%
Antenna Pol. :Horizontal
Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5519.43	Peak	49.97	10.73	60.70	68.20	-7.50
5673.65	Peak	48.36	11.12	59.48	85.70	-26.22
5710.54	Peak	48.91	11.28	60.19	108.15	-47.96
5721.58	Peak	48.77	11.28	60.05	114.41	-54.36
5833.70	Peak	80.07	11.52	91.59	-	-
5854.96	Peak	47.49	11.59	59.08	110.89	-51.81
5856.84	Peak	50.50	11.60	62.10	110.29	-48.19
5897.27	Peak	48.33	11.81	60.14	88.72	-28.58
5930.82	Peak	49.54	11.91	61.45	68.20	-6.75


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU Full
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-23
 Temp./Humi. :20.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5645.31	Peak	49.87	10.95	60.82	68.20	-7.38
5652.81	Peak	49.51	11.00	60.51	70.28	-9.77
5701.37	Peak	48.54	11.27	59.81	105.58	-45.77
5724.92	Peak	48.44	11.28	59.72	124.96	-65.24
5885.00	Average	49.87	11.74	61.61	-	-
5885.00	Peak	92.65	11.74	104.39	-	-
5895.00	Average	70.78	11.79	82.57	90.20	-7.63
5895.00	Peak	79.23	11.79	91.02	110.20	-19.18
5934.15	Average	39.78	11.92	51.70	68.20	-16.50
5935.20	Peak	49.56	11.92	61.48	88.20	-26.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU Full
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-23
 Temp./Humi. :20.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5518.60	Peak	50.51	10.73	61.24	68.20	-6.96
5658.85	Peak	50.01	11.03	61.04	74.75	-13.71
5702.83	Peak	48.30	11.27	59.57	105.99	-46.42
5722.62	Peak	48.84	11.28	60.12	118.36	-58.24
5885.00	Average	50.51	11.74	62.25	-	-
5885.00	Peak	100.81	11.74	112.55	-	-
5895.00	Average	77.44	11.79	89.23	90.20	-0.97
5895.00	Peak	86.32	11.79	98.11	110.20	-12.09
5933.11	Peak	48.53	11.92	60.45	88.20	-27.75
5935.61	Average	39.73	11.92	51.65	68.20	-16.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 26/8
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-19
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5581.12	Peak	49.86	10.74	60.60	68.20	-7.60
5678.86	Peak	49.98	11.15	61.13	89.56	-28.43
5710.95	Peak	49.24	11.28	60.52	108.27	-47.75
5723.04	Peak	47.87	11.28	59.15	119.56	-60.41
5893.10	Peak	79.69	11.78	91.47	-	-
5895.00	Average	63.29	11.79	75.08	90.20	-15.12
5895.00	Peak	68.59	11.79	80.38	110.20	-29.82
5959.16	Peak	49.84	11.97	61.81	88.20	-26.39
5974.79	Average	39.99	11.98	51.97	68.20	-16.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11be20 RU 26/8
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2025-06-19
Temp./Humi. :21.5°C/65%
Antenna Pol. :Horizontal
Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5598.63	Peak	50.81	10.70	61.51	68.20	-6.69
5670.73	Peak	49.24	11.09	60.33	83.54	-23.21
5719.29	Peak	50.22	11.28	61.50	110.60	-49.10
5722.62	Peak	48.34	11.28	59.62	118.36	-58.74
5893.93	Peak	87.08	11.79	98.87	-	-
5895.00	Average	72.67	11.79	84.46	90.20	-5.74
5895.00	Peak	78.66	11.79	90.45	110.20	-19.75
5934.78	Average	40.00	11.92	51.92	68.20	-16.28
5971.87	Peak	49.16	11.98	61.14	88.20	-27.06


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11be20 RU 52/40
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2025-06-19
Temp./Humi. :21.5°C/65%
Antenna Pol. :Vertical
Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Reading Level			FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5480.25	Peak	50.38	10.60	60.98	68.20	-7.22
5660.10	Peak	50.04	11.03	61.07	75.68	-14.61
5703.03	Peak	49.08	11.27	60.35	106.05	-45.70
5721.79	Peak	48.42	11.28	59.70	115.96	-56.26
5891.22	Peak	82.04	11.77	93.81	-	-
5895.00	Average	64.84	11.79	76.63	90.20	-13.57
5895.00	Peak	71.26	11.79	83.05	110.20	-27.15
5931.03	Average	40.11	11.91	52.02	68.20	-16.18
5947.91	Peak	50.41	11.96	62.37	88.20	-25.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11be20 RU 52/40
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2025-06-19
Temp./Humi. :21.5°C/65%
Antenna Pol. :Horizontal
Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5502.13	Peak	50.34	10.70	61.04	68.20	-7.16
5689.91	Peak	50.33	11.21	61.54	97.73	-36.19
5715.54	Peak	49.11	11.27	60.38	109.55	-49.17
5721.79	Peak	47.97	11.28	59.25	115.96	-56.71
5893.52	Peak	87.11	11.78	98.89	-	-
5895.00	Average	72.52	11.79	84.31	90.20	-5.89
5895.00	Peak	81.09	11.79	92.88	110.20	-17.32
5934.36	Peak	50.03	11.92	61.95	88.20	-26.25
5954.58	Average	40.06	11.97	52.03	68.20	-16.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 106/54
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-20
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5562.78	Peak	49.15	10.77	59.92	68.20	-8.28
5683.86	Peak	49.92	11.19	61.11	93.26	-32.15
5707.62	Peak	49.13	11.28	60.41	107.33	-46.92
5724.92	Peak	47.86	11.28	59.14	124.96	-65.82
5891.22	Peak	71.66	11.77	83.43	-	-
5895.00	Average	52.49	11.79	64.28	90.20	-25.92
5895.00	Peak	60.82	11.79	72.61	110.20	-37.59
5944.99	Peak	48.96	11.94	60.90	88.20	-27.30
5970.00	Average	39.57	11.97	51.54	68.20	-16.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 106/54
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-20
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5570.49	Peak	49.60	10.75	60.35	68.20	-7.85
5657.39	Peak	48.96	11.02	59.98	73.67	-13.69
5705.12	Peak	47.97	11.27	59.24	106.63	-47.39
5720.12	Peak	47.90	11.28	59.18	111.16	-51.98
5887.05	Peak	74.48	11.75	86.23	-	-
5895.00	Average	52.65	11.79	64.44	90.20	-25.76
5895.00	Peak	60.41	11.79	72.20	110.20	-38.00
5957.70	Average	39.78	11.97	51.75	68.20	-16.45
5964.37	Peak	49.53	11.97	61.50	88.20	-26.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 52+26MRU3
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-24
 Temp./Humi. :20.4℃/67%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5624.47	Peak	50.23	10.83	61.06	68.20	-7.14
5675.53	Peak	49.32	11.13	60.45	87.09	-26.64
5703.87	Peak	47.91	11.27	59.18	106.28	-47.10
5722.42	Peak	47.25	11.28	58.53	117.76	-59.23
5887.26	Peak	71.57	11.75	83.32	-	-
5895.39	Peak	50.00	11.79	61.79	109.91	-48.12
5918.11	Average	39.22	11.87	51.09	73.26	-22.17
5924.98	Peak	48.52	11.89	60.41	88.21	-27.80
5960.00	Average	39.49	11.97	51.46	68.20	-16.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11be20 RU 52+26MRU3
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2025-06-24
Temp./Humi. :20.4°C/67%
Antenna Pol. :Horizontal
Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5527.56	Peak	49.12	10.75	59.87	68.20	-8.33
5671.57	Peak	48.94	11.10	60.04	84.16	-24.12
5716.37	Peak	48.95	11.27	60.22	109.78	-49.56
5724.08	Peak	48.47	11.28	59.75	122.56	-62.81
5889.14	Peak	74.61	11.77	86.38	-	-
5895.60	Peak	51.78	11.79	63.57	109.76	-46.19
5912.48	Average	39.48	11.85	51.33	77.38	-26.05
5925.61	Average	39.29	11.89	51.18	68.20	-17.02
5952.08	Peak	48.72	11.96	60.68	88.20	-27.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be20 RU 106+26MRU2
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-24
 Temp./Humi. :21.4°C/55%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5644.06	Peak	49.98	10.95	60.93	68.20	-7.27
5699.70	Peak	48.76	11.27	60.03	104.98	-44.95
5707.41	Peak	48.93	11.28	60.21	107.27	-47.06
5724.71	Peak	47.31	11.28	58.59	124.36	-65.77
5893.93	Peak	63.52	11.79	75.31	-	-
5895.00	Average	46.38	11.79	58.17	90.20	-32.03
5895.00	Peak	57.27	11.79	69.06	110.20	-41.14
5947.91	Average	39.65	11.96	51.61	68.20	-16.59
5965.00	Peak	49.94	11.97	61.91	88.20	-26.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
Operation Mode :802.11be20 RU 106+26MRU2
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :E2 Plane

Test Site :SAC D
Test Date :2025-06-24
Temp./Humi. :21.4°C/55%
Antenna Pol. :Horizontal
Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dB μ V	dB	dB μ V/m	dB μ V/m	dB
5534.44	Peak	50.69	10.76	61.45	68.20	-6.75
5696.57	Peak	49.01	11.26	60.27	102.66	-42.39
5706.99	Peak	48.97	11.28	60.25	107.16	-46.91
5722.62	Peak	46.77	11.28	58.05	118.36	-60.31
5888.72	Peak	76.16	11.76	87.92	-	-
5895.00	Average	57.07	11.79	68.86	90.20	-21.34
5895.00	Peak	67.21	11.79	79.00	110.20	-31.20
5933.11	Average	39.33	11.92	51.25	68.20	-16.95
5943.74	Peak	48.54	11.94	60.48	88.20	-27.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be40 RU Full
 Test Frequency :5190 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-23
 Temp./Humi. :20.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5101.35	Average	41.42	10.66	52.08	54.00	-1.92
5122.96	Peak	50.73	10.72	61.45	74.00	-12.55
5190.00	Average	82.23	10.58	92.81	-	-
5190.00	Peak	91.02	10.58	101.60	-	-
5421.59	Peak	49.83	10.39	60.22	74.00	-13.78
5442.00	Average	39.58	10.44	50.02	54.00	-3.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be40 RU Full
 Test Frequency :5190 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-05-23
 Temp./Humi. :20.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5091.75	Peak	51.65	10.59	62.24	74.00	-11.76
5149.84	Average	41.40	10.80	52.20	54.00	-1.80
5190.00	Average	88.56	10.58	99.14	-	-
5190.00	Peak	97.60	10.58	108.18	-	-
5457.60	Peak	48.51	10.50	59.01	74.00	-14.99
5459.76	Average	39.49	10.51	50.00	54.00	-4.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be40 RU 242/61
 Test Frequency :5190 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-20
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5093.91	Average	40.97	10.60	51.57	54.00	-2.43
5112.87	Peak	50.88	10.70	61.58	74.00	-12.42
5180.57	Average	66.25	10.64	76.89	-	-
5180.57	Peak	73.64	10.64	84.28	-	-
5394.22	Peak	48.49	10.32	58.81	74.00	-15.19
5457.84	Average	39.15	10.50	49.65	54.00	-4.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be40 RU 242/61
 Test Frequency :5190 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-20
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5091.03	Peak	51.05	10.59	61.64	74.00	-12.36
5117.92	Average	40.91	10.71	51.62	54.00	-2.38
5186.81	Average	71.27	10.60	81.87	-	-
5186.81	Peak	79.07	10.60	89.67	-	-
5416.31	Peak	48.67	10.37	59.04	74.00	-14.96
5450.64	Average	39.14	10.47	49.61	54.00	-4.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be40 RU Full
 Test Frequency :5310 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-18
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5098.95	Peak	51.43	10.65	62.08	74.00	-11.92
5118.15	Average	41.70	10.71	52.41	54.00	-1.59
5299.88	Average	84.69	9.98	94.67	-	-
5299.88	Peak	95.07	9.98	105.05	-	-
5329.88	Peak	51.16	10.26	61.42	74.00	-12.58
5354.13	Average	41.51	10.26	51.77	54.00	-2.23


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2504001440E2
 Operation Mode :802.11be40 RU Full
 Test Frequency :5310 MHz
 Test Mode :Bandedge
 EUT Pol :E2 Plane

Test Site :SAC D
 Test Date :2025-06-18
 Temp./Humi. :21.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5112.63	Average	41.81	10.70	52.51	54.00	-1.49
5120.08	Peak	51.43	10.71	62.14	74.00	-11.86
5321.25	Average	87.08	10.09	97.17	-	-
5321.25	Peak	95.67	10.09	105.76	-	-
5350.05	Average	41.17	10.26	51.43	54.00	-2.57
5454.48	Peak	50.00	10.49	60.49	74.00	-13.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.