


802.11ac(VHT80)_MCH_5775MHz_MIMO_NTNV



5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	20	102	5180.080	5150 to 5250	Pass
				120	5180.060	5150 to 5250	Pass
				138	5179.940	5150 to 5250	Pass
			-30	120	5180.020	5150 to 5250	Pass
			-20	120	5179.940	5150 to 5250	Pass
			-10	120	5180.020	5150 to 5250	Pass
			0	120	5179.960	5150 to 5250	Pass
			10	120	5180.020	5150 to 5250	Pass
			30	120	5180.000	5150 to 5250	Pass
			40	120	5180.000	5150 to 5250	Pass
			50	120	5179.940	5150 to 5250	Pass
		5200	20	102	5199.920	5150 to 5250	Pass
				120	5199.920	5150 to 5250	Pass
				138	5199.900	5150 to 5250	Pass
			-30	120	5199.960	5150 to 5250	Pass
			-20	120	5199.980	5150 to 5250	Pass
			-10	120	5200.020	5150 to 5250	Pass
			0	120	5199.900	5150 to 5250	Pass
			10	120	5199.980	5150 to 5250	Pass
			30	120	5200.020	5150 to 5250	Pass
			40	120	5199.880	5150 to 5250	Pass
			50	120	5199.980	5150 to 5250	Pass
		5240	20	102	5240.000	5150 to 5250	Pass
				120	5239.960	5150 to 5250	Pass
				138	5239.960	5150 to 5250	Pass
			-30	120	5239.940	5150 to 5250	Pass
			-20	120	5240.020	5150 to 5250	Pass
			-10	120	5239.980	5150 to 5250	Pass
			0	120	5240.000	5150 to 5250	Pass
			10	120	5240.040	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250700329303

Page: 322 of 337

			30	120	5240.000	5150 to 5250	Pass
			40	120	5239.940	5150 to 5250	Pass
			50	120	5240.040	5150 to 5250	Pass
		5260	20	102	5259.960	5250 to 5350	Pass
				120	5259.960	5250 to 5350	Pass
				138	5260.020	5250 to 5350	Pass
			-30	120	5260.020	5250 to 5350	Pass
			-20	120	5260.080	5250 to 5350	Pass
			-10	120	5260.000	5250 to 5350	Pass
			0	120	5260.000	5250 to 5350	Pass
			10	120	5259.940	5250 to 5350	Pass
			30	120	5260.020	5250 to 5350	Pass
			40	120	5260.020	5250 to 5350	Pass
			50	120	5259.960	5250 to 5350	Pass
		5300	20	102	5300.000	5250 to 5350	Pass
				120	5300.000	5250 to 5350	Pass
				138	5299.980	5250 to 5350	Pass
			-30	120	5300.040	5250 to 5350	Pass
			-20	120	5300.000	5250 to 5350	Pass
			-10	120	5300.000	5250 to 5350	Pass
			0	120	5299.940	5250 to 5350	Pass
			10	120	5300.000	5250 to 5350	Pass
			30	120	5299.980	5250 to 5350	Pass
			40	120	5299.960	5250 to 5350	Pass
			50	120	5299.980	5250 to 5350	Pass
		5320	20	102	5319.900	5250 to 5350	Pass
				120	5319.980	5250 to 5350	Pass
				138	5320.020	5250 to 5350	Pass
			-30	120	5319.960	5250 to 5350	Pass
			-20	120	5320.020	5250 to 5350	Pass
			-10	120	5319.960	5250 to 5350	Pass
			0	120	5319.920	5250 to 5350	Pass
			10	120	5319.960	5250 to 5350	Pass
			30	120	5319.960	5250 to 5350	Pass
			40	120	5319.980	5250 to 5350	Pass
			50	120	5320.000	5250 to 5350	Pass
		5500	20	102	5499.960	5470 to 5725	Pass
				120	5499.900	5470 to 5725	Pass
				138	5499.960	5470 to 5725	Pass
			-30	120	5499.960	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250700329303

Page: 323 of 337

			-20	120	5499.920	5470 to 5725	Pass
			-10	120	5500.000	5470 to 5725	Pass
			0	120	5499.980	5470 to 5725	Pass
			10	120	5499.960	5470 to 5725	Pass
			30	120	5500.000	5470 to 5725	Pass
			40	120	5500.020	5470 to 5725	Pass
			50	120	5499.960	5470 to 5725	Pass
		5580	20	102	5580.000	5470 to 5725	Pass
				120	5580.020	5470 to 5725	Pass
				138	5580.020	5470 to 5725	Pass
			-30	120	5579.900	5470 to 5725	Pass
			-20	120	5580.000	5470 to 5725	Pass
			-10	120	5579.980	5470 to 5725	Pass
			0	120	5579.940	5470 to 5725	Pass
			10	120	5579.940	5470 to 5725	Pass
			30	120	5579.940	5470 to 5725	Pass
			40	120	5579.960	5470 to 5725	Pass
			50	120	5580.020	5470 to 5725	Pass
		5700	20	102	5700.000	5470 to 5725	Pass
				120	5700.040	5470 to 5725	Pass
				138	5699.980	5470 to 5725	Pass
			-30	120	5700.000	5470 to 5725	Pass
			-20	120	5700.000	5470 to 5725	Pass
			-10	120	5700.040	5470 to 5725	Pass
			0	120	5700.000	5470 to 5725	Pass
			10	120	5700.000	5470 to 5725	Pass
			30	120	5699.980	5470 to 5725	Pass
			40	120	5700.040	5470 to 5725	Pass
			50	120	5700.000	5470 to 5725	Pass
		5745	20	102	5744.900	5725 to 5850	Pass
				120	5745.020	5725 to 5850	Pass
				138	5745.020	5725 to 5850	Pass
			-30	120	5744.940	5725 to 5850	Pass
			-20	120	5744.960	5725 to 5850	Pass
			-10	120	5745.000	5725 to 5850	Pass
			0	120	5745.000	5725 to 5850	Pass
			10	120	5744.880	5725 to 5850	Pass
			30	120	5744.960	5725 to 5850	Pass
			40	120	5745.020	5725 to 5850	Pass
			50	120	5744.980	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250700329303

Page: 324 of 337

		5785	20	102	5784.920	5725 to 5850	Pass
				120	5784.940	5725 to 5850	Pass
				138	5784.940	5725 to 5850	Pass
			-30	120	5784.940	5725 to 5850	Pass
			-20	120	5785.040	5725 to 5850	Pass
			-10	120	5784.900	5725 to 5850	Pass
			0	120	5785.000	5725 to 5850	Pass
			10	120	5784.940	5725 to 5850	Pass
			30	120	5785.000	5725 to 5850	Pass
			40	120	5784.940	5725 to 5850	Pass
			50	120	5784.960	5725 to 5850	Pass
		5825	20	102	5825.000	5725 to 5850	Pass
				120	5825.000	5725 to 5850	Pass
				138	5824.980	5725 to 5850	Pass
			-30	120	5824.980	5725 to 5850	Pass
			-20	120	5825.000	5725 to 5850	Pass
			-10	120	5825.060	5725 to 5850	Pass
			0	120	5824.940	5725 to 5850	Pass
			10	120	5824.960	5725 to 5850	Pass
			30	120	5824.920	5725 to 5850	Pass
			40	120	5824.920	5725 to 5850	Pass
			50	120	5825.040	5725 to 5850	Pass
802.11n (HT20)	MIMO	5180	20	102	5179.980	5150 to 5250	Pass
				120	5179.980	5150 to 5250	Pass
				138	5180.000	5150 to 5250	Pass
			-30	120	5180.000	5150 to 5250	Pass
			-20	120	5180.020	5150 to 5250	Pass
			-10	120	5180.040	5150 to 5250	Pass
			0	120	5180.040	5150 to 5250	Pass
			10	120	5180.040	5150 to 5250	Pass
			30	120	5179.980	5150 to 5250	Pass
		5200	20	102	5199.960	5150 to 5250	Pass
				120	5200.020	5150 to 5250	Pass
				138	5200.000	5150 to 5250	Pass
			-30	120	5200.020	5150 to 5250	Pass
			-20	120	5200.000	5150 to 5250	Pass
			-10	120	5199.940	5150 to 5250	Pass
			0	120	5200.000	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250700329303

Page: 325 of 337

			10	120	5200.020	5150 to 5250	Pass
			30	120	5199.980	5150 to 5250	Pass
			40	120	5199.960	5150 to 5250	Pass
			50	120	5199.940	5150 to 5250	Pass
	5240	20	102	5239.960	5150 to 5250	Pass	
			120	5240.020	5150 to 5250	Pass	
			138	5240.000	5150 to 5250	Pass	
		-30	120	5239.960	5150 to 5250	Pass	
		-20	120	5240.020	5150 to 5250	Pass	
		-10	120	5240.020	5150 to 5250	Pass	
		0	120	5240.020	5150 to 5250	Pass	
		10	120	5240.020	5150 to 5250	Pass	
		30	120	5240.020	5150 to 5250	Pass	
		40	120	5240.040	5150 to 5250	Pass	
		50	120	5239.980	5150 to 5250	Pass	
			5260	20	102	5260.040	5250 to 5350
120	5259.960				5250 to 5350	Pass	
138	5260.020				5250 to 5350	Pass	
-30	120			5260.060	5250 to 5350	Pass	
-20	120			5260.060	5250 to 5350	Pass	
-10	120			5260.060	5250 to 5350	Pass	
0	120			5260.020	5250 to 5350	Pass	
10	120			5260.060	5250 to 5350	Pass	
30	120			5259.980	5250 to 5350	Pass	
40	120			5259.960	5250 to 5350	Pass	
50	120			5260.080	5250 to 5350	Pass	
	5300			20	102	5299.980	5250 to 5350
		120	5300.040		5250 to 5350	Pass	
		138	5300.000		5250 to 5350	Pass	
		-30	120	5300.000	5250 to 5350	Pass	
		-20	120	5300.080	5250 to 5350	Pass	
		-10	120	5299.980	5250 to 5350	Pass	
		0	120	5300.000	5250 to 5350	Pass	
		10	120	5300.020	5250 to 5350	Pass	
		30	120	5300.040	5250 to 5350	Pass	
		40	120	5300.020	5250 to 5350	Pass	
		50	120	5300.000	5250 to 5350	Pass	
			5320	20	102	5319.940	5250 to 5350
120	5320.020				5250 to 5350	Pass	
138	5319.980				5250 to 5350	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250700329303

Page: 326 of 337

			-30	120	5319.960	5250 to 5350	Pass
			-20	120	5319.960	5250 to 5350	Pass
			-10	120	5319.980	5250 to 5350	Pass
			0	120	5320.000	5250 to 5350	Pass
			10	120	5320.020	5250 to 5350	Pass
			30	120	5320.020	5250 to 5350	Pass
			40	120	5319.960	5250 to 5350	Pass
			50	120	5319.980	5250 to 5350	Pass
		5500	20	102	5500.000	5470 to 5725	Pass
				120	5499.960	5470 to 5725	Pass
				138	5500.020	5470 to 5725	Pass
			-30	120	5499.980	5470 to 5725	Pass
			-20	120	5500.040	5470 to 5725	Pass
			-10	120	5499.960	5470 to 5725	Pass
			0	120	5500.000	5470 to 5725	Pass
			10	120	5499.960	5470 to 5725	Pass
			30	120	5500.020	5470 to 5725	Pass
			40	120	5499.940	5470 to 5725	Pass
			50	120	5500.000	5470 to 5725	Pass
		5580	20	102	5580.020	5470 to 5725	Pass
				120	5579.960	5470 to 5725	Pass
				138	5579.980	5470 to 5725	Pass
			-30	120	5579.960	5470 to 5725	Pass
			-20	120	5579.940	5470 to 5725	Pass
			-10	120	5579.960	5470 to 5725	Pass
			0	120	5579.980	5470 to 5725	Pass
			10	120	5580.000	5470 to 5725	Pass
			30	120	5579.940	5470 to 5725	Pass
			40	120	5579.960	5470 to 5725	Pass
			50	120	5579.940	5470 to 5725	Pass
		5700	20	102	5700.020	5470 to 5725	Pass
				120	5700.000	5470 to 5725	Pass
				138	5700.040	5470 to 5725	Pass
			-30	120	5700.060	5470 to 5725	Pass
			-20	120	5700.000	5470 to 5725	Pass
			-10	120	5700.040	5470 to 5725	Pass
			0	120	5700.020	5470 to 5725	Pass
			10	120	5700.000	5470 to 5725	Pass
			30	120	5700.000	5470 to 5725	Pass
			40	120	5700.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch / 深圳分公司 / SZEMC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250700329303

Page: 327 of 337

		5745	50	120	5699.980	5470 to 5725	Pass
			20	102	5745.000	5725 to 5850	Pass
				120	5745.000	5725 to 5850	Pass
				138	5744.980	5725 to 5850	Pass
			-30	120	5745.020	5725 to 5850	Pass
			-20	120	5744.940	5725 to 5850	Pass
			-10	120	5744.980	5725 to 5850	Pass
			0	120	5745.040	5725 to 5850	Pass
			10	120	5744.960	5725 to 5850	Pass
			30	120	5745.020	5725 to 5850	Pass
			40	120	5745.020	5725 to 5850	Pass
			50	120	5745.020	5725 to 5850	Pass
		5785	20	102	5785.020	5725 to 5850	Pass
				120	5784.960	5725 to 5850	Pass
				138	5785.000	5725 to 5850	Pass
			-30	120	5784.980	5725 to 5850	Pass
			-20	120	5784.940	5725 to 5850	Pass
			-10	120	5785.040	5725 to 5850	Pass
			0	120	5785.020	5725 to 5850	Pass
			10	120	5784.980	5725 to 5850	Pass
			30	120	5785.000	5725 to 5850	Pass
			40	120	5785.000	5725 to 5850	Pass
			50	120	5784.980	5725 to 5850	Pass
		5825	20	102	5824.960	5725 to 5850	Pass
				120	5825.000	5725 to 5850	Pass
				138	5824.940	5725 to 5850	Pass
			-30	120	5824.980	5725 to 5850	Pass
			-20	120	5824.940	5725 to 5850	Pass
			-10	120	5825.000	5725 to 5850	Pass
			0	120	5825.000	5725 to 5850	Pass
			10	120	5825.000	5725 to 5850	Pass
			30	120	5824.980	5725 to 5850	Pass
			40	120	5825.000	5725 to 5850	Pass
			50	120	5825.040	5725 to 5850	Pass
802.11n (HT40)	MIMO	5190	20	102	5189.960	5150 to 5250	Pass
				120	5190.000	5150 to 5250	Pass
				138	5190.000	5150 to 5250	Pass
			-30	120	5190.000	5150 to 5250	Pass
			-20	120	5190.000	5150 to 5250	Pass
			-10	120	5190.000	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250700329303

Page: 328 of 337

			0	120	5190.000	5150 to 5250	Pass
			10	120	5190.000	5150 to 5250	Pass
			30	120	5189.960	5150 to 5250	Pass
			40	120	5190.000	5150 to 5250	Pass
			50	120	5189.960	5150 to 5250	Pass
		5230	20	102	5230.000	5150 to 5250	Pass
				120	5230.000	5150 to 5250	Pass
				138	5230.000	5150 to 5250	Pass
			-30	120	5229.960	5150 to 5250	Pass
			-20	120	5230.000	5150 to 5250	Pass
			-10	120	5230.000	5150 to 5250	Pass
			0	120	5230.000	5150 to 5250	Pass
			10	120	5230.000	5150 to 5250	Pass
			30	120	5230.000	5150 to 5250	Pass
			40	120	5230.040	5150 to 5250	Pass
			50	120	5230.000	5150 to 5250	Pass
		5270	20	102	5270.000	5250 to 5350	Pass
				120	5270.000	5250 to 5350	Pass
				138	5270.040	5250 to 5350	Pass
			-30	120	5269.960	5250 to 5350	Pass
			-20	120	5270.040	5250 to 5350	Pass
			-10	120	5270.040	5250 to 5350	Pass
			0	120	5270.080	5250 to 5350	Pass
			10	120	5270.000	5250 to 5350	Pass
			30	120	5270.040	5250 to 5350	Pass
			40	120	5270.040	5250 to 5350	Pass
			50	120	5270.040	5250 to 5350	Pass
		5310	20	102	5310.040	5250 to 5350	Pass
				120	5310.080	5250 to 5350	Pass
				138	5310.000	5250 to 5350	Pass
			-30	120	5310.000	5250 to 5350	Pass
			-20	120	5310.000	5250 to 5350	Pass
			-10	120	5310.080	5250 to 5350	Pass
			0	120	5310.040	5250 to 5350	Pass
			10	120	5310.000	5250 to 5350	Pass
			30	120	5310.040	5250 to 5350	Pass
			40	120	5310.000	5250 to 5350	Pass
			50	120	5309.960	5250 to 5350	Pass
		5510	20	102	5510.000	5470 to 5725	Pass
				120	5509.960	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250700329303

Page: 329 of 337

				138	5510.000	5470 to 5725	Pass
			-30	120	5509.920	5470 to 5725	Pass
			-20	120	5510.000	5470 to 5725	Pass
			-10	120	5509.960	5470 to 5725	Pass
			0	120	5510.000	5470 to 5725	Pass
			10	120	5509.960	5470 to 5725	Pass
			30	120	5509.920	5470 to 5725	Pass
			40	120	5510.000	5470 to 5725	Pass
			50	120	5510.000	5470 to 5725	Pass
		5550	20	102	5549.960	5470 to 5725	Pass
				120	5550.000	5470 to 5725	Pass
				138	5550.000	5470 to 5725	Pass
			-30	120	5549.960	5470 to 5725	Pass
			-20	120	5549.960	5470 to 5725	Pass
			-10	120	5549.960	5470 to 5725	Pass
			0	120	5550.040	5470 to 5725	Pass
			10	120	5550.040	5470 to 5725	Pass
			30	120	5549.960	5470 to 5725	Pass
			40	120	5550.000	5470 to 5725	Pass
			50	120	5550.000	5470 to 5725	Pass
		5670	20	102	5670.040	5470 to 5725	Pass
				120	5670.040	5470 to 5725	Pass
				138	5670.040	5470 to 5725	Pass
			-30	120	5670.040	5470 to 5725	Pass
			-20	120	5670.000	5470 to 5725	Pass
			-10	120	5670.040	5470 to 5725	Pass
			0	120	5670.000	5470 to 5725	Pass
			10	120	5670.040	5470 to 5725	Pass
			30	120	5670.040	5470 to 5725	Pass
			40	120	5670.040	5470 to 5725	Pass
			50	120	5670.040	5470 to 5725	Pass
		5755	20	102	5754.960	5725 to 5850	Pass
				120	5754.960	5725 to 5850	Pass
				138	5755.000	5725 to 5850	Pass
			-30	120	5755.000	5725 to 5850	Pass
			-20	120	5755.000	5725 to 5850	Pass
			-10	120	5755.000	5725 to 5850	Pass
			0	120	5755.000	5725 to 5850	Pass
			10	120	5755.000	5725 to 5850	Pass
			30	120	5755.040	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250700329303

Page: 330 of 337

		5795	40	120	5755.040	5725 to 5850	Pass
			50	120	5755.000	5725 to 5850	Pass
			20	102	5794.960	5725 to 5850	Pass
				120	5795.000	5725 to 5850	Pass
				138	5794.960	5725 to 5850	Pass
			-30	120	5795.000	5725 to 5850	Pass
			-20	120	5795.000	5725 to 5850	Pass
			-10	120	5795.000	5725 to 5850	Pass
			0	120	5795.000	5725 to 5850	Pass
			10	120	5795.040	5725 to 5850	Pass
			30	120	5795.000	5725 to 5850	Pass
			40	120	5795.040	5725 to 5850	Pass
			50	120	5794.960	5725 to 5850	Pass
802.11ac (VHT20)	MIMO	5180	20	102	5179.980	5150 to 5250	Pass
				120	5180.020	5150 to 5250	Pass
				138	5179.980	5150 to 5250	Pass
			-30	120	5179.940	5150 to 5250	Pass
			-20	120	5179.980	5150 to 5250	Pass
			-10	120	5180.020	5150 to 5250	Pass
			0	120	5180.020	5150 to 5250	Pass
			10	120	5179.980	5150 to 5250	Pass
			30	120	5179.980	5150 to 5250	Pass
			40	120	5179.980	5150 to 5250	Pass
			50	120	5180.000	5150 to 5250	Pass
		5200	20	102	5199.960	5150 to 5250	Pass
				120	5199.980	5150 to 5250	Pass
				138	5199.980	5150 to 5250	Pass
			-30	120	5199.940	5150 to 5250	Pass
			-20	120	5199.960	5150 to 5250	Pass
			-10	120	5200.000	5150 to 5250	Pass
			0	120	5199.940	5150 to 5250	Pass
			10	120	5200.000	5150 to 5250	Pass
			30	120	5200.020	5150 to 5250	Pass
			40	120	5199.920	5150 to 5250	Pass
			50	120	5200.000	5150 to 5250	Pass
		5240	20	102	5239.960	5150 to 5250	Pass
				120	5239.980	5150 to 5250	Pass
				138	5240.000	5150 to 5250	Pass
			-30	120	5240.000	5150 to 5250	Pass
			-20	120	5239.980	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250700329303

Page: 331 of 337

			-10	120	5239.980	5150 to 5250	Pass
			0	120	5240.020	5150 to 5250	Pass
			10	120	5239.960	5150 to 5250	Pass
			30	120	5239.960	5150 to 5250	Pass
			40	120	5240.020	5150 to 5250	Pass
			50	120	5240.000	5150 to 5250	Pass
		5260	20	102	5260.040	5250 to 5350	Pass
				120	5259.980	5250 to 5350	Pass
				138	5260.020	5250 to 5350	Pass
			-30	120	5259.980	5250 to 5350	Pass
			-20	120	5260.100	5250 to 5350	Pass
			-10	120	5260.020	5250 to 5350	Pass
			0	120	5260.000	5250 to 5350	Pass
			10	120	5260.040	5250 to 5350	Pass
			30	120	5260.060	5250 to 5350	Pass
			40	120	5260.040	5250 to 5350	Pass
			50	120	5260.000	5250 to 5350	Pass
		5300	20	102	5300.040	5250 to 5350	Pass
				120	5299.960	5250 to 5350	Pass
				138	5300.000	5250 to 5350	Pass
			-30	120	5300.020	5250 to 5350	Pass
			-20	120	5299.960	5250 to 5350	Pass
			-10	120	5300.020	5250 to 5350	Pass
			0	120	5300.020	5250 to 5350	Pass
			10	120	5300.000	5250 to 5350	Pass
			30	120	5300.020	5250 to 5350	Pass
			40	120	5300.000	5250 to 5350	Pass
			50	120	5300.040	5250 to 5350	Pass
		5320	20	102	5320.000	5250 to 5350	Pass
				120	5320.020	5250 to 5350	Pass
				138	5319.960	5250 to 5350	Pass
			-30	120	5319.940	5250 to 5350	Pass
			-20	120	5320.000	5250 to 5350	Pass
			-10	120	5319.980	5250 to 5350	Pass
			0	120	5320.000	5250 to 5350	Pass
			10	120	5319.980	5250 to 5350	Pass
			30	120	5319.960	5250 to 5350	Pass
			40	120	5320.040	5250 to 5350	Pass
			50	120	5319.980	5250 to 5350	Pass
		5500	20	102	5499.980	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250700329303

Page: 332 of 337

				120	5500.000	5470 to 5725	Pass
				138	5499.980	5470 to 5725	Pass
			-30	120	5500.000	5470 to 5725	Pass
			-20	120	5500.000	5470 to 5725	Pass
			-10	120	5499.960	5470 to 5725	Pass
			0	120	5500.040	5470 to 5725	Pass
			10	120	5500.040	5470 to 5725	Pass
			30	120	5499.960	5470 to 5725	Pass
			40	120	5500.020	5470 to 5725	Pass
			50	120	5500.020	5470 to 5725	Pass
		5580	20	102	5579.960	5470 to 5725	Pass
				120	5579.960	5470 to 5725	Pass
				138	5580.020	5470 to 5725	Pass
			-30	120	5579.920	5470 to 5725	Pass
			-20	120	5580.020	5470 to 5725	Pass
			-10	120	5580.020	5470 to 5725	Pass
			0	120	5579.960	5470 to 5725	Pass
			10	120	5580.000	5470 to 5725	Pass
			30	120	5579.940	5470 to 5725	Pass
			40	120	5579.960	5470 to 5725	Pass
			50	120	5580.020	5470 to 5725	Pass
		5700	20	102	5700.040	5470 to 5725	Pass
				120	5700.000	5470 to 5725	Pass
				138	5699.960	5470 to 5725	Pass
			-30	120	5700.000	5470 to 5725	Pass
			-20	120	5700.000	5470 to 5725	Pass
			-10	120	5700.000	5470 to 5725	Pass
			0	120	5700.020	5470 to 5725	Pass
			10	120	5700.000	5470 to 5725	Pass
			30	120	5700.020	5470 to 5725	Pass
			40	120	5700.040	5470 to 5725	Pass
			50	120	5699.980	5470 to 5725	Pass
		5745	20	102	5745.000	5725 to 5850	Pass
				120	5745.000	5725 to 5850	Pass
				138	5744.980	5725 to 5850	Pass
			-30	120	5745.080	5725 to 5850	Pass
			-20	120	5745.000	5725 to 5850	Pass
			-10	120	5745.000	5725 to 5850	Pass
			0	120	5745.020	5725 to 5850	Pass
			10	120	5744.960	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250700329303

Page: 333 of 337

			30	120	5745.020	5725 to 5850	Pass
			40	120	5745.020	5725 to 5850	Pass
			50	120	5744.980	5725 to 5850	Pass
		5785	20	102	5784.960	5725 to 5850	Pass
				120	5785.020	5725 to 5850	Pass
				138	5784.980	5725 to 5850	Pass
			-30	120	5785.060	5725 to 5850	Pass
			-20	120	5785.020	5725 to 5850	Pass
			-10	120	5785.000	5725 to 5850	Pass
			0	120	5785.000	5725 to 5850	Pass
			10	120	5785.020	5725 to 5850	Pass
			30	120	5785.000	5725 to 5850	Pass
			40	120	5784.960	5725 to 5850	Pass
			50	120	5785.020	5725 to 5850	Pass
		5825	20	102	5824.940	5725 to 5850	Pass
				120	5824.980	5725 to 5850	Pass
				138	5825.000	5725 to 5850	Pass
			-30	120	5824.980	5725 to 5850	Pass
			-20	120	5824.980	5725 to 5850	Pass
			-10	120	5825.020	5725 to 5850	Pass
			0	120	5824.960	5725 to 5850	Pass
			10	120	5825.020	5725 to 5850	Pass
			30	120	5825.040	5725 to 5850	Pass
			40	120	5824.980	5725 to 5850	Pass
			50	120	5824.980	5725 to 5850	Pass
802.11ac (VHT40)	MIMO	5190	20	102	5190.000	5150 to 5250	Pass
				120	5190.000	5150 to 5250	Pass
				138	5190.000	5150 to 5250	Pass
			-30	120	5190.040	5150 to 5250	Pass
			-20	120	5189.960	5150 to 5250	Pass
			-10	120	5190.000	5150 to 5250	Pass
			0	120	5190.000	5150 to 5250	Pass
			10	120	5190.000	5150 to 5250	Pass
			30	120	5190.000	5150 to 5250	Pass
			40	120	5189.960	5150 to 5250	Pass
			50	120	5190.000	5150 to 5250	Pass
		5230	20	102	5230.000	5150 to 5250	Pass
				120	5230.000	5150 to 5250	Pass
				138	5229.960	5150 to 5250	Pass
			-30	120	5230.000	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250700329303

Page: 334 of 337

			-20	120	5230.000	5150 to 5250	Pass
			-10	120	5230.000	5150 to 5250	Pass
			0	120	5229.960	5150 to 5250	Pass
			10	120	5230.040	5150 to 5250	Pass
			30	120	5230.040	5150 to 5250	Pass
			40	120	5230.000	5150 to 5250	Pass
			50	120	5229.920	5150 to 5250	Pass
		5270	20	102	5270.000	5250 to 5350	Pass
				120	5270.040	5250 to 5350	Pass
				138	5270.040	5250 to 5350	Pass
			-30	120	5270.000	5250 to 5350	Pass
			-20	120	5270.080	5250 to 5350	Pass
			-10	120	5270.080	5250 to 5350	Pass
			0	120	5270.080	5250 to 5350	Pass
			10	120	5270.040	5250 to 5350	Pass
			30	120	5270.040	5250 to 5350	Pass
			40	120	5270.080	5250 to 5350	Pass
			50	120	5270.040	5250 to 5350	Pass
		5310	20	102	5310.000	5250 to 5350	Pass
				120	5310.000	5250 to 5350	Pass
				138	5309.960	5250 to 5350	Pass
			-30	120	5310.000	5250 to 5350	Pass
			-20	120	5310.040	5250 to 5350	Pass
			-10	120	5310.040	5250 to 5350	Pass
			0	120	5310.000	5250 to 5350	Pass
			10	120	5310.040	5250 to 5350	Pass
			30	120	5310.000	5250 to 5350	Pass
			40	120	5309.960	5250 to 5350	Pass
			50	120	5310.040	5250 to 5350	Pass
		5510	20	102	5509.960	5470 to 5725	Pass
				120	5509.960	5470 to 5725	Pass
				138	5510.000	5470 to 5725	Pass
			-30	120	5510.000	5470 to 5725	Pass
			-20	120	5510.000	5470 to 5725	Pass
			-10	120	5510.000	5470 to 5725	Pass
			0	120	5510.000	5470 to 5725	Pass
			10	120	5510.000	5470 to 5725	Pass
			30	120	5510.000	5470 to 5725	Pass
			40	120	5510.000	5470 to 5725	Pass
			50	120	5509.960	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250700329303

Page: 335 of 337

		5550	20	102	5549.960	5470 to 5725	Pass
				120	5550.000	5470 to 5725	Pass
				138	5550.000	5470 to 5725	Pass
			-30	120	5550.000	5470 to 5725	Pass
			-20	120	5549.920	5470 to 5725	Pass
			-10	120	5549.960	5470 to 5725	Pass
			0	120	5550.040	5470 to 5725	Pass
			10	120	5550.040	5470 to 5725	Pass
			30	120	5550.000	5470 to 5725	Pass
			40	120	5549.960	5470 to 5725	Pass
			50	120	5550.000	5470 to 5725	Pass
		5670	20	102	5670.040	5470 to 5725	Pass
				120	5670.040	5470 to 5725	Pass
				138	5670.040	5470 to 5725	Pass
			-30	120	5670.040	5470 to 5725	Pass
			-20	120	5670.000	5470 to 5725	Pass
			-10	120	5670.040	5470 to 5725	Pass
			0	120	5670.040	5470 to 5725	Pass
			10	120	5670.040	5470 to 5725	Pass
			30	120	5670.040	5470 to 5725	Pass
			40	120	5670.040	5470 to 5725	Pass
			50	120	5670.000	5470 to 5725	Pass
		5755	20	102	5755.040	5725 to 5850	Pass
				120	5755.000	5725 to 5850	Pass
				138	5754.960	5725 to 5850	Pass
			-30	120	5755.000	5725 to 5850	Pass
			-20	120	5755.040	5725 to 5850	Pass
			-10	120	5754.960	5725 to 5850	Pass
			0	120	5755.000	5725 to 5850	Pass
			10	120	5755.000	5725 to 5850	Pass
			30	120	5755.040	5725 to 5850	Pass
			40	120	5755.000	5725 to 5850	Pass
			50	120	5755.000	5725 to 5850	Pass
		5795	20	102	5795.000	5725 to 5850	Pass
				120	5795.000	5725 to 5850	Pass
				138	5795.000	5725 to 5850	Pass
			-30	120	5795.040	5725 to 5850	Pass
			-20	120	5795.040	5725 to 5850	Pass
			-10	120	5795.040	5725 to 5850	Pass
			0	120	5795.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250700329303

Page: 336 of 337

			10	120	5795.000	5725 to 5850	Pass
			30	120	5795.000	5725 to 5850	Pass
			40	120	5795.000	5725 to 5850	Pass
			50	120	5794.920	5725 to 5850	Pass
802.11ac (VHT80)	MIMO	5210	20	102	5210.075	5150 to 5250	Pass
				120	5210.075	5150 to 5250	Pass
				138	5210.000	5150 to 5250	Pass
			-30	120	5210.075	5150 to 5250	Pass
			-20	120	5210.000	5150 to 5250	Pass
			-10	120	5210.150	5150 to 5250	Pass
			0	120	5210.000	5150 to 5250	Pass
			10	120	5210.000	5150 to 5250	Pass
			30	120	5210.075	5150 to 5250	Pass
			40	120	5210.075	5150 to 5250	Pass
			50	120	5210.075	5150 to 5250	Pass
		5290	20	102	5290.075	5250 to 5350	Pass
				120	5290.075	5250 to 5350	Pass
				138	5290.075	5250 to 5350	Pass
			-30	120	5290.075	5250 to 5350	Pass
			-20	120	5290.150	5250 to 5350	Pass
			-10	120	5290.150	5250 to 5350	Pass
			0	120	5290.075	5250 to 5350	Pass
			10	120	5290.075	5250 to 5350	Pass
			30	120	5290.075	5250 to 5350	Pass
			40	120	5290.075	5250 to 5350	Pass
			50	120	5290.075	5250 to 5350	Pass
		5530	20	102	5530.075	5470 to 5725	Pass
				120	5529.925	5470 to 5725	Pass
				138	5530.000	5470 to 5725	Pass
			-30	120	5530.000	5470 to 5725	Pass
			-20	120	5530.075	5470 to 5725	Pass
			-10	120	5530.075	5470 to 5725	Pass
			0	120	5530.000	5470 to 5725	Pass
			10	120	5530.075	5470 to 5725	Pass
			30	120	5530.075	5470 to 5725	Pass
			40	120	5529.925	5470 to 5725	Pass
			50	120	5529.925	5470 to 5725	Pass
		5610	20	102	5610.000	5470 to 5725	Pass
				120	5610.075	5470 to 5725	Pass
				138	5610.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250700329303

Page: 337 of 337

			-30	120	5610.000	5470 to 5725	Pass
			-20	120	5610.075	5470 to 5725	Pass
			-10	120	5610.075	5470 to 5725	Pass
			0	120	5610.075	5470 to 5725	Pass
			10	120	5610.075	5470 to 5725	Pass
			30	120	5610.075	5470 to 5725	Pass
			40	120	5610.075	5470 to 5725	Pass
			50	120	5610.075	5470 to 5725	Pass
		5775	20	102	5775.000	5725 to 5850	Pass
				120	5775.075	5725 to 5850	Pass
				138	5775.075	5725 to 5850	Pass
			-30	120	5775.075	5725 to 5850	Pass
			-20	120	5775.000	5725 to 5850	Pass
			-10	120	5775.075	5725 to 5850	Pass
			0	120	5775.075	5725 to 5850	Pass
			10	120	5775.000	5725 to 5850	Pass
			30	120	5775.075	5725 to 5850	Pass
			40	120	5775.075	5725 to 5850	Pass
			50	120	5775.075	5725 to 5850	Pass

- End of the Report -



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com