




Appendix A: Test Results of Conducted Test

Test Result of 6 dB Bandwidth




802.11b

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Limit (MHz)	Result
1	2412	7.03	> 0.5	Pass
6	2437	6.99	> 0.5	Pass
11	2462	7.03	> 0.5	Pass

Channel 1

Channel 6

Channel 11





802.11g

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Limit (MHz)	Result
1	2412	15.06	> 0.5	Pass
6	2437	15.10	> 0.5	Pass
11	2462	15.10	> 0.5	Pass

Channel 1

Channel 6

Channel 11


802.11n HT20

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Limit (MHz)	Result
1	2412	15.10	> 0.5	Pass
6	2437	15.10	> 0.5	Pass
11	2462	15.10	> 0.5	Pass


Channel 1

Channel 6

Channel 11


Test Result of 99% Occupied Bandwidth


802.11b

Channel	Frequency (MHz)	99% Bandwidth (MHz)
1	2412	12.67
6	2437	12.83
11	2462	12.67


Channel 1



Channel 6




Channel 11




802.11g

Channel	Frequency (MHz)	99% Bandwidth (MHz)
1	2412	16.54
6	2437	16.54
11	2462	16.38


Channel 1



Channel 6






Channel 11



802.11n HT20




Channel	Frequency (MHz)	99% Bandwidth (MHz)
1	2412	17.62
6	2437	17.78
11	2462	17.54

Channel 1

Channel 6

Channel 11


Test Result of Power Spectral Density




802.11b

Channel	Frequency (MHz)	Power Density (dBm/3kHz)	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Result
1	2412	-0.64	-0.64	8.00	Pass
6	2437	-0.55	-0.55	8.00	Pass
11	2462	-1.57	-1.57	8.00	Pass

Channel 1

Channel 6

Channel 11





802.11g

Channel	Frequency (MHz)	Power Density (dBm/3kHz)	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Result
1	2412	-3.98	-3.98	8.00	Pass
6	2437	-4.23	-4.23	8.00	Pass
11	2462	-6.39	-6.39	8.00	Pass

Channel 1

Channel 6

Channel 11



802.11n HT20

Channel	Frequency (MHz)	Power Density (dBm/3kHz)	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Result
1	2412	-4.08	-4.08	8.00	Pass
6	2437	-4.24	-4.24	8.00	Pass
11	2462	-7.54	-7.54	8.00	Pass

Channel 1

Channel 6

Channel 11



Test Result of Conducted Spurious Emissions

802.11b




802.11g


Channel 1



Channel 6




Channel 11




802.11n HT20


Channel 1



Channel 6




Channel 11




Test Result of Conducted Bandedge


802.11b



802.11g



802.11n HT20



Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test


Band Edges, 2.31GHz ~ 2.5GHz

802.11b

Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.69	55.66	18.89	36.77	74.00	-18.34	223	342	Peak	Horizontal		
2 *	2412.00	106.66	69.79	36.87	74.00	32.66	223	342	Peak	Horizontal		
3	2497.00	55.23	17.72	37.51	74.00	-18.77	223	342	Peak	Horizontal		

Low Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.31	54.62	17.85	36.77	74.00	-19.38	346	319	Peak	Vertical		
2 *	2412.00	100.97	64.10	36.87	74.00	26.97	346	319	Peak	Vertical		
3	2489.78	54.67	17.18	37.49	74.00	-19.33	346	319	Peak	Vertical		

802.11b

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.23	48.25	11.48	36.77	54.00	-5.75	223	342 Average	Horizontal
2	2412.00	104.17	67.30	36.87	54.00	50.17	223	342 Average	Horizontal
3	2487.99	41.93	4.44	37.49	54.00	-12.07	223	342 Average	Horizontal

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.38	42.93	6.16	36.77	54.00	-11.07	346	319 Average	Vertical
2	2412.00	98.51	61.64	36.87	54.00	44.51	346	319 Average	Vertical
3	2494.19	41.64	4.13	37.51	54.00	-12.36	346	319 Average	Vertical

802.11b

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2363.81	54.47	17.57	36.90	74.00	-19.53	298	335 Peak	Horizontal	
2 *	2437.00	109.59	72.39	37.20	74.00	35.59	298	335 Peak	Horizontal	
3	2484.69	54.69	17.21	37.48	74.00	-19.31	298	335 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2377.45	54.07	17.23	36.84	74.00	-19.93	377	61 Peak	Vertical	
2 *	2437.00	103.57	66.37	37.20	74.00	29.57	377	61 Peak	Vertical	
3	2485.75	55.24	17.76	37.48	74.00	-18.76	377	61 Peak	Vertical	

802.11b

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2361.03	40.75	3.84	36.91	54.00	-13.25	298	335 Average	Horizontal
2 *	2437.00	107.21	70.01	37.20	54.00	93.21	298	335 Average	Horizontal
3	2486.85	41.73	4.25	37.48	54.00	-12.27	298	335 Average	Horizontal

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2341.65	40.52	3.64	36.88	54.00	-13.48	377	61 Average	Vertical
2 *	2437.00	101.23	64.03	37.20	54.00	47.23	377	61 Average	Vertical
3	2489.55	41.67	4.18	37.49	54.00	-12.33	377	61 Average	Vertical

802.11b

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2310.04	54.68	18.14	36.54	74.00	-19.32	220	332	Peak	Horizontal		
2 *	2462.00	106.93	69.52	37.41	74.00	32.93	220	332	Peak	Horizontal		
3	2483.70	56.98	19.50	37.48	74.00	-17.02	220	332	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2348.99	54.65	17.69	36.96	74.00	-19.35	105	160	Peak	Vertical		
2 *	2462.00	96.38	58.97	37.41	74.00	22.38	105	160	Peak	Vertical		
3	2495.86	56.89	19.38	37.51	74.00	-17.11	105	160	Peak	Vertical		

802.11b

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2313.19	40.74	4.18	36.56	54.00	-13.26	220	332	Average	Horizontal		
2 *	2462.00	104.51	67.10	37.41	54.00	50.51	220	332	Average	Horizontal		
3	2484.84	47.32	9.84	37.48	54.00	-6.68	220	332	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2341.46	40.36	3.49	36.87	54.00	-13.64	105	160	Average	Vertical		
2 *	2462.00	94.00	56.59	37.41	54.00	40.00	105	160	Average	Vertical		
3	2484.53	41.95	4.47	37.48	54.00	-12.05	105	160	Average	Vertical		

802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongshan, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.99	63.63	26.06	36.77	74.00	-10.37	306	337	Peak	Horizontal		
2 *	2412.00	110.34	73.37	36.67	74.00	36.24	306	337	Peak	Horizontal		
3	2483.74	55.45	17.97	37.48	74.00	-18.55	306	337	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongshan, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.88	56.62	19.25	36.77	74.00	-17.98	304	317	Peak	Vertical		
2 *	2412.00	103.96	67.09	36.67	74.00	29.96	304	317	Peak	Vertical		
3	2483.66	55.37	17.89	37.48	74.00	-18.63	304	317	Peak	Vertical		

802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.99	48.85	12.08	36.77	54.00	-5.15	306	337	Average	Horizontal	
2	2412.00	99.08	62.21	36.87	54.00	45.08	306	337	Average	Horizontal	
3	2491.45	41.76	4.26	37.50	54.00	-12.24	306	337	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.99	42.12	5.35	36.77	54.00	-11.88	304	317	Average	Vertical	
2	2412.00	92.83	55.96	36.87	54.00	38.83	304	317	Average	Vertical	
3	2494.87	41.60	4.09	37.51	54.00	-12.40	304	317	Average	Vertical	

802.11g

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.69	54.62	17.85	36.77	74.00	-19.38	218	334 Peak	Horizontal	
2 *	2437.00	110.65	73.45	37.20	74.00	36.65	218	334 Peak	Horizontal	
3	2485.18	61.56	24.88	37.48	74.00	-12.44	218	334 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2383.04	53.88	17.08	36.88	74.00	-20.12	384	63 Peak	Vertical	
2 *	2437.00	104.27	67.87	37.20	74.00	30.27	384	63 Peak	Vertical	
3	2487.12	55.14	17.66	37.48	74.00	-18.86	384	63 Peak	Vertical	

802.11g

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.88	41.40	4.63	36.77	54.00	-12.60	218	334 Average	Horizontal	
2 *	2437.00	99.91	62.71	37.20	54.00	45.91	218	334 Average	Horizontal	
3	2484.04	44.66	7.18	37.48	54.00	-9.34	218	334 Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.84	40.56	3.79	36.77	54.00	-13.44	384	63 Average	Vertical	
2 *	2437.00	93.76	56.56	37.20	54.00	39.76	384	63 Average	Vertical	
3	2486.21	41.51	4.03	37.48	54.00	-12.49	384	63 Average	Vertical	

802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2342.87	54.68	17.71	36.89	74.00	-19.40	220	333	Peak	Horizontal		
2 *	2462.00	109.57	71.96	37.41	74.00	35.37	220	333	Peak	Horizontal		
3 !	2483.74	69.19	31.71	37.48	74.00	-4.81	220	333	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2349.82	53.85	16.88	36.97	74.00	-20.15	362	286	Peak	Vertical		
2 *	2462.00	107.11	69.70	37.41	74.00	33.11	362	286	Peak	Vertical		
3	2483.81	67.96	30.48	37.48	74.00	-6.04	362	286	Peak	Vertical		

802.11g

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2360.12	40.42	3.50	36.92	54.00	-13.58		220	333	Average	Horizontal	
2 *	2462.00	98.26	60.85	37.41	54.00	44.26		220	333	Average	Horizontal	
3 !	2483.62	50.75	13.27	37.48	54.00	-3.25		220	333	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2361.64	40.44	3.53	36.91	54.00	-13.56		362	286	Average	Vertical	
2 *	2462.00	98.33	58.92	37.41	54.00	44.33		362	286	Average	Vertical	
3 !	2483.51	49.23	11.75	37.48	54.00	-4.77		362	286	Average	Vertical	

802.11n HT20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	2389.95	65.94	29.17	36.77	74.00	-8.06	345	338 Peak	Horizontal	
2 *	2412.00	109.21	72.34	36.87	74.00	35.21	345	338 Peak	Horizontal	
3	2484.53	55.15	17.67	37.48	74.00	-18.85	345	338 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	2389.93	62.34	25.56	36.78	74.00	-11.66	387	79 Peak	Vertical	
2 *	2412.00	103.58	66.71	36.87	74.00	29.58	387	79 Peak	Vertical	
3	2499.09	55.25	17.73	37.52	74.00	-18.75	387	79 Peak	Vertical	

802.11n HT20

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit	cm	deg			
1	2389.99	48.91	12.14	36.77	54.00	-5.09	345	338 Average	Horizontal	
2	2412.00	98.86	61.99	36.87	54.00	44.86	345	338 Average	Horizontal	
3	2498.94	41.88	4.36	37.52	54.00	-12.12	345	338 Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit	cm	deg			
1	2389.91	45.83	9.06	36.77	54.00	-8.17	387	79 Average	Vertical	
2	2412.00	93.85	56.18	36.87	54.00	39.05	387	79 Average	Vertical	
3	2489.89	41.80	4.31	37.49	54.00	-12.20	387	79 Average	Vertical	

802.11n HT20

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2387.94	55.12	18.34	36.78	74.00	-18.88	222	333 Peak	Horizontal	
2 *	2437.00	110.27	73.07	37.20	74.00	36.27	222	333 Peak	Horizontal	
3	2484.88	57.33	19.85	37.48	74.00	-16.67	222	333 Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2344.96	53.84	16.92	36.92	74.00	-20.16	378	62 Peak	Vertical	
2 *	2437.00	104.38	67.18	37.20	74.00	30.38	378	62 Peak	Vertical	
3	2489.45	56.42	18.93	37.49	74.00	-17.58	378	62 Peak	Vertical	

802.11n HT 20

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.69	41.98	5.21	36.77	54.00	-12.82	222	333 Average	Horizontal	
2 *	2437.00	100.14	62.94	37.20	54.00	46.14	222	333 Average	Horizontal	
3	2484.27	44.14	6.66	37.48	54.00	-9.86	222	333 Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2355.94	40.67	3.73	36.94	54.00	-13.33	378	62 Average	Vertical	
2 *	2437.00	93.83	56.63	37.20	54.00	39.83	378	62 Average	Vertical	
3	2484.23	41.91	4.43	37.48	54.00	-12.09	378	62 Average	Vertical	

802.11n HT20

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2335.73	53.74	16.92	36.82	74.00	-20.26	242	345 Peak	Horizontal	
2 *	2462.00	107.51	70.10	37.41	74.00	33.51	242	345 Peak	Horizontal	
3	2484.31	67.05	29.57	37.48	74.00	-6.95	242	345 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2318.55	53.94	17.31	36.63	74.00	-20.06	335	265 Peak	Vertical	
2 *	2462.00	105.72	68.31	37.41	74.00	31.72	335	265 Peak	Vertical	
3	2483.55	61.36	23.88	37.48	74.00	-12.64	335	265 Peak	Vertical	

802.11n HT20

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2346.82	40.81	3.87	36.94	54.00	-13.19	242	345	Average	Horizontal	
2 *	2462.00	97.22	59.81	37.41	54.00	43.22	242	345	Average	Horizontal	
3 †	2483.51	50.43	12.95	37.48	54.00	-3.57	242	345	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2353.32	40.70	3.75	36.95	54.00	-13.30	335	265	Average	Vertical	
2 *	2462.00	95.18	57.77	37.41	54.00	41.18	335	265	Average	Vertical	
3	2484.15	45.28	7.80	37.48	54.00	-8.72	335	265	Average	Vertical	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	136.70	28.17	36.43	-8.26	43.50	-15.33	100	213	Peak	Horizontal	
2	158.04	26.89	33.65	-6.76	43.50	-16.61	100	191	Peak	Horizontal	
3	278.32	27.40	34.21	-6.81	46.00	-18.60	100	212	Peak	Horizontal	
4	572.23	28.26	29.00	-0.74	46.00	-17.74	100	24	Peak	Horizontal	
5	735.19	32.90	30.35	2.55	46.00	-13.10	100	240	Peak	Horizontal	
6	845.77	35.05	31.28	3.77	46.00	-10.95	100	209	Peak	Horizontal	

Vertical



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	31.94	29.01	37.44	-8.43	40.00	-10.99	100	174	Peak	Vertical	
2	79.47	25.79	37.82	-12.03	40.00	-14.21	100	228	Peak	Vertical	
3	211.39	24.98	34.81	-9.83	43.50	-18.52	100	159	Peak	Vertical	
4	735.19	32.51	29.96	2.55	46.00	-13.49	100	276	Peak	Vertical	
5	845.77	35.47	31.70	3.77	46.00	-10.53	100	345	Peak	Vertical	
6	922.40	34.45	29.38	5.07	46.00	-11.55	100	202	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	31.56	23.48	8.08	54.00	-22.44	172	159	Average	Horizontal	
2	4824.00	44.99	36.91	8.08	74.00	-29.01	172	159	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	31.24	23.16	8.08	54.00	-22.76	117	356	Average	Vertical	
2	4824.00	44.65	36.57	8.08	74.00	-29.35	117	356	Peak	Vertical	

802.11b

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	33.29	25.11	8.18	54.00	-20.71	100	100	Average	Horizontal	
2	4874.00	45.37	37.19	8.18	74.00	-28.63	100	100	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	33.09	24.91	8.18	54.00	-20.91	186	360	Average	Vertical	
2	4874.00	45.23	37.05	8.18	74.00	-26.77	186	360	Peak	Vertical	

802.11b

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	32.54	24.21	8.33	54.00	-21.46	103	114	Average	Horizontal	
2	4924.00	45.57	37.24	8.33	74.00	-28.43	103	114	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	32.11	23.78	8.33	54.00	-21.89	135	360	Average	Vertical	
2	4924.00	44.64	36.31	8.33	74.00	-29.36	135	360	Peak	Vertical	


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	32.01	23.93	8.08	54.00	-21.99	100	338	Average	Horizontal	
2	4824.00	45.22	37.14	8.08	74.00	-28.78	100	338	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	31.41	23.33	8.08	54.00	-22.59	100	311	Average	Vertical	
2	4824.00	44.61	36.73	8.08	74.00	-29.19	100	311	Peak	Vertical	

802.11g

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	31.96	23.78	8.18	54.00	-22.04	100		83	Average	Horizontal	
2	4874.00	45.52	37.34	8.18	74.00	-28.48	100		83	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	31.47	23.29	8.18	54.00	-22.53	100		293	Average	Vertical	
2	4874.00	44.85	36.67	8.18	74.00	-29.15	100		293	Peak	Vertical	


802.11g

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	31.22	23.14	8.08	54.00	-22.78	100	246	Average	Horizontal	
2	4824.00	44.74	36.66	8.08	74.00	-29.26	100	246	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	30.96	22.88	8.08	54.00	-23.04	100	323	Average	Vertical	
2	4824.00	44.28	36.20	8.08	74.00	-29.72	100	323	Peak	Vertical	


802.11n HT20

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	31.45	23.37	8.08	54.00	-22.55	100	360	Average	Horizontal	
2	4824.00	45.20	37.12	8.08	74.00	-28.80	100	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	31.14	23.06	8.08	54.00	-22.86	100	12	Average	Vertical	
2	4824.00	44.54	36.46	8.08	74.00	-29.46	100	12	Peak	Vertical	

802.11n HT20

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	31.37	23.19	8.18	54.00	-22.63	200	331	Average	Horizontal	
2	4874.00	44.96	36.78	8.18	74.00	-29.04	200	331	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	31.09	22.91	8.18	54.00	-22.91	100	233	Average	Vertical	
2	4874.00	44.41	36.23	8.18	74.00	-29.59	100	233	Peak	Vertical	


802.11n HT20

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	31.60	23.27	8.33	54.00	-22.40	100	321	Average	Horizontal	
2	4924.00	44.94	36.61	8.33	74.00	-29.00	100	321	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	31.28	22.95	8.33	54.00	-22.72	200	127	Average	Vertical	
2	4924.00	44.40	36.07	8.33	74.00	-29.00	200	127	Peak	Vertical	

Mains Conducted Emission, TX 150kHz ~ 30MHz

Line

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV) vs Frequency (MHz)

Date: 07-08-2026

FCC, NCC, VCCI, CLASS B (QP)

FCC, NCC, VCCI, CLASS B (AV)

Trace: 1

	Freq	Level	Read	Limit	Over		Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB		
1	0.51	28.08	18.10	9.98	46.00	-17.92	Average	line1
2	0.51	36.31	26.33	9.98	56.00	-19.69	QP	line1
3	0.57	30.25	20.25	10.00	46.00	-15.75	Average	line1
4	0.57	38.42	28.42	10.00	56.00	-17.58	QP	line1
5	0.84	27.26	17.24	10.02	46.00	-18.74	Average	line1
6	0.84	35.40	25.38	10.02	56.00	-20.60	QP	line1
7	0.96	25.72	15.70	10.02	46.00	-20.28	Average	line1
8	0.96	33.80	23.78	10.02	56.00	-22.20	QP	line1
9	1.55	22.60	12.55	10.05	46.00	-23.40	Average	line1
10	1.55	30.91	20.86	10.05	56.00	-25.09	QP	line1

Neutral

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV) vs Frequency (MHz)

Date: 07-08-2026

FCC, NCC, VCCI, CLASS B (QP)

FCC, NCC, VCCI, CLASS B (AV)

Trace: 1

	Freq	Level	Read	Limit	Over		Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB		
1	0.17	21.11	11.18	9.93	54.00	-33.69	Average	neutral
2	0.17	36.89	26.96	9.93	64.00	-27.91	QP	neutral
3	0.51	24.15	14.20	9.95	46.00	-21.85	Average	neutral
4	0.51	30.66	20.71	9.95	56.00	-25.34	QP	neutral
5	0.57	25.94	15.98	9.96	46.00	-20.06	Average	neutral
6	0.57	32.76	22.80	9.96	56.00	-23.24	QP	neutral
7	0.83	23.24	13.27	9.97	46.00	-22.76	Average	neutral
8	0.83	30.04	20.07	9.97	56.00	-25.96	QP	neutral
9	1.56	18.75	8.78	9.97	46.00	-27.25	Average	neutral
10	1.56	25.30	15.33	9.97	56.00	-30.70	QP	neutral
11	15.23	9.66	-0.76	10.42	50.00	-40.34	Average	neutral
12	15.23	23.92	13.50	10.42	60.00	-36.08	QP	neutral