



Mode	21																																																																																																																																																																																																																	
	LF																																																																																																																																																																																																																	
	902-928_ Lora FHSS 125KHz_CH128_ 927.8MHz																																																																																																																																																																																																																	
ANT	0																																																																																																																																																																																																																	
Pol.	Horizontal					Vertical																																																																																																																																																																																																												
QP/ Peak	Level (dBuV/m) Date: 2025-08-13 Site : 03CH13-HY Condition: QP 3m BILOG_40103 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.97</td><td>32.53</td><td>40.00</td><td>-7.47</td><td>29.67</td><td>24.18</td><td>0.78</td><td>32.00</td><td>0.05 -- -- Peak</td></tr><tr><td>2</td><td>176.47</td><td>32.00</td><td>43.50</td><td>-11.50</td><td>36.75</td><td>15.38</td><td>1.76</td><td>31.86</td><td>0.11 -- -- Peak</td></tr><tr><td>3</td><td>221.09</td><td>26.72</td><td>46.00</td><td>-19.28</td><td>31.14</td><td>15.46</td><td>1.95</td><td>31.78</td><td>0.09 -- -- Peak</td></tr><tr><td>4</td><td>416.06</td><td>33.62</td><td>46.00</td><td>-12.38</td><td>30.38</td><td>22.27</td><td>2.69</td><td>31.69</td><td>0.09 -- -- Peak</td></tr><tr><td>5</td><td>579.99</td><td>38.80</td><td>46.00</td><td>-7.20</td><td>31.36</td><td>25.99</td><td>3.19</td><td>31.76</td><td>0.13 -- -- Peak</td></tr><tr><td>6</td><td>927.80</td><td>115.85</td><td>-----</td><td>-----</td><td>102.87</td><td>29.68</td><td>4.03</td><td>30.86</td><td>0.20 100 153 Peak</td></tr><tr><td>7</td><td>994.18</td><td>45.54</td><td>54.00</td><td>-8.46</td><td>31.01</td><td>30.44</td><td>4.17</td><td>30.21</td><td>0.24 -- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	30.97	32.53	40.00	-7.47	29.67	24.18	0.78	32.00	0.05 -- -- Peak	2	176.47	32.00	43.50	-11.50	36.75	15.38	1.76	31.86	0.11 -- -- Peak	3	221.09	26.72	46.00	-19.28	31.14	15.46	1.95	31.78	0.09 -- -- Peak	4	416.06	33.62	46.00	-12.38	30.38	22.27	2.69	31.69	0.09 -- -- Peak	5	579.99	38.80	46.00	-7.20	31.36	25.99	3.19	31.76	0.13 -- -- Peak	6	927.80	115.85	-----	-----	102.87	29.68	4.03	30.86	0.20 100 153 Peak	7	994.18	45.54	54.00	-8.46	31.01	30.44	4.17	30.21	0.24 -- -- Peak	Level (dBuV/m) Date: 2025-08-13 Site : 03CH13-HY Condition: QP 3m BILOG_40103 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>31.94</td><td>33.86</td><td>40.00</td><td>-6.14</td><td>31.65</td><td>23.51</td><td>0.79</td><td>32.00</td><td>0.06 -- -- Peak</td></tr><tr><td>2</td><td>146.40</td><td>31.72</td><td>43.50</td><td>-11.78</td><td>34.60</td><td>17.50</td><td>1.61</td><td>31.92</td><td>0.08 -- -- Peak</td></tr><tr><td>3</td><td>224.00</td><td>26.20</td><td>46.00</td><td>-19.80</td><td>30.32</td><td>15.73</td><td>1.97</td><td>31.77</td><td>0.09 -- -- Peak</td></tr><tr><td>4</td><td>414.12</td><td>33.85</td><td>46.00</td><td>-12.15</td><td>30.65</td><td>22.22</td><td>2.69</td><td>31.68</td><td>0.09 -- -- Peak</td></tr><tr><td>5</td><td>557.68</td><td>38.71</td><td>46.00</td><td>-7.29</td><td>31.02</td><td>26.26</td><td>3.12</td><td>31.72</td><td>0.13 -- -- Peak</td></tr><tr><td>6</td><td>927.80</td><td>122.72</td><td>-----</td><td>-----</td><td>109.74</td><td>29.68</td><td>4.03</td><td>30.86</td><td>0.20 100 143 Peak</td></tr><tr><td>7</td><td>986.42</td><td>46.84</td><td>54.00</td><td>-7.16</td><td>32.21</td><td>30.64</td><td>4.15</td><td>30.29</td><td>0.23 -- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	31.94	33.86	40.00	-6.14	31.65	23.51	0.79	32.00	0.06 -- -- Peak	2	146.40	31.72	43.50	-11.78	34.60	17.50	1.61	31.92	0.08 -- -- Peak	3	224.00	26.20	46.00	-19.80	30.32	15.73	1.97	31.77	0.09 -- -- Peak	4	414.12	33.85	46.00	-12.15	30.65	22.22	2.69	31.68	0.09 -- -- Peak	5	557.68	38.71	46.00	-7.29	31.02	26.26	3.12	31.72	0.13 -- -- Peak	6	927.80	122.72	-----	-----	109.74	29.68	4.03	30.86	0.20 100 143 Peak	7	986.42	46.84	54.00	-7.16	32.21	30.64	4.15	30.29	0.23 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																									
1	30.97	32.53	40.00	-7.47	29.67	24.18	0.78	32.00	0.05 -- -- Peak																																																																																																																																																																																																									
2	176.47	32.00	43.50	-11.50	36.75	15.38	1.76	31.86	0.11 -- -- Peak																																																																																																																																																																																																									
3	221.09	26.72	46.00	-19.28	31.14	15.46	1.95	31.78	0.09 -- -- Peak																																																																																																																																																																																																									
4	416.06	33.62	46.00	-12.38	30.38	22.27	2.69	31.69	0.09 -- -- Peak																																																																																																																																																																																																									
5	579.99	38.80	46.00	-7.20	31.36	25.99	3.19	31.76	0.13 -- -- Peak																																																																																																																																																																																																									
6	927.80	115.85	-----	-----	102.87	29.68	4.03	30.86	0.20 100 153 Peak																																																																																																																																																																																																									
7	994.18	45.54	54.00	-8.46	31.01	30.44	4.17	30.21	0.24 -- -- Peak																																																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																									
1	31.94	33.86	40.00	-6.14	31.65	23.51	0.79	32.00	0.06 -- -- Peak																																																																																																																																																																																																									
2	146.40	31.72	43.50	-11.78	34.60	17.50	1.61	31.92	0.08 -- -- Peak																																																																																																																																																																																																									
3	224.00	26.20	46.00	-19.80	30.32	15.73	1.97	31.77	0.09 -- -- Peak																																																																																																																																																																																																									
4	414.12	33.85	46.00	-12.15	30.65	22.22	2.69	31.68	0.09 -- -- Peak																																																																																																																																																																																																									
5	557.68	38.71	46.00	-7.29	31.02	26.26	3.12	31.72	0.13 -- -- Peak																																																																																																																																																																																																									
6	927.80	122.72	-----	-----	109.74	29.68	4.03	30.86	0.20 100 143 Peak																																																																																																																																																																																																									
7	986.42	46.84	54.00	-7.16	32.21	30.64	4.15	30.29	0.23 -- -- Peak																																																																																																																																																																																																									

Remark: The unwanted signal falls within the non-restricted band and meet the requirements of 15.247 (d).



Mode	22																																																																																																																																																																																																																																																								
	Harmonic																																																																																																																																																																																																																																																								
	902-928_ Lora FHSS 125KHz_ CH00_902.2MHz																																																																																																																																																																																																																																																								
ANT	0																																																																																																																																																																																																																																																								
Pol.	Horizontal					Vertical																																																																																																																																																																																																																																																			
Peak Avg																																																																																																																																																																																																																																																									
	Site : 03CH13-HY Condition: PEAK_74 3m HORN_91280_1326 HORIZONTAL					Site : 03CH13-HY Condition: PEAK_74 3m HORN_91280_1326 VERTICAL																																																																																																																																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2706.60</td><td>51.72</td><td>74.00</td><td>-22.28</td><td>73.64</td><td>28.20</td><td>7.27</td><td>57.57</td><td>0.18</td><td>196 126 Peak</td></tr><tr><td>2 2706.60</td><td>49.23</td><td>54.00</td><td>-4.77</td><td>71.15</td><td>28.20</td><td>7.27</td><td>57.57</td><td>0.18</td><td>196 126 Average</td></tr><tr><td>3 3608.80</td><td>38.19</td><td>74.00</td><td>-35.81</td><td>58.35</td><td>29.65</td><td>8.42</td><td>58.65</td><td>0.42</td><td>-- -- Peak</td></tr><tr><td>4 4511.00</td><td>39.09</td><td>74.00</td><td>-34.91</td><td>56.81</td><td>31.80</td><td>9.41</td><td>59.07</td><td>0.14</td><td>-- -- Peak</td></tr><tr><td>5 5413.20</td><td>47.62</td><td>74.00</td><td>-26.38</td><td>61.01</td><td>33.10</td><td>10.42</td><td>56.95</td><td>0.04</td><td>227 142 Peak</td></tr><tr><td>6 5413.20</td><td>40.65</td><td>54.00</td><td>-13.35</td><td>54.04</td><td>33.10</td><td>10.42</td><td>56.95</td><td>0.04</td><td>227 142 Average</td></tr><tr><td>7 8119.80</td><td>50.06</td><td>74.00</td><td>-23.94</td><td>57.22</td><td>37.06</td><td>12.89</td><td>57.25</td><td>0.14</td><td>199 290 Peak</td></tr><tr><td>8 8119.80</td><td>40.87</td><td>54.00</td><td>-13.13</td><td>48.03</td><td>37.06</td><td>12.89</td><td>57.25</td><td>0.14</td><td>199 290 Average</td></tr><tr><td>9 9022.00</td><td>45.83</td><td>74.00</td><td>-28.17</td><td>50.94</td><td>38.00</td><td>13.61</td><td>56.73</td><td>0.01</td><td>-- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2706.60	51.72	74.00	-22.28	73.64	28.20	7.27	57.57	0.18	196 126 Peak	2 2706.60	49.23	54.00	-4.77	71.15	28.20	7.27	57.57	0.18	196 126 Average	3 3608.80	38.19	74.00	-35.81	58.35	29.65	8.42	58.65	0.42	-- -- Peak	4 4511.00	39.09	74.00	-34.91	56.81	31.80	9.41	59.07	0.14	-- -- Peak	5 5413.20	47.62	74.00	-26.38	61.01	33.10	10.42	56.95	0.04	227 142 Peak	6 5413.20	40.65	54.00	-13.35	54.04	33.10	10.42	56.95	0.04	227 142 Average	7 8119.80	50.06	74.00	-23.94	57.22	37.06	12.89	57.25	0.14	199 290 Peak	8 8119.80	40.87	54.00	-13.13	48.03	37.06	12.89	57.25	0.14	199 290 Average	9 9022.00	45.83	74.00	-28.17	50.94	38.00	13.61	56.73	0.01	-- -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2706.60</td><td>50.13</td><td>74.00</td><td>-23.87</td><td>72.05</td><td>28.20</td><td>7.27</td><td>57.57</td><td>0.18</td><td>309 320 Peak</td></tr><tr><td>2 2706.60</td><td>47.31</td><td>54.00</td><td>-6.69</td><td>69.23</td><td>28.20</td><td>7.27</td><td>57.57</td><td>0.18</td><td>309 320 Average</td></tr><tr><td>3 3608.80</td><td>37.72</td><td>74.00</td><td>-36.28</td><td>57.88</td><td>29.65</td><td>8.42</td><td>58.65</td><td>0.42</td><td>-- -- Peak</td></tr><tr><td>4 4511.00</td><td>40.02</td><td>74.00</td><td>-33.98</td><td>57.74</td><td>31.80</td><td>9.41</td><td>59.07</td><td>0.14</td><td>-- -- Peak</td></tr><tr><td>5 5413.20</td><td>46.24</td><td>74.00</td><td>-27.76</td><td>59.63</td><td>33.10</td><td>10.42</td><td>56.95</td><td>0.04</td><td>196 210 Peak</td></tr><tr><td>6 5413.20</td><td>38.82</td><td>54.00</td><td>-15.18</td><td>52.21</td><td>33.10</td><td>10.42</td><td>56.95</td><td>0.04</td><td>196 210 Average</td></tr><tr><td>7 8119.80</td><td>50.78</td><td>74.00</td><td>-23.22</td><td>57.94</td><td>37.06</td><td>12.89</td><td>57.25</td><td>0.14</td><td>187 254 Peak</td></tr><tr><td>8 8119.80</td><td>40.88</td><td>54.00</td><td>-13.12</td><td>48.04</td><td>37.06</td><td>12.89</td><td>57.25</td><td>0.14</td><td>187 254 Average</td></tr><tr><td>9 9022.00</td><td>43.07</td><td>74.00</td><td>-30.93</td><td>48.18</td><td>38.00</td><td>13.61</td><td>56.73</td><td>0.01</td><td>-- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2706.60	50.13	74.00	-23.87	72.05	28.20	7.27	57.57	0.18	309 320 Peak	2 2706.60	47.31	54.00	-6.69	69.23	28.20	7.27	57.57	0.18	309 320 Average	3 3608.80	37.72	74.00	-36.28	57.88	29.65	8.42	58.65	0.42	-- -- Peak	4 4511.00	40.02	74.00	-33.98	57.74	31.80	9.41	59.07	0.14	-- -- Peak	5 5413.20	46.24	74.00	-27.76	59.63	33.10	10.42	56.95	0.04	196 210 Peak	6 5413.20	38.82	54.00	-15.18	52.21	33.10	10.42	56.95	0.04	196 210 Average	7 8119.80	50.78	74.00	-23.22	57.94	37.06	12.89	57.25	0.14	187 254 Peak	8 8119.80	40.88	54.00	-13.12	48.04	37.06	12.89	57.25	0.14	187 254 Average	9 9022.00	43.07	74.00	-30.93	48.18	38.00	13.61	56.73	0.01
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																																
1 2706.60	51.72	74.00	-22.28	73.64	28.20	7.27	57.57	0.18	196 126 Peak																																																																																																																																																																																																																																																
2 2706.60	49.23	54.00	-4.77	71.15	28.20	7.27	57.57	0.18	196 126 Average																																																																																																																																																																																																																																																
3 3608.80	38.19	74.00	-35.81	58.35	29.65	8.42	58.65	0.42	-- -- Peak																																																																																																																																																																																																																																																
4 4511.00	39.09	74.00	-34.91	56.81	31.80	9.41	59.07	0.14	-- -- Peak																																																																																																																																																																																																																																																
5 5413.20	47.62	74.00	-26.38	61.01	33.10	10.42	56.95	0.04	227 142 Peak																																																																																																																																																																																																																																																
6 5413.20	40.65	54.00	-13.35	54.04	33.10	10.42	56.95	0.04	227 142 Average																																																																																																																																																																																																																																																
7 8119.80	50.06	74.00	-23.94	57.22	37.06	12.89	57.25	0.14	199 290 Peak																																																																																																																																																																																																																																																
8 8119.80	40.87	54.00	-13.13	48.03	37.06	12.89	57.25	0.14	199 290 Average																																																																																																																																																																																																																																																
9 9022.00	45.83	74.00	-28.17	50.94	38.00	13.61	56.73	0.01	-- -- Peak																																																																																																																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																																
1 2706.60	50.13	74.00	-23.87	72.05	28.20	7.27	57.57	0.18	309 320 Peak																																																																																																																																																																																																																																																
2 2706.60	47.31	54.00	-6.69	69.23	28.20	7.27	57.57	0.18	309 320 Average																																																																																																																																																																																																																																																
3 3608.80	37.72	74.00	-36.28	57.88	29.65	8.42	58.65	0.42	-- -- Peak																																																																																																																																																																																																																																																
4 4511.00	40.02	74.00	-33.98	57.74	31.80	9.41	59.07	0.14	-- -- Peak																																																																																																																																																																																																																																																
5 5413.20	46.24	74.00	-27.76	59.63	33.10	10.42	56.95	0.04	196 210 Peak																																																																																																																																																																																																																																																
6 5413.20	38.82	54.00	-15.18	52.21	33.10	10.42	56.95	0.04	196 210 Average																																																																																																																																																																																																																																																
7 8119.80	50.78	74.00	-23.22	57.94	37.06	12.89	57.25	0.14	187 254 Peak																																																																																																																																																																																																																																																
8 8119.80	40.88	54.00	-13.12	48.04	37.06	12.89	57.25	0.14	187 254 Average																																																																																																																																																																																																																																																
9 9022.00	43.07	74.00	-30.93	48.18	38.00	13.61	56.73	0.01	-- -- Peak																																																																																																																																																																																																																																																





Mode	22																																																																																																																																																																																																																	
	LF																																																																																																																																																																																																																	
	902-928_ Lora FHSS 125KHz_CH00_902.2MHz																																																																																																																																																																																																																	
ANT	0																																																																																																																																																																																																																	
Pol.	Horizontal					Vertical																																																																																																																																																																																																												
QP/ Peak	Level (dBuV/m) Date: 2025-08-12 Site : 03CH13-HY Condition: QP 3m BILOG_40103 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>63.95</td><td>32.61</td><td>40.00</td><td>-7.39</td><td>41.35</td><td>12.16</td><td>1.05</td><td>31.92</td><td>0.09 -- -- Peak</td></tr><tr><td>2</td><td>178.41</td><td>32.83</td><td>43.50</td><td>-10.67</td><td>37.68</td><td>15.26</td><td>1.77</td><td>31.85</td><td>0.11 -- -- Peak</td></tr><tr><td>3</td><td>216.24</td><td>26.28</td><td>46.00</td><td>-19.72</td><td>31.15</td><td>15.05</td><td>1.93</td><td>31.79</td><td>0.08 -- -- Peak</td></tr><tr><td>4</td><td>416.06</td><td>33.59</td><td>46.00</td><td>-12.41</td><td>30.35</td><td>22.27</td><td>2.69</td><td>31.69</td><td>0.09 -- -- Peak</td></tr><tr><td>5</td><td>568.35</td><td>39.14</td><td>46.00</td><td>-6.86</td><td>31.46</td><td>26.23</td><td>3.16</td><td>31.74</td><td>0.13 -- -- Peak</td></tr><tr><td>6</td><td>691.54</td><td>39.47</td><td>46.00</td><td>-6.53</td><td>31.06</td><td>26.66</td><td>3.49</td><td>31.77</td><td>0.14 -- -- Peak</td></tr><tr><td>7</td><td>902.20</td><td>115.18</td><td>-----</td><td>-----</td><td>103.15</td><td>29.00</td><td>3.98</td><td>31.07</td><td>0.19 200 75 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	63.95	32.61	40.00	-7.39	41.35	12.16	1.05	31.92	0.09 -- -- Peak	2	178.41	32.83	43.50	-10.67	37.68	15.26	1.77	31.85	0.11 -- -- Peak	3	216.24	26.28	46.00	-19.72	31.15	15.05	1.93	31.79	0.08 -- -- Peak	4	416.06	33.59	46.00	-12.41	30.35	22.27	2.69	31.69	0.09 -- -- Peak	5	568.35	39.14	46.00	-6.86	31.46	26.23	3.16	31.74	0.13 -- -- Peak	6	691.54	39.47	46.00	-6.53	31.06	26.66	3.49	31.77	0.14 -- -- Peak	7	902.20	115.18	-----	-----	103.15	29.00	3.98	31.07	0.19 200 75 Peak	Level (dBuV/m) Date: 2025-08-12 Site : 03CH13-HY Condition: QP 3m BILOG_40103 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>32.91</td><td>33.14</td><td>40.00</td><td>-6.86</td><td>31.46</td><td>22.95</td><td>0.80</td><td>32.00</td><td>0.08 -- -- Peak</td></tr><tr><td>2</td><td>151.25</td><td>32.35</td><td>43.50</td><td>-11.15</td><td>35.57</td><td>17.11</td><td>1.64</td><td>31.91</td><td>0.09 -- -- Peak</td></tr><tr><td>3</td><td>219.15</td><td>26.28</td><td>46.00</td><td>-19.72</td><td>30.98</td><td>15.28</td><td>1.94</td><td>31.78</td><td>0.08 -- -- Peak</td></tr><tr><td>4</td><td>407.33</td><td>33.83</td><td>46.00</td><td>-12.17</td><td>30.98</td><td>21.91</td><td>2.66</td><td>31.68</td><td>0.08 -- -- Peak</td></tr><tr><td>5</td><td>483.96</td><td>36.01</td><td>46.00</td><td>-9.99</td><td>31.04</td><td>23.83</td><td>2.90</td><td>31.77</td><td>0.11 -- -- Peak</td></tr><tr><td>6</td><td>554.77</td><td>38.77</td><td>46.00</td><td>-7.23</td><td>31.27</td><td>26.07</td><td>3.11</td><td>31.71</td><td>0.13 -- -- Peak</td></tr><tr><td>7</td><td>902.20</td><td>123.49</td><td>-----</td><td>-----</td><td>111.46</td><td>29.00</td><td>3.98</td><td>31.07</td><td>0.19 121 360 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	32.91	33.14	40.00	-6.86	31.46	22.95	0.80	32.00	0.08 -- -- Peak	2	151.25	32.35	43.50	-11.15	35.57	17.11	1.64	31.91	0.09 -- -- Peak	3	219.15	26.28	46.00	-19.72	30.98	15.28	1.94	31.78	0.08 -- -- Peak	4	407.33	33.83	46.00	-12.17	30.98	21.91	2.66	31.68	0.08 -- -- Peak	5	483.96	36.01	46.00	-9.99	31.04	23.83	2.90	31.77	0.11 -- -- Peak	6	554.77	38.77	46.00	-7.23	31.27	26.07	3.11	31.71	0.13 -- -- Peak	7	902.20	123.49	-----	-----	111.46	29.00	3.98	31.07	0.19 121 360 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																									
1	63.95	32.61	40.00	-7.39	41.35	12.16	1.05	31.92	0.09 -- -- Peak																																																																																																																																																																																																									
2	178.41	32.83	43.50	-10.67	37.68	15.26	1.77	31.85	0.11 -- -- Peak																																																																																																																																																																																																									
3	216.24	26.28	46.00	-19.72	31.15	15.05	1.93	31.79	0.08 -- -- Peak																																																																																																																																																																																																									
4	416.06	33.59	46.00	-12.41	30.35	22.27	2.69	31.69	0.09 -- -- Peak																																																																																																																																																																																																									
5	568.35	39.14	46.00	-6.86	31.46	26.23	3.16	31.74	0.13 -- -- Peak																																																																																																																																																																																																									
6	691.54	39.47	46.00	-6.53	31.06	26.66	3.49	31.77	0.14 -- -- Peak																																																																																																																																																																																																									
7	902.20	115.18	-----	-----	103.15	29.00	3.98	31.07	0.19 200 75 Peak																																																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																									
1	32.91	33.14	40.00	-6.86	31.46	22.95	0.80	32.00	0.08 -- -- Peak																																																																																																																																																																																																									
2	151.25	32.35	43.50	-11.15	35.57	17.11	1.64	31.91	0.09 -- -- Peak																																																																																																																																																																																																									
3	219.15	26.28	46.00	-19.72	30.98	15.28	1.94	31.78	0.08 -- -- Peak																																																																																																																																																																																																									
4	407.33	33.83	46.00	-12.17	30.98	21.91	2.66	31.68	0.08 -- -- Peak																																																																																																																																																																																																									
5	483.96	36.01	46.00	-9.99	31.04	23.83	2.90	31.77	0.11 -- -- Peak																																																																																																																																																																																																									
6	554.77	38.77	46.00	-7.23	31.27	26.07	3.11	31.71	0.13 -- -- Peak																																																																																																																																																																																																									
7	902.20	123.49	-----	-----	111.46	29.00	3.98	31.07	0.19 121 360 Peak																																																																																																																																																																																																									

Remark: The unwanted signal falls within the non-restricted band and meet the requirements of 15.247 (d).



Mode	23																																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																																													
	902-928_ Lora FHSS 125KHz_CH64_915MHz																																																																																																																																																																																																																													
ANT	0																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2025-08-11 Site : 03CH13-HY Condition: PEAK_74 3m HORN_91280_1326 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2745.00</td><td>50.87</td><td>74.00</td><td>-23.13</td><td>72.81</td><td>28.20</td><td>7.32</td><td>57.64</td><td>0.18 299 150 Peak</td></tr><tr><td>2</td><td>2745.00</td><td>48.06</td><td>54.00</td><td>-5.94</td><td>70.00</td><td>28.20</td><td>7.32</td><td>57.64</td><td>0.18 299 150 Average</td></tr><tr><td>3</td><td>3660.00</td><td>37.82</td><td>74.00</td><td>-36.18</td><td>57.73</td><td>29.90</td><td>8.48</td><td>58.72</td><td>0.43 -- -- Peak</td></tr><tr><td>4</td><td>4575.00</td><td>39.50</td><td>74.00</td><td>-34.50</td><td>56.95</td><td>31.85</td><td>9.47</td><td>58.92</td><td>0.15 -- -- Peak</td></tr><tr><td>5</td><td>7320.00</td><td>52.55</td><td>74.00</td><td>-21.45</td><td>60.84</td><td>37.08</td><td>12.16</td><td>57.69</td><td>0.16 385 94 Peak</td></tr><tr><td>6</td><td>7320.00</td><td>44.69</td><td>54.00</td><td>-9.31</td><td>52.98</td><td>37.08</td><td>12.16</td><td>57.69</td><td>0.16 385 94 Average</td></tr><tr><td>7</td><td>8235.00</td><td>45.46</td><td>74.00</td><td>-28.54</td><td>52.33</td><td>37.07</td><td>12.93</td><td>57.06</td><td>0.19 -- -- Peak</td></tr><tr><td>8</td><td>9150.00</td><td>45.88</td><td>74.00</td><td>-28.12</td><td>50.93</td><td>38.00</td><td>13.69</td><td>56.75</td><td>0.01 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	2745.00	50.87	74.00	-23.13	72.81	28.20	7.32	57.64	0.18 299 150 Peak	2	2745.00	48.06	54.00	-5.94	70.00	28.20	7.32	57.64	0.18 299 150 Average	3	3660.00	37.82	74.00	-36.18	57.73	29.90	8.48	58.72	0.43 -- -- Peak	4	4575.00	39.50	74.00	-34.50	56.95	31.85	9.47	58.92	0.15 -- -- Peak	5	7320.00	52.55	74.00	-21.45	60.84	37.08	12.16	57.69	0.16 385 94 Peak	6	7320.00	44.69	54.00	-9.31	52.98	37.08	12.16	57.69	0.16 385 94 Average	7	8235.00	45.46	74.00	-28.54	52.33	37.07	12.93	57.06	0.19 -- -- Peak	8	9150.00	45.88	74.00	-28.12	50.93	38.00	13.69	56.75	0.01 -- -- Peak	Level (dBuV/m) Date: 2025-08-11 Site : 03CH13-HY Condition: PEAK_74 3m HORN_91280_1326 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2745.00</td><td>47.97</td><td>74.00</td><td>-26.03</td><td>69.91</td><td>28.20</td><td>7.32</td><td>57.64</td><td>0.18 400 181 Peak</td></tr><tr><td>2</td><td>2745.00</td><td>44.66</td><td>54.00</td><td>-9.34</td><td>66.00</td><td>28.20</td><td>7.32</td><td>57.64</td><td>0.18 400 181 Average</td></tr><tr><td>3</td><td>3660.00</td><td>39.96</td><td>74.00</td><td>-34.04</td><td>59.87</td><td>29.90</td><td>8.48</td><td>58.72</td><td>0.43 -- -- Peak</td></tr><tr><td>4</td><td>4575.00</td><td>39.60</td><td>74.00</td><td>-34.40</td><td>57.05</td><td>31.85</td><td>9.47</td><td>58.92</td><td>0.15 -- -- Peak</td></tr><tr><td>5</td><td>7320.00</td><td>51.33</td><td>74.00</td><td>-22.67</td><td>59.62</td><td>37.08</td><td>12.16</td><td>57.69</td><td>0.16 191 219 Peak</td></tr><tr><td>6</td><td>7320.00</td><td>43.11</td><td>54.00</td><td>-10.89</td><td>51.40</td><td>37.08</td><td>12.16</td><td>57.69</td><td>0.16 191 219 Average</td></tr><tr><td>7</td><td>8235.00</td><td>43.66</td><td>74.00</td><td>-30.34</td><td>50.53</td><td>37.07</td><td>12.93</td><td>57.06</td><td>0.19 -- -- Peak</td></tr><tr><td>8</td><td>9150.00</td><td>45.17</td><td>74.00</td><td>-28.83</td><td>50.22</td><td>38.00</td><td>13.69</td><td>56.75</td><td>0.01 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	2745.00	47.97	74.00	-26.03	69.91	28.20	7.32	57.64	0.18 400 181 Peak	2	2745.00	44.66	54.00	-9.34	66.00	28.20	7.32	57.64	0.18 400 181 Average	3	3660.00	39.96	74.00	-34.04	59.87	29.90	8.48	58.72	0.43 -- -- Peak	4	4575.00	39.60	74.00	-34.40	57.05	31.85	9.47	58.92	0.15 -- -- Peak	5	7320.00	51.33	74.00	-22.67	59.62	37.08	12.16	57.69	0.16 191 219 Peak	6	7320.00	43.11	54.00	-10.89	51.40	37.08	12.16	57.69	0.16 191 219 Average	7	8235.00	43.66	74.00	-30.34	50.53	37.07	12.93	57.06	0.19 -- -- Peak	8	9150.00	45.17	74.00	-28.83	50.22	38.00	13.69	56.75	0.01 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																					
1	2745.00	50.87	74.00	-23.13	72.81	28.20	7.32	57.64	0.18 299 150 Peak																																																																																																																																																																																																																					
2	2745.00	48.06	54.00	-5.94	70.00	28.20	7.32	57.64	0.18 299 150 Average																																																																																																																																																																																																																					
3	3660.00	37.82	74.00	-36.18	57.73	29.90	8.48	58.72	0.43 -- -- Peak																																																																																																																																																																																																																					
4	4575.00	39.50	74.00	-34.50	56.95	31.85	9.47	58.92	0.15 -- -- Peak																																																																																																																																																																																																																					
5	7320.00	52.55	74.00	-21.45	60.84	37.08	12.16	57.69	0.16 385 94 Peak																																																																																																																																																																																																																					
6	7320.00	44.69	54.00	-9.31	52.98	37.08	12.16	57.69	0.16 385 94 Average																																																																																																																																																																																																																					
7	8235.00	45.46	74.00	-28.54	52.33	37.07	12.93	57.06	0.19 -- -- Peak																																																																																																																																																																																																																					
8	9150.00	45.88	74.00	-28.12	50.93	38.00	13.69	56.75	0.01 -- -- Peak																																																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																					
1	2745.00	47.97	74.00	-26.03	69.91	28.20	7.32	57.64	0.18 400 181 Peak																																																																																																																																																																																																																					
2	2745.00	44.66	54.00	-9.34	66.00	28.20	7.32	57.64	0.18 400 181 Average																																																																																																																																																																																																																					
3	3660.00	39.96	74.00	-34.04	59.87	29.90	8.48	58.72	0.43 -- -- Peak																																																																																																																																																																																																																					
4	4575.00	39.60	74.00	-34.40	57.05	31.85	9.47	58.92	0.15 -- -- Peak																																																																																																																																																																																																																					
5	7320.00	51.33	74.00	-22.67	59.62	37.08	12.16	57.69	0.16 191 219 Peak																																																																																																																																																																																																																					
6	7320.00	43.11	54.00	-10.89	51.40	37.08	12.16	57.69	0.16 191 219 Average																																																																																																																																																																																																																					
7	8235.00	43.66	74.00	-30.34	50.53	37.07	12.93	57.06	0.19 -- -- Peak																																																																																																																																																																																																																					
8	9150.00	45.17	74.00	-28.83	50.22	38.00	13.69	56.75	0.01 -- -- Peak																																																																																																																																																																																																																					



Mode	23																																																																																																																																																																																																																
	LF																																																																																																																																																																																																																
	902-928_ Lora FHSS 125KHz_CH64_915MHz																																																																																																																																																																																																																
ANT	0																																																																																																																																																																																																																
Pol.	Horizontal					Vertical																																																																																																																																																																																																											
QP/ Peak																																																																																																																																																																																																																	
	Site : 03CH13-HY Condition: QP 3m BILOG_40103 HORIZONTAL					Site : 03CH13-HY Condition: QP 3m BILOG_40103 VERTICAL																																																																																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>63.95</td><td>32.64</td><td>40.00</td><td>-7.36</td><td>41.38</td><td>12.16</td><td>1.05</td><td>31.92</td><td>0.09 -- -- Peak</td></tr><tr><td>2</td><td>176.47</td><td>32.05</td><td>43.50</td><td>-11.45</td><td>36.00</td><td>15.38</td><td>1.76</td><td>31.86</td><td>0.11 -- -- Peak</td></tr><tr><td>3</td><td>224.00</td><td>25.00</td><td>46.00</td><td>-20.20</td><td>29.92</td><td>15.73</td><td>1.97</td><td>31.77</td><td>0.09 -- -- Peak</td></tr><tr><td>4</td><td>410.24</td><td>33.54</td><td>46.00</td><td>-12.46</td><td>30.52</td><td>22.06</td><td>2.67</td><td>31.68</td><td>0.09 -- -- Peak</td></tr><tr><td>5</td><td>572.23</td><td>38.76</td><td>46.00</td><td>-7.24</td><td>31.20</td><td>26.10</td><td>3.17</td><td>31.74</td><td>0.13 -- -- Peak</td></tr><tr><td>6</td><td>625.58</td><td>39.44</td><td>46.00</td><td>-6.56</td><td>31.49</td><td>26.45</td><td>3.32</td><td>31.83</td><td>0.13 -- -- Peak</td></tr><tr><td>7</td><td>915.61</td><td>114.61</td><td>-----</td><td>-----</td><td>102.21</td><td>29.24</td><td>4.00</td><td>30.96</td><td>0.19 100 207 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	63.95	32.64	40.00	-7.36	41.38	12.16	1.05	31.92	0.09 -- -- Peak	2	176.47	32.05	43.50	-11.45	36.00	15.38	1.76	31.86	0.11 -- -- Peak	3	224.00	25.00	46.00	-20.20	29.92	15.73	1.97	31.77	0.09 -- -- Peak	4	410.24	33.54	46.00	-12.46	30.52	22.06	2.67	31.68	0.09 -- -- Peak	5	572.23	38.76	46.00	-7.24	31.20	26.10	3.17	31.74	0.13 -- -- Peak	6	625.58	39.44	46.00	-6.56	31.49	26.45	3.32	31.83	0.13 -- -- Peak	7	915.61	114.61	-----	-----	102.21	29.24	4.00	30.96	0.19 100 207 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>30.97</td><td>33.62</td><td>40.00</td><td>-6.38</td><td>30.76</td><td>24.18</td><td>0.78</td><td>32.00</td><td>0.05 -- -- Peak</td></tr><tr><td>2</td><td>158.04</td><td>32.28</td><td>43.50</td><td>-11.22</td><td>35.83</td><td>16.70</td><td>1.67</td><td>31.89</td><td>0.11 -- -- Peak</td></tr><tr><td>3</td><td>224.00</td><td>27.48</td><td>46.00</td><td>-18.52</td><td>31.60</td><td>15.73</td><td>1.97</td><td>31.77</td><td>0.09 -- -- Peak</td></tr><tr><td>4</td><td>406.36</td><td>34.04</td><td>46.00</td><td>-11.96</td><td>31.21</td><td>21.89</td><td>2.66</td><td>31.68</td><td>0.08 -- -- Peak</td></tr><tr><td>5</td><td>518.88</td><td>37.13</td><td>46.00</td><td>-8.87</td><td>31.78</td><td>24.08</td><td>3.01</td><td>31.76</td><td>0.12 -- -- Peak</td></tr><tr><td>6</td><td>591.63</td><td>38.70</td><td>46.00</td><td>-7.30</td><td>31.41</td><td>25.83</td><td>3.22</td><td>31.78</td><td>0.13 -- -- Peak</td></tr><tr><td>7</td><td>915.00</td><td>122.90</td><td>-----</td><td>-----</td><td>110.50</td><td>29.24</td><td>4.00</td><td>30.96</td><td>0.19 122 360 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	30.97	33.62	40.00	-6.38	30.76	24.18	0.78	32.00	0.05 -- -- Peak	2	158.04	32.28	43.50	-11.22	35.83	16.70	1.67	31.89	0.11 -- -- Peak	3	224.00	27.48	46.00	-18.52	31.60	15.73	1.97	31.77	0.09 -- -- Peak	4	406.36	34.04	46.00	-11.96	31.21	21.89	2.66	31.68	0.08 -- -- Peak	5	518.88	37.13	46.00	-8.87	31.78	24.08	3.01	31.76	0.12 -- -- Peak	6	591.63	38.70	46.00	-7.30	31.41	25.83	3.22	31.78	0.13 -- -- Peak	7	915.00	122.90	-----	-----	110.50	29.24	4.00	30.96
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																								
1	63.95	32.64	40.00	-7.36	41.38	12.16	1.05	31.92	0.09 -- -- Peak																																																																																																																																																																																																								
2	176.47	32.05	43.50	-11.45	36.00	15.38	1.76	31.86	0.11 -- -- Peak																																																																																																																																																																																																								
3	224.00	25.00	46.00	-20.20	29.92	15.73	1.97	31.77	0.09 -- -- Peak																																																																																																																																																																																																								
4	410.24	33.54	46.00	-12.46	30.52	22.06	2.67	31.68	0.09 -- -- Peak																																																																																																																																																																																																								
5	572.23	38.76	46.00	-7.24	31.20	26.10	3.17	31.74	0.13 -- -- Peak																																																																																																																																																																																																								
6	625.58	39.44	46.00	-6.56	31.49	26.45	3.32	31.83	0.13 -- -- Peak																																																																																																																																																																																																								
7	915.61	114.61	-----	-----	102.21	29.24	4.00	30.96	0.19 100 207 Peak																																																																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																								
1	30.97	33.62	40.00	-6.38	30.76	24.18	0.78	32.00	0.05 -- -- Peak																																																																																																																																																																																																								
2	158.04	32.28	43.50	-11.22	35.83	16.70	1.67	31.89	0.11 -- -- Peak																																																																																																																																																																																																								
3	224.00	27.48	46.00	-18.52	31.60	15.73	1.97	31.77	0.09 -- -- Peak																																																																																																																																																																																																								
4	406.36	34.04	46.00	-11.96	31.21	21.89	2.66	31.68	0.08 -- -- Peak																																																																																																																																																																																																								
5	518.88	37.13	46.00	-8.87	31.78	24.08	3.01	31.76	0.12 -- -- Peak																																																																																																																																																																																																								
6	591.63	38.70	46.00	-7.30	31.41	25.83	3.22	31.78	0.13 -- -- Peak																																																																																																																																																																																																								
7	915.00	122.90	-----	-----	110.50	29.24	4.00	30.96	0.19 122 360 Peak																																																																																																																																																																																																								

Remark: The unwanted signal falls within the non-restricted band and meet the requirements of 15.247 (d).



Mode	24																																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																																									
	902-928_ Lora FHSS 125KHz_CH128_ 927.8MHz																																																																																																																																																																																																									
ANT	0																																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																																								
Peak	Level (dBuV/m) Date: 2025-08-11 Site : 03CH13-HY Condition: PEAK_74 3m HORN_91280_1326 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2783.40</td><td>51.32</td><td>74.00</td><td>-22.68</td><td>73.06</td><td>28.40</td><td>7.38</td><td>57.71</td><td>0.19 186 174 Peak</td></tr><tr><td>2</td><td>2783.40</td><td>48.57</td><td>54.00</td><td>-5.43</td><td>70.31</td><td>28.40</td><td>7.38</td><td>57.71</td><td>0.19 186 174 Average</td></tr><tr><td>3</td><td>3711.20</td><td>37.74</td><td>74.00</td><td>-36.26</td><td>57.62</td><td>29.94</td><td>8.54</td><td>58.79</td><td>0.43 -- -- Peak</td></tr><tr><td>4</td><td>4639.00</td><td>38.67</td><td>74.00</td><td>-35.33</td><td>55.88</td><td>31.90</td><td>9.52</td><td>58.77</td><td>0.14 -- -- Peak</td></tr><tr><td>5</td><td>7422.40</td><td>52.09</td><td>74.00</td><td>-21.91</td><td>60.96</td><td>36.56</td><td>12.24</td><td>57.84</td><td>0.17 199 290 Peak</td></tr><tr><td>6</td><td>7422.40</td><td>43.89</td><td>54.00</td><td>-10.11</td><td>52.76</td><td>36.56</td><td>12.24</td><td>57.84</td><td>0.17 199 290 Average</td></tr><tr><td>7</td><td>8350.20</td><td>45.31</td><td>74.00</td><td>-28.69</td><td>51.96</td><td>37.10</td><td>13.05</td><td>56.88</td><td>0.08 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	2783.40	51.32	74.00	-22.68	73.06	28.40	7.38	57.71	0.19 186 174 Peak	2	2783.40	48.57	54.00	-5.43	70.31	28.40	7.38	57.71	0.19 186 174 Average	3	3711.20	37.74	74.00	-36.26	57.62	29.94	8.54	58.79	0.43 -- -- Peak	4	4639.00	38.67	74.00	-35.33	55.88	31.90	9.52	58.77	0.14 -- -- Peak	5	7422.40	52.09	74.00	-21.91	60.96	36.56	12.24	57.84	0.17 199 290 Peak	6	7422.40	43.89	54.00	-10.11	52.76	36.56	12.24	57.84	0.17 199 290 Average	7	8350.20	45.31	74.00	-28.69	51.96	37.10	13.05	56.88	0.08 -- -- Peak	Level (dBuV/m) Date: 2025-08-11 Site : 03CH13-HY Condition: PEAK_74 3m HORN_91280_1326 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2783.40</td><td>49.49</td><td>74.00</td><td>-24.51</td><td>71.23</td><td>28.40</td><td>7.38</td><td>57.71</td><td>0.19 386 180 Peak</td></tr><tr><td>2</td><td>2783.40</td><td>46.42</td><td>54.00</td><td>-7.58</td><td>60.16</td><td>28.40</td><td>7.38</td><td>57.71</td><td>0.19 386 180 Average</td></tr><tr><td>3</td><td>3711.20</td><td>37.46</td><td>74.00</td><td>-36.54</td><td>57.34</td><td>29.94</td><td>8.54</td><td>58.79</td><td>0.43 -- -- Peak</td></tr><tr><td>4</td><td>4639.00</td><td>39.11</td><td>74.00</td><td>-34.89</td><td>56.32</td><td>31.90</td><td>9.52</td><td>58.77</td><td>0.14 -- -- Peak</td></tr><tr><td>5</td><td>7422.40</td><td>49.88</td><td>74.00</td><td>-24.12</td><td>58.75</td><td>36.56</td><td>12.24</td><td>57.84</td><td>0.17 287 185 Peak</td></tr><tr><td>6</td><td>7422.40</td><td>41.54</td><td>54.00</td><td>-12.46</td><td>50.41</td><td>36.56</td><td>12.24</td><td>57.84</td><td>0.17 287 185 Average</td></tr><tr><td>7</td><td>8350.20</td><td>44.34</td><td>74.00</td><td>-29.66</td><td>50.99</td><td>37.10</td><td>13.05</td><td>56.88</td><td>0.08 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	2783.40	49.49	74.00	-24.51	71.23	28.40	7.38	57.71	0.19 386 180 Peak	2	2783.40	46.42	54.00	-7.58	60.16	28.40	7.38	57.71	0.19 386 180 Average	3	3711.20	37.46	74.00	-36.54	57.34	29.94	8.54	58.79	0.43 -- -- Peak	4	4639.00	39.11	74.00	-34.89	56.32	31.90	9.52	58.77	0.14 -- -- Peak	5	7422.40	49.88	74.00	-24.12	58.75	36.56	12.24	57.84	0.17 287 185 Peak	6	7422.40	41.54	54.00	-12.46	50.41	36.56	12.24	57.84	0.17 287 185 Average	7	8350.20	44.34	74.00	-29.66	50.99	37.10	13.05	56.88	0.08 -- -- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																	
1	2783.40	51.32	74.00	-22.68	73.06	28.40	7.38	57.71	0.19 186 174 Peak																																																																																																																																																																																																	
2	2783.40	48.57	54.00	-5.43	70.31	28.40	7.38	57.71	0.19 186 174 Average																																																																																																																																																																																																	
3	3711.20	37.74	74.00	-36.26	57.62	29.94	8.54	58.79	0.43 -- -- Peak																																																																																																																																																																																																	
4	4639.00	38.67	74.00	-35.33	55.88	31.90	9.52	58.77	0.14 -- -- Peak																																																																																																																																																																																																	
5	7422.40	52.09	74.00	-21.91	60.96	36.56	12.24	57.84	0.17 199 290 Peak																																																																																																																																																																																																	
6	7422.40	43.89	54.00	-10.11	52.76	36.56	12.24	57.84	0.17 199 290 Average																																																																																																																																																																																																	
7	8350.20	45.31	74.00	-28.69	51.96	37.10	13.05	56.88	0.08 -- -- Peak																																																																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																	
1	2783.40	49.49	74.00	-24.51	71.23	28.40	7.38	57.71	0.19 386 180 Peak																																																																																																																																																																																																	
2	2783.40	46.42	54.00	-7.58	60.16	28.40	7.38	57.71	0.19 386 180 Average																																																																																																																																																																																																	
3	3711.20	37.46	74.00	-36.54	57.34	29.94	8.54	58.79	0.43 -- -- Peak																																																																																																																																																																																																	
4	4639.00	39.11	74.00	-34.89	56.32	31.90	9.52	58.77	0.14 -- -- Peak																																																																																																																																																																																																	
5	7422.40	49.88	74.00	-24.12	58.75	36.56	12.24	57.84	0.17 287 185 Peak																																																																																																																																																																																																	
6	7422.40	41.54	54.00	-12.46	50.41	36.56	12.24	57.84	0.17 287 185 Average																																																																																																																																																																																																	
7	8350.20	44.34	74.00	-29.66	50.99	37.10	13.05	56.88	0.08 -- -- Peak																																																																																																																																																																																																	



Mode	24																																																																																																																																																																																																									
	LF																																																																																																																																																																																																									
	902-928_ Lora FHSS 125KHz_CH128_ 927.8MHz																																																																																																																																																																																																									
ANT	0																																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																																								
QP/ Peak	Level (dBuV/m) Date: 2025-08-13 Site : 03CH13-HY Condition: QP 3m BILOG_40103 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.97</td><td>32.54</td><td>40.00</td><td>-7.46</td><td>29.68</td><td>24.18</td><td>0.78</td><td>32.00</td><td>0.05 -- -- Peak</td></tr><tr><td>2</td><td>178.41</td><td>31.77</td><td>43.50</td><td>-11.73</td><td>36.62</td><td>15.26</td><td>1.77</td><td>31.85</td><td>0.11 -- -- Peak</td></tr><tr><td>3</td><td>223.03</td><td>26.72</td><td>46.00</td><td>-19.28</td><td>30.94</td><td>15.64</td><td>1.96</td><td>31.77</td><td>0.09 -- -- Peak</td></tr><tr><td>4</td><td>418.00</td><td>35.35</td><td>46.00</td><td>-10.65</td><td>32.04</td><td>22.33</td><td>2.70</td><td>31.69</td><td>0.09 -- -- Peak</td></tr><tr><td>5</td><td>560.59</td><td>38.87</td><td>46.00</td><td>-7.13</td><td>31.10</td><td>26.33</td><td>3.13</td><td>31.72</td><td>0.13 -- -- Peak</td></tr><tr><td>6</td><td>927.80</td><td>115.12</td><td>-----</td><td>-----</td><td>102.17</td><td>29.66</td><td>4.02</td><td>30.86</td><td>0.20 100 155 Peak</td></tr><tr><td>7</td><td>964.11</td><td>45.48</td><td>54.00</td><td>-8.52</td><td>30.65</td><td>31.14</td><td>4.09</td><td>30.53</td><td>0.21 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	30.97	32.54	40.00	-7.46	29.68	24.18	0.78	32.00	0.05 -- -- Peak	2	178.41	31.77	43.50	-11.73	36.62	15.26	1.77	31.85	0.11 -- -- Peak	3	223.03	26.72	46.00	-19.28	30.94	15.64	1.96	31.77	0.09 -- -- Peak	4	418.00	35.35	46.00	-10.65	32.04	22.33	2.70	31.69	0.09 -- -- Peak	5	560.59	38.87	46.00	-7.13	31.10	26.33	3.13	31.72	0.13 -- -- Peak	6	927.80	115.12	-----	-----	102.17	29.66	4.02	30.86	0.20 100 155 Peak	7	964.11	45.48	54.00	-8.52	30.65	31.14	4.09	30.53	0.21 -- -- Peak	Level (dBuV/m) Date: 2025-08-13 Site : 03CH13-HY Condition: QP 3m BILOG_40103 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>33.88</td><td>33.81</td><td>40.00</td><td>-6.19</td><td>32.65</td><td>22.40</td><td>0.81</td><td>32.00</td><td>0.10 -- -- Peak</td></tr><tr><td>2</td><td>148.34</td><td>32.05</td><td>43.50</td><td>-11.45</td><td>35.00</td><td>17.34</td><td>1.62</td><td>31.92</td><td>0.08 -- -- Peak</td></tr><tr><td>3</td><td>222.06</td><td>25.91</td><td>46.00</td><td>-20.09</td><td>30.22</td><td>15.56</td><td>1.96</td><td>31.78</td><td>0.09 -- -- Peak</td></tr><tr><td>4</td><td>403.45</td><td>33.48</td><td>46.00</td><td>-12.52</td><td>30.70</td><td>21.84</td><td>2.65</td><td>31.67</td><td>0.08 -- -- Peak</td></tr><tr><td>5</td><td>564.47</td><td>38.90</td><td>46.00</td><td>-7.10</td><td>31.14</td><td>26.32</td><td>3.14</td><td>31.73</td><td>0.13 -- -- Peak</td></tr><tr><td>6</td><td>927.80</td><td>122.70</td><td>-----</td><td>-----</td><td>109.72</td><td>29.68</td><td>4.03</td><td>30.86</td><td>0.20 100 141 Peak</td></tr><tr><td>7</td><td>967.02</td><td>47.44</td><td>54.00</td><td>-6.56</td><td>32.70</td><td>31.01</td><td>4.10</td><td>30.50</td><td>0.21 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	33.88	33.81	40.00	-6.19	32.65	22.40	0.81	32.00	0.10 -- -- Peak	2	148.34	32.05	43.50	-11.45	35.00	17.34	1.62	31.92	0.08 -- -- Peak	3	222.06	25.91	46.00	-20.09	30.22	15.56	1.96	31.78	0.09 -- -- Peak	4	403.45	33.48	46.00	-12.52	30.70	21.84	2.65	31.67	0.08 -- -- Peak	5	564.47	38.90	46.00	-7.10	31.14	26.32	3.14	31.73	0.13 -- -- Peak	6	927.80	122.70	-----	-----	109.72	29.68	4.03	30.86	0.20 100 141 Peak	7	967.02	47.44	54.00	-6.56	32.70	31.01	4.10	30.50	0.21 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																	
1	30.97	32.54	40.00	-7.46	29.68	24.18	0.78	32.00	0.05 -- -- Peak																																																																																																																																																																																																	
2	178.41	31.77	43.50	-11.73	36.62	15.26	1.77	31.85	0.11 -- -- Peak																																																																																																																																																																																																	
3	223.03	26.72	46.00	-19.28	30.94	15.64	1.96	31.77	0.09 -- -- Peak																																																																																																																																																																																																	
4	418.00	35.35	46.00	-10.65	32.04	22.33	2.70	31.69	0.09 -- -- Peak																																																																																																																																																																																																	
5	560.59	38.87	46.00	-7.13	31.10	26.33	3.13	31.72	0.13 -- -- Peak																																																																																																																																																																																																	
6	927.80	115.12	-----	-----	102.17	29.66	4.02	30.86	0.20 100 155 Peak																																																																																																																																																																																																	
7	964.11	45.48	54.00	-8.52	30.65	31.14	4.09	30.53	0.21 -- -- Peak																																																																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																	
1	33.88	33.81	40.00	-6.19	32.65	22.40	0.81	32.00	0.10 -- -- Peak																																																																																																																																																																																																	
2	148.34	32.05	43.50	-11.45	35.00	17.34	1.62	31.92	0.08 -- -- Peak																																																																																																																																																																																																	
3	222.06	25.91	46.00	-20.09	30.22	15.56	1.96	31.78	0.09 -- -- Peak																																																																																																																																																																																																	
4	403.45	33.48	46.00	-12.52	30.70	21.84	2.65	31.67	0.08 -- -- Peak																																																																																																																																																																																																	
5	564.47	38.90	46.00	-7.10	31.14	26.32	3.14	31.73	0.13 -- -- Peak																																																																																																																																																																																																	
6	927.80	122.70	-----	-----	109.72	29.68	4.03	30.86	0.20 100 141 Peak																																																																																																																																																																																																	
7	967.02	47.44	54.00	-6.56	32.70	31.01	4.10	30.50	0.21 -- -- Peak																																																																																																																																																																																																	

Remark: The unwanted signal falls within the non-restricted band and meet the requirements of 15.247 (d).



Mode	25																																																																																																																																																																																																																																																												
	Harmonic																																																																																																																																																																																																																																																												
	902-928_Lora FSK 50KHz_CH00_902.2MHz																																																																																																																																																																																																																																																												
ANT	0																																																																																																																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																																						
Peak Avg																																																																																																																																																																																																																																																													
	Site : 03CH13-HY Condition: PEAK_74 3m HORN_91280_1326 HORIZONTAL						Site : 03CH13-HY Condition: PEAK_74 3m HORN_91280_1326 VERTICAL																																																																																																																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2706.60</td><td>51.86</td><td>74.00</td><td>-22.14</td><td>73.78</td><td>28.20</td><td>7.27</td><td>57.57</td><td>0.18</td><td>126</td><td>132</td><td>Peak</td></tr><tr><td>2</td><td>2706.60</td><td>50.00</td><td>54.00</td><td>-3.20</td><td>72.72</td><td>28.20</td><td>7.27</td><td>57.57</td><td>0.18</td><td>126</td><td>132</td><td>Average</td></tr><tr><td>3</td><td>3608.00</td><td>39.25</td><td>74.00</td><td>-34.75</td><td>59.41</td><td>29.65</td><td>8.42</td><td>58.65</td><td>0.42</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>4511.00</td><td>41.48</td><td>74.00</td><td>-32.52</td><td>59.20</td><td>31.80</td><td>9.41</td><td>59.07</td><td>0.14</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>5413.20</td><td>44.40</td><td>74.00</td><td>-29.60</td><td>57.79</td><td>33.10</td><td>10.42</td><td>56.95</td><td>0.04</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>8119.00</td><td>47.24</td><td>74.00</td><td>-26.76</td><td>54.40</td><td>37.06</td><td>12.89</td><td>57.25</td><td>0.14</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>9022.00</td><td>43.57</td><td>74.00</td><td>-30.43</td><td>48.68</td><td>38.00</td><td>13.61</td><td>56.73</td><td>0.01</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	2706.60	51.86	74.00	-22.14	73.78	28.20	7.27	57.57	0.18	126	132	Peak	2	2706.60	50.00	54.00	-3.20	72.72	28.20	7.27	57.57	0.18	126	132	Average	3	3608.00	39.25	74.00	-34.75	59.41	29.65	8.42	58.65	0.42	--	--	Peak	4	4511.00	41.48	74.00	-32.52	59.20	31.80	9.41	59.07	0.14	--	--	Peak	5	5413.20	44.40	74.00	-29.60	57.79	33.10	10.42	56.95	0.04	--	--	Peak	6	8119.00	47.24	74.00	-26.76	54.40	37.06	12.89	57.25	0.14	--	--	Peak	7	9022.00	43.57	74.00	-30.43	48.68	38.00	13.61	56.73	0.01	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2706.60</td><td>50.03</td><td>74.00</td><td>-23.97</td><td>71.95</td><td>28.20</td><td>7.27</td><td>57.57</td><td>0.18</td><td>392</td><td>319</td><td>Peak</td></tr><tr><td>2</td><td>2706.60</td><td>48.72</td><td>54.00</td><td>-5.28</td><td>70.64</td><td>28.20</td><td>7.27</td><td>57.57</td><td>0.18</td><td>392</td><td>319</td><td>Average</td></tr><tr><td>3</td><td>3608.00</td><td>37.95</td><td>74.00</td><td>-36.05</td><td>58.11</td><td>29.65</td><td>8.42</td><td>58.65</td><td>0.42</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>4511.00</td><td>38.83</td><td>74.00</td><td>-35.17</td><td>56.55</td><td>31.80</td><td>9.41</td><td>59.07</td><td>0.14</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>5413.20</td><td>43.63</td><td>74.00</td><td>-30.37</td><td>57.02</td><td>33.10</td><td>10.42</td><td>56.95</td><td>0.04</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>8119.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>54.05</td><td>37.06</td><td>12.89</td><td>57.25</td><td>0.14</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>9022.00</td><td>43.28</td><td>74.00</td><td>-30.72</td><td>48.39</td><td>38.00</td><td>13.61</td><td>56.73</td><td>0.01</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	2706.60	50.03	74.00	-23.97	71.95	28.20	7.27	57.57	0.18	392	319	Peak	2	2706.60	48.72	54.00	-5.28	70.64	28.20	7.27	57.57	0.18	392	319	Average	3	3608.00	37.95	74.00	-36.05	58.11	29.65	8.42	58.65	0.42	--	--	Peak	4	4511.00	38.83	74.00	-35.17	56.55	31.80	9.41	59.07	0.14	--	--	Peak	5	5413.20	43.63	74.00	-30.37	57.02	33.10	10.42	56.95	0.04	--	--	Peak	6	8119.00	46.89	74.00	-27.11	54.05	37.06	12.89	57.25	0.14	--	--	Peak	7	9022.00	43.28	74.00	-30.72	48.39	38.00	13.61	56.73	0.01	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																																																				
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																																																																																																				
1	2706.60	51.86	74.00	-22.14	73.78	28.20	7.27	57.57	0.18	126	132	Peak																																																																																																																																																																																																																																																	
2	2706.60	50.00	54.00	-3.20	72.72	28.20	7.27	57.57	0.18	126	132	Average																																																																																																																																																																																																																																																	
3	3608.00	39.25	74.00	-34.75	59.41	29.65	8.42	58.65	0.42	--	--	Peak																																																																																																																																																																																																																																																	
4	4511.00	41.48	74.00	-32.52	59.20	31.80	9.41	59.07	0.14	--	--	Peak																																																																																																																																																																																																																																																	
5	5413.20	44.40	74.00	-29.60	57.79	33.10	10.42	56.95	0.04	--	--	Peak																																																																																																																																																																																																																																																	
6	8119.00	47.24	74.00	-26.76	54.40	37.06	12.89	57.25	0.14	--	--	Peak																																																																																																																																																																																																																																																	
7	9022.00	43.57	74.00	-30.43	48.68	38.00	13.61	56.73	0.01	--	--	Peak																																																																																																																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																																																				
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																																																																																																				
1	2706.60	50.03	74.00	-23.97	71.95	28.20	7.27	57.57	0.18	392	319	Peak																																																																																																																																																																																																																																																	
2	2706.60	48.72	54.00	-5.28	70.64	28.20	7.27	57.57	0.18	392	319	Average																																																																																																																																																																																																																																																	
3	3608.00	37.95	74.00	-36.05	58.11	29.65	8.42	58.65	0.42	--	--	Peak																																																																																																																																																																																																																																																	
4	4511.00	38.83	74.00	-35.17	56.55	31.80	9.41	59.07	0.14	--	--	Peak																																																																																																																																																																																																																																																	
5	5413.20	43.63	74.00	-30.37	57.02	33.10	10.42	56.95	0.04	--	--	Peak																																																																																																																																																																																																																																																	
6	8119.00	46.89	74.00	-27.11	54.05	37.06	12.89	57.25	0.14	--	--	Peak																																																																																																																																																																																																																																																	
7	9022.00	43.28	74.00	-30.72	48.39	38.00	13.61	56.73	0.01	--	--	Peak																																																																																																																																																																																																																																																	



Mode	25																																																																																																																																																																																																																	
	LF																																																																																																																																																																																																																	
	902-928_Lora FSK 50KHz_CH00_902.2MHz																																																																																																																																																																																																																	
ANT	0																																																																																																																																																																																																																	
Pol.	Horizontal					Vertical																																																																																																																																																																																																												
QP/ Peak	Level (dBuV/m) Date: 2025-08-13 Site : 03CH13-HY Condition: QP 3m BILOG_40103 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.97</td><td>33.73</td><td>40.00</td><td>-6.27</td><td>30.87</td><td>24.18</td><td>0.78</td><td>32.00</td><td>0.05 -- -- Peak</td></tr><tr><td>2</td><td>179.38</td><td>31.79</td><td>43.50</td><td>-11.71</td><td>36.69</td><td>15.20</td><td>1.78</td><td>31.85</td><td>0.11 -- -- Peak</td></tr><tr><td>3</td><td>219.15</td><td>25.87</td><td>46.00</td><td>-20.13</td><td>30.49</td><td>15.28</td><td>1.94</td><td>31.78</td><td>0.08 -- -- Peak</td></tr><tr><td>4</td><td>413.15</td><td>34.06</td><td>46.00</td><td>-11.94</td><td>30.89</td><td>22.20</td><td>2.68</td><td>31.68</td><td>0.09 -- -- Peak</td></tr><tr><td>5</td><td>557.68</td><td>38.94</td><td>46.00</td><td>-7.06</td><td>31.25</td><td>26.26</td><td>3.12</td><td>31.72</td><td>0.13 -- -- Peak</td></tr><tr><td>6</td><td>902.20</td><td>114.84</td><td>-----</td><td>-----</td><td>102.81</td><td>29.00</td><td>3.98</td><td>31.07</td><td>0.19 200 109 Peak</td></tr><tr><td>7</td><td>974.78</td><td>45.24</td><td>54.00</td><td>-8.76</td><td>30.51</td><td>30.90</td><td>4.12</td><td>30.42</td><td>0.22 -- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	30.97	33.73	40.00	-6.27	30.87	24.18	0.78	32.00	0.05 -- -- Peak	2	179.38	31.79	43.50	-11.71	36.69	15.20	1.78	31.85	0.11 -- -- Peak	3	219.15	25.87	46.00	-20.13	30.49	15.28	1.94	31.78	0.08 -- -- Peak	4	413.15	34.06	46.00	-11.94	30.89	22.20	2.68	31.68	0.09 -- -- Peak	5	557.68	38.94	46.00	-7.06	31.25	26.26	3.12	31.72	0.13 -- -- Peak	6	902.20	114.84	-----	-----	102.81	29.00	3.98	31.07	0.19 200 109 Peak	7	974.78	45.24	54.00	-8.76	30.51	30.90	4.12	30.42	0.22 -- -- Peak	Level (dBuV/m) Date: 2025-08-13 Site : 03CH13-HY Condition: QP 3m BILOG_40103 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.97</td><td>33.76</td><td>40.00</td><td>-6.24</td><td>30.90</td><td>24.18</td><td>0.78</td><td>32.00</td><td>0.05 -- -- Peak</td></tr><tr><td>2</td><td>149.31</td><td>32.09</td><td>43.50</td><td>-11.41</td><td>35.20</td><td>17.25</td><td>1.63</td><td>31.92</td><td>0.08 -- -- Peak</td></tr><tr><td>3</td><td>224.00</td><td>26.10</td><td>46.00</td><td>-19.90</td><td>30.22</td><td>15.73</td><td>1.97</td><td>31.77</td><td>0.09 -- -- Peak</td></tr><tr><td>4</td><td>412.18</td><td>33.93</td><td>46.00</td><td>-12.07</td><td>30.79</td><td>22.17</td><td>2.68</td><td>31.68</td><td>0.09 -- -- Peak</td></tr><tr><td>5</td><td>600.36</td><td>38.79</td><td>46.00</td><td>-7.21</td><td>31.39</td><td>25.93</td><td>3.25</td><td>31.80</td><td>0.13 -- -- Peak</td></tr><tr><td>6</td><td>902.20</td><td>122.73</td><td>-----</td><td>-----</td><td>110.70</td><td>29.00</td><td>3.98</td><td>31.07</td><td>0.19 117 360 Peak</td></tr><tr><td>7</td><td>999.03</td><td>47.40</td><td>54.00</td><td>-6.60</td><td>32.99</td><td>30.26</td><td>4.18</td><td>30.16</td><td>0.24 -- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	30.97	33.76	40.00	-6.24	30.90	24.18	0.78	32.00	0.05 -- -- Peak	2	149.31	32.09	43.50	-11.41	35.20	17.25	1.63	31.92	0.08 -- -- Peak	3	224.00	26.10	46.00	-19.90	30.22	15.73	1.97	31.77	0.09 -- -- Peak	4	412.18	33.93	46.00	-12.07	30.79	22.17	2.68	31.68	0.09 -- -- Peak	5	600.36	38.79	46.00	-7.21	31.39	25.93	3.25	31.80	0.13 -- -- Peak	6	902.20	122.73	-----	-----	110.70	29.00	3.98	31.07	0.19 117 360 Peak	7	999.03	47.40	54.00	-6.60	32.99	30.26	4.18	30.16	0.24 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																									
1	30.97	33.73	40.00	-6.27	30.87	24.18	0.78	32.00	0.05 -- -- Peak																																																																																																																																																																																																									
2	179.38	31.79	43.50	-11.71	36.69	15.20	1.78	31.85	0.11 -- -- Peak																																																																																																																																																																																																									
3	219.15	25.87	46.00	-20.13	30.49	15.28	1.94	31.78	0.08 -- -- Peak																																																																																																																																																																																																									
4	413.15	34.06	46.00	-11.94	30.89	22.20	2.68	31.68	0.09 -- -- Peak																																																																																																																																																																																																									
5	557.68	38.94	46.00	-7.06	31.25	26.26	3.12	31.72	0.13 -- -- Peak																																																																																																																																																																																																									
6	902.20	114.84	-----	-----	102.81	29.00	3.98	31.07	0.19 200 109 Peak																																																																																																																																																																																																									
7	974.78	45.24	54.00	-8.76	30.51	30.90	4.12	30.42	0.22 -- -- Peak																																																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																									
1	30.97	33.76	40.00	-6.24	30.90	24.18	0.78	32.00	0.05 -- -- Peak																																																																																																																																																																																																									
2	149.31	32.09	43.50	-11.41	35.20	17.25	1.63	31.92	0.08 -- -- Peak																																																																																																																																																																																																									
3	224.00	26.10	46.00	-19.90	30.22	15.73	1.97	31.77	0.09 -- -- Peak																																																																																																																																																																																																									
4	412.18	33.93	46.00	-12.07	30.79	22.17	2.68	31.68	0.09 -- -- Peak																																																																																																																																																																																																									
5	600.36	38.79	46.00	-7.21	31.39	25.93	3.25	31.80	0.13 -- -- Peak																																																																																																																																																																																																									
6	902.20	122.73	-----	-----	110.70	29.00	3.98	31.07	0.19 117 360 Peak																																																																																																																																																																																																									
7	999.03	47.40	54.00	-6.60	32.99	30.26	4.18	30.16	0.24 -- -- Peak																																																																																																																																																																																																									

Remark: The unwanted signal falls within the non-restricted band and meet the requirements of 15.247 (d).





Mode	26																																																																																																																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																																																																																																																					
	902-928_ Lora FSK 50KHz_CH64_915MHz																																																																																																																																																																																																																																																																																					
ANT	0																																																																																																																																																																																																																																																																																					
Pol.	Horizontal							Vertical																																																																																																																																																																																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-08-11 Site : 03CH13-HY Condition: PEAK_74 3m HORN_91280_1326 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2745.00</td><td>58.88</td><td>74.00</td><td>-23.12</td><td>72.82</td><td>28.20</td><td>7.32</td><td>57.64</td><td>0.18</td><td>297</td><td>157</td><td>Peak</td></tr><tr><td>2</td><td>2745.00</td><td>49.47</td><td>54.00</td><td>-4.53</td><td>71.41</td><td>28.20</td><td>7.32</td><td>57.64</td><td>0.18</td><td>297</td><td>157</td><td>Average</td></tr><tr><td>3</td><td>3668.00</td><td>39.27</td><td>74.00</td><td>-34.73</td><td>59.18</td><td>29.90</td><td>8.48</td><td>58.72</td><td>0.43</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>4575.00</td><td>39.97</td><td>74.00</td><td>-34.03</td><td>57.42</td><td>31.85</td><td>9.47</td><td>58.92</td><td>0.15</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>7320.00</td><td>53.25</td><td>74.00</td><td>-20.75</td><td>61.54</td><td>37.08</td><td>12.16</td><td>57.69</td><td>0.16</td><td>399</td><td>100</td><td>Peak</td></tr><tr><td>6</td><td>7320.00</td><td>49.47</td><td>54.00</td><td>-4.53</td><td>57.76</td><td>37.08</td><td>12.16</td><td>57.69</td><td>0.16</td><td>399</td><td>100</td><td>Average</td></tr><tr><td>7</td><td>8235.00</td><td>44.30</td><td>74.00</td><td>-29.70</td><td>51.17</td><td>37.07</td><td>12.93</td><td>57.06</td><td>0.19</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>8</td><td>9150.00</td><td>45.43</td><td>74.00</td><td>-28.57</td><td>50.48</td><td>38.00</td><td>13.69</td><td>56.75</td><td>0.01</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2745.00	58.88	74.00	-23.12	72.82	28.20	7.32	57.64	0.18	297	157	Peak	2	2745.00	49.47	54.00	-4.53	71.41	28.20	7.32	57.64	0.18	297	157	Average	3	3668.00	39.27	74.00	-34.73	59.18	29.90	8.48	58.72	0.43	--	--	Peak	4	4575.00	39.97	74.00	-34.03	57.42	31.85	9.47	58.92	0.15	--	--	Peak	5	7320.00	53.25	74.00	-20.75	61.54	37.08	12.16	57.69	0.16	399	100	Peak	6	7320.00	49.47	54.00	-4.53	57.76	37.08	12.16	57.69	0.16	399	100	Average	7	8235.00	44.30	74.00	-29.70	51.17	37.07	12.93	57.06	0.19	--	--	Peak	8	9150.00	45.43	74.00	-28.57	50.48	38.00	13.69	56.75	0.01	--	--	Peak	Level (dBuV/m) Date: 2025-08-11 Site : 03CH13-HY Condition: PEAK_74 3m HORN_91280_1326 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2745.00</td><td>47.93</td><td>74.00</td><td>-26.07</td><td>69.87</td><td>28.20</td><td>7.32</td><td>57.64</td><td>0.18</td><td>400</td><td>179</td><td>Peak</td></tr><tr><td>2</td><td>2745.00</td><td>45.96</td><td>54.00</td><td>-8.04</td><td>67.90</td><td>28.20</td><td>7.32</td><td>57.64</td><td>0.18</td><td>400</td><td>179</td><td>Average</td></tr><tr><td>3</td><td>3668.00</td><td>38.56</td><td>74.00</td><td>-35.44</td><td>58.47</td><td>29.90</td><td>8.48</td><td>58.72</td><td>0.43</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>4575.00</td><td>39.40</td><td>74.00</td><td>-34.60</td><td>56.85</td><td>31.85</td><td>9.47</td><td>58.92</td><td>0.15</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>7320.00</td><td>51.85</td><td>74.00</td><td>-22.15</td><td>60.14</td><td>37.08</td><td>12.16</td><td>57.69</td><td>0.16</td><td>188</td><td>213</td><td>Peak</td></tr><tr><td>6</td><td>7320.00</td><td>47.36</td><td>54.00</td><td>-6.64</td><td>55.65</td><td>37.08</td><td>12.16</td><td>57.69</td><td>0.16</td><td>188</td><td>213</td><td>Average</td></tr><tr><td>7</td><td>8235.00</td><td>44.12</td><td>74.00</td><td>-29.88</td><td>50.99</td><td>37.07</td><td>12.93</td><td>57.06</td><td>0.19</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>8</td><td>9150.00</td><td>45.21</td><td>74.00</td><td>-28.79</td><td>50.26</td><td>38.00</td><td>13.69</td><td>56.75</td><td>0.01</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2745.00	47.93	74.00	-26.07	69.87	28.20	7.32	57.64	0.18	400	179	Peak	2	2745.00	45.96	54.00	-8.04	67.90	28.20	7.32	57.64	0.18	400	179	Average	3	3668.00	38.56	74.00	-35.44	58.47	29.90	8.48	58.72	0.43	--	--	Peak	4	4575.00	39.40	74.00	-34.60	56.85	31.85	9.47	58.92	0.15	--	--	Peak	5	7320.00	51.85	74.00	-22.15	60.14	37.08	12.16	57.69	0.16	188	213	Peak	6	7320.00	47.36	54.00	-6.64	55.65	37.08	12.16	57.69	0.16	188	213	Average	7	8235.00	44.12	74.00	-29.88	50.99	37.07	12.93	57.06	0.19	--	--	Peak	8	9150.00	45.21	74.00	-28.79	50.26	38.00	13.69	56.75	0.01	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																								
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																									
1	2745.00	58.88	74.00	-23.12	72.82	28.20	7.32	57.64	0.18	297	157	Peak																																																																																																																																																																																																																																																																										
2	2745.00	49.47	54.00	-4.53	71.41	28.20	7.32	57.64	0.18	297	157	Average																																																																																																																																																																																																																																																																										
3	3668.00	39.27	74.00	-34.73	59.18	29.90	8.48	58.72	0.43	--	--	Peak																																																																																																																																																																																																																																																																										
4	4575.00	39.97	74.00	-34.03	57.42	31.85	9.47	58.92	0.15	--	--	Peak																																																																																																																																																																																																																																																																										
5	7320.00	53.25	74.00	-20.75	61.54	37.08	12.16	57.69	0.16	399	100	Peak																																																																																																																																																																																																																																																																										
6	7320.00	49.47	54.00	-4.53	57.76	37.08	12.16	57.69	0.16	399	100	Average																																																																																																																																																																																																																																																																										
7	8235.00	44.30	74.00	-29.70	51.17	37.07	12.93	57.06	0.19	--	--	Peak																																																																																																																																																																																																																																																																										
8	9150.00	45.43	74.00	-28.57	50.48	38.00	13.69	56.75	0.01	--	--	Peak																																																																																																																																																																																																																																																																										
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																										
1	2745.00	47.93	74.00	-26.07	69.87	28.20	7.32	57.64	0.18	400	179	Peak																																																																																																																																																																																																																																																																										
2	2745.00	45.96	54.00	-8.04	67.90	28.20	7.32	57.64	0.18	400	179	Average																																																																																																																																																																																																																																																																										
3	3668.00	38.56	74.00	-35.44	58.47	29.90	8.48	58.72	0.43	--	--	Peak																																																																																																																																																																																																																																																																										
4	4575.00	39.40	74.00	-34.60	56.85	31.85	9.47	58.92	0.15	--	--	Peak																																																																																																																																																																																																																																																																										
5	7320.00	51.85	74.00	-22.15	60.14	37.08	12.16	57.69	0.16	188	213	Peak																																																																																																																																																																																																																																																																										
6	7320.00	47.36	54.00	-6.64	55.65	37.08	12.16	57.69	0.16	188	213	Average																																																																																																																																																																																																																																																																										
7	8235.00	44.12	74.00	-29.88	50.99	37.07	12.93	57.06	0.19	--	--	Peak																																																																																																																																																																																																																																																																										
8	9150.00	45.21	74.00	-28.79	50.26	38.00	13.69	56.75	0.01	--	--	Peak																																																																																																																																																																																																																																																																										





Mode	26																																																																																																																																																																																																																							
	LF																																																																																																																																																																																																																							
	902-928_ Lora FSK 50KHz_CH64_915MHz																																																																																																																																																																																																																							
ANT	0																																																																																																																																																																																																																							
Pol.	Horizontal								Vertical																																																																																																																																																																																																															
QP/ Peak	Level (dBuV/m) Date: 2025-08-13 Site : 03CH13-HY Condition: QP 3m BILOG_40103 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>31.94</td><td>33.04</td><td>40.00</td><td>-6.96</td><td>30.83</td><td>23.51</td><td>0.79</td><td>32.00</td><td>0.06 -- -- Peak</td></tr><tr><td>2</td><td>176.47</td><td>31.78</td><td>43.50</td><td>-11.72</td><td>36.53</td><td>15.38</td><td>1.76</td><td>31.86</td><td>0.11 -- -- Peak</td></tr><tr><td>3</td><td>228.12</td><td>26.83</td><td>46.00</td><td>-19.17</td><td>31.36</td><td>15.36</td><td>1.95</td><td>31.78</td><td>0.08 -- -- Peak</td></tr><tr><td>4</td><td>415.09</td><td>34.39</td><td>46.00</td><td>-11.61</td><td>31.17</td><td>22.25</td><td>2.69</td><td>31.69</td><td>0.09 -- -- Peak</td></tr><tr><td>5</td><td>555.74</td><td>38.97</td><td>46.00</td><td>-7.03</td><td>31.34</td><td>26.19</td><td>3.12</td><td>31.71</td><td>0.13 -- -- Peak</td></tr><tr><td>6</td><td>915.00</td><td>114.92</td><td>-----</td><td>-----</td><td>102.52</td><td>29.24</td><td>4.00</td><td>30.96</td><td>0.19 100 156 Peak</td></tr><tr><td>7</td><td>987.39</td><td>45.57</td><td>54.00</td><td>-8.43</td><td>30.88</td><td>30.69</td><td>4.15</td><td>30.28</td><td>0.23 -- -- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	31.94	33.04	40.00	-6.96	30.83	23.51	0.79	32.00	0.06 -- -- Peak	2	176.47	31.78	43.50	-11.72	36.53	15.38	1.76	31.86	0.11 -- -- Peak	3	228.12	26.83	46.00	-19.17	31.36	15.36	1.95	31.78	0.08 -- -- Peak	4	415.09	34.39	46.00	-11.61	31.17	22.25	2.69	31.69	0.09 -- -- Peak	5	555.74	38.97	46.00	-7.03	31.34	26.19	3.12	31.71	0.13 -- -- Peak	6	915.00	114.92	-----	-----	102.52	29.24	4.00	30.96	0.19 100 156 Peak	7	987.39	45.57	54.00	-8.43	30.88	30.69	4.15	30.28	0.23 -- -- Peak	Level (dBuV/m) Date: 2025-08-13 Site : 03CH13-HY Condition: QP 3m BILOG_40103 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.97</td><td>33.94</td><td>40.00</td><td>-6.06</td><td>31.08</td><td>24.18</td><td>0.78</td><td>32.00</td><td>0.05 -- -- Peak</td></tr><tr><td>2</td><td>148.34</td><td>32.54</td><td>43.50</td><td>-10.96</td><td>35.57</td><td>17.34</td><td>1.62</td><td>31.92</td><td>0.08 -- -- Peak</td></tr><tr><td>3</td><td>224.00</td><td>26.34</td><td>46.00</td><td>-19.66</td><td>30.46</td><td>15.73</td><td>1.97</td><td>31.77</td><td>0.09 -- -- Peak</td></tr><tr><td>4</td><td>411.21</td><td>34.75</td><td>46.00</td><td>-11.25</td><td>31.66</td><td>22.12</td><td>2.68</td><td>31.68</td><td>0.09 -- -- Peak</td></tr><tr><td>5</td><td>572.23</td><td>38.82</td><td>46.00</td><td>-7.18</td><td>31.26</td><td>26.10</td><td>3.17</td><td>31.74</td><td>0.13 -- -- Peak</td></tr><tr><td>6</td><td>915.00</td><td>122.58</td><td>-----</td><td>-----</td><td>110.18</td><td>29.24</td><td>4.00</td><td>30.96</td><td>0.19 100 146 Peak</td></tr><tr><td>7</td><td>968.96</td><td>47.51</td><td>54.00</td><td>-6.49</td><td>32.83</td><td>30.92</td><td>4.11</td><td>30.48</td><td>0.22 -- -- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	30.97	33.94	40.00	-6.06	31.08	24.18	0.78	32.00	0.05 -- -- Peak	2	148.34	32.54	43.50	-10.96	35.57	17.34	1.62	31.92	0.08 -- -- Peak	3	224.00	26.34	46.00	-19.66	30.46	15.73	1.97	31.77	0.09 -- -- Peak	4	411.21	34.75	46.00	-11.25	31.66	22.12	2.68	31.68	0.09 -- -- Peak	5	572.23	38.82	46.00	-7.18	31.26	26.10	3.17	31.74	0.13 -- -- Peak	6	915.00	122.58	-----	-----	110.18	29.24	4.00	30.96	0.19 100 146 Peak	7	968.96	47.51	54.00	-6.49	32.83	30.92	4.11	30.48	0.22 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																															
1	31.94	33.04	40.00	-6.96	30.83	23.51	0.79	32.00	0.06 -- -- Peak																																																																																																																																																																																																															
2	176.47	31.78	43.50	-11.72	36.53	15.38	1.76	31.86	0.11 -- -- Peak																																																																																																																																																																																																															
3	228.12	26.83	46.00	-19.17	31.36	15.36	1.95	31.78	0.08 -- -- Peak																																																																																																																																																																																																															
4	415.09	34.39	46.00	-11.61	31.17	22.25	2.69	31.69	0.09 -- -- Peak																																																																																																																																																																																																															
5	555.74	38.97	46.00	-7.03	31.34	26.19	3.12	31.71	0.13 -- -- Peak																																																																																																																																																																																																															
6	915.00	114.92	-----	-----	102.52	29.24	4.00	30.96	0.19 100 156 Peak																																																																																																																																																																																																															
7	987.39	45.57	54.00	-8.43	30.88	30.69	4.15	30.28	0.23 -- -- Peak																																																																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																															
1	30.97	33.94	40.00	-6.06	31.08	24.18	0.78	32.00	0.05 -- -- Peak																																																																																																																																																																																																															
2	148.34	32.54	43.50	-10.96	35.57	17.34	1.62	31.92	0.08 -- -- Peak																																																																																																																																																																																																															
3	224.00	26.34	46.00	-19.66	30.46	15.73	1.97	31.77	0.09 -- -- Peak																																																																																																																																																																																																															
4	411.21	34.75	46.00	-11.25	31.66	22.12	2.68	31.68	0.09 -- -- Peak																																																																																																																																																																																																															
5	572.23	38.82	46.00	-7.18	31.26	26.10	3.17	31.74	0.13 -- -- Peak																																																																																																																																																																																																															
6	915.00	122.58	-----	-----	110.18	29.24	4.00	30.96	0.19 100 146 Peak																																																																																																																																																																																																															
7	968.96	47.51	54.00	-6.49	32.83	30.92	4.11	30.48	0.22 -- -- Peak																																																																																																																																																																																																															

Remark: The unwanted signal falls within the non-restricted band and meet the requirements of 15.247 (d).



Mode	27																																																																																																																															
	Harmonic																																																																																																																															
	902-928_ Lora FSK 50KHz_CH128_927.8MHz																																																																																																																															
ANT	0																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	Site : 03CH13-HY Condition: PEAK_74 3m HORN_91280_1326 HORIZONTAL																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2782.50</td><td>50.99</td><td>74.00</td><td>-23.01</td><td>72.72</td><td>28.40</td><td>7.38</td><td>57.70</td><td>0.19</td><td>206</td><td>174 Peak</td></tr><tr><td>2</td><td>2782.50</td><td>49.78</td><td>54.00</td><td>-4.22</td><td>71.51</td><td>28.40</td><td>7.38</td><td>57.70</td><td>0.19</td><td>206</td><td>174 Average</td></tr><tr><td>3</td><td>3710.00</td><td>37.33</td><td>74.00</td><td>-36.67</td><td>57.21</td><td>29.94</td><td>8.54</td><td>58.79</td><td>0.43</td><td>--</td><td>-- Peak</td></tr><tr><td>4</td><td>4637.50</td><td>38.40</td><td>74.00</td><td>-35.60</td><td>55.62</td><td>31.90</td><td>9.52</td><td>58.78</td><td>0.14</td><td>--</td><td>-- Peak</td></tr><tr><td>5</td><td>7420.00</td><td>52.69</td><td>74.00</td><td>-21.31</td><td>61.58</td><td>36.56</td><td>12.23</td><td>57.84</td><td>0.16</td><td>190</td><td>287 Peak</td></tr><tr><td>6</td><td>7420.00</td><td>48.86</td><td>54.00</td><td>-5.14</td><td>57.75</td><td>36.56</td><td>12.23</td><td>57.84</td><td>0.16</td><td>190</td><td>287 Average</td></tr><tr><td>7</td><td>8347.50</td><td>42.88</td><td>74.00</td><td>-31.12</td><td>49.52</td><td>37.10</td><td>13.05</td><td>56.88</td><td>0.09</td><td>--</td><td>-- Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2782.50	50.99	74.00	-23.01	72.72	28.40	7.38	57.70	0.19	206	174 Peak	2	2782.50	49.78	54.00	-4.22	71.51	28.40	7.38	57.70	0.19	206	174 Average	3	3710.00	37.33	74.00	-36.67	57.21	29.94	8.54	58.79	0.43	--	-- Peak	4	4637.50	38.40	74.00	-35.60	55.62	31.90	9.52	58.78	0.14	--	-- Peak	5	7420.00	52.69	74.00	-21.31	61.58	36.56	12.23	57.84	0.16	190	287 Peak	6	7420.00	48.86	54.00	-5.14	57.75	36.56	12.23	57.84	0.16	190	287 Average	7	8347.50	42.88	74.00	-31.12	49.52	37.10	13.05	56.88	0.09	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	2782.50	50.99	74.00	-23.01	72.72	28.40	7.38	57.70	0.19	206	174 Peak																																																																																																																					
2	2782.50	49.78	54.00	-4.22	71.51	28.40	7.38	57.70	0.19	206	174 Average																																																																																																																					
3	3710.00	37.33	74.00	-36.67	57.21	29.94	8.54	58.79	0.43	--	-- Peak																																																																																																																					
4	4637.50	38.40	74.00	-35.60	55.62	31.90	9.52	58.78	0.14	--	-- Peak																																																																																																																					
5	7420.00	52.69	74.00	-21.31	61.58	36.56	12.23	57.84	0.16	190	287 Peak																																																																																																																					
6	7420.00	48.86	54.00	-5.14	57.75	36.56	12.23	57.84	0.16	190	287 Average																																																																																																																					
7	8347.50	42.88	74.00	-31.12	49.52	37.10	13.05	56.88	0.09	--	-- Peak																																																																																																																					
Site : 03CH13-HY Condition: PEAK_74 3m HORN_91280_1326 VERTICAL																																																																																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2782.50</td><td>46.69</td><td>74.00</td><td>-27.31</td><td>68.42</td><td>28.40</td><td>7.38</td><td>57.70</td><td>0.19</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>3710.00</td><td>37.18</td><td>74.00</td><td>-36.82</td><td>57.06</td><td>29.94</td><td>8.54</td><td>58.79</td><td>0.43</td><td>--</td><td>-- Peak</td></tr><tr><td>3</td><td>4637.50</td><td>38.96</td><td>74.00</td><td>-35.04</td><td>56.18</td><td>31.90</td><td>9.52</td><td>58.78</td><td>0.14</td><td>--</td><td>-- Peak</td></tr><tr><td>4</td><td>7420.00</td><td>47.18</td><td>74.00</td><td>-26.82</td><td>56.07</td><td>36.56</td><td>12.23</td><td>57.84</td><td>0.16</td><td>--</td><td>-- Peak</td></tr><tr><td>5</td><td>8347.50</td><td>42.92</td><td>74.00</td><td>-31.08</td><td>49.56</td><td>37.10</td><td>13.05</td><td>56.88</td><td>0.09</td><td>--</td><td>-- Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2782.50	46.69	74.00	-27.31	68.42	28.40	7.38	57.70	0.19	--	-- Peak	2	3710.00	37.18	74.00	-36.82	57.06	29.94	8.54	58.79	0.43	--	-- Peak	3	4637.50	38.96	74.00	-35.04	56.18	31.90	9.52	58.78	0.14	--	-- Peak	4	7420.00	47.18	74.00	-26.82	56.07	36.56	12.23	57.84	0.16	--	-- Peak	5	8347.50	42.92	74.00	-31.08	49.56	37.10	13.05	56.88	0.09	--	-- Peak																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	2782.50	46.69	74.00	-27.31	68.42	28.40	7.38	57.70	0.19	--	-- Peak																																																																																																																					
2	3710.00	37.18	74.00	-36.82	57.06	29.94	8.54	58.79	0.43	--	-- Peak																																																																																																																					
3	4637.50	38.96	74.00	-35.04	56.18	31.90	9.52	58.78	0.14	--	-- Peak																																																																																																																					
4	7420.00	47.18	74.00	-26.82	56.07	36.56	12.23	57.84	0.16	--	-- Peak																																																																																																																					
5	8347.50	42.92	74.00	-31.08	49.56	37.10	13.05	56.88	0.09	--	-- Peak																																																																																																																					



Mode	27																																																																																																																																																																																																																
	LF																																																																																																																																																																																																																
	902-928_ Lora FSK 50KHz_CH128_927.8MHz																																																																																																																																																																																																																
ANT	0																																																																																																																																																																																																																
Pol.	Horizontal					Vertical																																																																																																																																																																																																											
QP/ Peak																																																																																																																																																																																																																	
	Site : 03CH13-HY Condition: QP 3m BILOG_40103 HORIZONTAL					Site : 03CH13-HY Condition: QP 3m BILOG_40103 VERTICAL																																																																																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.97</td><td>32.78</td><td>40.00</td><td>-7.22</td><td>29.92</td><td>24.18</td><td>0.78</td><td>32.00</td><td>0.05 -- -- Peak</td></tr><tr><td>2</td><td>178.41</td><td>32.15</td><td>43.50</td><td>-11.35</td><td>37.00</td><td>15.26</td><td>1.77</td><td>31.85</td><td>0.11 -- -- Peak</td></tr><tr><td>3</td><td>222.06</td><td>26.97</td><td>46.00</td><td>-19.03</td><td>31.28</td><td>15.56</td><td>1.96</td><td>31.78</td><td>0.09 -- -- Peak</td></tr><tr><td>4</td><td>395.69</td><td>33.52</td><td>46.00</td><td>-12.48</td><td>30.98</td><td>21.63</td><td>2.63</td><td>31.68</td><td>0.08 -- -- Peak</td></tr><tr><td>5</td><td>585.81</td><td>39.26</td><td>46.00</td><td>-6.74</td><td>31.86</td><td>25.94</td><td>3.21</td><td>31.77</td><td>0.13 -- -- Peak</td></tr><tr><td>6</td><td>927.80</td><td>116.07</td><td>-----</td><td>-----</td><td>103.12</td><td>29.66</td><td>4.02</td><td>30.86</td><td>0.20 100 157 Peak</td></tr><tr><td>7</td><td>969.93</td><td>46.05</td><td>54.00</td><td>-7.95</td><td>31.41</td><td>30.87</td><td>4.11</td><td>30.47</td><td>0.22 -- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	30.97	32.78	40.00	-7.22	29.92	24.18	0.78	32.00	0.05 -- -- Peak	2	178.41	32.15	43.50	-11.35	37.00	15.26	1.77	31.85	0.11 -- -- Peak	3	222.06	26.97	46.00	-19.03	31.28	15.56	1.96	31.78	0.09 -- -- Peak	4	395.69	33.52	46.00	-12.48	30.98	21.63	2.63	31.68	0.08 -- -- Peak	5	585.81	39.26	46.00	-6.74	31.86	25.94	3.21	31.77	0.13 -- -- Peak	6	927.80	116.07	-----	-----	103.12	29.66	4.02	30.86	0.20 100 157 Peak	7	969.93	46.05	54.00	-7.95	31.41	30.87	4.11	30.47	0.22 -- -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.97</td><td>33.88</td><td>40.00</td><td>-6.12</td><td>31.02</td><td>24.18</td><td>0.78</td><td>32.00</td><td>0.05 -- -- Peak</td></tr><tr><td>2</td><td>149.31</td><td>31.73</td><td>43.50</td><td>-11.77</td><td>34.04</td><td>17.25</td><td>1.63</td><td>31.92</td><td>0.08 -- -- Peak</td></tr><tr><td>3</td><td>220.12</td><td>26.10</td><td>46.00</td><td>-19.90</td><td>30.63</td><td>15.36</td><td>1.95</td><td>31.78</td><td>0.08 -- -- Peak</td></tr><tr><td>4</td><td>413.15</td><td>34.32</td><td>46.00</td><td>-11.68</td><td>31.15</td><td>22.20</td><td>2.68</td><td>31.68</td><td>0.09 -- -- Peak</td></tr><tr><td>5</td><td>555.74</td><td>38.62</td><td>46.00</td><td>-7.38</td><td>30.99</td><td>26.19</td><td>3.12</td><td>31.71</td><td>0.13 -- -- Peak</td></tr><tr><td>6</td><td>927.80</td><td>122.65</td><td>-----</td><td>-----</td><td>109.67</td><td>29.68</td><td>4.03</td><td>30.86</td><td>0.20 100 145 Peak</td></tr><tr><td>7</td><td>992.24</td><td>47.21</td><td>54.00</td><td>-6.79</td><td>32.58</td><td>30.57</td><td>4.16</td><td>30.23</td><td>0.23 -- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	30.97	33.88	40.00	-6.12	31.02	24.18	0.78	32.00	0.05 -- -- Peak	2	149.31	31.73	43.50	-11.77	34.04	17.25	1.63	31.92	0.08 -- -- Peak	3	220.12	26.10	46.00	-19.90	30.63	15.36	1.95	31.78	0.08 -- -- Peak	4	413.15	34.32	46.00	-11.68	31.15	22.20	2.68	31.68	0.09 -- -- Peak	5	555.74	38.62	46.00	-7.38	30.99	26.19	3.12	31.71	0.13 -- -- Peak	6	927.80	122.65	-----	-----	109.67	29.68	4.03	30.86	0.20 100 145 Peak	7	992.24	47.21	54.00	-6.79	32.58	30.57	4.16	30.23
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																								
1	30.97	32.78	40.00	-7.22	29.92	24.18	0.78	32.00	0.05 -- -- Peak																																																																																																																																																																																																								
2	178.41	32.15	43.50	-11.35	37.00	15.26	1.77	31.85	0.11 -- -- Peak																																																																																																																																																																																																								
3	222.06	26.97	46.00	-19.03	31.28	15.56	1.96	31.78	0.09 -- -- Peak																																																																																																																																																																																																								
4	395.69	33.52	46.00	-12.48	30.98	21.63	2.63	31.68	0.08 -- -- Peak																																																																																																																																																																																																								
5	585.81	39.26	46.00	-6.74	31.86	25.94	3.21	31.77	0.13 -- -- Peak																																																																																																																																																																																																								
6	927.80	116.07	-----	-----	103.12	29.66	4.02	30.86	0.20 100 157 Peak																																																																																																																																																																																																								
7	969.93	46.05	54.00	-7.95	31.41	30.87	4.11	30.47	0.22 -- -- Peak																																																																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																								
1	30.97	33.88	40.00	-6.12	31.02	24.18	0.78	32.00	0.05 -- -- Peak																																																																																																																																																																																																								
2	149.31	31.73	43.50	-11.77	34.04	17.25	1.63	31.92	0.08 -- -- Peak																																																																																																																																																																																																								
3	220.12	26.10	46.00	-19.90	30.63	15.36	1.95	31.78	0.08 -- -- Peak																																																																																																																																																																																																								
4	413.15	34.32	46.00	-11.68	31.15	22.20	2.68	31.68	0.09 -- -- Peak																																																																																																																																																																																																								
5	555.74	38.62	46.00	-7.38	30.99	26.19	3.12	31.71	0.13 -- -- Peak																																																																																																																																																																																																								
6	927.80	122.65	-----	-----	109.67	29.68	4.03	30.86	0.20 100 145 Peak																																																																																																																																																																																																								
7	992.24	47.21	54.00	-6.79	32.58	30.57	4.16	30.23	0.23 -- -- Peak																																																																																																																																																																																																								

Remark: The unwanted signal falls within the non-restricted band and meet the requirements of 15.247 (d).



Mode	28																																																																																																																		
	Harmonic																																																																																																																		
	902-928_ Lora FSK 150KHz_CH00_902.4MHz																																																																																																																		
ANT	0																																																																																																																		
Pol.	Horizontal								Vertical																																																																																																										
Peak Avg																																																																																																																			
	Site : 03CH13-HY Condition: PEAK_74 3m HORN_91280_1326 HORIZONTAL																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2787.20</td><td>51.89</td><td>74.00</td><td>-22.11</td><td>73.81</td><td>28.20</td><td>7.27</td><td>57.57</td><td>0.18 100 131 Peak</td></tr><tr><td>2</td><td>2787.20</td><td>50.87</td><td>54.00</td><td>-3.13</td><td>72.79</td><td>28.20</td><td>7.27</td><td>57.57</td><td>0.18 100 131 Average</td></tr><tr><td>3</td><td>3689.60</td><td>37.61</td><td>74.00</td><td>-36.39</td><td>57.76</td><td>29.66</td><td>8.42</td><td>58.65</td><td>0.42 -- -- Peak</td></tr><tr><td>4</td><td>4512.00</td><td>41.90</td><td>74.00</td><td>-32.10</td><td>59.62</td><td>31.80</td><td>9.41</td><td>59.07</td><td>0.14 -- -- Peak</td></tr><tr><td>5</td><td>5414.40</td><td>45.01</td><td>74.00</td><td>-28.99</td><td>58.40</td><td>33.10</td><td>10.42</td><td>56.95</td><td>0.04 -- -- Peak</td></tr><tr><td>6</td><td>8121.60</td><td>46.84</td><td>74.00</td><td>-27.16</td><td>54.00</td><td>37.06</td><td>12.89</td><td>57.25</td><td>0.14 -- -- Peak</td></tr><tr><td>7</td><td>9024.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>49.80</td><td>38.00</td><td>13.61</td><td>56.73</td><td>0.01 -- -- Peak</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	2787.20	51.89	74.00	-22.11	73.81	28.20	7.27	57.57	0.18 100 131 Peak	2	2787.20	50.87	54.00	-3.13	72.79	28.20	7.27	57.57	0.18 100 131 Average	3	3689.60	37.61	74.00	-36.39	57.76	29.66	8.42	58.65	0.42 -- -- Peak	4	4512.00	41.90	74.00	-32.10	59.62	31.80	9.41	59.07	0.14 -- -- Peak	5	5414.40	45.01	74.00	-28.99	58.40	33.10	10.42	56.95	0.04 -- -- Peak	6	8121.60	46.84	74.00	-27.16	54.00	37.06	12.89	57.25	0.14 -- -- Peak	7	9024.00	44.69	74.00	-29.31	49.80	38.00	13.61	56.73
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																										
1	2787.20	51.89	74.00	-22.11	73.81	28.20	7.27	57.57	0.18 100 131 Peak																																																																																																										
2	2787.20	50.87	54.00	-3.13	72.79	28.20	7.27	57.57	0.18 100 131 Average																																																																																																										
3	3689.60	37.61	74.00	-36.39	57.76	29.66	8.42	58.65	0.42 -- -- Peak																																																																																																										
4	4512.00	41.90	74.00	-32.10	59.62	31.80	9.41	59.07	0.14 -- -- Peak																																																																																																										
5	5414.40	45.01	74.00	-28.99	58.40	33.10	10.42	56.95	0.04 -- -- Peak																																																																																																										
6	8121.60	46.84	74.00	-27.16	54.00	37.06	12.89	57.25	0.14 -- -- Peak																																																																																																										
7	9024.00	44.69	74.00	-29.31	49.80	38.00	13.61	56.73	0.01 -- -- Peak																																																																																																										
Site : 03CH13-HY Condition: PEAK_74 3m HORN_91280_1326 VERTICAL																																																																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2787.20</td><td>50.48</td><td>74.00</td><td>-23.52</td><td>72.40</td><td>28.20</td><td>7.27</td><td>57.57</td><td>0.18 311 75 Peak</td></tr><tr><td>2</td><td>2787.20</td><td>49.19</td><td>54.00</td><td>-4.81</td><td>71.11</td><td>28.20</td><td>7.27</td><td>57.57</td><td>0.18 311 75 Average</td></tr><tr><td>3</td><td>3689.60</td><td>38.67</td><td>74.00</td><td>-35.33</td><td>58.82</td><td>29.66</td><td>8.42</td><td>58.65</td><td>0.42 -- -- Peak</td></tr><tr><td>4</td><td>4512.00</td><td>39.23</td><td>74.00</td><td>-34.77</td><td>56.95</td><td>31.80</td><td>9.41</td><td>59.07</td><td>0.14 -- -- Peak</td></tr><tr><td>5</td><td>5414.40</td><td>39.19</td><td>74.00</td><td>-34.81</td><td>52.58</td><td>33.10</td><td>10.42</td><td>56.95</td><td>0.04 -- -- Peak</td></tr><tr><td>6</td><td>8121.60</td><td>46.28</td><td>74.00</td><td>-27.72</td><td>53.44</td><td>37.06</td><td>12.89</td><td>57.25</td><td>0.14 -- -- Peak</td></tr><tr><td>7</td><td>9024.00</td><td>45.03</td><td>74.00</td><td>-28.97</td><td>50.14</td><td>38.00</td><td>13.61</td><td>56.73</td><td>0.01 -- -- Peak</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	2787.20	50.48	74.00	-23.52	72.40	28.20	7.27	57.57	0.18 311 75 Peak	2	2787.20	49.19	54.00	-4.81	71.11	28.20	7.27	57.57	0.18 311 75 Average	3	3689.60	38.67	74.00	-35.33	58.82	29.66	8.42	58.65	0.42 -- -- Peak	4	4512.00	39.23	74.00	-34.77	56.95	31.80	9.41	59.07	0.14 -- -- Peak	5	5414.40	39.19	74.00	-34.81	52.58	33.10	10.42	56.95	0.04 -- -- Peak	6	8121.60	46.28	74.00	-27.72	53.44	37.06	12.89	57.25	0.14 -- -- Peak	7	9024.00	45.03	74.00	-28.97	50.14	38.00	13.61	56.73	0.01 -- -- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																										
1	2787.20	50.48	74.00	-23.52	72.40	28.20	7.27	57.57	0.18 311 75 Peak																																																																																																										
2	2787.20	49.19	54.00	-4.81	71.11	28.20	7.27	57.57	0.18 311 75 Average																																																																																																										
3	3689.60	38.67	74.00	-35.33	58.82	29.66	8.42	58.65	0.42 -- -- Peak																																																																																																										
4	4512.00	39.23	74.00	-34.77	56.95	31.80	9.41	59.07	0.14 -- -- Peak																																																																																																										
5	5414.40	39.19	74.00	-34.81	52.58	33.10	10.42	56.95	0.04 -- -- Peak																																																																																																										
6	8121.60	46.28	74.00	-27.72	53.44	37.06	12.89	57.25	0.14 -- -- Peak																																																																																																										
7	9024.00	45.03	74.00	-28.97	50.14	38.00	13.61	56.73	0.01 -- -- Peak																																																																																																										



Mode	28																																																																																																																																																																																																																	
	LF																																																																																																																																																																																																																	
	902-928_ Lora FSK 150KHz_CH00_902.4MHz																																																																																																																																																																																																																	
ANT	0																																																																																																																																																																																																																	
Pol.	Horizontal					Vertical																																																																																																																																																																																																												
QP/ Peak	Level (dBuV/m) Date: 2025-08-13 Site : 03CH13-HY Condition: QP 3m BILOG_40103 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>63.95</td><td>32.17</td><td>40.00</td><td>-7.83</td><td>40.91</td><td>12.16</td><td>1.05</td><td>31.92</td><td>0.09 -- -- Peak</td></tr><tr><td>2</td><td>161.92</td><td>31.66</td><td>43.50</td><td>-11.84</td><td>35.60</td><td>16.29</td><td>1.69</td><td>31.89</td><td>0.11 -- -- Peak</td></tr><tr><td>3</td><td>220.12</td><td>26.63</td><td>46.00</td><td>-19.37</td><td>31.16</td><td>15.36</td><td>1.95</td><td>31.78</td><td>0.08 -- -- Peak</td></tr><tr><td>4</td><td>415.09</td><td>35.39</td><td>46.00</td><td>-10.61</td><td>32.17</td><td>22.25</td><td>2.69</td><td>31.69</td><td>0.09 -- -- Peak</td></tr><tr><td>5</td><td>565.44</td><td>38.92</td><td>46.00</td><td>-7.08</td><td>31.17</td><td>26.30</td><td>3.15</td><td>31.73</td><td>0.13 -- -- Peak</td></tr><tr><td>6</td><td>902.40</td><td>115.27</td><td>-----</td><td>-----</td><td>103.24</td><td>29.00</td><td>3.98</td><td>31.07</td><td>0.19 200 112 Peak</td></tr><tr><td>7</td><td>966.05</td><td>45.17</td><td>54.00</td><td>-8.83</td><td>30.40</td><td>31.05</td><td>4.10</td><td>30.51</td><td>0.21 -- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	63.95	32.17	40.00	-7.83	40.91	12.16	1.05	31.92	0.09 -- -- Peak	2	161.92	31.66	43.50	-11.84	35.60	16.29	1.69	31.89	0.11 -- -- Peak	3	220.12	26.63	46.00	-19.37	31.16	15.36	1.95	31.78	0.08 -- -- Peak	4	415.09	35.39	46.00	-10.61	32.17	22.25	2.69	31.69	0.09 -- -- Peak	5	565.44	38.92	46.00	-7.08	31.17	26.30	3.15	31.73	0.13 -- -- Peak	6	902.40	115.27	-----	-----	103.24	29.00	3.98	31.07	0.19 200 112 Peak	7	966.05	45.17	54.00	-8.83	30.40	31.05	4.10	30.51	0.21 -- -- Peak	Level (dBuV/m) Date: 2025-08-13 Site : 03CH13-HY Condition: QP 3m BILOG_40103 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.97</td><td>33.67</td><td>40.00</td><td>-6.13</td><td>31.01</td><td>24.18</td><td>0.78</td><td>32.00</td><td>0.05 -- -- Peak</td></tr><tr><td>2</td><td>144.46</td><td>31.78</td><td>43.50</td><td>-11.72</td><td>34.64</td><td>17.56</td><td>1.60</td><td>31.93</td><td>0.07 -- -- Peak</td></tr><tr><td>3</td><td>223.03</td><td>26.68</td><td>46.00</td><td>-19.32</td><td>30.90</td><td>15.64</td><td>1.96</td><td>31.77</td><td>0.09 -- -- Peak</td></tr><tr><td>4</td><td>410.24</td><td>33.99</td><td>46.00</td><td>-12.01</td><td>30.97</td><td>22.06</td><td>2.67</td><td>31.68</td><td>0.09 -- -- Peak</td></tr><tr><td>5</td><td>564.47</td><td>39.28</td><td>46.00</td><td>-6.72</td><td>31.52</td><td>26.32</td><td>3.14</td><td>31.73</td><td>0.13 -- -- Peak</td></tr><tr><td>6</td><td>902.40</td><td>123.05</td><td>-----</td><td>-----</td><td>111.02</td><td>29.00</td><td>3.98</td><td>31.07</td><td>0.19 100 305 Peak</td></tr><tr><td>7</td><td>967.99</td><td>47.27</td><td>54.00</td><td>-6.73</td><td>32.56</td><td>30.97</td><td>4.10</td><td>30.49</td><td>0.21 -- -- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	30.97	33.67	40.00	-6.13	31.01	24.18	0.78	32.00	0.05 -- -- Peak	2	144.46	31.78	43.50	-11.72	34.64	17.56	1.60	31.93	0.07 -- -- Peak	3	223.03	26.68	46.00	-19.32	30.90	15.64	1.96	31.77	0.09 -- -- Peak	4	410.24	33.99	46.00	-12.01	30.97	22.06	2.67	31.68	0.09 -- -- Peak	5	564.47	39.28	46.00	-6.72	31.52	26.32	3.14	31.73	0.13 -- -- Peak	6	902.40	123.05	-----	-----	111.02	29.00	3.98	31.07	0.19 100 305 Peak	7	967.99	47.27	54.00	-6.73	32.56	30.97	4.10	30.49	0.21 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																									
1	63.95	32.17	40.00	-7.83	40.91	12.16	1.05	31.92	0.09 -- -- Peak																																																																																																																																																																																																									
2	161.92	31.66	43.50	-11.84	35.60	16.29	1.69	31.89	0.11 -- -- Peak																																																																																																																																																																																																									
3	220.12	26.63	46.00	-19.37	31.16	15.36	1.95	31.78	0.08 -- -- Peak																																																																																																																																																																																																									
4	415.09	35.39	46.00	-10.61	32.17	22.25	2.69	31.69	0.09 -- -- Peak																																																																																																																																																																																																									
5	565.44	38.92	46.00	-7.08	31.17	26.30	3.15	31.73	0.13 -- -- Peak																																																																																																																																																																																																									
6	902.40	115.27	-----	-----	103.24	29.00	3.98	31.07	0.19 200 112 Peak																																																																																																																																																																																																									
7	966.05	45.17	54.00	-8.83	30.40	31.05	4.10	30.51	0.21 -- -- Peak																																																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																									
1	30.97	33.67	40.00	-6.13	31.01	24.18	0.78	32.00	0.05 -- -- Peak																																																																																																																																																																																																									
2	144.46	31.78	43.50	-11.72	34.64	17.56	1.60	31.93	0.07 -- -- Peak																																																																																																																																																																																																									
3	223.03	26.68	46.00	-19.32	30.90	15.64	1.96	31.77	0.09 -- -- Peak																																																																																																																																																																																																									
4	410.24	33.99	46.00	-12.01	30.97	22.06	2.67	31.68	0.09 -- -- Peak																																																																																																																																																																																																									
5	564.47	39.28	46.00	-6.72	31.52	26.32	3.14	31.73	0.13 -- -- Peak																																																																																																																																																																																																									
6	902.40	123.05	-----	-----	111.02	29.00	3.98	31.07	0.19 100 305 Peak																																																																																																																																																																																																									
7	967.99	47.27	54.00	-6.73	32.56	30.97	4.10	30.49	0.21 -- -- Peak																																																																																																																																																																																																									

Remark: The unwanted signal falls within the non-restricted band and meet the requirements of 15.247 (d).



Mode	29																																																																																																																																																																																																																																																				
	Harmonic																																																																																																																																																																																																																																																				
	902-928_ Lora FSK 150KHz_CH32_915.2MHz																																																																																																																																																																																																																																																				
ANT	0																																																																																																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																														
Peak Avg																																																																																																																																																																																																																																																					
	Site : 03CH13-HY Condition: PEAK_74 3m HORN_91280_1326 HORIZONTAL						Site : 03CH13-HY Condition: PEAK_74 3m HORN_91280_1326 VERTICAL																																																																																																																																																																																																																																														
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2745.60</td><td>51.59</td><td>74.00</td><td>-22.41</td><td>73.53</td><td>28.20</td><td>7.32</td><td>57.64</td><td>0.18</td><td>296</td><td>150</td><td>Peak</td></tr><tr><td>2</td><td>2745.60</td><td>50.37</td><td>54.00</td><td>-3.63</td><td>72.31</td><td>28.20</td><td>7.32</td><td>57.64</td><td>0.18</td><td>296</td><td>150</td><td>Average</td></tr><tr><td>3</td><td>3660.00</td><td>37.93</td><td>74.00</td><td>-36.07</td><td>57.84</td><td>29.90</td><td>8.48</td><td>58.72</td><td>0.43</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>4576.00</td><td>38.70</td><td>74.00</td><td>-35.30</td><td>56.15</td><td>31.85</td><td>9.47</td><td>58.92</td><td>0.15</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>7321.60</td><td>52.63</td><td>74.00</td><td>-21.37</td><td>60.93</td><td>37.07</td><td>12.16</td><td>57.69</td><td>0.16</td><td>399</td><td>98</td><td>Peak</td></tr><tr><td>6</td><td>7321.60</td><td>48.79</td><td>54.00</td><td>-5.21</td><td>57.09</td><td>37.07</td><td>12.16</td><td>57.69</td><td>0.16</td><td>399</td><td>98</td><td>Average</td></tr><tr><td>7</td><td>8236.00</td><td>42.13</td><td>74.00</td><td>-31.87</td><td>48.99</td><td>37.07</td><td>12.94</td><td>57.06</td><td>0.19</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>8</td><td>9152.00</td><td>46.14</td><td>74.00</td><td>-27.86</td><td>51.18</td><td>38.00</td><td>13.70</td><td>56.75</td><td>0.01</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB		1	2745.60	51.59	74.00	-22.41	73.53	28.20	7.32	57.64	0.18	296	150	Peak	2	2745.60	50.37	54.00	-3.63	72.31	28.20	7.32	57.64	0.18	296	150	Average	3	3660.00	37.93	74.00	-36.07	57.84	29.90	8.48	58.72	0.43	--	--	Peak	4	4576.00	38.70	74.00	-35.30	56.15	31.85	9.47	58.92	0.15	--	--	Peak	5	7321.60	52.63	74.00	-21.37	60.93	37.07	12.16	57.69	0.16	399	98	Peak	6	7321.60	48.79	54.00	-5.21	57.09	37.07	12.16	57.69	0.16	399	98	Average	7	8236.00	42.13	74.00	-31.87	48.99	37.07	12.94	57.06	0.19	--	--	Peak	8	9152.00	46.14	74.00	-27.86	51.18	38.00	13.70	56.75	0.01	--	--	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2745.60</td><td>47.92</td><td>74.00</td><td>-26.08</td><td>69.86</td><td>28.20</td><td>7.32</td><td>57.64</td><td>0.18</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>3660.00</td><td>38.82</td><td>74.00</td><td>-35.18</td><td>58.73</td><td>29.90</td><td>8.48</td><td>58.72</td><td>0.43</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>4576.00</td><td>39.28</td><td>74.00</td><td>-34.72</td><td>56.73</td><td>31.85</td><td>9.47</td><td>58.92</td><td>0.15</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7321.60</td><td>47.41</td><td>74.00</td><td>-26.59</td><td>55.71</td><td>37.07</td><td>12.16</td><td>57.69</td><td>0.16</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>8236.00</td><td>43.03</td><td>74.00</td><td>-30.97</td><td>49.89</td><td>37.07</td><td>12.94</td><td>57.06</td><td>0.19</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>9152.00</td><td>43.97</td><td>74.00</td><td>-30.03</td><td>49.01</td><td>38.00</td><td>13.70</td><td>56.75</td><td>0.01</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB		1	2745.60	47.92	74.00	-26.08	69.86	28.20	7.32	57.64	0.18	--	--	Peak	2	3660.00	38.82	74.00	-35.18	58.73	29.90	8.48	58.72	0.43	--	--	Peak	3	4576.00	39.28	74.00	-34.72	56.73	31.85	9.47	58.92	0.15	--	--	Peak	4	7321.60	47.41	74.00	-26.59	55.71	37.07	12.16	57.69	0.16	--	--	Peak	5	8236.00	43.03	74.00	-30.97	49.89	37.07	12.94	57.06	0.19	--	--	Peak	6	9152.00	43.97	74.00	-30.03	49.01	38.00	13.70	56.75	0.01	--	--
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB																																																																																																																																																																																																																																										
1	2745.60	51.59	74.00	-22.41	73.53	28.20	7.32	57.64	0.18	296	150	Peak																																																																																																																																																																																																																																									
2	2745.60	50.37	54.00	-3.63	72.31	28.20	7.32	57.64	0.18	296	150	Average																																																																																																																																																																																																																																									
3	3660.00	37.93	74.00	-36.07	57.84	29.90	8.48	58.72	0.43	--	--	Peak																																																																																																																																																																																																																																									
4	4576.00	38.70	74.00	-35.30	56.15	31.85	9.47	58.92	0.15	--	--	Peak																																																																																																																																																																																																																																									
5	7321.60	52.63	74.00	-21.37	60.93	37.07	12.16	57.69	0.16	399	98	Peak																																																																																																																																																																																																																																									
6	7321.60	48.79	54.00	-5.21	57.09	37.07	12.16	57.69	0.16	399	98	Average																																																																																																																																																																																																																																									
7	8236.00	42.13	74.00	-31.87	48.99	37.07	12.94	57.06	0.19	--	--	Peak																																																																																																																																																																																																																																									
8	9152.00	46.14	74.00	-27.86	51.18	38.00	13.70	56.75	0.01	--	--	Peak																																																																																																																																																																																																																																									
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB																																																																																																																																																																																																																																										
1	2745.60	47.92	74.00	-26.08	69.86	28.20	7.32	57.64	0.18	--	--	Peak																																																																																																																																																																																																																																									
2	3660.00	38.82	74.00	-35.18	58.73	29.90	8.48	58.72	0.43	--	--	Peak																																																																																																																																																																																																																																									
3	4576.00	39.28	74.00	-34.72	56.73	31.85	9.47	58.92	0.15	--	--	Peak																																																																																																																																																																																																																																									
4	7321.60	47.41	74.00	-26.59	55.71	37.07	12.16	57.69	0.16	--	--	Peak																																																																																																																																																																																																																																									
5	8236.00	43.03	74.00	-30.97	49.89	37.07	12.94	57.06	0.19	--	--	Peak																																																																																																																																																																																																																																									
6	9152.00	43.97	74.00	-30.03	49.01	38.00	13.70	56.75	0.01	--	--	Peak																																																																																																																																																																																																																																									



Mode	29																																																																																																																																																																																																												
	LF																																																																																																																																																																																																												
	902-928_ Lora FSK 150KHz_CH32_915.2MHz																																																																																																																																																																																																												
ANT	0																																																																																																																																																																																																												
Pol.	Horizontal					Vertical																																																																																																																																																																																																							
QP/ Peak	Level (dBuV/m) Date: 2025-08-13 Site : 03CH13-HY Condition: QP 3m BILOG_40103 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>31.94</td><td>32.88</td><td>40.00</td><td>-7.12</td><td>30.67</td><td>23.51</td><td>0.79</td><td>32.00</td><td>0.06 -- -- Peak</td></tr><tr><td>2</td><td>176.47</td><td>31.00</td><td>43.50</td><td>-12.50</td><td>35.75</td><td>15.38</td><td>1.76</td><td>31.86</td><td>0.11 -- -- Peak</td></tr><tr><td>3</td><td>216.24</td><td>26.02</td><td>46.00</td><td>-19.98</td><td>30.89</td><td>15.05</td><td>1.93</td><td>31.79</td><td>0.08 -- -- Peak</td></tr><tr><td>4</td><td>413.15</td><td>33.83</td><td>46.00</td><td>-12.17</td><td>30.66</td><td>22.20</td><td>2.68</td><td>31.68</td><td>0.09 -- -- Peak</td></tr><tr><td>5</td><td>559.62</td><td>39.64</td><td>46.00</td><td>-6.36</td><td>31.88</td><td>26.32</td><td>3.13</td><td>31.72</td><td>0.13 -- -- Peak</td></tr><tr><td>6</td><td>915.20</td><td>115.66</td><td>-----</td><td>-----</td><td>103.26</td><td>29.24</td><td>4.00</td><td>30.96</td><td>0.19 100 155 Peak</td></tr><tr><td>7</td><td>967.02</td><td>45.68</td><td>54.00</td><td>-8.32</td><td>30.94</td><td>31.01</td><td>4.10</td><td>30.50</td><td>0.21 -- -- Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2025-08-13 Site : 03CH13-HY Condition: QP 3m BILOG_40103 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>30.97</td><td>33.89</td><td>40.00</td><td>-6.11</td><td>31.03</td><td>24.18</td><td>0.78</td><td>32.00</td><td>0.05 -- -- Peak</td></tr><tr><td>2</td><td>148.34</td><td>32.13</td><td>43.50</td><td>-11.37</td><td>35.16</td><td>17.34</td><td>1.62</td><td>31.92</td><td>0.08 -- -- Peak</td></tr><tr><td>3</td><td>220.12</td><td>26.13</td><td>46.00</td><td>-19.87</td><td>30.66</td><td>15.36</td><td>1.95</td><td>31.78</td><td>0.08 -- -- Peak</td></tr><tr><td>4</td><td>403.45</td><td>33.67</td><td>46.00</td><td>-12.33</td><td>30.89</td><td>21.84</td><td>2.65</td><td>31.67</td><td>0.08 -- -- Peak</td></tr><tr><td>5</td><td>567.38</td><td>39.10</td><td>46.00</td><td>-6.90</td><td>31.39</td><td>26.26</td><td>3.15</td><td>31.73</td><td>0.13 -- -- Peak</td></tr><tr><td>6</td><td>915.20</td><td>123.00</td><td>-----</td><td>-----</td><td>110.60</td><td>29.24</td><td>4.00</td><td>30.96</td><td>0.19 100 145 Peak</td></tr><tr><td>7</td><td>993.21</td><td>47.15</td><td>54.00</td><td>-6.85</td><td>32.57</td><td>30.51</td><td>4.16</td><td>30.22</td><td>0.23 -- -- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	31.94	32.88	40.00	-7.12	30.67	23.51	0.79	32.00	0.06 -- -- Peak	2	176.47	31.00	43.50	-12.50	35.75	15.38	1.76	31.86	0.11 -- -- Peak	3	216.24	26.02	46.00	-19.98	30.89	15.05	1.93	31.79	0.08 -- -- Peak	4	413.15	33.83	46.00	-12.17	30.66	22.20	2.68	31.68	0.09 -- -- Peak	5	559.62	39.64	46.00	-6.36	31.88	26.32	3.13	31.72	0.13 -- -- Peak	6	915.20	115.66	-----	-----	103.26	29.24	4.00	30.96	0.19 100 155 Peak	7	967.02	45.68	54.00	-8.32	30.94	31.01	4.10	30.50	0.21 -- -- Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	30.97	33.89	40.00	-6.11	31.03	24.18	0.78	32.00	0.05 -- -- Peak	2	148.34	32.13	43.50	-11.37	35.16	17.34	1.62	31.92	0.08 -- -- Peak	3	220.12	26.13	46.00	-19.87	30.66	15.36	1.95	31.78	0.08 -- -- Peak	4	403.45	33.67	46.00	-12.33	30.89	21.84	2.65	31.67	0.08 -- -- Peak	5	567.38	39.10	46.00	-6.90	31.39	26.26	3.15	31.73	0.13 -- -- Peak	6	915.20	123.00	-----	-----	110.60	29.24	4.00	30.96	0.19 100 145 Peak	7	993.21	47.15	54.00	-6.85	32.57	30.51	4.16	30.22	0.23 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																				
1	31.94	32.88	40.00	-7.12	30.67	23.51	0.79	32.00	0.06 -- -- Peak																																																																																																																																																																																																				
2	176.47	31.00	43.50	-12.50	35.75	15.38	1.76	31.86	0.11 -- -- Peak																																																																																																																																																																																																				
3	216.24	26.02	46.00	-19.98	30.89	15.05	1.93	31.79	0.08 -- -- Peak																																																																																																																																																																																																				
4	413.15	33.83	46.00	-12.17	30.66	22.20	2.68	31.68	0.09 -- -- Peak																																																																																																																																																																																																				
5	559.62	39.64	46.00	-6.36	31.88	26.32	3.13	31.72	0.13 -- -- Peak																																																																																																																																																																																																				
6	915.20	115.66	-----	-----	103.26	29.24	4.00	30.96	0.19 100 155 Peak																																																																																																																																																																																																				
7	967.02	45.68	54.00	-8.32	30.94	31.01	4.10	30.50	0.21 -- -- Peak																																																																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																				
1	30.97	33.89	40.00	-6.11	31.03	24.18	0.78	32.00	0.05 -- -- Peak																																																																																																																																																																																																				
2	148.34	32.13	43.50	-11.37	35.16	17.34	1.62	31.92	0.08 -- -- Peak																																																																																																																																																																																																				
3	220.12	26.13	46.00	-19.87	30.66	15.36	1.95	31.78	0.08 -- -- Peak																																																																																																																																																																																																				
4	403.45	33.67	46.00	-12.33	30.89	21.84	2.65	31.67	0.08 -- -- Peak																																																																																																																																																																																																				
5	567.38	39.10	46.00	-6.90	31.39	26.26	3.15	31.73	0.13 -- -- Peak																																																																																																																																																																																																				
6	915.20	123.00	-----	-----	110.60	29.24	4.00	30.96	0.19 100 145 Peak																																																																																																																																																																																																				
7	993.21	47.15	54.00	-6.85	32.57	30.51	4.16	30.22	0.23 -- -- Peak																																																																																																																																																																																																				

Remark: The unwanted signal falls within the non-restricted band and meet the requirements of 15.247 (d).



Mode	30																																																																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																																																																					
	902-928_ Lora FSK 150KHz_CH63_927.6MHz																																																																																																																																																																																																																																					
ANT	0																																																																																																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																																																																																																															
Peak Avg	Site : 03CH13-HY Condition: PEAK_74 3m HORN_91280_1326 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2782.80</td><td>51.41</td><td>74.00</td><td>-22.59</td><td>73.14</td><td>28.40</td><td>7.38</td><td>57.70</td><td>0.19</td><td>204</td><td>176</td><td>Peak</td></tr><tr><td>2</td><td>2782.80</td><td>50.20</td><td>54.00</td><td>-3.80</td><td>71.93</td><td>28.40</td><td>7.38</td><td>57.70</td><td>0.19</td><td>204</td><td>176</td><td>Average</td></tr><tr><td>3</td><td>3710.40</td><td>37.55</td><td>74.00</td><td>-36.45</td><td>57.43</td><td>29.94</td><td>8.54</td><td>58.79</td><td>0.43</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>4638.00</td><td>39.19</td><td>74.00</td><td>-34.81</td><td>56.41</td><td>31.90</td><td>9.52</td><td>58.78</td><td>0.14</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>7420.80</td><td>51.49</td><td>74.00</td><td>-22.51</td><td>60.37</td><td>36.56</td><td>12.23</td><td>57.84</td><td>0.17</td><td>400</td><td>95</td><td>Peak</td></tr><tr><td>6</td><td>7420.80</td><td>47.37</td><td>54.00</td><td>-6.63</td><td>56.25</td><td>36.56</td><td>12.23</td><td>57.84</td><td>0.17</td><td>400</td><td>95</td><td>Average</td></tr><tr><td>7</td><td>8348.40</td><td>43.29</td><td>74.00</td><td>-30.71</td><td>49.93</td><td>37.10</td><td>13.05</td><td>56.88</td><td>0.09</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2782.80	51.41	74.00	-22.59	73.14	28.40	7.38	57.70	0.19	204	176	Peak	2	2782.80	50.20	54.00	-3.80	71.93	28.40	7.38	57.70	0.19	204	176	Average	3	3710.40	37.55	74.00	-36.45	57.43	29.94	8.54	58.79	0.43	--	--	Peak	4	4638.00	39.19	74.00	-34.81	56.41	31.90	9.52	58.78	0.14	--	--	Peak	5	7420.80	51.49	74.00	-22.51	60.37	36.56	12.23	57.84	0.17	400	95	Peak	6	7420.80	47.37	54.00	-6.63	56.25	36.56	12.23	57.84	0.17	400	95	Average	7	8348.40	43.29	74.00	-30.71	49.93	37.10	13.05	56.88	0.09	--	--	Peak	Site : 03CH13-HY Condition: PEAK_74 3m HORN_91280_1326 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2782.80</td><td>47.61</td><td>74.00</td><td>-26.39</td><td>69.34</td><td>28.40</td><td>7.38</td><td>57.70</td><td>0.19</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>3710.40</td><td>37.61</td><td>74.00</td><td>-36.39</td><td>57.49</td><td>29.94</td><td>8.54</td><td>58.79</td><td>0.43</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>4638.00</td><td>38.30</td><td>74.00</td><td>-35.70</td><td>55.52</td><td>31.90</td><td>9.52</td><td>58.78</td><td>0.14</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7420.80</td><td>47.16</td><td>74.00</td><td>-26.84</td><td>56.04</td><td>36.56</td><td>12.23</td><td>57.84</td><td>0.17</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>8348.40</td><td>42.14</td><td>74.00</td><td>-31.86</td><td>48.78</td><td>37.10</td><td>13.05</td><td>56.88</td><td>0.09</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2782.80	47.61	74.00	-26.39	69.34	28.40	7.38	57.70	0.19	--	--	Peak	2	3710.40	37.61	74.00	-36.39	57.49	29.94	8.54	58.79	0.43	--	--	Peak	3	4638.00	38.30	74.00	-35.70	55.52	31.90	9.52	58.78	0.14	--	--	Peak	4	7420.80	47.16	74.00	-26.84	56.04	36.56	12.23	57.84	0.17	--	--	Peak	5	8348.40	42.14	74.00	-31.86	48.78	37.10	13.05	56.88	0.09	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																														
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																												
1	2782.80	51.41	74.00	-22.59	73.14	28.40	7.38	57.70	0.19	204	176	Peak																																																																																																																																																																																																																										
2	2782.80	50.20	54.00	-3.80	71.93	28.40	7.38	57.70	0.19	204	176	Average																																																																																																																																																																																																																										
3	3710.40	37.55	74.00	-36.45	57.43	29.94	8.54	58.79	0.43	--	--	Peak																																																																																																																																																																																																																										
4	4638.00	39.19	74.00	-34.81	56.41	31.90	9.52	58.78	0.14	--	--	Peak																																																																																																																																																																																																																										
5	7420.80	51.49	74.00	-22.51	60.37	36.56	12.23	57.84	0.17	400	95	Peak																																																																																																																																																																																																																										
6	7420.80	47.37	54.00	-6.63	56.25	36.56	12.23	57.84	0.17	400	95	Average																																																																																																																																																																																																																										
7	8348.40	43.29	74.00	-30.71	49.93	37.10	13.05	56.88	0.09	--	--	Peak																																																																																																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																														
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																												
1	2782.80	47.61	74.00	-26.39	69.34	28.40	7.38	57.70	0.19	--	--	Peak																																																																																																																																																																																																																										
2	3710.40	37.61	74.00	-36.39	57.49	29.94	8.54	58.79	0.43	--	--	Peak																																																																																																																																																																																																																										
3	4638.00	38.30	74.00	-35.70	55.52	31.90	9.52	58.78	0.14	--	--	Peak																																																																																																																																																																																																																										
4	7420.80	47.16	74.00	-26.84	56.04	36.56	12.23	57.84	0.17	--	--	Peak																																																																																																																																																																																																																										
5	8348.40	42.14	74.00	-31.86	48.78	37.10	13.05	56.88	0.09	--	--	Peak																																																																																																																																																																																																																										