





Lora-DTS-SF11_Ant4_902.5_30~3000




Lora-DTS-SF11_Ant4_902.5_800~10000






Lora-DTS-SF11_Ant4_914.5_30~3000




Lora-DTS-SF11_Ant4_914.5_800~10000






Lora-DTS-SF11_Ant4_926.5_30~3000



Lora-DTS-SF11_Ant4_926.5_800~10000






Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line


Full Spectrum



Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.200700	---	20.02	53.40	33.38	L1	OFF	20.0
0.200700	39.85	---	63.43	23.58	L1	OFF	20.0
0.473138	---	14.19	46.42	32.23	L1	OFF	19.8
0.473138	32.30	---	56.42	24.12	L1	OFF	19.8
0.494756	---	18.36	46.08	27.72	L1	OFF	19.8
0.494756	37.36	---	56.08	18.72	L1	OFF	19.8
0.518625	---	18.06	46.00	27.94	L1	OFF	19.8
0.518625	36.79	---	56.00	19.21	L1	OFF	19.8
1.957462	---	11.47	46.00	34.53	L1	OFF	19.8
1.957462	23.96	---	56.00	32.04	L1	OFF	19.8
5.240906	---	24.94	50.00	25.06	L1	OFF	19.9
5.240906	31.76	---	60.00	28.24	L1	OFF	19.9
19.000988	---	18.06	50.00	31.94	L1	OFF	20.2
19.000988	26.14	---	60.00	33.86	L1	OFF	20.2

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral

Full Spectrum



Frequency (MHz)	QuasiPeak (dBμV)	CAverage (dBμV)	Limit (dBμV)	Margin (dB)	Line	Filter	Corr. (dB)
0.179081	---	23.17	54.40	31.23	N	OFF	20.2
0.179081	42.89	---	64.42	21.54	N	OFF	20.2
0.201469	---	21.09	53.37	32.28	N	OFF	20.2
0.201469	40.65	---	63.40	22.75	N	OFF	20.2
0.494756	---	18.33	46.08	27.75	N	OFF	19.9
0.494756	37.91	---	56.08	18.17	N	OFF	19.9
1.954455	---	12.09	46.00	33.91	N	OFF	19.8
1.954455	24.84	---	56.00	31.16	N	OFF	19.8
5.041435	---	26.17	50.00	23.83	N	OFF	19.9
5.041435	35.48	---	60.00	24.52	N	OFF	19.9
19.374971	---	22.38	50.00	27.62	N	OFF	20.4
19.374971	30.08	---	60.00	29.92	N	OFF	20.4

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	48~49%
		Temperature :	24~25° C

Radiated Spurious Emission Test Modes





Mode	Antenna	Modulation	Frequency	Data Rate	Power Setting
Mode 1	-	LORA DTS 500K	902.5MHz	SF=7	5
Mode 2	-	LORA DTS 500K	914.5 MHz	SF=7	5
Mode 3	-	LORA DTS 500K	926.5 MHz	SF=7	5
Mode 4	-	LORA DTS 500K	902.5MHz	SF=8	6
Mode 5	-	LORA DTS 500K	914.5 MHz	SF=8	7
Mode 6	-	LORA DTS 500K	926.5 MHz	SF=8	7
Mode 7	-	LORA DTS 500K	902.5MHz	SF=9	7
Mode 8	-	LORA DTS 500K	914.5 MHz	SF=9	7
Mode 9	-	LORA DTS 500K	926.5 MHz	SF=9	7
Mode 10	-	LORA DTS 500K	902.5MHz	SF=10	4
Mode 11	-	LORA DTS 500K	914.5 MHz	SF=10	5
Mode 12	-	LORA DTS 500K	926.5 MHz	SF=10	7
Mode 13		LORA DTS 500K	902.5MHz	SF=11	5
Mode 14		LORA DTS 500K	914.5 MHz	SF=11	6
Mode 15		LORA DTS 500K	926.5 MHz	SF=11	7







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	DTS SF=7	902.5MHz	882.63	45.1	86.85	-41.75	H	Peak	Pass	Band Edge
	DTS SF=7	902.5MHz	2707.50	51.31	54	-2.69	H	Average	Pass	Harmonic
2	DTS SF=7	914.5MHz	946.41	44.56	84.96	-40.4	H	Peak	Pass	Band Edge
	DTS SF=7	914.5MHz	2743.5	50.04	54	-3.34	V	Average	Pass	Harmonic
3	DTS SF=7	926.5MHz	894.76	46.72	86.39	-39.67	V	Peak	Pass	Band Edge
	DTS SF=7	926.5MHz	2779.5	45.25	54	-8.75	H	Average	Pass	Harmonic
4	DTS SF=8	902.5MHz	934.53	45.2	84.9	-39.7	H	Peak	Pass	Band Edge
	DTS SF=8	902.5MHz	2707.5	48.44	54	-5.56	V	Average	Pass	Harmonic
5	DTS SF=8	914.5MHz	882.63	46.54	86.83	-40.29	V	Peak	Pass	Band Edge
	DTS SF=8	914.5MHz	2743.5	50.21	54	-3.79	V	Average	Pass	Harmonic
6	DTS SF=8	926.5MHz	894.27	46.34	86.57	-40.23	V	Peak	Pass	Band Edge
	DTS SF=8	926.5MHz	2779.5	44.32	54	-9.68	V	Average	Pass	Harmonic
7	DTS SF=9	902.5MHz	934.53	45.31	84.54	-39.23	H	Peak	Pass	Band Edge
	DTS SF=9	902.5MHz	2707.5	49.52	54	-4.48	H	Average	Pass	Harmonic
8	DTS SF=9	914.5MHz	946.65	45.28	85.42	-40.14	H	Peak	Pass	Band Edge
	DTS SF=9	914.5MHz	2743.5	47.19	54	-6.81	V	Average	Pass	Harmonic
9	DTS SF=9	926.5MHz	894.27	46.69	86.52	-39.83	V	Peak	Pass	Band Edge
	DTS SF=9	926.5MHz	2779.5	45.09	54	-8.91	V	Average	Pass	Harmonic
10	DTS SF=10	902.5MHz	934.28	44.45	83.53	-39.08	H	Peak	Pass	Band Edge
	DTS SF=10	902.5MHz	2707.5	50.39	54	-3.61	V	Average	Pass	Harmonic
11	DTS SF=10	914.5MHz	882.63	46.51	86.21	-39.7	V	Peak	Pass	Band Edge
	DTS SF=10	914.5MHz	2743.5	49.84	54	-4.16	V	Average	Pass	Harmonic
12	DTS SF=10	926.5MHz	894.51	46.66	85.72	-39.06	V	Peak	Pass	Band Edge
	DTS SF=10	926.5MHz	2779.5	44.69	54	-9.31	V	Average	Pass	Harmonic
13	DTS SF=11	902.5MHz	934.28	44.95	84.37	-39.42	H	Peak	Pass	Band Edge
	DTS SF=11	902.5MHz	2707.5	50.59	54	-3.41	V	Average	Pass	Harmonic
14	DTS SF=11	914.5MHz	946.41	44.9	85.12	-40.22	H	Peak	Pass	Band Edge
	DTS SF=11	914.5MHz	2743.5	48.61	54	-5.39	V	Average	Pass	Harmonic
15	DTS SF=11	926.5MHz	894.76	46.98	86.55	-39.57	V	Peak	Pass	Band Edge
	DTS SF=11	926.5MHz	2779.5	46	54	-8	V	Average	Pass	Harmonic







Mode	1																																																																																																																																																																	
Mode	Band Edge																																																																																																																																																																	
Mode	DTS SF=7 902.5 MHz																																																																																																																																																																	
Pol.	Horizontal												Vertical																																																																																																																																																					
Peak																																																																																																																																																																		
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>882.63</td><td>45.10</td><td>86.85</td><td>-41.75</td><td>45.52</td><td>28.92</td><td>3.09</td><td>32.43</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>914.64</td><td>116.85</td><td>-----</td><td>-----</td><td>116.40</td><td>29.44</td><td>3.15</td><td>32.14</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>946.65</td><td>44.40</td><td>86.85</td><td>-42.45</td><td>42.19</td><td>30.71</td><td>3.21</td><td>31.71</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>															Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	Line	Limit	Level	Factor	Loss	Factor	Factor				1	882.63	45.10	86.85	-41.75	45.52	28.92	3.09	32.43	0.00	--	--	Peak	2	914.64	116.85	-----	-----	116.40	29.44	3.15	32.14	0.00	--	--	Peak	3	946.65	44.40	86.85	-42.45	42.19	30.71	3.21	31.71	0.00	--	--	Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>882.39</td><td>43.95</td><td>86.60</td><td>-42.65</td><td>44.36</td><td>28.93</td><td>3.09</td><td>32.43</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>914.16</td><td>116.60</td><td>-----</td><td>-----</td><td>116.17</td><td>29.43</td><td>3.15</td><td>32.15</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>946.41</td><td>44.70</td><td>86.60</td><td>-41.90</td><td>42.49</td><td>30.72</td><td>3.21</td><td>31.72</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>															Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	Line	Limit	Level	Factor	Loss	Factor	Factor				1	882.39	43.95	86.60	-42.65	44.36	28.93	3.09	32.43	0.00	--	--	Peak	2	914.16	116.60	-----	-----	116.17	29.43	3.15	32.15	0.00	--	--	Peak	3	946.41	44.70	86.60	-41.90	42.49	30.72	3.21	31.72	0.00	--	--	Peak				
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																					
	MHz	dBuV/m	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																									
1	882.63	45.10	86.85	-41.75	45.52	28.92	3.09	32.43	0.00	--	--	Peak																																																																																																																																																						
2	914.64	116.85	-----	-----	116.40	29.44	3.15	32.14	0.00	--	--	Peak																																																																																																																																																						
3	946.65	44.40	86.85	-42.45	42.19	30.71	3.21	31.71	0.00	--	--	Peak																																																																																																																																																						
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																						
	MHz	dBuV/m	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																									
1	882.39	43.95	86.60	-42.65	44.36	28.93	3.09	32.43	0.00	--	--	Peak																																																																																																																																																						
2	914.16	116.60	-----	-----	116.17	29.43	3.15	32.15	0.00	--	--	Peak																																																																																																																																																						
3	946.41	44.70	86.60	-41.90	42.49	30.72	3.21	31.72	0.00	--	--	Peak																																																																																																																																																						
Mode	1																																																																																																																																																																	
Mode	Harmonic																																																																																																																																																																	
Mode	DTS SF=7 902.5 MHz																																																																																																																																																																	
Pol.	Horizontal												Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																																		
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>1805.20</td><td>54.23</td><td>86.85</td><td>-32.62</td><td>79.17</td><td>30.27</td><td>7.34</td><td>62.55</td><td>0.00</td><td>100</td><td>170</td><td>PEAK</td></tr><tr><td>2</td><td>2707.50</td><td>54.16</td><td>74.00</td><td>-19.84</td><td>75.81</td><td>32.47</td><td>9.01</td><td>63.13</td><td>0.00</td><td>264</td><td>116</td><td>PEAK</td></tr><tr><td>3</td><td>2707.50</td><td>51.31</td><td>54.00</td><td>-2.69</td><td>72.96</td><td>32.47</td><td>9.01</td><td>63.13</td><td>0.00</td><td>264</td><td>116</td><td>AVERAGE</td></tr></tbody></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1805.20	54.23	86.85	-32.62	79.17	30.27	7.34	62.55	0.00	100	170	PEAK	2	2707.50	54.16	74.00	-19.84	75.81	32.47	9.01	63.13	0.00	264	116	PEAK	3	2707.50	51.31	54.00	-2.69	72.96	32.47	9.01	63.13	0.00	264	116	AVERAGE	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>1804.60</td><td>56.39</td><td>86.60</td><td>-30.21</td><td>81.34</td><td>30.26</td><td>7.34</td><td>62.55</td><td>0.00</td><td>300</td><td>187</td><td>PEAK</td></tr><tr><td>2</td><td>2707.50</td><td>53.73</td><td>74.00</td><td>-20.27</td><td>75.38</td><td>32.47</td><td>9.01</td><td>63.13</td><td>0.00</td><td>125</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>2707.50</td><td>50.94</td><td>54.00</td><td>-3.06</td><td>72.59</td><td>32.47</td><td>9.01</td><td>63.13</td><td>0.00</td><td>125</td><td>172</td><td>AVERAGE</td></tr></tbody></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1804.60	56.39	86.60	-30.21	81.34	30.26	7.34	62.55	0.00	300	187	PEAK	2	2707.50	53.73	74.00	-20.27	75.38	32.47	9.01	63.13	0.00	125	172	PEAK	3	2707.50	50.94	54.00	-3.06	72.59	32.47	9.01	63.13	0.00	125	172	AVERAGE
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																						
1	1805.20	54.23	86.85	-32.62	79.17	30.27	7.34	62.55	0.00	100	170	PEAK																																																																																																																																																						
2	2707.50	54.16	74.00	-19.84	75.81	32.47	9.01	63.13	0.00	264	116	PEAK																																																																																																																																																						
3	2707.50	51.31	54.00	-2.69	72.96	32.47	9.01	63.13	0.00	264	116	AVERAGE																																																																																																																																																						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																						
1	1804.60	56.39	86.60	-30.21	81.34	30.26	7.34	62.55	0.00	300	187	PEAK																																																																																																																																																						
2	2707.50	53.73	74.00	-20.27	75.38	32.47	9.01	63.13	0.00	125	172	PEAK																																																																																																																																																						
3	2707.50	50.94	54.00	-3.06	72.59	32.47	9.01	63.13	0.00	125	172	AVERAGE																																																																																																																																																						







Mode	2																																																																																																																																																																
Mode	Band Edge																																																																																																																																																																
Mode	DTS SF=7 914.5 MHz																																																																																																																																																																
Pol.	Horizontal												Vertical																																																																																																																																																				
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>882.39</td><td>41.40</td><td>84.96</td><td>-43.56</td><td>41.81</td><td>28.93</td><td>3.09</td><td>32.43</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>914.64</td><td>114.96</td><td>-----</td><td>-----</td><td>114.51</td><td>29.44</td><td>3.15</td><td>32.14</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>946.41</td><td>44.56</td><td>84.96</td><td>-40.40</td><td>42.35</td><td>30.72</td><td>3.21</td><td>31.72</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>															Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	882.39	41.40	84.96	-43.56	41.81	28.93	3.09	32.43	0.00	--	--	Peak	2	914.64	114.96	-----	-----	114.51	29.44	3.15	32.14	0.00	--	--	Peak	3	946.41	44.56	84.96	-40.40	42.35	30.72	3.21	31.72	0.00	--	--	Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>882.39</td><td>45.75</td><td>86.19</td><td>-40.44</td><td>46.16</td><td>28.93</td><td>3.09</td><td>32.43</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>914.16</td><td>116.19</td><td>-----</td><td>-----</td><td>115.76</td><td>29.43</td><td>3.15</td><td>32.15</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>946.65</td><td>43.99</td><td>86.19</td><td>-42.20</td><td>41.78</td><td>30.71</td><td>3.21</td><td>31.71</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>															Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	882.39	45.75	86.19	-40.44	46.16	28.93	3.09	32.43	0.00	--	--	Peak	2	914.16	116.19	-----	-----	115.76	29.43	3.15	32.15	0.00	--	--	Peak	3	946.65	43.99	86.19	-42.20	41.78	30.71	3.21	31.71	0.00	--	--	Peak				
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																						
1	882.39	41.40	84.96	-43.56	41.81	28.93	3.09	32.43	0.00	--	--	Peak																																																																																																																																																					
2	914.64	114.96	-----	-----	114.51	29.44	3.15	32.14	0.00	--	--	Peak																																																																																																																																																					
3	946.41	44.56	84.96	-40.40	42.35	30.72	3.21	31.72	0.00	--	--	Peak																																																																																																																																																					
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																						
1	882.39	45.75	86.19	-40.44	46.16	28.93	3.09	32.43	0.00	--	--	Peak																																																																																																																																																					
2	914.16	116.19	-----	-----	115.76	29.43	3.15	32.15	0.00	--	--	Peak																																																																																																																																																					
3	946.65	43.99	86.19	-42.20	41.78	30.71	3.21	31.71	0.00	--	--	Peak																																																																																																																																																					
Mode	2																																																																																																																																																																
Mode	Harmonic																																																																																																																																																																
Mode	DTS SF=7 914.5 MHz																																																																																																																																																																
Pol.	Horizontal												Vertical																																																																																																																																																				
Peak Avg	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>1828.60</td><td>51.58</td><td>84.96</td><td>-33.38</td><td>76.16</td><td>30.60</td><td>7.39</td><td>62.57</td><td>0.00</td><td>100</td><td>152</td><td>PEAK</td></tr><tr><td>2</td><td>2743.50</td><td>52.92</td><td>74.00</td><td>-21.08</td><td>74.68</td><td>32.33</td><td>9.07</td><td>63.16</td><td>0.00</td><td>286</td><td>121</td><td>PEAK</td></tr><tr><td>3</td><td>2743.50</td><td>50.04</td><td>54.00</td><td>-3.96</td><td>71.00</td><td>32.33</td><td>9.07</td><td>63.16</td><td>0.00</td><td>286</td><td>121</td><td>AVERAGE</td></tr></tbody></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1828.60	51.58	84.96	-33.38	76.16	30.60	7.39	62.57	0.00	100	152	PEAK	2	2743.50	52.92	74.00	-21.08	74.68	32.33	9.07	63.16	0.00	286	121	PEAK	3	2743.50	50.04	54.00	-3.96	71.00	32.33	9.07	63.16	0.00	286	121	AVERAGE	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>1828.60</td><td>53.73</td><td>86.19</td><td>-32.46</td><td>78.31</td><td>30.60</td><td>7.39</td><td>62.57</td><td>0.00</td><td>100</td><td>140</td><td>PEAK</td></tr><tr><td>2</td><td>2743.50</td><td>53.29</td><td>74.00</td><td>-20.71</td><td>75.05</td><td>32.33</td><td>9.07</td><td>63.16</td><td>0.00</td><td>118</td><td>160</td><td>PEAK</td></tr><tr><td>3</td><td>2743.50</td><td>50.66</td><td>54.00</td><td>-3.34</td><td>72.42</td><td>32.33</td><td>9.07</td><td>63.16</td><td>0.00</td><td>118</td><td>160</td><td>AVERAGE</td></tr></tbody></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg		1	1828.60	53.73	86.19	-32.46	78.31	30.60	7.39	62.57	0.00	100	140	PEAK	2	2743.50	53.29	74.00	-20.71	75.05	32.33	9.07	63.16	0.00	118	160	PEAK	3	2743.50	50.66	54.00	-3.34	72.42	32.33	9.07	63.16	0.00	118	160	AVERAGE
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																					
1	1828.60	51.58	84.96	-33.38	76.16	30.60	7.39	62.57	0.00	100	152	PEAK																																																																																																																																																					
2	2743.50	52.92	74.00	-21.08	74.68	32.33	9.07	63.16	0.00	286	121	PEAK																																																																																																																																																					
3	2743.50	50.04	54.00	-3.96	71.00	32.33	9.07	63.16	0.00	286	121	AVERAGE																																																																																																																																																					
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																					
1	1828.60	53.73	86.19	-32.46	78.31	30.60	7.39	62.57	0.00	100	140	PEAK																																																																																																																																																					
2	2743.50	53.29	74.00	-20.71	75.05	32.33	9.07	63.16	0.00	118	160	PEAK																																																																																																																																																					
3	2743.50	50.66	54.00	-3.34	72.42	32.33	9.07	63.16	0.00	118	160	AVERAGE																																																																																																																																																					







Mode	3																																																																																																																																																				
Mode	Band Edge																																																																																																																																																				
Mode	DTS SF=7 926.5 MHz																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																														
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>894.51</td><td>43.62</td><td>85.62</td><td>-42.00</td><td>43.98</td><td>28.90</td><td>3.11</td><td>32.37</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>926.52</td><td>115.62</td><td>-----</td><td>114.44</td><td>29.99</td><td>3.17</td><td>31.98</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>958.29</td><td>44.36</td><td>85.62</td><td>-41.26</td><td>42.04</td><td>30.65</td><td>3.25</td><td>31.58</td><td>0.00</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	894.51	43.62	85.62	-42.00	43.98	28.90	3.11	32.37	0.00	--	Peak	2	926.52	115.62	-----	114.44	29.99	3.17	31.98	0.00	--	--	Peak	3	958.29	44.36	85.62	-41.26	42.04	30.65	3.25	31.58	0.00	--	Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>894.76</td><td>46.72</td><td>86.39</td><td>-39.67</td><td>47.07</td><td>28.91</td><td>3.11</td><td>32.37</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>926.28</td><td>116.39</td><td>-----</td><td>115.21</td><td>29.99</td><td>3.17</td><td>31.98</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>958.29</td><td>43.66</td><td>86.39</td><td>-42.73</td><td>41.34</td><td>30.65</td><td>3.25</td><td>31.58</td><td>0.00</td><td>--</td><td>Peak</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	894.76	46.72	86.39	-39.67	47.07	28.91	3.11	32.37	0.00	--	Peak	2	926.28	116.39	-----	115.21	29.99	3.17	31.98	0.00	--	--	Peak	3	958.29	43.66	86.39	-42.73	41.34	30.65	3.25	31.58	0.00	--	Peak
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	894.51	43.62	85.62	-42.00	43.98	28.90	3.11	32.37	0.00	--	Peak																																																																																																																																										
2	926.52	115.62	-----	114.44	29.99	3.17	31.98	0.00	--	--	Peak																																																																																																																																										
3	958.29	44.36	85.62	-41.26	42.04	30.65	3.25	31.58	0.00	--	Peak																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	894.76	46.72	86.39	-39.67	47.07	28.91	3.11	32.37	0.00	--	Peak																																																																																																																																										
2	926.28	116.39	-----	115.21	29.99	3.17	31.98	0.00	--	--	Peak																																																																																																																																										
3	958.29	43.66	86.39	-42.73	41.34	30.65	3.25	31.58	0.00	--	Peak																																																																																																																																										
Mode	3																																																																																																																																																				
Mode	Harmonic																																																																																																																																																				
Mode	DTS SF=7 926.5 MHz																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																														
Peak Avg	 <table><thead><tr><th></th><th>Limit</th><th></th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1853.20</td><td>51.53</td><td>85.62</td><td>-34.09</td><td>75.77</td><td>30.92</td><td>7.44</td><td>62.60</td><td>0.00</td><td>300</td><td>280 PEAK</td></tr><tr><td>2</td><td>2779.50</td><td>48.98</td><td>74.00</td><td>-25.02</td><td>70.00</td><td>32.24</td><td>9.12</td><td>63.18</td><td>0.00</td><td>149</td><td>0 PEAK</td></tr><tr><td>3</td><td>2779.50</td><td>45.25</td><td>54.00</td><td>-8.75</td><td>67.07</td><td>32.24</td><td>9.12</td><td>63.18</td><td>0.00</td><td>149</td><td>0 AVERAGE</td></tr></tbody></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1853.20	51.53	85.62	-34.09	75.77	30.92	7.44	62.60	0.00	300	280 PEAK	2	2779.50	48.98	74.00	-25.02	70.00	32.24	9.12	63.18	0.00	149	0 PEAK	3	2779.50	45.25	54.00	-8.75	67.07	32.24	9.12	63.18	0.00	149	0 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th></th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1852.00</td><td>50.49</td><td>86.39</td><td>-35.90</td><td>74.74</td><td>30.91</td><td>7.44</td><td>62.60</td><td>0.00</td><td>300</td><td>140 PEAK</td></tr><tr><td>2</td><td>2779.50</td><td>48.28</td><td>74.00</td><td>-25.72</td><td>70.10</td><td>32.24</td><td>9.12</td><td>63.18</td><td>0.00</td><td>125</td><td>177 PEAK</td></tr><tr><td>3</td><td>2779.50</td><td>44.53</td><td>54.00</td><td>-9.47</td><td>66.35</td><td>32.24</td><td>9.12</td><td>63.18</td><td>0.00</td><td>125</td><td>177 AVERAGE</td></tr></tbody></table>						Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1852.00	50.49	86.39	-35.90	74.74	30.91	7.44	62.60	0.00	300	140 PEAK	2	2779.50	48.28	74.00	-25.72	70.10	32.24	9.12	63.18	0.00	125	177 PEAK	3	2779.50	44.53	54.00	-9.47	66.35	32.24	9.12	63.18	0.00	125	177 AVERAGE
	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	1853.20	51.53	85.62	-34.09	75.77	30.92	7.44	62.60	0.00	300	280 PEAK																																																																																																																																										
2	2779.50	48.98	74.00	-25.02	70.00	32.24	9.12	63.18	0.00	149	0 PEAK																																																																																																																																										
3	2779.50	45.25	54.00	-8.75	67.07	32.24	9.12	63.18	0.00	149	0 AVERAGE																																																																																																																																										
	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	1852.00	50.49	86.39	-35.90	74.74	30.91	7.44	62.60	0.00	300	140 PEAK																																																																																																																																										
2	2779.50	48.28	74.00	-25.72	70.10	32.24	9.12	63.18	0.00	125	177 PEAK																																																																																																																																										
3	2779.50	44.53	54.00	-9.47	66.35	32.24	9.12	63.18	0.00	125	177 AVERAGE																																																																																																																																										







Mode	4																																																																														
Mode	Band Edge																																																																														
Mode	DTS SF=8 902.5 MHz																																																																														
Pol.	Horizontal						Vertical																																																																								
Peak																																																																															
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>870.75</td><td>42.40</td><td>84.90</td><td>-42.50</td><td>43.01</td><td>28.78</td><td>3.09</td><td>32.48</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>902.52</td><td>114.90</td><td>-----</td><td>-----</td><td>114.89</td><td>29.19</td><td>3.13</td><td>32.31</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>934.53</td><td>45.20</td><td>84.90</td><td>-39.70</td><td>43.52</td><td>30.36</td><td>3.19</td><td>31.87</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	870.75	42.40	84.90	-42.50	43.01	28.78	3.09	32.48	0.00	--	--	Peak	2	902.52	114.90	-----	-----	114.89	29.19	3.13	32.31	0.00	--	--	Peak	3	934.53	45.20	84.90	-39.70	43.52	30.36	3.19	31.87	0.00	--	--	Peak		
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	870.75	42.40	84.90	-42.50	43.01	28.78	3.09	32.48	0.00	--	--	Peak																																																																			
2	902.52	114.90	-----	-----	114.89	29.19	3.13	32.31	0.00	--	--	Peak																																																																			
3	934.53	45.20	84.90	-39.70	43.52	30.36	3.19	31.87	0.00	--	--	Peak																																																																			
<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>870.26</td><td>45.61</td><td>86.62</td><td>-41.01</td><td>46.25</td><td>28.75</td><td>3.09</td><td>32.48</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>902.52</td><td>116.62</td><td>-----</td><td>-----</td><td>116.61</td><td>29.19</td><td>3.13</td><td>32.31</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>934.28</td><td>45.26</td><td>86.62</td><td>-41.36</td><td>43.59</td><td>30.35</td><td>3.19</td><td>31.87</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	870.26	45.61	86.62	-41.01	46.25	28.75	3.09	32.48	0.00	--	--	Peak	2	902.52	116.62	-----	-----	116.61	29.19	3.13	32.31	0.00	--	--	Peak	3	934.28	45.26	86.62	-41.36	43.59	30.35	3.19	31.87	0.00	--	--	Peak			
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	870.26	45.61	86.62	-41.01	46.25	28.75	3.09	32.48	0.00	--	--	Peak																																																																			
2	902.52	116.62	-----	-----	116.61	29.19	3.13	32.31	0.00	--	--	Peak																																																																			
3	934.28	45.26	86.62	-41.36	43.59	30.35	3.19	31.87	0.00	--	--	Peak																																																																			
Mode	4																																																																														
Mode	Harmonic																																																																														
Mode	DTS SF=8 902.5 MHz																																																																														
Pol.	Horizontal						Vertical																																																																								
Peak Avg																																																																															
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>1804.60</td><td>53.15</td><td>84.90</td><td>-31.75</td><td>78.10</td><td>30.26</td><td>7.34</td><td>62.55</td><td>0.00</td><td>100</td><td>142</td><td></td></tr><tr><td>2</td><td>2707.50</td><td>49.12</td><td>74.00</td><td>-24.88</td><td>70.77</td><td>32.47</td><td>9.01</td><td>63.13</td><td>0.00</td><td>156</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>2707.50</td><td>45.41</td><td>54.00</td><td>-8.59</td><td>67.06</td><td>32.47</td><td>9.01</td><td>63.13</td><td>0.00</td><td>156</td><td>360</td><td>AVERAGE</td></tr></tbody></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1804.60	53.15	84.90	-31.75	78.10	30.26	7.34	62.55	0.00	100	142		2	2707.50	49.12	74.00	-24.88	70.77	32.47	9.01	63.13	0.00	156	360	PEAK	3	2707.50	45.41	54.00	-8.59	67.06	32.47	9.01	63.13	0.00	156	360	AVERAGE
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																			
1	1804.60	53.15	84.90	-31.75	78.10	30.26	7.34	62.55	0.00	100	142																																																																				
2	2707.50	49.12	74.00	-24.88	70.77	32.47	9.01	63.13	0.00	156	360	PEAK																																																																			
3	2707.50	45.41	54.00	-8.59	67.06	32.47	9.01	63.13	0.00	156	360	AVERAGE																																																																			
<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>1804.60</td><td>51.94</td><td>86.62</td><td>-34.68</td><td>76.89</td><td>30.26</td><td>7.34</td><td>62.55</td><td>0.00</td><td>300</td><td>172</td><td></td></tr><tr><td>2</td><td>2707.50</td><td>51.58</td><td>74.00</td><td>-22.42</td><td>73.23</td><td>32.47</td><td>9.01</td><td>63.13</td><td>0.00</td><td>122</td><td>171</td><td>PEAK</td></tr><tr><td>3</td><td>2707.50</td><td>48.44</td><td>54.00</td><td>-5.56</td><td>70.09</td><td>32.47</td><td>9.01</td><td>63.13</td><td>0.00</td><td>122</td><td>171</td><td>AVERAGE</td></tr></tbody></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1804.60	51.94	86.62	-34.68	76.89	30.26	7.34	62.55	0.00	300	172		2	2707.50	51.58	74.00	-22.42	73.23	32.47	9.01	63.13	0.00	122	171	PEAK	3	2707.50	48.44	54.00	-5.56	70.09	32.47	9.01	63.13	0.00	122	171	AVERAGE	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																			
1	1804.60	51.94	86.62	-34.68	76.89	30.26	7.34	62.55	0.00	300	172																																																																				
2	2707.50	51.58	74.00	-22.42	73.23	32.47	9.01	63.13	0.00	122	171	PEAK																																																																			
3	2707.50	48.44	54.00	-5.56	70.09	32.47	9.01	63.13	0.00	122	171	AVERAGE																																																																			







Mode	5																																																																																																																																																				
Mode	Band Edge																																																																																																																																																				
Mode	DTS SF=8 914.5 MHz																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																														
Peak																																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>882.39</td><td>43.04</td><td>85.51</td><td>-42.47</td><td>43.45</td><td>28.93</td><td>3.09</td><td>32.43</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>914.64</td><td>115.51</td><td>-----</td><td>-----</td><td>115.06</td><td>29.44</td><td>3.15</td><td>32.14</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>3</td><td>946.17</td><td>44.63</td><td>85.51</td><td>-40.88</td><td>42.42</td><td>30.72</td><td>3.21</td><td>31.72</td><td>0.00</td><td>--</td><td>-- Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	882.39	43.04	85.51	-42.47	43.45	28.93	3.09	32.43	0.00	--	-- Peak	2	914.64	115.51	-----	-----	115.06	29.44	3.15	32.14	0.00	--	-- Peak	3	946.17	44.63	85.51	-40.88	42.42	30.72	3.21	31.72	0.00	--	-- Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>882.63</td><td>46.54</td><td>86.83</td><td>-40.29</td><td>46.96</td><td>28.92</td><td>3.09</td><td>32.43</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>914.40</td><td>116.83</td><td>-----</td><td>-----</td><td>116.38</td><td>29.44</td><td>3.15</td><td>32.14</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>3</td><td>946.65</td><td>45.00</td><td>86.83</td><td>-41.83</td><td>42.79</td><td>30.71</td><td>3.21</td><td>31.71</td><td>0.00</td><td>--</td><td>-- Peak</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	882.63	46.54	86.83	-40.29	46.96	28.92	3.09	32.43	0.00	--	-- Peak	2	914.40	116.83	-----	-----	116.38	29.44	3.15	32.14	0.00	--	-- Peak	3	946.65	45.00	86.83	-41.83	42.79	30.71	3.21	31.71	0.00	--	-- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	882.39	43.04	85.51	-42.47	43.45	28.93	3.09	32.43	0.00	--	-- Peak																																																																																																																																										
2	914.64	115.51	-----	-----	115.06	29.44	3.15	32.14	0.00	--	-- Peak																																																																																																																																										
3	946.17	44.63	85.51	-40.88	42.42	30.72	3.21	31.72	0.00	--	-- Peak																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	882.63	46.54	86.83	-40.29	46.96	28.92	3.09	32.43	0.00	--	-- Peak																																																																																																																																										
2	914.40	116.83	-----	-----	116.38	29.44	3.15	32.14	0.00	--	-- Peak																																																																																																																																										
3	946.65	45.00	86.83	-41.83	42.79	30.71	3.21	31.71	0.00	--	-- Peak																																																																																																																																										
Mode	5																																																																																																																																																				
Mode	Harmonic																																																																																																																																																				
Mode	DTS SF=8 914.5 MHz																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																														
Peak Avg																																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th></th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1829.00</td><td>53.51</td><td>85.51</td><td>-32.00</td><td>78.00</td><td>30.62</td><td>7.39</td><td>62.58</td><td>0.00</td><td>100</td><td>140 PEAK</td></tr><tr><td>2</td><td>2743.50</td><td>51.68</td><td>74.00</td><td>-22.32</td><td>73.44</td><td>32.33</td><td>9.07</td><td>63.16</td><td>0.00</td><td>159</td><td>100 PEAK</td></tr><tr><td>3</td><td>2743.50</td><td>48.82</td><td>54.00</td><td>-5.18</td><td>70.58</td><td>32.33</td><td>9.07</td><td>63.16</td><td>0.00</td><td>159</td><td>100 AVERAGE</td></tr></tbody></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1829.00	53.51	85.51	-32.00	78.00	30.62	7.39	62.58	0.00	100	140 PEAK	2	2743.50	51.68	74.00	-22.32	73.44	32.33	9.07	63.16	0.00	159	100 PEAK	3	2743.50	48.82	54.00	-5.18	70.58	32.33	9.07	63.16	0.00	159	100 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th></th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1828.60</td><td>51.44</td><td>86.83</td><td>-35.39</td><td>76.02</td><td>30.60</td><td>7.39</td><td>62.57</td><td>0.00</td><td>300</td><td>128 PEAK</td></tr><tr><td>2</td><td>2743.50</td><td>52.90</td><td>74.00</td><td>-21.10</td><td>74.66</td><td>32.33</td><td>9.07</td><td>63.16</td><td>0.00</td><td>123</td><td>167 PEAK</td></tr><tr><td>3</td><td>2743.50</td><td>50.21</td><td>54.00</td><td>-3.79</td><td>71.97</td><td>32.33</td><td>9.07</td><td>63.16</td><td>0.00</td><td>123</td><td>167 AVERAGE</td></tr></tbody></table>						Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1828.60	51.44	86.83	-35.39	76.02	30.60	7.39	62.57	0.00	300	128 PEAK	2	2743.50	52.90	74.00	-21.10	74.66	32.33	9.07	63.16	0.00	123	167 PEAK	3	2743.50	50.21	54.00	-3.79	71.97	32.33	9.07	63.16	0.00	123	167 AVERAGE
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	1829.00	53.51	85.51	-32.00	78.00	30.62	7.39	62.58	0.00	100	140 PEAK																																																																																																																																										
2	2743.50	51.68	74.00	-22.32	73.44	32.33	9.07	63.16	0.00	159	100 PEAK																																																																																																																																										
3	2743.50	48.82	54.00	-5.18	70.58	32.33	9.07	63.16	0.00	159	100 AVERAGE																																																																																																																																										
	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	1828.60	51.44	86.83	-35.39	76.02	30.60	7.39	62.57	0.00	300	128 PEAK																																																																																																																																										
2	2743.50	52.90	74.00	-21.10	74.66	32.33	9.07	63.16	0.00	123	167 PEAK																																																																																																																																										
3	2743.50	50.21	54.00	-3.79	71.97	32.33	9.07	63.16	0.00	123	167 AVERAGE																																																																																																																																										







Mode	6																																																																																																																																												
Mode	Band Edge																																																																																																																																												
Mode	DTS SF=8 926.5 MHz																																																																																																																																												
Pol.	Horizontal					Vertical																																																																																																																																							
Peak																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>894.51</td><td>43.18</td><td>86.14</td><td>-42.96</td><td>43.54</td><td>28.90</td><td>3.11</td><td>32.37</td><td>0.00</td><td>-- Peak</td></tr><tr><td>2</td><td>926.28</td><td>116.14</td><td>-----</td><td>114.96</td><td>29.99</td><td>3.17</td><td>31.98</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>3</td><td>958.53</td><td>45.89</td><td>86.14</td><td>-40.25</td><td>43.57</td><td>30.65</td><td>3.25</td><td>31.58</td><td>0.00</td><td>-- Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	894.51	43.18	86.14	-42.96	43.54	28.90	3.11	32.37	0.00	-- Peak	2	926.28	116.14	-----	114.96	29.99	3.17	31.98	0.00	--	-- Peak	3	958.53	45.89	86.14	-40.25	43.57	30.65	3.25	31.58	0.00	-- Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>894.27</td><td>46.34</td><td>86.57</td><td>-40.23</td><td>46.71</td><td>28.89</td><td>3.11</td><td>32.37</td><td>0.00</td><td>-- Peak</td></tr><tr><td>2</td><td>926.28</td><td>116.57</td><td>-----</td><td>115.39</td><td>29.99</td><td>3.17</td><td>31.98</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>3</td><td>958.53</td><td>44.67</td><td>86.57</td><td>-41.90</td><td>42.35</td><td>30.65</td><td>3.25</td><td>31.58</td><td>0.00</td><td>-- Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	894.27	46.34	86.57	-40.23	46.71	28.89	3.11	32.37	0.00	-- Peak	2	926.28	116.57	-----	115.39	29.99	3.17	31.98	0.00	--	-- Peak	3	958.53	44.67	86.57	-41.90	42.35	30.65	3.25	31.58	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	894.51	43.18	86.14	-42.96	43.54	28.90	3.11	32.37	0.00	-- Peak																																																																																																																																			
2	926.28	116.14	-----	114.96	29.99	3.17	31.98	0.00	--	-- Peak																																																																																																																																			
3	958.53	45.89	86.14	-40.25	43.57	30.65	3.25	31.58	0.00	-- Peak																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	894.27	46.34	86.57	-40.23	46.71	28.89	3.11	32.37	0.00	-- Peak																																																																																																																																			
2	926.28	116.57	-----	115.39	29.99	3.17	31.98	0.00	--	-- Peak																																																																																																																																			
3	958.53	44.67	86.57	-41.90	42.35	30.65	3.25	31.58	0.00	-- Peak																																																																																																																																			
Mode	6																																																																																																																																												
Mode	Harmonic																																																																																																																																												
Mode	DTS SF=8 926.5 MHz																																																																																																																																												
Pol.	Horizontal					Vertical																																																																																																																																							
Peak Avg																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1853.20</td><td>52.13</td><td>74.00</td><td>-21.87</td><td>76.37</td><td>30.92</td><td>7.44</td><td>62.60</td><td>0.00</td><td>-- PEAK</td></tr><tr><td>2</td><td>2779.50</td><td>41.66</td><td>74.00</td><td>-32.34</td><td>63.48</td><td>32.24</td><td>9.12</td><td>63.18</td><td>0.00</td><td>-- PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1853.20	52.13	74.00	-21.87	76.37	30.92	7.44	62.60	0.00	-- PEAK	2	2779.50	41.66	74.00	-32.34	63.48	32.24	9.12	63.18	0.00	-- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1853.20</td><td>50.62</td><td>86.57</td><td>-35.95</td><td>74.86</td><td>30.92</td><td>7.44</td><td>62.60</td><td>0.00</td><td>-- PEAK</td></tr><tr><td>2</td><td>2779.50</td><td>48.61</td><td>74.00</td><td>-25.39</td><td>70.43</td><td>32.24</td><td>9.12</td><td>63.18</td><td>0.00</td><td>100 170 PEAK</td></tr><tr><td>3</td><td>2779.50</td><td>44.32</td><td>54.00</td><td>-9.68</td><td>66.14</td><td>32.24</td><td>9.12</td><td>63.18</td><td>0.00</td><td>100 170 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1853.20	50.62	86.57	-35.95	74.86	30.92	7.44	62.60	0.00	-- PEAK	2	2779.50	48.61	74.00	-25.39	70.43	32.24	9.12	63.18	0.00	100 170 PEAK	3	2779.50	44.32	54.00	-9.68	66.14	32.24	9.12	63.18	0.00	100 170 AVERAGE														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	1853.20	52.13	74.00	-21.87	76.37	30.92	7.44	62.60	0.00	-- PEAK																																																																																																																																			
2	2779.50	41.66	74.00	-32.34	63.48	32.24	9.12	63.18	0.00	-- PEAK																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	1853.20	50.62	86.57	-35.95	74.86	30.92	7.44	62.60	0.00	-- PEAK																																																																																																																																			
2	2779.50	48.61	74.00	-25.39	70.43	32.24	9.12	63.18	0.00	100 170 PEAK																																																																																																																																			
3	2779.50	44.32	54.00	-9.68	66.14	32.24	9.12	63.18	0.00	100 170 AVERAGE																																																																																																																																			







Mode	7																																																																																																																																																					
Mode	Band Edge																																																																																																																																																					
Mode	DTS SF=9 902.5 MHz																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																															
Peak																																																																																																																																																						
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>870.51</td><td>41.55</td><td>84.54</td><td>-42.99</td><td>42.17</td><td>28.77</td><td>3.09</td><td>32.48</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>902.76</td><td>114.54</td><td>-----</td><td>-----</td><td>114.51</td><td>29.20</td><td>3.13</td><td>32.30</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>934.53</td><td>45.31</td><td>84.54</td><td>-39.23</td><td>43.63</td><td>30.36</td><td>3.19</td><td>31.87</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	870.51	41.55	84.54	-42.99	42.17	28.77	3.09	32.48	0.00	--	--	Peak	2	902.76	114.54	-----	-----	114.51	29.20	3.13	32.30	0.00	--	--	Peak	3	934.53	45.31	84.54	-39.23	43.63	30.36	3.19	31.87	0.00	--	--	Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>870.75</td><td>45.17</td><td>86.69</td><td>-41.52</td><td>45.78</td><td>28.78</td><td>3.09</td><td>32.48</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>902.52</td><td>116.69</td><td>-----</td><td>-----</td><td>116.68</td><td>29.19</td><td>3.13</td><td>32.31</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>934.53</td><td>44.68</td><td>86.69</td><td>-42.01</td><td>43.00</td><td>30.36</td><td>3.19</td><td>31.87</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	870.75	45.17	86.69	-41.52	45.78	28.78	3.09	32.48	0.00	--	--	Peak	2	902.52	116.69	-----	-----	116.68	29.19	3.13	32.31	0.00	--	--	Peak	3	934.53	44.68	86.69	-42.01	43.00	30.36	3.19	31.87	0.00	--	--	Peak									
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	870.51	41.55	84.54	-42.99	42.17	28.77	3.09	32.48	0.00	--	--	Peak																																																																																																																																										
2	902.76	114.54	-----	-----	114.51	29.20	3.13	32.30	0.00	--	--	Peak																																																																																																																																										
3	934.53	45.31	84.54	-39.23	43.63	30.36	3.19	31.87	0.00	--	--	Peak																																																																																																																																										
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	870.75	45.17	86.69	-41.52	45.78	28.78	3.09	32.48	0.00	--	--	Peak																																																																																																																																										
2	902.52	116.69	-----	-----	116.68	29.19	3.13	32.31	0.00	--	--	Peak																																																																																																																																										
3	934.53	44.68	86.69	-42.01	43.00	30.36	3.19	31.87	0.00	--	--	Peak																																																																																																																																										
Mode	7																																																																																																																																																					
Mode	Harmonic																																																																																																																																																					
Mode	DTS SF=9 902.5 MHz																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																															
Peak Avg																																																																																																																																																						
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>1805.20</td><td>54.41</td><td>84.54</td><td>-30.13</td><td>79.35</td><td>30.27</td><td>7.34</td><td>62.55</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>2707.50</td><td>52.41</td><td>74.00</td><td>-21.59</td><td>74.06</td><td>32.47</td><td>9.01</td><td>63.13</td><td>0.00</td><td>263</td><td>116</td><td>116</td><td>PEAK</td></tr><tr><td>3</td><td>2707.50</td><td>49.52</td><td>54.00</td><td>-4.48</td><td>71.17</td><td>32.47</td><td>9.01</td><td>63.13</td><td>0.00</td><td>263</td><td>116</td><td>116</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1805.20	54.41	84.54	-30.13	79.35	30.27	7.34	62.55	0.00	--	--	--	PEAK	2	2707.50	52.41	74.00	-21.59	74.06	32.47	9.01	63.13	0.00	263	116	116	PEAK	3	2707.50	49.52	54.00	-4.48	71.17	32.47	9.01	63.13	0.00	263	116	116	AVERAGE	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>1804.60</td><td>53.65</td><td>86.69</td><td>-33.04</td><td>78.60</td><td>30.26</td><td>7.34</td><td>62.55</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>2707.50</td><td>52.19</td><td>74.00</td><td>-21.81</td><td>73.84</td><td>32.47</td><td>9.01</td><td>63.13</td><td>0.00</td><td>123</td><td>171</td><td>171</td><td>PEAK</td></tr><tr><td>3</td><td>2707.50</td><td>48.94</td><td>54.00</td><td>-5.06</td><td>70.59</td><td>32.47</td><td>9.01</td><td>63.13</td><td>0.00</td><td>123</td><td>171</td><td>171</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1804.60	53.65	86.69	-33.04	78.60	30.26	7.34	62.55	0.00	--	--	--	PEAK	2	2707.50	52.19	74.00	-21.81	73.84	32.47	9.01	63.13	0.00	123	171	171	PEAK	3	2707.50	48.94	54.00	-5.06	70.59	32.47	9.01	63.13	0.00	123	171	171
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																										
1	1805.20	54.41	84.54	-30.13	79.35	30.27	7.34	62.55	0.00	--	--	--	PEAK																																																																																																																																									
2	2707.50	52.41	74.00	-21.59	74.06	32.47	9.01	63.13	0.00	263	116	116	PEAK																																																																																																																																									
3	2707.50	49.52	54.00	-4.48	71.17	32.47	9.01	63.13	0.00	263	116	116	AVERAGE																																																																																																																																									
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																										
1	1804.60	53.65	86.69	-33.04	78.60	30.26	7.34	62.55	0.00	--	--	--	PEAK																																																																																																																																									
2	2707.50	52.19	74.00	-21.81	73.84	32.47	9.01	63.13	0.00	123	171	171	PEAK																																																																																																																																									
3	2707.50	48.94	54.00	-5.06	70.59	32.47	9.01	63.13	0.00	123	171	171	AVERAGE																																																																																																																																									







Mode	8																																																																																																																																												
Mode	Band Edge																																																																																																																																												
Mode	DTS SF=9 914.5 MHz																																																																																																																																												
Pol.	Horizontal					Vertical																																																																																																																																							
Peak																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>882.39</td><td>43.47</td><td>85.42</td><td>-41.95</td><td>43.88</td><td>28.93</td><td>3.09</td><td>32.43</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>2</td><td>914.40</td><td>115.42</td><td>-----</td><td>-----</td><td>114.97</td><td>29.44</td><td>3.15</td><td>32.14</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>3</td><td>946.65</td><td>45.28</td><td>85.42</td><td>-40.14</td><td>43.07</td><td>30.71</td><td>3.21</td><td>31.71</td><td>0.00</td><td>-- -- Peak</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	882.39	43.47	85.42	-41.95	43.88	28.93	3.09	32.43	0.00	-- -- Peak	2	914.40	115.42	-----	-----	114.97	29.44	3.15	32.14	0.00	-- -- Peak	3	946.65	45.28	85.42	-40.14	43.07	30.71	3.21	31.71	0.00	-- -- Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>882.39</td><td>46.08</td><td>86.80</td><td>-40.72</td><td>46.49</td><td>28.93</td><td>3.09</td><td>32.43</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>2</td><td>914.64</td><td>116.80</td><td>-----</td><td>-----</td><td>116.35</td><td>29.44</td><td>3.15</td><td>32.14</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>3</td><td>946.17</td><td>44.91</td><td>86.80</td><td>-41.89</td><td>42.70</td><td>30.72</td><td>3.21</td><td>31.72</td><td>0.00</td><td>-- -- Peak</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	882.39	46.08	86.80	-40.72	46.49	28.93	3.09	32.43	0.00	-- -- Peak	2	914.64	116.80	-----	-----	116.35	29.44	3.15	32.14	0.00	-- -- Peak	3	946.17	44.91	86.80	-41.89	42.70	30.72	3.21	31.72	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	882.39	43.47	85.42	-41.95	43.88	28.93	3.09	32.43	0.00	-- -- Peak																																																																																																																																			
2	914.40	115.42	-----	-----	114.97	29.44	3.15	32.14	0.00	-- -- Peak																																																																																																																																			
3	946.65	45.28	85.42	-40.14	43.07	30.71	3.21	31.71	0.00	-- -- Peak																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	882.39	46.08	86.80	-40.72	46.49	28.93	3.09	32.43	0.00	-- -- Peak																																																																																																																																			
2	914.64	116.80	-----	-----	116.35	29.44	3.15	32.14	0.00	-- -- Peak																																																																																																																																			
3	946.17	44.91	86.80	-41.89	42.70	30.72	3.21	31.72	0.00	-- -- Peak																																																																																																																																			
Mode	8																																																																																																																																												
Mode	Harmonic																																																																																																																																												
Mode	DTS SF=9 914.5 MHz																																																																																																																																												
Pol.	Horizontal					Vertical																																																																																																																																							
Peak Avg																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1828.60</td><td>54.10</td><td>85.42</td><td>-31.32</td><td>78.68</td><td>30.60</td><td>7.39</td><td>62.57</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2</td><td>2743.50</td><td>42.49</td><td>74.00</td><td>-31.51</td><td>64.25</td><td>32.33</td><td>9.07</td><td>63.16</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1828.60	54.10	85.42	-31.32	78.68	30.60	7.39	62.57	0.00	-- -- PEAK	2	2743.50	42.49	74.00	-31.51	64.25	32.33	9.07	63.16	0.00	-- -- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1828.60</td><td>50.30</td><td>86.80</td><td>-36.50</td><td>74.88</td><td>30.60</td><td>7.39</td><td>62.57</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2</td><td>2743.50</td><td>50.75</td><td>74.00</td><td>-23.25</td><td>72.51</td><td>32.33</td><td>9.07</td><td>63.16</td><td>0.00</td><td>124 172 PEAK</td></tr><tr><td>3</td><td>2743.50</td><td>47.19</td><td>54.00</td><td>-6.81</td><td>68.95</td><td>32.33</td><td>9.07</td><td>63.16</td><td>0.00</td><td>124 172 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1828.60	50.30	86.80	-36.50	74.88	30.60	7.39	62.57	0.00	-- -- PEAK	2	2743.50	50.75	74.00	-23.25	72.51	32.33	9.07	63.16	0.00	124 172 PEAK	3	2743.50	47.19	54.00	-6.81	68.95	32.33	9.07	63.16	0.00	124 172 AVERAGE														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	1828.60	54.10	85.42	-31.32	78.68	30.60	7.39	62.57	0.00	-- -- PEAK																																																																																																																																			
2	2743.50	42.49	74.00	-31.51	64.25	32.33	9.07	63.16	0.00	-- -- PEAK																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	1828.60	50.30	86.80	-36.50	74.88	30.60	7.39	62.57	0.00	-- -- PEAK																																																																																																																																			
2	2743.50	50.75	74.00	-23.25	72.51	32.33	9.07	63.16	0.00	124 172 PEAK																																																																																																																																			
3	2743.50	47.19	54.00	-6.81	68.95	32.33	9.07	63.16	0.00	124 172 AVERAGE																																																																																																																																			







Mode	9																																																																																																																																																								
Mode	Band Edge																																																																																																																																																								
Mode	DTS SF=9 926.5 MHz																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																		
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>894.51</td><td>43.16</td><td>85.99</td><td>-42.83</td><td>43.52</td><td>28.90</td><td>3.11</td><td>32.37</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>926.28</td><td>115.99</td><td>-----</td><td>-----</td><td>114.81</td><td>29.99</td><td>3.17</td><td>31.98</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>958.53</td><td>45.50</td><td>85.99</td><td>-40.49</td><td>43.18</td><td>30.65</td><td>3.25</td><td>31.58</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	894.51	43.16	85.99	-42.83	43.52	28.90	3.11	32.37	0.00	--	--	Peak	2	926.28	115.99	-----	-----	114.81	29.99	3.17	31.98	0.00	--	--	Peak	3	958.53	45.50	85.99	-40.49	43.18	30.65	3.25	31.58	0.00	--	--	Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>894.27</td><td>46.69</td><td>86.52</td><td>-39.83</td><td>47.06</td><td>28.89</td><td>3.11</td><td>32.37</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>926.28</td><td>116.52</td><td>-----</td><td>-----</td><td>115.34</td><td>29.99</td><td>3.17</td><td>31.98</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>958.29</td><td>44.50</td><td>86.52</td><td>-42.02</td><td>42.18</td><td>30.65</td><td>3.25</td><td>31.58</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	894.27	46.69	86.52	-39.83	47.06	28.89	3.11	32.37	0.00	--	--	Peak	2	926.28	116.52	-----	-----	115.34	29.99	3.17	31.98	0.00	--	--	Peak	3	958.29	44.50	86.52	-42.02	42.18	30.65	3.25	31.58	0.00	--	--	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
	1	894.51	43.16	85.99	-42.83	43.52	28.90	3.11	32.37	0.00	--	--	Peak																																																																																																																																												
2	926.28	115.99	-----	-----	114.81	29.99	3.17	31.98	0.00	--	--	Peak																																																																																																																																													
3	958.53	45.50	85.99	-40.49	43.18	30.65	3.25	31.58	0.00	--	--	Peak																																																																																																																																													
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	894.27	46.69	86.52	-39.83	47.06	28.89	3.11	32.37	0.00	--	--	Peak																																																																																																																																													
2	926.28	116.52	-----	-----	115.34	29.99	3.17	31.98	0.00	--	--	Peak																																																																																																																																													
3	958.29	44.50	86.52	-42.02	42.18	30.65	3.25	31.58	0.00	--	--	Peak																																																																																																																																													
Mode	9																																																																																																																																																								
Mode	Harmonic																																																																																																																																																								
Mode	DTS SF=9 926.5 MHz																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																		
Peak Avg	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>1853.20</td><td>52.18</td><td>85.99</td><td>-33.81</td><td>76.42</td><td>30.92</td><td>7.44</td><td>62.60</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>2779.50</td><td>42.80</td><td>74.00</td><td>-31.20</td><td>64.62</td><td>32.24</td><td>9.12</td><td>63.18</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1853.20	52.18	85.99	-33.81	76.42	30.92	7.44	62.60	0.00	--	--	PEAK	2	2779.50	42.80	74.00	-31.20	64.62	32.24	9.12	63.18	0.00	--	--	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>1853.20</td><td>50.11</td><td>86.52</td><td>-36.41</td><td>74.35</td><td>30.92</td><td>7.44</td><td>62.60</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>2779.50</td><td>48.96</td><td>74.00</td><td>-25.04</td><td>70.78</td><td>32.24</td><td>9.12</td><td>63.18</td><td>0.00</td><td>100</td><td>168</td><td>PEAK</td></tr><tr><td>3</td><td>2779.50</td><td>45.09</td><td>54.00</td><td>-8.91</td><td>66.91</td><td>32.24</td><td>9.12</td><td>63.18</td><td>0.00</td><td>100</td><td>168</td><td>AVERAGE</td></tr></tbody></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1853.20	50.11	86.52	-36.41	74.35	30.92	7.44	62.60	0.00	--	--	PEAK	2	2779.50	48.96	74.00	-25.04	70.78	32.24	9.12	63.18	0.00	100	168	PEAK	3	2779.50	45.09	54.00	-8.91	66.91	32.24	9.12	63.18	0.00	100	168	AVERAGE									
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																													
	1	1853.20	52.18	85.99	-33.81	76.42	30.92	7.44	62.60	0.00	--	--	PEAK																																																																																																																																												
2	2779.50	42.80	74.00	-31.20	64.62	32.24	9.12	63.18	0.00	--	--	PEAK																																																																																																																																													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																													
1	1853.20	50.11	86.52	-36.41	74.35	30.92	7.44	62.60	0.00	--	--	PEAK																																																																																																																																													
2	2779.50	48.96	74.00	-25.04	70.78	32.24	9.12	63.18	0.00	100	168	PEAK																																																																																																																																													
3	2779.50	45.09	54.00	-8.91	66.91	32.24	9.12	63.18	0.00	100	168	AVERAGE																																																																																																																																													







Mode	10																																																																													
Mode	Band Edge																																																																													
Mode	DTS SF=10 902.5 MHz																																																																													
Pol.	Horizontal						Vertical																																																																							
Peak																																																																														
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>870.26</td><td>42.03</td><td>83.53</td><td>-41.50</td><td>42.67</td><td>28.75</td><td>3.09</td><td>32.48</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>902.52</td><td>113.53</td><td>-----</td><td>-----</td><td>113.52</td><td>29.19</td><td>3.13</td><td>32.31</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>934.28</td><td>44.45</td><td>83.53</td><td>-39.08</td><td>42.78</td><td>30.35</td><td>3.19</td><td>31.87</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	870.26	42.03	83.53	-41.50	42.67	28.75	3.09	32.48	0.00	--	--	Peak	2	902.52	113.53	-----	-----	113.52	29.19	3.13	32.31	0.00	--	--	Peak	3	934.28	44.45	83.53	-39.08	42.78	30.35	3.19	31.87	0.00	--	--	Peak	
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	870.26	42.03	83.53	-41.50	42.67	28.75	3.09	32.48	0.00	--	--	Peak																																																																		
2	902.52	113.53	-----	-----	113.52	29.19	3.13	32.31	0.00	--	--	Peak																																																																		
3	934.28	44.45	83.53	-39.08	42.78	30.35	3.19	31.87	0.00	--	--	Peak																																																																		
<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>870.26</td><td>44.72</td><td>86.40</td><td>-41.68</td><td>45.36</td><td>28.75</td><td>3.09</td><td>32.48</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>902.27</td><td>116.40</td><td>-----</td><td>-----</td><td>116.40</td><td>29.18</td><td>3.13</td><td>32.31</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>934.53</td><td>44.11</td><td>86.40</td><td>-42.29</td><td>42.43</td><td>30.36</td><td>3.19</td><td>31.87</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	870.26	44.72	86.40	-41.68	45.36	28.75	3.09	32.48	0.00	--	--	Peak	2	902.27	116.40	-----	-----	116.40	29.18	3.13	32.31	0.00	--	--	Peak	3	934.53	44.11	86.40	-42.29	42.43	30.36	3.19	31.87	0.00	--	--	Peak		
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	870.26	44.72	86.40	-41.68	45.36	28.75	3.09	32.48	0.00	--	--	Peak																																																																		
2	902.27	116.40	-----	-----	116.40	29.18	3.13	32.31	0.00	--	--	Peak																																																																		
3	934.53	44.11	86.40	-42.29	42.43	30.36	3.19	31.87	0.00	--	--	Peak																																																																		
Mode	10																																																																													
Mode	Harmonic																																																																													
Mode	DTS SF=10 902.5 MHz																																																																													
Pol.	Horizontal						Vertical																																																																							
Peak Avg																																																																														
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>1805.20</td><td>55.21</td><td>86.40</td><td>-31.19</td><td>80.15</td><td>30.27</td><td>7.34</td><td>62.55</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>2707.50</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>67.09</td><td>32.47</td><td>9.01</td><td>63.13</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1805.20	55.21	86.40	-31.19	80.15	30.27	7.34	62.55	0.00	--	--	PEAK	2	2707.50	45.44	74.00	-28.56	67.09	32.47	9.01	63.13	0.00	--	--	PEAK												
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1	1805.20	55.21	86.40	-31.19	80.15	30.27	7.34	62.55	0.00	--	--	PEAK																																																																		
2	2707.50	45.44	74.00	-28.56	67.09	32.47	9.01	63.13	0.00	--	--	PEAK																																																																		
<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>1804.60</td><td>54.49</td><td>83.53</td><td>-29.04</td><td>79.44</td><td>30.26</td><td>7.34</td><td>62.55</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>2707.50</td><td>53.40</td><td>74.00</td><td>-20.60</td><td>75.05</td><td>32.47</td><td>9.01</td><td>63.13</td><td>0.00</td><td>158</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>2707.50</td><td>50.39</td><td>54.00</td><td>-3.61</td><td>72.04</td><td>32.47</td><td>9.01</td><td>63.13</td><td>0.00</td><td>158</td><td>360</td><td>AVERAGE</td></tr></tbody></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1804.60	54.49	83.53	-29.04	79.44	30.26	7.34	62.55	0.00	--	--	PEAK	2	2707.50	53.40	74.00	-20.60	75.05	32.47	9.01	63.13	0.00	158	360	PEAK	3	2707.50	50.39	54.00	-3.61	72.04	32.47	9.01	63.13	0.00	158	360	AVERAGE
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1	1804.60	54.49	83.53	-29.04	79.44	30.26	7.34	62.55	0.00	--	--	PEAK																																																																		
2	2707.50	53.40	74.00	-20.60	75.05	32.47	9.01	63.13	0.00	158	360	PEAK																																																																		
3	2707.50	50.39	54.00	-3.61	72.04	32.47	9.01	63.13	0.00	158	360	AVERAGE																																																																		







Mode	11																																																																																																																																													
Mode	Band Edge																																																																																																																																													
Mode	DTS SF=10 914.5 MHz																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>882.63</td><td>42.02</td><td>84.43</td><td>-42.41</td><td>42.44</td><td>28.92</td><td>3.09</td><td>32.43</td><td>0.00</td><td>-- Peak</td></tr><tr><td>2</td><td>914.64</td><td>114.43</td><td>-----</td><td>113.98</td><td>29.44</td><td>3.15</td><td>32.14</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>3</td><td>946.41</td><td>43.87</td><td>84.43</td><td>-40.56</td><td>41.66</td><td>30.72</td><td>3.21</td><td>31.72</td><td>0.00</td><td>-- Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	882.63	42.02	84.43	-42.41	42.44	28.92	3.09	32.43	0.00	-- Peak	2	914.64	114.43	-----	113.98	29.44	3.15	32.14	0.00	--	-- Peak	3	946.41	43.87	84.43	-40.56	41.66	30.72	3.21	31.72	0.00	-- Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>882.63</td><td>46.51</td><td>86.21</td><td>-39.70</td><td>46.93</td><td>28.92</td><td>3.09</td><td>32.43</td><td>0.00</td><td>-- Peak</td></tr><tr><td>2</td><td>914.16</td><td>116.21</td><td>-----</td><td>115.78</td><td>29.43</td><td>3.15</td><td>32.15</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>3</td><td>946.41</td><td>43.99</td><td>86.21</td><td>-42.22</td><td>41.78</td><td>30.72</td><td>3.21</td><td>31.72</td><td>0.00</td><td>-- Peak</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	882.63	46.51	86.21	-39.70	46.93	28.92	3.09	32.43	0.00	-- Peak	2	914.16	116.21	-----	115.78	29.43	3.15	32.15	0.00	--	-- Peak	3	946.41	43.99	86.21	-42.22	41.78	30.72	3.21	31.72	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	882.63	42.02	84.43	-42.41	42.44	28.92	3.09	32.43	0.00	-- Peak																																																																																																																																				
2	914.64	114.43	-----	113.98	29.44	3.15	32.14	0.00	--	-- Peak																																																																																																																																				
3	946.41	43.87	84.43	-40.56	41.66	30.72	3.21	31.72	0.00	-- Peak																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	882.63	46.51	86.21	-39.70	46.93	28.92	3.09	32.43	0.00	-- Peak																																																																																																																																				
2	914.16	116.21	-----	115.78	29.43	3.15	32.15	0.00	--	-- Peak																																																																																																																																				
3	946.41	43.99	86.21	-42.22	41.78	30.72	3.21	31.72	0.00	-- Peak																																																																																																																																				
Mode	11																																																																																																																																													
Mode	Harmonic																																																																																																																																													
Mode	DTS SF=10 914.5 MHz																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																							
Peak Avg																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th></th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>1828.60</td><td>51.67</td><td>84.43</td><td>-32.76</td><td>76.25</td><td>30.60</td><td>7.39</td><td>62.57</td><td>0.00</td><td>-- PEAK</td></tr><tr><td>2</td><td>2743.50</td><td>49.76</td><td>74.00</td><td>-24.24</td><td>71.52</td><td>32.33</td><td>9.07</td><td>63.16</td><td>0.00</td><td>198 348 PEAK</td></tr><tr><td>3</td><td>2743.50</td><td>46.33</td><td>54.00</td><td>-7.67</td><td>68.09</td><td>32.33</td><td>9.07</td><td>63.16</td><td>0.00</td><td>198 348 AVERAGE</td></tr></tbody></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1828.60	51.67	84.43	-32.76	76.25	30.60	7.39	62.57	0.00	-- PEAK	2	2743.50	49.76	74.00	-24.24	71.52	32.33	9.07	63.16	0.00	198 348 PEAK	3	2743.50	46.33	54.00	-7.67	68.09	32.33	9.07	63.16	0.00	198 348 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th></th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>1828.60</td><td>52.27</td><td>86.21</td><td>-33.94</td><td>76.85</td><td>30.60</td><td>7.39</td><td>62.57</td><td>0.00</td><td>-- PEAK</td></tr><tr><td>2</td><td>2743.50</td><td>52.89</td><td>74.00</td><td>-21.11</td><td>74.65</td><td>32.33</td><td>9.07</td><td>63.16</td><td>0.00</td><td>100 158 PEAK</td></tr><tr><td>3</td><td>2743.50</td><td>49.84</td><td>54.00</td><td>-4.16</td><td>71.60</td><td>32.33</td><td>9.07</td><td>63.16</td><td>0.00</td><td>100 158 AVERAGE</td></tr></tbody></table>						Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1828.60	52.27	86.21	-33.94	76.85	30.60	7.39	62.57	0.00	-- PEAK	2	2743.50	52.89	74.00	-21.11	74.65	32.33	9.07	63.16	0.00	100 158 PEAK	3	2743.50	49.84	54.00	-4.16	71.60	32.33	9.07	63.16	0.00
	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	1828.60	51.67	84.43	-32.76	76.25	30.60	7.39	62.57	0.00	-- PEAK																																																																																																																																				
2	2743.50	49.76	74.00	-24.24	71.52	32.33	9.07	63.16	0.00	198 348 PEAK																																																																																																																																				
3	2743.50	46.33	54.00	-7.67	68.09	32.33	9.07	63.16	0.00	198 348 AVERAGE																																																																																																																																				
	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	1828.60	52.27	86.21	-33.94	76.85	30.60	7.39	62.57	0.00	-- PEAK																																																																																																																																				
2	2743.50	52.89	74.00	-21.11	74.65	32.33	9.07	63.16	0.00	100 158 PEAK																																																																																																																																				
3	2743.50	49.84	54.00	-4.16	71.60	32.33	9.07	63.16	0.00	100 158 AVERAGE																																																																																																																																				







Mode	12																																																																																																																																																					
Mode	Band Edge																																																																																																																																																					
Mode	DTS SF=10 926.5 MHz																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																															
Peak																																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>894.51</td><td>43.16</td><td>84.94</td><td>-41.78</td><td>43.52</td><td>28.90</td><td>3.11</td><td>32.37</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>926.28</td><td>114.94</td><td>-----</td><td>113.76</td><td>29.99</td><td>3.17</td><td>31.98</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>958.53</td><td>43.32</td><td>84.94</td><td>-41.62</td><td>41.00</td><td>30.65</td><td>3.25</td><td>31.58</td><td>0.00</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	894.51	43.16	84.94	-41.78	43.52	28.90	3.11	32.37	0.00	--	Peak	2	926.28	114.94	-----	113.76	29.99	3.17	31.98	0.00	--	--	Peak	3	958.53	43.32	84.94	-41.62	41.00	30.65	3.25	31.58	0.00	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>894.51</td><td>46.66</td><td>85.72</td><td>-39.06</td><td>47.02</td><td>28.90</td><td>3.11</td><td>32.37</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>926.28</td><td>115.72</td><td>-----</td><td>114.54</td><td>29.99</td><td>3.17</td><td>31.98</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>958.29</td><td>43.57</td><td>85.72</td><td>-42.15</td><td>41.25</td><td>30.65</td><td>3.25</td><td>31.58</td><td>0.00</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	894.51	46.66	85.72	-39.06	47.02	28.90	3.11	32.37	0.00	--	Peak	2	926.28	115.72	-----	114.54	29.99	3.17	31.98	0.00	--	--	Peak	3	958.29	43.57	85.72	-42.15	41.25	30.65	3.25	31.58	0.00	--	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	894.51	43.16	84.94	-41.78	43.52	28.90	3.11	32.37	0.00	--	Peak																																																																																																																																											
2	926.28	114.94	-----	113.76	29.99	3.17	31.98	0.00	--	--	Peak																																																																																																																																											
3	958.53	43.32	84.94	-41.62	41.00	30.65	3.25	31.58	0.00	--	Peak																																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	894.51	46.66	85.72	-39.06	47.02	28.90	3.11	32.37	0.00	--	Peak																																																																																																																																											
2	926.28	115.72	-----	114.54	29.99	3.17	31.98	0.00	--	--	Peak																																																																																																																																											
3	958.29	43.57	85.72	-42.15	41.25	30.65	3.25	31.58	0.00	--	Peak																																																																																																																																											
Mode	12																																																																																																																																																					
Mode	Harmonic																																																																																																																																																					
Mode	DTS SF=10 926.5 MHz																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																															
Peak Avg																																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1853.20</td><td>52.28</td><td>84.94</td><td>-32.66</td><td>76.52</td><td>30.92</td><td>7.44</td><td>62.60</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>2779.50</td><td>41.67</td><td>74.00</td><td>-32.33</td><td>63.49</td><td>32.24</td><td>9.12</td><td>63.18</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1853.20	52.28	84.94	-32.66	76.52	30.92	7.44	62.60	0.00	--	PEAK	2	2779.50	41.67	74.00	-32.33	63.49	32.24	9.12	63.18	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1853.20</td><td>50.52</td><td>85.72</td><td>-35.20</td><td>74.76</td><td>30.92</td><td>7.44</td><td>62.60</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>2779.50</td><td>48.59</td><td>74.00</td><td>-25.41</td><td>70.41</td><td>32.24</td><td>9.12</td><td>63.18</td><td>0.00</td><td>100</td><td>166 PEAK</td></tr><tr><td>3</td><td>2779.50</td><td>44.69</td><td>54.00</td><td>-9.31</td><td>66.51</td><td>32.24</td><td>9.12</td><td>63.18</td><td>0.00</td><td>100</td><td>166 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1853.20	50.52	85.72	-35.20	74.76	30.92	7.44	62.60	0.00	--	PEAK	2	2779.50	48.59	74.00	-25.41	70.41	32.24	9.12	63.18	0.00	100	166 PEAK	3	2779.50	44.69	54.00	-9.31	66.51	32.24	9.12	63.18	0.00	100	166 AVERAGE																
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	1853.20	52.28	84.94	-32.66	76.52	30.92	7.44	62.60	0.00	--	PEAK																																																																																																																																											
2	2779.50	41.67	74.00	-32.33	63.49	32.24	9.12	63.18	0.00	--	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	1853.20	50.52	85.72	-35.20	74.76	30.92	7.44	62.60	0.00	--	PEAK																																																																																																																																											
2	2779.50	48.59	74.00	-25.41	70.41	32.24	9.12	63.18	0.00	100	166 PEAK																																																																																																																																											
3	2779.50	44.69	54.00	-9.31	66.51	32.24	9.12	63.18	0.00	100	166 AVERAGE																																																																																																																																											







Mode	13																																																																																																																																																					
Mode	Band Edge																																																																																																																																																					
Mode	DTS SF=11 902.5 MHz																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																															
Peak																																																																																																																																																						
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>870.51</td><td>43.80</td><td>84.37</td><td>-40.57</td><td>44.42</td><td>28.77</td><td>3.09</td><td>32.48</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>902.52</td><td>114.37</td><td>-----</td><td>-----</td><td>114.36</td><td>29.19</td><td>3.13</td><td>32.31</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>934.28</td><td>44.95</td><td>84.37</td><td>-39.42</td><td>43.28</td><td>30.35</td><td>3.19</td><td>31.87</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	870.51	43.80	84.37	-40.57	44.42	28.77	3.09	32.48	0.00	--	--	Peak	2	902.52	114.37	-----	-----	114.36	29.19	3.13	32.31	0.00	--	--	Peak	3	934.28	44.95	84.37	-39.42	43.28	30.35	3.19	31.87	0.00	--	--	Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>870.26</td><td>43.80</td><td>86.88</td><td>-43.08</td><td>44.44</td><td>28.75</td><td>3.09</td><td>32.48</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>902.52</td><td>116.88</td><td>-----</td><td>-----</td><td>116.87</td><td>29.19</td><td>3.13</td><td>32.31</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>934.53</td><td>45.13</td><td>86.88</td><td>-41.75</td><td>43.45</td><td>30.36</td><td>3.19</td><td>31.87</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	870.26	43.80	86.88	-43.08	44.44	28.75	3.09	32.48	0.00	--	--	Peak	2	902.52	116.88	-----	-----	116.87	29.19	3.13	32.31	0.00	--	--	Peak	3	934.53	45.13	86.88	-41.75	43.45	30.36	3.19	31.87	0.00	--	--	Peak									
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	870.51	43.80	84.37	-40.57	44.42	28.77	3.09	32.48	0.00	--	--	Peak																																																																																																																																										
2	902.52	114.37	-----	-----	114.36	29.19	3.13	32.31	0.00	--	--	Peak																																																																																																																																										
3	934.28	44.95	84.37	-39.42	43.28	30.35	3.19	31.87	0.00	--	--	Peak																																																																																																																																										
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	870.26	43.80	86.88	-43.08	44.44	28.75	3.09	32.48	0.00	--	--	Peak																																																																																																																																										
2	902.52	116.88	-----	-----	116.87	29.19	3.13	32.31	0.00	--	--	Peak																																																																																																																																										
3	934.53	45.13	86.88	-41.75	43.45	30.36	3.19	31.87	0.00	--	--	Peak																																																																																																																																										
Mode	13																																																																																																																																																					
Mode	Harmonic																																																																																																																																																					
Mode	DTS SF=11 902.5 MHz																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																															
Peak Avg																																																																																																																																																						
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>1805.20</td><td>53.10</td><td>84.37</td><td>-31.27</td><td>78.04</td><td>30.27</td><td>7.34</td><td>62.55</td><td>0.00</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>2707.50</td><td>52.91</td><td>74.00</td><td>-21.09</td><td>74.56</td><td>32.47</td><td>9.01</td><td>63.13</td><td>0.00</td><td>120</td><td>354</td><td>PEAK</td><td></td></tr><tr><td>3</td><td>2707.50</td><td>49.92</td><td>54.00</td><td>-4.08</td><td>71.57</td><td>32.47</td><td>9.01</td><td>63.13</td><td>0.00</td><td>120</td><td>354</td><td>AVERAGE</td><td></td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1805.20	53.10	84.37	-31.27	78.04	30.27	7.34	62.55	0.00	0.00	--	--	PEAK	2	2707.50	52.91	74.00	-21.09	74.56	32.47	9.01	63.13	0.00	120	354	PEAK		3	2707.50	49.92	54.00	-4.08	71.57	32.47	9.01	63.13	0.00	120	354	AVERAGE		<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>1804.60</td><td>48.86</td><td>86.88</td><td>-38.02</td><td>73.81</td><td>30.26</td><td>7.34</td><td>62.55</td><td>0.00</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>2707.50</td><td>53.30</td><td>74.00</td><td>-20.70</td><td>74.95</td><td>32.47</td><td>9.01</td><td>63.13</td><td>0.00</td><td>127</td><td>167</td><td>PEAK</td><td></td></tr><tr><td>3</td><td>2707.50</td><td>50.59</td><td>54.00</td><td>-3.41</td><td>72.24</td><td>32.47</td><td>9.01</td><td>63.13</td><td>0.00</td><td>127</td><td>167</td><td>AVERAGE</td><td></td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1804.60	48.86	86.88	-38.02	73.81	30.26	7.34	62.55	0.00	0.00	--	--	PEAK	2	2707.50	53.30	74.00	-20.70	74.95	32.47	9.01	63.13	0.00	127	167	PEAK		3	2707.50	50.59	54.00	-3.41	72.24	32.47	9.01	63.13	0.00	127	167	AVERAGE
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																										
1	1805.20	53.10	84.37	-31.27	78.04	30.27	7.34	62.55	0.00	0.00	--	--	PEAK																																																																																																																																									
2	2707.50	52.91	74.00	-21.09	74.56	32.47	9.01	63.13	0.00	120	354	PEAK																																																																																																																																										
3	2707.50	49.92	54.00	-4.08	71.57	32.47	9.01	63.13	0.00	120	354	AVERAGE																																																																																																																																										
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																										
1	1804.60	48.86	86.88	-38.02	73.81	30.26	7.34	62.55	0.00	0.00	--	--	PEAK																																																																																																																																									
2	2707.50	53.30	74.00	-20.70	74.95	32.47	9.01	63.13	0.00	127	167	PEAK																																																																																																																																										
3	2707.50	50.59	54.00	-3.41	72.24	32.47	9.01	63.13	0.00	127	167	AVERAGE																																																																																																																																										



Mode	14																																																																																																																																												
Mode	Band Edge																																																																																																																																												
Mode	DTS SF=11 914.5 MHz																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak																																																																																																																																													
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>882.63</td><td>43.95</td><td>85.12</td><td>-41.17</td><td>44.37</td><td>28.92</td><td>3.09</td><td>32.43</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>914.64</td><td>115.12</td><td>-----</td><td>-----</td><td>114.67</td><td>29.44</td><td>3.15</td><td>32.14</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>946.41</td><td>44.90</td><td>85.12</td><td>-40.22</td><td>42.69</td><td>30.72</td><td>3.21</td><td>31.72</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	882.63	43.95	85.12	-41.17	44.37	28.92	3.09	32.43	0.00	--	--	Peak	2	914.64	115.12	-----	-----	114.67	29.44	3.15	32.14	0.00	--	--	Peak	3	946.41	44.90	85.12	-40.22	42.69	30.72	3.21	31.72	0.00	--	--	Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>882.15</td><td>46.19</td><td>86.82</td><td>-40.63</td><td>46.59</td><td>28.94</td><td>3.09</td><td>32.43</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>914.40</td><td>116.82</td><td>-----</td><td>-----</td><td>116.37</td><td>29.44</td><td>3.15</td><td>32.14</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>946.65</td><td>45.81</td><td>86.82</td><td>-41.01</td><td>43.60</td><td>30.71</td><td>3.21</td><td>31.71</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	882.15	46.19	86.82	-40.63	46.59	28.94	3.09	32.43	0.00	--	--	Peak	2	914.40	116.82	-----	-----	116.37	29.44	3.15	32.14	0.00	--	--	Peak	3	946.65	45.81	86.82	-41.01	43.60	30.71	3.21	31.71	0.00	--	--
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	882.63	43.95	85.12	-41.17	44.37	28.92	3.09	32.43	0.00	--	--	Peak																																																																																																																																	
2	914.64	115.12	-----	-----	114.67	29.44	3.15	32.14	0.00	--	--	Peak																																																																																																																																	
3	946.41	44.90	85.12	-40.22	42.69	30.72	3.21	31.72	0.00	--	--	Peak																																																																																																																																	
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	882.15	46.19	86.82	-40.63	46.59	28.94	3.09	32.43	0.00	--	--	Peak																																																																																																																																	
2	914.40	116.82	-----	-----	116.37	29.44	3.15	32.14	0.00	--	--	Peak																																																																																																																																	
3	946.65	45.81	86.82	-41.01	43.60	30.71	3.21	31.71	0.00	--	--	Peak																																																																																																																																	
Mode	14																																																																																																																																												
Mode	Harmonic																																																																																																																																												
Mode	DTS SF=11 914.5 MHz																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1829.80</td><td>52.90</td><td>85.12</td><td>-32.22</td><td>77.47</td><td>30.62</td><td>7.39</td><td>62.58</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>2743.50</td><td>42.09</td><td>74.00</td><td>-31.91</td><td>63.85</td><td>32.33</td><td>9.07</td><td>63.16</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	1829.80	52.90	85.12	-32.22	77.47	30.62	7.39	62.58	0.00	--	--	--	PEAK	2	2743.50	42.09	74.00	-31.91	63.85	32.33	9.07	63.16	0.00	--	--	--	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1828.60</td><td>52.46</td><td>86.82</td><td>-34.36</td><td>77.04</td><td>30.60</td><td>7.39</td><td>62.57</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>2743.50</td><td>51.17</td><td>74.00</td><td>-22.83</td><td>72.93</td><td>32.33</td><td>9.07</td><td>63.16</td><td>0.00</td><td>100</td><td>156</td><td>156</td><td>PEAK</td></tr><tr><td>3</td><td>2743.50</td><td>48.61</td><td>54.00</td><td>-5.39</td><td>70.37</td><td>32.33</td><td>9.07</td><td>63.16</td><td>0.00</td><td>100</td><td>156</td><td>156</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	1828.60	52.46	86.82	-34.36	77.04	30.60	7.39	62.57	0.00	--	--	--	PEAK	2	2743.50	51.17	74.00	-22.83	72.93	32.33	9.07	63.16	0.00	100	156	156	PEAK	3	2743.50	48.61	54.00	-5.39	70.37	32.33	9.07	63.16	0.00	100	156	156	AVERAGE			
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																
1	1829.80	52.90	85.12	-32.22	77.47	30.62	7.39	62.58	0.00	--	--	--	PEAK																																																																																																																																
2	2743.50	42.09	74.00	-31.91	63.85	32.33	9.07	63.16	0.00	--	--	--	PEAK																																																																																																																																
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																
1	1828.60	52.46	86.82	-34.36	77.04	30.60	7.39	62.57	0.00	--	--	--	PEAK																																																																																																																																
2	2743.50	51.17	74.00	-22.83	72.93	32.33	9.07	63.16	0.00	100	156	156	PEAK																																																																																																																																
3	2743.50	48.61	54.00	-5.39	70.37	32.33	9.07	63.16	0.00	100	156	156	AVERAGE																																																																																																																																




Mode	15																																																																																																																																												
Mode	Band Edge																																																																																																																																												
Mode	DTS SF=11 926.5 MHz																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak																																																																																																																																													
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>894.51</td><td>44.15</td><td>85.96</td><td>-41.81</td><td>44.51</td><td>28.90</td><td>3.11</td><td>32.37</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>926.52</td><td>115.96</td><td>-----</td><td>-----</td><td>114.78</td><td>29.99</td><td>3.17</td><td>31.98</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>958.29</td><td>44.17</td><td>85.96</td><td>-41.79</td><td>41.85</td><td>30.65</td><td>3.25</td><td>31.58</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	894.51	44.15	85.96	-41.81	44.51	28.90	3.11	32.37	0.00	--	--	Peak	2	926.52	115.96	-----	-----	114.78	29.99	3.17	31.98	0.00	--	--	Peak	3	958.29	44.17	85.96	-41.79	41.85	30.65	3.25	31.58	0.00	--	--	Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>894.76</td><td>46.98</td><td>86.55</td><td>-39.57</td><td>47.33</td><td>28.91</td><td>3.11</td><td>32.37</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>926.28</td><td>116.55</td><td>-----</td><td>-----</td><td>115.37</td><td>29.99</td><td>3.17</td><td>31.98</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>958.53</td><td>44.99</td><td>86.55</td><td>-41.56</td><td>42.67</td><td>30.65</td><td>3.25</td><td>31.58</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	894.76	46.98	86.55	-39.57	47.33	28.91	3.11	32.37	0.00	--	--	Peak	2	926.28	116.55	-----	-----	115.37	29.99	3.17	31.98	0.00	--	--	Peak	3	958.53	44.99	86.55	-41.56	42.67	30.65	3.25	31.58	0.00	--	--	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	894.51	44.15	85.96	-41.81	44.51	28.90	3.11	32.37	0.00	--	--	Peak																																																																																																																																	
2	926.52	115.96	-----	-----	114.78	29.99	3.17	31.98	0.00	--	--	Peak																																																																																																																																	
3	958.29	44.17	85.96	-41.79	41.85	30.65	3.25	31.58	0.00	--	--	Peak																																																																																																																																	
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	894.76	46.98	86.55	-39.57	47.33	28.91	3.11	32.37	0.00	--	--	Peak																																																																																																																																	
2	926.28	116.55	-----	-----	115.37	29.99	3.17	31.98	0.00	--	--	Peak																																																																																																																																	
3	958.53	44.99	86.55	-41.56	42.67	30.65	3.25	31.58	0.00	--	--	Peak																																																																																																																																	
Mode	15																																																																																																																																												
Mode	Harmonic																																																																																																																																												
Mode	DTS SF=11 926.5 MHz																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>1853.20</td><td>51.71</td><td>85.96</td><td>-34.25</td><td>75.95</td><td>30.92</td><td>7.44</td><td>62.60</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>2779.50</td><td>41.33</td><td>74.00</td><td>-32.67</td><td>63.15</td><td>32.24</td><td>9.12</td><td>63.18</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1853.20	51.71	85.96	-34.25	75.95	30.92	7.44	62.60	0.00	--	--	--	PEAK	2	2779.50	41.33	74.00	-32.67	63.15	32.24	9.12	63.18	0.00	--	--	--	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>1852.00</td><td>49.98</td><td>86.55</td><td>-36.57</td><td>74.23</td><td>30.91</td><td>7.44</td><td>62.60</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>2779.50</td><td>49.52</td><td>74.00</td><td>-24.48</td><td>71.34</td><td>32.24</td><td>9.12</td><td>63.18</td><td>0.00</td><td>100</td><td>160</td><td>160</td><td>PEAK</td></tr><tr><td>3</td><td>2779.50</td><td>46.00</td><td>54.00</td><td>-8.00</td><td>67.82</td><td>32.24</td><td>9.12</td><td>63.18</td><td>0.00</td><td>100</td><td>160</td><td>160</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1852.00	49.98	86.55	-36.57	74.23	30.91	7.44	62.60	0.00	--	--	--	PEAK	2	2779.50	49.52	74.00	-24.48	71.34	32.24	9.12	63.18	0.00	100	160	160	PEAK	3	2779.50	46.00	54.00	-8.00	67.82	32.24	9.12	63.18	0.00	100	160	160	AVERAGE				
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	1853.20	51.71	85.96	-34.25	75.95	30.92	7.44	62.60	0.00	--	--	--	PEAK																																																																																																																																
2	2779.50	41.33	74.00	-32.67	63.15	32.24	9.12	63.18	0.00	--	--	--	PEAK																																																																																																																																
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	1852.00	49.98	86.55	-36.57	74.23	30.91	7.44	62.60	0.00	--	--	--	PEAK																																																																																																																																
2	2779.50	49.52	74.00	-24.48	71.34	32.24	9.12	63.18	0.00	100	160	160	PEAK																																																																																																																																
3	2779.50	46.00	54.00	-8.00	67.82	32.24	9.12	63.18	0.00	100	160	160	AVERAGE																																																																																																																																

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	VBW Setting	Duty Factor (dB)
LORA DTS SF7	93.34	0.039KHz	0.30
LORA DTS SF8	96.21	0.02KHz	0.17
LORA DTS SF9	97.77	0.011KHz	0.10
LORA DTS SF10	98.74	10Hz	0.06
LORA DTS SF11	99.32	10Hz	0.03

LORA DTS SF7






LORA DTS SF8




LORA DTS SF9





LORA DTS SF10



LORA DTS SF11

