


Appendix B: Test Results of DTSSs

APPENDIX B: TEST RESULTS OF DTSS.....	1
APPENDIX B.1: TEST RESULTS OF CONDUCTED POWER SPECTRAL DENSITY	3
DTSS#1 (BLE)	3
Low Channel.....	3
Middle Channel.....	3
High Channel.....	4
DTSS#2 (BANDWIDTH: 500KHz)	4
Low Channel.....	4
Middle Channel.....	5
High Channel.....	5
DTSS#3 (BANDWIDTH: 500KHz)	6
Low Channel.....	6
Middle Channel.....	6
High Channel.....	7
DTSS#4 (BANDWIDTH: 500KHz)	7
Low Channel.....	7
Middle Channel.....	8
High Channel.....	8
APPENDIX B.2: TEST RESULTS OF 6DB BANDWIDTH.....	9
DTSS#1 (BLE)	9
Low Channel.....	9
Middle Channel.....	9
High Channel.....	9
DTSS#2 (BANDWIDTH: 500KHz)	10
Low Channel.....	10
Middle Channel.....	10
High Channel.....	11
DTSS#3 (BANDWIDTH: 500KHz)	11
Low Channel.....	11
Middle Channel.....	12
High Channel.....	12
DTSS#4 (BANDWIDTH: 500KHz)	13
Low Channel.....	13
Middle Channel.....	13
High Channel.....	14
APPENDIX B.3: TEST RESULTS OF 99% BANDWIDTH	15
DTSS#1 (BLE)	15
Low Channel.....	15
Middle Channel.....	15
High Channel.....	16
DTSS#2 (BANDWIDTH: 500KHz)	17
Low Channel.....	17
Middle Channel.....	17
High Channel.....	18
DTSS#3 (BANDWIDTH: 500KHz)	18
Low Channel.....	18
Middle Channel.....	19
High Channel.....	19
DTSS#4 (BANDWIDTH: 500KHz)	20
Low Channel.....	20


Middle Channel.....	20
High Channel.....	21
APPENDIX B.4: TEST RESULTS OF CONDUCTED SPURIOUS EMISSIONS	22
DTSS#1 (BLE)	22
Low Channel.....	22
Middle Channel.....	22
High Channel.....	23
Band Edge, Low Channel.....	23
Band Edge, High Channel.....	24
DTSS#2 (BANDWIDTH: 500KHz)	24
Low Channel.....	24
Middle Channel.....	25
High Channel.....	25
Band Edge, Low Channel.....	26
Band Edge, High Channel.....	26
DTSS#3 (BANDWIDTH: 500KHz)	27
Low Channel.....	27
Middle Channel.....	27
High Channel.....	28
Band Edge, Low Channel.....	28
Band Edge, High Channel.....	29
DTSS#4 (BANDWIDTH: 500KHz)	29
Low Channel.....	29
Middle Channel.....	30
High Channel.....	30
Band Edge, Low Channel.....	31
Band Edge, High Channel.....	31
APPENDIX B.5: TEST RESULTS OF CONDUCTED EMISSION ON AC MAINS.....	32
Bluetooth connecting mode.....	32
DTSS connecting mode.....	34

Appendix B.1: Test Results of Conducted Power Spectral Density


DTSS#1 (BLE) Low Channel




Middle Channel




High Channel



DTSS#2 (Bandwidth: 500KHz) Low Channel




Middle Channel




Date: 7.DEC.2019 08:56:39

High Channel




Date: 7.DEC.2019 09:01:31


DTSS#3 (Bandwidth: 500KHz) Low Channel




Middle Channel




High Channel



DTSS#4 (Bandwidth: 500KHz) Low Channel




Middle Channel



Date: 7.DEC.2019 09:53:45

High Channel




Date: 7.DEC.2019 09:55:19

Appendix B.2: Test Results of 6dB Bandwidth

DTSS#1 (BLE)


Low Channel

(RBW=100KHz, VBW=300KHz)




Middle Channel

(RBW=100KHz, VBW=300KHz)



High Channel

(RBW=100KHz, VBW=300KHz)




DTSS#2 (Bandwidth: 500KHz)
Low Channel



Middle Channel




High Channel




Date: 10.DEC.2019 08:21:18

DTSS#3 (Bandwidth: 500KHz) Low Channel




Date: 10.DEC.2019 08:21:46

Middle Channel




Date: 10.DEC.2019 08:22:54

High Channel



Date: 10.DEC.2019 08:23:22


DTSS#4 (Bandwidth: 500KHz)
Low Channel



Middle Channel



High Channel




Date: 10.DEC.2019 08:25:10

Appendix B.3: Test Results of 99% Bandwidth

DTSS#1 (BLE) Low Channel



Middle Channel




High Channel



Date: 10.DEC.2019 08:16:54


DTSS#2 (Bandwidth: 500KHz)
Low Channel



Middle Channel




High Channel




Date: 7.DEC.2019 08:07:39

DTSS#3 (Bandwidth: 500KHz) Low Channel




Date: 7.DEC.2019 08:11:00

Middle Channel




High Channel




DTSS#4 (Bandwidth: 500KHz)
Low Channel



Middle Channel




High Channel




Date: 7.DEC.2019 08:22:07

Appendix B.4: Test Results of Conducted Spurious Emissions


DTSS#1 (BLE) Low Channel



Middle Channel




High Channel




Date: 7.DEC.2019 07:39:26

Band Edge, Low Channel




Date: 7.DEC.2019 07:44:05

Band Edge, High Channel




Date: 7.DEC.2019 07:38:09

DTSS#2 (Bandwidth: 500KHz) Low Channel




Date: 7.DEC.2019 08:59:59


Middle Channel



High Channel




Band Edge, Low Channel




Date: 7.DEC.2019 08:54:02

Band Edge, High Channel




Date: 7.DEC.2019 09:03:20


DTSS#3 (Bandwidth: 500KHz)
Low Channel



Middle Channel




High Channel




Date: 7.DEC.2019 09:47:07

Band Edge, Low Channel




Date: 7.DEC.2019 09:36:16

Band Edge, High Channel




Date: 7.DEC.2019 09:48:11

DTSS#4 (Bandwidth: 500KHz) Low Channel




Date: 7.DEC.2019 09:51:37


Middle Channel



High Channel




Band Edge, Low Channel



Date: 7.DEC.2019 09:50:34

Band Edge, High Channel



Date: 7.DEC.2019 09:58:17

Appendix B.5: Test Results of Conducted Emission on AC Mains

Bluetooth connecting mode


L-Bluetooth connecting mode

1 / 1

Test Report

EUT Information

EUT Name:	Solar Pathlight
Model:	5AT1S6
Order No.:	168141103-140
Test Mode:	Bluetooth connecting mode
Test Voltage:	AC 120V/60Hz
Test By:	Tom Guo
Review By:	Gary Chen



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.166000	---	27.68	55.16	27.47	---	---	L1	9.6
0.166000	50.19	---	65.16	14.97	---	---	L1	9.6
0.218000	---	23.59	52.90	29.31	---	---	L1	9.6
0.218000	45.22	---	62.90	17.68	---	---	L1	9.6
0.498000	---	31.53	46.03	14.50	---	---	L1	9.7
0.524000	45.44	---	56.00	10.56	---	---	L1	9.7
0.992000	38.63	---	56.00	17.37	---	---	L1	9.7
0.996000	---	21.33	46.00	24.67	---	---	L1	9.7
6.904000	---	21.58	50.00	28.42	---	---	L1	10.0
7.072000	37.26	---	60.00	22.74	---	---	L1	10.0
17.492000	---	23.03	50.00	26.97	---	---	L1	10.4
17.648000	36.61	---	60.00	23.39	---	---	L1	10.4


N-Bluetooth connecting mode

1 / 1

Test Report

EUT Information

EUT Name:	Solar Pathlight
Model:	5AT1S6
Order No.:	168141103-140
Test Mode:	Bluetooth connecting mode
Test Voltage:	AC 120V/60Hz
Test By:	Tom Guo
Review By:	Gary Chen



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.162000	---	28.27	55.36	27.09	---	---	N	9.6
0.162000	47.57	---	65.36	17.79	---	---	N	9.6
0.262000	42.50	---	61.37	18.87	---	---	N	9.6
0.490000	---	32.56	46.17	13.61	---	---	N	9.7
0.494000	42.99	---	56.10	13.11	---	---	N	9.7
0.516000	---	29.94	46.00	16.06	---	---	N	9.7
0.520000	40.58	---	56.00	15.42	---	---	N	9.7
0.908000	---	19.71	46.00	26.29	---	---	N	9.7
0.940000	32.64	---	56.00	23.36	---	---	N	9.7
7.296000	34.71	---	60.00	25.29	---	---	N	10.0
7.480000	---	21.50	50.00	28.50	---	---	N	10.0
8.940000	43.06	---	60.00	16.94	---	---	N	10.0

DTSSs connecting mode


L-DTSSs connecting mode

1 / 1

Test Report

EUT Information

EUT Name:	Solar Pathlight
Model:	5AT1S6
Order No.:	168141103-140
Test Mode:	DTSSs connecting mode
Test Voltage:	AC 120V/60Hz
Test By:	Tom Guo
Review By:	Gary Chen



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.158000	49.14	---	65.57	16.43	---	---	L1	9.6
0.186000	---	22.54	54.21	31.67	---	---	L1	9.6
0.186000	48.29	---	64.21	15.92	---	---	L1	9.6
0.246000	42.60	---	61.89	19.29	---	---	L1	9.6
0.398000	38.82	---	57.90	19.07	---	---	L1	9.7
0.494000	---	31.45	46.10	14.65	---	---	L1	9.7
0.516000	---	34.77	46.00	11.23	---	---	L1	9.7
0.532000	43.40	---	56.00	12.60	---	---	L1	9.7
0.928000	37.30	---	56.00	18.70	---	---	L1	9.7
0.928000	---	22.39	46.00	23.61	---	---	L1	9.7
6.652000	---	21.15	50.00	28.85	---	---	L1	10.0
6.932000	37.15	---	60.00	22.85	---	---	L1	10.0


N-DTSs connecting mode

1 / 1

Test Report

EUT Information

EUT Name: Solar Pathlight
Model: 5AT1S6
Order No.: 168141103-140
Test Mode: DTSs connecting mode
Test Voltage: AC 120V/60Hz
Test By: Tom Guo
Review By: Gary Chen



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.158000	---	23.49	55.57	32.08	---	---	N	9.6
0.158000	53.00	---	65.57	12.57	---	---	N	9.6
0.206000	46.45	---	63.37	16.92	---	---	N	9.6
0.206000	---	20.64	53.37	32.72	---	---	N	9.6
0.274000	41.83	---	61.00	19.17	---	---	N	9.6
0.370000	---	19.06	48.50	29.45	---	---	N	9.7
0.370000	38.37	---	58.50	20.13	---	---	N	9.7
0.494000	41.75	---	56.10	14.35	---	---	N	9.7
0.516000	---	33.13	46.00	12.87	---	---	N	9.7
0.516000	40.83	---	56.00	15.17	---	---	N	9.7
1.048000	31.01	---	56.00	24.99	---	---	N	9.7
1.100000	---	17.32	46.00	28.68	---	---	N	9.7

12/7/2019

1:37:42 PM