鑫尔盛 XIN ER SHENG

Sheen XinErSheng Technology Co.,Ltd

SPECIFICATION FOR APPROVAL

Customer nane： BeiNaiTe

Product name： 2.4G copper tube antenna

Customer Part Number:

Manufacturers of Material: **SFANTR316001**

Deliver quantity： 5PCS

Mark	Check	Examine and approve	Datelanded
Biao	Lisen	Amy	2022.09.05

That Customers：

Acknowledge	Check	Examine and approve	Datelanded

Admit that situation： ☑new product ☐ product shanges

Admit that project： ☐acknowledgement ☐soecimen 10PCS

Admit that conclusion： ☐reception ☐refuse

Company address： Floor 3, Building D, No.96 Lingxia Road, Fuyong Fenghuang Fourth Industrial Zone, Baoan District, Shenzhen

Phone number：0755-33881455 Fax NO.：0755-33233276

Email: liqinghui@sufeitech.com

Main technical parameters of the product

Main technical specifications	
Frequency Range(MHZ)	2400-2500
Gain（dBi）	2±0.5dBi
Impedance(Ω)	50±10
ReTurnLoss(dB)	≤-10
VSWR	≤2
Admitted Power	1W
Polarization	Linear Vertical
Connector Type	Weld
Physical Properties	
Antenna Base	Copper
Operating Temp	-20℃-+60℃
Storage Temp	-20℃-+70℃

List of raw materials：

Serial mumber	Name	Texture	Quantity	Unit	Remark
1	Wire rod	316 wire	1	PCS	

Product drawing



Network analyzer test report：

1. SWR：



2.return loss



2D、3DRaditation Pattern

		
2.4G	Gain(Peak):1.91dBi	Efficiency:51.2%
		
2.45G	Gain(Peak):2 dBi	Efficiency:53.1%
		
2.5G	Gain(Peak):1.96dBi	Efficiency:52.7%