



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 1 of 20

Peak-Average Ratio

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
10M	3555MHz	TM1.1	Port 1	Port 2	Limit	Pass
			9.41	9.38	<=13	

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
10M	3624.99MHz	TM1.1	Port 1	Port 2	Limit	Pass
			9.36	9.44	<=13	

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
10M	3694.98MHz	TM1.1	Port 1	Port 2	Limit	Pass
			9.4	9.43	<=13	

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
20M	3560.01MHz	TM1.1	Port 1	Port 2	Limit	Pass
			10.11	10.12	<=13	

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
20M	3624.99MHz	TM1.1	Port 1	Port 2	Limit	Pass
			10.1	10.08	<=13	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 2 of 20

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
20M	3690MHz	TM1.1	Port 1	Port 2	Limit	Pass
			10.16	10.08	<=13	

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
30M	3565.02MHz	TM1.1	Port 1	Port 2	Limit	Pass
			9.34	9.47	<=13	

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
30M	3624.99MHz	TM1.1	Port 1	Port 2	Limit	Pass
			9.46	9.54	<=13	

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
30M	3684.99MHz	TM1.1	Port 1	Port 2	Limit	Pass
			9.37	9.53	<=13	

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
40M	3570MHz	TM1.1	Port 1	Port 2	Limit	Pass
			9.48	9.42	<=13	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 3 of 20

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
40M	3624.99MHz	TM1.1	Port 1	Port 2	Limit	
			9.4	9.46	<=13	Pass

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
40M	3679.98MHz	TM1.1	Port 1	Port 2	Limit	
			9.48	9.42	<=13	Pass

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
10M	3555MHz	TM3.1	Port 1	Port 2	Limit	
			9.22	9.26	<=13	Pass

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
10M	3624.99MHz	TM3.1	Port 1	Port 2	Limit	
			9.27	9.22	<=13	Pass

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
10M	3694.98MHz	TM3.1	Port 1	Port 2	Limit	
			9.26	9.23	<=13	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 4 of 20

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
20M	3560.01MHz	TM3.1	Port 1	Port 2	Limit	Pass
			9.29	9.36	<=13	

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
20M	3624.99MHz	TM3.1	Port 1	Port 2	Limit	Pass
			9.35	9.25	<=13	

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
20M	3690MHz	TM3.1	Port 1	Port 2	Limit	Pass
			9.27	9.27	<=13	

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
30M	3565.02MHz	TM3.1	Port 1	Port 2	Limit	Pass
			9.64	9.66	<=13	

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
30M	3624.99MHz	TM3.1	Port 1	Port 2	Limit	Pass
			9.56	9.61	<=13	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 5 of 20

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
30M	3684.99MHz	TM3.1	Port 1	Port 2	Limit	
			9.62	9.69	<=13	Pass

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
40M	3570MHz	TM3.1	Port 1	Port 2	Limit	
			9.26	9.33	<=13	Pass

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
40M	3624.99MHz	TM3.1	Port 1	Port 2	Limit	
			9.34	9.27	<=13	Pass

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
40M	3679.98MHz	TM3.1	Port 1	Port 2	Limit	
			9.26	9.22	<=13	Pass

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
10M	3555MHz	TM3.1a	Port 1	Port 2	Limit	
			9.38	9.55	<=13	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 6 of 20

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
10M	3624.99MHz	TM3.1a	Port 1	Port 2	Limit	
			9.4	9.39	<=13	Pass

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
10M	3694.98MHz	TM3.1a	Port 1	Port 2	Limit	
			9.53	9.54	<=13	Pass

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
20M	3560.01MHz	TM3.1a	Port 1	Port 2	Limit	
			9.4	9.47	<=13	Pass

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
20M	3624.99MHz	TM3.1a	Port 1	Port 2	Limit	
			9.43	9.42	<=13	Pass

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
20M	3690MHz	TM3.1a	Port 1	Port 2	Limit	
			9.38	9.39	<=13	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 7 of 20

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
30M	3565.02MHz	TM3.1a	Port 1	Port 2	Limit	
			9.73	9.62	<=13	Pass

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
30M	3624.99MHz	TM3.1a	Port 1	Port 2	Limit	
			9.66	9.48	<=13	Pass

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
30M	3565.02MHz	TM3.1a	Port 1	Port 2	Limit	
			9.73	9.62	<=13	Pass

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
40M	3570MHz	TM3.1a	Port 1	Port 2	Limit	
			9.64	9.67	<=13	Pass

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
40M	3624.99MHz	TM3.1a	Port 1	Port 2	Limit	
			9.58	9.42	<=13	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 8 of 20

Test MIMO_Port1 + 2						
Peak-Average Ratio						
Bandwidth (MHz)	Frequency	Test mode	Peak-Average Ratio			Verdict
40M	3679.98MHz	TM3.1a	Port 1	Port 2	Limit	
			9.45	9.54	<=13	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch, Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)


Port1_10M_3555MHz_TM1.1_CHL_PAPR




Port1_10M_3624.99MHz_TM1.1_CHM_PAPR




Port1_10M_3694.98MHz_TM1.1_CHH_PAPR




Port1_20M_3560.01MHz_TM1.1_CHL_PAPR




Port1_20M_3624.99MHz_TM1.1_CHM_PAPR




Port1_20M_3690MHz_TM1.1_CHH_PAPR




Port1_30M_3565.02MHz_TM1.1_CHL_PAPR




Port1_30M_3624.99MHz_TM1.1_CHM_PAPR




Port1_30M_3684.99MHz_TM1.1_CHH_PAPR




Port1_40M_3570MHz_TM1.1_CHL_PAPR




Port1_40M_3624.99MHz_TM1.1_CHM_PAPR




Port1_40M_3679.98MHz_TM1.1_CHH_PAPR




Port2_10M_3555MHz_TM1.1_CHL_PAPR




Port2_10M_3624.99MHz_TM1.1_CHM_PAPR




Port2_10M_3694.98MHz_TM1.1_CHH_PAPR




Port2_20M_3560.01MHz_TM1.1_CHL_PAPR




Port2_20M_3624.99MHz_TM1.1_CHM_PAPR




Port2_20M_3690MHz_TM1.1_CHH_PAPR




Port2_30M_3565.02MHz_TM1.1_CHL_PAPR




Port2_30M_3624.99MHz_TM1.1_CHM_PAPR




Port2_30M_3684.99MHz_TM1.1_CHH_PAPR




Port2_40M_3570MHz_TM1.1_CHL_PAPR




Port2_40M_3624.99MHz_TM1.1_CHM_PAPR




Port2_40M_3679.98MHz_TM1.1_CHH_PAPR




Port1_10M_3555MHz_TM3.1_CHL_PAPR



Port1_10M_3624.99MHz_TM3.1_CHM_PAPR




Port1_10M_3694.98MHz_TM3.1_CHH_PAPR



Port1_20M_3560.01MHz_TM3.1_CHL_PAPR




Port1_20M_3624.99MHz_TM3.1_CHM_PAPR




Port1_20M_3690MHz_TM3.1_CHH_PAPR




Port1_30M_3565.02MHz_TM3.1_CHL_PAPR




Port1_30M_3624.99MHz_TM3.1_CHM_PAPR




Port1_30M_3684.99MHz_TM3.1_CHH_PAPR




Port1_40M_3570MHz_TM3.1_CHL_PAPR




Port1_40M_3624.99MHz_TM3.1_CHM_PAPR




Port1_40M_3679.98MHz_TM3.1_CHH_PAPR




Port2_10M_3555MHz_TM3.1_CHL_PAPR




Port2_10M_3624.99MHz_TM3.1_CHM_PAPR



Port2_10M_3694.98MHz_TM3.1_CHH_PAPR




Port2_20M_3560.01MHz_TM3.1_CHL_PAPR




Port2_20M_3624.99MHz_TM3.1_CHM_PAPR



Port2_20M_3690MHz_TM3.1_CHH_PAPR




Port2_30M_3565.02MHz_TM3.1_CHL_PAPR




Port2_30M_3624.99MHz_TM3.1_CHM_PAPR




Port2_30M_3684.99MHz_TM3.1_CHH_PAPR




Port2_40M_3570MHz_TM3.1_CHL_PAPR




Port2_40M_3624.99MHz_TM3.1_CHM_PAPR




Port2_40M_3679.98MHz_TM3.1_CHH_PAPR




Port1_10M_3555MHz_TM3.1a_CHL_PAPR




Port1_10M_3624.99MHz_TM3.1a_CHM_PAPR



Port1_10M_3694.98MHz_TM3.1a_CHH_PAPR




Port1_20M_3560.01MHz_TM3.1a_CHL_PAPR




Port1_20M_3624.99MHz_TM3.1a_CHM_PAPR




Port1_20M_3690MHz_TM3.1a_CHH_PAPR




Port1_30M_3565.02MHz_TM3.1a_CHL_PAPR




Port1_30M_3624.99MHz_TM3.1a_CHM_PAPR




Port1_30M_3684.99MHz_TM3.1a_CHH_PAPR




Port1_40M_3570MHz_TM3.1a_CHL_PAPR




Port1_40M_3624.99MHz_TM3.1a_CHM_PAPR




Port1_40M_3679.98MHz_TM3.1a_CHH_PAPR




Port2_10M_3555MHz_TM3.1a_CHL_PAPR




Port2_10M_3624.99MHz_TM3.1a_CHM_PAPR




Port2_10M_3694.98MHz_TM3.1a_CHH_PAPR




Port2_20M_3560.01MHz_TM3.1a_CHL_PAPR




Port2_20M_3624.99MHz_TM3.1a_CHM_PAPR




Port2_20M_3690MHz_TM3.1a_CHH_PAPR




Port2_30M_3565.02MHz_TM3.1a_CHL_PAPR




Port2_30M_3624.99MHz_TM3.1a_CHM_PAPR




Port2_30M_3684.99MHz_TM3.1a_CHH_PAPR




Port2_40M_3570MHz_TM3.1a_CHL_PAPR



Port2_40M_3624.99MHz_TM3.1a_CHM_PAPR



Port2_40M_3679.98MHz_TM3.1a_CHH_PAPR



- End of the Appendix -