Appendix A: Test Results of Conducted Test

Test Result of 6 dB Bandwidth

802.11b

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Limit (MHz)	Result
1	2412	7.03	> 0.5	Pass
6	2437	6.99	> 0.5	Pass
11	2462	7.03	> 0.5	Pass

Channel 1



Channel 6



Channel 11



802.11g

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Limit (MHz)	Result
1	2412	15.10	> 0.5	Pass
6	2437	15.10	> 0.5	Pass
11	2462	15.06	> 0.5	Pass

Channel 1



Channel 6



Channel 11



802.11n HT20

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Limit (MHz)	Result
1	2412	15.06	> 0.5	Pass
6	2437	15.10	> 0.5	Pass
11	2462	15.10	> 0.5	Pass

Channel 1



Channel 6



Channel 11



Test Result of 99% Occupied Bandwidth

802.11b

Channel	Frequency (MHz)	99% Bandwidth (MHz)
1	2412	12.67
6	2437	12.87
11	2462	12.67

Channel 1



Channel 6



Channel 11



802.11g

Channel	Frequency (MHz)	99% Bandwidth (MHz)
1	2412	16.58
6	2437	16.74
11	2462	16.54

Channel 1



Channel 6



Channel 11



802.11n HT20

Channel	Frequency (MHz)	99% Bandwidth (MHz)
1	2412	17.62
6	2437	17.62
11	2462	17.74

Channel 1



Channel 6



Channel 11



Test Result of Power Spectral Density

802.11b

Channel	Frequency (MHz)	Power Density (dBm/3kHz)	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Result
1	2412	-0.66	-0.66	8.00	Pass
6	2437	-0.74	-0.74	8.00	Pass
11	2462	-1.88	-1.88	8.00	Pass

Channel 1



Channel 6



Channel 11



802.11g

Channel	Frequency (MHz)	Power Density (dBm/3kHz)	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Result
1	2412	-4.10	-4.10	8.00	Pass
6	2437	-4.08	-4.08	8.00	Pass
11	2462	-7.41	-7.41	8.00	Pass

Channel 1



Channel 6



Channel 11



802.11n HT20

Channel	Frequency (MHz)	Power Density (dBm/3kHz)	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Result
1	2412	-5.18	-5.18	8.00	Pass
6	2437	-4.41	-4.41	8.00	Pass
11	2462	-8.42	-8.42	8.00	Pass

Channel 1



Channel 6



Channel 11



Test Result of Conducted Spurious Emissions

802.11b

Channel 1



Channel 6



Channel 11



802.11g

Channel 1



Channel 6



Channel 11



802.11n HT20

Channel 1



Channel 6



Channel 11



Test Result of Conducted Bandedge

802.11b

Channel 1



Channel 11



802.11g

Channel 1



Channel 11



802.11n HT20

Channel 1	Channel 11
	

Appendix B: Test Results of Radiated Spurious Emissions & Mains Conducted Emission Test

Band Edges, 2.31GHz ~ 2.5GHz

802.11b

Low Channel (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.38	55.83	19.06	36.77	74.00	-18.17	275	338	Peak	Horizontal	
2 *	2412.00	107.41	70.54	36.87	74.00	33.41	275	338	Peak	Horizontal	
3	2497.72	54.76	17.24	37.52	74.00	-19.24	275	338	Peak	Horizontal	

Low Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.93	56.12	19.34	36.78	74.00	-17.88	314	265	Peak	Vertical	
2 *	2412.00	104.53	67.66	36.87	74.00	30.53	314	265	Peak	Vertical	
3	2495.74	54.80	17.29	37.51	74.00	-19.20	314	265	Peak	Vertical	

802.11b

Low Channel (Horizontal) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.27	47.66	10.89	36.77	54.00	-6.34	275	338	Average	Horizontal	
2 *	2412.00	104.98	68.11	36.87	54.00	50.98	275	338	Average	Horizontal	
3	2486.78	41.65	4.17	37.48	54.00	-12.35	275	338	Average	Horizontal	

Low Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.31	47.97	11.20	36.77	54.00	-6.03	314	265	Average	Vertical	
2 *	2412.00	102.15	65.28	36.87	54.00	48.15	314	265	Average	Vertical	
3	2484.84	41.53	4.05	37.48	54.00	-12.47	314	265	Average	Vertical	

802.11b

Middle Channel (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2358.56	54.64	17.71	36.93	74.00	-19.36	303	336	Peak	Horizontal	
2 *	2437.00	109.82	72.62	37.20	74.00	35.82	303	336	Peak	Horizontal	
3	2491.79	55.53	18.03	37.50	74.00	-18.47	303	336	Peak	Horizontal	

Middle Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2382.24	55.09	18.28	36.81	74.00	-18.91	278	265	Peak	Vertical	
2 *	2437.00	107.94	70.74	37.20	74.00	33.94	278	265	Peak	Vertical	
3	2495.21	54.64	17.13	37.51	74.00	-19.36	278	265	Peak	Vertical	

802.11b

Middle Channel (Horizontal) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2361.49	40.61	3.70	36.91	54.00	-13.39	303	336	Average	Horizontal	
2 *	2437.00	107.45	70.25	37.20	54.00	53.45	303	336	Average	Horizontal	
3	2494.64	41.70	4.19	37.51	54.00	-12.30	303	336	Average	Horizontal	

Middle Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2361.76	40.68	3.77	36.91	54.00	-13.32	278	265	Average	Vertical	
2 *	2437.00	105.56	68.36	37.20	54.00	51.56	278	265	Average	Vertical	
3	2484.72	41.53	4.05	37.48	54.00	-12.47	278	265	Average	Vertical	

802.11b

High Channel (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2339.07	54.10	17.25	36.85	74.00	-19.90	298	334	Peak	Horizontal	
2 *	2462.00	106.45	69.04	37.41	74.00	32.45	298	334	Peak	Horizontal	
3	2484.57	57.46	19.98	37.48	74.00	-16.54	298	334	Peak	Horizontal	

High Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2370.69	54.36	17.49	36.87	74.00	-19.64	274	264	Peak	Vertical	
2 *	2462.00	105.06	67.65	37.41	74.00	31.06	274	264	Peak	Vertical	
3	2484.69	56.33	18.85	37.48	74.00	-17.67	274	264	Peak	Vertical	

802.11b

High Channel (Horizontal) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2311.52	40.89	4.34	36.55	54.00	-13.11	298	334	Average	Horizontal	
2 *	2462.00	103.96	66.55	37.41	54.00	49.96	298	334	Average	Horizontal	
3 !	2484.80	48.28	10.80	37.48	54.00	-5.72	298	334	Average	Horizontal	

High Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2313.31	40.58	4.02	36.56	54.00	-13.42	274	264	Average	Vertical	
2 *	2462.00	102.72	65.31	37.41	54.00	48.72	274	264	Average	Vertical	
3	2484.91	44.39	6.91	37.48	54.00	-9.61	274	264	Average	Vertical	

802.11g

Low Channel (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.61	65.63	28.86	36.77	74.00	-8.37	308	338	Peak	Horizontal	
2 *	2412.00	109.64	72.77	36.87	74.00	35.64	308	338	Peak	Horizontal	
3	2487.76	55.28	17.79	37.49	74.00	-18.72	308	338	Peak	Horizontal	

Low Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.31	64.50	27.73	36.77	74.00	-9.50	349	268	Peak	Vertical	
2 *	2412.00	109.02	72.15	36.87	74.00	35.02	349	268	Peak	Vertical	
3	2497.80	55.33	17.81	37.52	74.00	-18.67	349	268	Peak	Vertical	

802.11g

Low Channel (Horizontal) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, , Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 !	2389.95	50.12	13.35	36.77	54.00	-3.88	308	338	Average	Horizontal	
2 *	2412.00	99.40	62.53	36.87	54.00	45.40	308	338	Average	Horizontal	
3	2498.37	41.65	4.13	37.52	54.00	-12.35	308	338	Average	Horizontal	

Low Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, , Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 !	2389.99	50.38	13.61	36.77	54.00	-3.62	349	268	Average	Vertical	
2 *	2412.00	97.74	60.87	36.87	54.00	43.74	349	268	Average	Vertical	
3	2494.87	41.65	4.14	37.51	54.00	-12.35	349	268	Average	Vertical	

802.11g

Middle Channel (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2363.39	54.25	17.35	36.90	74.00	-19.75	300	337	Peak	Horizontal	
2 *	2437.00	111.63	74.43	37.20	74.00	37.63	300	337	Peak	Horizontal	
3	2485.07	58.64	21.16	37.48	74.00	-15.36	300	337	Peak	Horizontal	

Middle Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2387.86	55.41	18.63	36.78	74.00	-18.59	308	264	Peak	Vertical	
2 *	2437.00	109.21	72.01	37.20	74.00	35.21	308	264	Peak	Vertical	
3	2497.49	55.86	18.35	37.51	74.00	-18.14	308	264	Peak	Vertical	

802.11g

Middle Channel (Horizontal) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2356.82	41.01	4.07	36.94	54.00	-12.99	300	337	Average	Horizontal	
2 *	2437.00	100.52	63.32	37.20	54.00	46.52	300	337	Average	Horizontal	
3	2484.23	44.25	6.77	37.48	54.00	-9.75	300	337	Average	Horizontal	

Middle Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.91	42.14	5.37	36.77	54.00	-11.86	308	264	Average	Vertical	
2 *	2437.00	98.00	60.80	37.20	54.00	44.00	308	264	Average	Vertical	
3	2489.93	41.74	4.25	37.49	54.00	-12.26	308	264	Average	Vertical	

802.11g

High Channel (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2342.22	54.84	17.96	36.88	74.00	-19.16	297	334	Peak	Horizontal	
2 *	2462.00	107.65	70.24	37.41	74.00	33.65	297	334	Peak	Horizontal	
3 !	2483.51	69.17	31.69	37.48	74.00	-4.83	297	334	Peak	Horizontal	

High Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2353.28	53.92	16.97	36.95	74.00	-20.08	274	263	Peak	Vertical	
2 *	2462.00	106.24	68.83	37.41	74.00	32.24	274	263	Peak	Vertical	
3	2483.66	63.56	26.08	37.48	74.00	-10.44	274	263	Peak	Vertical	

802.11g

High Channel (Horizontal) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, , Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2365.78	40.63	3.73	36.90	54.00	-13.37	297	334	Average	Horizontal	
2 *	2462.00	96.93	59.52	37.41	54.00	42.93	297	334	Average	Horizontal	
3 !	2483.77	50.03	12.55	37.48	54.00	-3.97	297	334	Average	Horizontal	

High Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, , Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2343.02	40.44	3.55	36.89	54.00	-13.56	274	263	Average	Vertical	
2 *	2462.00	95.38	57.97	37.41	54.00	41.38	274	263	Average	Vertical	
3	2483.51	46.02	8.54	37.48	54.00	-7.98	274	263	Average	Vertical	

802.11n HT20

Low Channel (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.95	65.60	28.83	36.77	74.00	-8.40	306	342	Peak	Horizontal	
2 *	2412.00	109.95	73.08	36.87	74.00	35.95	306	342	Peak	Horizontal	
3	2492.21	54.94	17.44	37.50	74.00	-19.06	306	342	Peak	Horizontal	

Low Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.91	66.92	30.15	36.77	74.00	-7.08	280	266	Peak	Vertical	
2 *	2412.00	107.00	70.13	36.87	74.00	33.00	280	266	Peak	Vertical	
3	2490.12	54.88	17.39	37.49	74.00	-19.12	280	266	Peak	Vertical	

802.11n HT20

Low Channel (Horizontal) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 !	2389.88	50.72	13.95	36.77	54.00	-3.28	306	342	Average	Horizontal	
2 *	2412.00	98.93	62.06	36.87	54.00	44.93	306	342	Average	Horizontal	
3	2492.67	42.15	4.64	37.51	54.00	-11.85	306	342	Average	Horizontal	

Low Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 !	2389.99	50.65	13.88	36.77	54.00	-3.35	280	266	Average	Vertical	
2 *	2412.00	96.52	59.65	36.87	54.00	42.52	280	266	Average	Vertical	
3	2493.24	41.83	4.32	37.51	54.00	-12.17	280	266	Average	Vertical	

802.11n HT20

Middle Channel (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.70	55.12	18.34	36.78	74.00	-18.88	294	304	Peak	Horizontal	
2 *	2437.00	110.60	73.40	37.20	74.00	36.60	294	304	Peak	Horizontal	
3	2484.31	56.52	19.04	37.48	74.00	-17.48	294	304	Peak	Horizontal	

Middle Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2385.54	56.51	19.71	36.80	74.00	-17.49	343	265	Peak	Vertical	
2 *	2437.00	109.06	71.86	37.20	74.00	35.06	343	265	Peak	Vertical	
3	2486.05	55.05	17.57	37.48	74.00	-18.95	343	265	Peak	Vertical	

802.11n HT 20

Middle Channel (Horizontal) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.28	41.45	4.67	36.78	54.00	-12.55	294	304	Average	Horizontal	
2 *	2437.00	100.09	62.89	37.20	54.00	46.09	294	304	Average	Horizontal	
3	2483.85	43.12	5.64	37.48	54.00	-10.88	294	304	Average	Horizontal	

Middle Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.57	42.73	5.96	36.77	54.00	-11.27	343	265	Average	Vertical	
2 *	2437.00	98.41	61.21	37.20	54.00	44.41	343	265	Average	Vertical	
3	2487.19	42.01	4.53	37.48	54.00	-11.99	343	265	Average	Vertical	

802.11n HT20

High Channel (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2325.28	54.64	17.94	36.70	74.00	-19.36	298	334	Peak	Horizontal	
2 *	2462.00	106.52	69.11	37.41	74.00	32.52	298	334	Peak	Horizontal	
3	2483.85	65.97	28.49	37.48	74.00	-8.03	298	334	Peak	Horizontal	

High Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2315.47	54.04	17.46	36.58	74.00	-19.96	293	281	Peak	Vertical	
2 *	2462.00	103.91	66.50	37.41	74.00	29.91	293	281	Peak	Vertical	
3	2484.15	60.29	22.81	37.48	74.00	-13.71	293	281	Peak	Vertical	

802.11n HT20

High Channel (Horizontal) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2352.64	41.13	4.18	36.95	54.00	-12.87	298	334	Average	Horizontal	
2 *	2462.00	96.35	58.94	37.41	54.00	42.35	298	334	Average	Horizontal	
3 !	2483.51	49.60	12.12	37.48	54.00	-4.40	298	334	Average	Horizontal	

High Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2356.85	40.89	3.95	36.94	54.00	-13.11	293	281	Average	Vertical	
2 *	2462.00	93.40	55.99	37.41	74.00	19.40	293	281	Peak	Vertical	
3	2483.51	45.80	8.32	37.48	54.00	-8.20	293	281	Average	Vertical	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
Adapter : BAH0410U

Horizontal

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao. ,Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	185.20	24.38	33.02	-8.64	43.50	-19.12	100	37	Peak	Horizontal	
2	231.76	28.89	37.14	-8.25	46.00	-17.11	100	106	Peak	Horizontal	
3	324.88	28.56	34.10	-5.54	46.00	-17.44	100	359	Peak	Horizontal	
4	611.03	29.82	29.51	0.31	46.00	-16.18	100	360	Peak	Horizontal	
5	786.60	33.94	30.77	3.17	46.00	-12.06	100	212	Peak	Horizontal	
6	845.77	35.59	31.82	3.77	46.00	-10.41	100	253	Peak	Horizontal	

Vertical

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao. ,Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	70.74	25.55	35.52	-9.97	40.00	-14.45	100	173	Peak	Vertical	
2	141.55	24.74	32.46	-7.72	43.50	-18.76	100	76	Peak	Vertical	
3	440.31	26.83	29.94	-3.11	46.00	-19.17	100	56	Peak	Vertical	
4	712.88	32.74	30.82	1.92	46.00	-13.26	100	140	Peak	Vertical	
5	845.77	34.86	31.09	3.77	46.00	-11.14	100	0	Peak	Vertical	
6	923.37	34.39	29.29	5.10	46.00	-11.61	100	270	Peak	Vertical	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
Adapter : AD-D0050500200EU01

Horizontal

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	137.67	28.84	36.96	-8.12	43.50	-14.66	100	210	Peak	Horizontal	
2	324.88	26.18	31.72	-5.54	46.00	-19.82	100	220	Peak	Horizontal	
3	460.68	27.76	30.60	-2.84	46.00	-18.24	100	19	Peak	Horizontal	
4	609.09	28.90	28.67	0.23	46.00	-17.10	100	226	Peak	Horizontal	
5	714.82	30.85	28.89	1.96	46.00	-15.15	100	10	Peak	Horizontal	
6	844.80	33.34	29.60	3.74	46.00	-12.66	100	96	Peak	Horizontal	

Vertical

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	32.91	28.23	37.10	-8.87	40.00	-11.77	100	171	Peak	Vertical	
2	129.91	27.96	37.10	-9.14	43.50	-15.54	100	200	Peak	Vertical	
3	209.45	25.32	35.21	-9.89	43.50	-18.18	100	167	Peak	Vertical	
4	579.99	29.27	29.83	-0.56	46.00	-16.73	100	97	Peak	Vertical	
5	731.31	31.98	29.52	2.46	46.00	-14.02	100	111	Peak	Vertical	
6	845.77	33.56	29.79	3.77	46.00	-12.44	100	353	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

802.11b

Low Channel (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	31.44	23.36	8.08	54.00	-22.56	100	359	Average	Horizontal	
2	4824.00	45.01	36.93	8.08	74.00	-28.99	100	359	Peak	Horizontal	

Low Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	31.13	23.05	8.08	54.00	-22.87	100	344	Average	Vertical	
2	4824.00	44.36	36.28	8.08	74.00	-29.64	100	344	Peak	Vertical	

802.11b

Middle Channel (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	31.55	23.37	8.18	54.00	-22.45	100	163	Average	Horizontal	
2	4874.00	45.01	36.83	8.18	74.00	-28.99	100	163	Peak	Horizontal	

Middle Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	31.33	23.15	8.18	54.00	-22.67	100	236	Average	Vertical	
2	4874.00	44.49	36.31	8.18	74.00	-29.51	100	236	Peak	Vertical	

802.11b

High Channel (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	31.36	23.03	8.33	54.00	-22.64	100	219	Average	Horizontal	
2	4924.00	45.50	37.17	8.33	74.00	-28.50	100	219	Peak	Horizontal	

High Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	31.17	22.84	8.33	54.00	-22.83	100	169	Average	Vertical	
2	4924.00	45.20	36.87	8.33	74.00	-28.80	100	169	Peak	Vertical	

802.11g

Low Channel (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	31.15	23.07	8.08	54.00	-22.85	200	141	Average	Horizontal	
2	4824.00	44.76	36.68	8.08	74.00	-29.24	200	141	Peak	Horizontal	

Low Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	31.00	22.92	8.08	54.00	-23.00	200	352	Average	Vertical	
2	4824.00	44.23	36.15	8.08	74.00	-29.77	200	352	Peak	Vertical	

802.11g

Middle Channel (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	31.50	23.32	8.18	54.00	-22.50	100	250	Average	Horizontal	
2	4874.00	45.02	36.84	8.18	74.00	-28.98	100	250	Peak	Horizontal	

Middle Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	31.11	22.93	8.18	54.00	-22.89	100	308	Average	Vertical	
2	4874.00	44.51	36.33	8.18	74.00	-29.49	100	308	Peak	Vertical	

802.11g

High Channel (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	31.44	23.11	8.33	54.00	-22.56	100	231	Average	Horizontal	
2	4924.00	45.56	37.23	8.33	74.00	-28.44	100	231	Peak	Horizontal	

High Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	30.97	22.64	8.33	54.00	-23.03	100	227	Average	Vertical	
2	4924.00	45.12	36.79	8.33	74.00	-28.88	100	227	Peak	Vertical	

802.11n HT20

Low Channel (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	31.35	23.27	8.08	54.00	-22.65	100	360	Average	Horizontal	
2	4824.00	45.53	37.45	8.08	74.00	-28.47	100	360	Peak	Horizontal	

Low Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	31.26	23.18	8.08	54.00	-22.74	100	225	Average	Vertical	
2	4824.00	44.44	36.36	8.08	74.00	-29.56	100	225	Peak	Vertical	

802.11n HT20

Middle Channel (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	31.66	23.48	8.18	54.00	-22.34	100	193	Average	Horizontal	
2	4874.00	45.41	37.23	8.18	74.00	-28.59	100	193	Peak	Horizontal	

Middle Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	31.60	23.42	8.18	54.00	-22.40	100	237	Average	Vertical	
2	4874.00	44.82	36.64	8.18	74.00	-29.18	100	237	Peak	Vertical	

802.11n HT20

High Channel (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	31.67	23.34	8.33	54.00	-22.33	200	233	Average	Horizontal	
2	4924.00	44.72	36.39	8.33	74.00	-29.28	200	233	Peak	Horizontal	

High Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	31.50	23.17	8.33	54.00	-22.50	200	42	Average	Vertical	
2	4924.00	44.55	36.22	8.33	74.00	-29.45	200	42	Peak	Vertical	

Mains Conducted Emission, TX 150kHz ~ 30MHz
Adapter : BAH0410U

Line

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.21	12.63	2.69	9.94	53.02	-40.39	Average	line1	
2	0.21	27.32	17.38	9.94	63.02	-35.70	QP	line1	
3	0.41	10.35	0.39	9.96	47.55	-37.20	Average	line1	
4	0.41	22.61	12.65	9.96	57.55	-34.94	QP	line1	
5	0.52	13.00	3.02	9.98	46.00	-33.00	Average	line1	
6	0.52	23.46	13.48	9.98	56.00	-32.54	QP	line1	
7	1.73	7.16	-2.90	10.06	46.00	-38.84	Average	line1	
8	1.73	10.86	0.80	10.06	56.00	-45.14	QP	line1	
9	8.05	9.25	-1.03	10.28	50.00	-40.75	Average	line1	
10	8.05	15.25	4.97	10.28	60.00	-44.75	QP	line1	
11	11.41	9.80	-0.58	10.38	50.00	-40.20	Average	line1	
12	11.41	16.10	5.72	10.38	60.00	-43.90	QP	line1	

Neutral

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.23	12.01	2.08	9.93	52.52	-40.51	Average	neutral	
2	0.23	27.12	17.19	9.93	62.52	-35.40	QP	neutral	
3	0.42	9.90	-0.04	9.94	47.47	-37.57	Average	neutral	
4	0.42	21.99	12.05	9.94	57.47	-35.48	QP	neutral	
5	0.53	11.61	1.66	9.95	46.00	-34.39	Average	neutral	
6	0.53	23.08	13.13	9.95	56.00	-32.92	QP	neutral	
7	1.71	6.84	-3.14	9.98	46.00	-39.16	Average	neutral	
8	1.71	9.93	-0.05	9.98	56.00	-46.07	QP	neutral	
9	6.49	5.38	-4.76	10.14	50.00	-44.62	Average	neutral	
10	6.49	10.61	0.47	10.14	60.00	-49.39	QP	neutral	
11	11.58	7.91	-2.40	10.31	50.00	-42.09	Average	neutral	
12	11.58	13.45	3.14	10.31	60.00	-46.55	QP	neutral	

Mains Conducted Emission, TX 150kHz ~ 30MHz
Adapter : AD-D0050500200EU01

Line

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	22.78	12.84	9.94	55.38	-32.60	Average	line1	
2	0.16	36.98	27.04	9.94	65.38	-28.40	QP	line1	
3	0.57	25.46	15.46	10.00	46.00	-20.54	Average	line1	
4	0.57	33.27	23.27	10.00	56.00	-22.73	QP	line1	
5	0.83	23.21	13.18	10.03	46.00	-22.79	Average	line1	
6	0.83	31.08	21.05	10.03	56.00	-24.92	QP	line1	
7	1.36	17.78	7.74	10.04	46.00	-28.22	Average	line1	
8	1.36	25.28	15.24	10.04	56.00	-30.72	QP	line1	
9	2.56	17.44	7.34	10.10	46.00	-28.56	Average	line1	
10	2.56	25.14	15.04	10.10	56.00	-30.86	QP	line1	
11	15.16	15.64	5.15	10.49	50.00	-34.36	Average	line1	
12	15.16	25.47	14.98	10.49	60.00	-34.53	QP	line1	

Neutral

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.38	18.85	8.91	9.94	48.22	-29.37	Average	neutral	
2	0.38	26.64	16.70	9.94	58.22	-31.58	QP	neutral	
3	0.58	20.43	10.47	9.96	46.00	-25.57	Average	neutral	
4	0.58	26.85	16.89	9.96	56.00	-29.15	QP	neutral	
5	0.84	19.39	9.42	9.97	46.00	-26.61	Average	neutral	
6	0.84	26.12	16.15	9.97	56.00	-29.88	QP	neutral	
7	1.36	13.92	3.95	9.97	46.00	-32.08	Average	neutral	
8	1.36	20.22	10.25	9.97	56.00	-35.78	QP	neutral	
9	2.58	12.35	2.35	10.00	46.00	-33.65	Average	neutral	
10	2.58	18.78	8.78	10.00	56.00	-37.22	QP	neutral	
11	14.71	11.04	0.63	10.41	50.00	-38.96	Average	neutral	
12	14.71	22.86	12.45	10.41	60.00	-37.14	QP	neutral	