





Mode	1																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.39</td><td>74.00</td><td>-32.61</td><td>65.27</td><td>32.41</td><td>10.26</td><td>67.15</td><td>0.60</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7206.00</td><td>44.09</td><td>74.00</td><td>-29.91</td><td>60.43</td><td>36.76</td><td>12.52</td><td>65.98</td><td>0.36</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	41.39	74.00	-32.61	65.27	32.41	10.26	67.15	0.60	--	PEAK	2	7206.00	44.09	74.00	-29.91	60.43	36.76	12.52	65.98	0.36	--	PEAK	 Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>42.25</td><td>74.00</td><td>-31.75</td><td>66.15</td><td>32.39</td><td>10.26</td><td>67.15</td><td>0.60</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7206.00</td><td>44.59</td><td>74.00</td><td>-29.41</td><td>60.98</td><td>36.71</td><td>12.52</td><td>65.98</td><td>0.36</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	42.25	74.00	-31.75	66.15	32.39	10.26	67.15	0.60	--	PEAK	2	7206.00	44.59	74.00	-29.41	60.98	36.71	12.52	65.98	0.36	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4804.00	41.39	74.00	-32.61	65.27	32.41	10.26	67.15	0.60	--	PEAK																																																																																																					
2	7206.00	44.09	74.00	-29.91	60.43	36.76	12.52	65.98	0.36	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4804.00	42.25	74.00	-31.75	66.15	32.39	10.26	67.15	0.60	--	PEAK																																																																																																					
2	7206.00	44.59	74.00	-29.41	60.98	36.71	12.52	65.98	0.36	--	PEAK																																																																																																					



Mode	1	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 VERTICAL







Mode	2																																																																																							
	Band Edge - L																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN_02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2369.93</td><td>57.25</td><td>74.00</td><td>-16.75</td><td>43.29</td><td>27.37</td><td>7.56</td><td>31.00</td><td>10.03</td><td>155</td><td>319 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2369.93	57.25	74.00	-16.75	43.29	27.37	7.56	31.00	10.03	155	319 PEAK	Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>101.28</td><td>-----</td><td>-----</td><td>86.87</td><td>27.67</td><td>7.67</td><td>30.96</td><td>10.03</td><td>155</td><td>319 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	101.28	-----	-----	86.87	27.67	7.67	30.96	10.03	155	319 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2369.93	57.25	74.00	-16.75	43.29	27.37	7.56	31.00	10.03	155	319 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2440.00	101.28	-----	-----	86.87	27.67	7.67	30.96	10.03	155	319 PEAK																																																																													
Avg	Site : 03CH02-CA Condition: AVG_BE_54 3m HORN_02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2370.06</td><td>50.67</td><td>54.00</td><td>-3.33</td><td>36.71</td><td>27.37</td><td>7.56</td><td>31.00</td><td>10.03</td><td>155</td><td>319 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2370.06	50.67	54.00	-3.33	36.71	27.37	7.56	31.00	10.03	155	319 AVERAGE	Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>101.11</td><td>-----</td><td>-----</td><td>86.70</td><td>27.67</td><td>7.67</td><td>30.96</td><td>10.03</td><td>155</td><td>319 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	101.11	-----	-----	86.70	27.67	7.67	30.96	10.03	155	319 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2370.06	50.67	54.00	-3.33	36.71	27.37	7.56	31.00	10.03	155	319 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2440.00	101.11	-----	-----	86.70	27.67	7.67	30.96	10.03	155	319 AVERAGE																																																																													





Mode	2																																													
	Band Edge - R																																													
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																													
ANT	1																																													
Pol.	Horizontal	Fundamental																																												
Peak	Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN 02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2494.54</td><td>55.57</td><td>74.00</td><td>-18.43</td><td>40.94</td><td>27.76</td><td>7.75</td><td>30.91</td><td>10.03</td><td>155</td><td>319</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.54	55.57	74.00	-18.43	40.94	27.76	7.75	30.91	10.03	155	319	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2494.54	55.57	74.00	-18.43	40.94	27.76	7.75	30.91	10.03	155	319	PEAK																																		
Avg	Site : 03CH02-CA Condition: AVG_BE_54 3m HORN 02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.92</td><td>48.28</td><td>54.00</td><td>-5.72</td><td>33.64</td><td>27.77</td><td>7.75</td><td>30.91</td><td>10.03</td><td>155</td><td>319</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.92	48.28	54.00	-5.72	33.64	27.77	7.75	30.91	10.03	155	319	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2495.92	48.28	54.00	-5.72	33.64	27.77	7.75	30.91	10.03	155	319	AVERAGE																																		



Mode	2																																																																																							
	Band Edge - L																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN_02140_260223 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2326.64</td><td>55.00</td><td>74.00</td><td>-19.00</td><td>41.35</td><td>27.12</td><td>7.50</td><td>31.00</td><td>10.03</td><td>300</td><td>75 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2326.64	55.00	74.00	-19.00	41.35	27.12	7.50	31.00	10.03	300	75 PEAK	 Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>96.81</td><td>-----</td><td>-----</td><td>82.43</td><td>27.64</td><td>7.67</td><td>30.96</td><td>10.03</td><td>300</td><td>75 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	96.81	-----	-----	82.43	27.64	7.67	30.96	10.03	300	75 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2326.64	55.00	74.00	-19.00	41.35	27.12	7.50	31.00	10.03	300	75 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2440.00	96.81	-----	-----	82.43	27.64	7.67	30.96	10.03	300	75 PEAK																																																																													
Avg	 Site : 03CH02-CA Condition: AVG_BE_54 3m HORN_02140_260223 VERTICAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2370.19</td><td>48.21</td><td>54.00</td><td>-5.79</td><td>34.39</td><td>27.23</td><td>7.56</td><td>31.00</td><td>10.03</td><td>300</td><td>75 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2370.19	48.21	54.00	-5.79	34.39	27.23	7.56	31.00	10.03	300	75 AVERAGE	 Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 VERTICAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>96.53</td><td>-----</td><td>-----</td><td>82.15</td><td>27.64</td><td>7.67</td><td>30.96</td><td>10.03</td><td>300</td><td>75 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	96.53	-----	-----	82.15	27.64	7.67	30.96	10.03	300	75 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2370.19	48.21	54.00	-5.79	34.39	27.23	7.56	31.00	10.03	300	75 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2440.00	96.53	-----	-----	82.15	27.64	7.67	30.96	10.03	300	75 AVERAGE																																																																													









Mode	2																																													
	Band Edge - R																																													
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																													
ANT	1																																													
Pol.	Vertical	Fundamental																																												
Peak	 Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN 02140_260223 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.14</td><td>56.36</td><td>74.00</td><td>-17.64</td><td>41.55</td><td>27.94</td><td>7.75</td><td>30.91</td><td>10.03</td><td>300</td><td>75</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.14	56.36	74.00	-17.64	41.55	27.94	7.75	30.91	10.03	300	75	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2498.14	56.36	74.00	-17.64	41.55	27.94	7.75	30.91	10.03	300	75	PEAK																																		
Avg	 Site : 03CH02-CA Condition: AVG_BE_54 3m HORN 02140_260223 VERTICAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.54</td><td>48.60</td><td>54.00</td><td>-5.40</td><td>33.04</td><td>27.91</td><td>7.74</td><td>30.92</td><td>10.03</td><td>300</td><td>75</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.54	48.60	54.00	-5.40	33.04	27.91	7.74	30.92	10.03	300	75	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2491.54	48.60	54.00	-5.40	33.04	27.91	7.74	30.92	10.03	300	75	AVERAGE																																		







Mode	2																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>42.06</td><td>74.00</td><td>-31.94</td><td>65.69</td><td>32.74</td><td>10.37</td><td>67.25</td><td>0.51</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>45.40</td><td>74.00</td><td>-28.60</td><td>62.04</td><td>36.73</td><td>12.64</td><td>66.39</td><td>0.38</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	42.06	74.00	-31.94	65.69	32.74	10.37	67.25	0.51	--	PEAK	2	7320.00	45.40	74.00	-28.60	62.04	36.73	12.64	66.39	0.38	--	PEAK	Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>42.87</td><td>74.00</td><td>-31.13</td><td>66.51</td><td>32.73</td><td>10.37</td><td>67.25</td><td>0.51</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>45.13</td><td>74.00</td><td>-28.87</td><td>61.79</td><td>36.71</td><td>12.64</td><td>66.39</td><td>0.38</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	42.87	74.00	-31.13	66.51	32.73	10.37	67.25	0.51	--	PEAK	2	7320.00	45.13	74.00	-28.87	61.79	36.71	12.64	66.39	0.38	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4880.00	42.06	74.00	-31.94	65.69	32.74	10.37	67.25	0.51	--	PEAK																																																																																																					
2	7320.00	45.40	74.00	-28.60	62.04	36.73	12.64	66.39	0.38	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4880.00	42.87	74.00	-31.13	66.51	32.73	10.37	67.25	0.51	--	PEAK																																																																																																					
2	7320.00	45.13	74.00	-28.87	61.79	36.71	12.64	66.39	0.38	--	PEAK																																																																																																					





Mode	2	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 HORIZONTAL	 Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 VERTICAL

Mode	3																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN 02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2483.58</td><td>56.97</td><td>74.00 -17.03</td><td>42.38</td><td>27.75</td><td>7.73</td><td>30.92</td><td>10.03</td><td>400</td><td>305 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2483.58	56.97	74.00 -17.03	42.38	27.75	7.73	30.92	10.03	400	305 PEAK	 Site : 03CH02-CA Condition: PEAK_74 3m HORN 02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2480.00</td><td>105.64</td><td>-----</td><td>91.06</td><td>27.75</td><td>7.73</td><td>30.93</td><td>10.03</td><td>400</td><td>305 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2480.00	105.64	-----	91.06	27.75	7.73	30.93	10.03	400	305 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 2483.58	56.97	74.00 -17.03	42.38	27.75	7.73	30.92	10.03	400	305 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 2480.00	105.64	-----	91.06	27.75	7.73	30.93	10.03	400	305 PEAK																																																																									
Avg	 Site : 03CH02-CA Condition: AVG_BE_54 3m HORN 02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2487.54</td><td>48.51</td><td>54.00 -5.49</td><td>33.90</td><td>27.76</td><td>7.74</td><td>30.92</td><td>10.03</td><td>400</td><td>305 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2487.54	48.51	54.00 -5.49	33.90	27.76	7.74	30.92	10.03	400	305 AVERAGE	 Site : 03CH02-CA Condition: AVG_54 3m HORN 02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2480.00</td><td>105.35</td><td>-----</td><td>90.77</td><td>27.75</td><td>7.73</td><td>30.93</td><td>10.03</td><td>400</td><td>305 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2480.00	105.35	-----	90.77	27.75	7.73	30.93	10.03	400	305 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 2487.54	48.51	54.00 -5.49	33.90	27.76	7.74	30.92	10.03	400	305 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 2480.00	105.35	-----	90.77	27.75	7.73	30.93	10.03	400	305 AVERAGE																																																																									

Mode	3																																																																									
	Band Edge																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																									
ANT	1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	 Level (dBuV/m) Frequency (MHz) PEAK_BE_74 Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN 02140_260223 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1 2496.86 57.25 74.00 -16.75 42.45 27.93 7.75 30.91 10.03 125 269</td><td>PEAK</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 2496.86 57.25 74.00 -16.75 42.45 27.93 7.75 30.91 10.03 125 269	PEAK								 Level (dBuV/m) Frequency (MHz) PEAK_74 Site : 03CH02-CA Condition: PEAK_74 3m HORN 02140_260223 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1 2480.00 106.87 ----- 92.19 27.85 7.73 30.93 10.03 125 269</td><td>PEAK</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 2480.00 106.87 ----- 92.19 27.85 7.73 30.93 10.03 125 269	PEAK							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 2496.86 57.25 74.00 -16.75 42.45 27.93 7.75 30.91 10.03 125 269	PEAK																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 2480.00 106.87 ----- 92.19 27.85 7.73 30.93 10.03 125 269	PEAK																																																																									
Avg	 Level (dBuV/m) Frequency (MHz) AVG_BE_54 Site : 03CH02-CA Condition: AVG_BE_54 3m HORN 02140_260223 VERTICAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1 2487.44 49.60 54.00 -4.40 34.86 27.89 7.74 30.92 10.03 125 269</td><td>AVERAGE</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 2487.44 49.60 54.00 -4.40 34.86 27.89 7.74 30.92 10.03 125 269	AVERAGE								 Level (dBuV/m) Frequency (MHz) AVG_54 Site : 03CH02-CA Condition: AVG_54 3m HORN 02140_260223 VERTICAL : RBW:1000.000kHz VBW:10.000kHz SMT:Auto <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1 2480.00 106.58 ----- 91.90 27.85 7.73 30.93 10.03 125 269</td><td>AVERAGE</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 2480.00 106.58 ----- 91.90 27.85 7.73 30.93 10.03 125 269	AVERAGE							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 2487.44 49.60 54.00 -4.40 34.86 27.89 7.74 30.92 10.03 125 269	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																										
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 2480.00 106.58 ----- 91.90 27.85 7.73 30.93 10.03 125 269	AVERAGE																																																																									







Mode	3																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.26</td><td>74.00</td><td>-32.74</td><td>64.66</td><td>33.01</td><td>10.48</td><td>67.31</td><td>0.42</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>44.93</td><td>74.00</td><td>-29.07</td><td>62.24</td><td>36.46</td><td>12.76</td><td>66.95</td><td>0.42</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.26	74.00	-32.74	64.66	33.01	10.48	67.31	0.42	--	PEAK	2	7440.00	44.93	74.00	-29.07	62.24	36.46	12.76	66.95	0.42	--	PEAK	 Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.70</td><td>74.00</td><td>-32.30</td><td>65.12</td><td>32.99</td><td>10.48</td><td>67.31</td><td>0.42</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>44.56</td><td>74.00</td><td>-29.44</td><td>61.92</td><td>36.41</td><td>12.76</td><td>66.95</td><td>0.42</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.70	74.00	-32.30	65.12	32.99	10.48	67.31	0.42	--	PEAK	2	7440.00	44.56	74.00	-29.44	61.92	36.41	12.76	66.95	0.42	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4960.00	41.26	74.00	-32.74	64.66	33.01	10.48	67.31	0.42	--	PEAK																																																																																																					
2	7440.00	44.93	74.00	-29.07	62.24	36.46	12.76	66.95	0.42	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4960.00	41.70	74.00	-32.30	65.12	32.99	10.48	67.31	0.42	--	PEAK																																																																																																					
2	7440.00	44.56	74.00	-29.44	61.92	36.41	12.76	66.95	0.42	--	PEAK																																																																																																					







Mode	3	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 HORIZONTAL	Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 VERTICAL





Mode	4																																																																																							
	Band Edge																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	 Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN_02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2378.43</td><td>56.59</td><td>74.00</td><td>-17.41</td><td>42.57</td><td>27.41</td><td>7.58</td><td>31.00</td><td>10.03</td><td>300</td><td>303 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2378.43	56.59	74.00	-17.41	42.57	27.41	7.58	31.00	10.03	300	303 PEAK	 Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>96.82</td><td>-----</td><td>-----</td><td>82.65</td><td>27.52</td><td>7.61</td><td>30.99</td><td>10.03</td><td>300</td><td>303 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	96.82	-----	-----	82.65	27.52	7.61	30.99	10.03	300	303 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2378.43	56.59	74.00	-17.41	42.57	27.41	7.58	31.00	10.03	300	303 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2402.00	96.82	-----	-----	82.65	27.52	7.61	30.99	10.03	300	303 PEAK																																																																													
Avg	 Site : 03CH02-CA Condition: AVG_BE_54 3m HORN_02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:13.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2378.34</td><td>50.88</td><td>54.00</td><td>-3.12</td><td>36.86</td><td>27.41</td><td>7.58</td><td>31.00</td><td>10.03</td><td>300</td><td>303 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2378.34	50.88	54.00	-3.12	36.86	27.41	7.58	31.00	10.03	300	303 AVERAGE	 Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:13.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>95.62</td><td>-----</td><td>-----</td><td>81.45</td><td>27.52</td><td>7.61</td><td>30.99</td><td>10.03</td><td>300</td><td>303 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	95.62	-----	-----	81.45	27.52	7.61	30.99	10.03	300	303 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2378.34	50.88	54.00	-3.12	36.86	27.41	7.58	31.00	10.03	300	303 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2402.00	95.62	-----	-----	81.45	27.52	7.61	30.99	10.03	300	303 AVERAGE																																																																													





Mode	4																																																																																							
	Band Edge																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN_02140_260223 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2344.97</td><td>57.31</td><td>74.00</td><td>-16.69</td><td>43.64</td><td>27.13</td><td>7.52</td><td>31.01</td><td>10.03</td><td>300</td><td>75 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2344.97	57.31	74.00	-16.69	43.64	27.13	7.52	31.01	10.03	300	75 PEAK	 Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>90.57</td><td>-----</td><td>-----</td><td>76.54</td><td>27.38</td><td>7.61</td><td>30.99</td><td>10.03</td><td>300</td><td>75 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	90.57	-----	-----	76.54	27.38	7.61	30.99	10.03	300	75 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2344.97	57.31	74.00	-16.69	43.64	27.13	7.52	31.01	10.03	300	75 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2402.00	90.57	-----	-----	76.54	27.38	7.61	30.99	10.03	300	75 PEAK																																																																													
Avg	 Site : 03CH02-CA Condition: AVG_BE_54 3m HORN_02140_260223 VERTICAL : RBW:1000.000kHz VBW:13.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2383.51</td><td>49.93</td><td>54.00</td><td>-4.07</td><td>36.03</td><td>27.29</td><td>7.58</td><td>31.00</td><td>10.03</td><td>300</td><td>75 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2383.51	49.93	54.00	-4.07	36.03	27.29	7.58	31.00	10.03	300	75 AVERAGE	 Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 VERTICAL : RBW:1000.000kHz VBW:13.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>89.27</td><td>-----</td><td>-----</td><td>75.24</td><td>27.38</td><td>7.61</td><td>30.99</td><td>10.03</td><td>300</td><td>75 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	89.27	-----	-----	75.24	27.38	7.61	30.99	10.03	300	75 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2383.51	49.93	54.00	-4.07	36.03	27.29	7.58	31.00	10.03	300	75 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2402.00	89.27	-----	-----	75.24	27.38	7.61	30.99	10.03	300	75 AVERAGE																																																																													



Mode	4																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.64</td><td>74.00</td><td>-32.36</td><td>65.52</td><td>32.41</td><td>10.26</td><td>67.15</td><td>0.60</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7206.00</td><td>44.59</td><td>74.00</td><td>-29.41</td><td>60.93</td><td>36.76</td><td>12.52</td><td>65.98</td><td>0.36</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	41.64	74.00	-32.36	65.52	32.41	10.26	67.15	0.60	--	PEAK	2	7206.00	44.59	74.00	-29.41	60.93	36.76	12.52	65.98	0.36	--	PEAK	 Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.02</td><td>74.00</td><td>-32.98</td><td>64.92</td><td>32.39</td><td>10.26</td><td>67.15</td><td>0.60</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7206.00</td><td>43.78</td><td>74.00</td><td>-30.22</td><td>60.17</td><td>36.71</td><td>12.52</td><td>65.98</td><td>0.36</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	41.02	74.00	-32.98	64.92	32.39	10.26	67.15	0.60	--	PEAK	2	7206.00	43.78	74.00	-30.22	60.17	36.71	12.52	65.98	0.36	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	4804.00	41.64	74.00	-32.36	65.52	32.41	10.26	67.15	0.60	--	PEAK																																																																																																					
2	7206.00	44.59	74.00	-29.41	60.93	36.76	12.52	65.98	0.36	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	4804.00	41.02	74.00	-32.98	64.92	32.39	10.26	67.15	0.60	--	PEAK																																																																																																					
2	7206.00	43.78	74.00	-30.22	60.17	36.71	12.52	65.98	0.36	--	PEAK																																																																																																					





Mode	4	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 HORIZONTAL	 Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 VERTICAL







Mode	5																																																																																							
	Band Edge - L																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN 02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.02</td><td>56.04</td><td>74.00</td><td>-17.96</td><td>42.00</td><td>27.43</td><td>7.58</td><td>31.00</td><td>10.03</td><td>300</td><td>221</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.02	56.04	74.00	-17.96	42.00	27.43	7.58	31.00	10.03	300	221	PEAK	Site : 03CH02-CA Condition: PEAK_74 3m HORN 02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>105.01</td><td>-----</td><td>-----</td><td>90.60</td><td>27.67</td><td>7.67</td><td>30.96</td><td>10.03</td><td>300</td><td>221</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	105.01	-----	-----	90.60	27.67	7.67	30.96	10.03	300	221	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2381.02	56.04	74.00	-17.96	42.00	27.43	7.58	31.00	10.03	300	221	PEAK																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2440.00	105.01	-----	-----	90.60	27.67	7.67	30.96	10.03	300	221	PEAK																																																																												
Avg	Site : 03CH02-CA Condition: AVG_BE_54 3m HORN 02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:13.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.76</td><td>51.10</td><td>54.00</td><td>-2.90</td><td>37.06</td><td>27.43</td><td>7.58</td><td>31.00</td><td>10.03</td><td>300</td><td>221</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.76	51.10	54.00	-2.90	37.06	27.43	7.58	31.00	10.03	300	221	AVERAGE	Site : 03CH02-CA Condition: AVG_54 3m HORN 02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:13.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>103.85</td><td>-----</td><td>-----</td><td>89.44</td><td>27.67</td><td>7.67</td><td>30.96</td><td>10.03</td><td>300</td><td>221</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	103.85	-----	-----	89.44	27.67	7.67	30.96	10.03	300	221	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2381.76	51.10	54.00	-2.90	37.06	27.43	7.58	31.00	10.03	300	221	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2440.00	103.85	-----	-----	89.44	27.67	7.67	30.96	10.03	300	221	AVERAGE																																																																												



Mode	5																																													
	Band Edge - R																																													
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																													
ANT	1																																													
Pol.	Horizontal	Fundamental																																												
Peak	 Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN_02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.94</td><td>57.09</td><td>74.00</td><td>-16.91</td><td>42.45</td><td>27.77</td><td>7.75</td><td>30.91</td><td>10.03</td><td>300</td><td>221</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.94	57.09	74.00	-16.91	42.45	27.77	7.75	30.91	10.03	300	221	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2496.94	57.09	74.00	-16.91	42.45	27.77	7.75	30.91	10.03	300	221	PEAK																																		
Avg	 Site : 03CH02-CA Condition: AVG_BE_54 3m HORN_02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:13.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.00</td><td>51.46</td><td>54.00</td><td>-2.54</td><td>36.82</td><td>27.77</td><td>7.75</td><td>30.91</td><td>10.03</td><td>300</td><td>221</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.00	51.46	54.00	-2.54	36.82	27.77	7.75	30.91	10.03	300	221	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2497.00	51.46	54.00	-2.54	36.82	27.77	7.75	30.91	10.03	300	221	AVERAGE																																		





Mode	5																																																																																									
	Band Edge - L																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN 02140_260223 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2381.89</td><td>57.27</td><td>74.00</td><td>-16.73</td><td>43.38</td><td>27.28</td><td>7.58</td><td>31.00</td><td>10.03</td><td>133</td><td>255</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2381.89	57.27	74.00	-16.73	43.38	27.28	7.58	31.00	10.03	133	255	PEAK	 Site : 03CH02-CA Condition: PEAK_74 3m HORN 02140_260223 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>106.86</td><td>-----</td><td>-----</td><td>92.48</td><td>27.64</td><td>7.67</td><td>30.96</td><td>10.03</td><td>133</td><td>255</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2440.00	106.86	-----	-----	92.48	27.64	7.67	30.96	10.03	133	255	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2381.89	57.27	74.00	-16.73	43.38	27.28	7.58	31.00	10.03	133	255	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2440.00	106.86	-----	-----	92.48	27.64	7.67	30.96	10.03	133	255	PEAK																																																																														
Avg	 Site : 03CH02-CA Condition: AVG_BE_54 3m HORN 02140_260223 VERTICAL : RBW:1000.000kHz VBW:13.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2381.76</td><td>51.56</td><td>54.00</td><td>-2.44</td><td>37.67</td><td>27.28</td><td>7.58</td><td>31.00</td><td>10.03</td><td>133</td><td>255</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2381.76	51.56	54.00	-2.44	37.67	27.28	7.58	31.00	10.03	133	255	AVERAGE	 Site : 03CH02-CA Condition: AVG_54 3m HORN 02140_260223 VERTICAL : RBW:1000.000kHz VBW:13.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>105.66</td><td>-----</td><td>-----</td><td>91.28</td><td>27.64</td><td>7.67</td><td>30.96</td><td>10.03</td><td>133</td><td>255</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2440.00	105.66	-----	-----	91.28	27.64	7.67	30.96	10.03	133	255	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2381.76	51.56	54.00	-2.44	37.67	27.28	7.58	31.00	10.03	133	255	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2440.00	105.66	-----	-----	91.28	27.64	7.67	30.96	10.03	133	255	AVERAGE																																																																														





FCC RADIO TEST REPORT



Report No. : FR260317002A

Mode	5																																																							
	Band Edge - R																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	 Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN 02140_260223 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.20</td><td>57.11</td><td>74.00</td><td>-16.89</td><td>42.39</td><td>27.88</td><td>7.73</td><td>30.92</td><td>10.03</td><td>133</td><td>255</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.20	57.11	74.00	-16.89	42.39	27.88	7.73	30.92	10.03	133	255	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2486.20	57.11	74.00	-16.89	42.39	27.88	7.73	30.92	10.03	133	255	PEAK																																												
Avg	 Site : 03CH02-CA Condition: AVG_BE_54 3m HORN 02140_260223 VERTICAL : RBW:1000.000kHz VBW:13.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.06</td><td>51.63</td><td>54.00</td><td>-2.37</td><td>36.82</td><td>27.94</td><td>7.75</td><td>30.91</td><td>10.03</td><td>133</td><td>255</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.06	51.63	54.00	-2.37	36.82	27.94	7.75	30.91	10.03	133	255	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2497.06	51.63	54.00	-2.37	36.82	27.94	7.75	30.91	10.03	133	255	AVERAGE																																												







Mode	5																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>41.44</td><td>74.00</td><td>-32.56</td><td>65.07</td><td>32.74</td><td>10.37</td><td>67.25</td><td>0.51</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>44.51</td><td>74.00</td><td>-29.49</td><td>61.15</td><td>36.73</td><td>12.64</td><td>66.39</td><td>0.38</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	41.44	74.00	-32.56	65.07	32.74	10.37	67.25	0.51	--	PEAK	2	7320.00	44.51	74.00	-29.49	61.15	36.73	12.64	66.39	0.38	--	PEAK	 Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>42.00</td><td>74.00</td><td>-32.00</td><td>65.64</td><td>32.73</td><td>10.37</td><td>67.25</td><td>0.51</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>44.53</td><td>74.00</td><td>-29.47</td><td>61.19</td><td>36.71</td><td>12.64</td><td>66.39</td><td>0.38</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	42.00	74.00	-32.00	65.64	32.73	10.37	67.25	0.51	--	PEAK	2	7320.00	44.53	74.00	-29.47	61.19	36.71	12.64	66.39	0.38	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4880.00	41.44	74.00	-32.56	65.07	32.74	10.37	67.25	0.51	--	PEAK																																																																																																					
2	7320.00	44.51	74.00	-29.49	61.15	36.73	12.64	66.39	0.38	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4880.00	42.00	74.00	-32.00	65.64	32.73	10.37	67.25	0.51	--	PEAK																																																																																																					
2	7320.00	44.53	74.00	-29.47	61.19	36.71	12.64	66.39	0.38	--	PEAK																																																																																																					







Mode	5	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 HORIZONTAL	 Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 VERTICAL



Mode	6																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN 02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH02-CA Condition: PEAK_74 3m HORN 02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.00</td><td>57.23</td><td>74.00</td><td>-16.77</td><td>42.64</td><td>27.75</td><td>7.73</td><td>30.92</td><td>10.03</td><td>352</td><td>319</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.00	57.23	74.00	-16.77	42.64	27.75	7.73	30.92	10.03	352	319	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.00</td><td>107.19</td><td>-----</td><td>-----</td><td>92.61</td><td>27.75</td><td>7.73</td><td>30.93</td><td>10.03</td><td>352</td><td>319</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.00	107.19	-----	-----	92.61	27.75	7.73	30.93	10.03	352	319
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2486.00	57.23	74.00	-16.77	42.64	27.75	7.73	30.92	10.03	352	319	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2486.00	107.19	-----	-----	92.61	27.75	7.73	30.93	10.03	352	319	PEAK																																																																																						
Avg																																																																																																		
	Site : 03CH02-CA Condition: AVG_BE_54 3m HORN 02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:13.000kHz SMT:Auto						Site : 03CH02-CA Condition: AVG_54 3m HORN 02140_260223 HORIZONTAL : RBW:1000.000kHz VBW:13.000kHz SMT:Auto																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.46</td><td>51.01</td><td>54.00</td><td>-2.99</td><td>36.42</td><td>27.75</td><td>7.73</td><td>30.92</td><td>10.03</td><td>352</td><td>319</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.46	51.01	54.00	-2.99	36.42	27.75	7.73	30.92	10.03	352	319	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.00</td><td>105.95</td><td>-----</td><td>-----</td><td>91.37</td><td>27.75</td><td>7.73</td><td>30.93</td><td>10.03</td><td>352</td><td>319</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.00	105.95	-----	-----	91.37	27.75	7.73	30.93	10.03	352	319
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2485.46	51.01	54.00	-2.99	36.42	27.75	7.73	30.92	10.03	352	319	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2486.00	105.95	-----	-----	91.37	27.75	7.73	30.93	10.03	352	319	AVERAGE																																																																																						





Mode	6																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 Level (dBuV/m) Frequency (MHz) PEAK_BE_74 Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN 02140_260223 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.40</td><td>57.99</td><td>74.00</td><td>-16.01</td><td>43.27</td><td>27.88</td><td>7.73</td><td>30.92</td><td>10.03</td><td>148</td><td>258</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.40	57.99	74.00	-16.01	43.27	27.88	7.73	30.92	10.03	148	258	PEAK	 Level (dBuV/m) Frequency (MHz) PEAK_74 Site : 03CH02-CA Condition: PEAK_74 3m HORN 02140_260223 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>107.73</td><td>-----</td><td>-----</td><td>93.05</td><td>27.85</td><td>7.73</td><td>30.93</td><td>10.03</td><td>148</td><td>258</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	107.73	-----	-----	93.05	27.85	7.73	30.93	10.03	148	258	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2485.40	57.99	74.00	-16.01	43.27	27.88	7.73	30.92	10.03	148	258	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2480.00	107.73	-----	-----	93.05	27.85	7.73	30.93	10.03	148	258	PEAK																																																																														
Avg	 Level (dBuV/m) Frequency (MHz) AVG_BE_54 Site : 03CH02-CA Condition: AVG_BE_54 3m HORN 02140_260223 VERTICAL : RBW:1000.000kHz VBW:13.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.48</td><td>51.05</td><td>54.00</td><td>-2.95</td><td>36.33</td><td>27.88</td><td>7.73</td><td>30.92</td><td>10.03</td><td>148</td><td>258</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.48	51.05	54.00	-2.95	36.33	27.88	7.73	30.92	10.03	148	258	AVERAGE	 Level (dBuV/m) Frequency (MHz) AVG_54 Site : 03CH02-CA Condition: AVG_54 3m HORN 02140_260223 VERTICAL : RBW:1000.000kHz VBW:13.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>106.52</td><td>-----</td><td>-----</td><td>91.84</td><td>27.85</td><td>7.73</td><td>30.93</td><td>10.03</td><td>148</td><td>258</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.52	-----	-----	91.84	27.85	7.73	30.93	10.03	148	258	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2485.48	51.05	54.00	-2.95	36.33	27.88	7.73	30.92	10.03	148	258	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2480.00	106.52	-----	-----	91.84	27.85	7.73	30.93	10.03	148	258	AVERAGE																																																																														





Mode	6																																																																																																																															
	Harmonic																																																																																																																															
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																														
Peak Avg	Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 HORIZONTAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.91</td><td>74.00</td><td>-32.09</td><td>65.31</td><td>33.01</td><td>10.48</td><td>67.31</td><td>0.42</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>63.36</td><td>36.46</td><td>12.76</td><td>66.95</td><td>0.42</td><td>--</td><td>--</td><td>PEAK</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss	Factor	Factor	Factor			MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.91	74.00	-32.09	65.31	33.01	10.48	67.31	0.42	--	--	PEAK	2	7440.00	46.05	74.00	-27.95	63.36	36.46	12.76	66.95	0.42	--	--	PEAK	Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_260223 VERTICAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.79</td><td>74.00</td><td>-32.21</td><td>65.21</td><td>32.99</td><td>10.48</td><td>67.31</td><td>0.42</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>44.65</td><td>74.00</td><td>-29.35</td><td>62.01</td><td>36.41</td><td>12.76</td><td>66.95</td><td>0.42</td><td>--</td><td>--</td><td>PEAK</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss	Factor	Factor	Factor			MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.79	74.00	-32.21	65.21	32.99	10.48	67.31	0.42	--	--	PEAK	2	7440.00	44.65	74.00	-29.35	62.01	36.41	12.76	66.95	0.42	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq		Level	Line Margin	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																							
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	4960.00	41.91	74.00	-32.09	65.31	33.01	10.48	67.31	0.42	--	--	PEAK																																																																																																																				
2	7440.00	46.05	74.00	-27.95	63.36	36.46	12.76	66.95	0.42	--	--	PEAK																																																																																																																				
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq		Level	Line Margin	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																							
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	4960.00	41.79	74.00	-32.21	65.21	32.99	10.48	67.31	0.42	--	--	PEAK																																																																																																																				
2	7440.00	44.65	74.00	-29.35	62.01	36.41	12.76	66.95	0.42	--	--	PEAK																																																																																																																				



Mode	6	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 HORIZONTAL	 Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_260223 VERTICAL



Mode	7																																																																																																																																																																																																																								
	LF																																																																																																																																																																																																																								
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																																																																																																																																								
ANT	1																																																																																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																																																																																		
QP/ Peak																																																																																																																																																																																																																									
	Site : 03CH02-CA Condition: QP 3m BILOG_50392_250825 HORIZONTAL						Site : 03CH02-CA Condition: QP 3m BILOG_50392_250825 VERTICAL																																																																																																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>33.88</td><td>21.07</td><td>40.00</td><td>-18.93</td><td>29.72</td><td>22.78</td><td>0.92</td><td>32.42</td><td>0.07</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>120.21</td><td>24.51</td><td>43.50</td><td>-18.99</td><td>37.59</td><td>17.54</td><td>1.66</td><td>32.39</td><td>0.11</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>271.53</td><td>22.85</td><td>46.00</td><td>-23.15</td><td>33.55</td><td>19.00</td><td>2.49</td><td>32.37</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>437.40</td><td>25.44</td><td>46.00</td><td>-20.56</td><td>31.73</td><td>22.72</td><td>3.14</td><td>32.42</td><td>0.27</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>746.83</td><td>31.14</td><td>46.00</td><td>-14.86</td><td>30.87</td><td>28.10</td><td>4.09</td><td>32.30</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>947.62</td><td>31.11</td><td>46.00</td><td>-14.89</td><td>26.88</td><td>30.32</td><td>4.66</td><td>31.18</td><td>0.43</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	33.88	21.07	40.00	-18.93	29.72	22.78	0.92	32.42	0.07	--	Peak	2	120.21	24.51	43.50	-18.99	37.59	17.54	1.66	32.39	0.11	--	Peak	3	271.53	22.85	46.00	-23.15	33.55	19.00	2.49	32.37	0.18	--	Peak	4	437.40	25.44	46.00	-20.56	31.73	22.72	3.14	32.42	0.27	--	Peak	5	746.83	31.14	46.00	-14.86	30.87	28.10	4.09	32.30	0.38	--	Peak	6	947.62	31.11	46.00	-14.89	26.88	30.32	4.66	31.18	0.43	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>33.88</td><td>33.67</td><td>40.00</td><td>-6.33</td><td>42.32</td><td>22.78</td><td>0.92</td><td>32.42</td><td>0.07</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>125.06</td><td>31.70</td><td>43.50</td><td>-11.80</td><td>44.63</td><td>17.67</td><td>1.69</td><td>32.40</td><td>0.11</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>264.74</td><td>23.65</td><td>46.00</td><td>-22.35</td><td>33.28</td><td>20.11</td><td>2.46</td><td>32.38</td><td>0.18</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>470.38</td><td>29.37</td><td>46.00</td><td>-16.63</td><td>34.88</td><td>23.47</td><td>3.25</td><td>32.47</td><td>0.24</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>748.77</td><td>30.61</td><td>46.00</td><td>-15.39</td><td>30.30</td><td>28.11</td><td>4.10</td><td>32.29</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>958.29</td><td>32.74</td><td>46.00</td><td>-13.26</td><td>28.08</td><td>30.63</td><td>4.68</td><td>31.09</td><td>0.44</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	33.88	33.67	40.00	-6.33	42.32	22.78	0.92	32.42	0.07	--	Peak	2	125.06	31.70	43.50	-11.80	44.63	17.67	1.69	32.40	0.11	--	Peak	3	264.74	23.65	46.00	-22.35	33.28	20.11	2.46	32.38	0.18	--	Peak	4	470.38	29.37	46.00	-16.63	34.88	23.47	3.25	32.47	0.24	--	Peak	5	748.77	30.61	46.00	-15.39	30.30	28.11	4.10	32.29	0.39	--	Peak	6	958.29	32.74	46.00	-13.26	28.08	30.63	4.68	31.09	0.44	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																															
1	33.88	21.07	40.00	-18.93	29.72	22.78	0.92	32.42	0.07	--	Peak																																																																																																																																																																																																														
2	120.21	24.51	43.50	-18.99	37.59	17.54	1.66	32.39	0.11	--	Peak																																																																																																																																																																																																														
3	271.53	22.85	46.00	-23.15	33.55	19.00	2.49	32.37	0.18	--	Peak																																																																																																																																																																																																														
4	437.40	25.44	46.00	-20.56	31.73	22.72	3.14	32.42	0.27	--	Peak																																																																																																																																																																																																														
5	746.83	31.14	46.00	-14.86	30.87	28.10	4.09	32.30	0.38	--	Peak																																																																																																																																																																																																														
6	947.62	31.11	46.00	-14.89	26.88	30.32	4.66	31.18	0.43	--	Peak																																																																																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																															
1	33.88	33.67	40.00	-6.33	42.32	22.78	0.92	32.42	0.07	--	Peak																																																																																																																																																																																																														
2	125.06	31.70	43.50	-11.80	44.63	17.67	1.69	32.40	0.11	--	Peak																																																																																																																																																																																																														
3	264.74	23.65	46.00	-22.35	33.28	20.11	2.46	32.38	0.18	--	Peak																																																																																																																																																																																																														
4	470.38	29.37	46.00	-16.63	34.88	23.47	3.25	32.47	0.24	--	Peak																																																																																																																																																																																																														
5	748.77	30.61	46.00	-15.39	30.30	28.11	4.10	32.29	0.39	--	Peak																																																																																																																																																																																																														
6	958.29	32.74	46.00	-13.26	28.08	30.63	4.68	31.09	0.44	--	Peak																																																																																																																																																																																																														



Mode	8																																																																																							
	SHF																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak	Site : 03CH02-CA Condition: PEAK_74 1m SHF_HORN_00841_250808 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>24853.00</td><td>40.50</td><td>74.00</td><td>-33.50</td><td>37.37</td><td>39.01</td><td>24.88</td><td>51.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	24853.00	40.50	74.00	-33.50	37.37	39.01	24.88	51.22	-9.54	--	Peak	Site : 03CH02-CA Condition: PEAK_74 1m SHF_HORN_00841_250808 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>24769.00</td><td>41.54</td><td>74.00</td><td>-32.46</td><td>38.41</td><td>39.12</td><td>24.72</td><td>51.17</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	24769.00	41.54	74.00	-32.46	38.41	39.12	24.72	51.17	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	24853.00	40.50	74.00	-33.50	37.37	39.01	24.88	51.22	-9.54	--	Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	24769.00	41.54	74.00	-32.46	38.41	39.12	24.72	51.17	-9.54	--	Peak																																																																													

Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
1	Bluetooth - LE for 1Mbps	21.15	132	7.58	10kHz
1	Bluetooth - LE for 2Mbps	12.46	78	12.82	13kHz

