

Appendix Test Data

Project No.:	18220WC10116701	Test Date:	Jun. 03 ~ Jul. 05, 2021
Test Engineer:	<i>Tony He</i>	Auditor:	<i>Edward Pan</i>
Temperature:	24.2°C	Relative Humidity:	57 %
Pressure:	1012 hPa		

1. Bandwidth


1.1 OBW

1.1.1 Test Result


ENV	Mode	TX Type	Frequency (MHz)	Packet Type	Ant	99% Occupied Bandwidth (MHz)	Limit	Verdict
NTNV	GFSK	SISO	2402	DH5	1	0.88	/	Pass
			2441	DH5	1	0.88	/	Pass
			2480	DH5	1	0.88	/	Pass
	$\pi/4$ -DQPSK	SISO	2402	2DH5	1	1.15	/	Pass
			2441	2DH5	1	1.15	/	Pass
			2480	2DH5	1	1.15	/	Pass
	8DPSK	SISO	2402	3DH5	1	1.16	/	Pass
			2441	3DH5	1	1.15	/	Pass
			2480	3DH5	1	1.16	/	Pass

1.1.2 Test Graph



GFSK_DH5_LCH_2402MHz_Ant1_NTNV



GFSK_DH5_MCH_2441MHz_Ant1_NTNV



GFSK_DH5_HCH_2480MHz_Ant1_NTNV

 π /4-DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV**Shenzhen Anbotech Compliance Laboratory Limited**


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com




Hotline
400-003-0500
www.anbotech.com

π /4-DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV



π /4-DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com


Hotline
400-003-0500
www.anbotech.com

8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV





Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com



Hotline

400-003-0500

www.anbotech.com


1.2 20dB BW

1.2.1 Test Result


ENV	Mode	TX Type	Frequency (MHz)	Packet Type	Ant	20dB Bandwidth (MHz)	Limit	Verdict
NTNV	GFSK	SISO	2402	DH5	1	0.97	/	Pass
			2441	DH5	1	0.96	/	Pass
			2480	DH5	1	0.96	/	Pass
	π /4-DQPSK	SISO	2402	2DH5	1	1.26	/	Pass
			2441	2DH5	1	1.26	/	Pass
			2480	2DH5	1	1.26	/	Pass
	8DPSK	SISO	2402	3DH5	1	1.28	/	Pass
			2441	3DH5	1	1.28	/	Pass
			2480	3DH5	1	1.28	/	Pass

1.2.2 Test Graph


GFSK_DH5_LCH_2402MHz_Ant1_NTNV




GFSK_DH5_MCH_2441MHz_Ant1_NTNV





GFSK_DH5_HCH_2480MHz_Ant1_NTNV



$\pi/4$ -DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV



π /4-DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV π /4-DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV**Shenzhen Anbotech Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com




Hotline


400-003-0500


www.anbotech.com

8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV





Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com

2. Maximum Conducted Output Power


2.1 Power

2.1.1 Test Result

ENV	Mode	TX Type	Frequency (MHz)	Packet Type	Measured Peak Output Power (dBm)		Verdict
					Ant1	Limit	
NTNV	GFSK	SISO	2402	DH5	2.75	<=30	Pass
			2441	DH5	3.23	<=30	Pass
			2480	DH5	2.89	<=30	Pass
	π /4-DQPSK	SISO	2402	2DH5	2.78	<=20.97	Pass
			2441	2DH5	3.29	<=20.97	Pass
			2480	2DH5	2.94	<=20.97	Pass
	8DPSK	SISO	2402	3DH5	2.72	<=20.97	Pass
			2441	3DH5	3.19	<=20.97	Pass
			2480	3DH5	2.95	<=20.97	Pass

Note1: Antenna Gain: Ant1: -1.32dBi;

2.1.2 Test Graph




Shenzhen Anbotech Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

GFSK_DH5_HCH_2480MHz_Ant1_NTNV



$\pi/4$ -DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV



π /4-DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV π /4-DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV**Shenzhen Anbotek Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com




Hotline


400-003-0500

www.anbotek.com

8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV

**Shenzhen Anbotek Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com



Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

2.2 EIRP

2.2.1 Test Result

ENV	Mode	TX Type	Frequency (MHz)	Packet Type	E.I.R.P (dBm)		Verdict
					Ant1	Limit	
NTNV	GFSK	SISO	2402	DH5	1.43	<=36.02	Pass
			2441	DH5	1.91	<=36.02	Pass
			2480	DH5	1.57	<=36.02	Pass
	$\pi/4$ -DQPSK	SISO	2402	2DH5	1.46	<=36.02	Pass
			2441	2DH5	1.97	<=36.02	Pass
			2480	2DH5	1.62	<=36.02	Pass
	8DPSK	SISO	2402	3DH5	1.4	<=36.02	Pass
			2441	3DH5	1.87	<=36.02	Pass
			2480	3DH5	1.63	<=36.02	Pass

Note1: Antenna Gain: Ant1: -1.32dBi;
Note2: E.I.R.P = Measured Power + Antenna Gain


3. Carrier Frequency Separation


3.1 Ant1

3.1.1 Test Result

Ant1								
ENV	Mode	TX Type	Frequency (MHz)	Packet Type	Channel Separation (MHz)	20dB Bandwidth (MHz)	Limit (MHz)	Verdict
NTNV	GFSK	SISO	HOPP	DH5	1.01	0.97	>=0.966	Pass
	$\pi/4$ -DQPSK	SISO	HOPP	2DH5	1.00	1.26	>=0.841	Pass
	8DPSK	SISO	HOPP	3DH5	0.99	1.28	>=0.853	Pass

3.1.2 Test Graph





Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com



Hotline
400-003-0500
www.anbotech.com


4. Number of Hopping Frequencies

4.1 HopNum

4.1.1 Test Result

ENV	Mode	TX Type	Frequency (MHz)	Packet Type	Num of Hopping Frequencies		Verdict
					Ant1	Limit	
NTNV	GFSK	SISO	HOPP	DH5	79	≥ 15	Pass
	$\pi/4$ -DQPSK	SISO	HOPP	2DH5	79	≥ 15	Pass
	8DPSK	SISO	HOPP	3DH5	79	≥ 15	Pass

4.1.2 Test Graph



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com




Hotline

400-003-0500

www.anbotek.com

8DPSK_3DH5_HOPP_Ant1_NTNV

**Shenzhen Anbotech Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com



Hotline

400-003-0500

www.anbotech.com


5. Time of Occupancy (Dwell Time)

5.1 Ant1

5.1.1 Test Result

Ant1										
ENV	Mode	TX Type	Frequency (MHz)	Packet Type	Duration of Single Pulse (ms)	Observation Period (s)	Num of Pulse in Observation Period	Dwell Time (ms)	Limit (ms)	Verdict
NTNV	GFSK	SISO	HOPP	DH1	0.396	31.60	319	126.32	<=400	Pass
				DH3	1.675	31.60	159	266.33	<=400	Pass
				DH5	2.936	31.60	106	311.22	<=400	Pass
	$\pi/4$ -DQPSK	SISO	HOPP	2DH1	0.406	31.60	319	129.51	<=400	Pass
				2DH3	1.655	31.60	159	263.15	<=400	Pass
				2DH5	2.928	31.60	106	310.37	<=400	Pass
	8DPSK	SISO	HOPP	3DH1	0.402	31.60	319	128.24	<=400	Pass
				3DH3	1.660	31.60	159	263.94	<=400	Pass
				3DH5	2.928	31.60	106	310.37	<=400	Pass


5.1.2 Test Graph



GFSK DH3_HOPP_Ant1_NTNV




GFSK DH3_HOPP_Ant1_NTNV



GFSK DH5_HOPP_Ant1_NTNV




GFSK_DH5_HOPP_Ant1_NTNV



π /4-DQPSK_2DH1_HOPP_Ant1_NTNV




π /4-DQPSK_2DH1_HOPP_Ant1_NTNV



π /4-DQPSK_2DH3_HOPP_Ant1_NTNV




π /4-DQPSK_2DH3_HOPP_Ant1_NTNV



π /4-DQPSK_2DH5_HOPP_Ant1_NTNV




π /4-DQPSK_2DH5_HOPP_Ant1_NTNV



8DPSK 3DH1_HOPP_Ant1_NTNV




8DPSK 3DH1_HOPP_Ant1_NTNV



8DPSK 3DH3_HOPP_Ant1_NTNV




8DPSK 3DH3_HOPP_Ant1_NTNV



8DPSK 3DH5_HOPP_Ant1_NTNV



8DPSK 3DH5_HOPP_Ant1_NTNV



6. Unwanted Emissions In Non-restricted Frequency Bands


6.1 Ref

6.1.1 Test Result


ENV	Mode	TX Type	Frequency (MHz)	Packet Type	Ant	Level of Reference (dBm)
NTNV	GFSK	SISO	2402	DH5	1	2.60
			2441	DH5	1	3.10
			2480	DH5	1	2.74
	$\pi/4$ -DQPSK	SISO	2402	2DH5	1	2.60
			2441	2DH5	1	3.09
			2480	2DH5	1	2.73
	8DPSK	SISO	2402	3DH5	1	2.47
			2441	3DH5	1	2.94
			2480	3DH5	1	2.68
Note1: Refer to RSS-247 Issue 2 section 5.5 and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.						

6.1.2 Test Graph



GFSK_DH5_LCH_2402MHz_Ant1_NTNV



GFSK_DH5_MCH_2441MHz_Ant1_NTNV



GFSK_DH5_HCH_2480MHz_Ant1_NTNV

 π /4-DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV**Shenzhen Anbotech Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.



Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com



Hotline

400-003-0500

www.anbotech.com

π /4-DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV π /4-DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV**Shenzhen Anbotech Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com




Hotline


400-003-0500


www.anbotech.com

8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV





Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com



Hotline

400-003-0500

www.anbotech.com


6.2 CSE

6.2.1 Test Result

ENV	Mode	TX Type	Frequency (MHz)	Packet Type	Ant	Level of Reference (dBm)	Limit (dBm)	Verdict
NTNV	GFSK	SISO	2402	DH5	1	3.10	-16.90	Pass
			2441	DH5	1	3.10	-16.90	Pass
			2480	DH5	1	3.10	-16.90	Pass
			HOPP	DH5	1	3.10	-16.90	Pass
	π /4-DQPSK	SISO	2402	2DH5	1	3.09	-16.91	Pass
			2441	2DH5	1	3.09	-16.91	Pass
			2480	2DH5	1	3.09	-16.91	Pass
			HOPP	2DH5	1	3.09	-16.91	Pass
	8DPSK	SISO	2402	3DH5	1	2.94	-17.06	Pass
			2441	3DH5	1	2.94	-17.06	Pass
			2480	3DH5	1	2.94	-17.06	Pass
			HOPP	3DH5	1	2.94	-17.06	Pass

Note1: Refer to RSS-247 Issue 2 section 5.5 and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.

6.2.2 Test Graph



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com




Hotline


400-003-0500

www.anbotek.com


GFSK_DH5_MCH_2441MHz_Ant1_NTNV




GFSK_DH5_HCH_2480MHz_Ant1_NTNV



GFSK_DH5_HCH_2480MHz_Ant1_NTNV



GFSK_DH5_HOPP_Ant1_NTNV




Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

GFSK_DH5_HOPP_Ant1_NTNV



π /4-DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV



π /4-DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV π /4-DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV**Shenzhen Anbotech Compliance Laboratory Limited**


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com




Hotline
400-003-0500
www.anbotech.com

π /4-DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



π /4-DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV





Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com

π /4-DQPSK_2DH5_HOPP_Ant1_NTNV π /4-DQPSK_2DH5_HOPP_Ant1_NTNV**Shenzhen Anbotek Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com




Hotline


400-003-0500

www.anbotek.com

8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV




Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com

8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV




Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com

8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV



8DPSK_3DH5_HOPP_Ant1_NTNV




Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com



Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

7. Frequency Error

7.1 Ant1

7.1.1 Test Result

Ant1									
ENV	Mode	Tx Type	Frequency (MHz)	Packet Type	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit	Verdict
NTNV	GFSK	SISO	2402	DH5	20	102	2401.945	2401.6 to 2402.4	Pass
						120	2401.945	2401.6 to 2402.4	Pass
						138	2401.945	2401.6 to 2402.4	Pass
					-20	120	2401.945	2401.6 to 2402.4	Pass
					50	120	2401.945	2401.6 to 2402.4	Pass
			2441	DH5	20	102	2440.942	2440.6 to 2441.4	Pass
						120	2440.946	2440.6 to 2441.4	Pass
						138	2440.943	2440.6 to 2441.4	Pass
					-20	120	2440.945	2440.6 to 2441.4	Pass
					50	120	2440.945	2440.6 to 2441.4	Pass
			2480	DH5	20	102	2479.945	2479.6 to 2480.4	Pass
						120	2479.945	2479.6 to 2480.4	Pass
						138	2479.943	2479.6 to 2480.4	Pass
					-20	120	2479.944	2479.6 to 2480.4	Pass
					50	120	2479.945	2479.6 to 2480.4	Pass
	$\pi/4$ -DQPSK	SISO	2402	2DH5	20	102	2401.942	2401.52 to 2402.48	Pass
						120	2401.948	2401.52 to 2402.48	Pass
						138	2401.945	2401.52 to 2402.48	Pass
					-20	120	2401.945	2401.52 to 2402.48	Pass
					50	120	2401.946	2401.52 to 2402.48	Pass
			2441	2DH5	20	102	2440.947	2440.52 to 2441.48	Pass
						120	2440.944	2440.52 to 2441.48	Pass
						138	2440.946	2440.52 to 2441.48	Pass
					-20	120	2440.940	2440.52 to 2441.48	Pass
					50	120	2440.946	2440.52 to 2441.48	Pass
			2480	2DH5	20	102	2479.943	2479.52 to 2480.48	Pass
						120	2479.944	2479.52 to 2480.48	Pass
						138	2479.944	2479.52 to 2480.48	Pass
					-20	120	2479.946	2479.52 to 2480.48	Pass
					50	120	2479.940	2479.52 to 2480.48	Pass
	8DPSK	SISO	2402	3DH5	20	102	2401.947	2401.52 to 2402.48	Pass
						120	2401.946	2401.52 to 2402.48	Pass
						138	2401.946	2401.52 to 2402.48	Pass
					-20	120	2401.939	2401.52 to 2402.48	Pass
					50	120	2401.946	2401.52 to 2402.48	Pass
			2441	3DH5	20	102	2440.943	2440.52 to 2441.48	Pass
						120	2440.930	2440.52 to 2441.48	Pass
						138	2440.941	2440.52 to 2441.48	Pass
					-20	120	2440.946	2440.52 to 2441.48	Pass
					50	120	2440.944	2440.52 to 2441.48	Pass
			2480	3DH5	20	102	2479.947	2479.52 to 2480.48	Pass
						120	2479.941	2479.52 to 2480.48	Pass
						138	2479.944	2479.52 to 2480.48	Pass
					-20	120	2479.940	2479.52 to 2480.48	Pass
					50	120	2479.946	2479.52 to 2480.48	Pass

---End---

Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com