Transmitter Radiated Power (EIRP/ERP)

LTE Mode Test Data

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
1.4	LCH	QPSK	1	Low	22.3	2	24.30	0.269	2.000	Pass
			1	Mid	22.33	2	24.33	0.271	2.000	Pass
			1	High	22.37	2	24.37	0.274	2.000	Pass
			3	Low	22.34	2	24.34	0.272	2.000	Pass
			3	Mid	22.37	2	24.37	0.274	2.000	Pass
			3	High	22.28	2	24.28	0.268	2.000	Pass
			6	Low	21.4	2	23.40	0.219	2.000	Pass
		Q16	1	Low	21.58	2	23.58	0.228	2.000	Pass
			1	Mid	21.6	2	23.60	0.229	2.000	Pass
			1	High	21.77	2	23.77	0.238	2.000	Pass
			3	Low	21.53	2	23.53	0.225	2.000	Pass
			3	Mid	21.58	2	23.58	0.228	2.000	Pass
			3	High	21.5	2	23.50	0.224	2.000	Pass
			6	Low	20.54	2	22.54	0.179	2.000	Pass
		Q64	1	Low	20.77	2	22.77	0.189	2.000	Pass
			1	Mid	20.69	2	22.69	0.186	2.000	Pass
			1	High	20.79	2	22.79	0.190	2.000	Pass
			3	Low	20.49	2	22.49	0.177	2.000	Pass
			3	Mid	20.56	2	22.56	0.180	2.000	Pass
			3	High	20.66	2	22.66	0.185	2.000	Pass
			6	Low	19.53	2	21.53	0.142	2.000	Pass
		Q256	1	Low	17.65	2	19.65	0.092	2.000	Pass
			1	Mid	17.63	2	19.63	0.092	2.000	Pass
			1	High	17.58	2	19.58	0.091	2.000	Pass
			3	Low	17.46	2	19.46	0.088	2.000	Pass
			3	Mid	17.53	2	19.53	0.090	2.000	Pass
			3	High	17.55	2	19.55	0.090	2.000	Pass
			6	Low	17.42	2	19.42	0.087	2.000	Pass
	MCH	QPSK	1	Low	22.44	2	24.44	0.278	2.000	Pass
			1	Mid	22.38	2	24.38	0.274	2.000	Pass
			1	High	22.41	2	24.41	0.276	2.000	Pass
			3	Low	22.31	2	24.31	0.270	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			3	Mid	22.34	2	24.34	0.272	2.000	Pass
			3	High	22.35	2	24.35	0.272	2.000	Pass
			6	Low	21.38	2	23.38	0.218	2.000	Pass
		Q16	1	Low	21.82	2	23.82	0.241	2.000	Pass
			1	Mid	21.73	2	23.73	0.236	2.000	Pass
			1	High	21.68	2	23.68	0.233	2.000	Pass
			3	Low	21.66	2	23.66	0.232	2.000	Pass
			3	Mid	21.56	2	23.56	0.227	2.000	Pass
			3	High	21.61	2	23.61	0.230	2.000	Pass
			6	Low	20.54	2	22.54	0.179	2.000	Pass
		Q64	1	Low	20.64	2	22.64	0.184	2.000	Pass
			1	Mid	20.55	2	22.55	0.180	2.000	Pass
			1	High	20.62	2	22.62	0.183	2.000	Pass
			3	Low	20.55	2	22.55	0.180	2.000	Pass
			3	Mid	20.66	2	22.66	0.185	2.000	Pass
			3	High	20.54	2	22.54	0.179	2.000	Pass
			6	Low	19.49	2	21.49	0.141	2.000	Pass
		Q256	1	Low	17.67	2	19.67	0.093	2.000	Pass
			1	Mid	17.46	2	19.46	0.088	2.000	Pass
			1	High	17.67	2	19.67	0.093	2.000	Pass
			3	Low	17.52	2	19.52	0.090	2.000	Pass
			3	Mid	17.54	2	19.54	0.090	2.000	Pass
			3	High	17.59	2	19.59	0.091	2.000	Pass
			6	Low	17.46	2	19.46	0.088	2.000	Pass
	HCH	QPSK	1	Low	22.47	2	24.47	0.280	2.000	Pass
			1	Mid	22.36	2	24.36	0.273	2.000	Pass
			1	High	22.49	2	24.49	0.281	2.000	Pass
			3	Low	22.41	2	24.41	0.276	2.000	Pass
			3	Mid	22.41	2	24.41	0.276	2.000	Pass
			3	High	22.41	2	24.41	0.276	2.000	Pass
			6	Low	21.46	2	23.46	0.222	2.000	Pass
		Q16	1	Low	21.94	2	23.94	0.248	2.000	Pass
			1	Mid	21.88	2	23.88	0.244	2.000	Pass
			1	High	21.97	2	23.97	0.249	2.000	Pass
			3	Low	21.63	2	23.63	0.231	2.000	Pass
			3	Mid	21.79	2	23.79	0.239	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			3	High	21.72	2	23.72	0.236	2.000	Pass
			6	Low	20.66	2	22.66	0.185	2.000	Pass
		Q64	1	Low	20.78	2	22.78	0.190	2.000	Pass
			1	Mid	20.71	2	22.71	0.187	2.000	Pass
			1	High	20.84	2	22.84	0.192	2.000	Pass
			3	Low	20.64	2	22.64	0.184	2.000	Pass
			3	Mid	20.66	2	22.66	0.185	2.000	Pass
			3	High	20.61	2	22.61	0.182	2.000	Pass
			6	Low	19.56	2	21.56	0.143	2.000	Pass
		Q256	1	Low	17.63	2	19.63	0.092	2.000	Pass
			1	Mid	17.68	2	19.68	0.093	2.000	Pass
			1	High	17.63	2	19.63	0.092	2.000	Pass
			3	Low	17.51	2	19.51	0.089	2.000	Pass
			3	Mid	17.63	2	19.63	0.092	2.000	Pass
			3	High	17.61	2	19.61	0.091	2.000	Pass
			6	Low	17.43	2	19.43	0.088	2.000	Pass
3	LCH	QPSK	1	Low	22.34	2	24.34	0.272	2.000	Pass
			1	Mid	22.48	2	24.48	0.281	2.000	Pass
			1	High	22.4	2	24.40	0.275	2.000	Pass
			8	Low	21.47	2	23.47	0.222	2.000	Pass
			8	Mid	21.38	2	23.38	0.218	2.000	Pass
			8	High	21.37	2	23.37	0.217	2.000	Pass
			15	Low	21.37	2	23.37	0.217	2.000	Pass
		Q16	1	Low	21.7	2	23.70	0.234	2.000	Pass
			1	Mid	22.03	2	24.03	0.253	2.000	Pass
			1	High	21.8	2	23.80	0.240	2.000	Pass
			8	Low	20.56	2	22.56	0.180	2.000	Pass
			8	Mid	20.49	2	22.49	0.177	2.000	Pass
			8	High	20.47	2	22.47	0.177	2.000	Pass
			15	Low	20.37	2	22.37	0.173	2.000	Pass
		Q64	1	Low	20.58	2	22.58	0.181	2.000	Pass
			1	Mid	20.75	2	22.75	0.188	2.000	Pass
			1	High	20.61	2	22.61	0.182	2.000	Pass
			8	Low	19.51	2	21.51	0.142	2.000	Pass
			8	Mid	19.47	2	21.47	0.140	2.000	Pass
			8	High	19.41	2	21.41	0.138	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			15	Low	19.38	2	21.38	0.137	2.000	Pass
		Q256	1	Low	17.53	2	19.53	0.090	2.000	Pass
			1	Mid	17.85	2	19.85	0.097	2.000	Pass
			1	High	17.41	2	19.41	0.087	2.000	Pass
			8	Low	17.46	2	19.46	0.088	2.000	Pass
			8	Mid	17.48	2	19.48	0.089	2.000	Pass
			8	High	17.42	2	19.42	0.087	2.000	Pass
			15	Low	17.4	2	19.40	0.087	2.000	Pass
	MCH	QPSK	1	Low	22.34	2	24.34	0.272	2.000	Pass
			1	Mid	22.56	2	24.56	0.286	2.000	Pass
			1	High	22.4	2	24.40	0.275	2.000	Pass
			8	Low	21.43	2	23.43	0.220	2.000	Pass
			8	Mid	21.45	2	23.45	0.221	2.000	Pass
			8	High	21.45	2	23.45	0.221	2.000	Pass
			15	Low	21.43	2	23.43	0.220	2.000	Pass
		Q16	1	Low	21.73	2	23.73	0.236	2.000	Pass
			1	Mid	21.94	2	23.94	0.248	2.000	Pass
			1	High	21.8	2	23.80	0.240	2.000	Pass
			8	Low	20.55	2	22.55	0.180	2.000	Pass
			8	Mid	20.57	2	22.57	0.181	2.000	Pass
			8	High	20.57	2	22.57	0.181	2.000	Pass
			15	Low	20.44	2	22.44	0.175	2.000	Pass
		Q64	1	Low	20.53	2	22.53	0.179	2.000	Pass
			1	Mid	20.67	2	22.67	0.185	2.000	Pass
			1	High	20.8	2	22.80	0.191	2.000	Pass
			8	Low	19.51	2	21.51	0.142	2.000	Pass
			8	Mid	19.57	2	21.57	0.144	2.000	Pass
			8	High	19.53	2	21.53	0.142	2.000	Pass
			15	Low	19.46	2	21.46	0.140	2.000	Pass
		Q256	1	Low	17.45	2	19.45	0.088	2.000	Pass
			1	Mid	17.64	2	19.64	0.092	2.000	Pass
			1	High	17.56	2	19.56	0.090	2.000	Pass
			8	Low	17.46	2	19.46	0.088	2.000	Pass
			8	Mid	17.49	2	19.49	0.089	2.000	Pass
			8	High	17.51	2	19.51	0.089	2.000	Pass
			15	Low	17.49	2	19.49	0.089	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
	HCH	QPSK	1	Low	22.41	2	24.41	0.276	2.000	Pass
			1	Mid	22.52	2	24.52	0.283	2.000	Pass
			1	High	22.5	2	24.50	0.282	2.000	Pass
			8	Low	21.46	2	23.46	0.222	2.000	Pass
			8	Mid	21.49	2	23.49	0.223	2.000	Pass
			8	High	21.47	2	23.47	0.222	2.000	Pass
			15	Low	21.51	2	23.51	0.224	2.000	Pass
		Q16	1	Low	21.83	2	23.83	0.242	2.000	Pass
			1	Mid	21.83	2	23.83	0.242	2.000	Pass
			1	High	21.77	2	23.77	0.238	2.000	Pass
			8	Low	20.53	2	22.53	0.179	2.000	Pass
			8	Mid	20.54	2	22.54	0.179	2.000	Pass
			8	High	20.53	2	22.53	0.179	2.000	Pass
			15	Low	20.55	2	22.55	0.180	2.000	Pass
		Q64	1	Low	20.76	2	22.76	0.189	2.000	Pass
			1	Mid	20.82	2	22.82	0.191	2.000	Pass
			1	High	20.67	2	22.67	0.185	2.000	Pass
			8	Low	19.49	2	21.49	0.141	2.000	Pass
			8	Mid	19.57	2	21.57	0.144	2.000	Pass
			8	High	19.59	2	21.59	0.144	2.000	Pass
			15	Low	19.56	2	21.56	0.143	2.000	Pass
		Q256	1	Low	17.57	2	19.57	0.091	2.000	Pass
			1	Mid	17.79	2	19.79	0.095	2.000	Pass
			1	High	17.7	2	19.70	0.093	2.000	Pass
			8	Low	17.5	2	19.50	0.089	2.000	Pass
			8	Mid	17.57	2	19.57	0.091	2.000	Pass
			8	High	17.59	2	19.59	0.091	2.000	Pass
			15	Low	17.53	2	19.53	0.090	2.000	Pass
5	LCH	QPSK	1	Low	22.4	2	24.40	0.275	2.000	Pass
			1	Mid	22.5	2	24.50	0.282	2.000	Pass
			1	High	22.4	2	24.40	0.275	2.000	Pass
			12	Low	21.44	2	23.44	0.221	2.000	Pass
			12	Mid	21.41	2	23.41	0.219	2.000	Pass
			12	High	21.38	2	23.38	0.218	2.000	Pass
			25	Low	21.36	2	23.36	0.217	2.000	Pass
		Q16	1	Low	21.77	2	23.77	0.238	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			1	Mid	22.05	2	24.05	0.254	2.000	Pass
			1	High	21.83	2	23.83	0.242	2.000	Pass
			12	Low	20.45	2	22.45	0.176	2.000	Pass
			12	Mid	20.44	2	22.44	0.175	2.000	Pass
			12	High	20.48	2	22.48	0.177	2.000	Pass
			25	Low	20.38	2	22.38	0.173	2.000	Pass
		Q64	1	Low	20.6	2	22.60	0.182	2.000	Pass
			1	Mid	20.74	2	22.74	0.188	2.000	Pass
			1	High	20.63	2	22.63	0.183	2.000	Pass
			12	Low	19.5	2	21.50	0.141	2.000	Pass
			12	Mid	19.47	2	21.47	0.140	2.000	Pass
			12	High	19.43	2	21.43	0.139	2.000	Pass
			25	Low	19.38	2	21.38	0.137	2.000	Pass
		Q256	1	Low	17.52	2	19.52	0.090	2.000	Pass
			1	Mid	17.7	2	19.70	0.093	2.000	Pass
			1	High	17.53	2	19.53	0.090	2.000	Pass
			12	Low	17.44	2	19.44	0.088	2.000	Pass
			12	Mid	17.41	2	19.41	0.087	2.000	Pass
			12	High	17.4	2	19.40	0.087	2.000	Pass
			25	Low	17.38	2	19.38	0.087	2.000	Pass
	MCH	QPSK	1	Low	22.37	2	24.37	0.274	2.000	Pass
			1	Mid	22.54	2	24.54	0.284	2.000	Pass
			1	High	22.42	2	24.42	0.277	2.000	Pass
			12	Low	21.42	2	23.42	0.220	2.000	Pass
			12	Mid	21.5	2	23.50	0.224	2.000	Pass
			12	High	21.52	2	23.52	0.225	2.000	Pass
			25	Low	21.42	2	23.42	0.220	2.000	Pass
		Q16	1	Low	21.85	2	23.85	0.243	2.000	Pass
			1	Mid	22.02	2	24.02	0.252	2.000	Pass
			1	High	21.87	2	23.87	0.244	2.000	Pass
			12	Low	20.5	2	22.50	0.178	2.000	Pass
			12	Mid	20.59	2	22.59	0.182	2.000	Pass
			12	High	20.56	2	22.56	0.180	2.000	Pass
			25	Low	20.47	2	22.47	0.177	2.000	Pass
		Q64	1	Low	20.69	2	22.69	0.186	2.000	Pass
			1	Mid	20.83	2	22.83	0.192	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			1	High	20.76	2	22.76	0.189	2.000	Pass
			12	Low	19.48	2	21.48	0.141	2.000	Pass
			12	Mid	19.5	2	21.50	0.141	2.000	Pass
			12	High	19.48	2	21.48	0.141	2.000	Pass
			25	Low	19.46	2	21.46	0.140	2.000	Pass
		Q256	1	Low	17.57	2	19.57	0.091	2.000	Pass
			1	Mid	17.66	2	19.66	0.092	2.000	Pass
			1	High	17.63	2	19.63	0.092	2.000	Pass
			12	Low	17.44	2	19.44	0.088	2.000	Pass
			12	Mid	17.55	2	19.55	0.090	2.000	Pass
			12	High	17.48	2	19.48	0.089	2.000	Pass
			25	Low	17.46	2	19.46	0.088	2.000	Pass
	HCH	QPSK	1	Low	22.41	2	24.41	0.276	2.000	Pass
			1	Mid	22.53	2	24.53	0.284	2.000	Pass
			1	High	22.47	2	24.47	0.280	2.000	Pass
			12	Low	21.47	2	23.47	0.222	2.000	Pass
			12	Mid	21.54	2	23.54	0.226	2.000	Pass
			12	High	21.51	2	23.51	0.224	2.000	Pass
			25	Low	21.49	2	23.49	0.223	2.000	Pass
		Q16	1	Low	21.87	2	23.87	0.244	2.000	Pass
			1	Mid	22	2	24.00	0.251	2.000	Pass
			1	High	21.91	2	23.91	0.246	2.000	Pass
			12	Low	20.52	2	22.52	0.179	2.000	Pass
			12	Mid	20.59	2	22.59	0.182	2.000	Pass
			12	High	20.55	2	22.55	0.180	2.000	Pass
			25	Low	20.52	2	22.52	0.179	2.000	Pass
		Q64	1	Low	20.76	2	22.76	0.189	2.000	Pass
			1	Mid	20.78	2	22.78	0.190	2.000	Pass
			1	High	20.72	2	22.72	0.187	2.000	Pass
			12	Low	19.5	2	21.50	0.141	2.000	Pass
			12	Mid	19.56	2	21.56	0.143	2.000	Pass
			12	High	19.53	2	21.53	0.142	2.000	Pass
			25	Low	19.53	2	21.53	0.142	2.000	Pass
		Q256	1	Low	17.61	2	19.61	0.091	2.000	Pass
			1	Mid	17.73	2	19.73	0.094	2.000	Pass
			1	High	17.74	2	19.74	0.094	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			12	Low	17.51	2	19.51	0.089	2.000	Pass
			12	Mid	17.52	2	19.52	0.090	2.000	Pass
			12	High	17.55	2	19.55	0.090	2.000	Pass
			25	Low	17.52	2	19.52	0.090	2.000	Pass
10	LCH	QPSK	1	Low	22.42	2	24.42	0.277	2.000	Pass
			1	Mid	22.47	2	24.47	0.280	2.000	Pass
			1	High	22.43	2	24.43	0.277	2.000	Pass
			25	Low	21.5	2	23.50	0.224	2.000	Pass
			25	Mid	21.49	2	23.49	0.223	2.000	Pass
			25	High	21.43	2	23.43	0.220	2.000	Pass
			50	Low	21.47	2	23.47	0.222	2.000	Pass
		Q16	1	Low	21.68	2	23.68	0.233	2.000	Pass
			1	Mid	21.72	2	23.72	0.236	2.000	Pass
			1	High	21.74	2	23.74	0.237	2.000	Pass
			25	Low	20.49	2	22.49	0.177	2.000	Pass
			25	Mid	20.52	2	22.52	0.179	2.000	Pass
			25	High	20.42	2	22.42	0.175	2.000	Pass
			50	Low	20.49	2	22.49	0.177	2.000	Pass
		Q64	1	Low	20.64	2	22.64	0.184	2.000	Pass
			1	Mid	20.6	2	22.60	0.182	2.000	Pass
			1	High	20.74	2	22.74	0.188	2.000	Pass
			25	Low	19.52	2	21.52	0.142	2.000	Pass
			25	Mid	19.5	2	21.50	0.141	2.000	Pass
			25	High	19.43	2	21.43	0.139	2.000	Pass
			50	Low	19.49	2	21.49	0.141	2.000	Pass
		Q256	1	Low	17.57	2	19.57	0.091	2.000	Pass
			1	Mid	17.47	2	19.47	0.089	2.000	Pass
			1	High	17.64	2	19.64	0.092	2.000	Pass
			25	Low	17.45	2	19.45	0.088	2.000	Pass
			25	Mid	17.54	2	19.54	0.090	2.000	Pass
			25	High	17.39	2	19.39	0.087	2.000	Pass
			50	Low	17.48	2	19.48	0.089	2.000	Pass
	MCH	QPSK	1	Low	22.39	2	24.39	0.275	2.000	Pass
			1	Mid	22.45	2	24.45	0.279	2.000	Pass
			1	High	22.46	2	24.46	0.279	2.000	Pass
			25	Low	21.49	2	23.49	0.223	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			25	Mid	21.5	2	23.50	0.224	2.000	Pass
			25	High	21.48	2	23.48	0.223	2.000	Pass
			50	Low	21.51	2	23.51	0.224	2.000	Pass
		Q16	1	Low	21.72	2	23.72	0.236	2.000	Pass
			1	Mid	21.8	2	23.80	0.240	2.000	Pass
			1	High	21.76	2	23.76	0.238	2.000	Pass
			25	Low	20.52	2	22.52	0.179	2.000	Pass
			25	Mid	20.56	2	22.56	0.180	2.000	Pass
			25	High	20.54	2	22.54	0.179	2.000	Pass
			50	Low	20.54	2	22.54	0.179	2.000	Pass
		Q64	1	Low	20.61	2	22.61	0.182	2.000	Pass
			1	Mid	20.66	2	22.66	0.185	2.000	Pass
			1	High	20.65	2	22.65	0.184	2.000	Pass
			25	Low	19.49	2	21.49	0.141	2.000	Pass
			25	Mid	19.54	2	21.54	0.143	2.000	Pass
			25	High	19.51	2	21.51	0.142	2.000	Pass
			50	Low	19.55	2	21.55	0.143	2.000	Pass
		Q256	1	Low	17.48	2	19.48	0.089	2.000	Pass
			1	Mid	17.61	2	19.61	0.091	2.000	Pass
			1	High	17.43	2	19.43	0.088	2.000	Pass
			25	Low	17.42	2	19.42	0.087	2.000	Pass
			25	Mid	17.57	2	19.57	0.091	2.000	Pass
			25	High	17.51	2	19.51	0.089	2.000	Pass
			50	Low	17.49	2	19.49	0.089	2.000	Pass
	HCH	QPSK	1	Low	22.47	2	24.47	0.280	2.000	Pass
			1	Mid	22.47	2	24.47	0.280	2.000	Pass
			1	High	22.43	2	24.43	0.277	2.000	Pass
			25	Low	21.56	2	23.56	0.227	2.000	Pass
			25	Mid	21.57	2	23.57	0.228	2.000	Pass
			25	High	21.56	2	23.56	0.227	2.000	Pass
			50	Low	21.59	2	23.59	0.229	2.000	Pass
		Q16	1	Low	21.6	2	23.60	0.229	2.000	Pass
			1	Mid	21.65	2	23.65	0.232	2.000	Pass
			1	High	21.76	2	23.76	0.238	2.000	Pass
			25	Low	20.59	2	22.59	0.182	2.000	Pass
			25	Mid	20.58	2	22.58	0.181	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			25	High	20.62	2	22.62	0.183	2.000	Pass
			50	Low	20.6	2	22.60	0.182	2.000	Pass
		Q64	1	Low	20.8	2	22.80	0.191	2.000	Pass
			1	Mid	20.73	2	22.73	0.187	2.000	Pass
			1	High	20.71	2	22.71	0.187	2.000	Pass
			25	Low	19.56	2	21.56	0.143	2.000	Pass
			25	Mid	19.62	2	21.62	0.145	2.000	Pass
			25	High	19.58	2	21.58	0.144	2.000	Pass
			50	Low	19.59	2	21.59	0.144	2.000	Pass
		Q256	1	Low	17.66	2	19.66	0.092	2.000	Pass
			1	Mid	17.65	2	19.65	0.092	2.000	Pass
			1	High	17.65	2	19.65	0.092	2.000	Pass
			25	Low	17.57	2	19.57	0.091	2.000	Pass
			25	Mid	17.58	2	19.58	0.091	2.000	Pass
			25	High	17.53	2	19.53	0.090	2.000	Pass
			50	Low	17.54	2	19.54	0.090	2.000	Pass
15	LCH	QPSK	1	Low	22.33	2	24.33	0.271	2.000	Pass
			1	Mid	22.53	2	24.53	0.284	2.000	Pass
			1	High	22.41	2	24.41	0.276	2.000	Pass
			36	Low	21.41	2	23.41	0.219	2.000	Pass
			36	Mid	21.45	2	23.45	0.221	2.000	Pass
			36	High	21.37	2	23.37	0.217	2.000	Pass
			75	Low	21.43	2	23.43	0.220	2.000	Pass
		Q16	1	Low	21.66	2	23.66	0.232	2.000	Pass
			1	Mid	21.76	2	23.76	0.238	2.000	Pass
			1	High	21.64	2	23.64	0.231	2.000	Pass
			36	Low	20.45	2	22.45	0.176	2.000	Pass
			36	Mid	20.49	2	22.49	0.177	2.000	Pass
			36	High	20.4	2	22.40	0.174	2.000	Pass
			75	Low	20.47	2	22.47	0.177	2.000	Pass
		Q64	1	Low	20.59	2	22.59	0.182	2.000	Pass
			1	Mid	20.7	2	22.70	0.186	2.000	Pass
			1	High	20.52	2	22.52	0.179	2.000	Pass
			36	Low	19.45	2	21.45	0.140	2.000	Pass
			36	Mid	19.48	2	21.48	0.141	2.000	Pass
			36	High	19.4	2	21.40	0.138	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			75	Low	19.45	2	21.45	0.140	2.000	Pass
		Q256	1	Low	17.44	2	19.44	0.088	2.000	Pass
			1	Mid	17.5	2	19.50	0.089	2.000	Pass
			1	High	17.4	2	19.40	0.087	2.000	Pass
			36	Low	17.44	2	19.44	0.088	2.000	Pass
			36	Mid	17.51	2	19.51	0.089	2.000	Pass
			36	High	17.41	2	19.41	0.087	2.000	Pass
			75	Low	17.42	2	19.42	0.087	2.000	Pass
	MCH	QPSK	1	Low	22.36	2	24.36	0.273	2.000	Pass
			1	Mid	22.41	2	24.41	0.276	2.000	Pass
			1	High	22.51	2	24.51	0.282	2.000	Pass
			36	Low	21.4	2	23.40	0.219	2.000	Pass
			36	Mid	21.49	2	23.49	0.223	2.000	Pass
			36	High	21.39	2	23.39	0.218	2.000	Pass
			75	Low	21.48	2	23.48	0.223	2.000	Pass
		Q16	1	Low	21.65	2	23.65	0.232	2.000	Pass
			1	Mid	21.76	2	23.76	0.238	2.000	Pass
			1	High	21.83	2	23.83	0.242	2.000	Pass
			36	Low	20.46	2	22.46	0.176	2.000	Pass
			36	Mid	20.51	2	22.51	0.178	2.000	Pass
			36	High	20.42	2	22.42	0.175	2.000	Pass
			75	Low	20.51	2	22.51	0.178	2.000	Pass
		Q64	1	Low	20.55	2	22.55	0.180	2.000	Pass
			1	Mid	20.62	2	22.62	0.183	2.000	Pass
			1	High	20.62	2	22.62	0.183	2.000	Pass
			36	Low	19.47	2	21.47	0.140	2.000	Pass
			36	Mid	19.53	2	21.53	0.142	2.000	Pass
			36	High	19.45	2	21.45	0.140	2.000	Pass
			75	Low	19.45	2	21.45	0.140	2.000	Pass
		Q256	1	Low	17.54	2	19.54	0.090	2.000	Pass
			1	Mid	17.67	2	19.67	0.093	2.000	Pass
			1	High	17.45	2	19.45	0.088	2.000	Pass
			36	Low	17.46	2	19.46	0.088	2.000	Pass
			36	Mid	17.45	2	19.45	0.088	2.000	Pass
			36	High	17.39	2	19.39	0.087	2.000	Pass
			75	Low	17.46	2	19.46	0.088	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
	HCH	QPSK	1	Low	22.46	2	24.46	0.279	2.000	Pass
			1	Mid	22.5	2	24.50	0.282	2.000	Pass
			1	High	22.48	2	24.48	0.281	2.000	Pass
			36	Low	21.52	2	23.52	0.225	2.000	Pass
			36	Mid	21.55	2	23.55	0.226	2.000	Pass
			36	High	21.55	2	23.55	0.226	2.000	Pass
			75	Low	21.55	2	23.55	0.226	2.000	Pass
		Q16	1	Low	21.61	2	23.61	0.230	2.000	Pass
			1	Mid	21.74	2	23.74	0.237	2.000	Pass
			1	High	21.81	2	23.81	0.240	2.000	Pass
			36	Low	20.56	2	22.56	0.180	2.000	Pass
			36	Mid	20.6	2	22.60	0.182	2.000	Pass
			36	High	20.62	2	22.62	0.183	2.000	Pass
			75	Low	20.58	2	22.58	0.181	2.000	Pass
		Q64	1	Low	20.78	2	22.78	0.190	2.000	Pass
			1	Mid	20.9	2	22.90	0.195	2.000	Pass
			1	High	20.94	2	22.94	0.197	2.000	Pass
			36	Low	19.53	2	21.53	0.142	2.000	Pass
			36	Mid	19.61	2	21.61	0.145	2.000	Pass
			36	High	19.6	2	21.60	0.145	2.000	Pass
			75	Low	19.56	2	21.56	0.143	2.000	Pass
		Q256	1	Low	17.58	2	19.58	0.091	2.000	Pass
			1	Mid	17.61	2	19.61	0.091	2.000	Pass
			1	High	17.5	2	19.50	0.089	2.000	Pass
			36	Low	17.52	2	19.52	0.090	2.000	Pass
			36	Mid	17.6	2	19.60	0.091	2.000	Pass
			36	High	17.57	2	19.57	0.091	2.000	Pass
			75	Low	17.56	2	19.56	0.090	2.000	Pass
20	LCH	QPSK	1	Low	22.35	2	24.35	0.272	2.000	Pass
			1	Mid	22.46	2	24.46	0.279	2.000	Pass
			1	High	22.58	2	24.58	0.287	2.000	Pass
			50	Low	21.41	2	23.41	0.219	2.000	Pass
			50	Mid	21.36	2	23.36	0.217	2.000	Pass
			50	High	21.38	2	23.38	0.218	2.000	Pass
			100	Low	21.45	2	23.45	0.221	2.000	Pass
		Q16	1	Low	21.92	2	23.92	0.247	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			1	Mid	21.84	2	23.84	0.242	2.000	Pass
			1	High	21.83	2	23.83	0.242	2.000	Pass
			50	Low	20.41	2	22.41	0.174	2.000	Pass
			50	Mid	20.39	2	22.39	0.173	2.000	Pass
			50	High	20.38	2	22.38	0.173	2.000	Pass
			100	Low	20.43	2	22.43	0.175	2.000	Pass
		Q64	1	Low	20.7	2	22.70	0.186	2.000	Pass
			1	Mid	20.77	2	22.77	0.189	2.000	Pass
			1	High	20.73	2	22.73	0.187	2.000	Pass
			50	Low	19.45	2	21.45	0.140	2.000	Pass
			50	Mid	19.41	2	21.41	0.138	2.000	Pass
			50	High	19.41	2	21.41	0.138	2.000	Pass
			100	Low	19.45	2	21.45	0.140	2.000	Pass
		Q256	1	Low	17.44	2	19.44	0.088	2.000	Pass
			1	Mid	17.56	2	19.56	0.090	2.000	Pass
			1	High	17.44	2	19.44	0.088	2.000	Pass
			50	Low	17.42	2	19.42	0.087	2.000	Pass
			50	Mid	17.36	2	19.36	0.086	2.000	Pass
			50	High	17.37	2	19.37	0.086	2.000	Pass
			100	Low	17.43	2	19.43	0.088	2.000	Pass
	MCH	QPSK	1	Low	22.35	2	24.35	0.272	2.000	Pass
			1	Mid	22.45	2	24.45	0.279	2.000	Pass
			1	High	22.43	2	24.43	0.277	2.000	Pass
			50	Low	21.46	2	23.46	0.222	2.000	Pass
			50	Mid	21.5	2	23.50	0.224	2.000	Pass
			50	High	21.44	2	23.44	0.221	2.000	Pass
			100	Low	21.48	2	23.48	0.223	2.000	Pass
		Q16	1	Low	21.71	2	23.71	0.235	2.000	Pass
			1	Mid	21.89	2	23.89	0.245	2.000	Pass
			1	High	21.81	2	23.81	0.240	2.000	Pass
			50	Low	20.5	2	22.50	0.178	2.000	Pass
			50	Mid	20.51	2	22.51	0.178	2.000	Pass
			50	High	20.46	2	22.46	0.176	2.000	Pass
			100	Low	20.48	2	22.48	0.177	2.000	Pass
		Q64	1	Low	20.52	2	22.52	0.179	2.000	Pass
			1	Mid	20.83	2	22.83	0.192	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			1	High	20.73	2	22.73	0.187	2.000	Pass
			50	Low	19.43	2	21.43	0.139	2.000	Pass
			50	Mid	19.5	2	21.50	0.141	2.000	Pass
			50	High	19.43	2	21.43	0.139	2.000	Pass
			100	Low	19.49	2	21.49	0.141	2.000	Pass
		Q256	1	Low	17.52	2	19.52	0.090	2.000	Pass
			1	Mid	17.58	2	19.58	0.091	2.000	Pass
			1	High	17.5	2	19.50	0.089	2.000	Pass
			50	Low	17.43	2	19.43	0.088	2.000	Pass
			50	Mid	17.48	2	19.48	0.089	2.000	Pass
			50	High	17.41	2	19.41	0.087	2.000	Pass
			100	Low	17.46	2	19.46	0.088	2.000	Pass
	HCH	QPSK	1	Low	22.45	2	24.45	0.279	2.000	Pass
			1	Mid	22.53	2	24.53	0.284	2.000	Pass
			1	High	22.48	2	24.48	0.281	2.000	Pass
			50	Low	21.51	2	23.51	0.224	2.000	Pass
			50	Mid	21.53	2	23.53	0.225	2.000	Pass
			50	High	21.57	2	23.57	0.228	2.000	Pass
			100	Low	21.55	2	23.55	0.226	2.000	Pass
		Q16	1	Low	21.68	2	23.68	0.233	2.000	Pass
			1	Mid	21.73	2	23.73	0.236	2.000	Pass
			1	High	21.82	2	23.82	0.241	2.000	Pass
			50	Low	20.53	2	22.53	0.179	2.000	Pass
			50	Mid	20.58	2	22.58	0.181	2.000	Pass
			50	High	20.55	2	22.55	0.180	2.000	Pass
			100	Low	20.56	2	22.56	0.180	2.000	Pass
		Q64	1	Low	20.63	2	22.63	0.183	2.000	Pass
			1	Mid	20.74	2	22.74	0.188	2.000	Pass
			1	High	20.73	2	22.73	0.187	2.000	Pass
			50	Low	19.52	2	21.52	0.142	2.000	Pass
			50	Mid	19.55	2	21.55	0.143	2.000	Pass
			50	High	19.61	2	21.61	0.145	2.000	Pass
			100	Low	19.53	2	21.53	0.142	2.000	Pass
		Q256	1	Low	17.46	2	19.46	0.088	2.000	Pass
			1	Mid	17.68	2	19.68	0.093	2.000	Pass
			1	High	17.62	2	19.62	0.092	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			50	Low	17.53	2	19.53	0.090	2.000	Pass
			50	Mid	17.56	2	19.56	0.090	2.000	Pass
			50	High	17.57	2	19.57	0.091	2.000	Pass
			100	Low	17.55	2	19.55	0.090	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
1.4	LCH	QPSK	1	Low	22.38	2.9	25.28	0.337	1.000	Pass
			1	Mid	22.23	2.9	25.13	0.326	1.000	Pass
			1	High	22.42	2.9	25.32	0.340	1.000	Pass
			3	Low	22.11	2.9	25.01	0.317	1.000	Pass
			3	Mid	22.17	2.9	25.07	0.321	1.000	Pass
			3	High	22.16	2.9	25.06	0.321	1.000	Pass
			6	Low	21.14	2.9	24.04	0.254	1.000	Pass
		Q16	1	Low	21.33	2.9	24.23	0.265	1.000	Pass
			1	Mid	21.22	2.9	24.12	0.258	1.000	Pass
			1	High	21.34	2.9	24.24	0.265	1.000	Pass
			3	Low	21.28	2.9	24.18	0.262	1.000	Pass
			3	Mid	21.1	2.9	24.00	0.251	1.000	Pass
			3	High	21.18	2.9	24.08	0.256	1.000	Pass
			6	Low	20.33	2.9	23.23	0.210	1.000	Pass
		Q64	1	Low	20.66	2.9	23.56	0.227	1.000	Pass
			1	Mid	20.68	2.9	23.58	0.228	1.000	Pass
			1	High	20.68	2.9	23.58	0.228	1.000	Pass
			3	Low	20.59	2.9	23.49	0.223	1.000	Pass
			3	Mid	20.57	2.9	23.47	0.222	1.000	Pass
			3	High	20.55	2.9	23.45	0.221	1.000	Pass
			6	Low	19.14	2.9	22.04	0.160	1.000	Pass
		Q256	1	Low	17.49	2.9	20.39	0.109	1.000	Pass
			1	Mid	17.49	2.9	20.39	0.109	1.000	Pass
			1	High	17.47	2.9	20.37	0.109	1.000	Pass
			3	Low	17.41	2.9	20.31	0.107	1.000	Pass
			3	Mid	17.36	2.9	20.26	0.106	1.000	Pass
			3	High	17.44	2.9	20.34	0.108	1.000	Pass
			6	Low	17.37	2.9	20.27	0.106	1.000	Pass
	MCH	QPSK	1	Low	22.32	2.9	25.22	0.333	1.000	Pass
			1	Mid	22.34	2.9	25.24	0.334	1.000	Pass
			1	High	22.33	2.9	25.23	0.333	1.000	Pass
			3	Low	22.14	2.9	25.04	0.319	1.000	Pass
			3	Mid	22.25	2.9	25.15	0.327	1.000	Pass
			3	High	22.24	2.9	25.14	0.327	1.000	Pass
			6	Low	21.17	2.9	24.07	0.255	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
		Q16	1	Low	21.58	2.9	24.48	0.281	1.000	Pass
			1	Mid	21.57	2.9	24.47	0.280	1.000	Pass
			1	High	21.71	2.9	24.61	0.289	1.000	Pass
			3	Low	21.28	2.9	24.18	0.262	1.000	Pass
			3	Mid	21.33	2.9	24.23	0.265	1.000	Pass
			3	High	21.26	2.9	24.16	0.261	1.000	Pass
			6	Low	20.07	2.9	22.97	0.198	1.000	Pass
		Q64	1	Low	20.36	2.9	23.26	0.212	1.000	Pass
			1	Mid	20.46	2.9	23.36	0.217	1.000	Pass
			1	High	20.35	2.9	23.25	0.211	1.000	Pass
			3	Low	20.34	2.9	23.24	0.211	1.000	Pass
			3	Mid	20.43	2.9	23.33	0.215	1.000	Pass
			3	High	20.36	2.9	23.26	0.212	1.000	Pass
			6	Low	19.41	2.9	22.31	0.170	1.000	Pass
		Q256	1	Low	17.27	2.9	20.17	0.104	1.000	Pass
			1	Mid	17.18	2.9	20.08	0.102	1.000	Pass
			1	High	17.23	2.9	20.13	0.103	1.000	Pass
			3	Low	17.3	2.9	20.20	0.105	1.000	Pass
			3	Mid	17.43	2.9	20.33	0.108	1.000	Pass
			3	High	17.34	2.9	20.24	0.106	1.000	Pass
			6	Low	17.38	2.9	20.28	0.107	1.000	Pass
	HCH	QPSK	1	Low	22.28	2.9	25.18	0.330	1.000	Pass
			1	Mid	22.27	2.9	25.17	0.329	1.000	Pass
			1	High	22.34	2.9	25.24	0.334	1.000	Pass
			3	Low	22.32	2.9	25.22	0.333	1.000	Pass
			3	Mid	22.2	2.9	25.10	0.324	1.000	Pass
			3	High	22.27	2.9	25.17	0.329	1.000	Pass
			6	Low	21.35	2.9	24.25	0.266	1.000	Pass
		Q16	1	Low	21.33	2.9	24.23	0.265	1.000	Pass
			1	Mid	21.29	2.9	24.19	0.262	1.000	Pass
			1	High	21.32	2.9	24.22	0.264	1.000	Pass
			3	Low	21.4	2.9	24.30	0.269	1.000	Pass
			3	Mid	21.34	2.9	24.24	0.265	1.000	Pass
			3	High	21.43	2.9	24.33	0.271	1.000	Pass
			6	Low	20.37	2.9	23.27	0.212	1.000	Pass
		Q64	1	Low	20.51	2.9	23.41	0.219	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			1	Mid	20.45	2.9	23.35	0.216	1.000	Pass
			1	High	20.51	2.9	23.41	0.219	1.000	Pass
			3	Low	20.3	2.9	23.20	0.209	1.000	Pass
			3	Mid	20.26	2.9	23.16	0.207	1.000	Pass
			3	High	20.21	2.9	23.11	0.205	1.000	Pass
			6	Low	19.4	2.9	22.30	0.170	1.000	Pass
		Q256	1	Low	17.27	2.9	20.17	0.104	1.000	Pass
			1	Mid	17.35	2.9	20.25	0.106	1.000	Pass
			1	High	17.27	2.9	20.17	0.104	1.000	Pass
			3	Low	17.43	2.9	20.33	0.108	1.000	Pass
			3	Mid	17.42	2.9	20.32	0.108	1.000	Pass
			3	High	17.44	2.9	20.34	0.108	1.000	Pass
			6	Low	17.36	2.9	20.26	0.106	1.000	Pass
3	LCH	QPSK	1	Low	22.36	2.9	25.26	0.336	1.000	Pass
			1	Mid	22.19	2.9	25.09	0.323	1.000	Pass
			1	High	22.28	2.9	25.18	0.330	1.000	Pass
			8	Low	21.26	2.9	24.16	0.261	1.000	Pass
			8	Mid	21.33	2.9	24.23	0.265	1.000	Pass
			8	High	21.2	2.9	24.10	0.257	1.000	Pass
			15	Low	21.28	2.9	24.18	0.262	1.000	Pass
		Q16	1	Low	21.19	2.9	24.09	0.256	1.000	Pass
			1	Mid	21.16	2.9	24.06	0.255	1.000	Pass
			1	High	21.05	2.9	23.95	0.248	1.000	Pass
			8	Low	20.42	2.9	23.32	0.215	1.000	Pass
			8	Mid	20.37	2.9	23.27	0.212	1.000	Pass
			8	High	20.32	2.9	23.22	0.210	1.000	Pass
			15	Low	20.31	2.9	23.21	0.209	1.000	Pass
		Q64	1	Low	20.6	2.9	23.50	0.224	1.000	Pass
			1	Mid	20.54	2.9	23.44	0.221	1.000	Pass
			1	High	20.52	2.9	23.42	0.220	1.000	Pass
			8	Low	19.35	2.9	22.25	0.168	1.000	Pass
			8	Mid	19.28	2.9	22.18	0.165	1.000	Pass
			8	High	19.22	2.9	22.12	0.163	1.000	Pass
			15	Low	19.28	2.9	22.18	0.165	1.000	Pass
		Q2556	1	Low	17.91	2.9	20.81	0.121	1.000	Pass
			1	Mid	17.8	2.9	20.70	0.117	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			1	High	17.9	2.9	20.80	0.120	1.000	Pass
			8	Low	17.48	2.9	20.38	0.109	1.000	Pass
			8	Mid	17.4	2.9	20.30	0.107	1.000	Pass
			8	High	17.43	2.9	20.33	0.108	1.000	Pass
			15	Low	17.31	2.9	20.21	0.105	1.000	Pass
	MCH	QPSK	1	Low	22.39	2.9	25.29	0.338	1.000	Pass
			1	Mid	22.31	2.9	25.21	0.332	1.000	Pass
			1	High	22.22	2.9	25.12	0.325	1.000	Pass
			8	Low	21.3	2.9	24.20	0.263	1.000	Pass
			8	Mid	21.32	2.9	24.22	0.264	1.000	Pass
			8	High	21.19	2.9	24.09	0.256	1.000	Pass
			15	Low	21.19	2.9	24.09	0.256	1.000	Pass
		Q16	1	Low	21.63	2.9	24.53	0.284	1.000	Pass
			1	Mid	21.66	2.9	24.56	0.286	1.000	Pass
			1	High	21.65	2.9	24.55	0.285	1.000	Pass
			8	Low	20.35	2.9	23.25	0.211	1.000	Pass
			8	Mid	20.3	2.9	23.20	0.209	1.000	Pass
			8	High	20.26	2.9	23.16	0.207	1.000	Pass
			15	Low	20.3	2.9	23.20	0.209	1.000	Pass
		Q64	1	Low	20.34	2.9	23.24	0.211	1.000	Pass
			1	Mid	20.45	2.9	23.35	0.216	1.000	Pass
			1	High	20.46	2.9	23.36	0.217	1.000	Pass
			8	Low	19.25	2.9	22.15	0.164	1.000	Pass
			8	Mid	19.39	2.9	22.29	0.169	1.000	Pass
			8	High	19.29	2.9	22.19	0.166	1.000	Pass
			15	Low	19.28	2.9	22.18	0.165	1.000	Pass
		Q256	1	Low	17.21	2.9	20.11	0.103	1.000	Pass
			1	Mid	17.29	2.9	20.19	0.104	1.000	Pass
			1	High	17.21	2.9	20.11	0.103	1.000	Pass
			8	Low	17.37	2.9	20.27	0.106	1.000	Pass
			8	Mid	17.23	2.9	20.13	0.103	1.000	Pass
			8	High	17.31	2.9	20.21	0.105	1.000	Pass
			15	Low	17.46	2.9	20.36	0.109	1.000	Pass
	HCH	QPSK	1	Low	22.33	2.9	25.23	0.333	1.000	Pass
			1	Mid	22.35	2.9	25.25	0.335	1.000	Pass
			1	High	22.37	2.9	25.27	0.337	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			8	Low	21.27	2.9	24.17	0.261	1.000	Pass
			8	Mid	21.35	2.9	24.25	0.266	1.000	Pass
			8	High	21.31	2.9	24.21	0.264	1.000	Pass
			15	Low	21.36	2.9	24.26	0.267	1.000	Pass
		Q16	1	Low	21.38	2.9	24.28	0.268	1.000	Pass
			1	Mid	21.31	2.9	24.21	0.264	1.000	Pass
			1	High	21.42	2.9	24.32	0.270	1.000	Pass
			8	Low	20.44	2.9	23.34	0.216	1.000	Pass
			8	Mid	20.34	2.9	23.24	0.211	1.000	Pass
			8	High	20.37	2.9	23.27	0.212	1.000	Pass
			15	Low	20.42	2.9	23.32	0.215	1.000	Pass
		Q64	1	Low	20.61	2.9	23.51	0.224	1.000	Pass
			1	Mid	20.57	2.9	23.47	0.222	1.000	Pass
			1	High	20.55	2.9	23.45	0.221	1.000	Pass
			8	Low	19.3	2.9	22.20	0.166	1.000	Pass
			8	Mid	19.24	2.9	22.14	0.164	1.000	Pass
			8	High	19.31	2.9	22.21	0.166	1.000	Pass
			15	Low	19.34	2.9	22.24	0.167	1.000	Pass
		Q256	1	Low	17.4	2.9	20.30	0.107	1.000	Pass
			1	Mid	17.39	2.9	20.29	0.107	1.000	Pass
			1	High	17.28	2.9	20.18	0.104	1.000	Pass
			8	Low	17.55	2.9	20.45	0.111	1.000	Pass
			8	Mid	17.55	2.9	20.45	0.111	1.000	Pass
			8	High	17.53	2.9	20.43	0.110	1.000	Pass
			15	Low	17.48	2.9	20.38	0.109	1.000	Pass
5	LCH	QPSK	1	Low	22.37	2.9	25.27	0.337	1.000	Pass
			1	Mid	22.34	2.9	25.24	0.334	1.000	Pass
			1	High	22.22	2.9	25.12	0.325	1.000	Pass
			12	Low	21.21	2.9	24.11	0.258	1.000	Pass
			12	Mid	21.24	2.9	24.14	0.259	1.000	Pass
			12	High	21.26	2.9	24.16	0.261	1.000	Pass
			25	Low	21.22	2.9	24.12	0.258	1.000	Pass
		Q16	1	Low	21.42	2.9	24.32	0.270	1.000	Pass
			1	Mid	21.46	2.9	24.36	0.273	1.000	Pass
			1	High	21.39	2.9	24.29	0.269	1.000	Pass
			12	Low	20.26	2.9	23.16	0.207	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			12	Mid	20.21	2.9	23.11	0.205	1.000	Pass
			12	High	20.26	2.9	23.16	0.207	1.000	Pass
			25	Low	20.27	2.9	23.17	0.207	1.000	Pass
		Q64	1	Low	20.16	2.9	23.06	0.202	1.000	Pass
			1	Mid	20.19	2.9	23.09	0.204	1.000	Pass
			1	High	20.15	2.9	23.05	0.202	1.000	Pass
			12	Low	19.4	2.9	22.30	0.170	1.000	Pass
			12	Mid	19.32	2.9	22.22	0.167	1.000	Pass
			12	High	19.27	2.9	22.17	0.165	1.000	Pass
			25	Low	19.23	2.9	22.13	0.163	1.000	Pass
		Q256	1	Low	17.09	2.9	19.99	0.100	1.000	Pass
			1	Mid	16.89	2.9	19.79	0.095	1.000	Pass
			1	High	16.95	2.9	19.85	0.097	1.000	Pass
			12	Low	17.36	2.9	20.26	0.106	1.000	Pass
			12	Mid	17.34	2.9	20.24	0.106	1.000	Pass
			12	High	17.31	2.9	20.21	0.105	1.000	Pass
			25	Low	17.4	2.9	20.30	0.107	1.000	Pass
	MCH	QPSK	1	Low	22.33	2.9	25.23	0.333	1.000	Pass
			1	Mid	22.28	2.9	25.18	0.330	1.000	Pass
			1	High	22.26	2.9	25.16	0.328	1.000	Pass
			12	Low	21.27	2.9	24.17	0.261	1.000	Pass
			12	Mid	21.36	2.9	24.26	0.267	1.000	Pass
			12	High	21.23	2.9	24.13	0.259	1.000	Pass
			25	Low	21.3	2.9	24.20	0.263	1.000	Pass
		Q16	1	Low	21.84	2.9	24.74	0.298	1.000	Pass
			1	Mid	21.83	2.9	24.73	0.297	1.000	Pass
			1	High	21.84	2.9	24.74	0.298	1.000	Pass
			12	Low	20.45	2.9	23.35	0.216	1.000	Pass
			12	Mid	20.34	2.9	23.24	0.211	1.000	Pass
			12	High	20.45	2.9	23.35	0.216	1.000	Pass
			25	Low	20.34	2.9	23.24	0.211	1.000	Pass
		Q64	1	Low	20.67	2.9	23.57	0.228	1.000	Pass
			1	Mid	20.72	2.9	23.62	0.230	1.000	Pass
			1	High	20.56	2.9	23.46	0.222	1.000	Pass
			12	Low	19.23	2.9	22.13	0.163	1.000	Pass
			12	Mid	19.31	2.9	22.21	0.166	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			12	High	19.27	2.9	22.17	0.165	1.000	Pass
			25	Low	19.26	2.9	22.16	0.164	1.000	Pass
		Q256	1	Low	17.65	2.9	20.55	0.114	1.000	Pass
			1	Mid	17.59	2.9	20.49	0.112	1.000	Pass
			1	High	17.59	2.9	20.49	0.112	1.000	Pass
			12	Low	17.42	2.9	20.32	0.108	1.000	Pass
			12	Mid	17.44	2.9	20.34	0.108	1.000	Pass
			12	High	17.43	2.9	20.33	0.108	1.000	Pass
			25	Low	17.5	2.9	20.40	0.110	1.000	Pass
	HCH	QPSK	1	Low	22.46	2.9	25.36	0.344	1.000	Pass
			1	Mid	22.48	2.9	25.38	0.345	1.000	Pass
			1	High	22.52	2.9	25.42	0.348	1.000	Pass
			12	Low	21.39	2.9	24.29	0.269	1.000	Pass
			12	Mid	21.33	2.9	24.23	0.265	1.000	Pass
			12	High	21.43	2.9	24.33	0.271	1.000	Pass
			25	Low	21.36	2.9	24.26	0.267	1.000	Pass
		Q16	1	Low	21.53	2.9	24.43	0.277	1.000	Pass
			1	Mid	21.56	2.9	24.46	0.279	1.000	Pass
			1	High	21.43	2.9	24.33	0.271	1.000	Pass
			12	Low	20.49	2.9	23.39	0.218	1.000	Pass
			12	Mid	20.44	2.9	23.34	0.216	1.000	Pass
			12	High	20.44	2.9	23.34	0.216	1.000	Pass
			25	Low	20.29	2.9	23.19	0.208	1.000	Pass
		Q64	1	Low	20.53	2.9	23.43	0.220	1.000	Pass
			1	Mid	20.67	2.9	23.57	0.228	1.000	Pass
			1	High	20.59	2.9	23.49	0.223	1.000	Pass
			12	Low	19.47	2.9	22.37	0.173	1.000	Pass
			12	Mid	19.39	2.9	22.29	0.169	1.000	Pass
			12	High	19.43	2.9	22.33	0.171	1.000	Pass
			25	Low	19.43	2.9	22.33	0.171	1.000	Pass
		Q256	1	Low	17.33	2.9	20.23	0.105	1.000	Pass
			1	Mid	17.43	2.9	20.33	0.108	1.000	Pass
			1	High	17.46	2.9	20.36	0.109	1.000	Pass
			12	Low	17.61	2.9	20.51	0.112	1.000	Pass
			12	Mid	17.52	2.9	20.42	0.110	1.000	Pass
			12	High	17.56	2.9	20.46	0.111	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			25	Low	17.53	2.9	20.43	0.110	1.000	Pass
10	LCH	QPSK	1	Low	22.39	2.9	25.29	0.338	1.000	Pass
			1	Mid	22.17	2.9	25.07	0.321	1.000	Pass
			1	High	22.28	2.9	25.18	0.330	1.000	Pass
			25	Low	21.21	2.9	24.11	0.258	1.000	Pass
			25	Mid	21.2	2.9	24.10	0.257	1.000	Pass
			25	High	21.21	2.9	24.11	0.258	1.000	Pass
			50	Low	21.29	2.9	24.19	0.262	1.000	Pass
		Q16	1	Low	21.16	2.9	24.06	0.255	1.000	Pass
			1	Mid	21.11	2.9	24.01	0.252	1.000	Pass
			1	High	21.08	2.9	23.98	0.250	1.000	Pass
			25	Low	20.23	2.9	23.13	0.206	1.000	Pass
			25	Mid	20.3	2.9	23.20	0.209	1.000	Pass
			25	High	20.2	2.9	23.10	0.204	1.000	Pass
			50	Low	20.19	2.9	23.09	0.204	1.000	Pass
		Q64	1	Low	20.5	2.9	23.40	0.219	1.000	Pass
			1	Mid	20.43	2.9	23.33	0.215	1.000	Pass
			1	High	20.46	2.9	23.36	0.217	1.000	Pass
			25	Low	19.27	2.9	22.17	0.165	1.000	Pass
			25	Mid	19.27	2.9	22.17	0.165	1.000	Pass
			25	High	19.24	2.9	22.14	0.164	1.000	Pass
			50	Low	19.2	2.9	22.10	0.162	1.000	Pass
		Q256	1	Low	18.07	2.9	20.97	0.125	1.000	Pass
			1	Mid	17.86	2.9	20.76	0.119	1.000	Pass
			1	High	17.97	2.9	20.87	0.122	1.000	Pass
			25	Low	17.44	2.9	20.34	0.108	1.000	Pass
			25	Mid	17.39	2.9	20.29	0.107	1.000	Pass
			25	High	17.33	2.9	20.23	0.105	1.000	Pass
			50	Low	17.44	2.9	20.34	0.108	1.000	Pass
	MCH	QPSK	1	Low	22.21	2.9	25.11	0.324	1.000	Pass
			1	Mid	22.28	2.9	25.18	0.330	1.000	Pass
			1	High	22.36	2.9	25.26	0.336	1.000	Pass
			25	Low	21.35	2.9	24.25	0.266	1.000	Pass
			25	Mid	21.31	2.9	24.21	0.264	1.000	Pass
			25	High	21.24	2.9	24.14	0.259	1.000	Pass
			50	Low	21.27	2.9	24.17	0.261	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
		Q16	1	Low	21.67	2.9	24.57	0.286	1.000	Pass
			1	Mid	21.57	2.9	24.47	0.280	1.000	Pass
			1	High	21.63	2.9	24.53	0.284	1.000	Pass
			25	Low	20.29	2.9	23.19	0.208	1.000	Pass
			25	Mid	20.36	2.9	23.26	0.212	1.000	Pass
			25	High	20.35	2.9	23.25	0.211	1.000	Pass
			50	Low	20.29	2.9	23.19	0.208	1.000	Pass
		Q64	1	Low	20.36	2.9	23.26	0.212	1.000	Pass
			1	Mid	20.48	2.9	23.38	0.218	1.000	Pass
			1	High	20.39	2.9	23.29	0.213	1.000	Pass
			25	Low	19.29	2.9	22.19	0.166	1.000	Pass
			25	Mid	19.38	2.9	22.28	0.169	1.000	Pass
			25	High	19.42	2.9	22.32	0.171	1.000	Pass
			50	Low	19.27	2.9	22.17	0.165	1.000	Pass
		Q256	1	Low	17.26	2.9	20.16	0.104	1.000	Pass
			1	Mid	17.29	2.9	20.19	0.104	1.000	Pass
			1	High	17.34	2.9	20.24	0.106	1.000	Pass
			25	Low	17.47	2.9	20.37	0.109	1.000	Pass
			25	Mid	17.35	2.9	20.25	0.106	1.000	Pass
			25	High	17.4	2.9	20.30	0.107	1.000	Pass
			50	Low	17.4	2.9	20.30	0.107	1.000	Pass
	HCH	QPSK	1	Low	22.32	2.9	25.22	0.333	1.000	Pass
			1	Mid	22.3	2.9	25.20	0.331	1.000	Pass
			1	High	22.3	2.9	25.20	0.331	1.000	Pass
			25	Low	21.37	2.9	24.27	0.267	1.000	Pass
			25	Mid	21.31	2.9	24.21	0.264	1.000	Pass
			25	High	21.37	2.9	24.27	0.267	1.000	Pass
			50	Low	21.44	2.9	24.34	0.272	1.000	Pass
		Q16	1	Low	21.29	2.9	24.19	0.262	1.000	Pass
			1	Mid	21.43	2.9	24.33	0.271	1.000	Pass
			1	High	21.38	2.9	24.28	0.268	1.000	Pass
			25	Low	20.53	2.9	23.43	0.220	1.000	Pass
			25	Mid	20.39	2.9	23.29	0.213	1.000	Pass
			25	High	20.44	2.9	23.34	0.216	1.000	Pass
			50	Low	20.38	2.9	23.28	0.213	1.000	Pass
		Q64	1	Low	20.47	2.9	23.37	0.217	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			1	Mid	20.59	2.9	23.49	0.223	1.000	Pass
			1	High	20.61	2.9	23.51	0.224	1.000	Pass
			25	Low	19.49	2.9	22.39	0.173	1.000	Pass
			25	Mid	19.44	2.9	22.34	0.171	1.000	Pass
			25	High	19.42	2.9	22.32	0.171	1.000	Pass
			50	Low	19.45	2.9	22.35	0.172	1.000	Pass
		Q256	1	Low	17.32	2.9	20.22	0.105	1.000	Pass
			1	Mid	17.22	2.9	20.12	0.103	1.000	Pass
			1	High	17.38	2.9	20.28	0.107	1.000	Pass
			25	Low	17.53	2.9	20.43	0.110	1.000	Pass
			25	Mid	17.51	2.9	20.41	0.110	1.000	Pass
			25	High	17.52	2.9	20.42	0.110	1.000	Pass
			50	Low	17.5	2.9	20.40	0.110	1.000	Pass
15	LCH	QPSK	1	Low	22.31	2.9	25.21	0.332	1.000	Pass
			1	Mid	22.3	2.9	25.20	0.331	1.000	Pass
			1	High	22.3	2.9	25.20	0.331	1.000	Pass
			36	Low	21.29	2.9	24.19	0.262	1.000	Pass
			36	Mid	21.16	2.9	24.06	0.255	1.000	Pass
			36	High	21.26	2.9	24.16	0.261	1.000	Pass
			75	Low	21.19	2.9	24.09	0.256	1.000	Pass
		Q16	1	Low	21.22	2.9	24.12	0.258	1.000	Pass
			1	Mid	21.14	2.9	24.04	0.254	1.000	Pass
			1	High	21.14	2.9	24.04	0.254	1.000	Pass
			36	Low	20.33	2.9	23.23	0.210	1.000	Pass
			36	Mid	20.22	2.9	23.12	0.205	1.000	Pass
			36	High	20.23	2.9	23.13	0.206	1.000	Pass
			75	Low	20.17	2.9	23.07	0.203	1.000	Pass
		Q64	1	Low	20.55	2.9	23.45	0.221	1.000	Pass
			1	Mid	20.54	2.9	23.44	0.221	1.000	Pass
			1	High	20.55	2.9	23.45	0.221	1.000	Pass
			36	Low	19.34	2.9	22.24	0.167	1.000	Pass
			36	Mid	19.35	2.9	22.25	0.168	1.000	Pass
			36	High	19.23	2.9	22.13	0.163	1.000	Pass
			75	Low	19.22	2.9	22.12	0.163	1.000	Pass
		Q256	1	Low	17.94	2.9	20.84	0.121	1.000	Pass
			1	Mid	17.85	2.9	20.75	0.119	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			1	High	17.93	2.9	20.83	0.121	1.000	Pass
			36	Low	17.37	2.9	20.27	0.106	1.000	Pass
			36	Mid	17.29	2.9	20.19	0.104	1.000	Pass
			36	High	17.37	2.9	20.27	0.106	1.000	Pass
			75	Low	17.37	2.9	20.27	0.106	1.000	Pass
	MCH	QPSK	1	Low	22.32	2.9	25.22	0.333	1.000	Pass
			1	Mid	22.45	2.9	25.35	0.343	1.000	Pass
			1	High	22.3	2.9	25.20	0.331	1.000	Pass
			36	Low	21.23	2.9	24.13	0.259	1.000	Pass
			36	Mid	21.25	2.9	24.15	0.260	1.000	Pass
			36	High	21.31	2.9	24.21	0.264	1.000	Pass
			75	Low	21.31	2.9	24.21	0.264	1.000	Pass
		Q16	1	Low	21.62	2.9	24.52	0.283	1.000	Pass
			1	Mid	21.71	2.9	24.61	0.289	1.000	Pass
			1	High	21.65	2.9	24.55	0.285	1.000	Pass
			36	Low	20.27	2.9	23.17	0.207	1.000	Pass
			36	Mid	20.3	2.9	23.20	0.209	1.000	Pass
			36	High	20.39	2.9	23.29	0.213	1.000	Pass
			75	Low	20.39	2.9	23.29	0.213	1.000	Pass
		Q64	1	Low	20.47	2.9	23.37	0.217	1.000	Pass
			1	Mid	20.48	2.9	23.38	0.218	1.000	Pass
			1	High	20.51	2.9	23.41	0.219	1.000	Pass
			36	Low	19.31	2.9	22.21	0.166	1.000	Pass
			36	Mid	19.43	2.9	22.33	0.171	1.000	Pass
			36	High	19.37	2.9	22.27	0.169	1.000	Pass
			75	Low	19.27	2.9	22.17	0.165	1.000	Pass
		Q256	1	Low	17.24	2.9	20.14	0.103	1.000	Pass
			1	Mid	17.21	2.9	20.11	0.103	1.000	Pass
			1	High	17.29	2.9	20.19	0.104	1.000	Pass
			36	Low	17.28	2.9	20.18	0.104	1.000	Pass
			36	Mid	17.34	2.9	20.24	0.106	1.000	Pass
			36	High	17.29	2.9	20.19	0.104	1.000	Pass
			75	Low	17.35	2.9	20.25	0.106	1.000	Pass
	HCH	QPSK	1	Low	22.49	2.9	25.39	0.346	1.000	Pass
			1	Mid	22.53	2.9	**25.43**	0.349	1.000	Pass
			1	High	22.4	2.9	25.30	0.339	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			36	Low	21.29	2.9	24.19	0.262	1.000	Pass
			36	Mid	21.32	2.9	24.22	0.264	1.000	Pass
			36	High	21.36	2.9	24.26	0.267	1.000	Pass
			75	Low	21.42	2.9	24.32	0.270	1.000	Pass
		Q16	1	Low	21.73	2.9	24.63	0.290	1.000	Pass
			1	Mid	21.61	2.9	24.51	0.282	1.000	Pass
			1	High	21.83	2.9	24.73	0.297	1.000	Pass
			36	Low	20.31	2.9	23.21	0.209	1.000	Pass
			36	Mid	20.39	2.9	23.29	0.213	1.000	Pass
			36	High	20.32	2.9	23.22	0.210	1.000	Pass
			75	Low	20.28	2.9	23.18	0.208	1.000	Pass
		Q64	1	Low	20.93	2.9	23.83	0.242	1.000	Pass
			1	Mid	20.93	2.9	23.83	0.242	1.000	Pass
			1	High	20.93	2.9	23.83	0.242	1.000	Pass
			36	Low	19.34	2.9	22.24	0.167	1.000	Pass
			36	Mid	19.41	2.9	22.31	0.170	1.000	Pass
			36	High	19.3	2.9	22.20	0.166	1.000	Pass
			75	Low	19.33	2.9	22.23	0.167	1.000	Pass
		Q256	1	Low	17.85	2.9	20.75	0.119	1.000	Pass
			1	Mid	17.8	2.9	20.70	0.117	1.000	Pass
			1	High	17.86	2.9	20.76	0.119	1.000	Pass
			36	Low	17.46	2.9	20.36	0.109	1.000	Pass
			36	Mid	17.39	2.9	20.29	0.107	1.000	Pass
			36	High	17.41	2.9	20.31	0.107	1.000	Pass
			75	Low	17.5	2.9	20.40	0.110	1.000	Pass
20	LCH	QPSK	1	Low	22.28	2.9	25.18	0.330	1.000	Pass
			1	Mid	22.22	2.9	25.12	0.325	1.000	Pass
			1	High	22.27	2.9	25.17	0.329	1.000	Pass
			50	Low	21.25	2.9	24.15	0.260	1.000	Pass
			50	Mid	21.32	2.9	24.22	0.264	1.000	Pass
			50	High	21.35	2.9	24.25	0.266	1.000	Pass
			100	Low	21.31	2.9	24.21	0.264	1.000	Pass
		Q16	1	Low	21.87	2.9	24.77	0.300	1.000	Pass
			1	Mid	21.84	2.9	24.74	0.298	1.000	Pass
			1	High	21.88	2.9	24.78	0.301	1.000	Pass
			50	Low	20.21	2.9	23.11	0.205	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			50	Mid	20.31	2.9	23.21	0.209	1.000	Pass
			50	High	20.32	2.9	23.22	0.210	1.000	Pass
			100	Low	20.38	2.9	23.28	0.213	1.000	Pass
		Q64	1	Low	20.72	2.9	23.62	0.230	1.000	Pass
			1	Mid	20.57	2.9	23.47	0.222	1.000	Pass
			1	High	20.62	2.9	23.52	0.225	1.000	Pass
			50	Low	19.31	2.9	22.21	0.166	1.000	Pass
			50	Mid	19.34	2.9	22.24	0.167	1.000	Pass
			50	High	19.39	2.9	22.29	0.169	1.000	Pass
			100	Low	19.3	2.9	22.20	0.166	1.000	Pass
		Q256	1	Low	17.61	2.9	20.51	0.112	1.000	Pass
			1	Mid	17.47	2.9	20.37	0.109	1.000	Pass
			1	High	17.62	2.9	20.52	0.113	1.000	Pass
			50	Low	17.41	2.9	20.31	0.107	1.000	Pass
			50	Mid	17.3	2.9	20.20	0.105	1.000	Pass
			50	High	17.35	2.9	20.25	0.106	1.000	Pass
			100	Low	17.41	2.9	20.31	0.107	1.000	Pass
	MCH	QPSK	1	Low	22.23	2.9	25.13	0.326	1.000	Pass
			1	Mid	22.44	2.9	25.34	0.342	1.000	Pass
			1	High	22.33	2.9	25.23	0.333	1.000	Pass
			50	Low	21.22	2.9	24.12	0.258	1.000	Pass
			50	Mid	21.41	2.9	24.31	0.270	1.000	Pass
			50	High	21.3	2.9	24.20	0.263	1.000	Pass
			100	Low	21.29	2.9	24.19	0.262	1.000	Pass
		Q16	1	Low	21.71	2.9	24.61	0.289	1.000	Pass
			1	Mid	21.81	2.9	24.71	0.296	1.000	Pass
			1	High	21.73	2.9	24.63	0.290	1.000	Pass
			50	Low	20.32	2.9	23.22	0.210	1.000	Pass
			50	Mid	20.35	2.9	23.25	0.211	1.000	Pass
			50	High	20.35	2.9	23.25	0.211	1.000	Pass
			100	Low	20.4	2.9	23.30	0.214	1.000	Pass
		Q64	1	Low	20.98	2.9	23.88	0.244	1.000	Pass
			1	Mid	20.91	2.9	23.81	0.240	1.000	Pass
			1	High	20.85	2.9	23.75	0.237	1.000	Pass
			50	Low	19.4	2.9	22.30	0.170	1.000	Pass
			50	Mid	19.35	2.9	22.25	0.168	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			50	High	19.38	2.9	22.28	0.169	1.000	Pass
			100	Low	19.3	2.9	22.20	0.166	1.000	Pass
		Q256	1	Low	17.5	2.9	20.40	0.110	1.000	Pass
			1	Mid	17.57	2.9	20.47	0.111	1.000	Pass
			1	High	17.58	2.9	20.48	0.112	1.000	Pass
			50	Low	17.4	2.9	20.30	0.107	1.000	Pass
			50	Mid	17.48	2.9	20.38	0.109	1.000	Pass
			50	High	17.43	2.9	20.33	0.108	1.000	Pass
			100	Low	17.37	2.9	20.27	0.106	1.000	Pass
	HCH	QPSK	1	Low	22.36	2.9	25.26	0.336	1.000	Pass
			1	Mid	22.52	2.9	25.42	0.348	1.000	Pass
			1	High	22.33	2.9	25.23	0.333	1.000	Pass
			50	Low	21.44	2.9	24.34	0.272	1.000	Pass
			50	Mid	21.45	2.9	24.35	0.272	1.000	Pass
			50	High	21.38	2.9	24.28	0.268	1.000	Pass
			100	Low	21.45	2.9	24.35	0.272	1.000	Pass
		Q16	1	Low	21.89	2.9	24.79	0.301	1.000	Pass
			1	Mid	21.78	2.9	24.68	0.294	1.000	Pass
			1	High	21.87	2.9	24.77	0.300	1.000	Pass
			50	Low	20.28	2.9	23.18	0.208	1.000	Pass
			50	Mid	20.34	2.9	23.24	0.211	1.000	Pass
			50	High	20.36	2.9	23.26	0.212	1.000	Pass
			100	Low	20.31	2.9	23.21	0.209	1.000	Pass
		Q64	1	Low	20.48	2.9	23.38	0.218	1.000	Pass
			1	Mid	20.5	2.9	23.40	0.219	1.000	Pass
			1	High	20.64	2.9	23.54	0.226	1.000	Pass
			50	Low	19.48	2.9	22.38	0.173	1.000	Pass
			50	Mid	19.39	2.9	22.29	0.169	1.000	Pass
			50	High	19.32	2.9	22.22	0.167	1.000	Pass
			100	Low	19.4	2.9	22.30	0.170	1.000	Pass
		Q256	1	Low	17.5	2.9	20.40	0.110	1.000	Pass
			1	Mid	17.46	2.9	20.36	0.109	1.000	Pass
			1	High	17.44	2.9	20.34	0.108	1.000	Pass
			50	Low	17.42	2.9	20.32	0.108	1.000	Pass
			50	Mid	17.48	2.9	20.38	0.109	1.000	Pass
			50	High	17.45	2.9	20.35	0.108	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			100	Low	17.44	2.9	20.34	0.108	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
1.4	LCH	QPSK	1	Low	22.65	2.2	0.05	22.70	0.186	7.000	Pass
			1	Mid	22.68	2.2	0.05	22.73	0.187	7.000	Pass
			1	High	22.69	2.2	0.05	22.74	0.188	7.000	Pass
			3	Low	22.69	2.2	0.05	22.74	0.188	7.000	Pass
			3	Mid	22.69	2.2	0.05	22.74	0.188	7.000	Pass
			3	High	22.65	2.2	0.05	22.70	0.186	7.000	Pass
			6	Low	21.73	2.2	0.05	21.78	0.151	7.000	Pass
		Q16	1	Low	21.83	2.2	0.05	21.88	0.154	7.000	Pass
			1	Mid	21.8	2.2	0.05	21.85	0.153	7.000	Pass
			1	High	21.87	2.2	0.05	21.92	0.156	7.000	Pass
			3	Low	21.97	2.2	0.05	22.02	0.159	7.000	Pass
			3	Mid	21.86	2.2	0.05	21.91	0.155	7.000	Pass
			3	High	21.81	2.2	0.05	21.86	0.153	7.000	Pass
			6	Low	20.86	2.2	0.05	20.91	0.123	7.000	Pass
		Q64	1	Low	21.08	2.2	0.05	21.13	0.130	7.000	Pass
			1	Mid	21.08	2.2	0.05	21.13	0.130	7.000	Pass
			1	High	20.94	2.2	0.05	20.99	0.126	7.000	Pass
			3	Low	20.98	2.2	0.05	21.03	0.127	7.000	Pass
			3	Mid	20.8	2.2	0.05	20.85	0.122	7.000	Pass
			3	High	20.91	2.2	0.05	20.96	0.125	7.000	Pass
			6	Low	19.77	2.2	0.05	19.82	0.096	7.000	Pass
		Q256	1	Low	17.99	2.2	0.05	18.04	0.064	7.000	Pass
			1	Mid	18.16	2.2	0.05	18.21	0.066	7.000	Pass
			1	High	17.86	2.2	0.05	17.91	0.062	7.000	Pass
			3	Low	17.9	2.2	0.05	17.95	0.062	7.000	Pass
			3	Mid	17.83	2.2	0.05	17.88	0.061	7.000	Pass
			3	High	17.85	2.2	0.05	17.90	0.062	7.000	Pass
			6	Low	17.78	2.2	0.05	17.83	0.061	7.000	Pass
	MCH	QPSK	1	Low	22.72	2.2	0.05	22.77	0.189	7.000	Pass
			1	Mid	22.78	2.2	0.05	22.83	0.192	7.000	Pass
			1	High	22.69	2.2	0.05	22.74	0.188	7.000	Pass
			3	Low	22.71	2.2	0.05	22.76	0.189	7.000	Pass
			3	Mid	22.65	2.2	0.05	22.70	0.186	7.000	Pass
			3	High	22.61	2.2	0.05	22.66	0.185	7.000	Pass
			6	Low	21.66	2.2	0.05	21.71	0.148	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
		Q16	1	Low	22.18	2.2	0.05	22.23	0.167	7.000	Pass
			1	Mid	22.09	2.2	0.05	22.14	0.164	7.000	Pass
			1	High	22.14	2.2	0.05	22.19	0.166	7.000	Pass
			3	Low	21.92	2.2	0.05	21.97	0.157	7.000	Pass
			3	Mid	22.09	2.2	0.05	22.14	0.164	7.000	Pass
			3	High	21.96	2.2	0.05	22.01	0.159	7.000	Pass
			6	Low	20.82	2.2	0.05	20.87	0.122	7.000	Pass
		Q64	1	Low	20.84	2.2	0.05	20.89	0.123	7.000	Pass
			1	Mid	21.08	2.2	0.05	21.13	0.130	7.000	Pass
			1	High	20.76	2.2	0.05	20.81	0.121	7.000	Pass
			3	Low	20.9	2.2	0.05	20.95	0.124	7.000	Pass
			3	Mid	20.75	2.2	0.05	20.80	0.120	7.000	Pass
			3	High	20.95	2.2	0.05	21.00	0.126	7.000	Pass
			6	Low	19.83	2.2	0.05	19.88	0.097	7.000	Pass
		Q256	1	Low	17.93	2.2	0.05	17.98	0.063	7.000	Pass
			1	Mid	17.91	2.2	0.05	17.96	0.063	7.000	Pass
			1	High	17.8	2.2	0.05	17.85	0.061	7.000	Pass
			3	Low	17.86	2.2	0.05	17.91	0.062	7.000	Pass
			3	Mid	17.9	2.2	0.05	17.95	0.062	7.000	Pass
			3	High	17.77	2.2	0.05	17.82	0.061	7.000	Pass
			6	Low	17.75	2.2	0.05	17.80	0.060	7.000	Pass
	HCH	QPSK	1	Low	22.82	2.2	0.05	22.87	0.194	7.000	Pass
			1	Mid	22.6	2.2	0.05	22.65	0.184	7.000	Pass
			1	High	22.66	2.2	0.05	22.71	0.187	7.000	Pass
			3	Low	22.64	2.2	0.05	22.69	0.186	7.000	Pass
			3	Mid	22.62	2.2	0.05	22.67	0.185	7.000	Pass
			3	High	22.64	2.2	0.05	22.69	0.186	7.000	Pass
			6	Low	21.7	2.2	0.05	21.75	0.150	7.000	Pass
		Q16	1	Low	21.96	2.2	0.05	22.01	0.159	7.000	Pass
			1	Mid	22.22	2.2	0.05	22.27	0.169	7.000	Pass
			1	High	22.15	2.2	0.05	22.20	0.166	7.000	Pass
			3	Low	21.81	2.2	0.05	21.86	0.153	7.000	Pass
			3	Mid	21.88	2.2	0.05	21.93	0.156	7.000	Pass
			3	High	21.9	2.2	0.05	21.95	0.157	7.000	Pass
			6	Low	20.81	2.2	0.05	20.86	0.122	7.000	Pass
		Q64	1	Low	21.03	2.2	0.05	21.08	0.128	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			1	Mid	21.15	2.2	0.05	21.20	0.132	7.000	Pass
			1	High	21.17	2.2	0.05	21.22	0.132	7.000	Pass
			3	Low	20.92	2.2	0.05	20.97	0.125	7.000	Pass
			3	Mid	20.88	2.2	0.05	20.93	0.124	7.000	Pass
			3	High	20.89	2.2	0.05	20.94	0.124	7.000	Pass
			6	Low	19.76	2.2	0.05	19.81	0.096	7.000	Pass
		Q256	1	Low	17.59	2.2	0.05	17.64	0.058	7.000	Pass
			1	Mid	17.81	2.2	0.05	17.86	0.061	7.000	Pass
			1	High	17.77	2.2	0.05	17.82	0.061	7.000	Pass
			3	Low	17.78	2.2	0.05	17.83	0.061	7.000	Pass
			3	Mid	17.87	2.2	0.05	17.92	0.062	7.000	Pass
			3	High	17.84	2.2	0.05	17.89	0.062	7.000	Pass
			6	Low	17.72	2.2	0.05	17.77	0.060	7.000	Pass
3	LCH	QPSK	1	Low	22.68	2.2	0.05	22.73	0.187	7.000	Pass
			1	Mid	22.88	2.2	0.05	22.93	0.196	7.000	Pass
			1	High	22.67	2.2	0.05	22.72	0.187	7.000	Pass
			8	Low	21.8	2.2	0.05	21.85	0.153	7.000	Pass
			8	Mid	21.84	2.2	0.05	21.89	0.155	7.000	Pass
			8	High	21.8	2.2	0.05	21.85	0.153	7.000	Pass
			15	Low	21.79	2.2	0.05	21.84	0.153	7.000	Pass
		Q16	1	Low	22.22	2.2	0.05	22.27	0.169	7.000	Pass
			1	Mid	22.22	2.2	0.05	22.27	0.169	7.000	Pass
			1	High	22.08	2.2	0.05	22.13	0.163	7.000	Pass
			8	Low	20.85	2.2	0.05	20.90	0.123	7.000	Pass
			8	Mid	20.94	2.2	0.05	20.99	0.126	7.000	Pass
			8	High	20.83	2.2	0.05	20.88	0.122	7.000	Pass
			15	Low	20.85	2.2	0.05	20.90	0.123	7.000	Pass
		Q64	1	Low	21.02	2.2	0.05	21.07	0.128	7.000	Pass
			1	Mid	21.12	2.2	0.05	21.17	0.131	7.000	Pass
			1	High	20.87	2.2	0.05	20.92	0.124	7.000	Pass
			8	Low	19.9	2.2	0.05	19.95	0.099	7.000	Pass
			8	Mid	19.9	2.2	0.05	19.95	0.099	7.000	Pass
			8	High	19.85	2.2	0.05	19.90	0.098	7.000	Pass
			15	Low	19.81	2.2	0.05	19.86	0.097	7.000	Pass
		Q2556	1	Low	17.85	2.2	0.05	17.90	0.062	7.000	Pass
			1	Mid	17.98	2.2	0.05	18.03	0.064	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			1	High	17.83	2.2	0.05	17.88	0.061	7.000	Pass
			8	Low	17.81	2.2	0.05	17.86	0.061	7.000	Pass
			8	Mid	17.8	2.2	0.05	17.85	0.061	7.000	Pass
			8	High	17.78	2.2	0.05	17.83	0.061	7.000	Pass
			15	Low	17.82	2.2	0.05	17.87	0.061	7.000	Pass
	MCH	QPSK	1	Low	22.77	2.2	0.05	22.82	0.191	7.000	Pass
			1	Mid	22.8	2.2	0.05	22.85	0.193	7.000	Pass
			1	High	22.67	2.2	0.05	22.72	0.187	7.000	Pass
			8	Low	21.71	2.2	0.05	21.76	0.150	7.000	Pass
			8	Mid	21.81	2.2	0.05	21.86	0.153	7.000	Pass
			8	High	21.78	2.2	0.05	21.83	0.152	7.000	Pass
			15	Low	21.8	2.2	0.05	21.85	0.153	7.000	Pass
		Q16	1	Low	22.11	2.2	0.05	22.16	0.164	7.000	Pass
			1	Mid	22.26	2.2	0.05	22.31	0.170	7.000	Pass
			1	High	22.02	2.2	0.05	22.07	0.161	7.000	Pass
			8	Low	20.85	2.2	0.05	20.90	0.123	7.000	Pass
			8	Mid	20.94	2.2	0.05	20.99	0.126	7.000	Pass
			8	High	20.89	2.2	0.05	20.94	0.124	7.000	Pass
			15	Low	20.88	2.2	0.05	20.93	0.124	7.000	Pass
		Q64	1	Low	20.73	2.2	0.05	20.78	0.120	7.000	Pass
			1	Mid	21.05	2.2	0.05	21.10	0.129	7.000	Pass
			1	High	20.84	2.2	0.05	20.89	0.123	7.000	Pass
			8	Low	19.76	2.2	0.05	19.81	0.096	7.000	Pass
			8	Mid	19.89	2.2	0.05	19.94	0.099	7.000	Pass
			8	High	19.82	2.2	0.05	19.87	0.097	7.000	Pass
			15	Low	19.81	2.2	0.05	19.86	0.097	7.000	Pass
		Q256	1	Low	17.84	2.2	0.05	17.89	0.062	7.000	Pass
			1	Mid	18.05	2.2	0.05	18.10	0.065	7.000	Pass
			1	High	17.85	2.2	0.05	17.90	0.062	7.000	Pass
			8	Low	17.73	2.2	0.05	17.78	0.060	7.000	Pass
			8	Mid	17.84	2.2	0.05	17.89	0.062	7.000	Pass
			8	High	17.82	2.2	0.05	17.87	0.061	7.000	Pass
			15	Low	17.82	2.2	0.05	17.87	0.061	7.000	Pass
	HCH	QPSK	1	Low	22.65	2.2	0.05	22.70	0.186	7.000	Pass
			1	Mid	22.78	2.2	0.05	22.83	0.192	7.000	Pass
			1	High	22.67	2.2	0.05	22.72	0.187	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			8	Low	21.7	2.2	0.05	21.75	0.150	7.000	Pass
			8	Mid	21.69	2.2	0.05	21.74	0.149	7.000	Pass
			8	High	21.75	2.2	0.05	21.80	0.151	7.000	Pass
			15	Low	21.69	2.2	0.05	21.74	0.149	7.000	Pass
		Q16	1	Low	22.04	2.2	0.05	22.09	0.162	7.000	Pass
			1	Mid	22.43	2.2	0.05	22.48	0.177	7.000	Pass
			1	High	22.06	2.2	0.05	22.11	0.163	7.000	Pass
			8	Low	20.77	2.2	0.05	20.82	0.121	7.000	Pass
			8	Mid	20.79	2.2	0.05	20.84	0.121	7.000	Pass
			8	High	20.85	2.2	0.05	20.90	0.123	7.000	Pass
			15	Low	20.72	2.2	0.05	20.77	0.119	7.000	Pass
		Q64	1	Low	20.87	2.2	0.05	20.92	0.124	7.000	Pass
			1	Mid	21.34	2.2	0.05	21.39	0.138	7.000	Pass
			1	High	20.98	2.2	0.05	21.03	0.127	7.000	Pass
			8	Low	19.74	2.2	0.05	19.79	0.095	7.000	Pass
			8	Mid	19.78	2.2	0.05	19.83	0.096	7.000	Pass
			8	High	19.8	2.2	0.05	19.85	0.097	7.000	Pass
			15	Low	19.74	2.2	0.05	19.79	0.095	7.000	Pass
		Q256	1	Low	17.74	2.2	0.05	17.79	0.060	7.000	Pass
			1	Mid	18.02	2.2	0.05	18.07	0.064	7.000	Pass
			1	High	17.74	2.2	0.05	17.79	0.060	7.000	Pass
			8	Low	17.73	2.2	0.05	17.78	0.060	7.000	Pass
			8	Mid	17.74	2.2	0.05	17.79	0.060	7.000	Pass
			8	High	17.83	2.2	0.05	17.88	0.061	7.000	Pass
			15	Low	17.67	2.2	0.05	17.72	0.059	7.000	Pass
5	LCH	QPSK	1	Low	22.75	2.2	0.05	22.80	0.191	7.000	Pass
			1	Mid	22.85	2.2	0.05	22.90	0.195	7.000	Pass
			1	High	22.69	2.2	0.05	22.74	0.188	7.000	Pass
			12	Low	21.84	2.2	0.05	21.89	0.155	7.000	Pass
			12	Mid	21.85	2.2	0.05	21.90	0.155	7.000	Pass
			12	High	21.8	2.2	0.05	21.85	0.153	7.000	Pass
			25	Low	21.79	2.2	0.05	21.84	0.153	7.000	Pass
		Q16	1	Low	22.19	2.2	0.05	22.24	0.167	7.000	Pass
			1	Mid	22.26	2.2	0.05	22.31	0.170	7.000	Pass
			1	High	22.02	2.2	0.05	22.07	0.161	7.000	Pass
			12	Low	20.84	2.2	0.05	20.89	0.123	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			12	Mid	20.89	2.2	0.05	20.94	0.124	7.000	Pass
			12	High	20.82	2.2	0.05	20.87	0.122	7.000	Pass
			25	Low	20.8	2.2	0.05	20.85	0.122	7.000	Pass
		Q64	1	Low	21.16	2.2	0.05	21.21	0.132	7.000	Pass
			1	Mid	21.11	2.2	0.05	21.16	0.131	7.000	Pass
			1	High	21	2.2	0.05	21.05	0.127	7.000	Pass
			12	Low	19.81	2.2	0.05	19.86	0.097	7.000	Pass
			12	Mid	19.88	2.2	0.05	19.93	0.098	7.000	Pass
			12	High	19.81	2.2	0.05	19.86	0.097	7.000	Pass
			25	Low	19.86	2.2	0.05	19.91	0.098	7.000	Pass
		Q256	1	Low	17.8	2.2	0.05	17.85	0.061	7.000	Pass
			1	Mid	18.05	2.2	0.05	18.10	0.065	7.000	Pass
			1	High	17.86	2.2	0.05	17.91	0.062	7.000	Pass
			12	Low	17.81	2.2	0.05	17.86	0.061	7.000	Pass
			12	Mid	17.86	2.2	0.05	17.91	0.062	7.000	Pass
			12	High	17.8	2.2	0.05	17.85	0.061	7.000	Pass
			25	Low	17.8	2.2	0.05	17.85	0.061	7.000	Pass
	MCH	QPSK	1	Low	22.77	2.2	0.05	22.82	0.191	7.000	Pass
			1	Mid	22.83	2.2	0.05	22.88	0.194	7.000	Pass
			1	High	22.64	2.2	0.05	22.69	0.186	7.000	Pass
			12	Low	21.75	2.2	0.05	21.80	0.151	7.000	Pass
			12	Mid	21.86	2.2	0.05	21.91	0.155	7.000	Pass
			12	High	21.79	2.2	0.05	21.84	0.153	7.000	Pass
			25	Low	21.78	2.2	0.05	21.83	0.152	7.000	Pass
		Q16	1	Low	22.21	2.2	0.05	22.26	0.168	7.000	Pass
			1	Mid	22.27	2.2	0.05	22.32	0.171	7.000	Pass
			1	High	22.26	2.2	0.05	22.31	0.170	7.000	Pass
			12	Low	20.8	2.2	0.05	20.85	0.122	7.000	Pass
			12	Mid	20.92	2.2	0.05	20.97	0.125	7.000	Pass
			12	High	20.84	2.2	0.05	20.89	0.123	7.000	Pass
			25	Low	20.83	2.2	0.05	20.88	0.122	7.000	Pass
		Q64	1	Low	21.14	2.2	0.05	21.19	0.132	7.000	Pass
			1	Mid	21.22	2.2	0.05	21.27	0.134	7.000	Pass
			1	High	21.02	2.2	0.05	21.07	0.128	7.000	Pass
			12	Low	19.74	2.2	0.05	19.79	0.095	7.000	Pass
			12	Mid	19.85	2.2	0.05	19.90	0.098	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			12	High	19.74	2.2	0.05	19.79	0.095	7.000	Pass
			25	Low	19.78	2.2	0.05	19.83	0.096	7.000	Pass
		Q256	1	Low	17.88	2.2	0.05	17.93	0.062	7.000	Pass
			1	Mid	18	2.2	0.05	18.05	0.064	7.000	Pass
			1	High	17.76	2.2	0.05	17.81	0.060	7.000	Pass
			12	Low	17.78	2.2	0.05	17.83	0.061	7.000	Pass
			12	Mid	17.9	2.2	0.05	17.95	0.062	7.000	Pass
			12	High	17.76	2.2	0.05	17.81	0.060	7.000	Pass
			25	Low	17.79	2.2	0.05	17.84	0.061	7.000	Pass
	HCH	QPSK	1	Low	22.72	2.2	0.05	22.77	0.189	7.000	Pass
			1	Mid	22.77	2.2	0.05	22.82	0.191	7.000	Pass
			1	High	22.79	2.2	0.05	22.84	0.192	7.000	Pass
			12	Low	21.68	2.2	0.05	21.73	0.149	7.000	Pass
			12	Mid	21.82	2.2	0.05	21.87	0.154	7.000	Pass
			12	High	21.79	2.2	0.05	21.84	0.153	7.000	Pass
			25	Low	21.75	2.2	0.05	21.80	0.151	7.000	Pass
		Q16	1	Low	22.03	2.2	0.05	22.08	0.161	7.000	Pass
			1	Mid	22.08	2.2	0.05	22.13	0.163	7.000	Pass
			1	High	22.22	2.2	0.05	22.27	0.169	7.000	Pass
			12	Low	20.69	2.2	0.05	20.74	0.119	7.000	Pass
			12	Mid	20.83	2.2	0.05	20.88	0.122	7.000	Pass
			12	High	20.74	2.2	0.05	20.79	0.120	7.000	Pass
			25	Low	20.78	2.2	0.05	20.83	0.121	7.000	Pass
		Q64	1	Low	21.01	2.2	0.05	21.06	0.128	7.000	Pass
			1	Mid	20.97	2.2	0.05	21.02	0.126	7.000	Pass
			1	High	21.01	2.2	0.05	21.06	0.128	7.000	Pass
			12	Low	19.81	2.2	0.05	19.86	0.097	7.000	Pass
			12	Mid	19.91	2.2	0.05	19.96	0.099	7.000	Pass
			12	High	19.79	2.2	0.05	19.84	0.096	7.000	Pass
			25	Low	19.8	2.2	0.05	19.85	0.097	7.000	Pass
		Q256	1	Low	17.86	2.2	0.05	17.91	0.062	7.000	Pass
			1	Mid	18.09	2.2	0.05	18.14	0.065	7.000	Pass
			1	High	17.85	2.2	0.05	17.90	0.062	7.000	Pass
			12	Low	17.72	2.2	0.05	17.77	0.060	7.000	Pass
			12	Mid	17.85	2.2	0.05	17.90	0.062	7.000	Pass
			12	High	17.73	2.2	0.05	17.78	0.060	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			25	Low	17.78	2.2	0.05	17.83	0.061	7.000	Pass
10	LCH	QPSK	1	Low	22.75	2.2	0.05	22.80	0.191	7.000	Pass
			1	Mid	22.76	2.2	0.05	22.81	0.191	7.000	Pass
			1	High	22.71	2.2	0.05	22.76	0.189	7.000	Pass
			25	Low	21.79	2.2	0.05	21.84	0.153	7.000	Pass
			25	Mid	21.88	2.2	0.05	21.93	0.156	7.000	Pass
			25	High	21.85	2.2	0.05	21.90	0.155	7.000	Pass
			50	Low	21.82	2.2	0.05	21.87	0.154	7.000	Pass
		Q16	1	Low	22.16	2.2	0.05	22.21	0.166	7.000	Pass
			1	Mid	22.12	2.2	0.05	22.17	0.165	7.000	Pass
			1	High	22.05	2.2	0.05	22.10	0.162	7.000	Pass
			25	Low	20.81	2.2	0.05	20.86	0.122	7.000	Pass
			25	Mid	20.9	2.2	0.05	20.95	0.124	7.000	Pass
			25	High	20.89	2.2	0.05	20.94	0.124	7.000	Pass
			50	Low	20.87	2.2	0.05	20.92	0.124	7.000	Pass
		Q64	1	Low	20.91	2.2	0.05	20.96	0.125	7.000	Pass
			1	Mid	21.06	2.2	0.05	21.11	0.129	7.000	Pass
			1	High	20.99	2.2	0.05	21.04	0.127	7.000	Pass
			25	Low	19.77	2.2	0.05	19.82	0.096	7.000	Pass
			25	Mid	19.87	2.2	0.05	19.92	0.098	7.000	Pass
			25	High	19.83	2.2	0.05	19.88	0.097	7.000	Pass
			50	Low	19.84	2.2	0.05	19.89	0.097	7.000	Pass
		Q256	1	Low	17.78	2.2	0.05	17.83	0.061	7.000	Pass
			1	Mid	17.88	2.2	0.05	17.93	0.062	7.000	Pass
			1	High	17.89	2.2	0.05	17.94	0.062	7.000	Pass
			25	Low	17.73	2.2	0.05	17.78	0.060	7.000	Pass
			25	Mid	17.86	2.2	0.05	17.91	0.062	7.000	Pass
			25	High	17.82	2.2	0.05	17.87	0.061	7.000	Pass
			50	Low	17.83	2.2	0.05	17.88	0.061	7.000	Pass
	MCH	QPSK	1	Low	22.74	2.2	0.05	22.79	0.190	7.000	Pass
			1	Mid	22.82	2.2	0.05	22.87	0.194	7.000	Pass
			1	High	22.79	2.2	0.05	22.84	0.192	7.000	Pass
			25	Low	21.76	2.2	0.05	21.81	0.152	7.000	Pass
			25	Mid	21.86	2.2	0.05	21.91	0.155	7.000	Pass
			25	High	21.84	2.2	0.05	21.89	0.155	7.000	Pass
			50	Low	21.8	2.2	0.05	21.85	0.153	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
		Q16	1	Low	22.19	2.2	0.05	22.24	0.167	7.000	Pass
			1	Mid	22.13	2.2	0.05	22.18	0.165	7.000	Pass
			1	High	22.02	2.2	0.05	22.07	0.161	7.000	Pass
			25	Low	20.78	2.2	0.05	20.83	0.121	7.000	Pass
			25	Mid	20.87	2.2	0.05	20.92	0.124	7.000	Pass
			25	High	20.89	2.2	0.05	20.94	0.124	7.000	Pass
			50	Low	20.83	2.2	0.05	20.88	0.122	7.000	Pass
		Q64	1	Low	20.93	2.2	0.05	20.98	0.125	7.000	Pass
			1	Mid	20.87	2.2	0.05	20.92	0.124	7.000	Pass
			1	High	20.9	2.2	0.05	20.95	0.124	7.000	Pass
			25	Low	19.71	2.2	0.05	19.76	0.095	7.000	Pass
			25	Mid	19.86	2.2	0.05	19.91	0.098	7.000	Pass
			25	High	19.84	2.2	0.05	19.89	0.097	7.000	Pass
			50	Low	19.79	2.2	0.05	19.84	0.096	7.000	Pass
		Q256	1	Low	17.79	2.2	0.05	17.84	0.061	7.000	Pass
			1	Mid	17.91	2.2	0.05	17.96	0.063	7.000	Pass
			1	High	17.88	2.2	0.05	17.93	0.062	7.000	Pass
			25	Low	17.71	2.2	0.05	17.76	0.060	7.000	Pass
			25	Mid	17.82	2.2	0.05	17.87	0.061	7.000	Pass
			25	High	17.8	2.2	0.05	17.85	0.061	7.000	Pass
			50	Low	17.79	2.2	0.05	17.84	0.061	7.000	Pass
	HCH	QPSK	1	Low	22.65	2.2	0.05	22.70	0.186	7.000	Pass
			1	Mid	22.76	2.2	0.05	22.81	0.191	7.000	Pass
			1	High	22.73	2.2	0.05	22.78	0.190	7.000	Pass
			25	Low	21.74	2.2	0.05	21.79	0.151	7.000	Pass
			25	Mid	21.76	2.2	0.05	21.81	0.152	7.000	Pass
			25	High	21.82	2.2	0.05	21.87	0.154	7.000	Pass
			50	Low	21.74	2.2	0.05	21.79	0.151	7.000	Pass
		Q16	1	Low	21.9	2.2	0.05	21.95	0.157	7.000	Pass
			1	Mid	21.92	2.2	0.05	21.97	0.157	7.000	Pass
			1	High	22.04	2.2	0.05	22.09	0.162	7.000	Pass
			25	Low	20.77	2.2	0.05	20.82	0.121	7.000	Pass
			25	Mid	20.79	2.2	0.05	20.84	0.121	7.000	Pass
			25	High	20.8	2.2	0.05	20.85	0.122	7.000	Pass
			50	Low	20.74	2.2	0.05	20.79	0.120	7.000	Pass
		Q64	1	Low	20.95	2.2	0.05	21.00	0.126	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			1	Mid	21.13	2.2	0.05	21.18	0.131	7.000	Pass
			1	High	21.01	2.2	0.05	21.06	0.128	7.000	Pass
			25	Low	19.78	2.2	0.05	19.83	0.096	7.000	Pass
			25	Mid	19.75	2.2	0.05	19.80	0.095	7.000	Pass
			25	High	19.81	2.2	0.05	19.86	0.097	7.000	Pass
			50	Low	19.73	2.2	0.05	19.78	0.095	7.000	Pass
		Q256	1	Low	17.73	2.2	0.05	17.78	0.060	7.000	Pass
			1	Mid	17.81	2.2	0.05	17.86	0.061	7.000	Pass
			1	High	17.7	2.2	0.05	17.75	0.060	7.000	Pass
			25	Low	17.72	2.2	0.05	17.77	0.060	7.000	Pass
			25	Mid	17.76	2.2	0.05	17.81	0.060	7.000	Pass
			25	High	17.88	2.2	0.05	17.93	0.062	7.000	Pass
			50	Low	17.74	2.2	0.05	17.79	0.060	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
5	LCH	QPSK	1	Low	21.99	3.2	25.19	0.330	2.000	Pass
			1	Mid	22.05	3.2	25.25	0.335	2.000	Pass
			1	High	22.09	3.2	25.29	0.338	2.000	Pass
			12	Low	20.98	3.2	24.18	0.262	2.000	Pass
			12	Mid	21.04	3.2	24.24	0.265	2.000	Pass
			12	High	20.91	3.2	24.11	0.258	2.000	Pass
			25	Low	20.88	3.2	24.08	0.256	2.000	Pass
		Q16	1	Low	21.29	3.2	24.49	0.281	2.000	Pass
			1	Mid	21.43	3.2	24.63	0.290	2.000	Pass
			1	High	21.44	3.2	24.64	0.291	2.000	Pass
			12	Low	20.06	3.2	23.26	0.212	2.000	Pass
			12	Mid	20.18	3.2	23.38	0.218	2.000	Pass
			12	High	20	3.2	23.20	0.209	2.000	Pass
			25	Low	19.93	3.2	23.13	0.206	2.000	Pass
		Q64	1	Low	20.33	3.2	23.53	0.225	2.000	Pass
			1	Mid	20.31	3.2	23.51	0.224	2.000	Pass
			1	High	20.23	3.2	23.43	0.220	2.000	Pass
			12	Low	18.96	3.2	22.16	0.164	2.000	Pass
			12	Mid	19.01	3.2	22.21	0.166	2.000	Pass
			12	High	18.86	3.2	22.06	0.161	2.000	Pass
			25	Low	18.92	3.2	22.12	0.163	2.000	Pass
		Q256	1	Low	16.96	3.2	20.16	0.104	2.000	Pass
			1	Mid	17.21	3.2	20.41	0.110	2.000	Pass
			1	High	16.9	3.2	20.10	0.102	2.000	Pass
			12	Low	16.99	3.2	20.19	0.104	2.000	Pass
			12	Mid	17.03	3.2	20.23	0.105	2.000	Pass
			12	High	16.94	3.2	20.14	0.103	2.000	Pass
			25	Low	16.91	3.2	20.11	0.103	2.000	Pass
	MCH	QPSK	1	Low	21.81	3.2	25.01	0.317	2.000	Pass
			1	Mid	21.87	3.2	25.07	0.321	2.000	Pass
			1	High	21.91	3.2	25.11	0.324	2.000	Pass
			12	Low	20.88	3.2	24.08	0.256	2.000	Pass
			12	Mid	20.94	3.2	24.14	0.259	2.000	Pass
			12	High	20.9	3.2	24.10	0.257	2.000	Pass
			25	Low	20.88	3.2	24.08	0.256	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
		Q16	1	Low	21.37	3.2	24.57	0.286	2.000	Pass
			1	Mid	21.39	3.2	24.59	0.288	2.000	Pass
			1	High	21.3	3.2	24.50	0.282	2.000	Pass
			12	Low	19.97	3.2	23.17	0.207	2.000	Pass
			12	Mid	20.01	3.2	23.21	0.209	2.000	Pass
			12	High	19.98	3.2	23.18	0.208	2.000	Pass
			25	Low	19.89	3.2	23.09	0.204	2.000	Pass
		Q64	1	Low	20.16	3.2	23.36	0.217	2.000	Pass
			1	Mid	20.24	3.2	23.44	0.221	2.000	Pass
			1	High	20.17	3.2	23.37	0.217	2.000	Pass
			12	Low	18.83	3.2	22.03	0.160	2.000	Pass
			12	Mid	18.89	3.2	22.09	0.162	2.000	Pass
			12	High	18.9	3.2	22.10	0.162	2.000	Pass
			25	Low	18.9	3.2	22.10	0.162	2.000	Pass
		Q256	1	Low	17.06	3.2	20.26	0.106	2.000	Pass
			1	Mid	16.9	3.2	20.10	0.102	2.000	Pass
			1	High	17.07	3.2	20.27	0.106	2.000	Pass
			12	Low	16.89	3.2	20.09	0.102	2.000	Pass
			12	Mid	16.94	3.2	20.14	0.103	2.000	Pass
			12	High	16.93	3.2	20.13	0.103	2.000	Pass
			25	Low	16.87	3.2	20.07	0.102	2.000	Pass
	HCH	QPSK	1	Low	21.81	3.2	25.01	0.317	2.000	Pass
			1	Mid	21.88	3.2	25.08	0.322	2.000	Pass
			1	High	21.87	3.2	25.07	0.321	2.000	Pass
			12	Low	20.84	3.2	24.04	0.254	2.000	Pass
			12	Mid	20.88	3.2	24.08	0.256	2.000	Pass
			12	High	20.85	3.2	24.05	0.254	2.000	Pass
			25	Low	20.88	3.2	24.08	0.256	2.000	Pass
		Q16	1	Low	21.29	3.2	24.49	0.281	2.000	Pass
			1	Mid	21.18	3.2	24.38	0.274	2.000	Pass
			1	High	21.21	3.2	24.41	0.276	2.000	Pass
			12	Low	19.83	3.2	23.03	0.201	2.000	Pass
			12	Mid	19.87	3.2	23.07	0.203	2.000	Pass
			12	High	19.83	3.2	23.03	0.201	2.000	Pass
			25	Low	19.88	3.2	23.08	0.203	2.000	Pass
		Q64	1	Low	19.97	3.2	23.17	0.207	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			1	Mid	20.29	3.2	23.49	0.223	2.000	Pass
			1	High	20.2	3.2	23.40	0.219	2.000	Pass
			12	Low	18.84	3.2	22.04	0.160	2.000	Pass
			12	Mid	18.91	3.2	22.11	0.163	2.000	Pass
			12	High	18.94	3.2	22.14	0.164	2.000	Pass
			25	Low	18.89	3.2	22.09	0.162	2.000	Pass
		Q256	1	Low	16.91	3.2	20.11	0.103	2.000	Pass
			1	Mid	17	3.2	20.20	0.105	2.000	Pass
			1	High	17.02	3.2	20.22	0.105	2.000	Pass
			12	Low	16.84	3.2	20.04	0.101	2.000	Pass
			12	Mid	16.86	3.2	20.06	0.101	2.000	Pass
			12	High	16.85	3.2	20.05	0.101	2.000	Pass
			25	Low	16.87	3.2	20.07	0.102	2.000	Pass
10	LCH	QPSK	1	Low	21.91	3.2	25.11	0.324	2.000	Pass
			1	Mid	21.97	3.2	25.17	0.329	2.000	Pass
			1	High	21.9	3.2	25.10	0.324	2.000	Pass
			25	Low	20.95	3.2	24.15	0.260	2.000	Pass
			25	Mid	20.96	3.2	24.16	0.261	2.000	Pass
			25	High	20.99	3.2	24.19	0.262	2.000	Pass
			50	Low	21	3.2	24.20	0.263	2.000	Pass
		Q16	1	Low	21.38	3.2	24.58	0.287	2.000	Pass
			1	Mid	21.36	3.2	24.56	0.286	2.000	Pass
			1	High	21.16	3.2	24.36	0.273	2.000	Pass
			25	Low	19.94	3.2	23.14	0.206	2.000	Pass
			25	Mid	20.02	3.2	23.22	0.210	2.000	Pass
			25	High	20.04	3.2	23.24	0.211	2.000	Pass
			50	Low	20.01	3.2	23.21	0.209	2.000	Pass
		Q64	1	Low	20.19	3.2	23.39	0.218	2.000	Pass
			1	Mid	20.23	3.2	23.43	0.220	2.000	Pass
			1	High	20.08	3.2	23.28	0.213	2.000	Pass
			25	Low	18.98	3.2	22.18	0.165	2.000	Pass
			25	Mid	19.01	3.2	22.21	0.166	2.000	Pass
			25	High	18.94	3.2	22.14	0.164	2.000	Pass
			50	Low	19.01	3.2	22.21	0.166	2.000	Pass
		Q256	1	Low	17.19	3.2	20.39	0.109	2.000	Pass
			1	Mid	16.98	3.2	20.18	0.104	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			1	High	17.11	3.2	20.31	0.107	2.000	Pass
			25	Low	16.96	3.2	20.16	0.104	2.000	Pass
			25	Mid	16.99	3.2	20.19	0.104	2.000	Pass
			25	High	16.95	3.2	20.15	0.104	2.000	Pass
			50	Low	16.98	3.2	20.18	0.104	2.000	Pass
	MCH	QPSK	1	Low	21.86	3.2	25.06	0.321	2.000	Pass
			1	Mid	21.92	3.2	25.12	0.325	2.000	Pass
			1	High	21.82	3.2	25.02	0.318	2.000	Pass
			25	Low	20.88	3.2	24.08	0.256	2.000	Pass
			25	Mid	20.94	3.2	24.14	0.259	2.000	Pass
			25	High	20.86	3.2	24.06	0.255	2.000	Pass
			50	Low	20.89	3.2	24.09	0.256	2.000	Pass
		Q16	1	Low	21.21	3.2	24.41	0.276	2.000	Pass
			1	Mid	21.21	3.2	24.41	0.276	2.000	Pass
			1	High	21.25	3.2	24.45	0.279	2.000	Pass
			25	Low	19.88	3.2	23.08	0.203	2.000	Pass
			25	Mid	19.95	3.2	23.15	0.207	2.000	Pass
			25	High	19.83	3.2	23.03	0.201	2.000	Pass
			50	Low	19.89	3.2	23.09	0.204	2.000	Pass
		Q64	1	Low	20.04	3.2	23.24	0.211	2.000	Pass
			1	Mid	20.08	3.2	23.28	0.213	2.000	Pass
			1	High	20.01	3.2	23.21	0.209	2.000	Pass
			25	Low	18.94	3.2	22.14	0.164	2.000	Pass
			25	Mid	18.92	3.2	22.12	0.163	2.000	Pass
			25	High	18.83	3.2	22.03	0.160	2.000	Pass
			50	Low	18.91	3.2	22.11	0.163	2.000	Pass
		Q256	1	Low	16.95	3.2	20.15	0.104	2.000	Pass
			1	Mid	17.04	3.2	20.24	0.106	2.000	Pass
			1	High	16.77	3.2	19.97	0.099	2.000	Pass
			25	Low	16.92	3.2	20.12	0.103	2.000	Pass
			25	Mid	16.97	3.2	20.17	0.104	2.000	Pass
			25	High	16.82	3.2	20.02	0.100	2.000	Pass
			50	Low	16.86	3.2	20.06	0.101	2.000	Pass
	HCH	QPSK	1	Low	21.85	3.2	25.05	0.320	2.000	Pass
			1	Mid	21.83	3.2	25.03	0.318	2.000	Pass
			1	High	21.83	3.2	25.03	0.318	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			25	Low	20.83	3.2	24.03	0.253	2.000	Pass
			25	Mid	20.87	3.2	24.07	0.255	2.000	Pass
			25	High	20.89	3.2	24.09	0.256	2.000	Pass
			50	Low	20.83	3.2	24.03	0.253	2.000	Pass
		Q16	1	Low	21	3.2	24.20	0.263	2.000	Pass
			1	Mid	21.17	3.2	24.37	0.274	2.000	Pass
			1	High	21.06	3.2	24.26	0.267	2.000	Pass
			25	Low	19.86	3.2	23.06	0.202	2.000	Pass
			25	Mid	19.87	3.2	23.07	0.203	2.000	Pass
			25	High	19.84	3.2	23.04	0.201	2.000	Pass
			50	Low	19.86	3.2	23.06	0.202	2.000	Pass
		Q64	1	Low	20.19	3.2	23.39	0.218	2.000	Pass
			1	Mid	20.07	3.2	23.27	0.212	2.000	Pass
			1	High	20.04	3.2	23.24	0.211	2.000	Pass
			25	Low	18.86	3.2	22.06	0.161	2.000	Pass
			25	Mid	18.92	3.2	22.12	0.163	2.000	Pass
			25	High	18.85	3.2	22.05	0.160	2.000	Pass
			50	Low	18.87	3.2	22.07	0.161	2.000	Pass
		Q256	1	Low	16.92	3.2	20.12	0.103	2.000	Pass
			1	Mid	16.93	3.2	20.13	0.103	2.000	Pass
			1	High	16.84	3.2	20.04	0.101	2.000	Pass
			25	Low	16.89	3.2	20.09	0.102	2.000	Pass
			25	Mid	16.89	3.2	20.09	0.102	2.000	Pass
			25	High	16.83	3.2	20.03	0.101	2.000	Pass
			50	Low	16.9	3.2	20.10	0.102	2.000	Pass
15	LCH	QPSK	1	Low	22	3.2	25.20	0.331	2.000	Pass
			1	Mid	22.04	3.2	25.24	0.334	2.000	Pass
			1	High	21.9	3.2	25.10	0.324	2.000	Pass
			36	Low	20.94	3.2	24.14	0.259	2.000	Pass
			36	Mid	20.88	3.2	24.08	0.256	2.000	Pass
			36	High	20.87	3.2	24.07	0.255	2.000	Pass
			75	Low	20.87	3.2	24.07	0.255	2.000	Pass
		Q16	1	Low	21.28	3.2	24.48	0.281	2.000	Pass
			1	Mid	21.17	3.2	24.37	0.274	2.000	Pass
			1	High	21.18	3.2	24.38	0.274	2.000	Pass
			36	Low	19.96	3.2	23.16	0.207	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			36	Mid	19.9	3.2	23.10	0.204	2.000	Pass
			36	High	19.91	3.2	23.11	0.205	2.000	Pass
			75	Low	19.91	3.2	23.11	0.205	2.000	Pass
		Q64	1	Low	20.27	3.2	23.47	0.222	2.000	Pass
			1	Mid	20.2	3.2	23.40	0.219	2.000	Pass
			1	High	20.18	3.2	23.38	0.218	2.000	Pass
			36	Low	18.96	3.2	22.16	0.164	2.000	Pass
			36	Mid	18.92	3.2	22.12	0.163	2.000	Pass
			36	High	18.88	3.2	22.08	0.161	2.000	Pass
			75	Low	18.9	3.2	22.10	0.162	2.000	Pass
		Q256	1	Low	17.1	3.2	20.30	0.107	2.000	Pass
			1	Mid	17.14	3.2	20.34	0.108	2.000	Pass
			1	High	17.07	3.2	20.27	0.106	2.000	Pass
			36	Low	16.98	3.2	20.18	0.104	2.000	Pass
			36	Mid	16.9	3.2	20.10	0.102	2.000	Pass
			36	High	16.96	3.2	20.16	0.104	2.000	Pass
			75	Low	16.89	3.2	20.09	0.102	2.000	Pass
	MCH	QPSK	1	Low	21.88	3.2	25.08	0.322	2.000	Pass
			1	Mid	21.87	3.2	25.07	0.321	2.000	Pass
			1	High	21.8	3.2	25.00	0.316	2.000	Pass
			36	Low	20.83	3.2	24.03	0.253	2.000	Pass
			36	Mid	20.86	3.2	24.06	0.255	2.000	Pass
			36	High	20.76	3.2	23.96	0.249	2.000	Pass
			75	Low	20.84	3.2	24.04	0.254	2.000	Pass
		Q16	1	Low	21.11	3.2	24.31	0.270	2.000	Pass
			1	Mid	21.22	3.2	24.42	0.277	2.000	Pass
			1	High	21.18	3.2	24.38	0.274	2.000	Pass
			36	Low	19.86	3.2	23.06	0.202	2.000	Pass
			36	Mid	19.9	3.2	23.10	0.204	2.000	Pass
			36	High	19.79	3.2	22.99	0.199	2.000	Pass
			75	Low	19.84	3.2	23.04	0.201	2.000	Pass
		Q64	1	Low	19.96	3.2	23.16	0.207	2.000	Pass
			1	Mid	19.97	3.2	23.17	0.207	2.000	Pass
			1	High	19.99	3.2	23.19	0.208	2.000	Pass
			36	Low	18.87	3.2	22.07	0.161	2.000	Pass
			36	Mid	18.89	3.2	22.09	0.162	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			36	High	18.77	3.2	21.97	0.157	2.000	Pass
			75	Low	18.92	3.2	22.12	0.163	2.000	Pass
		Q256	1	Low	17.09	3.2	20.29	0.107	2.000	Pass
			1	Mid	16.92	3.2	20.12	0.103	2.000	Pass
			1	High	16.83	3.2	20.03	0.101	2.000	Pass
			36	Low	16.86	3.2	20.06	0.101	2.000	Pass
			36	Mid	16.9	3.2	20.10	0.102	2.000	Pass
			36	High	16.81	3.2	20.01	0.100	2.000	Pass
			75	Low	16.88	3.2	20.08	0.102	2.000	Pass
	HCH	QPSK	1	Low	21.79	3.2	24.99	0.316	2.000	Pass
			1	Mid	21.83	3.2	25.03	0.318	2.000	Pass
			1	High	21.77	3.2	24.97	0.314	2.000	Pass
			36	Low	20.78	3.2	23.98	0.250	2.000	Pass
			36	Mid	20.83	3.2	24.03	0.253	2.000	Pass
			36	High	20.8	3.2	24.00	0.251	2.000	Pass
			75	Low	20.79	3.2	23.99	0.251	2.000	Pass
		Q16	1	Low	20.95	3.2	24.15	0.260	2.000	Pass
			1	Mid	21.12	3.2	24.32	0.270	2.000	Pass
			1	High	20.95	3.2	24.15	0.260	2.000	Pass
			36	Low	19.82	3.2	23.02	0.200	2.000	Pass
			36	Mid	19.85	3.2	23.05	0.202	2.000	Pass
			36	High	19.8	3.2	23.00	0.200	2.000	Pass
			75	Low	19.82	3.2	23.02	0.200	2.000	Pass
		Q64	1	Low	20.02	3.2	23.22	0.210	2.000	Pass
			1	Mid	20.07	3.2	23.27	0.212	2.000	Pass
			1	High	20.12	3.2	23.32	0.215	2.000	Pass
			36	Low	18.81	3.2	22.01	0.159	2.000	Pass
			36	Mid	18.81	3.2	22.01	0.159	2.000	Pass
			36	High	18.82	3.2	22.02	0.159	2.000	Pass
			75	Low	18.79	3.2	21.99	0.158	2.000	Pass
		Q256	1	Low	16.88	3.2	20.08	0.102	2.000	Pass
			1	Mid	16.8	3.2	20.00	0.100	2.000	Pass
			1	High	16.75	3.2	19.95	0.099	2.000	Pass
			36	Low	16.77	3.2	19.97	0.099	2.000	Pass
			36	Mid	16.84	3.2	20.04	0.101	2.000	Pass
			36	High	16.83	3.2	20.03	0.101	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			75	Low	16.82	3.2	20.02	0.100	2.000	Pass
20	LCH	QPSK	1	Low	21.93	3.2	25.13	0.326	2.000	Pass
			1	Mid	21.94	3.2	25.14	0.327	2.000	Pass
			1	High	21.9	3.2	25.10	0.324	2.000	Pass
			50	Low	20.98	3.2	24.18	0.262	2.000	Pass
			50	Mid	20.99	3.2	24.19	0.262	2.000	Pass
			50	High	20.86	3.2	24.06	0.255	2.000	Pass
			100	Low	20.96	3.2	24.16	0.261	2.000	Pass
		Q16	1	Low	21.36	3.2	24.56	0.286	2.000	Pass
			1	Mid	21.42	3.2	24.62	0.290	2.000	Pass
			1	High	21.31	3.2	24.51	0.282	2.000	Pass
			50	Low	19.97	3.2	23.17	0.207	2.000	Pass
			50	Mid	20	3.2	23.20	0.209	2.000	Pass
			50	High	19.85	3.2	23.05	0.202	2.000	Pass
			100	Low	19.97	3.2	23.17	0.207	2.000	Pass
		Q64	1	Low	20.27	3.2	23.47	0.222	2.000	Pass
			1	Mid	20.26	3.2	23.46	0.222	2.000	Pass
			1	High	20.33	3.2	23.53	0.225	2.000	Pass
			50	Low	18.95	3.2	22.15	0.164	2.000	Pass
			50	Mid	18.98	3.2	22.18	0.165	2.000	Pass
			50	High	18.84	3.2	22.04	0.160	2.000	Pass
			100	Low	18.97	3.2	22.17	0.165	2.000	Pass
		Q256	1	Low	17.03	3.2	20.23	0.105	2.000	Pass
			1	Mid	17.07	3.2	20.27	0.106	2.000	Pass
			1	High	16.95	3.2	20.15	0.104	2.000	Pass
			50	Low	16.94	3.2	20.14	0.103	2.000	Pass
			50	Mid	16.98	3.2	20.18	0.104	2.000	Pass
			50	High	16.87	3.2	20.07	0.102	2.000	Pass
			100	Low	16.95	3.2	20.15	0.104	2.000	Pass
	MCH	QPSK	1	Low	21.86	3.2	25.06	0.321	2.000	Pass
			1	Mid	21.9	3.2	25.10	0.324	2.000	Pass
			1	High	21.81	3.2	25.01	0.317	2.000	Pass
			50	Low	20.88	3.2	24.08	0.256	2.000	Pass
			50	Mid	20.92	3.2	24.12	0.258	2.000	Pass
			50	High	20.75	3.2	23.95	0.248	2.000	Pass
			100	Low	20.86	3.2	24.06	0.255	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
		Q16	1	Low	21.25	3.2	24.45	0.279	2.000	Pass
			1	Mid	21.27	3.2	24.47	0.280	2.000	Pass
			1	High	21	3.2	24.20	0.263	2.000	Pass
			50	Low	19.87	3.2	23.07	0.203	2.000	Pass
			50	Mid	19.89	3.2	23.09	0.204	2.000	Pass
			50	High	19.76	3.2	22.96	0.198	2.000	Pass
			100	Low	19.85	3.2	23.05	0.202	2.000	Pass
		Q64	1	Low	20.13	3.2	23.33	0.215	2.000	Pass
			1	Mid	20.15	3.2	23.35	0.216	2.000	Pass
			1	High	20.13	3.2	23.33	0.215	2.000	Pass
			50	Low	18.88	3.2	22.08	0.161	2.000	Pass
			50	Mid	18.87	3.2	22.07	0.161	2.000	Pass
			50	High	18.78	3.2	21.98	0.158	2.000	Pass
			100	Low	18.86	3.2	22.06	0.161	2.000	Pass
		Q256	1	Low	16.9	3.2	20.10	0.102	2.000	Pass
			1	Mid	16.86	3.2	20.06	0.101	2.000	Pass
			1	High	16.84	3.2	20.04	0.101	2.000	Pass
			50	Low	16.84	3.2	20.04	0.101	2.000	Pass
			50	Mid	16.89	3.2	20.09	0.102	2.000	Pass
			50	High	16.82	3.2	20.02	0.100	2.000	Pass
			100	Low	16.88	3.2	20.08	0.102	2.000	Pass
	HCH	QPSK	1	Low	21.71	3.2	24.91	0.310	2.000	Pass
			1	Mid	21.88	3.2	25.08	0.322	2.000	Pass
			1	High	21.75	3.2	24.95	0.313	2.000	Pass
			50	Low	20.78	3.2	23.98	0.250	2.000	Pass
			50	Mid	20.83	3.2	24.03	0.253	2.000	Pass
			50	High	20.81	3.2	24.01	0.252	2.000	Pass
			100	Low	20.78	3.2	23.98	0.250	2.000	Pass
		Q16	1	Low	21.14	3.2	24.34	0.272	2.000	Pass
			1	Mid	21.11	3.2	24.31	0.270	2.000	Pass
			1	High	21.02	3.2	24.22	0.264	2.000	Pass
			50	Low	19.82	3.2	23.02	0.200	2.000	Pass
			50	Mid	19.85	3.2	23.05	0.202	2.000	Pass
			50	High	19.81	3.2	23.01	0.200	2.000	Pass
			100	Low	19.77	3.2	22.97	0.198	2.000	Pass
		Q64	1	Low	20.02	3.2	23.22	0.210	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			1	Mid	20.08	3.2	23.28	0.213	2.000	Pass
			1	High	19.93	3.2	23.13	0.206	2.000	Pass
			50	Low	18.79	3.2	21.99	0.158	2.000	Pass
			50	Mid	18.81	3.2	22.01	0.159	2.000	Pass
			50	High	18.78	3.2	21.98	0.158	2.000	Pass
			100	Low	18.81	3.2	22.01	0.159	2.000	Pass
		Q256	1	Low	16.89	3.2	20.09	0.102	2.000	Pass
			1	Mid	16.91	3.2	20.11	0.103	2.000	Pass
			1	High	16.85	3.2	20.05	0.101	2.000	Pass
			50	Low	16.77	3.2	19.97	0.099	2.000	Pass
			50	Mid	16.82	3.2	20.02	0.100	2.000	Pass
			50	High	16.8	3.2	20.00	0.100	2.000	Pass
			100	Low	16.79	3.2	19.99	0.100	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
1.4	LCH	QPSK	1	Low	22.58	-0.7	-2.85	19.73	0.094	3.000	Pass
			1	Mid	22.68	-0.7	-2.85	19.83	0.096	3.000	Pass
			1	High	22.56	-0.7	-2.85	19.71	0.094	3.000	Pass
			3	Low	22.72	-0.7	-2.85	19.87	0.097	3.000	Pass
			3	Mid	22.53	-0.7	-2.85	19.68	0.093	3.000	Pass
			3	High	22.57	-0.7	-2.85	19.72	0.094	3.000	Pass
			6	Low	21.58	-0.7	-2.85	18.73	0.075	3.000	Pass
		Q16	1	Low	22	-0.7	-2.85	19.15	0.082	3.000	Pass
			1	Mid	21.81	-0.7	-2.85	18.96	0.079	3.000	Pass
			1	High	21.91	-0.7	-2.85	19.06	0.081	3.000	Pass
			3	Low	21.7	-0.7	-2.85	18.85	0.077	3.000	Pass
			3	Mid	21.78	-0.7	-2.85	18.93	0.078	3.000	Pass
			3	High	21.84	-0.7	-2.85	18.99	0.079	3.000	Pass
			6	Low	20.77	-0.7	-2.85	17.92	0.062	3.000	Pass
		Q64	1	Low	20.97	-0.7	-2.85	18.12	0.065	3.000	Pass
			1	Mid	21.14	-0.7	-2.85	18.29	0.067	3.000	Pass
			1	High	20.95	-0.7	-2.85	18.10	0.065	3.000	Pass
			3	Low	20.82	-0.7	-2.85	17.97	0.063	3.000	Pass
			3	Mid	20.89	-0.7	-2.85	18.04	0.064	3.000	Pass
			3	High	20.86	-0.7	-2.85	18.01	0.063	3.000	Pass
			6	Low	19.68	-0.7	-2.85	16.83	0.048	3.000	Pass
		Q256	1	Low	17.8	-0.7	-2.85	14.95	0.031	3.000	Pass
			1	Mid	17.88	-0.7	-2.85	15.03	0.032	3.000	Pass
			1	High	17.87	-0.7	-2.85	15.02	0.032	3.000	Pass
			3	Low	17.78	-0.7	-2.85	14.93	0.031	3.000	Pass
			3	Mid	17.8	-0.7	-2.85	14.95	0.031	3.000	Pass
			3	High	17.82	-0.7	-2.85	14.97	0.031	3.000	Pass
			6	Low	17.7	-0.7	-2.85	14.85	0.031	3.000	Pass
	MCH	QPSK	1	Low	22.59	-0.7	-2.85	19.74	0.094	3.000	Pass
			1	Mid	22.54	-0.7	-2.85	19.69	0.093	3.000	Pass
			1	High	22.55	-0.7	-2.85	19.70	0.093	3.000	Pass
			3	Low	22.51	-0.7	-2.85	19.66	0.092	3.000	Pass
			3	Mid	22.59	-0.7	-2.85	19.74	0.094	3.000	Pass
			3	High	22.57	-0.7	-2.85	19.72	0.094	3.000	Pass
			6	Low	21.51	-0.7	-2.85	18.66	0.073	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
		Q16	1	Low	21.85	-0.7	-2.85	19.00	0.079	3.000	Pass
			1	Mid	21.92	-0.7	-2.85	19.07	0.081	3.000	Pass
			1	High	21.78	-0.7	-2.85	18.93	0.078	3.000	Pass
			3	Low	21.75	-0.7	-2.85	18.90	0.078	3.000	Pass
			3	Mid	21.82	-0.7	-2.85	18.97	0.079	3.000	Pass
			3	High	21.89	-0.7	-2.85	19.04	0.080	3.000	Pass
			6	Low	20.64	-0.7	-2.85	17.79	0.060	3.000	Pass
		Q64	1	Low	21.09	-0.7	-2.85	18.24	0.067	3.000	Pass
			1	Mid	21	-0.7	-2.85	18.15	0.065	3.000	Pass
			1	High	20.95	-0.7	-2.85	18.10	0.065	3.000	Pass
			3	Low	20.78	-0.7	-2.85	17.93	0.062	3.000	Pass
			3	Mid	20.89	-0.7	-2.85	18.04	0.064	3.000	Pass
			3	High	20.89	-0.7	-2.85	18.04	0.064	3.000	Pass
			6	Low	19.67	-0.7	-2.85	16.82	0.048	3.000	Pass
		Q256	1	Low	17.92	-0.7	-2.85	15.07	0.032	3.000	Pass
			1	Mid	17.78	-0.7	-2.85	14.93	0.031	3.000	Pass
			1	High	17.93	-0.7	-2.85	15.08	0.032	3.000	Pass
			3	Low	17.77	-0.7	-2.85	14.92	0.031	3.000	Pass
			3	Mid	17.77	-0.7	-2.85	14.92	0.031	3.000	Pass
			3	High	17.74	-0.7	-2.85	14.89	0.031	3.000	Pass
			6	Low	17.6	-0.7	-2.85	14.75	0.030	3.000	Pass
	HCH	QPSK	1	Low	22.67	-0.7	-2.85	19.82	0.096	3.000	Pass
			1	Mid	22.64	-0.7	-2.85	19.79	0.095	3.000	Pass
			1	High	22.62	-0.7	-2.85	19.77	0.095	3.000	Pass
			3	Low	22.53	-0.7	-2.85	19.68	0.093	3.000	Pass
			3	Mid	22.61	-0.7	-2.85	19.76	0.095	3.000	Pass
			3	High	22.57	-0.7	-2.85	19.72	0.094	3.000	Pass
			6	Low	21.6	-0.7	-2.85	18.75	0.075	3.000	Pass
		Q16	1	Low	21.98	-0.7	-2.85	19.13	0.082	3.000	Pass
			1	Mid	22.1	-0.7	-2.85	19.25	0.084	3.000	Pass
			1	High	22.06	-0.7	-2.85	19.21	0.083	3.000	Pass
			3	Low	21.87	-0.7	-2.85	19.02	0.080	3.000	Pass
			3	Mid	21.9	-0.7	-2.85	19.05	0.080	3.000	Pass
			3	High	21.78	-0.7	-2.85	18.93	0.078	3.000	Pass
			6	Low	20.68	-0.7	-2.85	17.83	0.061	3.000	Pass
		Q64	1	Low	20.77	-0.7	-2.85	17.92	0.062	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			1	Mid	20.85	-0.7	-2.85	18.00	0.063	3.000	Pass
			1	High	20.83	-0.7	-2.85	17.98	0.063	3.000	Pass
			3	Low	20.92	-0.7	-2.85	18.07	0.064	3.000	Pass
			3	Mid	20.82	-0.7	-2.85	17.97	0.063	3.000	Pass
			3	High	20.82	-0.7	-2.85	17.97	0.063	3.000	Pass
			6	Low	19.7	-0.7	-2.85	16.85	0.048	3.000	Pass
		Q256	1	Low	17.75	-0.7	-2.85	14.90	0.031	3.000	Pass
			1	Mid	17.86	-0.7	-2.85	15.01	0.032	3.000	Pass
			1	High	17.76	-0.7	-2.85	14.91	0.031	3.000	Pass
			3	Low	17.78	-0.7	-2.85	14.93	0.031	3.000	Pass
			3	Mid	17.76	-0.7	-2.85	14.91	0.031	3.000	Pass
			3	High	17.73	-0.7	-2.85	14.88	0.031	3.000	Pass
			6	Low	17.62	-0.7	-2.85	14.77	0.030	3.000	Pass
3	LCH	QPSK	1	Low	22.54	-0.7	-2.85	19.69	0.093	3.000	Pass
			1	Mid	22.63	-0.7	-2.85	19.78	0.095	3.000	Pass
			1	High	22.48	-0.7	-2.85	19.63	0.092	3.000	Pass
			8	Low	21.71	-0.7	-2.85	18.86	0.077	3.000	Pass
			8	Mid	21.73	-0.7	-2.85	18.88	0.077	3.000	Pass
			8	High	21.64	-0.7	-2.85	18.79	0.076	3.000	Pass
			15	Low	21.67	-0.7	-2.85	18.82	0.076	3.000	Pass
		Q16	1	Low	21.95	-0.7	-2.85	19.10	0.081	3.000	Pass
			1	Mid	22.13	-0.7	-2.85	19.28	0.085	3.000	Pass
			1	High	21.87	-0.7	-2.85	19.02	0.080	3.000	Pass
			8	Low	20.77	-0.7	-2.85	17.92	0.062	3.000	Pass
			8	Mid	20.76	-0.7	-2.85	17.91	0.062	3.000	Pass
			8	High	20.7	-0.7	-2.85	17.85	0.061	3.000	Pass
			15	Low	20.7	-0.7	-2.85	17.85	0.061	3.000	Pass
		Q64	1	Low	20.94	-0.7	-2.85	18.09	0.064	3.000	Pass
			1	Mid	20.95	-0.7	-2.85	18.10	0.065	3.000	Pass
			1	High	20.81	-0.7	-2.85	17.96	0.063	3.000	Pass
			8	Low	19.71	-0.7	-2.85	16.86	0.049	3.000	Pass
			8	Mid	19.71	-0.7	-2.85	16.86	0.049	3.000	Pass
			8	High	19.63	-0.7	-2.85	16.78	0.048	3.000	Pass
			15	Low	19.69	-0.7	-2.85	16.84	0.048	3.000	Pass
		Q2556	1	Low	17.63	-0.7	-2.85	14.78	0.030	3.000	Pass
			1	Mid	17.83	-0.7	-2.85	14.98	0.031	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			1	High	17.65	-0.7	-2.85	14.80	0.030	3.000	Pass
			8	Low	17.65	-0.7	-2.85	14.80	0.030	3.000	Pass
			8	Mid	17.66	-0.7	-2.85	14.81	0.030	3.000	Pass
			8	High	17.67	-0.7	-2.85	14.82	0.030	3.000	Pass
			15	Low	17.67	-0.7	-2.85	14.82	0.030	3.000	Pass
	MCH	QPSK	1	Low	22.63	-0.7	-2.85	19.78	0.095	3.000	Pass
			1	Mid	22.91	-0.7	-2.85	20.06	0.101	3.000	Pass
			1	High	22.56	-0.7	-2.85	19.71	0.094	3.000	Pass
			8	Low	21.64	-0.7	-2.85	18.79	0.076	3.000	Pass
			8	Mid	21.66	-0.7	-2.85	18.81	0.076	3.000	Pass
			8	High	21.7	-0.7	-2.85	18.85	0.077	3.000	Pass
			15	Low	21.66	-0.7	-2.85	18.81	0.076	3.000	Pass
		Q16	1	Low	21.97	-0.7	-2.85	19.12	0.082	3.000	Pass
			1	Mid	22.14	-0.7	-2.85	19.29	0.085	3.000	Pass
			1	High	21.97	-0.7	-2.85	19.12	0.082	3.000	Pass
			8	Low	20.73	-0.7	-2.85	17.88	0.061	3.000	Pass
			8	Mid	20.72	-0.7	-2.85	17.87	0.061	3.000	Pass
			8	High	20.78	-0.7	-2.85	17.93	0.062	3.000	Pass
			15	Low	20.67	-0.7	-2.85	17.82	0.061	3.000	Pass
		Q64	1	Low	20.78	-0.7	-2.85	17.93	0.062	3.000	Pass
			1	Mid	21.06	-0.7	-2.85	18.21	0.066	3.000	Pass
			1	High	20.77	-0.7	-2.85	17.92	0.062	3.000	Pass
			8	Low	19.71	-0.7	-2.85	16.86	0.049	3.000	Pass
			8	Mid	19.74	-0.7	-2.85	16.89	0.049	3.000	Pass
			8	High	19.81	-0.7	-2.85	16.96	0.050	3.000	Pass
			15	Low	19.66	-0.7	-2.85	16.81	0.048	3.000	Pass
		Q256	1	Low	17.63	-0.7	-2.85	14.78	0.030	3.000	Pass
			1	Mid	17.97	-0.7	-2.85	15.12	0.033	3.000	Pass
			1	High	17.83	-0.7	-2.85	14.98	0.031	3.000	Pass
			8	Low	17.67	-0.7	-2.85	14.82	0.030	3.000	Pass
			8	Mid	17.63	-0.7	-2.85	14.78	0.030	3.000	Pass
			8	High	17.76	-0.7	-2.85	14.91	0.031	3.000	Pass
			15	Low	17.65	-0.7	-2.85	14.80	0.030	3.000	Pass
	HCH	QPSK	1	Low	22.55	-0.7	-2.85	19.70	0.093	3.000	Pass
			1	Mid	22.78	-0.7	-2.85	19.93	0.098	3.000	Pass
			1	High	22.57	-0.7	-2.85	19.72	0.094	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			8	Low	21.57	-0.7	-2.85	18.72	0.074	3.000	Pass
			8	Mid	21.58	-0.7	-2.85	18.73	0.075	3.000	Pass
			8	High	21.62	-0.7	-2.85	18.77	0.075	3.000	Pass
			15	Low	21.56	-0.7	-2.85	18.71	0.074	3.000	Pass
		Q16	1	Low	21.91	-0.7	-2.85	19.06	0.081	3.000	Pass
			1	Mid	22.31	-0.7	-2.85	19.46	0.088	3.000	Pass
			1	High	22.02	-0.7	-2.85	19.17	0.083	3.000	Pass
			8	Low	20.66	-0.7	-2.85	17.81	0.060	3.000	Pass
			8	Mid	20.67	-0.7	-2.85	17.82	0.061	3.000	Pass
			8	High	20.68	-0.7	-2.85	17.83	0.061	3.000	Pass
			15	Low	20.56	-0.7	-2.85	17.71	0.059	3.000	Pass
		Q64	1	Low	20.88	-0.7	-2.85	18.03	0.064	3.000	Pass
			1	Mid	21.03	-0.7	-2.85	18.18	0.066	3.000	Pass
			1	High	20.78	-0.7	-2.85	17.93	0.062	3.000	Pass
			8	Low	19.63	-0.7	-2.85	16.78	0.048	3.000	Pass
			8	Mid	19.67	-0.7	-2.85	16.82	0.048	3.000	Pass
			8	High	19.69	-0.7	-2.85	16.84	0.048	3.000	Pass
			15	Low	19.61	-0.7	-2.85	16.76	0.047	3.000	Pass
		Q256	1	Low	17.63	-0.7	-2.85	14.78	0.030	3.000	Pass
			1	Mid	17.91	-0.7	-2.85	15.06	0.032	3.000	Pass
			1	High	17.65	-0.7	-2.85	14.80	0.030	3.000	Pass
			8	Low	17.57	-0.7	-2.85	14.72	0.030	3.000	Pass
			8	Mid	17.65	-0.7	-2.85	14.80	0.030	3.000	Pass
			8	High	17.7	-0.7	-2.85	14.85	0.031	3.000	Pass
			15	Low	17.55	-0.7	-2.85	14.70	0.030	3.000	Pass
5	LCH	QPSK	1	Low	22.71	-0.7	-2.85	19.86	0.097	3.000	Pass
			1	Mid	22.89	-0.7	-2.85	20.04	0.101	3.000	Pass
			1	High	22.74	-0.7	-2.85	19.89	0.097	3.000	Pass
			12	Low	21.72	-0.7	-2.85	18.87	0.077	3.000	Pass
			12	Mid	21.73	-0.7	-2.85	18.88	0.077	3.000	Pass
			12	High	21.68	-0.7	-2.85	18.83	0.076	3.000	Pass
			25	Low	21.67	-0.7	-2.85	18.82	0.076	3.000	Pass
		Q16	1	Low	22.01	-0.7	-2.85	19.16	0.082	3.000	Pass
			1	Mid	22.1	-0.7	-2.85	19.25	0.084	3.000	Pass
			1	High	22.1	-0.7	-2.85	19.25	0.084	3.000	Pass
			12	Low	20.74	-0.7	-2.85	17.89	0.062	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			12	Mid	20.75	-0.7	-2.85	17.90	0.062	3.000	Pass
			12	High	20.72	-0.7	-2.85	17.87	0.061	3.000	Pass
			25	Low	20.69	-0.7	-2.85	17.84	0.061	3.000	Pass
		Q64	1	Low	20.84	-0.7	-2.85	17.99	0.063	3.000	Pass
			1	Mid	20.94	-0.7	-2.85	18.09	0.064	3.000	Pass
			1	High	20.93	-0.7	-2.85	18.08	0.064	3.000	Pass
			12	Low	19.7	-0.7	-2.85	16.85	0.048	3.000	Pass
			12	Mid	19.79	-0.7	-2.85	16.94	0.049	3.000	Pass
			12	High	19.69	-0.7	-2.85	16.84	0.048	3.000	Pass
			25	Low	19.7	-0.7	-2.85	16.85	0.048	3.000	Pass
		Q256	1	Low	17.59	-0.7	-2.85	14.74	0.030	3.000	Pass
			1	Mid	17.79	-0.7	-2.85	14.94	0.031	3.000	Pass
			1	High	17.62	-0.7	-2.85	14.77	0.030	3.000	Pass
			12	Low	17.77	-0.7	-2.85	14.92	0.031	3.000	Pass
			12	Mid	17.72	-0.7	-2.85	14.87	0.031	3.000	Pass
			12	High	17.68	-0.7	-2.85	14.83	0.030	3.000	Pass
			25	Low	17.69	-0.7	-2.85	14.84	0.030	3.000	Pass
	MCH	QPSK	1	Low	22.68	-0.7	-2.85	19.83	0.096	3.000	Pass
			1	Mid	22.69	-0.7	-2.85	19.84	0.096	3.000	Pass
			1	High	22.71	-0.7	-2.85	19.86	0.097	3.000	Pass
			12	Low	21.62	-0.7	-2.85	18.77	0.075	3.000	Pass
			12	Mid	21.65	-0.7	-2.85	18.80	0.076	3.000	Pass
			12	High	21.56	-0.7	-2.85	18.71	0.074	3.000	Pass
			25	Low	21.63	-0.7	-2.85	18.78	0.076	3.000	Pass
		Q16	1	Low	22.25	-0.7	-2.85	19.40	0.087	3.000	Pass
			1	Mid	22.22	-0.7	-2.85	19.37	0.086	3.000	Pass
			1	High	22.09	-0.7	-2.85	19.24	0.084	3.000	Pass
			12	Low	20.69	-0.7	-2.85	17.84	0.061	3.000	Pass
			12	Mid	20.73	-0.7	-2.85	17.88	0.061	3.000	Pass
			12	High	20.66	-0.7	-2.85	17.81	0.060	3.000	Pass
			25	Low	20.63	-0.7	-2.85	17.78	0.060	3.000	Pass
		Q64	1	Low	20.91	-0.7	-2.85	18.06	0.064	3.000	Pass
			1	Mid	21.07	-0.7	-2.85	18.22	0.066	3.000	Pass
			1	High	20.98	-0.7	-2.85	18.13	0.065	3.000	Pass
			12	Low	19.6	-0.7	-2.85	16.75	0.047	3.000	Pass
			12	Mid	19.63	-0.7	-2.85	16.78	0.048	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			12	High	19.55	-0.7	-2.85	16.70	0.047	3.000	Pass
			25	Low	19.6	-0.7	-2.85	16.75	0.047	3.000	Pass
		Q256	1	Low	17.82	-0.7	-2.85	14.97	0.031	3.000	Pass
			1	Mid	17.9	-0.7	-2.85	15.05	0.032	3.000	Pass
			1	High	17.83	-0.7	-2.85	14.98	0.031	3.000	Pass
			12	Low	17.68	-0.7	-2.85	14.83	0.030	3.000	Pass
			12	Mid	17.69	-0.7	-2.85	14.84	0.030	3.000	Pass
			12	High	17.6	-0.7	-2.85	14.75	0.030	3.000	Pass
			25	Low	17.62	-0.7	-2.85	14.77	0.030	3.000	Pass
	HCH	QPSK	1	Low	22.78	-0.7	-2.85	19.93	0.098	3.000	Pass
			1	Mid	22.76	-0.7	-2.85	19.91	0.098	3.000	Pass
			1	High	22.68	-0.7	-2.85	19.83	0.096	3.000	Pass
			12	Low	21.62	-0.7	-2.85	18.77	0.075	3.000	Pass
			12	Mid	21.72	-0.7	-2.85	18.87	0.077	3.000	Pass
			12	High	21.64	-0.7	-2.85	18.79	0.076	3.000	Pass
			25	Low	21.67	-0.7	-2.85	18.82	0.076	3.000	Pass
		Q16	1	Low	22.05	-0.7	-2.85	19.20	0.083	3.000	Pass
			1	Mid	22.11	-0.7	-2.85	19.26	0.084	3.000	Pass
			1	High	22.01	-0.7	-2.85	19.16	0.082	3.000	Pass
			12	Low	20.61	-0.7	-2.85	17.76	0.060	3.000	Pass
			12	Mid	20.75	-0.7	-2.85	17.90	0.062	3.000	Pass
			12	High	20.66	-0.7	-2.85	17.81	0.060	3.000	Pass
			25	Low	20.69	-0.7	-2.85	17.84	0.061	3.000	Pass
		Q64	1	Low	20.97	-0.7	-2.85	18.12	0.065	3.000	Pass
			1	Mid	21.1	-0.7	-2.85	18.25	0.067	3.000	Pass
			1	High	20.97	-0.7	-2.85	18.12	0.065	3.000	Pass
			12	Low	19.52	-0.7	-2.85	16.67	0.046	3.000	Pass
			12	Mid	19.64	-0.7	-2.85	16.79	0.048	3.000	Pass
			12	High	19.61	-0.7	-2.85	16.76	0.047	3.000	Pass
			25	Low	19.67	-0.7	-2.85	16.82	0.048	3.000	Pass
		Q256	1	Low	17.78	-0.7	-2.85	14.93	0.031	3.000	Pass
			1	Mid	17.96	-0.7	-2.85	15.11	0.032	3.000	Pass
			1	High	17.76	-0.7	-2.85	14.91	0.031	3.000	Pass
			12	Low	17.58	-0.7	-2.85	14.73	0.030	3.000	Pass
			12	Mid	17.72	-0.7	-2.85	14.87	0.031	3.000	Pass
			12	High	17.64	-0.7	-2.85	14.79	0.030	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			25	Low	17.64	-0.7	-2.85	14.79	0.030	3.000	Pass
10	LCH	QPSK	1	Low	22.75	-0.7	-2.85	19.90	0.098	3.000	Pass
			1	Mid	22.7	-0.7	-2.85	19.85	0.097	3.000	Pass
			1	High	22.65	-0.7	-2.85	19.80	0.095	3.000	Pass
			25	Low	21.64	-0.7	-2.85	18.79	0.076	3.000	Pass
			25	Mid	21.82	-0.7	-2.85	18.97	0.079	3.000	Pass
			25	High	21.72	-0.7	-2.85	18.87	0.077	3.000	Pass
			50	Low	21.7	-0.7	-2.85	18.85	0.077	3.000	Pass
		Q16	1	Low	22.03	-0.7	-2.85	19.18	0.083	3.000	Pass
			1	Mid	22	-0.7	-2.85	19.15	0.082	3.000	Pass
			1	High	22.05	-0.7	-2.85	19.20	0.083	3.000	Pass
			25	Low	20.62	-0.7	-2.85	17.77	0.060	3.000	Pass
			25	Mid	20.77	-0.7	-2.85	17.92	0.062	3.000	Pass
			25	High	20.7	-0.7	-2.85	17.85	0.061	3.000	Pass
			50	Low	20.71	-0.7	-2.85	17.86	0.061	3.000	Pass
		Q64	1	Low	20.94	-0.7	-2.85	18.09	0.064	3.000	Pass
			1	Mid	20.79	-0.7	-2.85	17.94	0.062	3.000	Pass
			1	High	20.87	-0.7	-2.85	18.02	0.063	3.000	Pass
			25	Low	19.58	-0.7	-2.85	16.73	0.047	3.000	Pass
			25	Mid	19.75	-0.7	-2.85	16.90	0.049	3.000	Pass
			25	High	19.73	-0.7	-2.85	16.88	0.049	3.000	Pass
			50	Low	19.75	-0.7	-2.85	16.90	0.049	3.000	Pass
		Q256	1	Low	17.83	-0.7	-2.85	14.98	0.031	3.000	Pass
			1	Mid	17.91	-0.7	-2.85	15.06	0.032	3.000	Pass
			1	High	17.77	-0.7	-2.85	14.92	0.031	3.000	Pass
			25	Low	17.62	-0.7	-2.85	14.77	0.030	3.000	Pass
			25	Mid	17.76	-0.7	-2.85	14.91	0.031	3.000	Pass
			25	High	17.71	-0.7	-2.85	14.86	0.031	3.000	Pass
			50	Low	17.73	-0.7	-2.85	14.88	0.031	3.000	Pass
	MCH	QPSK	1	Low	22.66	-0.7	-2.85	19.81	0.096	3.000	Pass
			1	Mid	22.72	-0.7	-2.85	19.87	0.097	3.000	Pass
			1	High	22.61	-0.7	-2.85	19.76	0.095	3.000	Pass
			25	Low	21.62	-0.7	-2.85	18.77	0.075	3.000	Pass
			25	Mid	21.67	-0.7	-2.85	18.82	0.076	3.000	Pass
			25	High	21.64	-0.7	-2.85	18.79	0.076	3.000	Pass
			50	Low	21.67	-0.7	-2.85	18.82	0.076	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
		Q16	1	Low	22.09	-0.7	-2.85	19.24	0.084	3.000	Pass
			1	Mid	22.05	-0.7	-2.85	19.20	0.083	3.000	Pass
			1	High	21.92	-0.7	-2.85	19.07	0.081	3.000	Pass
			25	Low	20.65	-0.7	-2.85	17.80	0.060	3.000	Pass
			25	Mid	20.67	-0.7	-2.85	17.82	0.061	3.000	Pass
			25	High	20.63	-0.7	-2.85	17.78	0.060	3.000	Pass
			50	Low	20.67	-0.7	-2.85	17.82	0.061	3.000	Pass
		Q64	1	Low	20.96	-0.7	-2.85	18.11	0.065	3.000	Pass
			1	Mid	20.94	-0.7	-2.85	18.09	0.064	3.000	Pass
			1	High	20.73	-0.7	-2.85	17.88	0.061	3.000	Pass
			25	Low	19.63	-0.7	-2.85	16.78	0.048	3.000	Pass
			25	Mid	19.67	-0.7	-2.85	16.82	0.048	3.000	Pass
			25	High	19.66	-0.7	-2.85	16.81	0.048	3.000	Pass
			50	Low	19.66	-0.7	-2.85	16.81	0.048	3.000	Pass
		Q256	1	Low	17.68	-0.7	-2.85	14.83	0.030	3.000	Pass
			1	Mid	17.87	-0.7	-2.85	15.02	0.032	3.000	Pass
			1	High	17.68	-0.7	-2.85	14.83	0.030	3.000	Pass
			25	Low	17.63	-0.7	-2.85	14.78	0.030	3.000	Pass
			25	Mid	17.65	-0.7	-2.85	14.80	0.030	3.000	Pass
			25	High	17.62	-0.7	-2.85	14.77	0.030	3.000	Pass
			50	Low	17.6	-0.7	-2.85	14.75	0.030	3.000	Pass
	HCH	QPSK	1	Low	22.56	-0.7	-2.85	19.71	0.094	3.000	Pass
			1	Mid	22.59	-0.7	-2.85	19.74	0.094	3.000	Pass
			1	High	22.51	-0.7	-2.85	19.66	0.092	3.000	Pass
			25	Low	21.67	-0.7	-2.85	18.82	0.076	3.000	Pass
			25	Mid	21.7	-0.7	-2.85	18.85	0.077	3.000	Pass
			25	High	21.68	-0.7	-2.85	18.83	0.076	3.000	Pass
			50	Low	21.66	-0.7	-2.85	18.81	0.076	3.000	Pass
		Q16	1	Low	21.96	-0.7	-2.85	19.11	0.081	3.000	Pass
			1	Mid	21.84	-0.7	-2.85	18.99	0.079	3.000	Pass
			1	High	21.79	-0.7	-2.85	18.94	0.078	3.000	Pass
			25	Low	20.69	-0.7	-2.85	17.84	0.061	3.000	Pass
			25	Mid	20.73	-0.7	-2.85	17.88	0.061	3.000	Pass
			25	High	20.68	-0.7	-2.85	17.83	0.061	3.000	Pass
			50	Low	20.67	-0.7	-2.85	17.82	0.061	3.000	Pass
		Q64	1	Low	21.04	-0.7	-2.85	18.19	0.066	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			1	Mid	20.88	-0.7	-2.85	18.03	0.064	3.000	Pass
			1	High	20.82	-0.7	-2.85	17.97	0.063	3.000	Pass
			25	Low	19.68	-0.7	-2.85	16.83	0.048	3.000	Pass
			25	Mid	19.73	-0.7	-2.85	16.88	0.049	3.000	Pass
			25	High	19.7	-0.7	-2.85	16.85	0.048	3.000	Pass
			50	Low	19.69	-0.7	-2.85	16.84	0.048	3.000	Pass
		Q256	1	Low	17.85	-0.7	-2.85	15.00	0.032	3.000	Pass
			1	Mid	17.61	-0.7	-2.85	14.76	0.030	3.000	Pass
			1	High	17.71	-0.7	-2.85	14.86	0.031	3.000	Pass
			25	Low	17.64	-0.7	-2.85	14.79	0.030	3.000	Pass
			25	Mid	17.68	-0.7	-2.85	14.83	0.030	3.000	Pass
			25	High	17.66	-0.7	-2.85	14.81	0.030	3.000	Pass
			50	Low	17.68	-0.7	-2.85	14.83	0.030	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 13											
5	LCH	QPSK	1	Low	22.75	-2.2	-4.35	18.40	0.069	3.000	Pass
			1	Mid	22.91	-2.2	-4.35	18.56	0.072	3.000	Pass
			1	High	22.77	-2.2	-4.35	18.42	0.070	3.000	Pass
			12	Low	21.72	-2.2	-4.35	17.37	0.055	3.000	Pass
			12	Mid	21.75	-2.2	-4.35	17.40	0.055	3.000	Pass
			12	High	21.69	-2.2	-4.35	17.34	0.054	3.000	Pass
			25	Low	21.75	-2.2	-4.35	17.40	0.055	3.000	Pass
		Q16	1	Low	22.08	-2.2	-4.35	17.73	0.059	3.000	Pass
			1	Mid	22.11	-2.2	-4.35	17.76	0.060	3.000	Pass
			1	High	22.15	-2.2	-4.35	17.80	0.060	3.000	Pass
			12	Low	20.77	-2.2	-4.35	16.42	0.044	3.000	Pass
			12	Mid	20.77	-2.2	-4.35	16.42	0.044	3.000	Pass
			12	High	20.73	-2.2	-4.35	16.38	0.043	3.000	Pass
			25	Low	20.74	-2.2	-4.35	16.39	0.044	3.000	Pass
		Q64	1	Low	21.04	-2.2	-4.35	16.69	0.047	3.000	Pass
			1	Mid	20.99	-2.2	-4.35	16.64	0.046	3.000	Pass
			1	High	20.87	-2.2	-4.35	16.52	0.045	3.000	Pass
			12	Low	19.75	-2.2	-4.35	15.40	0.035	3.000	Pass
			12	Mid	19.71	-2.2	-4.35	15.36	0.034	3.000	Pass
			12	High	19.65	-2.2	-4.35	15.30	0.034	3.000	Pass
			25	Low	19.74	-2.2	-4.35	15.39	0.035	3.000	Pass
		Q256	1	Low	17.71	-2.2	-4.35	13.36	0.022	3.000	Pass
			1	Mid	17.85	-2.2	-4.35	13.50	0.022	3.000	Pass
			1	High	17.8	-2.2	-4.35	13.45	0.022	3.000	Pass
			12	Low	17.73	-2.2	-4.35	13.38	0.022	3.000	Pass
			12	Mid	17.86	-2.2	-4.35	13.51	0.022	3.000	Pass
			12	High	17.72	-2.2	-4.35	13.37	0.022	3.000	Pass
			25	Low	17.75	-2.2	-4.35	13.40	0.022	3.000	Pass
	MCH	QPSK	1	Low	22.71	-2.2	-4.35	18.36	0.069	3.000	Pass
			1	Mid	22.75	-2.2	-4.35	18.40	0.069	3.000	Pass
			1	High	22.75	-2.2	-4.35	18.40	0.069	3.000	Pass
			12	Low	21.63	-2.2	-4.35	17.28	0.053	3.000	Pass
			12	Mid	21.66	-2.2	-4.35	17.31	0.054	3.000	Pass
			12	High	21.65	-2.2	-4.35	17.30	0.054	3.000	Pass
			25	Low	21.71	-2.2	-4.35	17.36	0.054	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 13											
		Q16	1	Low	22.21	-2.2	-4.35	17.86	0.061	3.000	Pass
			1	Mid	22.22	-2.2	-4.35	17.87	0.061	3.000	Pass
			1	High	22.18	-2.2	-4.35	17.83	0.061	3.000	Pass
			12	Low	20.65	-2.2	-4.35	16.30	0.043	3.000	Pass
			12	Mid	20.7	-2.2	-4.35	16.35	0.043	3.000	Pass
			12	High	20.66	-2.2	-4.35	16.31	0.043	3.000	Pass
			25	Low	20.74	-2.2	-4.35	16.39	0.044	3.000	Pass
		Q64	1	Low	21.15	-2.2	-4.35	16.80	0.048	3.000	Pass
			1	Mid	21.05	-2.2	-4.35	16.70	0.047	3.000	Pass
			1	High	21	-2.2	-4.35	16.65	0.046	3.000	Pass
			12	Low	19.73	-2.2	-4.35	15.38	0.035	3.000	Pass
			12	Mid	19.72	-2.2	-4.35	15.37	0.034	3.000	Pass
			12	High	19.72	-2.2	-4.35	15.37	0.034	3.000	Pass
			25	Low	19.68	-2.2	-4.35	15.33	0.034	3.000	Pass
		Q256	1	Low	17.84	-2.2	-4.35	13.49	0.022	3.000	Pass
			1	Mid	17.95	-2.2	-4.35	13.60	0.023	3.000	Pass
			1	High	17.77	-2.2	-4.35	13.42	0.022	3.000	Pass
			12	Low	17.67	-2.2	-4.35	13.32	0.021	3.000	Pass
			12	Mid	17.7	-2.2	-4.35	13.35	0.022	3.000	Pass
			12	High	17.69	-2.2	-4.35	13.34	0.022	3.000	Pass
			25	Low	17.73	-2.2	-4.35	13.38	0.022	3.000	Pass
	HCH	QPSK	1	Low	22.74	-2.2	-4.35	18.39	0.069	3.000	Pass
			1	Mid	22.73	-2.2	-4.35	18.38	0.069	3.000	Pass
			1	High	22.75	-2.2	-4.35	18.40	0.069	3.000	Pass
			12	Low	21.62	-2.2	-4.35	17.27	0.053	3.000	Pass
			12	Mid	21.74	-2.2	-4.35	17.39	0.055	3.000	Pass
			12	High	21.66	-2.2	-4.35	17.31	0.054	3.000	Pass
			25	Low	21.7	-2.2	-4.35	17.35	0.054	3.000	Pass
		Q16	1	Low	22.01	-2.2	-4.35	17.66	0.058	3.000	Pass
			1	Mid	22.19	-2.2	-4.35	17.84	0.061	3.000	Pass
			1	High	22.14	-2.2	-4.35	17.79	0.060	3.000	Pass
			12	Low	20.64	-2.2	-4.35	16.29	0.043	3.000	Pass
			12	Mid	20.79	-2.2	-4.35	16.44	0.044	3.000	Pass
			12	High	20.73	-2.2	-4.35	16.38	0.043	3.000	Pass
			25	Low	20.66	-2.2	-4.35	16.31	0.043	3.000	Pass
		Q64	1	Low	21.12	-2.2	-4.35	16.77	0.048	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 13											
			1	Mid	21.05	-2.2	-4.35	16.70	0.047	3.000	Pass
			1	High	21.1	-2.2	-4.35	16.75	0.047	3.000	Pass
			12	Low	19.66	-2.2	-4.35	15.31	0.034	3.000	Pass
			12	Mid	19.8	-2.2	-4.35	15.45	0.035	3.000	Pass
			12	High	19.67	-2.2	-4.35	15.32	0.034	3.000	Pass
			25	Low	19.7	-2.2	-4.35	15.35	0.034	3.000	Pass
		Q256	1	Low	17.84	-2.2	-4.35	13.49	0.022	3.000	Pass
			1	Mid	17.89	-2.2	-4.35	13.54	0.023	3.000	Pass
			1	High	17.87	-2.2	-4.35	13.52	0.022	3.000	Pass
			12	Low	17.69	-2.2	-4.35	13.34	0.022	3.000	Pass
			12	Mid	17.77	-2.2	-4.35	13.42	0.022	3.000	Pass
			12	High	17.67	-2.2	-4.35	13.32	0.021	3.000	Pass
			25	Low	17.75	-2.2	-4.35	13.40	0.022	3.000	Pass
10	MCH	QPSK	1	Low	22.55	-2.2	-4.35	18.20	0.066	3.000	Pass
			1	Mid	22.71	-2.2	-4.35	18.36	0.069	3.000	Pass
			1	High	22.65	-2.2	-4.35	18.30	0.068	3.000	Pass
			25	Low	21.68	-2.2	-4.35	17.33	0.054	3.000	Pass
			25	Mid	21.68	-2.2	-4.35	17.33	0.054	3.000	Pass
			25	High	21.75	-2.2	-4.35	17.40	0.055	3.000	Pass
			50	Low	21.8	-2.2	-4.35	17.45	0.056	3.000	Pass
		Q16	1	Low	21.9	-2.2	-4.35	17.55	0.057	3.000	Pass
			1	Mid	21.98	-2.2	-4.35	17.63	0.058	3.000	Pass
			1	High	21.97	-2.2	-4.35	17.62	0.058	3.000	Pass
			25	Low	20.7	-2.2	-4.35	16.35	0.043	3.000	Pass
			25	Mid	20.68	-2.2	-4.35	16.33	0.043	3.000	Pass
			25	High	20.73	-2.2	-4.35	16.38	0.043	3.000	Pass
			50	Low	20.75	-2.2	-4.35	16.40	0.044	3.000	Pass
		Q64	1	Low	20.8	-2.2	-4.35	16.45	0.044	3.000	Pass
			1	Mid	20.93	-2.2	-4.35	16.58	0.045	3.000	Pass
			1	High	20.79	-2.2	-4.35	16.44	0.044	3.000	Pass
			25	Low	19.68	-2.2	-4.35	15.33	0.034	3.000	Pass
			25	Mid	19.66	-2.2	-4.35	15.31	0.034	3.000	Pass
			25	High	19.72	-2.2	-4.35	15.37	0.034	3.000	Pass
			50	Low	19.81	-2.2	-4.35	15.46	0.035	3.000	Pass
		Q256	1	Low	17.77	-2.2	-4.35	13.42	0.022	3.000	Pass
			1	Mid	17.91	-2.2	-4.35	13.56	0.023	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 13											
			1	High	17.88	-2.2	-4.35	13.53	0.023	3.000	Pass
			25	Low	17.7	-2.2	-4.35	13.35	0.022	3.000	Pass
			25	Mid	17.69	-2.2	-4.35	13.34	0.022	3.000	Pass
			25	High	17.74	-2.2	-4.35	13.39	0.022	3.000	Pass
			50	Low	17.72	-2.2	-4.35	13.37	0.022	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 14											
5	LCH	QPSK	1	Low	22.83	-1.7	-3.85	18.98	0.079	3.000	Pass
			1	Mid	22.91	-1.7	-3.85	19.06	0.081	3.000	Pass
			1	High	22.83	-1.7	-3.85	18.98	0.079	3.000	Pass
			12	Low	21.83	-1.7	-3.85	17.98	0.063	3.000	Pass
			12	Mid	21.89	-1.7	-3.85	18.04	0.064	3.000	Pass
			12	High	21.79	-1.7	-3.85	17.94	0.062	3.000	Pass
			25	Low	21.85	-1.7	-3.85	18.00	0.063	3.000	Pass
		Q16	1	Low	22.07	-1.7	-3.85	18.22	0.066	3.000	Pass
			1	Mid	22.27	-1.7	-3.85	18.42	0.070	3.000	Pass
			1	High	22.28	-1.7	-3.85	18.43	0.070	3.000	Pass
			12	Low	20.87	-1.7	-3.85	17.02	0.050	3.000	Pass
			12	Mid	20.86	-1.7	-3.85	17.01	0.050	3.000	Pass
			12	High	20.83	-1.7	-3.85	16.98	0.050	3.000	Pass
			25	Low	20.85	-1.7	-3.85	17.00	0.050	3.000	Pass
		Q64	1	Low	20.98	-1.7	-3.85	17.13	0.052	3.000	Pass
			1	Mid	21.11	-1.7	-3.85	17.26	0.053	3.000	Pass
			1	High	20.95	-1.7	-3.85	17.10	0.051	3.000	Pass
			12	Low	19.87	-1.7	-3.85	16.02	0.040	3.000	Pass
			12	Mid	19.97	-1.7	-3.85	16.12	0.041	3.000	Pass
			12	High	19.9	-1.7	-3.85	16.05	0.040	3.000	Pass
			25	Low	19.85	-1.7	-3.85	16.00	0.040	3.000	Pass
		Q256	1	Low	17.89	-1.7	-3.85	14.04	0.025	3.000	Pass
			1	Mid	17.99	-1.7	-3.85	14.14	0.026	3.000	Pass
			1	High	17.85	-1.7	-3.85	14.00	0.025	3.000	Pass
			12	Low	17.86	-1.7	-3.85	14.01	0.025	3.000	Pass
			12	Mid	17.9	-1.7	-3.85	14.05	0.025	3.000	Pass
			12	High	17.83	-1.7	-3.85	13.98	0.025	3.000	Pass
			25	Low	17.87	-1.7	-3.85	14.02	0.025	3.000	Pass
	MCH	QPSK	1	Low	22.83	-1.7	-3.85	18.98	0.079	3.000	Pass
			1	Mid	22.84	-1.7	-3.85	18.99	0.079	3.000	Pass
			1	High	22.86	-1.7	-3.85	19.01	0.080	3.000	Pass
			12	Low	21.76	-1.7	-3.85	17.91	0.062	3.000	Pass
			12	Mid	21.8	-1.7	-3.85	17.95	0.062	3.000	Pass
			12	High	21.81	-1.7	-3.85	17.96	0.063	3.000	Pass
			25	Low	21.74	-1.7	-3.85	17.89	0.062	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 14											
		Q16	1	Low	22.2	-1.7	-3.85	18.35	0.068	3.000	Pass
			1	Mid	22.29	-1.7	-3.85	18.44	0.070	3.000	Pass
			1	High	22.16	-1.7	-3.85	18.31	0.068	3.000	Pass
			12	Low	20.88	-1.7	-3.85	17.03	0.050	3.000	Pass
			12	Mid	20.9	-1.7	-3.85	17.05	0.051	3.000	Pass
			12	High	20.91	-1.7	-3.85	17.06	0.051	3.000	Pass
			25	Low	20.75	-1.7	-3.85	16.90	0.049	3.000	Pass
		Q64	1	Low	21.12	-1.7	-3.85	17.27	0.053	3.000	Pass
			1	Mid	21.23	-1.7	-3.85	17.38	0.055	3.000	Pass
			1	High	21.27	-1.7	-3.85	17.42	0.055	3.000	Pass
			12	Low	19.77	-1.7	-3.85	15.92	0.039	3.000	Pass
			12	Mid	19.81	-1.7	-3.85	15.96	0.039	3.000	Pass
			12	High	19.82	-1.7	-3.85	15.97	0.040	3.000	Pass
			25	Low	19.74	-1.7	-3.85	15.89	0.039	3.000	Pass
		Q256	1	Low	17.78	-1.7	-3.85	13.93	0.025	3.000	Pass
			1	Mid	17.97	-1.7	-3.85	14.12	0.026	3.000	Pass
			1	High	17.96	-1.7	-3.85	14.11	0.026	3.000	Pass
			12	Low	17.78	-1.7	-3.85	13.93	0.025	3.000	Pass
			12	Mid	17.8	-1.7	-3.85	13.95	0.025	3.000	Pass
			12	High	17.83	-1.7	-3.85	13.98	0.025	3.000	Pass
			25	Low	17.79	-1.7	-3.85	13.94	0.025	3.000	Pass
	HCH	QPSK	1	Low	22.85	-1.7	-3.85	19.00	0.079	3.000	Pass
			1	Mid	22.9	-1.7	-3.85	19.05	0.080	3.000	Pass
			1	High	22.81	-1.7	-3.85	18.96	0.079	3.000	Pass
			12	Low	21.76	-1.7	-3.85	17.91	0.062	3.000	Pass
			12	Mid	21.8	-1.7	-3.85	17.95	0.062	3.000	Pass
			12	High	21.8	-1.7	-3.85	17.95	0.062	3.000	Pass
			25	Low	21.74	-1.7	-3.85	17.89	0.062	3.000	Pass
		Q16	1	Low	22.24	-1.7	-3.85	18.39	0.069	3.000	Pass
			1	Mid	22.29	-1.7	-3.85	18.44	0.070	3.000	Pass
			1	High	22.29	-1.7	-3.85	18.44	0.070	3.000	Pass
			12	Low	20.78	-1.7	-3.85	16.93	0.049	3.000	Pass
			12	Mid	20.79	-1.7	-3.85	16.94	0.049	3.000	Pass
			12	High	20.79	-1.7	-3.85	16.94	0.049	3.000	Pass
			25	Low	20.75	-1.7	-3.85	16.90	0.049	3.000	Pass
		Q64	1	Low	21.08	-1.7	-3.85	17.23	0.053	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 14											
			1	Mid	21.03	-1.7	-3.85	17.18	0.052	3.000	Pass
			1	High	21.05	-1.7	-3.85	17.20	0.052	3.000	Pass
			12	Low	19.84	-1.7	-3.85	15.99	0.040	3.000	Pass
			12	Mid	19.88	-1.7	-3.85	16.03	0.040	3.000	Pass
			12	High	19.89	-1.7	-3.85	16.04	0.040	3.000	Pass
			25	Low	19.77	-1.7	-3.85	15.92	0.039	3.000	Pass
		Q256	1	Low	17.9	-1.7	-3.85	14.05	0.025	3.000	Pass
			1	Mid	18.11	-1.7	-3.85	14.26	0.027	3.000	Pass
			1	High	17.88	-1.7	-3.85	14.03	0.025	3.000	Pass
			12	Low	17.82	-1.7	-3.85	13.97	0.025	3.000	Pass
			12	Mid	17.81	-1.7	-3.85	13.96	0.025	3.000	Pass
			12	High	17.84	-1.7	-3.85	13.99	0.025	3.000	Pass
			25	Low	17.75	-1.7	-3.85	13.90	0.025	3.000	Pass
10	MCH	QPSK	1	Low	22.79	-1.7	-3.85	18.94	0.078	3.000	Pass
			1	Mid	22.77	-1.7	-3.85	18.92	0.078	3.000	Pass
			1	High	22.81	-1.7	-3.85	18.96	0.079	3.000	Pass
			25	Low	21.75	-1.7	-3.85	17.90	0.062	3.000	Pass
			25	Mid	21.77	-1.7	-3.85	17.92	0.062	3.000	Pass
			25	High	21.83	-1.7	-3.85	17.98	0.063	3.000	Pass
			50	Low	21.75	-1.7	-3.85	17.90	0.062	3.000	Pass
		Q16	1	Low	22.04	-1.7	-3.85	18.19	0.066	3.000	Pass
			1	Mid	22.11	-1.7	-3.85	18.26	0.067	3.000	Pass
			1	High	22.2	-1.7	-3.85	18.35	0.068	3.000	Pass
			25	Low	20.76	-1.7	-3.85	16.91	0.049	3.000	Pass
			25	Mid	20.78	-1.7	-3.85	16.93	0.049	3.000	Pass
			25	High	20.84	-1.7	-3.85	16.99	0.050	3.000	Pass
			50	Low	20.75	-1.7	-3.85	16.90	0.049	3.000	Pass
		Q64	1	Low	21.02	-1.7	-3.85	17.17	0.052	3.000	Pass
			1	Mid	20.99	-1.7	-3.85	17.14	0.052	3.000	Pass
			1	High	21.01	-1.7	-3.85	17.16	0.052	3.000	Pass
			25	Low	19.77	-1.7	-3.85	15.92	0.039	3.000	Pass
			25	Mid	19.82	-1.7	-3.85	15.97	0.040	3.000	Pass
			25	High	19.83	-1.7	-3.85	15.98	0.040	3.000	Pass
			50	Low	19.81	-1.7	-3.85	15.96	0.039	3.000	Pass
		Q256	1	Low	17.83	-1.7	-3.85	13.98	0.025	3.000	Pass
			1	Mid	17.89	-1.7	-3.85	14.04	0.025	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 14											
			1	High	17.93	-1.7	-3.85	14.08	0.026	3.000	Pass
			25	Low	17.76	-1.7	-3.85	13.91	0.025	3.000	Pass
			25	Mid	17.75	-1.7	-3.85	13.90	0.025	3.000	Pass
			25	High	17.87	-1.7	-3.85	14.02	0.025	3.000	Pass
			50	Low	17.77	-1.7	-3.85	13.92	0.025	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
5	LCH	QPSK	1	Low	22.75	-0.7	-2.85	19.90	0.098	3.000	Pass
			1	Mid	22.79	-0.7	-2.85	19.94	0.099	3.000	Pass
			1	High	22.72	-0.7	-2.85	19.87	0.097	3.000	Pass
			12	Low	21.64	-0.7	-2.85	18.79	0.076	3.000	Pass
			12	Mid	21.78	-0.7	-2.85	18.93	0.078	3.000	Pass
			12	High	21.7	-0.7	-2.85	18.85	0.077	3.000	Pass
			25	Low	21.71	-0.7	-2.85	18.86	0.077	3.000	Pass
		Q16	1	Low	22.23	-0.7	-2.85	19.38	0.087	3.000	Pass
			1	Mid	22.18	-0.7	-2.85	19.33	0.086	3.000	Pass
			1	High	22.09	-0.7	-2.85	19.24	0.084	3.000	Pass
			12	Low	20.73	-0.7	-2.85	17.88	0.061	3.000	Pass
			12	Mid	20.85	-0.7	-2.85	18.00	0.063	3.000	Pass
			12	High	20.76	-0.7	-2.85	17.91	0.062	3.000	Pass
			25	Low	20.73	-0.7	-2.85	17.88	0.061	3.000	Pass
		Q64	1	Low	20.92	-0.7	-2.85	18.07	0.064	3.000	Pass
			1	Mid	21.01	-0.7	-2.85	18.16	0.065	3.000	Pass
			1	High	20.95	-0.7	-2.85	18.10	0.065	3.000	Pass
			12	Low	19.77	-0.7	-2.85	16.92	0.049	3.000	Pass
			12	Mid	19.86	-0.7	-2.85	17.01	0.050	3.000	Pass
			12	High	19.84	-0.7	-2.85	16.99	0.050	3.000	Pass
			25	Low	19.73	-0.7	-2.85	16.88	0.049	3.000	Pass
		Q256	1	Low	17.82	-0.7	-2.85	14.97	0.031	3.000	Pass
			1	Mid	17.93	-0.7	-2.85	15.08	0.032	3.000	Pass
			1	High	17.76	-0.7	-2.85	14.91	0.031	3.000	Pass
			12	Low	17.65	-0.7	-2.85	14.80	0.030	3.000	Pass
			12	Mid	17.81	-0.7	-2.85	14.96	0.031	3.000	Pass
			12	High	17.73	-0.7	-2.85	14.88	0.031	3.000	Pass
			25	Low	17.71	-0.7	-2.85	14.86	0.031	3.000	Pass
	MCH	QPSK	1	Low	22.77	-0.7	-2.85	19.92	0.098	3.000	Pass
			1	Mid	22.8	-0.7	-2.85	19.95	0.099	3.000	Pass
			1	High	22.64	-0.7	-2.85	19.79	0.095	3.000	Pass
			12	Low	21.69	-0.7	-2.85	18.84	0.077	3.000	Pass
			12	Mid	21.71	-0.7	-2.85	18.86	0.077	3.000	Pass
			12	High	21.71	-0.7	-2.85	18.86	0.077	3.000	Pass
			25	Low	21.64	-0.7	-2.85	18.79	0.076	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
		Q16	1	Low	22.3	-0.7	-2.85	19.45	0.088	3.000	Pass
			1	Mid	22.32	-0.7	-2.85	19.47	0.089	3.000	Pass
			1	High	22.07	-0.7	-2.85	19.22	0.084	3.000	Pass
			12	Low	20.77	-0.7	-2.85	17.92	0.062	3.000	Pass
			12	Mid	20.76	-0.7	-2.85	17.91	0.062	3.000	Pass
			12	High	20.75	-0.7	-2.85	17.90	0.062	3.000	Pass
			25	Low	20.65	-0.7	-2.85	17.80	0.060	3.000	Pass
		Q64	1	Low	21.13	-0.7	-2.85	18.28	0.067	3.000	Pass
			1	Mid	21.21	-0.7	-2.85	18.36	0.069	3.000	Pass
			1	High	20.99	-0.7	-2.85	18.14	0.065	3.000	Pass
			12	Low	19.67	-0.7	-2.85	16.82	0.048	3.000	Pass
			12	Mid	19.71	-0.7	-2.85	16.86	0.049	3.000	Pass
			12	High	19.7	-0.7	-2.85	16.85	0.048	3.000	Pass
			25	Low	19.68	-0.7	-2.85	16.83	0.048	3.000	Pass
		Q256	1	Low	17.83	-0.7	-2.85	14.98	0.031	3.000	Pass
			1	Mid	18	-0.7	-2.85	15.15	0.033	3.000	Pass
			1	High	17.78	-0.7	-2.85	14.93	0.031	3.000	Pass
			12	Low	17.65	-0.7	-2.85	14.80	0.030	3.000	Pass
			12	Mid	17.72	-0.7	-2.85	14.87	0.031	3.000	Pass
			12	High	17.73	-0.7	-2.85	14.88	0.031	3.000	Pass
			25	Low	17.68	-0.7	-2.85	14.83	0.030	3.000	Pass
	HCH	QPSK	1	Low	22.73	-0.7	-2.85	19.88	0.097	3.000	Pass
			1	Mid	22.81	-0.7	-2.85	19.96	0.099	3.000	Pass
			1	High	22.7	-0.7	-2.85	19.85	0.097	3.000	Pass
			12	Low	21.69	-0.7	-2.85	18.84	0.077	3.000	Pass
			12	Mid	21.66	-0.7	-2.85	18.81	0.076	3.000	Pass
			12	High	21.7	-0.7	-2.85	18.85	0.077	3.000	Pass
			25	Low	21.61	-0.7	-2.85	18.76	0.075	3.000	Pass
		Q16	1	Low	22.22	-0.7	-2.85	19.37	0.086	3.000	Pass
			1	Mid	22.18	-0.7	-2.85	19.33	0.086	3.000	Pass
			1	High	22.1	-0.7	-2.85	19.25	0.084	3.000	Pass
			12	Low	20.68	-0.7	-2.85	17.83	0.061	3.000	Pass
			12	Mid	20.66	-0.7	-2.85	17.81	0.060	3.000	Pass
			12	High	20.74	-0.7	-2.85	17.89	0.062	3.000	Pass
			25	Low	20.68	-0.7	-2.85	17.83	0.061	3.000	Pass
		Q64	1	Low	20.84	-0.7	-2.85	17.99	0.063	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
			1	Mid	21.07	-0.7	-2.85	18.22	0.066	3.000	Pass
			1	High	20.95	-0.7	-2.85	18.10	0.065	3.000	Pass
			12	Low	19.74	-0.7	-2.85	16.89	0.049	3.000	Pass
			12	Mid	19.73	-0.7	-2.85	16.88	0.049	3.000	Pass
			12	High	19.7	-0.7	-2.85	16.85	0.048	3.000	Pass
			25	Low	19.62	-0.7	-2.85	16.77	0.048	3.000	Pass
		Q256	1	Low	17.89	-0.7	-2.85	15.04	0.032	3.000	Pass
			1	Mid	17.94	-0.7	-2.85	15.09	0.032	3.000	Pass
			1	High	17.89	-0.7	-2.85	15.04	0.032	3.000	Pass
			12	Low	17.74	-0.7	-2.85	14.89	0.031	3.000	Pass
			12	Mid	17.67	-0.7	-2.85	14.82	0.030	3.000	Pass
			12	High	17.7	-0.7	-2.85	14.85	0.031	3.000	Pass
			25	Low	17.65	-0.7	-2.85	14.80	0.030	3.000	Pass
10	LCH	QPSK	1	Low	22.71	-0.7	-2.85	19.86	0.097	3.000	Pass
			1	Mid	22.67	-0.7	-2.85	19.82	0.096	3.000	Pass
			1	High	22.63	-0.7	-2.85	19.78	0.095	3.000	Pass
			25	Low	21.68	-0.7	-2.85	18.83	0.076	3.000	Pass
			25	Mid	21.82	-0.7	-2.85	18.97	0.079	3.000	Pass
			25	High	21.76	-0.7	-2.85	18.91	0.078	3.000	Pass
			50	Low	21.76	-0.7	-2.85	18.91	0.078	3.000	Pass
		Q16	1	Low	21.92	-0.7	-2.85	19.07	0.081	3.000	Pass
			1	Mid	21.96	-0.7	-2.85	19.11	0.081	3.000	Pass
			1	High	21.88	-0.7	-2.85	19.03	0.080	3.000	Pass
			25	Low	20.69	-0.7	-2.85	17.84	0.061	3.000	Pass
			25	Mid	20.81	-0.7	-2.85	17.96	0.063	3.000	Pass
			25	High	20.79	-0.7	-2.85	17.94	0.062	3.000	Pass
			50	Low	20.77	-0.7	-2.85	17.92	0.062	3.000	Pass
		Q64	1	Low	20.92	-0.7	-2.85	18.07	0.064	3.000	Pass
			1	Mid	21	-0.7	-2.85	18.15	0.065	3.000	Pass
			1	High	20.9	-0.7	-2.85	18.05	0.064	3.000	Pass
			25	Low	19.7	-0.7	-2.85	16.85	0.048	3.000	Pass
			25	Mid	19.87	-0.7	-2.85	17.02	0.050	3.000	Pass
			25	High	19.75	-0.7	-2.85	16.90	0.049	3.000	Pass
			50	Low	19.77	-0.7	-2.85	16.92	0.049	3.000	Pass
		Q256	1	Low	17.84	-0.7	-2.85	14.99	0.032	3.000	Pass
			1	Mid	17.84	-0.7	-2.85	14.99	0.032	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
			1	High	17.83	-0.7	-2.85	14.98	0.031	3.000	Pass
			25	Low	17.65	-0.7	-2.85	14.80	0.030	3.000	Pass
			25	Mid	17.82	-0.7	-2.85	14.97	0.031	3.000	Pass
			25	High	17.73	-0.7	-2.85	14.88	0.031	3.000	Pass
			50	Low	17.78	-0.7	-2.85	14.93	0.031	3.000	Pass
	MCH	QPSK	1	Low	22.7	-0.7	-2.85	19.85	0.097	3.000	Pass
			1	Mid	22.76	-0.7	-2.85	19.91	0.098	3.000	Pass
			1	High	22.67	-0.7	-2.85	19.82	0.096	3.000	Pass
			25	Low	21.67	-0.7	-2.85	18.82	0.076	3.000	Pass
			25	Mid	21.7	-0.7	-2.85	18.85	0.077	3.000	Pass
			25	High	21.75	-0.7	-2.85	18.90	0.078	3.000	Pass
			50	Low	21.66	-0.7	-2.85	18.81	0.076	3.000	Pass
		Q16	1	Low	22.02	-0.7	-2.85	19.17	0.083	3.000	Pass
			1	Mid	22.02	-0.7	-2.85	19.17	0.083	3.000	Pass
			1	High	21.93	-0.7	-2.85	19.08	0.081	3.000	Pass
			25	Low	20.75	-0.7	-2.85	17.90	0.062	3.000	Pass
			25	Mid	20.76	-0.7	-2.85	17.91	0.062	3.000	Pass
			25	High	20.77	-0.7	-2.85	17.92	0.062	3.000	Pass
			50	Low	20.67	-0.7	-2.85	17.82	0.061	3.000	Pass
		Q64	1	Low	20.86	-0.7	-2.85	18.01	0.063	3.000	Pass
			1	Mid	21.01	-0.7	-2.85	18.16	0.065	3.000	Pass
			1	High	20.93	-0.7	-2.85	18.08	0.064	3.000	Pass
			25	Low	19.67	-0.7	-2.85	16.82	0.048	3.000	Pass
			25	Mid	19.67	-0.7	-2.85	16.82	0.048	3.000	Pass
			25	High	19.73	-0.7	-2.85	16.88	0.049	3.000	Pass
			50	Low	19.69	-0.7	-2.85	16.84	0.048	3.000	Pass
		Q256	1	Low	17.87	-0.7	-2.85	15.02	0.032	3.000	Pass
			1	Mid	18	-0.7	-2.85	15.15	0.033	3.000	Pass
			1	High	17.74	-0.7	-2.85	14.89	0.031	3.000	Pass
			25	Low	17.69	-0.7	-2.85	14.84	0.030	3.000	Pass
			25	Mid	17.72	-0.7	-2.85	14.87	0.031	3.000	Pass
			25	High	17.74	-0.7	-2.85	14.89	0.031	3.000	Pass
			50	Low	17.68	-0.7	-2.85	14.83	0.030	3.000	Pass
	HCH	QPSK	1	Low	22.7	-0.7	-2.85	19.85	0.097	3.000	Pass
			1	Mid	22.74	-0.7	-2.85	19.89	0.097	3.000	Pass
			1	High	22.61	-0.7	-2.85	19.76	0.095	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
			25	Low	21.67	-0.7	-2.85	18.82	0.076	3.000	Pass
			25	Mid	21.69	-0.7	-2.85	18.84	0.077	3.000	Pass
			25	High	21.75	-0.7	-2.85	18.90	0.078	3.000	Pass
			50	Low	21.68	-0.7	-2.85	18.83	0.076	3.000	Pass
		Q16	1	Low	21.93	-0.7	-2.85	19.08	0.081	3.000	Pass
			1	Mid	21.92	-0.7	-2.85	19.07	0.081	3.000	Pass
			1	High	21.87	-0.7	-2.85	19.02	0.080	3.000	Pass
			25	Low	20.72	-0.7	-2.85	17.87	0.061	3.000	Pass
			25	Mid	20.73	-0.7	-2.85	17.88	0.061	3.000	Pass
			25	High	20.75	-0.7	-2.85	17.90	0.062	3.000	Pass
			50	Low	20.67	-0.7	-2.85	17.82	0.061	3.000	Pass
		Q64	1	Low	20.8	-0.7	-2.85	17.95	0.062	3.000	Pass
			1	Mid	20.97	-0.7	-2.85	18.12	0.065	3.000	Pass
			1	High	20.88	-0.7	-2.85	18.03	0.064	3.000	Pass
			25	Low	19.71	-0.7	-2.85	16.86	0.049	3.000	Pass
			25	Mid	19.73	-0.7	-2.85	16.88	0.049	3.000	Pass
			25	High	19.75	-0.7	-2.85	16.90	0.049	3.000	Pass
			50	Low	19.7	-0.7	-2.85	16.85	0.048	3.000	Pass
		Q256	1	Low	17.72	-0.7	-2.85	14.87	0.031	3.000	Pass
			1	Mid	17.9	-0.7	-2.85	15.05	0.032	3.000	Pass
			1	High	17.81	-0.7	-2.85	14.96	0.031	3.000	Pass
			25	Low	17.72	-0.7	-2.85	14.87	0.031	3.000	Pass
			25	Mid	17.73	-0.7	-2.85	14.88	0.031	3.000	Pass
			25	High	17.78	-0.7	-2.85	14.93	0.031	3.000	Pass
			50	Low	17.68	-0.7	-2.85	14.83	0.030	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
1.4	LCH	QPSK	1	Low	22.39	2	24.39	0.275	2.000	Pass
			1	Mid	22.29	2	24.29	0.269	2.000	Pass
			1	High	22.29	2	24.29	0.269	2.000	Pass
			3	Low	22.41	2	24.41	0.276	2.000	Pass
			3	Mid	22.34	2	24.34	0.272	2.000	Pass
			3	High	22.32	2	24.32	0.270	2.000	Pass
			6	Low	21.38	2	23.38	0.218	2.000	Pass
		Q16	1	Low	21.62	2	23.62	0.230	2.000	Pass
			1	Mid	21.55	2	23.55	0.226	2.000	Pass
			1	High	21.6	2	23.60	0.229	2.000	Pass
			3	Low	21.65	2	23.65	0.232	2.000	Pass
			3	Mid	21.61	2	23.61	0.230	2.000	Pass
			3	High	21.67	2	23.67	0.233	2.000	Pass
			6	Low	20.58	2	22.58	0.181	2.000	Pass
		Q64	1	Low	20.8	2	22.80	0.191	2.000	Pass
			1	Mid	20.72	2	22.72	0.187	2.000	Pass
			1	High	20.88	2	22.88	0.194	2.000	Pass
			3	Low	20.63	2	22.63	0.183	2.000	Pass
			3	Mid	20.5	2	22.50	0.178	2.000	Pass
			3	High	20.65	2	22.65	0.184	2.000	Pass
			6	Low	19.53	2	21.53	0.142	2.000	Pass
		Q256	1	Low	17.62	2	19.62	0.092	2.000	Pass
			1	Mid	17.68	2	19.68	0.093	2.000	Pass
			1	High	17.69	2	19.69	0.093	2.000	Pass
			3	Low	17.55	2	19.55	0.090	2.000	Pass
			3	Mid	17.54	2	19.54	0.090	2.000	Pass
			3	High	17.58	2	19.58	0.091	2.000	Pass
			6	Low	17.46	2	19.46	0.088	2.000	Pass
	MCH	QPSK	1	Low	22.48	2	24.48	0.281	2.000	Pass
			1	Mid	22.39	2	24.39	0.275	2.000	Pass
			1	High	22.39	2	24.39	0.275	2.000	Pass
			3	Low	22.39	2	24.39	0.275	2.000	Pass
			3	Mid	22.4	2	24.40	0.275	2.000	Pass
			3	High	22.32	2	24.32	0.270	2.000	Pass
			6	Low	21.44	2	23.44	0.221	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
		Q16	1	Low	21.74	2	23.74	0.237	2.000	Pass
			1	Mid	21.84	2	23.84	0.242	2.000	Pass
			1	High	21.89	2	23.89	0.245	2.000	Pass
			3	Low	21.68	2	23.68	0.233	2.000	Pass
			3	Mid	21.6	2	23.60	0.229	2.000	Pass
			3	High	21.65	2	23.65	0.232	2.000	Pass
			6	Low	20.48	2	22.48	0.177	2.000	Pass
		Q64	1	Low	20.76	2	22.76	0.189	2.000	Pass
			1	Mid	20.59	2	22.59	0.182	2.000	Pass
			1	High	20.64	2	22.64	0.184	2.000	Pass
			3	Low	20.52	2	22.52	0.179	2.000	Pass
			3	Mid	20.72	2	22.72	0.187	2.000	Pass
			3	High	20.69	2	22.69	0.186	2.000	Pass
			6	Low	19.48	2	21.48	0.141	2.000	Pass
		Q256	1	Low	17.6	2	19.60	0.091	2.000	Pass
			1	Mid	17.63	2	19.63	0.092	2.000	Pass
			1	High	17.79	2	19.79	0.095	2.000	Pass
			3	Low	17.54	2	19.54	0.090	2.000	Pass
			3	Mid	17.59	2	19.59	0.091	2.000	Pass
			3	High	17.55	2	19.55	0.090	2.000	Pass
			6	Low	17.52	2	19.52	0.090	2.000	Pass
	HCH	QPSK	1	Low	22.42	2	24.42	0.277	2.000	Pass
			1	Mid	22.38	2	24.38	0.274	2.000	Pass
			1	High	22.47	2	24.47	0.280	2.000	Pass
			3	Low	22.37	2	24.37	0.274	2.000	Pass
			3	Mid	22.41	2	24.41	0.276	2.000	Pass
			3	High	22.37	2	24.37	0.274	2.000	Pass
			6	Low	21.46	2	23.46	0.222	2.000	Pass
		Q16	1	Low	22.11	2	24.11	0.258	2.000	Pass
			1	Mid	21.82	2	23.82	0.241	2.000	Pass
			1	High	22.02	2	24.02	0.252	2.000	Pass
			3	Low	21.66	2	23.66	0.232	2.000	Pass
			3	Mid	21.65	2	23.65	0.232	2.000	Pass
			3	High	21.62	2	23.62	0.230	2.000	Pass
			6	Low	20.66	2	22.66	0.185	2.000	Pass
		Q64	1	Low	20.78	2	22.78	0.190	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
			1	Mid	20.85	2	22.85	0.193	2.000	Pass
			1	High	20.79	2	22.79	0.190	2.000	Pass
			3	Low	20.56	2	22.56	0.180	2.000	Pass
			3	Mid	20.67	2	22.67	0.185	2.000	Pass
			3	High	20.64	2	22.64	0.184	2.000	Pass
			6	Low	19.6	2	21.60	0.145	2.000	Pass
		Q256	1	Low	17.68	2	19.68	0.093	2.000	Pass
			1	Mid	17.64	2	19.64	0.092	2.000	Pass
			1	High	17.69	2	19.69	0.093	2.000	Pass
			3	Low	17.57	2	19.57	0.091	2.000	Pass
			3	Mid	17.53	2	19.53	0.090	2.000	Pass
			3	High	17.63	2	19.63	0.092	2.000	Pass
			6	Low	17.43	2	19.43	0.088	2.000	Pass
3	LCH	QPSK	1	Low	22.29	2	24.29	0.269	2.000	Pass
			1	Mid	22.58	2	24.58	0.287	2.000	Pass
			1	High	22.36	2	24.36	0.273	2.000	Pass
			8	Low	21.45	2	23.45	0.221	2.000	Pass
			8	Mid	21.44	2	23.44	0.221	2.000	Pass
			8	High	21.4	2	23.40	0.219	2.000	Pass
			15	Low	21.4	2	23.40	0.219	2.000	Pass
		Q16	1	Low	21.85	2	23.85	0.243	2.000	Pass
			1	Mid	22.11	2	24.11	0.258	2.000	Pass
			1	High	21.94	2	23.94	0.248	2.000	Pass
			8	Low	20.5	2	22.50	0.178	2.000	Pass
			8	Mid	20.52	2	22.52	0.179	2.000	Pass
			8	High	20.5	2	22.50	0.178	2.000	Pass
			15	Low	20.41	2	22.41	0.174	2.000	Pass
		Q64	1	Low	20.63	2	22.63	0.183	2.000	Pass
			1	Mid	20.84	2	22.84	0.192	2.000	Pass
			1	High	20.68	2	22.68	0.185	2.000	Pass
			8	Low	19.56	2	21.56	0.143	2.000	Pass
			8	Mid	19.46	2	21.46	0.140	2.000	Pass
			8	High	19.43	2	21.43	0.139	2.000	Pass
			15	Low	19.44	2	21.44	0.139	2.000	Pass
		Q2556	1	Low	17.49	2	19.49	0.089	2.000	Pass
			1	Mid	17.67	2	19.67	0.093	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
			1	High	17.52	2	19.52	0.090	2.000	Pass
			8	Low	17.51	2	19.51	0.089	2.000	Pass
			8	Mid	17.44	2	19.44	0.088	2.000	Pass
			8	High	17.42	2	19.42	0.087	2.000	Pass
			15	Low	17.44	2	19.44	0.088	2.000	Pass
	MCH	QPSK	1	Low	22.36	2	24.36	0.273	2.000	Pass
			1	Mid	22.52	2	24.52	0.283	2.000	Pass
			1	High	22.45	2	24.45	0.279	2.000	Pass
			8	Low	21.44	2	23.44	0.221	2.000	Pass
			8	Mid	21.5	2	23.50	0.224	2.000	Pass
			8	High	21.49	2	23.49	0.223	2.000	Pass
			15	Low	21.46	2	23.46	0.222	2.000	Pass
		Q16	1	Low	21.69	2	23.69	0.234	2.000	Pass
			1	Mid	21.92	2	23.92	0.247	2.000	Pass
			1	High	21.84	2	23.84	0.242	2.000	Pass
			8	Low	20.52	2	22.52	0.179	2.000	Pass
			8	Mid	20.61	2	22.61	0.182	2.000	Pass
			8	High	20.58	2	22.58	0.181	2.000	Pass
			15	Low	20.47	2	22.47	0.177	2.000	Pass
		Q64	1	Low	20.59	2	22.59	0.182	2.000	Pass
			1	Mid	20.64	2	22.64	0.184	2.000	Pass
			1	High	20.62	2	22.62	0.183	2.000	Pass
			8	Low	19.43	2	21.43	0.139	2.000	Pass
			8	Mid	19.53	2	21.53	0.142	2.000	Pass
			8	High	19.53	2	21.53	0.142	2.000	Pass
			15	Low	19.46	2	21.46	0.140	2.000	Pass
		Q256	1	Low	17.53	2	19.53	0.090	2.000	Pass
			1	Mid	17.51	2	19.51	0.089	2.000	Pass
			1	High	17.49	2	19.49	0.089	2.000	Pass
			8	Low	17.49	2	19.49	0.089	2.000	Pass
			8	Mid	17.49	2	19.49	0.089	2.000	Pass
			8	High	17.48	2	19.48	0.089	2.000	Pass
			15	Low	17.46	2	19.46	0.088	2.000	Pass
	HCH	QPSK	1	Low	22.39	2	24.39	0.275	2.000	Pass
			1	Mid	22.51	2	24.51	0.282	2.000	Pass
			1	High	22.45	2	24.45	0.279	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
			8	Low	21.5	2	23.50	0.224	2.000	Pass
			8	Mid	21.51	2	23.51	0.224	2.000	Pass
			8	High	21.48	2	23.48	0.223	2.000	Pass
			15	Low	21.52	2	23.52	0.225	2.000	Pass
		Q16	1	Low	21.69	2	23.69	0.234	2.000	Pass
			1	Mid	22.18	2	24.18	0.262	2.000	Pass
			1	High	21.9	2	23.90	0.245	2.000	Pass
			8	Low	20.56	2	22.56	0.180	2.000	Pass
			8	Mid	20.64	2	22.64	0.184	2.000	Pass
			8	High	20.57	2	22.57	0.181	2.000	Pass
			15	Low	20.57	2	22.57	0.181	2.000	Pass
		Q64	1	Low	20.6	2	22.60	0.182	2.000	Pass
			1	Mid	20.94	2	22.94	0.197	2.000	Pass
			1	High	20.78	2	22.78	0.190	2.000	Pass
			8	Low	19.52	2	21.52	0.142	2.000	Pass
			8	Mid	19.59	2	21.59	0.144	2.000	Pass
			8	High	19.61	2	21.61	0.145	2.000	Pass
			15	Low	19.59	2	21.59	0.144	2.000	Pass
		Q256	1	Low	17.54	2	19.54	0.090	2.000	Pass
			1	Mid	17.62	2	19.62	0.092	2.000	Pass
			1	High	17.69	2	19.69	0.093	2.000	Pass
			8	Low	17.51	2	19.51	0.089	2.000	Pass
			8	Mid	17.54	2	19.54	0.090	2.000	Pass
			8	High	17.58	2	19.58	0.091	2.000	Pass
			15	Low	17.47	2	19.47	0.089	2.000	Pass
5	LCH	QPSK	1	Low	22.43	2	24.43	0.277	2.000	Pass
			1	Mid	22.55	2	24.55	0.285	2.000	Pass
			1	High	22.51	2	24.51	0.282	2.000	Pass
			12	Low	21.45	2	23.45	0.221	2.000	Pass
			12	Mid	21.44	2	23.44	0.221	2.000	Pass
			12	High	21.39	2	23.39	0.218	2.000	Pass
			25	Low	21.4	2	23.40	0.219	2.000	Pass
		Q16	1	Low	21.87	2	23.87	0.244	2.000	Pass
			1	Mid	21.88	2	23.88	0.244	2.000	Pass
			1	High	21.84	2	23.84	0.242	2.000	Pass
			12	Low	20.53	2	22.53	0.179	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
			12	Mid	20.51	2	22.51	0.178	2.000	Pass
			12	High	20.47	2	22.47	0.177	2.000	Pass
			25	Low	20.41	2	22.41	0.174	2.000	Pass
		Q64	1	Low	20.67	2	22.67	0.185	2.000	Pass
			1	Mid	20.72	2	22.72	0.187	2.000	Pass
			1	High	20.7	2	22.70	0.186	2.000	Pass
			12	Low	19.42	2	21.42	0.139	2.000	Pass
			12	Mid	19.41	2	21.41	0.138	2.000	Pass
			12	High	19.39	2	21.39	0.138	2.000	Pass
			25	Low	19.42	2	21.42	0.139	2.000	Pass
		Q256	1	Low	17.58	2	19.58	0.091	2.000	Pass
			1	Mid	17.71	2	19.71	0.094	2.000	Pass
			1	High	17.5	2	19.50	0.089	2.000	Pass
			12	Low	17.44	2	19.44	0.088	2.000	Pass
			12	Mid	17.46	2	19.46	0.088	2.000	Pass
			12	High	17.42	2	19.42	0.087	2.000	Pass
			25	Low	17.4	2	19.40	0.087	2.000	Pass
	MCH	QPSK	1	Low	22.37	2	24.37	0.274	2.000	Pass
			1	Mid	22.47	2	24.47	0.280	2.000	Pass
			1	High	22.43	2	24.43	0.277	2.000	Pass
			12	Low	21.42	2	23.42	0.220	2.000	Pass
			12	Mid	21.49	2	23.49	0.223	2.000	Pass
			12	High	21.51	2	23.51	0.224	2.000	Pass
			25	Low	21.47	2	23.47	0.222	2.000	Pass
		Q16	1	Low	21.79	2	23.79	0.239	2.000	Pass
			1	Mid	21.95	2	23.95	0.248	2.000	Pass
			1	High	21.86	2	23.86	0.243	2.000	Pass
			12	Low	20.49	2	22.49	0.177	2.000	Pass
			12	Mid	20.52	2	22.52	0.179	2.000	Pass
			12	High	20.51	2	22.51	0.178	2.000	Pass
			25	Low	20.47	2	22.47	0.177	2.000	Pass
		Q64	1	Low	20.61	2	22.61	0.182	2.000	Pass
			1	Mid	20.78	2	22.78	0.190	2.000	Pass
			1	High	20.79	2	22.79	0.190	2.000	Pass
			12	Low	19.42	2	21.42	0.139	2.000	Pass
			12	Mid	19.46	2	21.46	0.140	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
			12	High	19.45	2	21.45	0.140	2.000	Pass
			25	Low	19.48	2	21.48	0.141	2.000	Pass
		Q256	1	Low	17.61	2	19.61	0.091	2.000	Pass
			1	Mid	17.63	2	19.63	0.092	2.000	Pass
			1	High	17.54	2	19.54	0.090	2.000	Pass
			12	Low	17.41	2	19.41	0.087	2.000	Pass
			12	Mid	17.49	2	19.49	0.089	2.000	Pass
			12	High	17.49	2	19.49	0.089	2.000	Pass
			25	Low	17.44	2	19.44	0.088	2.000	Pass
	HCH	QPSK	1	Low	22.47	2	24.47	0.280	2.000	Pass
			1	Mid	22.58	2	24.58	0.287	2.000	Pass
			1	High	22.55	2	24.55	0.285	2.000	Pass
			12	Low	21.49	2	23.49	0.223	2.000	Pass
			12	Mid	21.54	2	23.54	0.226	2.000	Pass
			12	High	21.54	2	23.54	0.226	2.000	Pass
			25	Low	21.5	2	23.50	0.224	2.000	Pass
		Q16	1	Low	21.91	2	23.91	0.246	2.000	Pass
			1	Mid	21.95	2	23.95	0.248	2.000	Pass
			1	High	21.9	2	23.90	0.245	2.000	Pass
			12	Low	20.48	2	22.48	0.177	2.000	Pass
			12	Mid	20.54	2	22.54	0.179	2.000	Pass
			12	High	20.55	2	22.55	0.180	2.000	Pass
			25	Low	20.54	2	22.54	0.179	2.000	Pass
		Q64	1	Low	20.72	2	22.72	0.187	2.000	Pass
			1	Mid	20.87	2	22.87	0.194	2.000	Pass
			1	High	20.82	2	22.82	0.191	2.000	Pass
			12	Low	19.53	2	21.53	0.142	2.000	Pass
			12	Mid	19.56	2	21.56	0.143	2.000	Pass
			12	High	19.59	2	21.59	0.144	2.000	Pass
			25	Low	19.56	2	21.56	0.143	2.000	Pass
		Q256	1	Low	17.73	2	19.73	0.094	2.000	Pass
			1	Mid	17.76	2	19.76	0.095	2.000	Pass
			1	High	17.62	2	19.62	0.092	2.000	Pass
			12	Low	17.53	2	19.53	0.090	2.000	Pass
			12	Mid	17.54	2	19.54	0.090	2.000	Pass
			12	High	17.57	2	19.57	0.091	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
			25	Low	17.54	2	19.54	0.090	2.000	Pass
10	LCH	QPSK	1	Low	22.42	2	24.42	0.277	2.000	Pass
			1	Mid	22.46	2	24.46	0.279	2.000	Pass
			1	High	22.35	2	24.35	0.272	2.000	Pass
			25	Low	21.48	2	23.48	0.223	2.000	Pass
			25	Mid	21.48	2	23.48	0.223	2.000	Pass
			25	High	21.38	2	23.38	0.218	2.000	Pass
			50	Low	21.49	2	23.49	0.223	2.000	Pass
		Q16	1	Low	21.74	2	23.74	0.237	2.000	Pass
			1	Mid	21.79	2	23.79	0.239	2.000	Pass
			1	High	21.68	2	23.68	0.233	2.000	Pass
			25	Low	20.51	2	22.51	0.178	2.000	Pass
			25	Mid	20.55	2	22.55	0.180	2.000	Pass
			25	High	20.41	2	22.41	0.174	2.000	Pass
			50	Low	20.5	2	22.50	0.178	2.000	Pass
		Q64	1	Low	20.68	2	22.68	0.185	2.000	Pass
			1	Mid	20.69	2	22.69	0.186	2.000	Pass
			1	High	20.69	2	22.69	0.186	2.000	Pass
			25	Low	19.48	2	21.48	0.141	2.000	Pass
			25	Mid	19.55	2	21.55	0.143	2.000	Pass
			25	High	19.37	2	21.37	0.137	2.000	Pass
			50	Low	19.45	2	21.45	0.140	2.000	Pass
		Q256	1	Low	17.7	2	19.70	0.093	2.000	Pass
			1	Mid	17.53	2	19.53	0.090	2.000	Pass
			1	High	17.56	2	19.56	0.090	2.000	Pass
			25	Low	17.47	2	19.47	0.089	2.000	Pass
			25	Mid	17.53	2	19.53	0.090	2.000	Pass
			25	High	17.4	2	19.40	0.087	2.000	Pass
			50	Low	17.49	2	19.49	0.089	2.000	Pass
	MCH	QPSK	1	Low	22.44	2	24.44	0.278	2.000	Pass
			1	Mid	22.49	2	24.49	0.281	2.000	Pass
			1	High	22.43	2	24.43	0.277	2.000	Pass
			25	Low	21.48	2	23.48	0.223	2.000	Pass
			25	Mid	21.52	2	23.52	0.225	2.000	Pass
			25	High	21.4	2	23.40	0.219	2.000	Pass
			50	Low	21.51	2	23.51	0.224	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
		Q16	1	Low	21.65	2	23.65	0.232	2.000	Pass
			1	Mid	21.73	2	23.73	0.236	2.000	Pass
			1	High	21.8	2	23.80	0.240	2.000	Pass
			25	Low	20.53	2	22.53	0.179	2.000	Pass
			25	Mid	20.56	2	22.56	0.180	2.000	Pass
			25	High	20.45	2	22.45	0.176	2.000	Pass
			50	Low	20.51	2	22.51	0.178	2.000	Pass
		Q64	1	Low	20.67	2	22.67	0.185	2.000	Pass
			1	Mid	20.67	2	22.67	0.185	2.000	Pass
			1	High	20.58	2	22.58	0.181	2.000	Pass
			25	Low	19.54	2	21.54	0.143	2.000	Pass
			25	Mid	19.56	2	21.56	0.143	2.000	Pass
			25	High	19.47	2	21.47	0.140	2.000	Pass
			50	Low	19.5	2	21.50	0.141	2.000	Pass
		Q256	1	Low	17.62	2	19.62	0.092	2.000	Pass
			1	Mid	17.57	2	19.57	0.091	2.000	Pass
			1	High	17.46	2	19.46	0.088	2.000	Pass
			25	Low	17.54	2	19.54	0.090	2.000	Pass
			25	Mid	17.56	2	19.56	0.090	2.000	Pass
			25	High	17.42	2	19.42	0.087	2.000	Pass
			50	Low	17.47	2	19.47	0.089	2.000	Pass
	HCH	QPSK	1	Low	22.46	2	24.46	0.279	2.000	Pass
			1	Mid	22.52	2	24.52	0.283	2.000	Pass
			1	High	22.49	2	24.49	0.281	2.000	Pass
			25	Low	21.56	2	23.56	0.227	2.000	Pass
			25	Mid	21.58	2	23.58	0.228	2.000	Pass
			25	High	21.47	2	23.47	0.222	2.000	Pass
			50	Low	21.54	2	23.54	0.226	2.000	Pass
		Q16	1	Low	21.74	2	23.74	0.237	2.000	Pass
			1	Mid	21.73	2	23.73	0.236	2.000	Pass
			1	High	21.76	2	23.76	0.238	2.000	Pass
			25	Low	20.55	2	22.55	0.180	2.000	Pass
			25	Mid	20.57	2	22.57	0.181	2.000	Pass
			25	High	20.49	2	22.49	0.177	2.000	Pass
			50	Low	20.55	2	22.55	0.180	2.000	Pass
		Q64	1	Low	20.69	2	22.69	0.186	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
			1	Mid	20.79	2	22.79	0.190	2.000	Pass
			1	High	20.83	2	22.83	0.192	2.000	Pass
			25	Low	19.57	2	21.57	0.144	2.000	Pass
			25	Mid	19.57	2	21.57	0.144	2.000	Pass
			25	High	19.46	2	21.46	0.140	2.000	Pass
			50	Low	19.58	2	21.58	0.144	2.000	Pass
		Q256	1	Low	17.52	2	19.52	0.090	2.000	Pass
			1	Mid	17.77	2	19.77	0.095	2.000	Pass
			1	High	17.57	2	19.57	0.091	2.000	Pass
			25	Low	17.53	2	19.53	0.090	2.000	Pass
			25	Mid	17.59	2	19.59	0.091	2.000	Pass
			25	High	17.44	2	19.44	0.088	2.000	Pass
			50	Low	17.53	2	19.53	0.090	2.000	Pass
15	LCH	QPSK	1	Low	22.33	2	24.33	0.271	2.000	Pass
			1	Mid	22.43	2	24.43	0.277	2.000	Pass
			1	High	22.36	2	24.36	0.273	2.000	Pass
			36	Low	21.38	2	23.38	0.218	2.000	Pass
			36	Mid	21.46	2	23.46	0.222	2.000	Pass
			36	High	21.36	2	23.36	0.217	2.000	Pass
			75	Low	21.4	2	23.40	0.219	2.000	Pass
		Q16	1	Low	21.72	2	23.72	0.236	2.000	Pass
			1	Mid	21.71	2	23.71	0.235	2.000	Pass
			1	High	21.59	2	23.59	0.229	2.000	Pass
			36	Low	20.41	2	22.41	0.174	2.000	Pass
			36	Mid	20.48	2	22.48	0.177	2.000	Pass
			36	High	20.37	2	22.37	0.173	2.000	Pass
			75	Low	20.45	2	22.45	0.176	2.000	Pass
		Q64	1	Low	20.58	2	22.58	0.181	2.000	Pass
			1	Mid	20.59	2	22.59	0.182	2.000	Pass
			1	High	20.59	2	22.59	0.182	2.000	Pass
			36	Low	19.42	2	21.42	0.139	2.000	Pass
			36	Mid	19.51	2	21.51	0.142	2.000	Pass
			36	High	19.38	2	21.38	0.137	2.000	Pass
			75	Low	19.46	2	21.46	0.140	2.000	Pass
		Q256	1	Low	17.7	2	19.70	0.093	2.000	Pass
			1	Mid	17.52	2	19.52	0.090	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
			1	High	17.51	2	19.51	0.089	2.000	Pass
			36	Low	17.45	2	19.45	0.088	2.000	Pass
			36	Mid	17.48	2	19.48	0.089	2.000	Pass
			36	High	17.35	2	19.35	0.086	2.000	Pass
			75	Low	17.44	2	19.44	0.088	2.000	Pass
	MCH	QPSK	1	Low	22.36	2	24.36	0.273	2.000	Pass
			1	Mid	22.43	2	24.43	0.277	2.000	Pass
			1	High	22.5	2	24.50	0.282	2.000	Pass
			36	Low	21.44	2	23.44	0.221	2.000	Pass
			36	Mid	21.49	2	23.49	0.223	2.000	Pass
			36	High	21.41	2	23.41	0.219	2.000	Pass
			75	Low	21.47	2	23.47	0.222	2.000	Pass
		Q16	1	Low	21.78	2	23.78	0.239	2.000	Pass
			1	Mid	21.8	2	23.80	0.240	2.000	Pass
			1	High	21.78	2	23.78	0.239	2.000	Pass
			36	Low	20.47	2	22.47	0.177	2.000	Pass
			36	Mid	20.51	2	22.51	0.178	2.000	Pass
			36	High	20.46	2	22.46	0.176	2.000	Pass
			75	Low	20.49	2	22.49	0.177	2.000	Pass
		Q64	1	Low	20.67	2	22.67	0.185	2.000	Pass
			1	Mid	20.62	2	22.62	0.183	2.000	Pass
			1	High	20.55	2	22.55	0.180	2.000	Pass
			36	Low	19.46	2	21.46	0.140	2.000	Pass
			36	Mid	19.55	2	21.55	0.143	2.000	Pass
			36	High	19.43	2	21.43	0.139	2.000	Pass
			75	Low	19.5	2	21.50	0.141	2.000	Pass
		Q256	1	Low	17.59	2	19.59	0.091	2.000	Pass
			1	Mid	17.68	2	19.68	0.093	2.000	Pass
			1	High	17.59	2	19.59	0.091	2.000	Pass
			36	Low	17.45	2	19.45	0.088	2.000	Pass
			36	Mid	17.52	2	19.52	0.090	2.000	Pass
			36	High	17.43	2	19.43	0.088	2.000	Pass
			75	Low	17.49	2	19.49	0.089	2.000	Pass
	HCH	QPSK	1	Low	22.49	2	24.49	0.281	2.000	Pass
			1	Mid	22.54	2	24.54	0.284	2.000	Pass
			1	High	22.5	2	24.50	0.282	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
			36	Low	21.5	2	23.50	0.224	2.000	Pass
			36	Mid	21.55	2	23.55	0.226	2.000	Pass
			36	High	21.48	2	23.48	0.223	2.000	Pass
			75	Low	21.51	2	23.51	0.224	2.000	Pass
		Q16	1	Low	21.74	2	23.74	0.237	2.000	Pass
			1	Mid	21.81	2	23.81	0.240	2.000	Pass
			1	High	21.8	2	23.80	0.240	2.000	Pass
			36	Low	20.55	2	22.55	0.180	2.000	Pass
			36	Mid	20.59	2	22.59	0.182	2.000	Pass
			36	High	20.46	2	22.46	0.176	2.000	Pass
			75	Low	20.56	2	22.56	0.180	2.000	Pass
		Q64	1	Low	20.76	2	22.76	0.189	2.000	Pass
			1	Mid	20.83	2	22.83	0.192	2.000	Pass
			1	High	20.83	2	22.83	0.192	2.000	Pass
			36	Low	19.5	2	21.50	0.141	2.000	Pass
			36	Mid	19.53	2	21.53	0.142	2.000	Pass
			36	High	19.47	2	21.47	0.140	2.000	Pass
			75	Low	19.59	2	21.59	0.144	2.000	Pass
		Q256	1	Low	17.62	2	19.62	0.092	2.000	Pass
			1	Mid	17.68	2	19.68	0.093	2.000	Pass
			1	High	17.48	2	19.48	0.089	2.000	Pass
			36	Low	17.5	2	19.50	0.089	2.000	Pass
			36	Mid	17.57	2	19.57	0.091	2.000	Pass
			36	High	17.49	2	19.49	0.089	2.000	Pass
			75	Low	17.53	2	19.53	0.090	2.000	Pass
20	LCH	QPSK	1	Low	22.36	2	24.36	0.273	2.000	Pass
			1	Mid	22.44	2	24.44	0.278	2.000	Pass
			1	High	22.42	2	24.42	0.277	2.000	Pass
			50	Low	21.42	2	23.42	0.220	2.000	Pass
			50	Mid	21.42	2	23.42	0.220	2.000	Pass
			50	High	21.4	2	23.40	0.219	2.000	Pass
			100	Low	21.5	2	23.50	0.224	2.000	Pass
		Q16	1	Low	21.84	2	23.84	0.242	2.000	Pass
			1	Mid	21.86	2	23.86	0.243	2.000	Pass
			1	High	21.8	2	23.80	0.240	2.000	Pass
			50	Low	20.45	2	22.45	0.176	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
			50	Mid	20.4	2	22.40	0.174	2.000	Pass
			50	High	20.39	2	22.39	0.173	2.000	Pass
			100	Low	20.5	2	22.50	0.178	2.000	Pass
		Q64	1	Low	20.7	2	22.70	0.186	2.000	Pass
			1	Mid	20.79	2	22.79	0.190	2.000	Pass
			1	High	20.81	2	22.81	0.191	2.000	Pass
			50	Low	19.45	2	21.45	0.140	2.000	Pass
			50	Mid	19.41	2	21.41	0.138	2.000	Pass
			50	High	19.4	2	21.40	0.138	2.000	Pass
			100	Low	19.43	2	21.43	0.139	2.000	Pass
		Q256	1	Low	17.41	2	19.41	0.087	2.000	Pass
			1	Mid	17.57	2	19.57	0.091	2.000	Pass
			1	High	17.57	2	19.57	0.091	2.000	Pass
			50	Low	17.42	2	19.42	0.087	2.000	Pass
			50	Mid	17.41	2	19.41	0.087	2.000	Pass
			50	High	17.39	2	19.39	0.087	2.000	Pass
			100	Low	17.46	2	19.46	0.088	2.000	Pass
	MCH	QPSK	1	Low	22.38	2	24.38	0.274	2.000	Pass
			1	Mid	22.46	2	24.46	0.279	2.000	Pass
			1	High	22.5	2	24.50	0.282	2.000	Pass
			50	Low	21.47	2	23.47	0.222	2.000	Pass
			50	Mid	21.53	2	23.53	0.225	2.000	Pass
			50	High	21.43	2	23.43	0.220	2.000	Pass
			100	Low	21.47	2	23.47	0.222	2.000	Pass
		Q16	1	Low	21.69	2	23.69	0.234	2.000	Pass
			1	Mid	21.7	2	23.70	0.234	2.000	Pass
			1	High	21.83	2	23.83	0.242	2.000	Pass
			50	Low	20.5	2	22.50	0.178	2.000	Pass
			50	Mid	20.51	2	22.51	0.178	2.000	Pass
			50	High	20.43	2	22.43	0.175	2.000	Pass
			100	Low	20.48	2	22.48	0.177	2.000	Pass
		Q64	1	Low	20.74	2	22.74	0.188	2.000	Pass
			1	Mid	20.83	2	22.83	0.192	2.000	Pass
			1	High	20.81	2	22.81	0.191	2.000	Pass
			50	Low	19.48	2	21.48	0.141	2.000	Pass
			50	Mid	19.5	2	21.50	0.141	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
			50	High	19.43	2	21.43	0.139	2.000	Pass
			100	Low	19.49	2	21.49	0.141	2.000	Pass
		Q256	1	Low	17.41	2	19.41	0.087	2.000	Pass
			1	Mid	17.64	2	19.64	0.092	2.000	Pass
			1	High	17.4	2	19.40	0.087	2.000	Pass
			50	Low	17.43	2	19.43	0.088	2.000	Pass
			50	Mid	17.51	2	19.51	0.089	2.000	Pass
			50	High	17.46	2	19.46	0.088	2.000	Pass
			100	Low	17.52	2	19.52	0.090	2.000	Pass
	HCH	QPSK	1	Low	22.46	2	24.46	0.279	2.000	Pass
			1	Mid	22.53	2	24.53	0.284	2.000	Pass
			1	High	22.53	2	24.53	0.284	2.000	Pass
			50	Low	21.53	2	23.53	0.225	2.000	Pass
			50	Mid	21.62	2	23.62	0.230	2.000	Pass
			50	High	21.48	2	23.48	0.223	2.000	Pass
			100	Low	21.58	2	23.58	0.228	2.000	Pass
		Q16	1	Low	21.76	2	23.76	0.238	2.000	Pass
			1	Mid	21.92	2	23.92	0.247	2.000	Pass
			1	High	21.77	2	23.77	0.238	2.000	Pass
			50	Low	20.58	2	22.58	0.181	2.000	Pass
			50	Mid	20.64	2	22.64	0.184	2.000	Pass
			50	High	20.52	2	22.52	0.179	2.000	Pass
			100	Low	20.58	2	22.58	0.181	2.000	Pass
		Q64	1	Low	20.71	2	22.71	0.187	2.000	Pass
			1	Mid	20.71	2	22.71	0.187	2.000	Pass
			1	High	20.76	2	22.76	0.189	2.000	Pass
			50	Low	19.57	2	21.57	0.144	2.000	Pass
			50	Mid	19.59	2	21.59	0.144	2.000	Pass
			50	High	19.51	2	21.51	0.142	2.000	Pass
			100	Low	19.6	2	21.60	0.145	2.000	Pass
		Q256	1	Low	17.56	2	19.56	0.090	2.000	Pass
			1	Mid	17.79	2	19.79	0.095	2.000	Pass
			1	High	17.63	2	19.63	0.092	2.000	Pass
			50	Low	17.52	2	19.52	0.090	2.000	Pass
			50	Mid	17.59	2	19.59	0.091	2.000	Pass
			50	High	17.47	2	19.47	0.089	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 25										
			100	Low	17.57	2	19.57	0.091	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(PART22)											
1.4	LCH	QPSK	1	Low	22.76	2.2	0.05	22.81	0.191	7.000	Pass
			1	Mid	22.78	2.2	0.05	22.83	0.192	7.000	Pass
			1	High	22.76	2.2	0.05	22.81	0.191	7.000	Pass
			3	Low	22.74	2.2	0.05	22.79	0.190	7.000	Pass
			3	Mid	22.73	2.2	0.05	22.78	0.190	7.000	Pass
			3	High	22.72	2.2	0.05	22.77	0.189	7.000	Pass
			6	Low	21.75	2.2	0.05	21.80	0.151	7.000	Pass
		Q16	1	Low	21.9	2.2	0.05	21.95	0.157	7.000	Pass
			1	Mid	21.97	2.2	0.05	22.02	0.159	7.000	Pass
			1	High	21.98	2.2	0.05	22.03	0.160	7.000	Pass
			3	Low	21.96	2.2	0.05	22.01	0.159	7.000	Pass
			3	Mid	21.83	2.2	0.05	21.88	0.154	7.000	Pass
			3	High	21.85	2.2	0.05	21.90	0.155	7.000	Pass
			6	Low	20.84	2.2	0.05	20.89	0.123	7.000	Pass
		Q64	1	Low	21.05	2.2	0.05	21.10	0.129	7.000	Pass
			1	Mid	21.11	2.2	0.05	21.16	0.131	7.000	Pass
			1	High	21.04	2.2	0.05	21.09	0.129	7.000	Pass
			3	Low	20.96	2.2	0.05	21.01	0.126	7.000	Pass
			3	Mid	20.98	2.2	0.05	21.03	0.127	7.000	Pass
			3	High	20.9	2.2	0.05	20.95	0.124	7.000	Pass
			6	Low	19.84	2.2	0.05	19.89	0.097	7.000	Pass
		Q256	1	Low	18.05	2.2	0.05	18.10	0.065	7.000	Pass
			1	Mid	18.01	2.2	0.05	18.06	0.064	7.000	Pass
			1	High	17.88	2.2	0.05	17.93	0.062	7.000	Pass
			3	Low	17.87	2.2	0.05	17.92	0.062	7.000	Pass
			3	Mid	17.85	2.2	0.05	17.90	0.062	7.000	Pass
			3	High	17.89	2.2	0.05	17.94	0.062	7.000	Pass
			6	Low	17.83	2.2	0.05	17.88	0.061	7.000	Pass
	MCH	QPSK	1	Low	22.84	2.2	0.05	22.89	0.195	7.000	Pass
			1	Mid	22.86	2.2	0.05	22.91	0.195	7.000	Pass
			1	High	22.86	2.2	0.05	22.91	0.195	7.000	Pass
			3	Low	22.78	2.2	0.05	22.83	0.192	7.000	Pass
			3	Mid	22.76	2.2	0.05	22.81	0.191	7.000	Pass
			3	High	22.78	2.2	0.05	22.83	0.192	7.000	Pass
			6	Low	21.75	2.2	0.05	21.80	0.151	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(PART22)											
		Q16	1	Low	22.2	2.2	0.05	22.25	0.168	7.000	Pass
			1	Mid	22.1	2.2	0.05	22.15	0.164	7.000	Pass
			1	High	22.14	2.2	0.05	22.19	0.166	7.000	Pass
			3	Low	22.07	2.2	0.05	22.12	0.163	7.000	Pass
			3	Mid	21.96	2.2	0.05	22.01	0.159	7.000	Pass
			3	High	22	2.2	0.05	22.05	0.160	7.000	Pass
			6	Low	20.83	2.2	0.05	20.88	0.122	7.000	Pass
		Q64	1	Low	21.07	2.2	0.05	21.12	0.129	7.000	Pass
			1	Mid	21.09	2.2	0.05	21.14	0.130	7.000	Pass
			1	High	20.98	2.2	0.05	21.03	0.127	7.000	Pass
			3	Low	20.99	2.2	0.05	21.04	0.127	7.000	Pass
			3	Mid	21.04	2.2	0.05	21.09	0.129	7.000	Pass
			3	High	20.98	2.2	0.05	21.03	0.127	7.000	Pass
			6	Low	19.86	2.2	0.05	19.91	0.098	7.000	Pass
		Q256	1	Low	17.97	2.2	0.05	18.02	0.063	7.000	Pass
			1	Mid	18.11	2.2	0.05	18.16	0.065	7.000	Pass
			1	High	17.9	2.2	0.05	17.95	0.062	7.000	Pass
			3	Low	17.87	2.2	0.05	17.92	0.062	7.000	Pass
			3	Mid	17.84	2.2	0.05	17.89	0.062	7.000	Pass
			3	High	17.98	2.2	0.05	18.03	0.064	7.000	Pass
			6	Low	17.85	2.2	0.05	17.90	0.062	7.000	Pass
	HCH	QPSK	1	Low	22.68	2.2	0.05	22.73	0.187	7.000	Pass
			1	Mid	22.55	2.2	0.05	22.60	0.182	7.000	Pass
			1	High	22.76	2.2	0.05	22.81	0.191	7.000	Pass
			3	Low	22.67	2.2	0.05	22.72	0.187	7.000	Pass
			3	Mid	22.66	2.2	0.05	22.71	0.187	7.000	Pass
			3	High	22.6	2.2	0.05	22.65	0.184	7.000	Pass
			6	Low	21.72	2.2	0.05	21.77	0.150	7.000	Pass
		Q16	1	Low	22.35	2.2	0.05	22.40	0.174	7.000	Pass
			1	Mid	22.13	2.2	0.05	22.18	0.165	7.000	Pass
			1	High	21.82	2.2	0.05	21.87	0.154	7.000	Pass
			3	Low	21.83	2.2	0.05	21.88	0.154	7.000	Pass
			3	Mid	22.25	2.2	0.05	22.30	0.170	7.000	Pass
			3	High	22.29	2.2	0.05	22.34	0.171	7.000	Pass
			6	Low	20.76	2.2	0.05	20.81	0.121	7.000	Pass
		Q64	1	Low	21.03	2.2	0.05	21.08	0.128	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(PART22)											
			1	Mid	21.13	2.2	0.05	21.18	0.131	7.000	Pass
			1	High	21.01	2.2	0.05	21.06	0.128	7.000	Pass
			3	Low	20.89	2.2	0.05	20.94	0.124	7.000	Pass
			3	Mid	21.07	2.2	0.05	21.12	0.129	7.000	Pass
			3	High	21.15	2.2	0.05	21.20	0.132	7.000	Pass
			6	Low	19.76	2.2	0.05	19.81	0.096	7.000	Pass
		Q256	1	Low	17.83	2.2	0.05	17.88	0.061	7.000	Pass
			1	Mid	17.88	2.2	0.05	17.93	0.062	7.000	Pass
			1	High	18.27	2.2	0.05	18.32	0.068	7.000	Pass
			3	Low	17.91	2.2	0.05	17.96	0.063	7.000	Pass
			3	Mid	17.87	2.2	0.05	17.92	0.062	7.000	Pass
			3	High	18.34	2.2	0.05	18.39	0.069	7.000	Pass
			6	Low	17.74	2.2	0.05	17.79	0.060	7.000	Pass
3	LCH	QPSK	1	Low	22.68	2.2	0.05	22.73	0.187	7.000	Pass
			1	Mid	22.78	2.2	0.05	22.83	0.192	7.000	Pass
			1	High	22.74	2.2	0.05	22.79	0.190	7.000	Pass
			8	Low	21.8	2.2	0.05	21.85	0.153	7.000	Pass
			8	Mid	21.81	2.2	0.05	21.86	0.153	7.000	Pass
			8	High	21.8	2.2	0.05	21.85	0.153	7.000	Pass
			15	Low	21.85	2.2	0.05	21.90	0.155	7.000	Pass
		Q16	1	Low	22.15	2.2	0.05	22.20	0.166	7.000	Pass
			1	Mid	22.42	2.2	0.05	22.47	0.177	7.000	Pass
			1	High	22.23	2.2	0.05	22.28	0.169	7.000	Pass
			8	Low	20.88	2.2	0.05	20.93	0.124	7.000	Pass
			8	Mid	20.93	2.2	0.05	20.98	0.125	7.000	Pass
			8	High	20.91	2.2	0.05	20.96	0.125	7.000	Pass
			15	Low	20.89	2.2	0.05	20.94	0.124	7.000	Pass
		Q64	1	Low	21.03	2.2	0.05	21.08	0.128	7.000	Pass
			1	Mid	21.17	2.2	0.05	21.22	0.132	7.000	Pass
			1	High	20.93	2.2	0.05	20.98	0.125	7.000	Pass
			8	Low	19.89	2.2	0.05	19.94	0.099	7.000	Pass
			8	Mid	19.89	2.2	0.05	19.94	0.099	7.000	Pass
			8	High	19.87	2.2	0.05	19.92	0.098	7.000	Pass
			15	Low	19.82	2.2	0.05	19.87	0.097	7.000	Pass
		Q2556	1	Low	17.84	2.2	0.05	17.89	0.062	7.000	Pass
			1	Mid	18.01	2.2	0.05	18.06	0.064	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(PART22)											
			1	High	17.85	2.2	0.05	17.90	0.062	7.000	Pass
			8	Low	17.88	2.2	0.05	17.93	0.062	7.000	Pass
			8	Mid	17.88	2.2	0.05	17.93	0.062	7.000	Pass
			8	High	17.85	2.2	0.05	17.90	0.062	7.000	Pass
			15	Low	17.79	2.2	0.05	17.84	0.061	7.000	Pass
	MCH	QPSK	1	Low	22.77	2.2	0.05	22.82	0.191	7.000	Pass
			1	Mid	22.89	2.2	0.05	22.94	0.197	7.000	Pass
			1	High	22.7	2.2	0.05	22.75	0.188	7.000	Pass
			8	Low	21.67	2.2	0.05	21.72	0.149	7.000	Pass
			8	Mid	21.79	2.2	0.05	21.84	0.153	7.000	Pass
			8	High	21.79	2.2	0.05	21.84	0.153	7.000	Pass
			15	Low	21.74	2.2	0.05	21.79	0.151	7.000	Pass
		Q16	1	Low	22.14	2.2	0.05	22.19	0.166	7.000	Pass
			1	Mid	22.15	2.2	0.05	22.20	0.166	7.000	Pass
			1	High	22.02	2.2	0.05	22.07	0.161	7.000	Pass
			8	Low	20.8	2.2	0.05	20.85	0.122	7.000	Pass
			8	Mid	20.87	2.2	0.05	20.92	0.124	7.000	Pass
			8	High	20.87	2.2	0.05	20.92	0.124	7.000	Pass
			15	Low	20.77	2.2	0.05	20.82	0.121	7.000	Pass
		Q64	1	Low	20.82	2.2	0.05	20.87	0.122	7.000	Pass
			1	Mid	21.06	2.2	0.05	21.11	0.129	7.000	Pass
			1	High	20.97	2.2	0.05	21.02	0.126	7.000	Pass
			8	Low	19.8	2.2	0.05	19.85	0.097	7.000	Pass
			8	Mid	19.87	2.2	0.05	19.92	0.098	7.000	Pass
			8	High	19.83	2.2	0.05	19.88	0.097	7.000	Pass
			15	Low	19.75	2.2	0.05	19.80	0.095	7.000	Pass
		Q256	1	Low	17.82	2.2	0.05	17.87	0.061	7.000	Pass
			1	Mid	17.99	2.2	0.05	18.04	0.064	7.000	Pass
			1	High	17.75	2.2	0.05	17.80	0.060	7.000	Pass
			8	Low	17.71	2.2	0.05	17.76	0.060	7.000	Pass
			8	Mid	17.83	2.2	0.05	17.88	0.061	7.000	Pass
			8	High	17.77	2.2	0.05	17.82	0.061	7.000	Pass
			15	Low	17.72	2.2	0.05	17.77	0.060	7.000	Pass
	HCH	QPSK	1	Low	22.67	2.2	0.05	22.72	0.187	7.000	Pass
			1	Mid	22.7	2.2	0.05	22.75	0.188	7.000	Pass
			1	High	22.61	2.2	0.05	22.66	0.185	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(PART22)											
			8	Low	21.65	2.2	0.05	21.70	0.148	7.000	Pass
			8	Mid	21.73	2.2	0.05	21.78	0.151	7.000	Pass
			8	High	21.7	2.2	0.05	21.75	0.150	7.000	Pass
			15	Low	21.67	2.2	0.05	21.72	0.149	7.000	Pass
		Q16	1	Low	21.99	2.2	0.05	22.04	0.160	7.000	Pass
			1	Mid	22.2	2.2	0.05	22.25	0.168	7.000	Pass
			1	High	22.14	2.2	0.05	22.19	0.166	7.000	Pass
			8	Low	20.69	2.2	0.05	20.74	0.119	7.000	Pass
			8	Mid	20.86	2.2	0.05	20.91	0.123	7.000	Pass
			8	High	20.76	2.2	0.05	20.81	0.121	7.000	Pass
			15	Low	20.71	2.2	0.05	20.76	0.119	7.000	Pass
		Q64	1	Low	20.93	2.2	0.05	20.98	0.125	7.000	Pass
			1	Mid	20.91	2.2	0.05	20.96	0.125	7.000	Pass
			1	High	20.95	2.2	0.05	21.00	0.126	7.000	Pass
			8	Low	19.79	2.2	0.05	19.84	0.096	7.000	Pass
			8	Mid	19.8	2.2	0.05	19.85	0.097	7.000	Pass
			8	High	19.81	2.2	0.05	19.86	0.097	7.000	Pass
			15	Low	19.72	2.2	0.05	19.77	0.095	7.000	Pass
		Q256	1	Low	17.55	2.2	0.05	17.60	0.058	7.000	Pass
			1	Mid	17.98	2.2	0.05	18.03	0.064	7.000	Pass
			1	High	17.81	2.2	0.05	17.86	0.061	7.000	Pass
			8	Low	17.72	2.2	0.05	17.77	0.060	7.000	Pass
			8	Mid	17.76	2.2	0.05	17.81	0.060	7.000	Pass
			8	High	17.75	2.2	0.05	17.80	0.060	7.000	Pass
			15	Low	17.66	2.2	0.05	17.71	0.059	7.000	Pass
5	LCH	QPSK	1	Low	22.77	2.2	0.05	22.82	0.191	7.000	Pass
			1	Mid	22.78	2.2	0.05	22.83	0.192	7.000	Pass
			1	High	22.79	2.2	0.05	22.84	0.192	7.000	Pass
			12	Low	21.9	2.2	0.05	21.95	0.157	7.000	Pass
			12	Mid	21.84	2.2	0.05	21.89	0.155	7.000	Pass
			12	High	21.83	2.2	0.05	21.88	0.154	7.000	Pass
			25	Low	21.84	2.2	0.05	21.89	0.155	7.000	Pass
		Q16	1	Low	22.12	2.2	0.05	22.17	0.165	7.000	Pass
			1	Mid	22.27	2.2	0.05	22.32	0.171	7.000	Pass
			1	High	22.23	2.2	0.05	22.28	0.169	7.000	Pass
			12	Low	20.9	2.2	0.05	20.95	0.124	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(PART22)											
			12	Mid	20.87	2.2	0.05	20.92	0.124	7.000	Pass
			12	High	20.85	2.2	0.05	20.90	0.123	7.000	Pass
			25	Low	20.84	2.2	0.05	20.89	0.123	7.000	Pass
		Q64	1	Low	20.95	2.2	0.05	21.00	0.126	7.000	Pass
			1	Mid	21.06	2.2	0.05	21.11	0.129	7.000	Pass
			1	High	21.08	2.2	0.05	21.13	0.130	7.000	Pass
			12	Low	19.87	2.2	0.05	19.92	0.098	7.000	Pass
			12	Mid	19.88	2.2	0.05	19.93	0.098	7.000	Pass
			12	High	19.86	2.2	0.05	19.91	0.098	7.000	Pass
			25	Low	19.81	2.2	0.05	19.86	0.097	7.000	Pass
		Q256	1	Low	17.9	2.2	0.05	17.95	0.062	7.000	Pass
			1	Mid	17.85	2.2	0.05	17.90	0.062	7.000	Pass
			1	High	17.88	2.2	0.05	17.93	0.062	7.000	Pass
			12	Low	17.87	2.2	0.05	17.92	0.062	7.000	Pass
			12	Mid	17.87	2.2	0.05	17.92	0.062	7.000	Pass
			12	High	17.8	2.2	0.05	17.85	0.061	7.000	Pass
			25	Low	17.86	2.2	0.05	17.91	0.062	7.000	Pass
	MCH	QPSK	1	Low	22.77	2.2	0.05	22.82	0.191	7.000	Pass
			1	Mid	22.82	2.2	0.05	22.87	0.194	7.000	Pass
			1	High	22.83	2.2	0.05	22.88	0.194	7.000	Pass
			12	Low	21.77	2.2	0.05	21.82	0.152	7.000	Pass
			12	Mid	21.74	2.2	0.05	21.79	0.151	7.000	Pass
			12	High	21.82	2.2	0.05	21.87	0.154	7.000	Pass
			25	Low	21.75	2.2	0.05	21.80	0.151	7.000	Pass
		Q16	1	Low	22.27	2.2	0.05	22.32	0.171	7.000	Pass
			1	Mid	22.13	2.2	0.05	22.18	0.165	7.000	Pass
			1	High	22.26	2.2	0.05	22.31	0.170	7.000	Pass
			12	Low	20.78	2.2	0.05	20.83	0.121	7.000	Pass
			12	Mid	20.79	2.2	0.05	20.84	0.121	7.000	Pass
			12	High	20.88	2.2	0.05	20.93	0.124	7.000	Pass
			25	Low	20.76	2.2	0.05	20.81	0.121	7.000	Pass
		Q64	1	Low	21.05	2.2	0.05	21.10	0.129	7.000	Pass
			1	Mid	21.15	2.2	0.05	21.20	0.132	7.000	Pass
			1	High	20.94	2.2	0.05	20.99	0.126	7.000	Pass
			12	Low	19.73	2.2	0.05	19.78	0.095	7.000	Pass
			12	Mid	19.77	2.2	0.05	19.82	0.096	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(PART22)											
			12	High	19.79	2.2	0.05	19.84	0.096	7.000	Pass
			25	Low	19.79	2.2	0.05	19.84	0.096	7.000	Pass
		Q256	1	Low	17.95	2.2	0.05	18.00	0.063	7.000	Pass
			1	Mid	17.87	2.2	0.05	17.92	0.062	7.000	Pass
			1	High	17.9	2.2	0.05	17.95	0.062	7.000	Pass
			12	Low	17.79	2.2	0.05	17.84	0.061	7.000	Pass
			12	Mid	17.82	2.2	0.05	17.87	0.061	7.000	Pass
			12	High	17.8	2.2	0.05	17.85	0.061	7.000	Pass
			25	Low	17.75	2.2	0.05	17.80	0.060	7.000	Pass
	HCH	QPSK	1	Low	22.67	2.2	0.05	22.72	0.187	7.000	Pass
			1	Mid	22.75	2.2	0.05	22.80	0.191	7.000	Pass
			1	High	22.78	2.2	0.05	22.83	0.192	7.000	Pass
			12	Low	21.78	2.2	0.05	21.83	0.152	7.000	Pass
			12	Mid	21.77	2.2	0.05	21.82	0.152	7.000	Pass
			12	High	21.76	2.2	0.05	21.81	0.152	7.000	Pass
			25	Low	21.74	2.2	0.05	21.79	0.151	7.000	Pass
		Q16	1	Low	22.31	2.2	0.05	22.36	0.172	7.000	Pass
			1	Mid	22.24	2.2	0.05	22.29	0.169	7.000	Pass
			1	High	22.12	2.2	0.05	22.17	0.165	7.000	Pass
			12	Low	20.82	2.2	0.05	20.87	0.122	7.000	Pass
			12	Mid	20.85	2.2	0.05	20.90	0.123	7.000	Pass
			12	High	20.83	2.2	0.05	20.88	0.122	7.000	Pass
			25	Low	20.81	2.2	0.05	20.86	0.122	7.000	Pass
		Q64	1	Low	21.03	2.2	0.05	21.08	0.128	7.000	Pass
			1	Mid	21.07	2.2	0.05	21.12	0.129	7.000	Pass
			1	High	21.25	2.2	0.05	21.30	0.135	7.000	Pass
			12	Low	19.86	2.2	0.05	19.91	0.098	7.000	Pass
			12	Mid	19.85	2.2	0.05	19.90	0.098	7.000	Pass
			12	High	19.92	2.2	0.05	19.97	0.099	7.000	Pass
			25	Low	19.76	2.2	0.05	19.81	0.096	7.000	Pass
		Q256	1	Low	17.99	2.2	0.05	18.04	0.064	7.000	Pass
			1	Mid	17.91	2.2	0.05	17.96	0.063	7.000	Pass
			1	High	17.81	2.2	0.05	17.86	0.061	7.000	Pass
			12	Low	17.8	2.2	0.05	17.85	0.061	7.000	Pass
			12	Mid	17.81	2.2	0.05	17.86	0.061	7.000	Pass
			12	High	17.77	2.2	0.05	17.82	0.061	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(PART22)											
			25	Low	17.74	2.2	0.05	17.79	0.060	7.000	Pass
10	LCH	QPSK	1	Low	22.69	2.2	0.05	22.74	0.188	7.000	Pass
			1	Mid	22.75	2.2	0.05	22.80	0.191	7.000	Pass
			1	High	22.71	2.2	0.05	22.76	0.189	7.000	Pass
			25	Low	21.75	2.2	0.05	21.80	0.151	7.000	Pass
			25	Mid	21.84	2.2	0.05	21.89	0.155	7.000	Pass
			25	High	21.83	2.2	0.05	21.88	0.154	7.000	Pass
			50	Low	21.83	2.2	0.05	21.88	0.154	7.000	Pass
		Q16	1	Low	22	2.2	0.05	22.05	0.160	7.000	Pass
			1	Mid	22.19	2.2	0.05	22.24	0.167	7.000	Pass
			1	High	22.1	2.2	0.05	22.15	0.164	7.000	Pass
			25	Low	20.79	2.2	0.05	20.84	0.121	7.000	Pass
			25	Mid	20.87	2.2	0.05	20.92	0.124	7.000	Pass
			25	High	20.87	2.2	0.05	20.92	0.124	7.000	Pass
			50	Low	20.86	2.2	0.05	20.91	0.123	7.000	Pass
		Q64	1	Low	20.89	2.2	0.05	20.94	0.124	7.000	Pass
			1	Mid	20.99	2.2	0.05	21.04	0.127	7.000	Pass
			1	High	20.94	2.2	0.05	20.99	0.126	7.000	Pass
			25	Low	19.77	2.2	0.05	19.82	0.096	7.000	Pass
			25	Mid	19.85	2.2	0.05	19.90	0.098	7.000	Pass
			25	High	19.87	2.2	0.05	19.92	0.098	7.000	Pass
			50	Low	19.8	2.2	0.05	19.85	0.097	7.000	Pass
		Q256	1	Low	17.81	2.2	0.05	17.86	0.061	7.000	Pass
			1	Mid	18	2.2	0.05	18.05	0.064	7.000	Pass
			1	High	17.96	2.2	0.05	18.01	0.063	7.000	Pass
			25	Low	17.77	2.2	0.05	17.82	0.061	7.000	Pass
			25	Mid	17.87	2.2	0.05	17.92	0.062	7.000	Pass
			25	High	17.79	2.2	0.05	17.84	0.061	7.000	Pass
			50	Low	17.83	2.2	0.05	17.88	0.061	7.000	Pass
	MCH	QPSK	1	Low	22.78	2.2	0.05	22.83	0.192	7.000	Pass
			1	Mid	22.88	2.2	0.05	22.93	0.196	7.000	Pass
			1	High	22.73	2.2	0.05	22.78	0.190	7.000	Pass
			25	Low	21.73	2.2	0.05	21.78	0.151	7.000	Pass
			25	Mid	21.8	2.2	0.05	21.85	0.153	7.000	Pass
			25	High	21.85	2.2	0.05	21.90	0.155	7.000	Pass
			50	Low	21.74	2.2	0.05	21.79	0.151	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(PART22)											
		Q16	1	Low	22.14	2.2	0.05	22.19	0.166	7.000	Pass
			1	Mid	22.19	2.2	0.05	22.24	0.167	7.000	Pass
			1	High	22.07	2.2	0.05	22.12	0.163	7.000	Pass
			25	Low	20.74	2.2	0.05	20.79	0.120	7.000	Pass
			25	Mid	20.81	2.2	0.05	20.86	0.122	7.000	Pass
			25	High	20.84	2.2	0.05	20.89	0.123	7.000	Pass
			50	Low	20.76	2.2	0.05	20.81	0.121	7.000	Pass
		Q64	1	Low	20.93	2.2	0.05	20.98	0.125	7.000	Pass
			1	Mid	20.94	2.2	0.05	20.99	0.126	7.000	Pass
			1	High	20.93	2.2	0.05	20.98	0.125	7.000	Pass
			25	Low	19.74	2.2	0.05	19.79	0.095	7.000	Pass
			25	Mid	19.79	2.2	0.05	19.84	0.096	7.000	Pass
			25	High	19.8	2.2	0.05	19.85	0.097	7.000	Pass
			50	Low	19.78	2.2	0.05	19.83	0.096	7.000	Pass
		Q256	1	Low	17.79	2.2	0.05	17.84	0.061	7.000	Pass
			1	Mid	17.92	2.2	0.05	17.97	0.063	7.000	Pass
			1	High	17.83	2.2	0.05	17.88	0.061	7.000	Pass
			25	Low	17.71	2.2	0.05	17.76	0.060	7.000	Pass
			25	Mid	17.77	2.2	0.05	17.82	0.061	7.000	Pass
			25	High	17.83	2.2	0.05	17.88	0.061	7.000	Pass
			50	Low	17.74	2.2	0.05	17.79	0.060	7.000	Pass
	HCH	QPSK	1	Low	22.76	2.2	0.05	22.81	0.191	7.000	Pass
			1	Mid	22.77	2.2	0.05	22.82	0.191	7.000	Pass
			1	High	22.73	2.2	0.05	22.78	0.190	7.000	Pass
			25	Low	21.76	2.2	0.05	21.81	0.152	7.000	Pass
			25	Mid	21.72	2.2	0.05	21.77	0.150	7.000	Pass
			25	High	21.8	2.2	0.05	21.85	0.153	7.000	Pass
			50	Low	21.72	2.2	0.05	21.77	0.150	7.000	Pass
		Q16	1	Low	21.9	2.2	0.05	21.95	0.157	7.000	Pass
			1	Mid	22.07	2.2	0.05	22.12	0.163	7.000	Pass
			1	High	21.87	2.2	0.05	21.92	0.156	7.000	Pass
			25	Low	20.75	2.2	0.05	20.80	0.120	7.000	Pass
			25	Mid	20.78	2.2	0.05	20.83	0.121	7.000	Pass
			25	High	20.81	2.2	0.05	20.86	0.122	7.000	Pass
			50	Low	20.71	2.2	0.05	20.76	0.119	7.000	Pass
		Q64	1	Low	21	2.2	0.05	21.05	0.127	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(PART22)											
			1	Mid	21.04	2.2	0.05	21.09	0.129	7.000	Pass
			1	High	21.07	2.2	0.05	21.12	0.129	7.000	Pass
			25	Low	19.74	2.2	0.05	19.79	0.095	7.000	Pass
			25	Mid	19.75	2.2	0.05	19.80	0.095	7.000	Pass
			25	High	19.77	2.2	0.05	19.82	0.096	7.000	Pass
			50	Low	19.76	2.2	0.05	19.81	0.096	7.000	Pass
		Q256	1	Low	17.91	2.2	0.05	17.96	0.063	7.000	Pass
			1	Mid	17.87	2.2	0.05	17.92	0.062	7.000	Pass
			1	High	17.87	2.2	0.05	17.92	0.062	7.000	Pass
			25	Low	17.7	2.2	0.05	17.75	0.060	7.000	Pass
			25	Mid	17.75	2.2	0.05	17.80	0.060	7.000	Pass
			25	High	17.84	2.2	0.05	17.89	0.062	7.000	Pass
			50	Low	17.73	2.2	0.05	17.78	0.060	7.000	Pass
15	LCH	QPSK	1	Low	22.73	2.2	0.05	22.78	0.190	7.000	Pass
			1	Mid	22.76	2.2	0.05	22.81	0.191	7.000	Pass
			1	High	22.69	2.2	0.05	22.74	0.188	7.000	Pass
			36	Low	21.68	2.2	0.05	21.73	0.149	7.000	Pass
			36	Mid	21.72	2.2	0.05	21.77	0.150	7.000	Pass
			36	High	21.81	2.2	0.05	21.86	0.153	7.000	Pass
			75	Low	21.69	2.2	0.05	21.74	0.149	7.000	Pass
		Q16	1	Low	22.06	2.2	0.05	22.11	0.163	7.000	Pass
			1	Mid	22.04	2.2	0.05	22.09	0.162	7.000	Pass
			1	High	22.08	2.2	0.05	22.13	0.163	7.000	Pass
			36	Low	20.7	2.2	0.05	20.75	0.119	7.000	Pass
			36	Mid	20.79	2.2	0.05	20.84	0.121	7.000	Pass
			36	High	20.85	2.2	0.05	20.90	0.123	7.000	Pass
			75	Low	20.74	2.2	0.05	20.79	0.120	7.000	Pass
		Q64	1	Low	20.92	2.2	0.05	20.97	0.125	7.000	Pass
			1	Mid	21.03	2.2	0.05	21.08	0.128	7.000	Pass
			1	High	20.94	2.2	0.05	20.99	0.126	7.000	Pass
			36	Low	19.73	2.2	0.05	19.78	0.095	7.000	Pass
			36	Mid	19.75	2.2	0.05	19.80	0.095	7.000	Pass
			36	High	19.82	2.2	0.05	19.87	0.097	7.000	Pass
			75	Low	19.73	2.2	0.05	19.78	0.095	7.000	Pass
		Q256	1	Low	17.84	2.2	0.05	17.89	0.062	7.000	Pass
			1	Mid	17.97	2.2	0.05	18.02	0.063	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(PART22)											
			1	High	17.9	2.2	0.05	17.95	0.062	7.000	Pass
			36	Low	17.72	2.2	0.05	17.77	0.060	7.000	Pass
			36	Mid	17.72	2.2	0.05	17.77	0.060	7.000	Pass
			36	High	17.78	2.2	0.05	17.83	0.061	7.000	Pass
			75	Low	17.71	2.2	0.05	17.76	0.060	7.000	Pass
	MCH	QPSK	1	Low	22.72	2.2	0.05	22.77	0.189	7.000	Pass
			1	Mid	22.81	2.2	0.05	22.86	0.193	7.000	Pass
			1	High	22.78	2.2	0.05	22.83	0.192	7.000	Pass
			36	Low	21.67	2.2	0.05	21.72	0.149	7.000	Pass
			36	Mid	21.69	2.2	0.05	21.74	0.149	7.000	Pass
			36	High	21.76	2.2	0.05	21.81	0.152	7.000	Pass
			75	Low	21.67	2.2	0.05	21.72	0.149	7.000	Pass
		Q16	1	Low	21.98	2.2	0.05	22.03	0.160	7.000	Pass
			1	Mid	22.12	2.2	0.05	22.17	0.165	7.000	Pass
			1	High	22.01	2.2	0.05	22.06	0.161	7.000	Pass
			36	Low	20.72	2.2	0.05	20.77	0.119	7.000	Pass
			36	Mid	20.76	2.2	0.05	20.81	0.121	7.000	Pass
			36	High	20.83	2.2	0.05	20.88	0.122	7.000	Pass
			75	Low	20.71	2.2	0.05	20.76	0.119	7.000	Pass
		Q64	1	Low	20.85	2.2	0.05	20.90	0.123	7.000	Pass
			1	Mid	21.1	2.2	0.05	21.15	0.130	7.000	Pass
			1	High	20.91	2.2	0.05	20.96	0.125	7.000	Pass
			36	Low	19.71	2.2	0.05	19.76	0.095	7.000	Pass
			36	Mid	19.71	2.2	0.05	19.76	0.095	7.000	Pass
			36	High	19.78	2.2	0.05	19.83	0.096	7.000	Pass
			75	Low	19.68	2.2	0.05	19.73	0.094	7.000	Pass
		Q256	1	Low	17.68	2.2	0.05	17.73	0.059	7.000	Pass
			1	Mid	18.04	2.2	0.05	18.09	0.064	7.000	Pass
			1	High	17.87	2.2	0.05	17.92	0.062	7.000	Pass
			36	Low	17.68	2.2	0.05	17.73	0.059	7.000	Pass
			36	Mid	17.71	2.2	0.05	17.76	0.060	7.000	Pass
			36	High	17.82	2.2	0.05	17.87	0.061	7.000	Pass
			75	Low	17.71	2.2	0.05	17.76	0.060	7.000	Pass
	HCH	QPSK	1	Low	22.76	2.2	0.05	22.81	0.191	7.000	Pass
			1	Mid	22.73	2.2	0.05	22.78	0.190	7.000	Pass
			1	High	22.68	2.2	0.05	22.73	0.187	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(PART22)											
			36	Low	21.63	2.2	0.05	21.68	0.147	7.000	Pass
			36	Mid	21.67	2.2	0.05	21.72	0.149	7.000	Pass
			36	High	21.78	2.2	0.05	21.83	0.152	7.000	Pass
			75	Low	21.65	2.2	0.05	21.70	0.148	7.000	Pass
		Q16	1	Low	21.94	2.2	0.05	21.99	0.158	7.000	Pass
			1	Mid	22.04	2.2	0.05	22.09	0.162	7.000	Pass
			1	High	22.12	2.2	0.05	22.17	0.165	7.000	Pass
			36	Low	20.7	2.2	0.05	20.75	0.119	7.000	Pass
			36	Mid	20.73	2.2	0.05	20.78	0.120	7.000	Pass
			36	High	20.79	2.2	0.05	20.84	0.121	7.000	Pass
			75	Low	20.71	2.2	0.05	20.76	0.119	7.000	Pass
		Q64	1	Low	21.07	2.2	0.05	21.12	0.129	7.000	Pass
			1	Mid	21.08	2.2	0.05	21.13	0.130	7.000	Pass
			1	High	21.06	2.2	0.05	21.11	0.129	7.000	Pass
			36	Low	19.68	2.2	0.05	19.73	0.094	7.000	Pass
			36	Mid	19.73	2.2	0.05	19.78	0.095	7.000	Pass
			36	High	19.82	2.2	0.05	19.87	0.097	7.000	Pass
			75	Low	19.71	2.2	0.05	19.76	0.095	7.000	Pass
		Q256	1	Low	17.74	2.2	0.05	17.79	0.060	7.000	Pass
			1	Mid	17.84	2.2	0.05	17.89	0.062	7.000	Pass
			1	High	17.81	2.2	0.05	17.86	0.061	7.000	Pass
			36	Low	17.68	2.2	0.05	17.73	0.059	7.000	Pass
			36	Mid	17.7	2.2	0.05	17.75	0.060	7.000	Pass
			36	High	17.77	2.2	0.05	17.82	0.061	7.000	Pass
			75	Low	17.65	2.2	0.05	17.70	0.059	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(PART90)											
1.4	LCH	QPSK	1	Low	22.73	2.2	0.05	22.78	0.190	100.0	Pass
			1	Mid	22.78	2.2	0.05	22.83	0.192	100.0	Pass
			1	High	22.71	2.2	0.05	22.76	0.189	100.0	Pass
			3	Low	22.75	2.2	0.05	22.80	0.191	100.0	Pass
			3	Mid	22.73	2.2	0.05	22.78	0.190	100.0	Pass
			3	High	22.74	2.2	0.05	22.79	0.190	100.0	Pass
			6	Low	21.73	2.2	0.05	21.78	0.151	100.0	Pass
		Q16	1	Low	22.04	2.2	0.05	22.09	0.162	100.0	Pass
			1	Mid	21.97	2.2	0.05	22.02	0.159	100.0	Pass
			1	High	22.11	2.2	0.05	22.16	0.164	100.0	Pass
			3	Low	21.91	2.2	0.05	21.96	0.157	100.0	Pass
			3	Mid	21.89	2.2	0.05	21.94	0.156	100.0	Pass
			3	High	21.9	2.2	0.05	21.95	0.157	100.0	Pass
			6	Low	20.9	2.2	0.05	20.95	0.124	100.0	Pass
		Q64	1	Low	21.19	2.2	0.05	21.24	0.133	100.0	Pass
			1	Mid	21.05	2.2	0.05	21.10	0.129	100.0	Pass
			1	High	21.08	2.2	0.05	21.13	0.130	100.0	Pass
			3	Low	20.96	2.2	0.05	21.01	0.126	100.0	Pass
			3	Mid	20.89	2.2	0.05	20.94	0.124	100.0	Pass
			3	High	20.92	2.2	0.05	20.97	0.125	100.0	Pass
			6	Low	19.82	2.2	0.05	19.87	0.097	100.0	Pass
		Q256	1	Low	18.07	2.2	0.05	18.12	0.065	100.0	Pass
			1	Mid	17.93	2.2	0.05	17.98	0.063	100.0	Pass
			1	High	17.92	2.2	0.05	17.97	0.063	100.0	Pass
			3	Low	17.8	2.2	0.05	17.85	0.061	100.0	Pass
			3	Mid	17.83	2.2	0.05	17.88	0.061	100.0	Pass
			3	High	17.85	2.2	0.05	17.90	0.062	100.0	Pass
			6	Low	17.71	2.2	0.05	17.76	0.060	100.0	Pass
	MCH	QPSK	1	Low	22.85	2.2	0.05	22.90	0.195	100.0	Pass
			1	Mid	22.88	2.2	0.05	22.93	0.196	100.0	Pass
			1	High	22.7	2.2	0.05	22.75	0.188	100.0	Pass
			3	Low	22.8	2.2	0.05	22.85	0.193	100.0	Pass
			3	Mid	22.8	2.2	0.05	22.85	0.193	100.0	Pass
			3	High	22.79	2.2	0.05	22.84	0.192	100.0	Pass
			6	Low	21.81	2.2	0.05	21.86	0.153	100.0	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(PART90)											
		Q16	1	Low	22.16	2.2	0.05	22.21	0.166	100.0	Pass
			1	Mid	22.14	2.2	0.05	22.19	0.166	100.0	Pass
			1	High	22.28	2.2	0.05	22.33	0.171	100.0	Pass
			3	Low	22.11	2.2	0.05	22.16	0.164	100.0	Pass
			3	Mid	22.01	2.2	0.05	22.06	0.161	100.0	Pass
			3	High	22.02	2.2	0.05	22.07	0.161	100.0	Pass
			6	Low	20.98	2.2	0.05	21.03	0.127	100.0	Pass
		Q64	1	Low	21.13	2.2	0.05	21.18	0.131	100.0	Pass
			1	Mid	21.06	2.2	0.05	21.11	0.129	100.0	Pass
			1	High	21.03	2.2	0.05	21.08	0.128	100.0	Pass
			3	Low	21	2.2	0.05	21.05	0.127	100.0	Pass
			3	Mid	20.98	2.2	0.05	21.03	0.127	100.0	Pass
			3	High	21.02	2.2	0.05	21.07	0.128	100.0	Pass
			6	Low	19.86	2.2	0.05	19.91	0.098	100.0	Pass
		Q256	1	Low	17.87	2.2	0.05	17.92	0.062	100.0	Pass
			1	Mid	18.01	2.2	0.05	18.06	0.064	100.0	Pass
			1	High	17.95	2.2	0.05	18.00	0.063	100.0	Pass
			3	Low	17.81	2.2	0.05	17.86	0.061	100.0	Pass
			3	Mid	17.85	2.2	0.05	17.90	0.062	100.0	Pass
			3	High	18	2.2	0.05	18.05	0.064	100.0	Pass
			6	Low	17.83	2.2	0.05	17.88	0.061	100.0	Pass
	HCH	QPSK	1	Low	22.79	2.2	0.05	22.84	0.192	100.0	Pass
			1	Mid	22.65	2.2	0.05	22.70	0.186	100.0	Pass
			1	High	22.81	2.2	0.05	22.86	0.193	100.0	Pass
			3	Low	22.72	2.2	0.05	22.77	0.189	100.0	Pass
			3	Mid	22.8	2.2	0.05	22.85	0.193	100.0	Pass
			3	High	22.78	2.2	0.05	22.83	0.192	100.0	Pass
			6	Low	21.79	2.2	0.05	21.84	0.153	100.0	Pass
		Q16	1	Low	22.2	2.2	0.05	22.25	0.168	100.0	Pass
			1	Mid	22.16	2.2	0.05	22.21	0.166	100.0	Pass
			1	High	22.23	2.2	0.05	22.28	0.169	100.0	Pass
			3	Low	21.98	2.2	0.05	22.03	0.160	100.0	Pass
			3	Mid	21.98	2.2	0.05	22.03	0.160	100.0	Pass
			3	High	21.97	2.2	0.05	22.02	0.159	100.0	Pass
			6	Low	20.88	2.2	0.05	20.93	0.124	100.0	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(PART90)											
		Q64	1	Low	21.02	2.2	0.05	21.07	0.128	100.0	Pass
			1	Mid	21.08	2.2	0.05	21.13	0.130	100.0	Pass
			1	High	21.04	2.2	0.05	21.09	0.129	100.0	Pass
			3	Low	21	2.2	0.05	21.05	0.127	100.0	Pass
			3	Mid	20.86	2.2	0.05	20.91	0.123	100.0	Pass
			3	High	20.92	2.2	0.05	20.97	0.125	100.0	Pass
			6	Low	19.79	2.2	0.05	19.84	0.096	100.0	Pass
		Q256	1	Low	17.97	2.2	0.05	18.02	0.063	100.0	Pass
			1	Mid	17.9	2.2	0.05	17.95	0.062	100.0	Pass
			1	High	17.9	2.2	0.05	17.95	0.062	100.0	Pass
			3	Low	17.86	2.2	0.05	17.91	0.062	100.0	Pass
			3	Mid	17.96	2.2	0.05	18.01	0.063	100.0	Pass
			3	High	17.79	2.2	0.05	17.84	0.061	100.0	Pass
			6	Low	17.76	2.2	0.05	17.81	0.060	100.0	Pass
3	LCH	QPSK	1	Low	22.68	2.2	0.05	22.73	0.187	100.0	Pass
			1	Mid	22.75	2.2	0.05	22.80	0.191	100.0	Pass
			1	High	22.63	2.2	0.05	22.68	0.185	100.0	Pass
			8	Low	21.77	2.2	0.05	21.82	0.152	100.0	Pass
			8	Mid	21.81	2.2	0.05	21.86	0.153	100.0	Pass
			8	High	21.79	2.2	0.05	21.84	0.153	100.0	Pass
			15	Low	21.79	2.2	0.05	21.84	0.153	100.0	Pass
		Q16	1	Low	22.24	2.2	0.05	22.29	0.169	100.0	Pass
			1	Mid	22.31	2.2	0.05	22.36	0.172	100.0	Pass
			1	High	22.11	2.2	0.05	22.16	0.164	100.0	Pass
			8	Low	20.86	2.2	0.05	20.91	0.123	100.0	Pass
			8	Mid	20.88	2.2	0.05	20.93	0.124	100.0	Pass
			8	High	20.88	2.2	0.05	20.93	0.124	100.0	Pass
			15	Low	20.82	2.2	0.05	20.87	0.122	100.0	Pass
		Q64	1	Low	20.88	2.2	0.05	20.93	0.124	100.0	Pass
			1	Mid	21.11	2.2	0.05	21.16	0.131	100.0	Pass
			1	High	21.08	2.2	0.05	21.13	0.130	100.0	Pass
			8	Low	19.84	2.2	0.05	19.89	0.097	100.0	Pass
			8	Mid	19.86	2.2	0.05	19.91	0.098	100.0	Pass
			8	High	19.87	2.2	0.05	19.92	0.098	100.0	Pass
			15	Low	19.88	2.2	0.05	19.93	0.098	100.0	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(PART90)											
		Q2556	1	Low	17.83	2.2	0.05	17.88	0.061	100.0	Pass
			1	Mid	18.07	2.2	0.05	18.12	0.065	100.0	Pass
			1	High	17.8	2.2	0.05	17.85	0.061	100.0	Pass
			8	Low	17.78	2.2	0.05	17.83	0.061	100.0	Pass
			8	Mid	17.86	2.2	0.05	17.91	0.062	100.0	Pass
			8	High	17.83	2.2	0.05	17.88	0.061	100.0	Pass
			15	Low	17.8	2.2	0.05	17.85	0.061	100.0	Pass
	MCH	QPSK	1	Low	22.75	2.2	0.05	22.80	0.191	100.0	Pass
			1	Mid	22.9	2.2	0.05	22.95	0.197	100.0	Pass
			1	High	22.74	2.2	0.05	22.79	0.190	100.0	Pass
			8	Low	21.79	2.2	0.05	21.84	0.153	100.0	Pass
			8	Mid	21.8	2.2	0.05	21.85	0.153	100.0	Pass
			8	High	21.77	2.2	0.05	21.82	0.152	100.0	Pass
			15	Low	21.8	2.2	0.05	21.85	0.153	100.0	Pass
		Q16	1	Low	22.11	2.2	0.05	22.16	0.164	100.0	Pass
			1	Mid	22.35	2.2	0.05	22.40	0.174	100.0	Pass
			1	High	22.21	2.2	0.05	22.26	0.168	100.0	Pass
			8	Low	20.97	2.2	0.05	21.02	0.126	100.0	Pass
			8	Mid	20.91	2.2	0.05	20.96	0.125	100.0	Pass
			8	High	20.92	2.2	0.05	20.97	0.125	100.0	Pass
			15	Low	20.88	2.2	0.05	20.93	0.124	100.0	Pass
		Q64	1	Low	20.89	2.2	0.05	20.94	0.124	100.0	Pass
			1	Mid	20.95	2.2	0.05	21.00	0.126	100.0	Pass
			1	High	20.95	2.2	0.05	21.00	0.126	100.0	Pass
			8	Low	19.85	2.2	0.05	19.90	0.098	100.0	Pass
			8	Mid	19.86	2.2	0.05	19.91	0.098	100.0	Pass
			8	High	19.85	2.2	0.05	19.90	0.098	100.0	Pass
			15	Low	19.81	2.2	0.05	19.86	0.097	100.0	Pass
		Q256	1	Low	17.9	2.2	0.05	17.95	0.062	100.0	Pass
			1	Mid	18	2.2	0.05	18.05	0.064	100.0	Pass
			1	High	17.96	2.2	0.05	18.01	0.063	100.0	Pass
			8	Low	17.79	2.2	0.05	17.84	0.061	100.0	Pass
			8	Mid	17.8	2.2	0.05	17.85	0.061	100.0	Pass
			8	High	17.85	2.2	0.05	17.90	0.062	100.0	Pass
			15	Low	17.77	2.2	0.05	17.82	0.061	100.0	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(PART90)											
	HCH	QPSK	1	Low	22.7	2.2	0.05	22.75	0.188	100.0	Pass
			1	Mid	22.85	2.2	0.05	22.90	0.195	100.0	Pass
			1	High	22.76	2.2	0.05	22.81	0.191	100.0	Pass
			8	Low	21.78	2.2	0.05	21.83	0.152	100.0	Pass
			8	Mid	21.79	2.2	0.05	21.84	0.153	100.0	Pass
			8	High	21.79	2.2	0.05	21.84	0.153	100.0	Pass
			15	Low	21.79	2.2	0.05	21.84	0.153	100.0	Pass
		Q16	1	Low	22.08	2.2	0.05	22.13	0.163	100.0	Pass
			1	Mid	22.09	2.2	0.05	22.14	0.164	100.0	Pass
			1	High	22.09	2.2	0.05	22.14	0.164	100.0	Pass
			8	Low	20.84	2.2	0.05	20.89	0.123	100.0	Pass
			8	Mid	20.9	2.2	0.05	20.95	0.124	100.0	Pass
			8	High	20.85	2.2	0.05	20.90	0.123	100.0	Pass
			15	Low	20.88	2.2	0.05	20.93	0.124	100.0	Pass
		Q64	1	Low	21.12	2.2	0.05	21.17	0.131	100.0	Pass
			1	Mid	21.23	2.2	0.05	21.28	0.134	100.0	Pass
			1	High	21.1	2.2	0.05	21.15	0.130	100.0	Pass
			8	Low	19.87	2.2	0.05	19.92	0.098	100.0	Pass
			8	Mid	19.86	2.2	0.05	19.91	0.098	100.0	Pass
			8	High	19.89	2.2	0.05	19.94	0.099	100.0	Pass
			15	Low	19.83	2.2	0.05	19.88	0.097	100.0	Pass
		Q256	1	Low	17.86	2.2	0.05	17.91	0.062	100.0	Pass
			1	Mid	17.86	2.2	0.05	17.91	0.062	100.0	Pass
			1	High	17.85	2.2	0.05	17.90	0.062	100.0	Pass
			8	Low	17.82	2.2	0.05	17.87	0.061	100.0	Pass
			8	Mid	17.91	2.2	0.05	17.96	0.063	100.0	Pass
			8	High	17.85	2.2	0.05	17.90	0.062	100.0	Pass
			15	Low	17.83	2.2	0.05	17.88	0.061	100.0	Pass
5	LCH	QPSK	1	Low	22.77	2.2	0.05	22.82	0.191	100.0	Pass
			1	Mid	22.92	2.2	0.05	22.97	0.198	100.0	Pass
			1	High	22.89	2.2	0.05	22.94	0.197	100.0	Pass
			12	Low	21.87	2.2	0.05	21.92	0.156	100.0	Pass
			12	Mid	21.86	2.2	0.05	21.91	0.155	100.0	Pass
			12	High	21.81	2.2	0.05	21.86	0.153	100.0	Pass
			25	Low	21.86	2.2	0.05	21.91	0.155	100.0	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(PART90)											
		Q16	1	Low	22.25	2.2	0.05	22.30	0.170	100.0	Pass
			1	Mid	22.26	2.2	0.05	22.31	0.170	100.0	Pass
			1	High	22.33	2.2	0.05	22.38	0.173	100.0	Pass
			12	Low	20.89	2.2	0.05	20.94	0.124	100.0	Pass
			12	Mid	20.93	2.2	0.05	20.98	0.125	100.0	Pass
			12	High	20.87	2.2	0.05	20.92	0.124	100.0	Pass
			25	Low	20.86	2.2	0.05	20.91	0.123	100.0	Pass
		Q64	1	Low	21.07	2.2	0.05	21.12	0.129	100.0	Pass
			1	Mid	21.03	2.2	0.05	21.08	0.128	100.0	Pass
			1	High	21.12	2.2	0.05	21.17	0.131	100.0	Pass
			12	Low	19.8	2.2	0.05	19.85	0.097	100.0	Pass
			12	Mid	19.82	2.2	0.05	19.87	0.097	100.0	Pass
			12	High	19.76	2.2	0.05	19.81	0.096	100.0	Pass
			25	Low	19.84	2.2	0.05	19.89	0.097	100.0	Pass
		Q256	1	Low	17.93	2.2	0.05	17.98	0.063	100.0	Pass
			1	Mid	18.07	2.2	0.05	18.12	0.065	100.0	Pass
			1	High	17.89	2.2	0.05	17.94	0.062	100.0	Pass
			12	Low	17.81	2.2	0.05	17.86	0.061	100.0	Pass
			12	Mid	17.83	2.2	0.05	17.88	0.061	100.0	Pass
			12	High	17.86	2.2	0.05	17.91	0.062	100.0	Pass
			25	Low	17.86	2.2	0.05	17.91	0.062	100.0	Pass
	MCH	QPSK	1	Low	22.83	2.2	0.05	22.88	0.194	100.0	Pass
			1	Mid	22.82	2.2	0.05	22.87	0.194	100.0	Pass
			1	High	22.84	2.2	0.05	22.89	0.195	100.0	Pass
			12	Low	21.86	2.2	0.05	21.91	0.155	100.0	Pass
			12	Mid	21.84	2.2	0.05	21.89	0.155	100.0	Pass
			12	High	21.83	2.2	0.05	21.88	0.154	100.0	Pass
			25	Low	21.82	2.2	0.05	21.87	0.154	100.0	Pass
		Q16	1	Low	22.34	2.2	0.05	22.39	0.173	100.0	Pass
			1	Mid	22.42	2.2	0.05	22.47	0.177	100.0	Pass
			1	High	22.39	2.2	0.05	22.44	0.175	100.0	Pass
			12	Low	20.92	2.2	0.05	20.97	0.125	100.0	Pass
			12	Mid	20.91	2.2	0.05	20.96	0.125	100.0	Pass
			12	High	20.92	2.2	0.05	20.97	0.125	100.0	Pass
			25	Low	20.84	2.2	0.05	20.89	0.123	100.0	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(PART90)											
		Q64	1	Low	21.22	2.2	0.05	21.27	0.134	100.0	Pass
			1	Mid	21.08	2.2	0.05	21.13	0.130	100.0	Pass
			1	High	21.22	2.2	0.05	21.27	0.134	100.0	Pass
			12	Low	19.83	2.2	0.05	19.88	0.097	100.0	Pass
			12	Mid	19.87	2.2	0.05	19.92	0.098	100.0	Pass
			12	High	19.87	2.2	0.05	19.92	0.098	100.0	Pass
			25	Low	19.85	2.2	0.05	19.90	0.098	100.0	Pass
		Q256	1	Low	17.87	2.2	0.05	17.92	0.062	100.0	Pass
			1	Mid	17.99	2.2	0.05	18.04	0.064	100.0	Pass
			1	High	17.94	2.2	0.05	17.99	0.063	100.0	Pass
			12	Low	17.87	2.2	0.05	17.92	0.062	100.0	Pass
			12	Mid	17.85	2.2	0.05	17.90	0.062	100.0	Pass
			12	High	17.83	2.2	0.05	17.88	0.061	100.0	Pass
			25	Low	17.85	2.2	0.05	17.90	0.062	100.0	Pass
	HCH	QPSK	1	Low	22.76	2.2	0.05	22.81	0.191	100.0	Pass
			1	Mid	22.82	2.2	0.05	22.87	0.194	100.0	Pass
			1	High	22.91	2.2	0.05	22.96	0.198	100.0	Pass
			12	Low	21.76	2.2	0.05	21.81	0.152	100.0	Pass
			12	Mid	21.87	2.2	0.05	21.92	0.156	100.0	Pass
			12	High	21.82	2.2	0.05	21.87	0.154	100.0	Pass
			25	Low	21.86	2.2	0.05	21.91	0.155	100.0	Pass
		Q16	1	Low	22.16	2.2	0.05	22.21	0.166	100.0	Pass
			1	Mid	22.28	2.2	0.05	22.33	0.171	100.0	Pass
			1	High	22.28	2.2	0.05	22.33	0.171	100.0	Pass
			12	Low	20.84	2.2	0.05	20.89	0.123	100.0	Pass
			12	Mid	20.88	2.2	0.05	20.93	0.124	100.0	Pass
			12	High	20.89	2.2	0.05	20.94	0.124	100.0	Pass
			25	Low	20.9	2.2	0.05	20.95	0.124	100.0	Pass
		Q64	1	Low	21.3	2.2	0.05	21.35	0.136	100.0	Pass
			1	Mid	20.99	2.2	0.05	21.04	0.127	100.0	Pass
			1	High	21.16	2.2	0.05	21.21	0.132	100.0	Pass
			12	Low	19.79	2.2	0.05	19.84	0.096	100.0	Pass
			12	Mid	19.86	2.2	0.05	19.91	0.098	100.0	Pass
			12	High	19.87	2.2	0.05	19.92	0.098	100.0	Pass
			25	Low	19.86	2.2	0.05	19.91	0.098	100.0	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(PART90)											
		Q256	1	Low	18	2.2	0.05	18.05	0.064	100.0	Pass
			1	Mid	17.99	2.2	0.05	18.04	0.064	100.0	Pass
			1	High	17.98	2.2	0.05	18.03	0.064	100.0	Pass
			12	Low	17.8	2.2	0.05	17.85	0.061	100.0	Pass
			12	Mid	17.89	2.2	0.05	17.94	0.062	100.0	Pass
			12	High	17.81	2.2	0.05	17.86	0.061	100.0	Pass
			25	Low	17.85	2.2	0.05	17.90	0.062	100.0	Pass
10	MCH	QPSK	1	Low	22.74	2.2	0.05	22.79	0.190	100.0	Pass
			1	Mid	22.8	2.2	0.05	22.85	0.193	100.0	Pass
			1	High	22.75	2.2	0.05	22.80	0.191	100.0	Pass
			25	Low	21.76	2.2	0.05	21.81	0.152	100.0	Pass
			25	Mid	21.89	2.2	0.05	21.94	0.156	100.0	Pass
			25	High	21.86	2.2	0.05	21.91	0.155	100.0	Pass
			50	Low	21.86	2.2	0.05	21.91	0.155	100.0	Pass
		Q16	1	Low	22.04	2.2	0.05	22.09	0.162	100.0	Pass
			1	Mid	22.05	2.2	0.05	22.10	0.162	100.0	Pass
			1	High	22.07	2.2	0.05	22.12	0.163	100.0	Pass
			25	Low	20.76	2.2	0.05	20.81	0.121	100.0	Pass
			25	Mid	20.87	2.2	0.05	20.92	0.124	100.0	Pass
			25	High	20.87	2.2	0.05	20.92	0.124	100.0	Pass
			50	Low	20.88	2.2	0.05	20.93	0.124	100.0	Pass
		Q64	1	Low	21.38	2.2	0.05	21.43	0.139	100.0	Pass
			1	Mid	21.33	2.2	0.05	21.38	0.137	100.0	Pass
			1	High	21.36	2.2	0.05	21.41	0.138	100.0	Pass
			25	Low	20.4	2.2	0.05	20.45	0.111	100.0	Pass
			25	Mid	20.39	2.2	0.05	20.44	0.111	100.0	Pass
			25	High	20.46	2.2	0.05	20.51	0.112	100.0	Pass
			50	Low	20.52	2.2	0.05	20.57	0.114	100.0	Pass
		Q256	1	Low	18.46	2.2	0.05	18.51	0.071	100.0	Pass
			1	Mid	18.23	2.2	0.05	18.28	0.067	100.0	Pass
			1	High	18.44	2.2	0.05	18.49	0.071	100.0	Pass
			25	Low	18.43	2.2	0.05	18.48	0.070	100.0	Pass
			25	Mid	18.46	2.2	0.05	18.51	0.071	100.0	Pass
			25	High	18.43	2.2	0.05	18.48	0.070	100.0	Pass
			50	Low	18.43	2.2	0.05	18.48	0.070	100.0	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 30										
5	LCH	QPSK	1	Low	14.35	3.02	17.37	0.055	0.250	Pass
			1	Mid	14.18	3.02	17.20	0.052	0.250	Pass
			1	High	14.29	3.02	17.31	0.054	0.250	Pass
			12	Low	13.35	3.02	16.37	0.043	0.250	Pass
			12	Mid	13.5	3.02	16.52	0.045	0.250	Pass
			12	High	13.33	3.02	16.35	0.043	0.250	Pass
			25	Low	13.36	3.02	16.38	0.043	0.250	Pass
		Q16	1	Low	13.66	3.02	16.68	0.047	0.250	Pass
			1	Mid	13.69	3.02	16.71	0.047	0.250	Pass
			1	High	13.89	3.02	16.91	0.049	0.250	Pass
			12	Low	12.4	3.02	15.42	0.035	0.250	Pass
			12	Mid	12.46	3.02	15.48	0.035	0.250	Pass
			12	High	12.39	3.02	15.41	0.035	0.250	Pass
			25	Low	12.44	3.02	15.46	0.035	0.250	Pass
		Q64	1	Low	12.58	3.02	15.60	0.036	0.250	Pass
			1	Mid	12.82	3.02	15.84	0.038	0.250	Pass
			1	High	12.49	3.02	15.51	0.036	0.250	Pass
			12	Low	11.28	3.02	14.30	0.027	0.250	Pass
			12	Mid	11.42	3.02	14.44	0.028	0.250	Pass
			12	High	11.3	3.02	14.32	0.027	0.250	Pass
			25	Low	11.4	3.02	14.42	0.028	0.250	Pass
		Q256	1	Low	9.48	3.02	12.50	0.018	0.250	Pass
			1	Mid	9.6	3.02	12.62	0.018	0.250	Pass
			1	High	9.32	3.02	12.34	0.017	0.250	Pass
			12	Low	9.43	3.02	12.45	0.018	0.250	Pass
			12	Mid	9.38	3.02	12.40	0.017	0.250	Pass
			12	High	9.4	3.02	12.42	0.017	0.250	Pass
			25	Low	9.43	3.02	12.45	0.018	0.250	Pass
	MCH	QPSK	1	Low	14.32	3.02	17.34	0.054	0.250	Pass
			1	Mid	14.34	3.02	17.36	0.054	0.250	Pass
			1	High	14.41	3.02	17.43	0.055	0.250	Pass
			12	Low	13.27	3.02	16.29	0.043	0.250	Pass
			12	Mid	13.29	3.02	16.31	0.043	0.250	Pass
			12	High	13.34	3.02	16.36	0.043	0.250	Pass
			25	Low	13.21	3.02	16.23	0.042	0.250	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 30										
		Q16	1	Low	13.74	3.02	16.76	0.047	0.250	Pass
			1	Mid	13.74	3.02	16.76	0.047	0.250	Pass
			1	High	13.77	3.02	16.79	0.048	0.250	Pass
			12	Low	12.39	3.02	15.41	0.035	0.250	Pass
			12	Mid	12.47	3.02	15.49	0.035	0.250	Pass
			12	High	12.34	3.02	15.36	0.034	0.250	Pass
			25	Low	12.29	3.02	15.31	0.034	0.250	Pass
		Q64	1	Low	12.69	3.02	15.71	0.037	0.250	Pass
			1	Mid	12.71	3.02	15.73	0.037	0.250	Pass
			1	High	12.62	3.02	15.64	0.037	0.250	Pass
			12	Low	11.32	3.02	14.34	0.027	0.250	Pass
			12	Mid	11.26	3.02	14.28	0.027	0.250	Pass
			12	High	11.33	3.02	14.35	0.027	0.250	Pass
			25	Low	11.37	3.02	14.39	0.027	0.250	Pass
		Q256	1	Low	9.3	3.02	12.32	0.017	0.250	Pass
			1	Mid	9.71	3.02	12.73	0.019	0.250	Pass
			1	High	9.38	3.02	12.40	0.017	0.250	Pass
			12	Low	9.3	3.02	12.32	0.017	0.250	Pass
			12	Mid	9.37	3.02	12.39	0.017	0.250	Pass
			12	High	9.27	3.02	12.29	0.017	0.250	Pass
			25	Low	9.36	3.02	12.38	0.017	0.250	Pass
	HCH	QPSK	1	Low	14.39	3.02	17.41	0.055	0.250	Pass
			1	Mid	14.42	3.02	**17.44**	0.055	0.250	Pass
			1	High	14.36	3.02	17.38	0.055	0.250	Pass
			12	Low	13.45	3.02	16.47	0.044	0.250	Pass
			12	Mid	13.47	3.02	16.49	0.045	0.250	Pass
			12	High	13.45	3.02	16.47	0.044	0.250	Pass
			25	Low	13.31	3.02	16.33	0.043	0.250	Pass
		Q16	1	Low	13.71	3.02	16.73	0.047	0.250	Pass
			1	Mid	13.83	3.02	16.85	0.048	0.250	Pass
			1	High	13.79	3.02	16.81	0.048	0.250	Pass
			12	Low	12.44	3.02	15.46	0.035	0.250	Pass
			12	Mid	12.48	3.02	15.50	0.035	0.250	Pass
			12	High	12.47	3.02	15.49	0.035	0.250	Pass
			25	Low	12.36	3.02	15.38	0.035	0.250	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 30										
		Q64	1	Low	12.42	3.02	15.44	0.035	0.250	Pass
			1	Mid	12.65	3.02	15.67	0.037	0.250	Pass
			1	High	12.57	3.02	15.59	0.036	0.250	Pass
			12	Low	11.46	3.02	14.48	0.028	0.250	Pass
			12	Mid	11.44	3.02	14.46	0.028	0.250	Pass
			12	High	11.37	3.02	14.39	0.027	0.250	Pass
			25	Low	11.41	3.02	14.43	0.028	0.250	Pass
		Q256	1	Low	9.52	3.02	12.54	0.018	0.250	Pass
			1	Mid	9.58	3.02	12.60	0.018	0.250	Pass
			1	High	9.44	3.02	12.46	0.018	0.250	Pass
			12	Low	9.32	3.02	12.34	0.017	0.250	Pass
			12	Mid	9.39	3.02	12.41	0.017	0.250	Pass
			12	High	9.32	3.02	12.34	0.017	0.250	Pass
			25	Low	9.33	3.02	12.35	0.017	0.250	Pass
10	MCH	QPSK	1	Low	14.17	3.02	17.19	0.052	0.250	Pass
			1	Mid	14.35	3.02	17.37	0.055	0.250	Pass
			1	High	14.31	3.02	17.33	0.054	0.250	Pass
			25	Low	13.35	3.02	16.37	0.043	0.250	Pass
			25	Mid	13.35	3.02	16.37	0.043	0.250	Pass
			25	High	13.29	3.02	16.31	0.043	0.250	Pass
			50	Low	13.31	3.02	16.33	0.043	0.250	Pass
		Q16	1	Low	13.68	3.02	16.70	0.047	0.250	Pass
			1	Mid	13.72	3.02	16.74	0.047	0.250	Pass
			1	High	13.48	3.02	16.50	0.045	0.250	Pass
			25	Low	12.37	3.02	15.39	0.035	0.250	Pass
			25	Mid	12.36	3.02	15.38	0.035	0.250	Pass
			25	High	12.31	3.02	15.33	0.034	0.250	Pass
			50	Low	12.28	3.02	15.30	0.034	0.250	Pass
		Q64	1	Low	12.62	3.02	15.64	0.037	0.250	Pass
			1	Mid	12.75	3.02	15.77	0.038	0.250	Pass
			1	High	12.49	3.02	15.51	0.036	0.250	Pass
			25	Low	11.36	3.02	14.38	0.027	0.250	Pass
			25	Mid	11.35	3.02	14.37	0.027	0.250	Pass
			25	High	11.27	3.02	14.29	0.027	0.250	Pass
			50	Low	11.3	3.02	14.32	0.027	0.250	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 30										
		Q256	1	Low	9.42	3.02	12.44	0.018	0.250	Pass
			1	Mid	9.7	3.02	12.72	0.019	0.250	Pass
			1	High	9.15	3.02	12.17	0.016	0.250	Pass
			25	Low	9.32	3.02	12.34	0.017	0.250	Pass
			25	Mid	9.37	3.02	12.39	0.017	0.250	Pass
			25	High	9.28	3.02	12.30	0.017	0.250	Pass
			50	Low	9.32	3.02	12.34	0.017	0.250	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
5	LCH	QPSK	1	Low	22.93	2.6	25.53	0.357	2.000	Pass
			1	Mid	22.51	2.6	25.11	0.324	2.000	Pass
			1	High	22.63	2.6	25.23	0.333	2.000	Pass
			12	Low	23.01	2.6	25.61	0.364	2.000	Pass
			12	Mid	23.08	2.6	25.68	0.370	2.000	Pass
			12	High	23.16	2.6	25.76	0.377	2.000	Pass
			25	Low	23.08	2.6	25.68	0.370	2.000	Pass
		Q16	1	Low	22.95	2.6	25.55	0.359	2.000	Pass
			1	Mid	22.8	2.6	25.40	0.347	2.000	Pass
			1	High	22.9	2.6	25.50	0.355	2.000	Pass
			12	Low	22.84	2.6	25.44	0.350	2.000	Pass
			12	Mid	22.81	2.6	25.41	0.348	2.000	Pass
			12	High	22.74	2.6	25.34	0.342	2.000	Pass
			25	Low	22.76	2.6	25.36	0.344	2.000	Pass
		Q64	1	Low	22.84	2.6	25.44	0.350	2.000	Pass
			1	Mid	22.84	2.6	25.44	0.350	2.000	Pass
			1	High	22.84	2.6	25.44	0.350	2.000	Pass
			12	Low	21.62	2.6	24.22	0.264	2.000	Pass
			12	Mid	21.54	2.6	24.14	0.259	2.000	Pass
			12	High	21.47	2.6	24.07	0.255	2.000	Pass
			25	Low	21.5	2.6	24.10	0.257	2.000	Pass
		Q256	1	Low	19.84	2.6	22.44	0.175	2.000	Pass
			1	Mid	19.8	2.6	22.40	0.174	2.000	Pass
			1	High	19.69	2.6	22.29	0.169	2.000	Pass
			12	Low	19.6	2.6	22.20	0.166	2.000	Pass
			12	Mid	19.54	2.6	22.14	0.164	2.000	Pass
			12	High	19.47	2.6	22.07	0.161	2.000	Pass
			25	Low	19.49	2.6	22.09	0.162	2.000	Pass
	MCH	QPSK	1	Low	23.01	2.6	25.61	0.364	2.000	Pass
			1	Mid	23.14	2.6	25.74	0.375	2.000	Pass
			1	High	23.32	2.6	25.92	0.391	2.000	Pass
			12	Low	23	2.6	25.60	0.363	2.000	Pass
			12	Mid	23.14	2.6	25.74	0.375	2.000	Pass
			12	High	23.17	2.6	25.77	0.378	2.000	Pass
			25	Low	23.08	2.6	25.68	0.370	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
		Q16	1	Low	10.75	2.6	13.35	0.022	2.000	Pass
			1	Mid	22.92	2.6	25.52	0.356	2.000	Pass
			1	High	22.65	2.6	25.25	0.335	2.000	Pass
			12	Low	22.92	2.6	25.52	0.356	2.000	Pass
			12	Mid	22.88	2.6	25.48	0.353	2.000	Pass
			12	High	22.81	2.6	25.41	0.348	2.000	Pass
			25	Low	22.36	2.6	24.96	0.313	2.000	Pass
		Q64	1	Low	22.77	2.6	25.37	0.344	2.000	Pass
			1	Mid	22.66	2.6	25.26	0.336	2.000	Pass
			1	High	22.86	2.6	25.46	0.352	2.000	Pass
			12	Low	21.55	2.6	24.15	0.260	2.000	Pass
			12	Mid	21.57	2.6	24.17	0.261	2.000	Pass
			12	High	21.54	2.6	24.14	0.259	2.000	Pass
			25	Low	21.55	2.6	24.15	0.260	2.000	Pass
		Q256	1	Low	19.72	2.6	22.32	0.171	2.000	Pass
			1	Mid	19.57	2.6	22.17	0.165	2.000	Pass
			1	High	19.63	2.6	22.23	0.167	2.000	Pass
			12	Low	19.53	2.6	22.13	0.163	2.000	Pass
			12	Mid	19.55	2.6	22.15	0.164	2.000	Pass
			12	High	19.5	2.6	22.10	0.162	2.000	Pass
			25	Low	19.5	2.6	22.10	0.162	2.000	Pass
	HCH	QPSK	1	Low	22.93	2.6	25.53	0.357	2.000	Pass
			1	Mid	22.86	2.6	25.46	0.352	2.000	Pass
			1	High	22.42	2.6	25.02	0.318	2.000	Pass
			12	Low	22.79	2.6	25.39	0.346	2.000	Pass
			12	Mid	22.64	2.6	25.24	0.334	2.000	Pass
			12	High	22.44	2.6	25.04	0.319	2.000	Pass
			25	Low	23.02	2.6	25.62	0.365	2.000	Pass
		Q16	1	Low	22.45	2.6	25.05	0.320	2.000	Pass
			1	Mid	22.34	2.6	24.94	0.312	2.000	Pass
			1	High	22.6	2.6	25.20	0.331	2.000	Pass
			12	Low	23.08	2.6	25.68	0.370	2.000	Pass
			12	Mid	22.92	2.6	25.52	0.356	2.000	Pass
			12	High	22.6	2.6	25.20	0.331	2.000	Pass
			25	Low	23.03	2.6	25.63	0.366	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
		Q64	1	Low	22.78	2.6	25.38	0.345	2.000	Pass
			1	Mid	22.87	2.6	25.47	0.352	2.000	Pass
			1	High	22.87	2.6	25.47	0.352	2.000	Pass
			12	Low	21.65	2.6	24.25	0.266	2.000	Pass
			12	Mid	21.67	2.6	24.27	0.267	2.000	Pass
			12	High	21.69	2.6	24.29	0.269	2.000	Pass
			25	Low	21.6	2.6	24.20	0.263	2.000	Pass
		Q256	1	Low	19.79	2.6	22.39	0.173	2.000	Pass
			1	Mid	20.05	2.6	22.65	0.184	2.000	Pass
			1	High	19.86	2.6	22.46	0.176	2.000	Pass
			12	Low	19.58	2.6	22.18	0.165	2.000	Pass
			12	Mid	19.63	2.6	22.23	0.167	2.000	Pass
			12	High	19.62	2.6	22.22	0.167	2.000	Pass
			25	Low	19.52	2.6	22.12	0.163	2.000	Pass
10	LCH	QPSK	1	Low	22.89	2.6	25.49	0.354	2.000	Pass
			1	Mid	22.91	2.6	25.51	0.356	2.000	Pass
			1	High	23.05	2.6	25.65	0.367	2.000	Pass
			25	Low	23.07	2.6	25.67	0.369	2.000	Pass
			25	Mid	22.97	2.6	25.57	0.361	2.000	Pass
			25	High	23.07	2.6	25.67	0.369	2.000	Pass
			50	Low	22.94	2.6	25.54	0.358	2.000	Pass
		Q16	1	Low	22.89	2.6	25.49	0.354	2.000	Pass
			1	Mid	22.91	2.6	25.51	0.356	2.000	Pass
			1	High	22.53	2.6	25.13	0.326	2.000	Pass
			25	Low	22.83	2.6	25.43	0.349	2.000	Pass
			25	Mid	22.69	2.6	25.29	0.338	2.000	Pass
			25	High	22.81	2.6	25.41	0.348	2.000	Pass
			50	Low	22.76	2.6	25.36	0.344	2.000	Pass
		Q64	1	Low	22.84	2.6	25.44	0.350	2.000	Pass
			1	Mid	22.48	2.6	25.08	0.322	2.000	Pass
			1	High	22.74	2.6	25.34	0.342	2.000	Pass
			25	Low	21.55	2.6	24.15	0.260	2.000	Pass
			25	Mid	21.47	2.6	24.07	0.255	2.000	Pass
			25	High	21.47	2.6	24.07	0.255	2.000	Pass
			50	Low	21.48	2.6	24.08	0.256	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
		Q256	1	Low	19.6	2.6	22.20	0.166	2.000	Pass
			1	Mid	19.6	2.6	22.20	0.166	2.000	Pass
			1	High	19.59	2.6	22.19	0.166	2.000	Pass
			25	Low	19.55	2.6	22.15	0.164	2.000	Pass
			25	Mid	19.47	2.6	22.07	0.161	2.000	Pass
			25	High	19.46	2.6	22.06	0.161	2.000	Pass
			50	Low	19.47	2.6	22.07	0.161	2.000	Pass
	MCH	QPSK	1	Low	22.68	2.6	25.28	0.337	2.000	Pass
			1	Mid	22.56	2.6	25.16	0.328	2.000	Pass
			1	High	22.62	2.6	25.22	0.333	2.000	Pass
			25	Low	22.89	2.6	25.49	0.354	2.000	Pass
			25	Mid	22.98	2.6	25.58	0.361	2.000	Pass
			25	High	22.88	2.6	25.48	0.353	2.000	Pass
			50	Low	22.89	2.6	25.49	0.354	2.000	Pass
		Q16	1	Low	22.67	2.6	25.27	0.337	2.000	Pass
			1	Mid	22.72	2.6	25.32	0.340	2.000	Pass
			1	High	22.71	2.6	25.31	0.340	2.000	Pass
			25	Low	23.01	2.6	25.61	0.364	2.000	Pass
			25	Mid	22.87	2.6	25.47	0.352	2.000	Pass
			25	High	22.91	2.6	25.51	0.356	2.000	Pass
			50	Low	22.89	2.6	25.49	0.354	2.000	Pass
		Q64	1	Low	22.76	2.6	25.36	0.344	2.000	Pass
			1	Mid	22.73	2.6	25.33	0.341	2.000	Pass
			1	High	22.69	2.6	25.29	0.338	2.000	Pass
			25	Low	21.56	2.6	24.16	0.261	2.000	Pass
			25	Mid	21.6	2.6	24.20	0.263	2.000	Pass
			25	High	21.57	2.6	24.17	0.261	2.000	Pass
			50	Low	21.56	2.6	24.16	0.261	2.000	Pass
		Q256	1	Low	19.61	2.6	22.21	0.166	2.000	Pass
			1	Mid	19.7	2.6	22.30	0.170	2.000	Pass
			1	High	19.63	2.6	22.23	0.167	2.000	Pass
			25	Low	19.57	2.6	22.17	0.165	2.000	Pass
			25	Mid	19.56	2.6	22.16	0.164	2.000	Pass
			25	High	19.58	2.6	22.18	0.165	2.000	Pass
			50	Low	19.52	2.6	22.12	0.163	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
	HCH	QPSK	1	Low	17.49	2.6	20.09	0.102	2.000	Pass
			1	Mid	21.33	2.6	23.93	0.247	2.000	Pass
			1	High	20.15	2.6	22.75	0.188	2.000	Pass
			25	Low	22.3	2.6	24.90	0.309	2.000	Pass
			25	Mid	22.15	2.6	24.75	0.299	2.000	Pass
			25	High	22.3	2.6	24.90	0.309	2.000	Pass
			50	Low	22.56	2.6	25.16	0.328	2.000	Pass
		Q16	1	Low	21.57	2.6	24.17	0.261	2.000	Pass
			1	Mid	22.23	2.6	24.83	0.304	2.000	Pass
			1	High	21.34	2.6	23.94	0.248	2.000	Pass
			25	Low	22.16	2.6	24.76	0.299	2.000	Pass
			25	Mid	22.13	2.6	24.73	0.297	2.000	Pass
			25	High	22.27	2.6	24.87	0.307	2.000	Pass
			50	Low	22.21	2.6	24.81	0.303	2.000	Pass
		Q64	1	Low	22.31	2.6	24.91	0.310	2.000	Pass
			1	Mid	22.27	2.6	24.87	0.307	2.000	Pass
			1	High	22.24	2.6	24.84	0.305	2.000	Pass
			25	Low	21.73	2.6	24.33	0.271	2.000	Pass
			25	Mid	21.81	2.6	24.41	0.276	2.000	Pass
			25	High	21.81	2.6	24.41	0.276	2.000	Pass
			50	Low	21.68	2.6	24.28	0.268	2.000	Pass
		Q256	1	Low	19.74	2.6	22.34	0.171	2.000	Pass
			1	Mid	19.78	2.6	22.38	0.173	2.000	Pass
			1	High	19.77	2.6	22.37	0.173	2.000	Pass
			25	Low	19.54	2.6	22.14	0.164	2.000	Pass
			25	Mid	19.59	2.6	22.19	0.166	2.000	Pass
			25	High	19.59	2.6	22.19	0.166	2.000	Pass
			50	Low	19.55	2.6	22.15	0.164	2.000	Pass
15	LCH	QPSK	1	Low	22.37	2.6	24.97	0.314	2.000	Pass
			1	Mid	22.16	2.6	24.76	0.299	2.000	Pass
			1	High	21.82	2.6	24.42	0.277	2.000	Pass
			36	Low	22.13	2.6	24.73	0.297	2.000	Pass
			36	Mid	22.63	2.6	25.23	0.333	2.000	Pass
			36	High	22.7	2.6	25.30	0.339	2.000	Pass
			75	Low	22.43	2.6	25.03	0.318	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
		Q16	1	Low	22.46	2.6	25.06	0.321	2.000	Pass
			1	Mid	22	2.6	24.60	0.288	2.000	Pass
			1	High	22.23	2.6	24.83	0.304	2.000	Pass
			36	Low	22.31	2.6	24.91	0.310	2.000	Pass
			36	Mid	22.6	2.6	25.20	0.331	2.000	Pass
			36	High	22.6	2.6	25.20	0.331	2.000	Pass
			75	Low	22.55	2.6	25.15	0.327	2.000	Pass
		Q64	1	Low	22.36	2.6	24.96	0.313	2.000	Pass
			1	Mid	22.15	2.6	24.75	0.299	2.000	Pass
			1	High	22.05	2.6	24.65	0.292	2.000	Pass
			36	Low	21.65	2.6	24.25	0.266	2.000	Pass
			36	Mid	21.54	2.6	24.14	0.259	2.000	Pass
			36	High	21.44	2.6	24.04	0.254	2.000	Pass
			75	Low	21.53	2.6	24.13	0.259	2.000	Pass
		Q256	1	Low	19.65	2.6	22.25	0.168	2.000	Pass
			1	Mid	19.71	2.6	22.31	0.170	2.000	Pass
			1	High	19.45	2.6	22.05	0.160	2.000	Pass
			36	Low	19.5	2.6	22.10	0.162	2.000	Pass
			36	Mid	19.54	2.6	22.14	0.164	2.000	Pass
			36	High	19.44	2.6	22.04	0.160	2.000	Pass
			75	Low	19.54	2.6	22.14	0.164	2.000	Pass
	MCH	QPSK	1	Low	22.47	2.6	25.07	0.321	2.000	Pass
			1	Mid	22.48	2.6	25.08	0.322	2.000	Pass
			1	High	22.17	2.6	24.77	0.300	2.000	Pass
			36	Low	22.11	2.6	24.71	0.296	2.000	Pass
			36	Mid	22.04	2.6	24.64	0.291	2.000	Pass
			36	High	22.64	2.6	25.24	0.334	2.000	Pass
			75	Low	22.58	2.6	25.18	0.330	2.000	Pass
		Q16	1	Low	21.97	2.6	24.57	0.286	2.000	Pass
			1	Mid	22.49	2.6	25.09	0.323	2.000	Pass
			1	High	22.15	2.6	24.75	0.299	2.000	Pass
			36	Low	22.32	2.6	24.92	0.310	2.000	Pass
			36	Mid	22.75	2.6	25.35	0.343	2.000	Pass
			36	High	22.57	2.6	25.17	0.329	2.000	Pass
			75	Low	22.68	2.6	25.28	0.337	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
		Q64	1	Low	22.29	2.6	24.89	0.308	2.000	Pass
			1	Mid	22.3	2.6	24.90	0.309	2.000	Pass
			1	High	22.23	2.6	24.83	0.304	2.000	Pass
			36	Low	21.76	2.6	24.36	0.273	2.000	Pass
			36	Mid	21.56	2.6	24.16	0.261	2.000	Pass
			36	High	21.53	2.6	24.13	0.259	2.000	Pass
			75	Low	21.52	2.6	24.12	0.258	2.000	Pass
		Q256	1	Low	19.75	2.6	22.35	0.172	2.000	Pass
			1	Mid	19.73	2.6	22.33	0.171	2.000	Pass
			1	High	19.55	2.6	22.15	0.164	2.000	Pass
			36	Low	19.49	2.6	22.09	0.162	2.000	Pass
			36	Mid	19.55	2.6	22.15	0.164	2.000	Pass
			36	High	19.48	2.6	22.08	0.161	2.000	Pass
			75	Low	19.5	2.6	22.10	0.162	2.000	Pass
	HCH	QPSK	1	Low	22.38	2.6	24.98	0.315	2.000	Pass
			1	Mid	22.38	2.6	24.98	0.315	2.000	Pass
			1	High	21.37	2.6	23.97	0.249	2.000	Pass
			36	Low	22.33	2.6	24.93	0.311	2.000	Pass
			36	Mid	22.47	2.6	25.07	0.321	2.000	Pass
			36	High	22.36	2.6	24.96	0.313	2.000	Pass
			75	Low	22.6	2.6	25.20	0.331	2.000	Pass
		Q16	1	Low	22.18	2.6	24.78	0.301	2.000	Pass
			1	Mid	22.04	2.6	24.64	0.291	2.000	Pass
			1	High	22.31	2.6	24.91	0.310	2.000	Pass
			36	Low	22.85	2.6	25.45	0.351	2.000	Pass
			36	Mid	22.41	2.6	25.01	0.317	2.000	Pass
			36	High	22.57	2.6	25.17	0.329	2.000	Pass
			75	Low	22.48	2.6	25.08	0.322	2.000	Pass
		Q64	1	Low	22.26	2.6	24.86	0.306	2.000	Pass
			1	Mid	22.11	2.6	24.71	0.296	2.000	Pass
			1	High	22.24	2.6	24.84	0.305	2.000	Pass
			36	Low	21.6	2.6	24.20	0.263	2.000	Pass
			36	Mid	21.84	2.6	24.44	0.278	2.000	Pass
			36	High	21.99	2.6	24.59	0.288	2.000	Pass
			75	Low	21.89	2.6	24.49	0.281	2.000	Pass
		Q256	1	Low	19.51	2.6	22.11	0.163	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			1	Mid	19.76	2.6	22.36	0.172	2.000	Pass
			1	High	19.76	2.6	22.36	0.172	2.000	Pass
			36	Low	19.51	2.6	22.11	0.163	2.000	Pass
			36	Mid	19.58	2.6	22.18	0.165	2.000	Pass
			36	High	19.56	2.6	22.16	0.164	2.000	Pass
			75	Low	19.6	2.6	22.20	0.166	2.000	Pass
20	LCH	QPSK	1	Low	22.07	2.6	24.67	0.293	2.000	Pass
			1	Mid	22.12	2.6	24.72	0.296	2.000	Pass
			1	High	22.14	2.6	24.74	0.298	2.000	Pass
			50	Low	22.32	2.6	24.92	0.310	2.000	Pass
			50	Mid	22.6	2.6	25.20	0.331	2.000	Pass
			50	High	22.67	2.6	25.27	0.337	2.000	Pass
			100	Low	22.54	2.6	25.14	0.327	2.000	Pass
		Q16	1	Low	21.71	2.6	24.31	0.270	2.000	Pass
			1	Mid	22.19	2.6	24.79	0.301	2.000	Pass
			1	High	22.35	2.6	24.95	0.313	2.000	Pass
			50	Low	22.54	2.6	25.14	0.327	2.000	Pass
			50	Mid	22.58	2.6	25.18	0.330	2.000	Pass
			50	High	22.41	2.6	25.01	0.317	2.000	Pass
			100	Low	22.41	2.6	25.01	0.317	2.000	Pass
		Q64	1	Low	21.99	2.6	24.59	0.288	2.000	Pass
			1	Mid	22.37	2.6	24.97	0.314	2.000	Pass
			1	High	21.88	2.6	24.48	0.281	2.000	Pass
			50	Low	21.71	2.6	24.31	0.270	2.000	Pass
			50	Mid	21.78	2.6	24.38	0.274	2.000	Pass
			50	High	21.37	2.6	23.97	0.249	2.000	Pass
			100	Low	21.72	2.6	24.32	0.270	2.000	Pass
		Q256	1	Low	19.79	2.6	22.39	0.173	2.000	Pass
			1	Mid	19.79	2.6	22.39	0.173	2.000	Pass
			1	High	19.45	2.6	22.05	0.160	2.000	Pass
			50	Low	19.53	2.6	22.13	0.163	2.000	Pass
			50	Mid	19.51	2.6	22.11	0.163	2.000	Pass
			50	High	19.38	2.6	21.98	0.158	2.000	Pass
			100	Low	19.48	2.6	22.08	0.161	2.000	Pass
	MCH	QPSK	1	Low	22.04	2.6	24.64	0.291	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			1	Mid	22.1	2.6	24.70	0.295	2.000	Pass
			1	High	22.08	2.6	24.68	0.294	2.000	Pass
			50	Low	22.16	2.6	24.76	0.299	2.000	Pass
			50	Mid	22.45	2.6	25.05	0.320	2.000	Pass
			50	High	22.31	2.6	24.91	0.310	2.000	Pass
			100	Low	22.62	2.6	25.22	0.333	2.000	Pass
		Q16	1	Low	22.37	2.6	24.97	0.314	2.000	Pass
			1	Mid	22.15	2.6	24.75	0.299	2.000	Pass
			1	High	22.43	2.6	25.03	0.318	2.000	Pass
			50	Low	22.77	2.6	25.37	0.344	2.000	Pass
			50	Mid	22.58	2.6	25.18	0.330	2.000	Pass
			50	High	22.52	2.6	25.12	0.325	2.000	Pass
			100	Low	22.47	2.6	25.07	0.321	2.000	Pass
		Q64	1	Low	21.92	2.6	24.52	0.283	2.000	Pass
			1	Mid	22.35	2.6	24.95	0.313	2.000	Pass
			1	High	22.07	2.6	24.67	0.293	2.000	Pass
			50	Low	21.8	2.6	24.40	0.275	2.000	Pass
			50	Mid	21.64	2.6	24.24	0.265	2.000	Pass
			50	High	21.46	2.6	24.06	0.255	2.000	Pass
			100	Low	21.52	2.6	24.12	0.258	2.000	Pass
		Q256	1	Low	19.63	2.6	22.23	0.167	2.000	Pass
			1	Mid	19.75	2.6	22.35	0.172	2.000	Pass
			1	High	19.69	2.6	22.29	0.169	2.000	Pass
			50	Low	19.51	2.6	22.11	0.163	2.000	Pass
			50	Mid	19.53	2.6	22.13	0.163	2.000	Pass
			50	High	19.51	2.6	22.11	0.163	2.000	Pass
			100	Low	19.51	2.6	22.11	0.163	2.000	Pass
	HCH	QPSK	1	Low	21.75	2.6	24.35	0.272	2.000	Pass
			1	Mid	22.33	2.6	24.93	0.311	2.000	Pass
			1	High	21.74	2.6	24.34	0.272	2.000	Pass
			50	Low	21.88	2.6	24.48	0.281	2.000	Pass
			50	Mid	22.23	2.6	24.83	0.304	2.000	Pass
			50	High	22.48	2.6	25.08	0.322	2.000	Pass
			100	Low	22.37	2.6	24.97	0.314	2.000	Pass
		Q16	1	Low	22.15	2.6	24.75	0.299	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			1	Mid	22.11	2.6	24.71	0.296	2.000	Pass
			1	High	22.28	2.6	24.88	0.308	2.000	Pass
			50	Low	22.79	2.6	25.39	0.346	2.000	Pass
			50	Mid	22.28	2.6	24.88	0.308	2.000	Pass
			50	High	22.48	2.6	25.08	0.322	2.000	Pass
			100	Low	22.57	2.6	25.17	0.329	2.000	Pass
		Q64	1	Low	22.21	2.6	24.81	0.303	2.000	Pass
			1	Mid	22.29	2.6	24.89	0.308	2.000	Pass
			1	High	22.24	2.6	24.84	0.305	2.000	Pass
			50	Low	21.67	2.6	24.27	0.267	2.000	Pass
			50	Mid	22.06	2.6	24.66	0.292	2.000	Pass
			50	High	21.81	2.6	24.41	0.276	2.000	Pass
			100	Low	21.89	2.6	24.49	0.281	2.000	Pass
		Q256	1	Low	19.6	2.6	22.20	0.166	2.000	Pass
			1	Mid	19.88	2.6	22.48	0.177	2.000	Pass
			1	High	19.7	2.6	22.30	0.170	2.000	Pass
			50	Low	19.49	2.6	22.09	0.162	2.000	Pass
			50	Mid	19.61	2.6	22.21	0.166	2.000	Pass
			50	High	19.54	2.6	22.14	0.164	2.000	Pass
			100	Low	19.6	2.6	22.20	0.166	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
5	LCH	QPSK	1	Low	22.03	2.7	24.73	0.297	2.000	Pass
			1	Mid	21.97	2.7	24.67	0.293	2.000	Pass
			1	High	21.73	2.7	24.43	0.277	2.000	Pass
			12	Low	22.06	2.7	24.76	0.299	2.000	Pass
			12	Mid	21.81	2.7	24.51	0.282	2.000	Pass
			12	High	21.83	2.7	24.53	0.284	2.000	Pass
			25	Low	21.86	2.7	24.56	0.286	2.000	Pass
		Q16	1	Low	21.18	2.7	23.88	0.244	2.000	Pass
			1	Mid	21.74	2.7	24.44	0.278	2.000	Pass
			1	High	21.46	2.7	24.16	0.261	2.000	Pass
			12	Low	21.99	2.7	24.69	0.294	2.000	Pass
			12	Mid	21.56	2.7	24.26	0.267	2.000	Pass
			12	High	21.78	2.7	24.48	0.281	2.000	Pass
			25	Low	22.37	2.7	25.07	0.321	2.000	Pass
		Q64	1	Low	22.14	2.7	24.84	0.305	2.000	Pass
			1	Mid	22.2	2.7	24.90	0.309	2.000	Pass
			1	High	22.06	2.7	24.76	0.299	2.000	Pass
			12	Low	21.82	2.7	24.52	0.283	2.000	Pass
			12	Mid	22.15	2.7	24.85	0.305	2.000	Pass
			12	High	22.28	2.7	24.98	0.315	2.000	Pass
			25	Low	22.21	2.7	24.91	0.310	2.000	Pass
		Q256	1	Low	20.11	2.7	22.81	0.191	2.000	Pass
			1	Mid	20.18	2.7	22.88	0.194	2.000	Pass
			1	High	19.95	2.7	22.65	0.184	2.000	Pass
			12	Low	19.75	2.7	22.45	0.176	2.000	Pass
			12	Mid	19.89	2.7	22.59	0.182	2.000	Pass
			12	High	19.82	2.7	22.52	0.179	2.000	Pass
			25	Low	19.85	2.7	22.55	0.180	2.000	Pass
	MCH	QPSK	1	Low	22.34	2.7	25.04	0.319	2.000	Pass
			1	Mid	22.12	2.7	24.82	0.303	2.000	Pass
			1	High	22.46	2.7	25.16	0.328	2.000	Pass
			12	Low	22.65	2.7	25.35	0.343	2.000	Pass
			12	Mid	22.55	2.7	25.25	0.335	2.000	Pass
			12	High	22.37	2.7	25.07	0.321	2.000	Pass
			25	Low	21.75	2.7	24.45	0.279	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
		Q16	1	Low	21.78	2.7	24.48	0.281	2.000	Pass
			1	Mid	21.88	2.7	24.58	0.287	2.000	Pass
			1	High	21.93	2.7	24.63	0.290	2.000	Pass
			12	Low	22.21	2.7	24.91	0.310	2.000	Pass
			12	Mid	22.61	2.7	25.31	0.340	2.000	Pass
			12	High	22.72	2.7	25.42	0.348	2.000	Pass
			25	Low	22.22	2.7	24.92	0.310	2.000	Pass
		Q64	1	Low	22.11	2.7	24.81	0.303	2.000	Pass
			1	Mid	21.59	2.7	24.29	0.269	2.000	Pass
			1	High	22.4	2.7	25.10	0.324	2.000	Pass
			12	Low	21.73	2.7	24.43	0.277	2.000	Pass
			12	Mid	21.72	2.7	24.42	0.277	2.000	Pass
			12	High	21.62	2.7	24.32	0.270	2.000	Pass
			25	Low	21.6	2.7	24.30	0.269	2.000	Pass
		Q256	1	Low	19.88	2.7	22.58	0.181	2.000	Pass
			1	Mid	19.72	2.7	22.42	0.175	2.000	Pass
			1	High	19.63	2.7	22.33	0.171	2.000	Pass
			12	Low	19.67	2.7	22.37	0.173	2.000	Pass
			12	Mid	19.61	2.7	22.31	0.170	2.000	Pass
			12	High	19.58	2.7	22.28	0.169	2.000	Pass
			25	Low	19.68	2.7	22.38	0.173	2.000	Pass
	HCH	QPSK	1	Low	23	2.7	25.70	0.372	2.000	Pass
			1	Mid	22.58	2.7	25.28	0.337	2.000	Pass
			1	High	22.34	2.7	25.04	0.319	2.000	Pass
			12	Low	22.88	2.7	25.58	0.361	2.000	Pass
			12	Mid	23.19	2.7	25.89	0.388	2.000	Pass
			12	High	22.79	2.7	25.49	0.354	2.000	Pass
			25	Low	22.49	2.7	25.19	0.330	2.000	Pass
		Q16	1	Low	22.64	2.7	25.34	0.342	2.000	Pass
			1	Mid	22.88	2.7	25.58	0.361	2.000	Pass
			1	High	22.64	2.7	25.34	0.342	2.000	Pass
			12	Low	22.8	2.7	25.50	0.355	2.000	Pass
			12	Mid	22.89	2.7	25.59	0.362	2.000	Pass
			12	High	22.79	2.7	25.49	0.354	2.000	Pass
			25	Low	22.93	2.7	25.63	0.366	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
		Q64	1	Low	22.75	2.7	25.45	0.351	2.000	Pass
			1	Mid	22.48	2.7	25.18	0.330	2.000	Pass
			1	High	22.5	2.7	25.20	0.331	2.000	Pass
			12	Low	21.55	2.7	24.25	0.266	2.000	Pass
			12	Mid	21.64	2.7	24.34	0.272	2.000	Pass
			12	High	21.6	2.7	24.30	0.269	2.000	Pass
			25	Low	21.58	2.7	24.28	0.268	2.000	Pass
		Q256	1	Low	19.63	2.7	22.33	0.171	2.000	Pass
			1	Mid	19.81	2.7	22.51	0.178	2.000	Pass
			1	High	19.81	2.7	22.51	0.178	2.000	Pass
			12	Low	19.55	2.7	22.25	0.168	2.000	Pass
			12	Mid	19.59	2.7	22.29	0.169	2.000	Pass
			12	High	19.6	2.7	22.30	0.170	2.000	Pass
			25	Low	19.57	2.7	22.27	0.169	2.000	Pass
10	LCH	QPSK	1	Low	22.8	2.7	25.50	0.355	2.000	Pass
			1	Mid	22.45	2.7	25.15	0.327	2.000	Pass
			1	High	22.39	2.7	25.09	0.323	2.000	Pass
			25	Low	22.64	2.7	25.34	0.342	2.000	Pass
			25	Mid	22.55	2.7	25.25	0.335	2.000	Pass
			25	High	22.8	2.7	25.50	0.355	2.000	Pass
			50	Low	22.88	2.7	25.58	0.361	2.000	Pass
		Q16	1	Low	22.74	2.7	25.44	0.350	2.000	Pass
			1	Mid	22.37	2.7	25.07	0.321	2.000	Pass
			1	High	22.62	2.7	25.32	0.340	2.000	Pass
			25	Low	22.89	2.7	25.59	0.362	2.000	Pass
			25	Mid	22.74	2.7	25.44	0.350	2.000	Pass
			25	High	22.36	2.7	25.06	0.321	2.000	Pass
			50	Low	23	2.7	25.70	0.372	2.000	Pass
		Q64	1	Low	22.71	2.7	25.41	0.348	2.000	Pass
			1	Mid	22.66	2.7	25.36	0.344	2.000	Pass
			1	High	22.29	2.7	24.99	0.316	2.000	Pass
			25	Low	21.77	2.7	24.47	0.280	2.000	Pass
			25	Mid	21.82	2.7	24.52	0.283	2.000	Pass
			25	High	21.86	2.7	24.56	0.286	2.000	Pass
			50	Low	21.77	2.7	24.47	0.280	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
		Q256	1	Low	19.84	2.7	22.54	0.179	2.000	Pass
			1	Mid	19.98	2.7	22.68	0.185	2.000	Pass
			1	High	19.91	2.7	22.61	0.182	2.000	Pass
			25	Low	19.74	2.7	22.44	0.175	2.000	Pass
			25	Mid	19.77	2.7	22.47	0.177	2.000	Pass
			25	High	19.84	2.7	22.54	0.179	2.000	Pass
			50	Low	19.78	2.7	22.48	0.177	2.000	Pass
	MCH	QPSK	1	Low	22.34	2.7	25.04	0.319	2.000	Pass
			1	Mid	22.45	2.7	25.15	0.327	2.000	Pass
			1	High	22.02	2.7	24.72	0.296	2.000	Pass
			25	Low	22.03	2.7	24.73	0.297	2.000	Pass
			25	Mid	22.01	2.7	24.71	0.296	2.000	Pass
			25	High	22.53	2.7	25.23	0.333	2.000	Pass
			50	Low	22.18	2.7	24.88	0.308	2.000	Pass
		Q16	1	Low	22.07	2.7	24.77	0.300	2.000	Pass
			1	Mid	22.17	2.7	24.87	0.307	2.000	Pass
			1	High	22.32	2.7	25.02	0.318	2.000	Pass
			25	Low	22.21	2.7	24.91	0.310	2.000	Pass
			25	Mid	22.24	2.7	24.94	0.312	2.000	Pass
			25	High	22.36	2.7	25.06	0.321	2.000	Pass
			50	Low	22.21	2.7	24.91	0.310	2.000	Pass
		Q64	1	Low	22.06	2.7	24.76	0.299	2.000	Pass
			1	Mid	22.08	2.7	24.78	0.301	2.000	Pass
			1	High	22.57	2.7	25.27	0.337	2.000	Pass
			25	Low	21.62	2.7	24.32	0.270	2.000	Pass
			25	Mid	21.72	2.7	24.42	0.277	2.000	Pass
			25	High	21.66	2.7	24.36	0.273	2.000	Pass
			50	Low	21.56	2.7	24.26	0.267	2.000	Pass
		Q256	1	Low	19.73	2.7	22.43	0.175	2.000	Pass
			1	Mid	19.98	2.7	22.68	0.185	2.000	Pass
			1	High	19.63	2.7	22.33	0.171	2.000	Pass
			25	Low	19.64	2.7	22.34	0.171	2.000	Pass
			25	Mid	19.68	2.7	22.38	0.173	2.000	Pass
			25	High	19.64	2.7	22.34	0.171	2.000	Pass
			50	Low	19.62	2.7	22.32	0.171	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
	HCH	QPSK	1	Low	22.72	2.7	25.42	0.348	2.000	Pass
			1	Mid	23.02	2.7	25.72	0.373	2.000	Pass
			1	High	23	2.7	25.70	0.372	2.000	Pass
			25	Low	23.09	2.7	25.79	0.379	2.000	Pass
			25	Mid	23.11	2.7	25.81	0.381	2.000	Pass
			25	High	22.86	2.7	25.56	0.360	2.000	Pass
			50	Low	23.08	2.7	25.78	0.378	2.000	Pass
		Q16	1	Low	22.68	2.7	25.38	0.345	2.000	Pass
			1	Mid	22.77	2.7	25.47	0.352	2.000	Pass
			1	High	22.89	2.7	25.59	0.362	2.000	Pass
			25	Low	22.88	2.7	25.58	0.361	2.000	Pass
			25	Mid	22.95	2.7	25.65	0.367	2.000	Pass
			25	High	22.84	2.7	25.54	0.358	2.000	Pass
			50	Low	22.81	2.7	25.51	0.356	2.000	Pass
		Q64	1	Low	22.71	2.7	25.41	0.348	2.000	Pass
			1	Mid	22.85	2.7	25.55	0.359	2.000	Pass
			1	High	22.82	2.7	25.52	0.356	2.000	Pass
			25	Low	21.52	2.7	24.22	0.264	2.000	Pass
			25	Mid	21.6	2.7	24.30	0.269	2.000	Pass
			25	High	21.55	2.7	24.25	0.266	2.000	Pass
			50	Low	21.58	2.7	24.28	0.268	2.000	Pass
		Q256	1	Low	19.68	2.7	22.38	0.173	2.000	Pass
			1	Mid	19.69	2.7	22.39	0.173	2.000	Pass
			1	High	19.76	2.7	22.46	0.176	2.000	Pass
			25	Low	19.55	2.7	22.25	0.168	2.000	Pass
			25	Mid	19.61	2.7	22.31	0.170	2.000	Pass
			25	High	19.6	2.7	22.30	0.170	2.000	Pass
			50	Low	19.56	2.7	22.26	0.168	2.000	Pass
15	LCH	QPSK	1	Low	22.09	2.7	24.79	0.301	2.000	Pass
			1	Mid	22.5	2.7	25.20	0.331	2.000	Pass
			1	High	22.32	2.7	25.02	0.318	2.000	Pass
			36	Low	22.89	2.7	25.59	0.362	2.000	Pass
			36	Mid	22.59	2.7	25.29	0.338	2.000	Pass
			36	High	22.85	2.7	25.55	0.359	2.000	Pass
			75	Low	23.03	2.7	25.73	0.374	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
		Q16	1	Low	21.76	2.7	24.46	0.279	2.000	Pass
			1	Mid	22.78	2.7	25.48	0.353	2.000	Pass
			1	High	22.62	2.7	25.32	0.340	2.000	Pass
			36	Low	22.91	2.7	25.61	0.364	2.000	Pass
			36	Mid	22.93	2.7	25.63	0.366	2.000	Pass
			36	High	22.94	2.7	25.64	0.366	2.000	Pass
			75	Low	22.86	2.7	25.56	0.360	2.000	Pass
		Q64	1	Low	22.67	2.7	25.37	0.344	2.000	Pass
			1	Mid	22.67	2.7	25.37	0.344	2.000	Pass
			1	High	22.32	2.7	25.02	0.318	2.000	Pass
			36	Low	21.73	2.7	24.43	0.277	2.000	Pass
			36	Mid	21.85	2.7	24.55	0.285	2.000	Pass
			36	High	21.85	2.7	24.55	0.285	2.000	Pass
			75	Low	21.85	2.7	24.55	0.285	2.000	Pass
		Q256	1	Low	19.84	2.7	22.54	0.179	2.000	Pass
			1	Mid	20.11	2.7	22.81	0.191	2.000	Pass
			1	High	19.87	2.7	22.57	0.181	2.000	Pass
			36	Low	19.71	2.7	22.41	0.174	2.000	Pass
			36	Mid	19.91	2.7	22.61	0.182	2.000	Pass
			36	High	19.89	2.7	22.59	0.182	2.000	Pass
			75	Low	19.82	2.7	22.52	0.179	2.000	Pass
	MCH	QPSK	1	Low	24.88	2.7	27.58	0.573	2.000	Pass
			1	Mid	24.78	2.7	27.48	0.560	2.000	Pass
			1	High	24.84	2.7	27.54	0.568	2.000	Pass
			36	Low	24.22	2.7	26.92	0.492	2.000	Pass
			36	Mid	24.17	2.7	26.87	0.486	2.000	Pass
			36	High	24.12	2.7	26.82	0.481	2.000	Pass
			75	Low	24.19	2.7	26.89	0.489	2.000	Pass
		Q16	1	Low	24.59	2.7	27.29	0.536	2.000	Pass
			1	Mid	24.35	2.7	27.05	0.507	2.000	Pass
			1	High	24.52	2.7	27.22	0.527	2.000	Pass
			36	Low	23.32	2.7	26.02	0.400	2.000	Pass
			36	Mid	23.27	2.7	25.97	0.395	2.000	Pass
			36	High	23.21	2.7	25.91	0.390	2.000	Pass
			75	Low	23.22	2.7	25.92	0.391	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
		Q64	1	Low	23.53	2.7	26.23	0.420	2.000	Pass
			1	Mid	23.42	2.7	26.12	0.409	2.000	Pass
			1	High	23.48	2.7	26.18	0.415	2.000	Pass
			36	Low	22.3	2.7	25.00	0.316	2.000	Pass
			36	Mid	22.26	2.7	24.96	0.313	2.000	Pass
			36	High	22.16	2.7	24.86	0.306	2.000	Pass
			75	Low	22.27	2.7	24.97	0.314	2.000	Pass
		Q256	1	Low	20.28	2.7	22.98	0.199	2.000	Pass
			1	Mid	20.17	2.7	22.87	0.194	2.000	Pass
			1	High	20.11	2.7	22.81	0.191	2.000	Pass
			36	Low	20.36	2.7	23.06	0.202	2.000	Pass
			36	Mid	20.27	2.7	22.97	0.198	2.000	Pass
			36	High	20.24	2.7	22.94	0.197	2.000	Pass
			75	Low	20.33	2.7	23.03	0.201	2.000	Pass
	HCH	QPSK	1	Low	25.48	2.7	28.18	0.658	2.000	Pass
			1	Mid	25.4	2.7	28.10	0.646	2.000	Pass
			1	High	25.52	2.7	28.22	0.664	2.000	Pass
			36	Low	24.77	2.7	27.47	0.558	2.000	Pass
			36	Mid	24.72	2.7	27.42	0.552	2.000	Pass
			36	High	24.75	2.7	27.45	0.556	2.000	Pass
			75	Low	24.74	2.7	27.44	0.555	2.000	Pass
		Q16	1	Low	25.05	2.7	27.75	0.596	2.000	Pass
			1	Mid	24.92	2.7	27.62	0.578	2.000	Pass
			1	High	25.16	2.7	27.86	0.611	2.000	Pass
			36	Low	23.81	2.7	26.51	0.448	2.000	Pass
			36	Mid	23.75	2.7	26.45	0.442	2.000	Pass
			36	High	23.82	2.7	26.52	0.449	2.000	Pass
			75	Low	23.79	2.7	26.49	0.446	2.000	Pass
		Q64	1	Low	24.07	2.7	26.77	0.475	2.000	Pass
			1	Mid	23.89	2.7	26.59	0.456	2.000	Pass
			1	High	24.07	2.7	26.77	0.475	2.000	Pass
			36	Low	22.83	2.7	25.53	0.357	2.000	Pass
			36	Mid	22.81	2.7	25.51	0.356	2.000	Pass
			36	High	22.82	2.7	25.52	0.356	2.000	Pass
			75	Low	22.88	2.7	25.58	0.361	2.000	Pass
		Q256	1	Low	20.8	2.7	23.50	0.224	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
			1	Mid	20.59	2.7	23.29	0.213	2.000	Pass
			1	High	20.8	2.7	23.50	0.224	2.000	Pass
			36	Low	20.88	2.7	23.58	0.228	2.000	Pass
			36	Mid	20.84	2.7	23.54	0.226	2.000	Pass
			36	High	20.82	2.7	23.52	0.225	2.000	Pass
			75	Low	20.82	2.7	23.52	0.225	2.000	Pass
20	LCH	QPSK	1	Low	25.2	2.7	27.90	0.617	2.000	Pass
			1	Mid	25.19	2.7	27.89	0.615	2.000	Pass
			1	High	25.33	2.7	28.03	0.635	2.000	Pass
			50	Low	24.46	2.7	27.16	0.520	2.000	Pass
			50	Mid	24.42	2.7	27.12	0.515	2.000	Pass
			50	High	24.46	2.7	27.16	0.520	2.000	Pass
			100	Low	24.45	2.7	27.15	0.519	2.000	Pass
		Q16	1	Low	24.68	2.7	27.38	0.547	2.000	Pass
			1	Mid	24.64	2.7	27.34	0.542	2.000	Pass
			1	High	24.76	2.7	27.46	0.557	2.000	Pass
			50	Low	23.49	2.7	26.19	0.416	2.000	Pass
			50	Mid	23.46	2.7	26.16	0.413	2.000	Pass
			50	High	23.54	2.7	26.24	0.421	2.000	Pass
			100	Low	23.46	2.7	26.16	0.413	2.000	Pass
		Q64	1	Low	23.44	2.7	26.14	0.411	2.000	Pass
			1	Mid	23.43	2.7	26.13	0.410	2.000	Pass
			1	High	23.52	2.7	26.22	0.419	2.000	Pass
			50	Low	22.53	2.7	25.23	0.333	2.000	Pass
			50	Mid	22.5	2.7	25.20	0.331	2.000	Pass
			50	High	22.55	2.7	25.25	0.335	2.000	Pass
			100	Low	22.5	2.7	25.20	0.331	2.000	Pass
		Q256	1	Low	20.51	2.7	23.21	0.209	2.000	Pass
			1	Mid	20.45	2.7	23.15	0.207	2.000	Pass
			1	High	20.55	2.7	23.25	0.211	2.000	Pass
			50	Low	20.55	2.7	23.25	0.211	2.000	Pass
			50	Mid	20.54	2.7	23.24	0.211	2.000	Pass
			50	High	20.58	2.7	23.28	0.213	2.000	Pass
			100	Low	20.51	2.7	23.21	0.209	2.000	Pass
	MCH	QPSK	1	Low	25.07	2.7	27.77	0.598	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
			1	Mid	24.87	2.7	27.57	0.571	2.000	Pass
			1	High	24.92	2.7	27.62	0.578	2.000	Pass
			50	Low	24.21	2.7	26.91	0.491	2.000	Pass
			50	Mid	24.21	2.7	26.91	0.491	2.000	Pass
			50	High	24.13	2.7	26.83	0.482	2.000	Pass
			100	Low	24.22	2.7	26.92	0.492	2.000	Pass
		Q16	1	Low	24.52	2.7	27.22	0.527	2.000	Pass
			1	Mid	24.39	2.7	27.09	0.512	2.000	Pass
			1	High	24.43	2.7	27.13	0.516	2.000	Pass
			50	Low	23.36	2.7	26.06	0.404	2.000	Pass
			50	Mid	23.32	2.7	26.02	0.400	2.000	Pass
			50	High	23.16	2.7	25.86	0.385	2.000	Pass
			100	Low	23.3	2.7	26.00	0.398	2.000	Pass
		Q64	1	Low	23.53	2.7	26.23	0.420	2.000	Pass
			1	Mid	23.26	2.7	25.96	0.394	2.000	Pass
			1	High	23.35	2.7	26.05	0.403	2.000	Pass
			50	Low	22.35	2.7	25.05	0.320	2.000	Pass
			50	Mid	22.29	2.7	24.99	0.316	2.000	Pass
			50	High	22.15	2.7	24.85	0.305	2.000	Pass
			100	Low	22.3	2.7	25.00	0.316	2.000	Pass
		Q256	1	Low	20.36	2.7	23.06	0.202	2.000	Pass
			1	Mid	20.16	2.7	22.86	0.193	2.000	Pass
			1	High	20.16	2.7	22.86	0.193	2.000	Pass
			50	Low	20.41	2.7	23.11	0.205	2.000	Pass
			50	Mid	20.36	2.7	23.06	0.202	2.000	Pass
			50	High	20.26	2.7	22.96	0.198	2.000	Pass
			100	Low	20.34	2.7	23.04	0.201	2.000	Pass
	HCH	QPSK	1	Low	25.58	2.7	28.28	0.673	2.000	Pass
			1	Mid	25.45	2.7	28.15	0.653	2.000	Pass
			1	High	25.52	2.7	28.22	0.664	2.000	Pass
			50	Low	24.75	2.7	27.45	0.556	2.000	Pass
			50	Mid	24.72	2.7	27.42	0.552	2.000	Pass
			50	High	24.76	2.7	27.46	0.557	2.000	Pass
			100	Low	24.77	2.7	27.47	0.558	2.000	Pass
		Q16	1	Low	25.03	2.7	27.73	0.593	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
			1	Mid	24.97	2.7	27.67	0.585	2.000	Pass
			1	High	25.05	2.7	27.75	0.596	2.000	Pass
			50	Low	23.83	2.7	26.53	0.450	2.000	Pass
			50	Mid	23.82	2.7	26.52	0.449	2.000	Pass
			50	High	23.82	2.7	26.52	0.449	2.000	Pass
			100	Low	23.84	2.7	26.54	0.451	2.000	Pass
		Q64	1	Low	23.99	2.7	26.69	0.467	2.000	Pass
			1	Mid	23.87	2.7	26.57	0.454	2.000	Pass
			1	High	23.92	2.7	26.62	0.459	2.000	Pass
			50	Low	22.87	2.7	25.57	0.361	2.000	Pass
			50	Mid	22.84	2.7	25.54	0.358	2.000	Pass
			50	High	22.85	2.7	25.55	0.359	2.000	Pass
			100	Low	22.82	2.7	25.52	0.356	2.000	Pass
		Q256	1	Low	20.8	2.7	23.50	0.224	2.000	Pass
			1	Mid	20.62	2.7	23.32	0.215	2.000	Pass
			1	High	20.73	2.7	23.43	0.220	2.000	Pass
			50	Low	20.89	2.7	23.59	0.229	2.000	Pass
			50	Mid	20.9	2.7	23.60	0.229	2.000	Pass
			50	High	20.9	2.7	23.60	0.229	2.000	Pass
			100	Low	20.85	2.7	23.55	0.226	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
5	LCH	QPSK	1	Low	23.1	1.1	24.20	0.263	1.000	Pass
			1	Mid	23.14	1.1	24.24	0.265	1.000	Pass
			1	High	23.14	1.1	24.24	0.265	1.000	Pass
			12	Low	22.09	1.1	23.19	0.208	1.000	Pass
			12	Mid	22.27	1.1	23.37	0.217	1.000	Pass
			12	High	22.12	1.1	23.22	0.210	1.000	Pass
			25	Low	22.14	1.1	23.24	0.211	1.000	Pass
		Q16	1	Low	22.41	1.1	23.51	0.224	1.000	Pass
			1	Mid	22.53	1.1	23.63	0.231	1.000	Pass
			1	High	22.57	1.1	23.67	0.233	1.000	Pass
			12	Low	21.3	1.1	22.40	0.174	1.000	Pass
			12	Mid	21.24	1.1	22.34	0.171	1.000	Pass
			12	High	21.22	1.1	22.32	0.171	1.000	Pass
			25	Low	21.17	1.1	22.27	0.169	1.000	Pass
		Q64	1	Low	21.32	1.1	22.42	0.175	1.000	Pass
			1	Mid	21.52	1.1	22.62	0.183	1.000	Pass
			1	High	21.52	1.1	22.62	0.183	1.000	Pass
			12	Low	20.25	1.1	21.35	0.136	1.000	Pass
			12	Mid	20.25	1.1	21.35	0.136	1.000	Pass
			12	High	20.22	1.1	21.32	0.136	1.000	Pass
			25	Low	20.27	1.1	21.37	0.137	1.000	Pass
		Q256	1	Low	18.12	1.1	19.22	0.084	1.000	Pass
			1	Mid	18.4	1.1	19.50	0.089	1.000	Pass
			1	High	18.24	1.1	19.34	0.086	1.000	Pass
			12	Low	18.2	1.1	19.30	0.085	1.000	Pass
			12	Mid	18.25	1.1	19.35	0.086	1.000	Pass
			12	High	18.22	1.1	19.32	0.086	1.000	Pass
			25	Low	18.19	1.1	19.29	0.085	1.000	Pass
	MCH	QPSK	1	Low	23.43	1.1	24.53	0.284	1.000	Pass
			1	Mid	23.61	1.1	**24.71**	0.296	1.000	Pass
			1	High	23.47	1.1	24.57	0.286	1.000	Pass
			12	Low	22.52	1.1	23.62	0.230	1.000	Pass
			12	Mid	22.57	1.1	23.67	0.233	1.000	Pass
			12	High	22.54	1.1	23.64	0.231	1.000	Pass
			25	Low	22.44	1.1	23.54	0.226	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
		Q16	1	Low	22.97	1.1	24.07	0.255	1.000	Pass
			1	Mid	23.06	1.1	24.16	0.261	1.000	Pass
			1	High	22.97	1.1	24.07	0.255	1.000	Pass
			12	Low	21.55	1.1	22.65	0.184	1.000	Pass
			12	Mid	21.75	1.1	22.85	0.193	1.000	Pass
			12	High	21.53	1.1	22.63	0.183	1.000	Pass
			25	Low	21.49	1.1	22.59	0.182	1.000	Pass
		Q64	1	Low	21.71	1.1	22.81	0.191	1.000	Pass
			1	Mid	21.88	1.1	22.98	0.199	1.000	Pass
			1	High	21.82	1.1	22.92	0.196	1.000	Pass
			12	Low	20.51	1.1	21.61	0.145	1.000	Pass
			12	Mid	20.58	1.1	21.68	0.147	1.000	Pass
			12	High	20.48	1.1	21.58	0.144	1.000	Pass
			25	Low	20.47	1.1	21.57	0.144	1.000	Pass
		Q256	1	Low	18.53	1.1	19.63	0.092	1.000	Pass
			1	Mid	18.8	1.1	19.90	0.098	1.000	Pass
			1	High	18.58	1.1	19.68	0.093	1.000	Pass
			12	Low	18.4	1.1	19.50	0.089	1.000	Pass
			12	Mid	18.54	1.1	19.64	0.092	1.000	Pass
			12	High	18.54	1.1	19.64	0.092	1.000	Pass
			25	Low	18.49	1.1	19.59	0.091	1.000	Pass
	HCH	QPSK	1	Low	23.43	1.1	24.53	0.284	1.000	Pass
			1	Mid	23.43	1.1	24.53	0.284	1.000	Pass
			1	High	23.42	1.1	24.52	0.283	1.000	Pass
			12	Low	22.41	1.1	23.51	0.224	1.000	Pass
			12	Mid	22.51	1.1	23.61	0.230	1.000	Pass
			12	High	22.48	1.1	23.58	0.228	1.000	Pass
			25	Low	22.44	1.1	23.54	0.226	1.000	Pass
		Q16	1	Low	22.87	1.1	23.97	0.249	1.000	Pass
			1	Mid	22.86	1.1	23.96	0.249	1.000	Pass
			1	High	22.66	1.1	23.76	0.238	1.000	Pass
			12	Low	21.32	1.1	22.42	0.175	1.000	Pass
			12	Mid	21.42	1.1	22.52	0.179	1.000	Pass
			12	High	21.54	1.1	22.64	0.184	1.000	Pass
			25	Low	21.5	1.1	22.60	0.182	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
		Q64	1	Low	21.76	1.1	22.86	0.193	1.000	Pass
			1	Mid	21.7	1.1	22.80	0.191	1.000	Pass
			1	High	21.57	1.1	22.67	0.185	1.000	Pass
			12	Low	20.4	1.1	21.50	0.141	1.000	Pass
			12	Mid	20.58	1.1	21.68	0.147	1.000	Pass
			12	High	20.36	1.1	21.46	0.140	1.000	Pass
			25	Low	20.41	1.1	21.51	0.142	1.000	Pass
		Q256	1	Low	18.58	1.1	19.68	0.093	1.000	Pass
			1	Mid	18.67	1.1	19.77	0.095	1.000	Pass
			1	High	18.43	1.1	19.53	0.090	1.000	Pass
			12	Low	18.48	1.1	19.58	0.091	1.000	Pass
			12	Mid	18.52	1.1	19.62	0.092	1.000	Pass
			12	High	18.44	1.1	19.54	0.090	1.000	Pass
			25	Low	18.47	1.1	19.57	0.091	1.000	Pass
10	LCH	QPSK	1	Low	23.11	1.1	24.21	0.264	1.000	Pass
			1	Mid	23.21	1.1	24.31	0.270	1.000	Pass
			1	High	23.18	1.1	24.28	0.268	1.000	Pass
			25	Low	22.23	1.1	23.33	0.215	1.000	Pass
			25	Mid	22.3	1.1	23.40	0.219	1.000	Pass
			25	High	22.34	1.1	23.44	0.221	1.000	Pass
			50	Low	22.15	1.1	23.25	0.211	1.000	Pass
		Q16	1	Low	22.31	1.1	23.41	0.219	1.000	Pass
			1	Mid	22.59	1.1	23.69	0.234	1.000	Pass
			1	High	22.42	1.1	23.52	0.225	1.000	Pass
			25	Low	21.21	1.1	22.31	0.170	1.000	Pass
			25	Mid	21.26	1.1	22.36	0.172	1.000	Pass
			25	High	21.27	1.1	22.37	0.173	1.000	Pass
			50	Low	21.13	1.1	22.23	0.167	1.000	Pass
		Q64	1	Low	21.3	1.1	22.40	0.174	1.000	Pass
			1	Mid	21.47	1.1	22.57	0.181	1.000	Pass
			1	High	21.4	1.1	22.50	0.178	1.000	Pass
			25	Low	20.18	1.1	21.28	0.134	1.000	Pass
			25	Mid	20.18	1.1	21.28	0.134	1.000	Pass
			25	High	20.2	1.1	21.30	0.135	1.000	Pass
			50	Low	20.2	1.1	21.30	0.135	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
		Q256	1	Low	18.34	1.1	19.44	0.088	1.000	Pass
			1	Mid	18.36	1.1	19.46	0.088	1.000	Pass
			1	High	18.4	1.1	19.50	0.089	1.000	Pass
			25	Low	18.22	1.1	19.32	0.086	1.000	Pass
			25	Mid	18.21	1.1	19.31	0.085	1.000	Pass
			25	High	18.25	1.1	19.35	0.086	1.000	Pass
			50	Low	18.18	1.1	19.28	0.085	1.000	Pass
	MCH	QPSK	1	Low	23.39	1.1	24.49	0.281	1.000	Pass
			1	Mid	23.51	1.1	24.61	0.289	1.000	Pass
			1	High	23.53	1.1	24.63	0.290	1.000	Pass
			25	Low	22.33	1.1	23.43	0.220	1.000	Pass
			25	Mid	22.52	1.1	23.62	0.230	1.000	Pass
			25	High	22.64	1.1	23.74	0.237	1.000	Pass
			50	Low	22.51	1.1	23.61	0.230	1.000	Pass
		Q16	1	Low	22.75	1.1	23.85	0.243	1.000	Pass
			1	Mid	22.86	1.1	23.96	0.249	1.000	Pass
			1	High	22.87	1.1	23.97	0.249	1.000	Pass
			25	Low	21.5	1.1	22.60	0.182	1.000	Pass
			25	Mid	21.5	1.1	22.60	0.182	1.000	Pass
			25	High	21.57	1.1	22.67	0.185	1.000	Pass
			50	Low	21.39	1.1	22.49	0.177	1.000	Pass
		Q64	1	Low	21.72	1.1	22.82	0.191	1.000	Pass
			1	Mid	21.83	1.1	22.93	0.196	1.000	Pass
			1	High	21.71	1.1	22.81	0.191	1.000	Pass
			25	Low	20.47	1.1	21.57	0.144	1.000	Pass
			25	Mid	20.45	1.1	21.55	0.143	1.000	Pass
			25	High	20.69	1.1	21.79	0.151	1.000	Pass
			50	Low	20.42	1.1	21.52	0.142	1.000	Pass
		Q256	1	Low	18.51	1.1	19.61	0.091	1.000	Pass
			1	Mid	18.61	1.1	19.71	0.094	1.000	Pass
			1	High	18.59	1.1	19.69	0.093	1.000	Pass
			25	Low	18.51	1.1	19.61	0.091	1.000	Pass
			25	Mid	18.48	1.1	19.58	0.091	1.000	Pass
			25	High	18.45	1.1	19.55	0.090	1.000	Pass
			50	Low	18.47	1.1	19.57	0.091	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
	HCH	QPSK	1	Low	23.42	1.1	24.52	0.283	1.000	Pass
			1	Mid	23.48	1.1	24.58	0.287	1.000	Pass
			1	High	23.4	1.1	24.50	0.282	1.000	Pass
			25	Low	22.38	1.1	23.48	0.223	1.000	Pass
			25	Mid	22.44	1.1	23.54	0.226	1.000	Pass
			25	High	22.49	1.1	23.59	0.229	1.000	Pass
			50	Low	22.41	1.1	23.51	0.224	1.000	Pass
		Q16	1	Low	22.76	1.1	23.86	0.243	1.000	Pass
			1	Mid	22.74	1.1	23.84	0.242	1.000	Pass
			1	High	22.91	1.1	24.01	0.252	1.000	Pass
			25	Low	21.44	1.1	22.54	0.179	1.000	Pass
			25	Mid	21.55	1.1	22.65	0.184	1.000	Pass
			25	High	21.4	1.1	22.50	0.178	1.000	Pass
			50	Low	21.41	1.1	22.51	0.178	1.000	Pass
		Q64	1	Low	21.72	1.1	22.82	0.191	1.000	Pass
			1	Mid	21.82	1.1	22.92	0.196	1.000	Pass
			1	High	21.8	1.1	22.90	0.195	1.000	Pass
			25	Low	20.4	1.1	21.50	0.141	1.000	Pass
			25	Mid	20.54	1.1	21.64	0.146	1.000	Pass
			25	High	20.5	1.1	21.60	0.145	1.000	Pass
			50	Low	20.51	1.1	21.61	0.145	1.000	Pass
		Q256	1	Low	18.43	1.1	19.53	0.090	1.000	Pass
			1	Mid	18.8	1.1	19.90	0.098	1.000	Pass
			1	High	18.6	1.1	19.70	0.093	1.000	Pass
			25	Low	18.29	1.1	19.39	0.087	1.000	Pass
			25	Mid	18.46	1.1	19.56	0.090	1.000	Pass
			25	High	18.43	1.1	19.53	0.090	1.000	Pass
			50	Low	18.32	1.1	19.42	0.087	1.000	Pass
15	LCH	QPSK	1	Low	23.01	1.1	24.11	0.258	1.000	Pass
			1	Mid	23.05	1.1	24.15	0.260	1.000	Pass
			1	High	23.15	1.1	24.25	0.266	1.000	Pass
			36	Low	22.03	1.1	23.13	0.206	1.000	Pass
			36	Mid	22.21	1.1	23.31	0.214	1.000	Pass
			36	High	22.14	1.1	23.24	0.211	1.000	Pass
			75	Low	22.15	1.1	23.25	0.211	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
		Q16	1	Low	22.28	1.1	23.38	0.218	1.000	Pass
			1	Mid	22.57	1.1	23.67	0.233	1.000	Pass
			1	High	22.28	1.1	23.38	0.218	1.000	Pass
			36	Low	21.16	1.1	22.26	0.168	1.000	Pass
			36	Mid	21.29	1.1	22.39	0.173	1.000	Pass
			36	High	21.28	1.1	22.38	0.173	1.000	Pass
			75	Low	21.18	1.1	22.28	0.169	1.000	Pass
		Q64	1	Low	21.14	1.1	22.24	0.167	1.000	Pass
			1	Mid	21.33	1.1	22.43	0.175	1.000	Pass
			1	High	21.39	1.1	22.49	0.177	1.000	Pass
			36	Low	20.2	1.1	21.30	0.135	1.000	Pass
			36	Mid	20.28	1.1	21.38	0.137	1.000	Pass
			36	High	20.26	1.1	21.36	0.137	1.000	Pass
			75	Low	20.19	1.1	21.29	0.135	1.000	Pass
		Q256	1	Low	18.25	1.1	19.35	0.086	1.000	Pass
			1	Mid	18.32	1.1	19.42	0.087	1.000	Pass
			1	High	18.27	1.1	19.37	0.086	1.000	Pass
			36	Low	18.05	1.1	19.15	0.082	1.000	Pass
			36	Mid	18.28	1.1	19.38	0.087	1.000	Pass
			36	High	18.28	1.1	19.38	0.087	1.000	Pass
			75	Low	18.19	1.1	19.29	0.085	1.000	Pass
	MCH	QPSK	1	Low	23.42	1.1	24.52	0.283	1.000	Pass
			1	Mid	23.52	1.1	24.62	0.290	1.000	Pass
			1	High	23.47	1.1	24.57	0.286	1.000	Pass
			36	Low	22.3	1.1	23.40	0.219	1.000	Pass
			36	Mid	22.38	1.1	23.48	0.223	1.000	Pass
			36	High	22.35	1.1	23.45	0.221	1.000	Pass
			75	Low	22.35	1.1	23.45	0.221	1.000	Pass
		Q16	1	Low	22.74	1.1	23.84	0.242	1.000	Pass
			1	Mid	22.84	1.1	23.94	0.248	1.000	Pass
			1	High	22.92	1.1	24.02	0.252	1.000	Pass
			36	Low	21.37	1.1	22.47	0.177	1.000	Pass
			36	Mid	21.46	1.1	22.56	0.180	1.000	Pass
			36	High	21.46	1.1	22.56	0.180	1.000	Pass
			75	Low	21.5	1.1	22.60	0.182	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
		Q64	1	Low	21.57	1.1	22.67	0.185	1.000	Pass
			1	Mid	21.75	1.1	22.85	0.193	1.000	Pass
			1	High	21.72	1.1	22.82	0.191	1.000	Pass
			36	Low	20.39	1.1	21.49	0.141	1.000	Pass
			36	Mid	20.39	1.1	21.49	0.141	1.000	Pass
			36	High	20.46	1.1	21.56	0.143	1.000	Pass
			75	Low	20.37	1.1	21.47	0.140	1.000	Pass
		Q256	1	Low	18.41	1.1	19.51	0.089	1.000	Pass
			1	Mid	18.63	1.1	19.73	0.094	1.000	Pass
			1	High	18.55	1.1	19.65	0.092	1.000	Pass
			36	Low	18.34	1.1	19.44	0.088	1.000	Pass
			36	Mid	18.31	1.1	19.41	0.087	1.000	Pass
			36	High	18.44	1.1	19.54	0.090	1.000	Pass
			75	Low	18.38	1.1	19.48	0.089	1.000	Pass
	HCH	QPSK	1	Low	23.42	1.1	24.52	0.283	1.000	Pass
			1	Mid	23.35	1.1	24.45	0.279	1.000	Pass
			1	High	23.28	1.1	24.38	0.274	1.000	Pass
			36	Low	22.42	1.1	23.52	0.225	1.000	Pass
			36	Mid	22.44	1.1	23.54	0.226	1.000	Pass
			36	High	22.28	1.1	23.38	0.218	1.000	Pass
			75	Low	22.34	1.1	23.44	0.221	1.000	Pass
		Q16	1	Low	22.76	1.1	23.86	0.243	1.000	Pass
			1	Mid	22.76	1.1	23.86	0.243	1.000	Pass
			1	High	22.6	1.1	23.70	0.234	1.000	Pass
			36	Low	21.38	1.1	22.48	0.177	1.000	Pass
			36	Mid	21.45	1.1	22.55	0.180	1.000	Pass
			36	High	21.48	1.1	22.58	0.181	1.000	Pass
			75	Low	21.46	1.1	22.56	0.180	1.000	Pass
		Q64	1	Low	21.79	1.1	22.89	0.195	1.000	Pass
			1	Mid	21.77	1.1	22.87	0.194	1.000	Pass
			1	High	21.66	1.1	22.76	0.189	1.000	Pass
			36	Low	20.34	1.1	21.44	0.139	1.000	Pass
			36	Mid	20.4	1.1	21.50	0.141	1.000	Pass
			36	High	20.44	1.1	21.54	0.143	1.000	Pass
			75	Low	20.43	1.1	21.53	0.142	1.000	Pass
		Q256	1	Low	18.5	1.1	19.60	0.091	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			1	Mid	18.56	1.1	19.66	0.092	1.000	Pass
			1	High	18.43	1.1	19.53	0.090	1.000	Pass
			36	Low	18.38	1.1	19.48	0.089	1.000	Pass
			36	Mid	18.38	1.1	19.48	0.089	1.000	Pass
			36	High	18.35	1.1	19.45	0.088	1.000	Pass
			75	Low	18.43	1.1	19.53	0.090	1.000	Pass
20	LCH	QPSK	1	Low	23.16	1.1	24.26	0.267	1.000	Pass
			1	Mid	23.18	1.1	24.28	0.268	1.000	Pass
			1	High	23.25	1.1	24.35	0.272	1.000	Pass
			50	Low	22.15	1.1	23.25	0.211	1.000	Pass
			50	Mid	22.19	1.1	23.29	0.213	1.000	Pass
			50	High	22.28	1.1	23.38	0.218	1.000	Pass
			100	Low	22.14	1.1	23.24	0.211	1.000	Pass
		Q16	1	Low	22.51	1.1	23.61	0.230	1.000	Pass
			1	Mid	22.65	1.1	23.75	0.237	1.000	Pass
			1	High	22.69	1.1	23.79	0.239	1.000	Pass
			50	Low	21.13	1.1	22.23	0.167	1.000	Pass
			50	Mid	21.29	1.1	22.39	0.173	1.000	Pass
			50	High	21.2	1.1	22.30	0.170	1.000	Pass
			100	Low	21.27	1.1	22.37	0.173	1.000	Pass
		Q64	1	Low	21.28	1.1	22.38	0.173	1.000	Pass
			1	Mid	21.51	1.1	22.61	0.182	1.000	Pass
			1	High	21.61	1.1	22.71	0.187	1.000	Pass
			50	Low	20.06	1.1	21.16	0.131	1.000	Pass
			50	Mid	20.32	1.1	21.42	0.139	1.000	Pass
			50	High	20.24	1.1	21.34	0.136	1.000	Pass
			100	Low	20.26	1.1	21.36	0.137	1.000	Pass
		Q256	1	Low	18.26	1.1	19.36	0.086	1.000	Pass
			1	Mid	18.42	1.1	19.52	0.090	1.000	Pass
			1	High	18.29	1.1	19.39	0.087	1.000	Pass
			50	Low	18.03	1.1	19.13	0.082	1.000	Pass
			50	Mid	18.31	1.1	19.41	0.087	1.000	Pass
			50	High	18.11	1.1	19.21	0.083	1.000	Pass
			100	Low	18.25	1.1	19.35	0.086	1.000	Pass
	MCH	QPSK	1	Low	23.38	1.1	24.48	0.281	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			1	Mid	23.5	1.1	24.60	0.288	1.000	Pass
			1	High	23.5	1.1	24.60	0.288	1.000	Pass
			50	Low	22.33	1.1	23.43	0.220	1.000	Pass
			50	Mid	22.47	1.1	23.57	0.228	1.000	Pass
			50	High	22.4	1.1	23.50	0.224	1.000	Pass
			100	Low	22.37	1.1	23.47	0.222	1.000	Pass
		Q16	1	Low	22.9	1.1	24.00	0.251	1.000	Pass
			1	Mid	22.9	1.1	24.00	0.251	1.000	Pass
			1	High	22.85	1.1	23.95	0.248	1.000	Pass
			50	Low	21.49	1.1	22.59	0.182	1.000	Pass
			50	Mid	21.41	1.1	22.51	0.178	1.000	Pass
			50	High	21.42	1.1	22.52	0.179	1.000	Pass
			100	Low	21.46	1.1	22.56	0.180	1.000	Pass
		Q64	1	Low	21.59	1.1	22.69	0.186	1.000	Pass
			1	Mid	21.85	1.1	22.95	0.197	1.000	Pass
			1	High	21.73	1.1	22.83	0.192	1.000	Pass
			50	Low	20.42	1.1	21.52	0.142	1.000	Pass
			50	Mid	20.48	1.1	21.58	0.144	1.000	Pass
			50	High	20.44	1.1	21.54	0.143	1.000	Pass
			100	Low	20.35	1.1	21.45	0.140	1.000	Pass
		Q256	1	Low	18.46	1.1	19.56	0.090	1.000	Pass
			1	Mid	18.54	1.1	19.64	0.092	1.000	Pass
			1	High	18.6	1.1	19.70	0.093	1.000	Pass
			50	Low	18.41	1.1	19.51	0.089	1.000	Pass
			50	Mid	18.48	1.1	19.58	0.091	1.000	Pass
			50	High	18.35	1.1	19.45	0.088	1.000	Pass
			100	Low	18.43	1.1	19.53	0.090	1.000	Pass
	HCH	QPSK	1	Low	23.5	1.1	24.60	0.288	1.000	Pass
			1	Mid	23.54	1.1	24.64	0.291	1.000	Pass
			1	High	23.55	1.1	24.65	0.292	1.000	Pass
			50	Low	22.38	1.1	23.48	0.223	1.000	Pass
			50	Mid	22.43	1.1	23.53	0.225	1.000	Pass
			50	High	22.41	1.1	23.51	0.224	1.000	Pass
			100	Low	22.34	1.1	23.44	0.221	1.000	Pass
		Q16	1	Low	22.84	1.1	23.94	0.248	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			1	Mid	22.8	1.1	23.90	0.245	1.000	Pass
			1	High	22.62	1.1	23.72	0.236	1.000	Pass
			50	Low	21.44	1.1	22.54	0.179	1.000	Pass
			50	Mid	21.52	1.1	22.62	0.183	1.000	Pass
			50	High	21.4	1.1	22.50	0.178	1.000	Pass
			100	Low	21.41	1.1	22.51	0.178	1.000	Pass
		Q64	1	Low	21.56	1.1	22.66	0.185	1.000	Pass
			1	Mid	21.62	1.1	22.72	0.187	1.000	Pass
			1	High	21.65	1.1	22.75	0.188	1.000	Pass
			50	Low	20.51	1.1	21.61	0.145	1.000	Pass
			50	Mid	20.5	1.1	21.60	0.145	1.000	Pass
			50	High	20.4	1.1	21.50	0.141	1.000	Pass
			100	Low	20.37	1.1	21.47	0.140	1.000	Pass
		Q256	1	Low	18.55	1.1	19.65	0.092	1.000	Pass
			1	Mid	18.49	1.1	19.59	0.091	1.000	Pass
			1	High	18.58	1.1	19.68	0.093	1.000	Pass
			50	Low	18.37	1.1	19.47	0.089	1.000	Pass
			50	Mid	18.43	1.1	19.53	0.090	1.000	Pass
			50	High	18.48	1.1	19.58	0.091	1.000	Pass
			100	Low	18.4	1.1	19.50	0.089	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 43(3700-3800)										
5	LCH	QPSK	1	Low	18.02	1.6	19.62	0.092	1.000	Pass
			1	Mid	18.16	1.6	19.76	0.095	1.000	Pass
			1	High	18.1	1.6	19.70	0.093	1.000	Pass
			12	Low	17.06	1.6	18.66	0.073	1.000	Pass
			12	Mid	17.15	1.6	18.75	0.075	1.000	Pass
			12	High	16.98	1.6	18.58	0.072	1.000	Pass
			25	Low	17.01	1.6	18.61	0.073	1.000	Pass
		Q16	1	Low	17.39	1.6	18.99	0.079	1.000	Pass
			1	Mid	17.47	1.6	19.07	0.081	1.000	Pass
			1	High	17.38	1.6	18.98	0.079	1.000	Pass
			12	Low	16.09	1.6	17.69	0.059	1.000	Pass
			12	Mid	16.06	1.6	17.66	0.058	1.000	Pass
			12	High	16.08	1.6	17.68	0.059	1.000	Pass
			25	Low	16.08	1.6	17.68	0.059	1.000	Pass
		Q64	1	Low	16.33	1.6	17.93	0.062	1.000	Pass
			1	Mid	16.41	1.6	18.01	0.063	1.000	Pass
			1	High	16.39	1.6	17.99	0.063	1.000	Pass
			12	Low	15.03	1.6	16.63	0.046	1.000	Pass
			12	Mid	15.11	1.6	16.71	0.047	1.000	Pass
			12	High	15.04	1.6	16.64	0.046	1.000	Pass
			25	Low	15.02	1.6	16.62	0.046	1.000	Pass
		Q256	1	Low	13.13	1.6	14.73	0.030	1.000	Pass
			1	Mid	13.06	1.6	14.66	0.029	1.000	Pass
			1	High	13.08	1.6	14.68	0.029	1.000	Pass
			12	Low	12.94	1.6	14.54	0.028	1.000	Pass
			12	Mid	13.07	1.6	14.67	0.029	1.000	Pass
			12	High	13.06	1.6	14.66	0.029	1.000	Pass
			25	Low	13.08	1.6	14.68	0.029	1.000	Pass
	MCH	QPSK	1	Low	18.16	1.6	19.76	0.095	1.000	Pass
			1	Mid	18.14	1.6	19.74	0.094	1.000	Pass
			1	High	18.19	1.6	19.79	0.095	1.000	Pass
			12	Low	17.18	1.6	18.78	0.076	1.000	Pass
			12	Mid	17.18	1.6	18.78	0.076	1.000	Pass
			12	High	17.17	1.6	18.77	0.075	1.000	Pass
			25	Low	17.15	1.6	18.75	0.075	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 43(3700-3800)										
		Q16	1	Low	17.46	1.6	19.06	0.081	1.000	Pass
			1	Mid	17.57	1.6	19.17	0.083	1.000	Pass
			1	High	17.6	1.6	19.20	0.083	1.000	Pass
			12	Low	16.21	1.6	17.81	0.060	1.000	Pass
			12	Mid	16.22	1.6	17.82	0.061	1.000	Pass
			12	High	16.2	1.6	17.80	0.060	1.000	Pass
			25	Low	16.19	1.6	17.79	0.060	1.000	Pass
		Q64	1	Low	16.52	1.6	18.12	0.065	1.000	Pass
			1	Mid	16.58	1.6	18.18	0.066	1.000	Pass
			1	High	16.41	1.6	18.01	0.063	1.000	Pass
			12	Low	15.25	1.6	16.85	0.048	1.000	Pass
			12	Mid	15.17	1.6	16.77	0.048	1.000	Pass
			12	High	15.25	1.6	16.85	0.048	1.000	Pass
			25	Low	15.16	1.6	16.76	0.047	1.000	Pass
		Q256	1	Low	13.33	1.6	14.93	0.031	1.000	Pass
			1	Mid	13.21	1.6	14.81	0.030	1.000	Pass
			1	High	13.38	1.6	14.98	0.031	1.000	Pass
			12	Low	13.11	1.6	14.71	0.030	1.000	Pass
			12	Mid	13.25	1.6	14.85	0.031	1.000	Pass
			12	High	13.24	1.6	14.84	0.030	1.000	Pass
			25	Low	13.16	1.6	14.76	0.030	1.000	Pass
	HCH	QPSK	1	Low	18.27	1.6	19.87	0.097	1.000	Pass
			1	Mid	18.35	1.6	**19.95**	0.099	1.000	Pass
			1	High	18.17	1.6	19.77	0.095	1.000	Pass
			12	Low	17.34	1.6	18.94	0.078	1.000	Pass
			12	Mid	17.26	1.6	18.86	0.077	1.000	Pass
			12	High	17.27	1.6	18.87	0.077	1.000	Pass
			25	Low	17.18	1.6	18.78	0.076	1.000	Pass
		Q16	1	Low	17.62	1.6	19.22	0.084	1.000	Pass
			1	Mid	17.79	1.6	19.39	0.087	1.000	Pass
			1	High	17.77	1.6	19.37	0.086	1.000	Pass
			12	Low	16.22	1.6	17.82	0.061	1.000	Pass
			12	Mid	16.31	1.6	17.91	0.062	1.000	Pass
			12	High	16.27	1.6	17.87	0.061	1.000	Pass
			25	Low	16.22	1.6	17.82	0.061	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 43(3700-3800)										
		Q64	1	Low	16.55	1.6	18.15	0.065	1.000	Pass
			1	Mid	16.64	1.6	18.24	0.067	1.000	Pass
			1	High	16.48	1.6	18.08	0.064	1.000	Pass
			12	Low	15.16	1.6	16.76	0.047	1.000	Pass
			12	Mid	15.32	1.6	16.92	0.049	1.000	Pass
			12	High	15.15	1.6	16.75	0.047	1.000	Pass
			25	Low	15.37	1.6	16.97	0.050	1.000	Pass
		Q256	1	Low	13.38	1.6	14.98	0.031	1.000	Pass
			1	Mid	13.49	1.6	15.09	0.032	1.000	Pass
			1	High	13.28	1.6	14.88	0.031	1.000	Pass
			12	Low	13.21	1.6	14.81	0.030	1.000	Pass
			12	Mid	13.35	1.6	14.95	0.031	1.000	Pass
			12	High	13.22	1.6	14.82	0.030	1.000	Pass
			25	Low	13.25	1.6	14.85	0.031	1.000	Pass
10	LCH	QPSK	1	Low	17.91	1.6	19.51	0.089	1.000	Pass
			1	Mid	17.95	1.6	19.55	0.090	1.000	Pass
			1	High	17.93	1.6	19.53	0.090	1.000	Pass
			25	Low	17	1.6	18.60	0.072	1.000	Pass
			25	Mid	16.99	1.6	18.59	0.072	1.000	Pass
			25	High	17.07	1.6	18.67	0.074	1.000	Pass
			50	Low	17.12	1.6	18.72	0.074	1.000	Pass
		Q16	1	Low	17.32	1.6	18.92	0.078	1.000	Pass
			1	Mid	17.27	1.6	18.87	0.077	1.000	Pass
			1	High	17.36	1.6	18.96	0.079	1.000	Pass
			25	Low	16.08	1.6	17.68	0.059	1.000	Pass
			25	Mid	16.15	1.6	17.75	0.060	1.000	Pass
			25	High	16.06	1.6	17.66	0.058	1.000	Pass
			50	Low	16.07	1.6	17.67	0.058	1.000	Pass
		Q64	1	Low	16.19	1.6	17.79	0.060	1.000	Pass
			1	Mid	16.24	1.6	17.84	0.061	1.000	Pass
			1	High	16.34	1.6	17.94	0.062	1.000	Pass
			25	Low	14.98	1.6	16.58	0.045	1.000	Pass
			25	Mid	15.17	1.6	16.77	0.048	1.000	Pass
			25	High	15.03	1.6	16.63	0.046	1.000	Pass
			50	Low	15.06	1.6	16.66	0.046	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 43(3700-3800)										
		Q256	1	Low	13.06	1.6	14.66	0.029	1.000	Pass
			1	Mid	13.16	1.6	14.76	0.030	1.000	Pass
			1	High	13.1	1.6	14.70	0.030	1.000	Pass
			25	Low	13.04	1.6	14.64	0.029	1.000	Pass
			25	Mid	13.03	1.6	14.63	0.029	1.000	Pass
			25	High	12.92	1.6	14.52	0.028	1.000	Pass
			50	Low	12.97	1.6	14.57	0.029	1.000	Pass
	MCH	QPSK	1	Low	18.07	1.6	19.67	0.093	1.000	Pass
			1	Mid	18.24	1.6	19.84	0.096	1.000	Pass
			1	High	18.08	1.6	19.68	0.093	1.000	Pass
			25	Low	17.09	1.6	18.69	0.074	1.000	Pass
			25	Mid	17.21	1.6	18.81	0.076	1.000	Pass
			25	High	17.25	1.6	18.85	0.077	1.000	Pass
			50	Low	17.22	1.6	18.82	0.076	1.000	Pass
		Q16	1	Low	17.45	1.6	19.05	0.080	1.000	Pass
			1	Mid	17.54	1.6	19.14	0.082	1.000	Pass
			1	High	17.47	1.6	19.07	0.081	1.000	Pass
			25	Low	16.16	1.6	17.76	0.060	1.000	Pass
			25	Mid	16.26	1.6	17.86	0.061	1.000	Pass
			25	High	16.22	1.6	17.82	0.061	1.000	Pass
			50	Low	16.18	1.6	17.78	0.060	1.000	Pass
		Q64	1	Low	16.39	1.6	17.99	0.063	1.000	Pass
			1	Mid	16.35	1.6	17.95	0.062	1.000	Pass
			1	High	16.31	1.6	17.91	0.062	1.000	Pass
			25	Low	15.2	1.6	16.80	0.048	1.000	Pass
			25	Mid	15.29	1.6	16.89	0.049	1.000	Pass
			25	High	15.24	1.6	16.84	0.048	1.000	Pass
			50	Low	15.27	1.6	16.87	0.049	1.000	Pass
		Q256	1	Low	13.25	1.6	14.85	0.031	1.000	Pass
			1	Mid	13.39	1.6	14.99	0.032	1.000	Pass
			1	High	13.31	1.6	14.91	0.031	1.000	Pass
			25	Low	13.15	1.6	14.75	0.030	1.000	Pass
			25	Mid	13.21	1.6	14.81	0.030	1.000	Pass
			25	High	13.24	1.6	14.84	0.030	1.000	Pass
			50	Low	13.15	1.6	14.75	0.030	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 43(3700-3800)										
	HCH	QPSK	1	Low	18.23	1.6	19.83	0.096	1.000	Pass
			1	Mid	18.22	1.6	19.82	0.096	1.000	Pass
			1	High	18.19	1.6	19.79	0.095	1.000	Pass
			25	Low	17.17	1.6	18.77	0.075	1.000	Pass
			25	Mid	17.32	1.6	18.92	0.078	1.000	Pass
			25	High	17.2	1.6	18.80	0.076	1.000	Pass
			50	Low	17.21	1.6	18.81	0.076	1.000	Pass
		Q16	1	Low	17.53	1.6	19.13	0.082	1.000	Pass
			1	Mid	17.5	1.6	19.10	0.081	1.000	Pass
			1	High	17.46	1.6	19.06	0.081	1.000	Pass
			25	Low	16.32	1.6	17.92	0.062	1.000	Pass
			25	Mid	16.19	1.6	17.79	0.060	1.000	Pass
			25	High	16.26	1.6	17.86	0.061	1.000	Pass
			50	Low	16.35	1.6	17.95	0.062	1.000	Pass
		Q64	1	Low	16.51	1.6	18.11	0.065	1.000	Pass
			1	Mid	16.5	1.6	18.10	0.065	1.000	Pass
			1	High	16.31	1.6	17.91	0.062	1.000	Pass
			25	Low	15.22	1.6	16.82	0.048	1.000	Pass
			25	Mid	15.24	1.6	16.84	0.048	1.000	Pass
			25	High	15.36	1.6	16.96	0.050	1.000	Pass
			50	Low	15.16	1.6	16.76	0.047	1.000	Pass
		Q256	1	Low	13.34	1.6	14.94	0.031	1.000	Pass
			1	Mid	13.28	1.6	14.88	0.031	1.000	Pass
			1	High	13.23	1.6	14.83	0.030	1.000	Pass
			25	Low	13.14	1.6	14.74	0.030	1.000	Pass
			25	Mid	13.16	1.6	14.76	0.030	1.000	Pass
			25	High	13.31	1.6	14.91	0.031	1.000	Pass
			50	Low	13.26	1.6	14.86	0.031	1.000	Pass
15	LCH	QPSK	1	Low	17.86	1.6	19.46	0.088	1.000	Pass
			1	Mid	17.98	1.6	19.58	0.091	1.000	Pass
			1	High	18	1.6	19.60	0.091	1.000	Pass
			36	Low	16.96	1.6	18.56	0.072	1.000	Pass
			36	Mid	16.95	1.6	18.55	0.072	1.000	Pass
			36	High	16.94	1.6	18.54	0.071	1.000	Pass
			75	Low	16.9	1.6	18.50	0.071	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 43(3700-3800)										
		Q16	1	Low	17.24	1.6	18.84	0.077	1.000	Pass
			1	Mid	17.13	1.6	18.73	0.075	1.000	Pass
			1	High	17.2	1.6	18.80	0.076	1.000	Pass
			36	Low	15.97	1.6	17.57	0.057	1.000	Pass
			36	Mid	16.08	1.6	17.68	0.059	1.000	Pass
			36	High	15.97	1.6	17.57	0.057	1.000	Pass
			75	Low	16.07	1.6	17.67	0.058	1.000	Pass
		Q64	1	Low	16.15	1.6	17.75	0.060	1.000	Pass
			1	Mid	16.21	1.6	17.81	0.060	1.000	Pass
			1	High	16.23	1.6	17.83	0.061	1.000	Pass
			36	Low	15.12	1.6	16.72	0.047	1.000	Pass
			36	Mid	14.99	1.6	16.59	0.046	1.000	Pass
			36	High	14.84	1.6	16.44	0.044	1.000	Pass
			75	Low	15.03	1.6	16.63	0.046	1.000	Pass
		Q256	1	Low	13.18	1.6	14.78	0.030	1.000	Pass
			1	Mid	13.06	1.6	14.66	0.029	1.000	Pass
			1	High	13	1.6	14.60	0.029	1.000	Pass
			36	Low	13	1.6	14.60	0.029	1.000	Pass
			36	Mid	12.96	1.6	14.56	0.029	1.000	Pass
			36	High	12.92	1.6	14.52	0.028	1.000	Pass
			75	Low	12.91	1.6	14.51	0.028	1.000	Pass
	MCH	QPSK	1	Low	18.18	1.6	19.78	0.095	1.000	Pass
			1	Mid	18.03	1.6	19.63	0.092	1.000	Pass
			1	High	18.02	1.6	19.62	0.092	1.000	Pass
			36	Low	17.12	1.6	18.72	0.074	1.000	Pass
			36	Mid	17.14	1.6	18.74	0.075	1.000	Pass
			36	High	17	1.6	18.60	0.072	1.000	Pass
			75	Low	17.14	1.6	18.74	0.075	1.000	Pass
		Q16	1	Low	17.4	1.6	19.00	0.079	1.000	Pass
			1	Mid	17.54	1.6	19.14	0.082	1.000	Pass
			1	High	17.59	1.6	19.19	0.083	1.000	Pass
			36	Low	16.09	1.6	17.69	0.059	1.000	Pass
			36	Mid	16.07	1.6	17.67	0.058	1.000	Pass
			36	High	16.09	1.6	17.69	0.059	1.000	Pass
			75	Low	16.17	1.6	17.77	0.060	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 43(3700-3800)										
		Q64	1	Low	16.46	1.6	18.06	0.064	1.000	Pass
			1	Mid	16.46	1.6	18.06	0.064	1.000	Pass
			1	High	16.41	1.6	18.01	0.063	1.000	Pass
			36	Low	15.14	1.6	16.74	0.047	1.000	Pass
			36	Mid	15.12	1.6	16.72	0.047	1.000	Pass
			36	High	15.1	1.6	16.70	0.047	1.000	Pass
			75	Low	15.23	1.6	16.83	0.048	1.000	Pass
		Q256	1	Low	13.17	1.6	14.77	0.030	1.000	Pass
			1	Mid	13.22	1.6	14.82	0.030	1.000	Pass
			1	High	13.16	1.6	14.76	0.030	1.000	Pass
			36	Low	13.14	1.6	14.74	0.030	1.000	Pass
			36	Mid	13.13	1.6	14.73	0.030	1.000	Pass
			36	High	13.06	1.6	14.66	0.029	1.000	Pass
			75	Low	13.08	1.6	14.68	0.029	1.000	Pass
	HCH	QPSK	1	Low	18.22	1.6	19.82	0.096	1.000	Pass
			1	Mid	18.26	1.6	19.86	0.097	1.000	Pass
			1	High	18.16	1.6	19.76	0.095	1.000	Pass
			36	Low	17.29	1.6	18.89	0.077	1.000	Pass
			36	Mid	17.27	1.6	18.87	0.077	1.000	Pass
			36	High	17.2	1.6	18.80	0.076	1.000	Pass
			75	Low	17.17	1.6	18.77	0.075	1.000	Pass
		Q16	1	Low	17.54	1.6	19.14	0.082	1.000	Pass
			1	Mid	17.65	1.6	19.25	0.084	1.000	Pass
			1	High	17.53	1.6	19.13	0.082	1.000	Pass
			36	Low	16.27	1.6	17.87	0.061	1.000	Pass
			36	Mid	16.29	1.6	17.89	0.062	1.000	Pass
			36	High	16.25	1.6	17.85	0.061	1.000	Pass
			75	Low	16.18	1.6	17.78	0.060	1.000	Pass
		Q64	1	Low	16.39	1.6	17.99	0.063	1.000	Pass
			1	Mid	16.43	1.6	18.03	0.064	1.000	Pass
			1	High	16.43	1.6	18.03	0.064	1.000	Pass
			36	Low	15.32	1.6	16.92	0.049	1.000	Pass
			36	Mid	15.29	1.6	16.89	0.049	1.000	Pass
			36	High	15.15	1.6	16.75	0.047	1.000	Pass
			75	Low	15.31	1.6	16.91	0.049	1.000	Pass
		Q256	1	Low	13.19	1.6	14.79	0.030	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 43(3700-3800)										
			1	Mid	13.45	1.6	15.05	0.032	1.000	Pass
			1	High	13.36	1.6	14.96	0.031	1.000	Pass
			36	Low	13.28	1.6	14.88	0.031	1.000	Pass
			36	Mid	13.27	1.6	14.87	0.031	1.000	Pass
			36	High	13.1	1.6	14.70	0.030	1.000	Pass
			75	Low	13.19	1.6	14.79	0.030	1.000	Pass
20	LCH	QPSK	1	Low	17.99	1.6	19.59	0.091	1.000	Pass
			1	Mid	17.96	1.6	19.56	0.090	1.000	Pass
			1	High	17.85	1.6	19.45	0.088	1.000	Pass
			50	Low	17.03	1.6	18.63	0.073	1.000	Pass
			50	Mid	17.07	1.6	18.67	0.074	1.000	Pass
			50	High	16.94	1.6	18.54	0.071	1.000	Pass
			100	Low	16.99	1.6	18.59	0.072	1.000	Pass
		Q16	1	Low	17.35	1.6	18.95	0.079	1.000	Pass
			1	Mid	17.32	1.6	18.92	0.078	1.000	Pass
			1	High	17.43	1.6	19.03	0.080	1.000	Pass
			50	Low	16.02	1.6	17.62	0.058	1.000	Pass
			50	Mid	15.96	1.6	17.56	0.057	1.000	Pass
			50	High	15.85	1.6	17.45	0.056	1.000	Pass
			100	Low	16.03	1.6	17.63	0.058	1.000	Pass
		Q64	1	Low	16.33	1.6	17.93	0.062	1.000	Pass
			1	Mid	16.3	1.6	17.90	0.062	1.000	Pass
			1	High	16.26	1.6	17.86	0.061	1.000	Pass
			50	Low	15	1.6	16.60	0.046	1.000	Pass
			50	Mid	14.96	1.6	16.56	0.045	1.000	Pass
			50	High	14.9	1.6	16.50	0.045	1.000	Pass
			100	Low	15.02	1.6	16.62	0.046	1.000	Pass
		Q256	1	Low	13.19	1.6	14.79	0.030	1.000	Pass
			1	Mid	13.16	1.6	14.76	0.030	1.000	Pass
			1	High	13.11	1.6	14.71	0.030	1.000	Pass
			50	Low	13.05	1.6	14.65	0.029	1.000	Pass
			50	Mid	12.92	1.6	14.52	0.028	1.000	Pass
			50	High	12.9	1.6	14.50	0.028	1.000	Pass
			100	Low	12.97	1.6	14.57	0.029	1.000	Pass
	MCH	QPSK	1	Low	18.11	1.6	19.71	0.094	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 43(3700-3800)										
			1	Mid	18.18	1.6	19.78	0.095	1.000	Pass
			1	High	18.16	1.6	19.76	0.095	1.000	Pass
			50	Low	17.19	1.6	18.79	0.076	1.000	Pass
			50	Mid	17.19	1.6	18.79	0.076	1.000	Pass
			50	High	17.05	1.6	18.65	0.073	1.000	Pass
			100	Low	17.19	1.6	18.79	0.076	1.000	Pass
		Q16	1	Low	17.34	1.6	18.94	0.078	1.000	Pass
			1	Mid	17.53	1.6	19.13	0.082	1.000	Pass
			1	High	17.36	1.6	18.96	0.079	1.000	Pass
			50	Low	16.14	1.6	17.74	0.059	1.000	Pass
			50	Mid	16.15	1.6	17.75	0.060	1.000	Pass
			50	High	16.14	1.6	17.74	0.059	1.000	Pass
			100	Low	16.15	1.6	17.75	0.060	1.000	Pass
		Q64	1	Low	16.25	1.6	17.85	0.061	1.000	Pass
			1	Mid	16.25	1.6	17.85	0.061	1.000	Pass
			1	High	16.27	1.6	17.87	0.061	1.000	Pass
			50	Low	15.08	1.6	16.68	0.047	1.000	Pass
			50	Mid	15.13	1.6	16.73	0.047	1.000	Pass
			50	High	14.97	1.6	16.57	0.045	1.000	Pass
			100	Low	15.16	1.6	16.76	0.047	1.000	Pass
		Q256	1	Low	13.18	1.6	14.78	0.030	1.000	Pass
			1	Mid	13.19	1.6	14.79	0.030	1.000	Pass
			1	High	13.1	1.6	14.70	0.030	1.000	Pass
			50	Low	13.2	1.6	14.80	0.030	1.000	Pass
			50	Mid	13.1	1.6	14.70	0.030	1.000	Pass
			50	High	13.06	1.6	14.66	0.029	1.000	Pass
			100	Low	13.15	1.6	14.75	0.030	1.000	Pass
	HCH	QPSK	1	Low	18.24	1.6	19.84	0.096	1.000	Pass
			1	Mid	18.25	1.6	19.85	0.097	1.000	Pass
			1	High	18.19	1.6	19.79	0.095	1.000	Pass
			50	Low	17.15	1.6	18.75	0.075	1.000	Pass
			50	Mid	17.28	1.6	18.88	0.077	1.000	Pass
			50	High	17.06	1.6	18.66	0.073	1.000	Pass
			100	Low	17.23	1.6	18.83	0.076	1.000	Pass
		Q16	1	Low	17.54	1.6	19.14	0.082	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 43(3700-3800)										
			1	Mid	17.56	1.6	19.16	0.082	1.000	Pass
			1	High	17.73	1.6	19.33	0.086	1.000	Pass
			50	Low	16.22	1.6	17.82	0.061	1.000	Pass
			50	Mid	16.24	1.6	17.84	0.061	1.000	Pass
			50	High	16.14	1.6	17.74	0.059	1.000	Pass
			100	Low	16.31	1.6	17.91	0.062	1.000	Pass
		Q64	1	Low	16.54	1.6	18.14	0.065	1.000	Pass
			1	Mid	16.4	1.6	18.00	0.063	1.000	Pass
			1	High	16.53	1.6	18.13	0.065	1.000	Pass
			50	Low	15.3	1.6	16.90	0.049	1.000	Pass
			50	Mid	15.18	1.6	16.78	0.048	1.000	Pass
			50	High	15.12	1.6	16.72	0.047	1.000	Pass
			100	Low	15.17	1.6	16.77	0.048	1.000	Pass
		Q256	1	Low	13.45	1.6	15.05	0.032	1.000	Pass
			1	Mid	13.47	1.6	15.07	0.032	1.000	Pass
			1	High	13.21	1.6	14.81	0.030	1.000	Pass
			50	Low	13.32	1.6	14.92	0.031	1.000	Pass
			50	Mid	13.27	1.6	14.87	0.031	1.000	Pass
			50	High	13.13	1.6	14.73	0.030	1.000	Pass
			100	Low	13.22	1.6	14.82	0.030	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
1.4	LCH	QPSK	1	Low	22.3	2.9	25.20	0.331	1.000	Pass
			1	Mid	22.25	2.9	25.15	0.327	1.000	Pass
			1	High	22.35	2.9	25.25	0.335	1.000	Pass
			3	Low	22.26	2.9	25.16	0.328	1.000	Pass
			3	Mid	22.27	2.9	25.17	0.329	1.000	Pass
			3	High	22.27	2.9	25.17	0.329	1.000	Pass
			6	Low	21.33	2.9	24.23	0.265	1.000	Pass
		Q16	1	Low	21.49	2.9	24.39	0.275	1.000	Pass
			1	Mid	21.58	2.9	24.48	0.281	1.000	Pass
			1	High	21.46	2.9	24.36	0.273	1.000	Pass
			3	Low	21.58	2.9	24.48	0.281	1.000	Pass
			3	Mid	21.56	2.9	24.46	0.279	1.000	Pass
			3	High	21.42	2.9	24.32	0.270	1.000	Pass
			6	Low	20.41	2.9	23.31	0.214	1.000	Pass
		Q64	1	Low	20.67	2.9	23.57	0.228	1.000	Pass
			1	Mid	20.66	2.9	23.56	0.227	1.000	Pass
			1	High	20.71	2.9	23.61	0.230	1.000	Pass
			3	Low	20.49	2.9	23.39	0.218	1.000	Pass
			3	Mid	20.46	2.9	23.36	0.217	1.000	Pass
			3	High	20.5	2.9	23.40	0.219	1.000	Pass
			6	Low	19.52	2.9	22.42	0.175	1.000	Pass
		Q256	1	Low	17.49	2.9	20.39	0.109	1.000	Pass
			1	Mid	17.58	2.9	20.48	0.112	1.000	Pass
			1	High	17.68	2.9	20.58	0.114	1.000	Pass
			3	Low	17.51	2.9	20.41	0.110	1.000	Pass
			3	Mid	17.51	2.9	20.41	0.110	1.000	Pass
			3	High	17.49	2.9	20.39	0.109	1.000	Pass
			6	Low	17.42	2.9	20.32	0.108	1.000	Pass
	MCH	QPSK	1	Low	22.34	2.9	25.24	0.334	1.000	Pass
			1	Mid	22.28	2.9	25.18	0.330	1.000	Pass
			1	High	22.42	2.9	25.32	0.340	1.000	Pass
			3	Low	22.28	2.9	25.18	0.330	1.000	Pass
			3	Mid	22.27	2.9	25.17	0.329	1.000	Pass
			3	High	22.34	2.9	25.24	0.334	1.000	Pass
			6	Low	21.32	2.9	24.22	0.264	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
		Q16	1	Low	21.8	2.9	24.70	0.295	1.000	Pass
			1	Mid	21.58	2.9	24.48	0.281	1.000	Pass
			1	High	21.83	2.9	24.73	0.297	1.000	Pass
			3	Low	21.57	2.9	24.47	0.280	1.000	Pass
			3	Mid	21.59	2.9	24.49	0.281	1.000	Pass
			3	High	21.61	2.9	24.51	0.282	1.000	Pass
			6	Low	20.45	2.9	23.35	0.216	1.000	Pass
		Q64	1	Low	20.52	2.9	23.42	0.220	1.000	Pass
			1	Mid	20.5	2.9	23.40	0.219	1.000	Pass
			1	High	20.57	2.9	23.47	0.222	1.000	Pass
			3	Low	20.57	2.9	23.47	0.222	1.000	Pass
			3	Mid	20.47	2.9	23.37	0.217	1.000	Pass
			3	High	20.64	2.9	23.54	0.226	1.000	Pass
			6	Low	19.42	2.9	22.32	0.171	1.000	Pass
		Q256	1	Low	17.5	2.9	20.40	0.110	1.000	Pass
			1	Mid	17.66	2.9	20.56	0.114	1.000	Pass
			1	High	17.5	2.9	20.40	0.110	1.000	Pass
			3	Low	17.52	2.9	20.42	0.110	1.000	Pass
			3	Mid	17.44	2.9	20.34	0.108	1.000	Pass
			3	High	17.47	2.9	20.37	0.109	1.000	Pass
			6	Low	17.38	2.9	20.28	0.107	1.000	Pass
	HCH	QPSK	1	Low	22.36	2.9	25.26	0.336	1.000	Pass
			1	Mid	22.35	2.9	25.25	0.335	1.000	Pass
			1	High	22.38	2.9	25.28	0.337	1.000	Pass
			3	Low	22.37	2.9	25.27	0.337	1.000	Pass
			3	Mid	22.3	2.9	25.20	0.331	1.000	Pass
			3	High	22.34	2.9	25.24	0.334	1.000	Pass
			6	Low	21.35	2.9	24.25	0.266	1.000	Pass
		Q16	1	Low	21.62	2.9	24.52	0.283	1.000	Pass
			1	Mid	21.73	2.9	24.63	0.290	1.000	Pass
			1	High	21.7	2.9	24.60	0.288	1.000	Pass
			3	Low	21.59	2.9	24.49	0.281	1.000	Pass
			3	Mid	21.55	2.9	24.45	0.279	1.000	Pass
			3	High	21.75	2.9	24.65	0.292	1.000	Pass
			6	Low	20.53	2.9	23.43	0.220	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
		Q64	1	Low	20.78	2.9	23.68	0.233	1.000	Pass
			1	Mid	20.78	2.9	23.68	0.233	1.000	Pass
			1	High	20.71	2.9	23.61	0.230	1.000	Pass
			3	Low	20.52	2.9	23.42	0.220	1.000	Pass
			3	Mid	20.65	2.9	23.55	0.226	1.000	Pass
			3	High	20.62	2.9	23.52	0.225	1.000	Pass
			6	Low	19.5	2.9	22.40	0.174	1.000	Pass
		Q256	1	Low	17.74	2.9	20.64	0.116	1.000	Pass
			1	Mid	17.5	2.9	20.40	0.110	1.000	Pass
			1	High	17.61	2.9	20.51	0.112	1.000	Pass
			3	Low	17.59	2.9	20.49	0.112	1.000	Pass
			3	Mid	17.53	2.9	20.43	0.110	1.000	Pass
			3	High	17.49	2.9	20.39	0.109	1.000	Pass
			6	Low	17.52	2.9	20.42	0.110	1.000	Pass
3	LCH	QPSK	1	Low	22.32	2.9	25.22	0.333	1.000	Pass
			1	Mid	22.49	2.9	25.39	0.346	1.000	Pass
			1	High	22.33	2.9	25.23	0.333	1.000	Pass
			8	Low	21.43	2.9	24.33	0.271	1.000	Pass
			8	Mid	21.44	2.9	24.34	0.272	1.000	Pass
			8	High	21.49	2.9	24.39	0.275	1.000	Pass
			15	Low	21.45	2.9	24.35	0.272	1.000	Pass
		Q16	1	Low	21.56	2.9	24.46	0.279	1.000	Pass
			1	Mid	21.87	2.9	24.77	0.300	1.000	Pass
			1	High	21.72	2.9	24.62	0.290	1.000	Pass
			8	Low	20.53	2.9	23.43	0.220	1.000	Pass
			8	Mid	20.55	2.9	23.45	0.221	1.000	Pass
			8	High	20.56	2.9	23.46	0.222	1.000	Pass
			15	Low	20.45	2.9	23.35	0.216	1.000	Pass
		Q64	1	Low	20.46	2.9	23.36	0.217	1.000	Pass
			1	Mid	20.74	2.9	23.64	0.231	1.000	Pass
			1	High	20.57	2.9	23.47	0.222	1.000	Pass
			8	Low	19.46	2.9	22.36	0.172	1.000	Pass
			8	Mid	19.57	2.9	22.47	0.177	1.000	Pass
			8	High	19.57	2.9	22.47	0.177	1.000	Pass
			15	Low	19.46	2.9	22.36	0.172	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
		Q2556	1	Low	17.42	2.9	20.32	0.108	1.000	Pass
			1	Mid	17.54	2.9	20.44	0.111	1.000	Pass
			1	High	17.45	2.9	20.35	0.108	1.000	Pass
			8	Low	17.43	2.9	20.33	0.108	1.000	Pass
			8	Mid	17.49	2.9	20.39	0.109	1.000	Pass
			8	High	17.48	2.9	20.38	0.109	1.000	Pass
			15	Low	17.46	2.9	20.36	0.109	1.000	Pass
	MCH	QPSK	1	Low	22.25	2.9	25.15	0.327	1.000	Pass
			1	Mid	22.52	2.9	25.42	0.348	1.000	Pass
			1	High	22.31	2.9	25.21	0.332	1.000	Pass
			8	Low	21.39	2.9	24.29	0.269	1.000	Pass
			8	Mid	21.47	2.9	24.37	0.274	1.000	Pass
			8	High	21.45	2.9	24.35	0.272	1.000	Pass
			15	Low	21.44	2.9	24.34	0.272	1.000	Pass
		Q16	1	Low	21.68	2.9	24.58	0.287	1.000	Pass
			1	Mid	21.79	2.9	24.69	0.294	1.000	Pass
			1	High	21.6	2.9	24.50	0.282	1.000	Pass
			8	Low	20.49	2.9	23.39	0.218	1.000	Pass
			8	Mid	20.51	2.9	23.41	0.219	1.000	Pass
			8	High	20.57	2.9	23.47	0.222	1.000	Pass
			15	Low	20.47	2.9	23.37	0.217	1.000	Pass
		Q64	1	Low	20.44	2.9	23.34	0.216	1.000	Pass
			1	Mid	20.67	2.9	23.57	0.228	1.000	Pass
			1	High	20.53	2.9	23.43	0.220	1.000	Pass
			8	Low	19.43	2.9	22.33	0.171	1.000	Pass
			8	Mid	19.52	2.9	22.42	0.175	1.000	Pass
			8	High	19.47	2.9	22.37	0.173	1.000	Pass
			15	Low	19.42	2.9	22.32	0.171	1.000	Pass
		Q256	1	Low	17.37	2.9	20.27	0.106	1.000	Pass
			1	Mid	17.57	2.9	20.47	0.111	1.000	Pass
			1	High	17.39	2.9	20.29	0.107	1.000	Pass
			8	Low	17.37	2.9	20.27	0.106	1.000	Pass
			8	Mid	17.48	2.9	20.38	0.109	1.000	Pass
			8	High	17.45	2.9	20.35	0.108	1.000	Pass
			15	Low	17.45	2.9	20.35	0.108	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
	HCH	QPSK	1	Low	22.34	2.9	25.24	0.334	1.000	Pass
			1	Mid	22.48	2.9	25.38	0.345	1.000	Pass
			1	High	22.41	2.9	25.31	0.340	1.000	Pass
			8	Low	21.45	2.9	24.35	0.272	1.000	Pass
			8	Mid	21.48	2.9	24.38	0.274	1.000	Pass
			8	High	21.48	2.9	24.38	0.274	1.000	Pass
			15	Low	21.5	2.9	24.40	0.275	1.000	Pass
		Q16	1	Low	21.87	2.9	24.77	0.300	1.000	Pass
			1	Mid	21.85	2.9	24.75	0.299	1.000	Pass
			1	High	21.92	2.9	24.82	0.303	1.000	Pass
			8	Low	20.55	2.9	23.45	0.221	1.000	Pass
			8	Mid	20.59	2.9	23.49	0.223	1.000	Pass
			8	High	20.56	2.9	23.46	0.222	1.000	Pass
			15	Low	20.54	2.9	23.44	0.221	1.000	Pass
		Q64	1	Low	20.79	2.9	23.69	0.234	1.000	Pass
			1	Mid	20.88	2.9	23.78	0.239	1.000	Pass
			1	High	20.72	2.9	23.62	0.230	1.000	Pass
			8	Low	19.51	2.9	22.41	0.174	1.000	Pass
			8	Mid	19.55	2.9	22.45	0.176	1.000	Pass
			8	High	19.52	2.9	22.42	0.175	1.000	Pass
			15	Low	19.5	2.9	22.40	0.174	1.000	Pass
		Q256	1	Low	17.52	2.9	20.42	0.110	1.000	Pass
			1	Mid	17.62	2.9	20.52	0.113	1.000	Pass
			1	High	17.46	2.9	20.36	0.109	1.000	Pass
			8	Low	17.48	2.9	20.38	0.109	1.000	Pass
			8	Mid	17.53	2.9	20.43	0.110	1.000	Pass
			8	High	17.53	2.9	20.43	0.110	1.000	Pass
			15	Low	17.48	2.9	20.38	0.109	1.000	Pass
5	LCH	QPSK	1	Low	22.37	2.9	25.27	0.337	1.000	Pass
			1	Mid	22.51	2.9	25.41	0.348	1.000	Pass
			1	High	22.43	2.9	25.33	0.341	1.000	Pass
			12	Low	21.39	2.9	24.29	0.269	1.000	Pass
			12	Mid	21.47	2.9	24.37	0.274	1.000	Pass
			12	High	21.43	2.9	24.33	0.271	1.000	Pass
			25	Low	21.43	2.9	24.33	0.271	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
		Q16	1	Low	21.74	2.9	24.64	0.291	1.000	Pass
			1	Mid	21.89	2.9	24.79	0.301	1.000	Pass
			1	High	21.79	2.9	24.69	0.294	1.000	Pass
			12	Low	20.44	2.9	23.34	0.216	1.000	Pass
			12	Mid	20.49	2.9	23.39	0.218	1.000	Pass
			12	High	20.42	2.9	23.32	0.215	1.000	Pass
			25	Low	20.48	2.9	23.38	0.218	1.000	Pass
		Q64	1	Low	20.6	2.9	23.50	0.224	1.000	Pass
			1	Mid	20.7	2.9	23.60	0.229	1.000	Pass
			1	High	20.69	2.9	23.59	0.229	1.000	Pass
			12	Low	19.43	2.9	22.33	0.171	1.000	Pass
			12	Mid	19.5	2.9	22.40	0.174	1.000	Pass
			12	High	19.45	2.9	22.35	0.172	1.000	Pass
			25	Low	19.43	2.9	22.33	0.171	1.000	Pass
		Q256	1	Low	17.57	2.9	20.47	0.111	1.000	Pass
			1	Mid	17.63	2.9	20.53	0.113	1.000	Pass
			1	High	17.49	2.9	20.39	0.109	1.000	Pass
			12	Low	17.43	2.9	20.33	0.108	1.000	Pass
			12	Mid	17.47	2.9	20.37	0.109	1.000	Pass
			12	High	17.43	2.9	20.33	0.108	1.000	Pass
			25	Low	17.41	2.9	20.31	0.107	1.000	Pass
	MCH	QPSK	1	Low	22.34	2.9	25.24	0.334	1.000	Pass
			1	Mid	22.47	2.9	25.37	0.344	1.000	Pass
			1	High	22.43	2.9	25.33	0.341	1.000	Pass
			12	Low	21.39	2.9	24.29	0.269	1.000	Pass
			12	Mid	21.51	2.9	24.41	0.276	1.000	Pass
			12	High	21.45	2.9	24.35	0.272	1.000	Pass
			25	Low	21.42	2.9	24.32	0.270	1.000	Pass
		Q16	1	Low	21.86	2.9	24.76	0.299	1.000	Pass
			1	Mid	21.89	2.9	24.79	0.301	1.000	Pass
			1	High	21.89	2.9	24.79	0.301	1.000	Pass
			12	Low	20.46	2.9	23.36	0.217	1.000	Pass
			12	Mid	20.56	2.9	23.46	0.222	1.000	Pass
			12	High	20.51	2.9	23.41	0.219	1.000	Pass
			25	Low	20.44	2.9	23.34	0.216	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
		Q64	1	Low	20.78	2.9	23.68	0.233	1.000	Pass
			1	Mid	20.96	2.9	23.86	0.243	1.000	Pass
			1	High	20.8	2.9	23.70	0.234	1.000	Pass
			12	Low	19.37	2.9	22.27	0.169	1.000	Pass
			12	Mid	19.45	2.9	22.35	0.172	1.000	Pass
			12	High	19.41	2.9	22.31	0.170	1.000	Pass
			25	Low	19.46	2.9	22.36	0.172	1.000	Pass
		Q256	1	Low	17.39	2.9	20.29	0.107	1.000	Pass
			1	Mid	17.6	2.9	20.50	0.112	1.000	Pass
			1	High	17.58	2.9	20.48	0.112	1.000	Pass
			12	Low	17.39	2.9	20.29	0.107	1.000	Pass
			12	Mid	17.5	2.9	20.40	0.110	1.000	Pass
			12	High	17.44	2.9	20.34	0.108	1.000	Pass
			25	Low	17.37	2.9	20.27	0.106	1.000	Pass
	HCH	QPSK	1	Low	22.48	2.9	25.38	0.345	1.000	Pass
			1	Mid	22.58	2.9	25.48	0.353	1.000	Pass
			1	High	22.53	2.9	25.43	0.349	1.000	Pass
			12	Low	21.46	2.9	24.36	0.273	1.000	Pass
			12	Mid	21.44	2.9	24.34	0.272	1.000	Pass
			12	High	21.45	2.9	24.35	0.272	1.000	Pass
			25	Low	21.42	2.9	24.32	0.270	1.000	Pass
		Q16	1	Low	21.89	2.9	24.79	0.301	1.000	Pass
			1	Mid	21.97	2.9	24.87	0.307	1.000	Pass
			1	High	21.91	2.9	24.81	0.303	1.000	Pass
			12	Low	20.5	2.9	23.40	0.219	1.000	Pass
			12	Mid	20.5	2.9	23.40	0.219	1.000	Pass
			12	High	20.5	2.9	23.40	0.219	1.000	Pass
			25	Low	20.39	2.9	23.29	0.213	1.000	Pass
		Q64	1	Low	20.83	2.9	23.73	0.236	1.000	Pass
			1	Mid	20.88	2.9	23.78	0.239	1.000	Pass
			1	High	20.76	2.9	23.66	0.232	1.000	Pass
			12	Low	19.43	2.9	22.33	0.171	1.000	Pass
			12	Mid	19.45	2.9	22.35	0.172	1.000	Pass
			12	High	19.47	2.9	22.37	0.173	1.000	Pass
			25	Low	19.4	2.9	22.30	0.170	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
		Q256	1	Low	17.53	2.9	20.43	0.110	1.000	Pass
			1	Mid	17.79	2.9	20.69	0.117	1.000	Pass
			1	High	17.6	2.9	20.50	0.112	1.000	Pass
			12	Low	17.46	2.9	20.36	0.109	1.000	Pass
			12	Mid	17.46	2.9	20.36	0.109	1.000	Pass
			12	High	17.48	2.9	20.38	0.109	1.000	Pass
			25	Low	17.4	2.9	20.30	0.107	1.000	Pass
10	LCH	QPSK	1	Low	22.34	2.9	25.24	0.334	1.000	Pass
			1	Mid	22.42	2.9	25.32	0.340	1.000	Pass
			1	High	22.34	2.9	25.24	0.334	1.000	Pass
			25	Low	21.46	2.9	24.36	0.273	1.000	Pass
			25	Mid	21.39	2.9	24.29	0.269	1.000	Pass
			25	High	21.34	2.9	24.24	0.265	1.000	Pass
			50	Low	21.33	2.9	24.23	0.265	1.000	Pass
		Q16	1	Low	21.65	2.9	24.55	0.285	1.000	Pass
			1	Mid	21.76	2.9	24.66	0.292	1.000	Pass
			1	High	21.69	2.9	24.59	0.288	1.000	Pass
			25	Low	20.49	2.9	23.39	0.218	1.000	Pass
			25	Mid	20.45	2.9	23.35	0.216	1.000	Pass
			25	High	20.34	2.9	23.24	0.211	1.000	Pass
			50	Low	20.38	2.9	23.28	0.213	1.000	Pass
		Q64	1	Low	20.58	2.9	23.48	0.223	1.000	Pass
			1	Mid	20.73	2.9	23.63	0.231	1.000	Pass
			1	High	20.59	2.9	23.49	0.223	1.000	Pass
			25	Low	19.47	2.9	22.37	0.173	1.000	Pass
			25	Mid	19.39	2.9	22.29	0.169	1.000	Pass
			25	High	19.38	2.9	22.28	0.169	1.000	Pass
			50	Low	19.36	2.9	22.26	0.168	1.000	Pass
		Q256	1	Low	17.5	2.9	20.40	0.110	1.000	Pass
			1	Mid	17.51	2.9	20.41	0.110	1.000	Pass
			1	High	17.41	2.9	20.31	0.107	1.000	Pass
			25	Low	17.42	2.9	20.32	0.108	1.000	Pass
			25	Mid	17.37	2.9	20.27	0.106	1.000	Pass
			25	High	17.36	2.9	20.26	0.106	1.000	Pass
			50	Low	17.35	2.9	20.25	0.106	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
	MCH	QPSK	1	Low	22.33	2.9	25.23	0.333	1.000	Pass
			1	Mid	22.43	2.9	25.33	0.341	1.000	Pass
			1	High	22.33	2.9	25.23	0.333	1.000	Pass
			25	Low	21.44	2.9	24.34	0.272	1.000	Pass
			25	Mid	21.42	2.9	24.32	0.270	1.000	Pass
			25	High	21.33	2.9	24.23	0.265	1.000	Pass
			50	Low	21.44	2.9	24.34	0.272	1.000	Pass
		Q16	1	Low	21.71	2.9	24.61	0.289	1.000	Pass
			1	Mid	21.7	2.9	24.60	0.288	1.000	Pass
			1	High	21.66	2.9	24.56	0.286	1.000	Pass
			25	Low	20.47	2.9	23.37	0.217	1.000	Pass
			25	Mid	20.48	2.9	23.38	0.218	1.000	Pass
			25	High	20.38	2.9	23.28	0.213	1.000	Pass
			50	Low	20.44	2.9	23.34	0.216	1.000	Pass
		Q64	1	Low	20.5	2.9	23.40	0.219	1.000	Pass
			1	Mid	20.56	2.9	23.46	0.222	1.000	Pass
			1	High	20.66	2.9	23.56	0.227	1.000	Pass
			25	Low	19.51	2.9	22.41	0.174	1.000	Pass
			25	Mid	19.46	2.9	22.36	0.172	1.000	Pass
			25	High	19.38	2.9	22.28	0.169	1.000	Pass
			50	Low	19.47	2.9	22.37	0.173	1.000	Pass
		Q256	1	Low	17.56	2.9	20.46	0.111	1.000	Pass
			1	Mid	17.67	2.9	20.57	0.114	1.000	Pass
			1	High	17.44	2.9	20.34	0.108	1.000	Pass
			25	Low	17.46	2.9	20.36	0.109	1.000	Pass
			25	Mid	17.4	2.9	20.30	0.107	1.000	Pass
			25	High	17.34	2.9	20.24	0.106	1.000	Pass
			50	Low	17.42	2.9	20.32	0.108	1.000	Pass
	HCH	QPSK	1	Low	22.44	2.9	25.34	0.342	1.000	Pass
			1	Mid	22.48	2.9	25.38	0.345	1.000	Pass
			1	High	22.46	2.9	25.36	0.344	1.000	Pass
			25	Low	21.53	2.9	24.43	0.277	1.000	Pass
			25	Mid	21.45	2.9	24.35	0.272	1.000	Pass
			25	High	21.45	2.9	24.35	0.272	1.000	Pass
			50	Low	21.42	2.9	24.32	0.270	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
		Q16	1	Low	21.77	2.9	24.67	0.293	1.000	Pass
			1	Mid	21.85	2.9	24.75	0.299	1.000	Pass
			1	High	21.57	2.9	24.47	0.280	1.000	Pass
			25	Low	20.54	2.9	23.44	0.221	1.000	Pass
			25	Mid	20.53	2.9	23.43	0.220	1.000	Pass
			25	High	20.48	2.9	23.38	0.218	1.000	Pass
			50	Low	20.49	2.9	23.39	0.218	1.000	Pass
		Q64	1	Low	20.77	2.9	23.67	0.233	1.000	Pass
			1	Mid	20.78	2.9	23.68	0.233	1.000	Pass
			1	High	20.76	2.9	23.66	0.232	1.000	Pass
			25	Low	19.55	2.9	22.45	0.176	1.000	Pass
			25	Mid	19.47	2.9	22.37	0.173	1.000	Pass
			25	High	19.42	2.9	22.32	0.171	1.000	Pass
			50	Low	19.43	2.9	22.33	0.171	1.000	Pass
		Q256	1	Low	17.64	2.9	20.54	0.113	1.000	Pass
			1	Mid	17.72	2.9	20.62	0.115	1.000	Pass
			1	High	17.63	2.9	20.53	0.113	1.000	Pass
			25	Low	17.51	2.9	20.41	0.110	1.000	Pass
			25	Mid	17.49	2.9	20.39	0.109	1.000	Pass
			25	High	17.4	2.9	20.30	0.107	1.000	Pass
			50	Low	17.45	2.9	20.35	0.108	1.000	Pass
15	LCH	QPSK	1	Low	22.44	2.9	25.34	0.342	1.000	Pass
			1	Mid	22.35	2.9	25.25	0.335	1.000	Pass
			1	High	22.3	2.9	25.20	0.331	1.000	Pass
			36	Low	21.38	2.9	24.28	0.268	1.000	Pass
			36	Mid	21.38	2.9	24.28	0.268	1.000	Pass
			36	High	21.37	2.9	24.27	0.267	1.000	Pass
			75	Low	21.4	2.9	24.30	0.269	1.000	Pass
		Q16	1	Low	21.73	2.9	24.63	0.290	1.000	Pass
			1	Mid	21.63	2.9	24.53	0.284	1.000	Pass
			1	High	21.73	2.9	24.63	0.290	1.000	Pass
			36	Low	20.41	2.9	23.31	0.214	1.000	Pass
			36	Mid	20.45	2.9	23.35	0.216	1.000	Pass
			36	High	20.45	2.9	23.35	0.216	1.000	Pass
			75	Low	20.43	2.9	23.33	0.215	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
		Q64	1	Low	20.7	2.9	23.60	0.229	1.000	Pass
			1	Mid	20.65	2.9	23.55	0.226	1.000	Pass
			1	High	20.62	2.9	23.52	0.225	1.000	Pass
			36	Low	19.38	2.9	22.28	0.169	1.000	Pass
			36	Mid	19.46	2.9	22.36	0.172	1.000	Pass
			36	High	19.42	2.9	22.32	0.171	1.000	Pass
			75	Low	19.42	2.9	22.32	0.171	1.000	Pass
		Q256	1	Low	17.53	2.9	20.43	0.110	1.000	Pass
			1	Mid	17.46	2.9	20.36	0.109	1.000	Pass
			1	High	17.45	2.9	20.35	0.108	1.000	Pass
			36	Low	17.42	2.9	20.32	0.108	1.000	Pass
			36	Mid	17.44	2.9	20.34	0.108	1.000	Pass
			36	High	17.4	2.9	20.30	0.107	1.000	Pass
			75	Low	17.41	2.9	20.31	0.107	1.000	Pass
	MCH	QPSK	1	Low	22.37	2.9	25.27	0.337	1.000	Pass
			1	Mid	22.4	2.9	25.30	0.339	1.000	Pass
			1	High	22.32	2.9	25.22	0.333	1.000	Pass
			36	Low	21.37	2.9	24.27	0.267	1.000	Pass
			36	Mid	21.39	2.9	24.29	0.269	1.000	Pass
			36	High	21.29	2.9	24.19	0.262	1.000	Pass
			75	Low	21.38	2.9	24.28	0.268	1.000	Pass
		Q16	1	Low	21.64	2.9	24.54	0.284	1.000	Pass
			1	Mid	21.6	2.9	24.50	0.282	1.000	Pass
			1	High	21.69	2.9	24.59	0.288	1.000	Pass
			36	Low	20.42	2.9	23.32	0.215	1.000	Pass
			36	Mid	20.45	2.9	23.35	0.216	1.000	Pass
			36	High	20.33	2.9	23.23	0.210	1.000	Pass
			75	Low	20.45	2.9	23.35	0.216	1.000	Pass
		Q64	1	Low	20.64	2.9	23.54	0.226	1.000	Pass
			1	Mid	20.52	2.9	23.42	0.220	1.000	Pass
			1	High	20.52	2.9	23.42	0.220	1.000	Pass
			36	Low	19.43	2.9	22.33	0.171	1.000	Pass
			36	Mid	19.41	2.9	22.31	0.170	1.000	Pass
			36	High	19.35	2.9	22.25	0.168	1.000	Pass
			75	Low	19.44	2.9	22.34	0.171	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
		Q256	1	Low	17.58	2.9	20.48	0.112	1.000	Pass
			1	Mid	17.44	2.9	20.34	0.108	1.000	Pass
			1	High	17.44	2.9	20.34	0.108	1.000	Pass
			36	Low	17.37	2.9	20.27	0.106	1.000	Pass
			36	Mid	17.4	2.9	20.30	0.107	1.000	Pass
			36	High	17.27	2.9	20.17	0.104	1.000	Pass
			75	Low	17.38	2.9	20.28	0.107	1.000	Pass
	HCH	QPSK	1	Low	22.35	2.9	25.25	0.335	1.000	Pass
			1	Mid	22.46	2.9	25.36	0.344	1.000	Pass
			1	High	22.35	2.9	25.25	0.335	1.000	Pass
			36	Low	21.43	2.9	24.33	0.271	1.000	Pass
			36	Mid	21.37	2.9	24.27	0.267	1.000	Pass
			36	High	21.36	2.9	24.26	0.267	1.000	Pass
			75	Low	21.35	2.9	24.25	0.266	1.000	Pass
		Q16	1	Low	21.57	2.9	24.47	0.280	1.000	Pass
			1	Mid	21.59	2.9	24.49	0.281	1.000	Pass
			1	High	21.68	2.9	24.58	0.287	1.000	Pass
			36	Low	20.49	2.9	23.39	0.218	1.000	Pass
			36	Mid	20.38	2.9	23.28	0.213	1.000	Pass
			36	High	20.39	2.9	23.29	0.213	1.000	Pass
			75	Low	20.4	2.9	23.30	0.214	1.000	Pass
		Q64	1	Low	20.74	2.9	23.64	0.231	1.000	Pass
			1	Mid	20.74	2.9	23.64	0.231	1.000	Pass
			1	High	20.61	2.9	23.51	0.224	1.000	Pass
			36	Low	19.51	2.9	22.41	0.174	1.000	Pass
			36	Mid	19.43	2.9	22.33	0.171	1.000	Pass
			36	High	19.4	2.9	22.30	0.170	1.000	Pass
			75	Low	19.41	2.9	22.31	0.170	1.000	Pass
		Q256	1	Low	17.51	2.9	20.41	0.110	1.000	Pass
			1	Mid	17.6	2.9	20.50	0.112	1.000	Pass
			1	High	17.39	2.9	20.29	0.107	1.000	Pass
			36	Low	17.43	2.9	20.33	0.108	1.000	Pass
			36	Mid	17.39	2.9	20.29	0.107	1.000	Pass
			36	High	17.37	2.9	20.27	0.106	1.000	Pass
			75	Low	17.36	2.9	20.26	0.106	1.000	Pass
20	LCH	QPSK	1	Low	22.33	2.9	25.23	0.333	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	Mid	22.39	2.9	25.29	0.338	1.000	Pass
			1	High	22.24	2.9	25.14	0.327	1.000	Pass
			50	Low	21.38	2.9	24.28	0.268	1.000	Pass
			50	Mid	21.43	2.9	24.33	0.271	1.000	Pass
			50	High	21.29	2.9	24.19	0.262	1.000	Pass
			100	Low	21.41	2.9	24.31	0.270	1.000	Pass
		Q16	1	Low	21.68	2.9	24.58	0.287	1.000	Pass
			1	Mid	21.84	2.9	24.74	0.298	1.000	Pass
			1	High	21.68	2.9	24.58	0.287	1.000	Pass
			50	Low	20.42	2.9	23.32	0.215	1.000	Pass
			50	Mid	20.45	2.9	23.35	0.216	1.000	Pass
			50	High	20.34	2.9	23.24	0.211	1.000	Pass
			100	Low	20.43	2.9	23.33	0.215	1.000	Pass
		Q64	1	Low	20.64	2.9	23.54	0.226	1.000	Pass
			1	Mid	20.69	2.9	23.59	0.229	1.000	Pass
			1	High	20.68	2.9	23.58	0.228	1.000	Pass
			50	Low	19.41	2.9	22.31	0.170	1.000	Pass
			50	Mid	19.43	2.9	22.33	0.171	1.000	Pass
			50	High	19.35	2.9	22.25	0.168	1.000	Pass
			100	Low	19.41	2.9	22.31	0.170	1.000	Pass
		Q256	1	Low	17.46	2.9	20.36	0.109	1.000	Pass
			1	Mid	17.62	2.9	20.52	0.113	1.000	Pass
			1	High	17.36	2.9	20.26	0.106	1.000	Pass
			50	Low	17.41	2.9	20.31	0.107	1.000	Pass
			50	Mid	17.4	2.9	20.30	0.107	1.000	Pass
			50	High	17.28	2.9	20.18	0.104	1.000	Pass
			100	Low	17.39	2.9	20.29	0.107	1.000	Pass
	MCH	QPSK	1	Low	22.32	2.9	25.22	0.333	1.000	Pass
			1	Mid	22.36	2.9	25.26	0.336	1.000	Pass
			1	High	22.27	2.9	25.17	0.329	1.000	Pass
			50	Low	21.41	2.9	24.31	0.270	1.000	Pass
			50	Mid	21.39	2.9	24.29	0.269	1.000	Pass
			50	High	21.3	2.9	24.20	0.263	1.000	Pass
			100	Low	21.38	2.9	24.28	0.268	1.000	Pass
		Q16	1	Low	21.65	2.9	24.55	0.285	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	Mid	21.67	2.9	24.57	0.286	1.000	Pass
			1	High	21.53	2.9	24.43	0.277	1.000	Pass
			50	Low	20.41	2.9	23.31	0.214	1.000	Pass
			50	Mid	20.4	2.9	23.30	0.214	1.000	Pass
			50	High	20.31	2.9	23.21	0.209	1.000	Pass
			100	Low	20.41	2.9	23.31	0.214	1.000	Pass
		Q64	1	Low	20.62	2.9	23.52	0.225	1.000	Pass
			1	Mid	20.63	2.9	23.53	0.225	1.000	Pass
			1	High	20.61	2.9	23.51	0.224	1.000	Pass
			50	Low	19.43	2.9	22.33	0.171	1.000	Pass
			50	Mid	19.46	2.9	22.36	0.172	1.000	Pass
			50	High	19.35	2.9	22.25	0.168	1.000	Pass
			100	Low	19.4	2.9	22.30	0.170	1.000	Pass
		Q256	1	Low	17.48	2.9	20.38	0.109	1.000	Pass
			1	Mid	17.56	2.9	20.46	0.111	1.000	Pass
			1	High	17.31	2.9	20.21	0.105	1.000	Pass
			50	Low	17.4	2.9	20.30	0.107	1.000	Pass
			50	Mid	17.39	2.9	20.29	0.107	1.000	Pass
			50	High	17.28	2.9	20.18	0.104	1.000	Pass
			100	Low	17.39	2.9	20.29	0.107	1.000	Pass
	HCH	QPSK	1	Low	22.28	2.9	25.18	0.330	1.000	Pass
			1	Mid	22.43	2.9	25.33	0.341	1.000	Pass
			1	High	22.51	2.9	25.41	0.348	1.000	Pass
			50	Low	21.38	2.9	24.28	0.268	1.000	Pass
			50	Mid	21.37	2.9	24.27	0.267	1.000	Pass
			50	High	21.39	2.9	24.29	0.269	1.000	Pass
			100	Low	21.37	2.9	24.27	0.267	1.000	Pass
		Q16	1	Low	21.54	2.9	24.44	0.278	1.000	Pass
			1	Mid	21.68	2.9	24.58	0.287	1.000	Pass
			1	High	21.72	2.9	24.62	0.290	1.000	Pass
			50	Low	20.41	2.9	23.31	0.214	1.000	Pass
			50	Mid	20.4	2.9	23.30	0.214	1.000	Pass
			50	High	20.37	2.9	23.27	0.212	1.000	Pass
			100	Low	20.39	2.9	23.29	0.213	1.000	Pass
		Q64	1	Low	20.61	2.9	23.51	0.224	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	Mid	20.66	2.9	23.56	0.227	1.000	Pass
			1	High	20.8	2.9	23.70	0.234	1.000	Pass
			50	Low	19.38	2.9	22.28	0.169	1.000	Pass
			50	Mid	19.43	2.9	22.33	0.171	1.000	Pass
			50	High	19.39	2.9	22.29	0.169	1.000	Pass
			100	Low	19.38	2.9	22.28	0.169	1.000	Pass
		Q256	1	Low	17.4	2.9	20.30	0.107	1.000	Pass
			1	Mid	17.53	2.9	20.43	0.110	1.000	Pass
			1	High	17.44	2.9	20.34	0.108	1.000	Pass
			50	Low	17.34	2.9	20.24	0.106	1.000	Pass
			50	Mid	17.39	2.9	20.29	0.107	1.000	Pass
			50	High	17.36	2.9	20.26	0.106	1.000	Pass
			100	Low	17.37	2.9	20.27	0.106	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 71											
5	LCH	QPSK	1	Low	22.75	1	-1.15	21.60	0.145	2.000	Pass
			1	Mid	22.8	1	-1.15	21.65	0.146	2.000	Pass
			1	High	22.81	1	-1.15	21.66	0.147	2.000	Pass
			12	Low	21.77	1	-1.15	20.62	0.115	2.000	Pass
			12	Mid	21.86	1	-1.15	20.71	0.118	2.000	Pass
			12	High	21.82	1	-1.15	20.67	0.117	2.000	Pass
			25	Low	21.86	1	-1.15	20.71	0.118	2.000	Pass
		Q16	1	Low	22.05	1	-1.15	20.90	0.123	2.000	Pass
			1	Mid	22.2	1	-1.15	21.05	0.127	2.000	Pass
			1	High	22.16	1	-1.15	21.01	0.126	2.000	Pass
			12	Low	20.83	1	-1.15	19.68	0.093	2.000	Pass
			12	Mid	20.93	1	-1.15	19.78	0.095	2.000	Pass
			12	High	20.9	1	-1.15	19.75	0.094	2.000	Pass
			25	Low	20.84	1	-1.15	19.69	0.093	2.000	Pass
		Q64	1	Low	21.08	1	-1.15	19.93	0.098	2.000	Pass
			1	Mid	20.99	1	-1.15	19.84	0.096	2.000	Pass
			1	High	21.08	1	-1.15	19.93	0.098	2.000	Pass
			12	Low	19.78	1	-1.15	18.63	0.073	2.000	Pass
			12	Mid	19.88	1	-1.15	18.73	0.075	2.000	Pass
			12	High	19.8	1	-1.15	18.65	0.073	2.000	Pass
			25	Low	19.83	1	-1.15	18.68	0.074	2.000	Pass
		Q256	1	Low	17.95	1	-1.15	16.80	0.048	2.000	Pass
			1	Mid	18.06	1	-1.15	16.91	0.049	2.000	Pass
			1	High	17.91	1	-1.15	16.76	0.047	2.000	Pass
			12	Low	17.75	1	-1.15	16.60	0.046	2.000	Pass
			12	Mid	17.88	1	-1.15	16.73	0.047	2.000	Pass
			12	High	17.79	1	-1.15	16.64	0.046	2.000	Pass
			25	Low	17.84	1	-1.15	16.69	0.047	2.000	Pass
	MCH	QPSK	1	Low	22.73	1	-1.15	21.58	0.144	2.000	Pass
			1	Mid	22.81	1	-1.15	21.66	0.147	2.000	Pass
			1	High	22.73	1	-1.15	21.58	0.144	2.000	Pass
			12	Low	21.77	1	-1.15	20.62	0.115	2.000	Pass
			12	Mid	21.81	1	-1.15	20.66	0.116	2.000	Pass
			12	High	21.83	1	-1.15	20.68	0.117	2.000	Pass
			25	Low	21.75	1	-1.15	20.60	0.115	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 71											
		Q16	1	Low	22.1	1	-1.15	20.95	0.124	2.000	Pass
			1	Mid	22.23	1	-1.15	21.08	0.128	2.000	Pass
			1	High	22.17	1	-1.15	21.02	0.126	2.000	Pass
			12	Low	20.76	1	-1.15	19.61	0.091	2.000	Pass
			12	Mid	20.79	1	-1.15	19.64	0.092	2.000	Pass
			12	High	20.81	1	-1.15	19.66	0.092	2.000	Pass
			25	Low	20.77	1	-1.15	19.62	0.092	2.000	Pass
		Q64	1	Low	20.98	1	-1.15	19.83	0.096	2.000	Pass
			1	Mid	21.14	1	-1.15	19.99	0.100	2.000	Pass
			1	High	20.9	1	-1.15	19.75	0.094	2.000	Pass
			12	Low	19.75	1	-1.15	18.60	0.072	2.000	Pass
			12	Mid	19.8	1	-1.15	18.65	0.073	2.000	Pass
			12	High	19.79	1	-1.15	18.64	0.073	2.000	Pass
			25	Low	19.76	1	-1.15	18.61	0.073	2.000	Pass
		Q256	1	Low	17.84	1	-1.15	16.69	0.047	2.000	Pass
			1	Mid	17.92	1	-1.15	16.77	0.048	2.000	Pass
			1	High	17.74	1	-1.15	16.59	0.046	2.000	Pass
			12	Low	17.76	1	-1.15	16.61	0.046	2.000	Pass
			12	Mid	17.78	1	-1.15	16.63	0.046	2.000	Pass
			12	High	17.77	1	-1.15	16.62	0.046	2.000	Pass
			25	Low	17.78	1	-1.15	16.63	0.046	2.000	Pass
	HCH	QPSK	1	Low	22.67	1	-1.15	21.52	0.142	2.000	Pass
			1	Mid	22.77	1	-1.15	21.62	0.145	2.000	Pass
			1	High	22.79	1	-1.15	21.64	0.146	2.000	Pass
			12	Low	21.74	1	-1.15	20.59	0.115	2.000	Pass
			12	Mid	21.82	1	-1.15	20.67	0.117	2.000	Pass
			12	High	21.79	1	-1.15	20.64	0.116	2.000	Pass
			25	Low	21.81	1	-1.15	20.66	0.116	2.000	Pass
		Q16	1	Low	22.34	1	-1.15	21.19	0.132	2.000	Pass
			1	Mid	22.29	1	-1.15	21.14	0.130	2.000	Pass
			1	High	22.16	1	-1.15	21.01	0.126	2.000	Pass
			12	Low	20.77	1	-1.15	19.62	0.092	2.000	Pass
			12	Mid	20.88	1	-1.15	19.73	0.094	2.000	Pass
			12	High	20.81	1	-1.15	19.66	0.092	2.000	Pass
			25	Low	20.83	1	-1.15	19.68	0.093	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 71											
		Q64	1	Low	21.26	1	-1.15	20.11	0.103	2.000	Pass
			1	Mid	21.23	1	-1.15	20.08	0.102	2.000	Pass
			1	High	21.08	1	-1.15	19.93	0.098	2.000	Pass
			12	Low	19.78	1	-1.15	18.63	0.073	2.000	Pass
			12	Mid	19.89	1	-1.15	18.74	0.075	2.000	Pass
			12	High	19.83	1	-1.15	18.68	0.074	2.000	Pass
			25	Low	19.83	1	-1.15	18.68	0.074	2.000	Pass
		Q256	1	Low	17.85	1	-1.15	16.70	0.047	2.000	Pass
			1	Mid	17.97	1	-1.15	16.82	0.048	2.000	Pass
			1	High	17.94	1	-1.15	16.79	0.048	2.000	Pass
			12	Low	17.78	1	-1.15	16.63	0.046	2.000	Pass
			12	Mid	17.88	1	-1.15	16.73	0.047	2.000	Pass
			12	High	17.78	1	-1.15	16.63	0.046	2.000	Pass
			25	Low	17.83	1	-1.15	16.68	0.047	2.000	Pass
10	LCH	QPSK	1	Low	22.71	1	-1.15	21.56	0.143	2.000	Pass
			1	Mid	22.72	1	-1.15	21.57	0.144	2.000	Pass
			1	High	22.79	1	-1.15	21.64	0.146	2.000	Pass
			25	Low	21.75	1	-1.15	20.60	0.115	2.000	Pass
			25	Mid	21.83	1	-1.15	20.68	0.117	2.000	Pass
			25	High	21.8	1	-1.15	20.65	0.116	2.000	Pass
			50	Low	21.83	1	-1.15	20.68	0.117	2.000	Pass
		Q16	1	Low	22.18	1	-1.15	21.03	0.127	2.000	Pass
			1	Mid	22.04	1	-1.15	20.89	0.123	2.000	Pass
			1	High	22.13	1	-1.15	20.98	0.125	2.000	Pass
			25	Low	20.75	1	-1.15	19.60	0.091	2.000	Pass
			25	Mid	20.86	1	-1.15	19.71	0.094	2.000	Pass
			25	High	20.81	1	-1.15	19.66	0.092	2.000	Pass
			50	Low	20.84	1	-1.15	19.69	0.093	2.000	Pass
		Q64	1	Low	20.99	1	-1.15	19.84	0.096	2.000	Pass
			1	Mid	20.88	1	-1.15	19.73	0.094	2.000	Pass
			1	High	20.91	1	-1.15	19.76	0.095	2.000	Pass
			25	Low	19.75	1	-1.15	18.60	0.072	2.000	Pass
			25	Mid	19.87	1	-1.15	18.72	0.074	2.000	Pass
			25	High	19.83	1	-1.15	18.68	0.074	2.000	Pass
			50	Low	19.85	1	-1.15	18.70	0.074	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 71											
		Q256	1	Low	17.89	1	-1.15	16.74	0.047	2.000	Pass
			1	Mid	17.97	1	-1.15	16.82	0.048	2.000	Pass
			1	High	17.86	1	-1.15	16.71	0.047	2.000	Pass
			25	Low	17.77	1	-1.15	16.62	0.046	2.000	Pass
			25	Mid	17.8	1	-1.15	16.65	0.046	2.000	Pass
			25	High	17.81	1	-1.15	16.66	0.046	2.000	Pass
			50	Low	17.83	1	-1.15	16.68	0.047	2.000	Pass
	MCH	QPSK	1	Low	22.75	1	-1.15	21.60	0.145	2.000	Pass
			1	Mid	22.74	1	-1.15	21.59	0.144	2.000	Pass
			1	High	22.69	1	-1.15	21.54	0.143	2.000	Pass
			25	Low	21.75	1	-1.15	20.60	0.115	2.000	Pass
			25	Mid	21.78	1	-1.15	20.63	0.116	2.000	Pass
			25	High	21.81	1	-1.15	20.66	0.116	2.000	Pass
			50	Low	21.74	1	-1.15	20.59	0.115	2.000	Pass
		Q16	1	Low	22.16	1	-1.15	21.01	0.126	2.000	Pass
			1	Mid	22.24	1	-1.15	21.09	0.129	2.000	Pass
			1	High	22.21	1	-1.15	21.06	0.128	2.000	Pass
			25	Low	20.79	1	-1.15	19.64	0.092	2.000	Pass
			25	Mid	20.8	1	-1.15	19.65	0.092	2.000	Pass
			25	High	20.82	1	-1.15	19.67	0.093	2.000	Pass
			50	Low	20.77	1	-1.15	19.62	0.092	2.000	Pass
		Q64	1	Low	20.88	1	-1.15	19.73	0.094	2.000	Pass
			1	Mid	21.07	1	-1.15	19.92	0.098	2.000	Pass
			1	High	20.91	1	-1.15	19.76	0.095	2.000	Pass
			25	Low	19.79	1	-1.15	18.64	0.073	2.000	Pass
			25	Mid	19.81	1	-1.15	18.66	0.073	2.000	Pass
			25	High	19.8	1	-1.15	18.65	0.073	2.000	Pass
			50	Low	19.78	1	-1.15	18.63	0.073	2.000	Pass
		Q256	1	Low	17.84	1	-1.15	16.69	0.047	2.000	Pass
			1	Mid	17.97	1	-1.15	16.82	0.048	2.000	Pass
			1	High	17.88	1	-1.15	16.73	0.047	2.000	Pass
			25	Low	17.78	1	-1.15	16.63	0.046	2.000	Pass
			25	Mid	17.7	1	-1.15	16.55	0.045	2.000	Pass
			25	High	17.84	1	-1.15	16.69	0.047	2.000	Pass
			50	Low	17.72	1	-1.15	16.57	0.045	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 71											
	HCH	QPSK	1	Low	22.74	1	-1.15	21.59	0.144	2.000	Pass
			1	Mid	22.79	1	-1.15	21.64	0.146	2.000	Pass
			1	High	22.63	1	-1.15	21.48	0.141	2.000	Pass
			25	Low	21.73	1	-1.15	20.58	0.114	2.000	Pass
			25	Mid	21.82	1	-1.15	20.67	0.117	2.000	Pass
			25	High	21.77	1	-1.15	20.62	0.115	2.000	Pass
			50	Low	21.8	1	-1.15	20.65	0.116	2.000	Pass
		Q16	1	Low	22	1	-1.15	20.85	0.122	2.000	Pass
			1	Mid	22.1	1	-1.15	20.95	0.124	2.000	Pass
			1	High	21.89	1	-1.15	20.74	0.119	2.000	Pass
			25	Low	20.73	1	-1.15	19.58	0.091	2.000	Pass
			25	Mid	20.82	1	-1.15	19.67	0.093	2.000	Pass
			25	High	20.79	1	-1.15	19.64	0.092	2.000	Pass
			50	Low	20.78	1	-1.15	19.63	0.092	2.000	Pass
		Q64	1	Low	20.98	1	-1.15	19.83	0.096	2.000	Pass
			1	Mid	20.99	1	-1.15	19.84	0.096	2.000	Pass
			1	High	21	1	-1.15	19.85	0.097	2.000	Pass
			25	Low	19.74	1	-1.15	18.59	0.072	2.000	Pass
			25	Mid	19.86	1	-1.15	18.71	0.074	2.000	Pass
			25	High	19.78	1	-1.15	18.63	0.073	2.000	Pass
			50	Low	19.81	1	-1.15	18.66	0.073	2.000	Pass
		Q256	1	Low	17.64	1	-1.15	16.49	0.045	2.000	Pass
			1	Mid	17.8	1	-1.15	16.65	0.046	2.000	Pass
			1	High	17.97	1	-1.15	16.82	0.048	2.000	Pass
			25	Low	17.75	1	-1.15	16.60	0.046	2.000	Pass
			25	Mid	17.79	1	-1.15	16.64	0.046	2.000	Pass
			25	High	17.78	1	-1.15	16.63	0.046	2.000	Pass
			50	Low	17.81	1	-1.15	16.66	0.046	2.000	Pass
15	LCH	QPSK	1	Low	22.77	1	-1.15	21.62	0.145	2.000	Pass
			1	Mid	22.76	1	-1.15	21.61	0.145	2.000	Pass
			1	High	22.66	1	-1.15	21.51	0.142	2.000	Pass
			36	Low	21.75	1	-1.15	20.60	0.115	2.000	Pass
			36	Mid	21.82	1	-1.15	20.67	0.117	2.000	Pass
			36	High	21.81	1	-1.15	20.66	0.116	2.000	Pass
			75	Low	21.83	1	-1.15	20.68	0.117	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 71											
		Q16	1	Low	22.06	1	-1.15	20.91	0.123	2.000	Pass
			1	Mid	22.08	1	-1.15	20.93	0.124	2.000	Pass
			1	High	21.96	1	-1.15	20.81	0.121	2.000	Pass
			36	Low	20.8	1	-1.15	19.65	0.092	2.000	Pass
			36	Mid	20.86	1	-1.15	19.71	0.094	2.000	Pass
			36	High	20.81	1	-1.15	19.66	0.092	2.000	Pass
			75	Low	20.86	1	-1.15	19.71	0.094	2.000	Pass
		Q64	1	Low	21.03	1	-1.15	19.88	0.097	2.000	Pass
			1	Mid	20.97	1	-1.15	19.82	0.096	2.000	Pass
			1	High	20.96	1	-1.15	19.81	0.096	2.000	Pass
			36	Low	19.79	1	-1.15	18.64	0.073	2.000	Pass
			36	Mid	19.88	1	-1.15	18.73	0.075	2.000	Pass
			36	High	19.8	1	-1.15	18.65	0.073	2.000	Pass
			75	Low	19.88	1	-1.15	18.73	0.075	2.000	Pass
		Q256	1	Low	17.83	1	-1.15	16.68	0.047	2.000	Pass
			1	Mid	18.05	1	-1.15	16.90	0.049	2.000	Pass
			1	High	17.9	1	-1.15	16.75	0.047	2.000	Pass
			36	Low	17.79	1	-1.15	16.64	0.046	2.000	Pass
			36	Mid	17.81	1	-1.15	16.66	0.046	2.000	Pass
			36	High	17.81	1	-1.15	16.66	0.046	2.000	Pass
			75	Low	17.86	1	-1.15	16.71	0.047	2.000	Pass
	MCH	QPSK	1	Low	22.83	1	-1.15	21.68	0.147	2.000	Pass
			1	Mid	22.75	1	-1.15	21.60	0.145	2.000	Pass
			1	High	22.66	1	-1.15	21.51	0.142	2.000	Pass
			36	Low	21.76	1	-1.15	20.61	0.115	2.000	Pass
			36	Mid	21.73	1	-1.15	20.58	0.114	2.000	Pass
			36	High	21.76	1	-1.15	20.61	0.115	2.000	Pass
			75	Low	21.74	1	-1.15	20.59	0.115	2.000	Pass
		Q16	1	Low	22.14	1	-1.15	20.99	0.126	2.000	Pass
			1	Mid	22.15	1	-1.15	21.00	0.126	2.000	Pass
			1	High	21.95	1	-1.15	20.80	0.120	2.000	Pass
			36	Low	20.77	1	-1.15	19.62	0.092	2.000	Pass
			36	Mid	20.81	1	-1.15	19.66	0.092	2.000	Pass
			36	High	20.84	1	-1.15	19.69	0.093	2.000	Pass
			75	Low	20.78	1	-1.15	19.63	0.092	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 71											
		Q64	1	Low	20.92	1	-1.15	19.77	0.095	2.000	Pass
			1	Mid	21.01	1	-1.15	19.86	0.097	2.000	Pass
			1	High	20.88	1	-1.15	19.73	0.094	2.000	Pass
			36	Low	19.76	1	-1.15	18.61	0.073	2.000	Pass
			36	Mid	19.77	1	-1.15	18.62	0.073	2.000	Pass
			36	High	19.75	1	-1.15	18.60	0.072	2.000	Pass
			75	Low	19.79	1	-1.15	18.64	0.073	2.000	Pass
		Q256	1	Low	17.82	1	-1.15	16.67	0.046	2.000	Pass
			1	Mid	17.95	1	-1.15	16.80	0.048	2.000	Pass
			1	High	17.78	1	-1.15	16.63	0.046	2.000	Pass
			36	Low	17.75	1	-1.15	16.60	0.046	2.000	Pass
			36	Mid	17.75	1	-1.15	16.60	0.046	2.000	Pass
			36	High	17.82	1	-1.15	16.67	0.046	2.000	Pass
			75	Low	17.77	1	-1.15	16.62	0.046	2.000	Pass
	HCH	QPSK	1	Low	22.72	1	-1.15	21.57	0.144	2.000	Pass
			1	Mid	22.81	1	-1.15	21.66	0.147	2.000	Pass
			1	High	22.61	1	-1.15	21.46	0.140	2.000	Pass
			36	Low	21.72	1	-1.15	20.57	0.114	2.000	Pass
			36	Mid	21.78	1	-1.15	20.63	0.116	2.000	Pass
			36	High	21.72	1	-1.15	20.57	0.114	2.000	Pass
			75	Low	21.77	1	-1.15	20.62	0.115	2.000	Pass
		Q16	1	Low	21.97	1	-1.15	20.82	0.121	2.000	Pass
			1	Mid	21.98	1	-1.15	20.83	0.121	2.000	Pass
			1	High	21.84	1	-1.15	20.69	0.117	2.000	Pass
			36	Low	20.74	1	-1.15	19.59	0.091	2.000	Pass
			36	Mid	20.84	1	-1.15	19.69	0.093	2.000	Pass
			36	High	20.78	1	-1.15	19.63	0.092	2.000	Pass
			75	Low	20.79	1	-1.15	19.64	0.092	2.000	Pass
		Q64	1	Low	20.99	1	-1.15	19.84	0.096	2.000	Pass
			1	Mid	21.16	1	-1.15	20.01	0.100	2.000	Pass
			1	High	21.03	1	-1.15	19.88	0.097	2.000	Pass
			36	Low	19.76	1	-1.15	18.61	0.073	2.000	Pass
			36	Mid	19.82	1	-1.15	18.67	0.074	2.000	Pass
			36	High	19.74	1	-1.15	18.59	0.072	2.000	Pass
			75	Low	19.83	1	-1.15	18.68	0.074	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 71											
		Q256	1	Low	17.9	1	-1.15	16.75	0.047	2.000	Pass
			1	Mid	17.95	1	-1.15	16.80	0.048	2.000	Pass
			1	High	17.89	1	-1.15	16.74	0.047	2.000	Pass
			36	Low	17.75	1	-1.15	16.60	0.046	2.000	Pass
			36	Mid	17.8	1	-1.15	16.65	0.046	2.000	Pass
			36	High	17.81	1	-1.15	16.66	0.046	2.000	Pass
			75	Low	17.77	1	-1.15	16.62	0.046	2.000	Pass
20	LCH	QPSK	1	Low	22.68	1	-1.15	21.53	0.142	2.000	Pass
			1	Mid	22.77	1	-1.15	21.62	0.145	2.000	Pass
			1	High	22.68	1	-1.15	21.53	0.142	2.000	Pass
			50	Low	21.77	1	-1.15	20.62	0.115	2.000	Pass
			50	Mid	21.85	1	-1.15	20.70	0.117	2.000	Pass
			50	High	21.77	1	-1.15	20.62	0.115	2.000	Pass
			100	Low	21.85	1	-1.15	20.70	0.117	2.000	Pass
		Q16	1	Low	22.11	1	-1.15	20.96	0.125	2.000	Pass
			1	Mid	22.13	1	-1.15	20.98	0.125	2.000	Pass
			1	High	22.01	1	-1.15	20.86	0.122	2.000	Pass
			50	Low	20.8	1	-1.15	19.65	0.092	2.000	Pass
			50	Mid	20.84	1	-1.15	19.69	0.093	2.000	Pass
			50	High	20.8	1	-1.15	19.65	0.092	2.000	Pass
			100	Low	20.86	1	-1.15	19.71	0.094	2.000	Pass
		Q64	1	Low	21.06	1	-1.15	19.91	0.098	2.000	Pass
			1	Mid	21.09	1	-1.15	19.94	0.099	2.000	Pass
			1	High	21.03	1	-1.15	19.88	0.097	2.000	Pass
			50	Low	19.77	1	-1.15	18.62	0.073	2.000	Pass
			50	Mid	19.83	1	-1.15	18.68	0.074	2.000	Pass
			50	High	19.78	1	-1.15	18.63	0.073	2.000	Pass
			100	Low	19.83	1	-1.15	18.68	0.074	2.000	Pass
		Q256	1	Low	17.91	1	-1.15	16.76	0.047	2.000	Pass
			1	Mid	17.89	1	-1.15	16.74	0.047	2.000	Pass
			1	High	17.85	1	-1.15	16.70	0.047	2.000	Pass
			50	Low	17.79	1	-1.15	16.64	0.046	2.000	Pass
			50	Mid	17.84	1	-1.15	16.69	0.047	2.000	Pass
			50	High	17.79	1	-1.15	16.64	0.046	2.000	Pass
			100	Low	17.81	1	-1.15	16.66	0.046	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 71											
	MCH	QPSK	1	Low	22.84	1	-1.15	21.69	0.148	2.000	Pass
			1	Mid	22.82	1	-1.15	21.67	0.147	2.000	Pass
			1	High	22.63	1	-1.15	21.48	0.141	2.000	Pass
			50	Low	21.79	1	-1.15	20.64	0.116	2.000	Pass
			50	Mid	21.77	1	-1.15	20.62	0.115	2.000	Pass
			50	High	21.78	1	-1.15	20.63	0.116	2.000	Pass
			100	Low	21.78	1	-1.15	20.63	0.116	2.000	Pass
		Q16	1	Low	22.1	1	-1.15	20.95	0.124	2.000	Pass
			1	Mid	22.15	1	-1.15	21.00	0.126	2.000	Pass
			1	High	22.01	1	-1.15	20.86	0.122	2.000	Pass
			50	Low	20.8	1	-1.15	19.65	0.092	2.000	Pass
			50	Mid	20.81	1	-1.15	19.66	0.092	2.000	Pass
			50	High	20.79	1	-1.15	19.64	0.092	2.000	Pass
			100	Low	20.76	1	-1.15	19.61	0.091	2.000	Pass
		Q64	1	Low	21.09	1	-1.15	19.94	0.099	2.000	Pass
			1	Mid	21.05	1	-1.15	19.90	0.098	2.000	Pass
			1	High	20.93	1	-1.15	19.78	0.095	2.000	Pass
			50	Low	19.81	1	-1.15	18.66	0.073	2.000	Pass
			50	Mid	19.8	1	-1.15	18.65	0.073	2.000	Pass
			50	High	19.83	1	-1.15	18.68	0.074	2.000	Pass
			100	Low	19.78	1	-1.15	18.63	0.073	2.000	Pass
		Q256	1	Low	17.91	1	-1.15	16.76	0.047	2.000	Pass
			1	Mid	17.88	1	-1.15	16.73	0.047	2.000	Pass
			1	High	17.74	1	-1.15	16.59	0.046	2.000	Pass
			50	Low	17.8	1	-1.15	16.65	0.046	2.000	Pass
			50	Mid	17.8	1	-1.15	16.65	0.046	2.000	Pass
			50	High	17.79	1	-1.15	16.64	0.046	2.000	Pass
			100	Low	17.8	1	-1.15	16.65	0.046	2.000	Pass
	HCH	QPSK	1	Low	22.77	1	-1.15	21.62	0.145	2.000	Pass
			1	Mid	22.73	1	-1.15	21.58	0.144	2.000	Pass
			1	High	22.69	1	-1.15	21.54	0.143	2.000	Pass
			50	Low	21.78	1	-1.15	20.63	0.116	2.000	Pass
			50	Mid	21.81	1	-1.15	20.66	0.116	2.000	Pass
			50	High	21.75	1	-1.15	20.60	0.115	2.000	Pass
			100	Low	21.83	1	-1.15	20.68	0.117	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 71											
		Q16	1	Low	22.11	1	-1.15	20.96	0.125	2.000	Pass
			1	Mid	22.04	1	-1.15	20.89	0.123	2.000	Pass
			1	High	21.91	1	-1.15	20.76	0.119	2.000	Pass
			50	Low	20.8	1	-1.15	19.65	0.092	2.000	Pass
			50	Mid	20.88	1	-1.15	19.73	0.094	2.000	Pass
			50	High	20.76	1	-1.15	19.61	0.091	2.000	Pass
			100	Low	20.83	1	-1.15	19.68	0.093	2.000	Pass
		Q64	1	Low	21.08	1	-1.15	19.93	0.098	2.000	Pass
			1	Mid	21.12	1	-1.15	19.97	0.099	2.000	Pass
			1	High	20.96	1	-1.15	19.81	0.096	2.000	Pass
			50	Low	19.8	1	-1.15	18.65	0.073	2.000	Pass
			50	Mid	19.82	1	-1.15	18.67	0.074	2.000	Pass
			50	High	19.76	1	-1.15	18.61	0.073	2.000	Pass
			100	Low	19.83	1	-1.15	18.68	0.074	2.000	Pass
		Q256	1	Low	17.8	1	-1.15	16.65	0.046	2.000	Pass
			1	Mid	17.93	1	-1.15	16.78	0.048	2.000	Pass
			1	High	18	1	-1.15	16.85	0.048	2.000	Pass
			50	Low	17.78	1	-1.15	16.63	0.046	2.000	Pass
			50	Mid	17.77	1	-1.15	16.62	0.046	2.000	Pass
			50	High	17.79	1	-1.15	16.64	0.046	2.000	Pass
			100	Low	17.82	1	-1.15	16.67	0.046	2.000	Pass

CA Test Data

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit	Verdict
		Low	Mid	High		LCH	MCH	HCH	(W)	
CA_2C										
20MHz+5MHz										
QPSK	1 | 0	20.44	20.59	20.7	2	0.175	0.182	0.186	2.000	Pass
	Half | 0	18.53	18.7	18.66	2	0.113	0.117	0.116	2.000	Pass
	Full | 0	18.54	18.64	18.75	2	0.113	0.116	0.119	2.000	Pass
	1 | 1	24.15	24.25	24.34	2	0.412	0.422	0.431	2.000	Pass
	Full | Full	21.23	21.29	21.4	2	0.210	0.213	0.219	2.000	Pass
16QAM	1 | 0	19.56	19.58	19.68	2	0.143	0.144	0.147	2.000	Pass
	Half | 0	17.45	17.7	17.64	2	0.088	0.093	0.092	2.000	Pass
	Full | 0	17.55	17.61	17.74	2	0.090	0.091	0.094	2.000	Pass
	1 | 1	23.26	23.24	23.14	2	0.336	0.334	0.327	2.000	Pass
	Full | Full	20.25	20.3	20.48	2	0.168	0.170	0.177	2.000	Pass
20MHz+20MHz										
QPSK	1 | 0	20.39	20.28	20.27	2	0.173	0.169	0.169	2.000	Pass
	Half | 0	19.45	19.49	19.56	2	0.140	0.141	0.143	2.000	Pass
	Full | 0	19.54	19.38	19.47	2	0.143	0.137	0.140	2.000	Pass
	1 | 1	24.1	24.14	23.95	2	0.407	0.411	0.394	2.000	Pass
	Full | Full	21.13	21.1	21.12	2	0.206	0.204	0.205	2.000	Pass
16QAM	1 | 0	19.51	19.58	19.61	2	0.142	0.144	0.145	2.000	Pass
	Half | 0	18.5	18.51	18.62	2	0.112	0.112	0.115	2.000	Pass
	Full | 0	18.51	18.73	18.44	2	0.112	0.118	0.111	2.000	Pass
	1 | 1	19	18.95	19.01	2	0.126	0.124	0.126	2.000	Pass
	Full | Full	18.12	18.25	18.18	2	0.103	0.106	0.104	2.000	Pass
5MHz+20MHz										
QPSK	1 | 1	23.89	24.23	24.09	2	0.388	0.420	0.406	2.000	Pass
	Full | Full	20.79	21.24	21.36	2	0.190	0.211	0.217	2.000	Pass
16QAM	1 | 1	22.94	23.06	23.17	2	0.312	0.321	0.329	2.000	Pass
	Full | Full	20.17	20.17	20.06	2	0.165	0.165	0.161	2.000	Pass
10MHz+15MHz										
QPSK	1 | 1	24.23	24.49	24.18	2	0.420	0.446	0.415	2.000	Pass
	Full | Full	20.88	21.06	21.09	2	0.194	0.202	0.204	2.000	Pass
16QAM	1 | 1	23.01	23.06	23.35	2	0.317	0.321	0.343	2.000	Pass
	Full | Full	19.91	20.03	20.33	2	0.155	0.160	0.171	2.000	Pass
15MHz+10MHz										

QPSK	1 | 1	24.15	24.18	24.12	2	0.412	0.415	0.409	2.000	Pass
	Full | Full	21.26	21.2	21.35	2	0.212	0.209	0.216	2.000	Pass
16QAM	1 | 1	22.93	23.03	22.95	2	0.311	0.318	0.313	2.000	Pass
	Full | Full	19.98	20.07	20.02	2	0.158	0.161	0.159	2.000	Pass
10MHz+20MHz										
QPSK	1 | 1	23.89	24.18	24.16	2	0.388	0.415	0.413	2.000	Pass
	Full | Full	21	21.08	21.3	2	0.200	0.203	0.214	2.000	Pass
16QAM	1 | 1	23.2	23.17	23.23	2	0.331	0.329	0.333	2.000	Pass
	Full | Full	20.11	20.22	20.25	2	0.163	0.167	0.168	2.000	Pass
20MHz+10MHz										
QPSK	1 | 1	23.92	24.14	24.27	2	0.391	0.411	0.424	2.000	Pass
	Full | Full	20.99	21.11	21.04	2	0.199	0.205	0.201	2.000	Pass
16QAM	1 | 1	22.93	23.14	23.05	2	0.311	0.327	0.320	2.000	Pass
	Full | Full	19.89	20.22	20.27	2	0.155	0.167	0.169	2.000	Pass
15MHz+15MHz										
QPSK	1 | 1	24.18	24.24	24.16	2	0.415	0.421	0.413	2.000	Pass
	Full | Full	21.05	21.09	20.96	2	0.202	0.204	0.198	2.000	Pass
16QAM	1 | 1	23.31	23.02	23.26	2	0.340	0.318	0.336	2.000	Pass
	Full | Full	20.01	20.03	20.15	2	0.159	0.160	0.164	2.000	Pass
15MHz+20MHz										
QPSK	1 | 1	24.05	24.33	24.22	2	0.403	0.430	0.419	2.000	Pass
	Full | Full	21.07	21.23	21.22	2	0.203	0.210	0.210	2.000	Pass
16QAM	1 | 1	23.09	23	23.24	2	0.323	0.316	0.334	2.000	Pass
	Full | Full	19.94	20.22	20.1	2	0.156	0.167	0.162	2.000	Pass
20MHz+15MHz										
QPSK	1 | 1	24.19	24.42	24.13	2	0.416	0.439	0.410	2.000	Pass
	Full | Full	20.86	21.3	21.28	2	0.193	0.214	0.213	2.000	Pass
16QAM	1 | 1	22.96	23.19	23.02	2	0.313	0.330	0.318	2.000	Pass
	Full | Full	20.05	20.36	20	2	0.160	0.172	0.158	2.000	Pass

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	ERP (W)			Limit	Verdict
		Low	Mid	High		LCH	MCH	HCH	(W)	
CA_5B										
5MHz+3MHz										
QPSK	1 | 0	19.86	19.83	19.85	2.2	0.098	0.097	0.098	7.000	Pass
	Half | 0	20.01	19.98	19.96	2.2	0.101	0.101	0.100	7.000	Pass
	Full | 0	20.09	20.03	19.96	2.2	0.103	0.102	0.100	7.000	Pass
	1 | 1	23.51	23.59	23.47	2.2	0.227	0.231	0.225	7.000	Pass
	Full | Full	22.7	22.64	22.63	2.2	0.188	0.186	0.185	7.000	Pass
16QAM	1 | 0	19.83	20.05	19.85	2.2	0.097	0.102	0.098	7.000	Pass
	Half | 0	20.09	19.97	19.97	2.2	0.103	0.100	0.100	7.000	Pass
	Full | 0	20.02	20	19.91	2.2	0.102	0.101	0.099	7.000	Pass
	1 | 1	23.55	23.53	23.4	2.2	0.229	0.228	0.221	7.000	Pass
	Full | Full	22.74	22.74	22.58	2.2	0.190	0.190	0.183	7.000	Pass
10MHz+10MHz										
QPSK	1 | 0	19.98	19.88	19.96	2.2	0.101	0.098	0.100	7.000	Pass
	Half | 0	19.04	18.91	18.89	2.2	0.081	0.079	0.078	7.000	Pass
	Full | 0	18.88	18.92	19.01	2.2	0.078	0.079	0.081	7.000	Pass
	1 | 1	23.39	23.52	23.5	2.2	0.221	0.228	0.226	7.000	Pass
	Full | Full	20.41	20.32	20.34	2.2	0.111	0.109	0.109	7.000	Pass
16QAM	1 | 0	18.99	18.82	18.94	2.2	0.080	0.077	0.079	7.000	Pass
	Half | 0	17.96	17.97	17.92	2.2	0.063	0.063	0.063	7.000	Pass
	Full | 0	17.99	18.01	17.98	2.2	0.064	0.064	0.064	7.000	Pass
	1 | 1	22.58	22.74	22.47	2.2	0.183	0.190	0.179	7.000	Pass
	Full | Full	19.4	19.41	19.42	2.2	0.088	0.088	0.089	7.000	Pass
3MHz+5MHz										
QPSK	1 | 1	23.53	23.57	23.42	2.2	0.228	0.230	0.222	7.000	Pass
	Full | Full	22.77	22.69	22.6	2.2	0.191	0.188	0.184	7.000	Pass
16QAM	1 | 1	23.59	23.54	23.38	2.2	0.231	0.229	0.220	7.000	Pass
	Full | Full	22.76	22.63	22.58	2.2	0.191	0.185	0.183	7.000	Pass
5MHz+10MHz										
QPSK	1 | 1	23.32	23.31	23.35	2.2	0.217	0.217	0.219	7.000	Pass
	Full | Full	20.74	20.68	20.66	2.2	0.120	0.118	0.118	7.000	Pass
16QAM	1 | 1	22.41	22.41	22.52	2.2	0.176	0.176	0.181	7.000	Pass
	Full | Full	19.69	19.68	19.64	2.2	0.094	0.094	0.093	7.000	Pass
10MHz+5MHz										

QPSK	1 | 1	23.34	23.2	23.29	2.2	0.218	0.211	0.216	7.000	Pass
	Full | Full	20.67	20.67	20.61	2.2	0.118	0.118	0.116	7.000	Pass
16QAM	1 | 1	22.36	22.35	22.53	2.2	0.174	0.174	0.181	7.000	Pass
	Full | Full	19.8	19.72	19.64	2.2	0.097	0.095	0.093	7.000	Pass

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit	Verdict
		Low	Mid	High		LCH	MCH	HCH	(W)	
CA_7C										
20MHz+10MHz										
QPSK	1 | 0	19.99	19.97	19.88	3.2	0.208	0.207	0.203	2.000	Pass
	Half | 0	18.98	18.92	18.89	3.2	0.165	0.163	0.162	2.000	Pass
	Full | 0	18.01	17.98	17.96	3.2	0.132	0.131	0.131	2.000	Pass
	1 | 1	23.81	23.54	23.57	3.2	0.502	0.472	0.475	2.000	Pass
	Full | Full	20.85	20.93	20.78	3.2	0.254	0.259	0.250	2.000	Pass
16QAM	1 | 0	19.16	18.96	18.88	3.2	0.172	0.164	0.161	2.000	Pass
	Half | 0	18.08	18.03	18.01	3.2	0.134	0.133	0.132	2.000	Pass
	Full | 0	17	17	16.98	3.2	0.105	0.105	0.104	2.000	Pass
	1 | 1	22.88	22.74	22.5	3.2	0.406	0.393	0.372	2.000	Pass
	Full | Full	19.92	19.91	19.74	3.2	0.205	0.205	0.197	2.000	Pass
20MHz+20MHz										
QPSK	1 | 0	19.96	19.98	20.02	3.2	0.207	0.208	0.210	2.000	Pass
	Half | 0	18.97	19.08	19.07	3.2	0.165	0.169	0.169	2.000	Pass
	Full | 0	19.11	19.09	19.06	3.2	0.170	0.169	0.168	2.000	Pass
	1 | 1	23.69	23.53	23.68	3.2	0.489	0.471	0.488	2.000	Pass
	Full | Full	20.54	20.56	20.41	3.2	0.237	0.238	0.230	2.000	Pass
16QAM	1 | 0	19.13	18.77	18.81	3.2	0.171	0.157	0.159	2.000	Pass
	Half | 0	18.1	18.05	17.91	3.2	0.135	0.133	0.129	2.000	Pass
	Full | 0	17.99	18.03	18.08	3.2	0.132	0.133	0.134	2.000	Pass
	1 | 1	22.82	22.74	22.61	3.2	0.400	0.393	0.381	2.000	Pass
	Full | Full	19.51	19.51	19.55	3.2	0.187	0.187	0.188	2.000	Pass
10MHz+20MHz										
QPSK	1 | 1	23.77	23.63	23.5	3.2	0.498	0.482	0.468	2.000	Pass
	Full | Full	20.8	20.85	20.8	3.2	0.251	0.254	0.251	2.000	Pass
16QAM	1 | 1	22.6	22.61	22.64	3.2	0.380	0.381	0.384	2.000	Pass
	Full | Full	19.9	19.91	19.8	3.2	0.204	0.205	0.200	2.000	Pass
15MHz+15MHz										
QPSK	1 | 1	23.59	23.73	23.51	3.2	0.478	0.493	0.469	2.000	Pass
	Full | Full	20.42	20.51	20.41	3.2	0.230	0.235	0.230	2.000	Pass
16QAM	1 | 1	22.58	22.67	22.7	3.2	0.378	0.386	0.389	2.000	Pass
	Full | Full	19.57	19.46	19.52	3.2	0.189	0.185	0.187	2.000	Pass
15MHz+20MHz										

QPSK	1 | 1	23.69	23.76	23.61	3.2	0.489	0.497	0.480	2.000	Pass
	Full | Full	20.64	20.61	20.65	3.2	0.242	0.240	0.243	2.000	Pass
16QAM	1 | 1	22.65	22.66	22.75	3.2	0.385	0.385	0.394	2.000	Pass
	Full | Full	19.7	19.67	19.66	3.2	0.195	0.194	0.193	2.000	Pass
20MHz+15MHz										
QPSK	1 | 1	23.55	23.65	23.69	3.2	0.473	0.484	0.489	2.000	Pass
	Full | Full	20.73	20.62	20.67	3.2	0.247	0.241	0.244	2.000	Pass
16QAM	1 | 1	22.62	22.69	22.71	3.2	0.382	0.388	0.390	2.000	Pass
	Full | Full	19.69	19.66	19.63	3.2	0.195	0.193	0.192	2.000	Pass

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	ERP (W)			Limit	Verdict
		Low	Mid	High		LCH	MCH	HCH	(W)	
CA_12B										
5MHz+5MHz										
QPSK	1 | 0	22.11	22.29	22.37	-0.7	0.084	0.105	0.108	3.000	Pass
	Half | 0	21.23	21.25	21.39	-0.7	0.069	0.083	0.086	3.000	Pass
	Full | 0	21.3	21.34	21.29	-0.7	0.070	0.084	0.084	3.000	Pass
	1 | 1	25.81	25.9	25.96	-0.7	0.198	0.248	0.255	3.000	Pass
	Full | Full	22.96	23.1	22.97	-0.7	0.103	0.127	0.124	3.000	Pass
16QAM	1 | 0	21.3	21.3	21.22	-0.7	0.070	0.084	0.082	3.000	Pass
	Half | 0	20.36	20.27	20.3	-0.7	0.056	0.066	0.066	3.000	Pass
	Full | 0	20.29	20.23	20.28	-0.7	0.055	0.065	0.066	3.000	Pass
	1 | 1	24.98	25.07	24.87	-0.7	0.163	0.203	0.196	3.000	Pass
	Full | Full	22.14	22.03	22.06	-0.7	0.085	0.099	0.100	3.000	Pass
5MHz+10MHz										
QPSK	1 | 0	22.16	22.09	22.29	-0.7	0.085	0.101	0.106	3.000	Pass
	Half | 0	21.18	21.16	21.27	-0.7	0.068	0.081	0.083	3.000	Pass
	Full | 0	21.27	21.23	21.29	-0.7	0.070	0.082	0.084	3.000	Pass
	1 | 1	25.64	25.77	25.72	-0.7	0.190	0.240	0.240	3.000	Pass
	Full | Full	23.05	23.25	23.16	-0.7	0.105	0.132	0.130	3.000	Pass
16QAM	1 | 0	21.09	21.22	21.38	-0.7	0.067	0.082	0.085	3.000	Pass
	Half | 0	20.39	20.34	20.21	-0.7	0.057	0.067	0.065	3.000	Pass
	Full | 0	20.33	20.29	20.29	-0.7	0.056	0.066	0.066	3.000	Pass
	1 | 1	24.95	25	24.71	-0.7	0.162	0.200	0.189	3.000	Pass
	Full | Full	22.13	22.05	22.28	-0.7	0.085	0.100	0.105	3.000	Pass

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit	Verdict
		Low	Mid	High		LCH	MCH	HCH	(W)	
CA_38C										
15MHz+15MHz										
QPSK	1 | 0	19.17	19.04	18.95	2.6	0.150	0.146	0.143	2.000	Pass
	Half | 0	18.1	18.03	17.91	2.6	0.117	0.116	0.112	2.000	Pass
	Full | 0	18.1	18.09	17.96	2.6	0.117	0.117	0.114	2.000	Pass
	1 | 1	22.73	22.67	22.65	2.6	0.341	0.337	0.335	2.000	Pass
	Full | Full	19.62	19.49	19.5	2.6	0.167	0.162	0.162	2.000	Pass
16QAM	1 | 0	18.22	18.19	17.9	2.6	0.121	0.120	0.112	2.000	Pass
	Half | 0	17.15	17.08	17.01	2.6	0.094	0.093	0.091	2.000	Pass
	Full | 0	17.15	17.12	17.03	2.6	0.094	0.094	0.092	2.000	Pass
	1 | 1	21.66	21.55	21.65	2.6	0.267	0.260	0.266	2.000	Pass
	Full | Full	18.65	18.56	18.52	2.6	0.133	0.131	0.129	2.000	Pass
20MHz+20MHz										
QPSK	1 | 0	19.28	19.09	19.07	2.6	0.154	0.148	0.147	2.000	Pass
	Half | 0	18.16	18.2	18.14	2.6	0.119	0.120	0.119	2.000	Pass
	Full | 0	18.22	18.18	18.23	2.6	0.121	0.120	0.121	2.000	Pass
	1 | 1	22.8	22.76	22.8	2.6	0.347	0.344	0.347	2.000	Pass
	Full | Full	19.61	19.59	19.57	2.6	0.166	0.166	0.165	2.000	Pass
16QAM	1 | 0	18.15	18.09	18.36	2.6	0.119	0.117	0.125	2.000	Pass
	Half | 0	17.1	17.17	17.04	2.6	0.093	0.095	0.092	2.000	Pass
	Full | 0	17.25	17.26	17.21	2.6	0.097	0.097	0.096	2.000	Pass
	1 | 1	21.6	21.72	21.75	2.6	0.263	0.270	0.272	2.000	Pass
	Full | Full	18.66	18.57	18.64	2.6	0.134	0.131	0.133	2.000	Pass

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit	Verdict
		Low	Mid	High		LCH	MCH	HCH	(W)	
CA_41C										
20MHz+5MHz										
QPSK	1 | 0	20.47	20.44	20.36	2.7	0.207	0.206	0.202	2.000	Pass
	Half | 0	18.4	18.4	18.4	2.7	0.129	0.129	0.129	2.000	Pass
	Full | 0	18.42	18.43	18.34	2.7	0.129	0.130	0.127	2.000	Pass
	1 | 1	24.21	24.01	24.06	2.7	0.491	0.469	0.474	2.000	Pass
	Full | Full	21.16	21.02	21.06	2.7	0.243	0.236	0.238	2.000	Pass
16QAM	1 | 0	19.21	19.78	19.31	2.7	0.155	0.177	0.159	2.000	Pass
	Half | 0	17.47	17.4	17.36	2.7	0.104	0.102	0.101	2.000	Pass
	Full | 0	17.53	17.37	17.34	2.7	0.105	0.102	0.101	2.000	Pass
	1 | 1	23.11	23.15	23.05	2.7	0.381	0.385	0.376	2.000	Pass
	Full | Full	20.12	20.04	20.09	2.7	0.191	0.188	0.190	2.000	Pass
20MHz+20MHz										
QPSK	1 | 0	20.41	20.34	20.35	2.7	0.205	0.201	0.202	2.000	Pass
	Half | 0	19.5	19.34	19.26	2.7	0.166	0.160	0.157	2.000	Pass
	Full | 0	19.42	19.4	19.36	2.7	0.163	0.162	0.161	2.000	Pass
	1 | 1	24.11	23.98	23.9	2.7	0.480	0.466	0.457	2.000	Pass
	Full | Full	21.05	20.83	20.87	2.7	0.237	0.225	0.228	2.000	Pass
16QAM	1 | 0	19.27	19.34	19.21	2.7	0.157	0.160	0.155	2.000	Pass
	Half | 0	18.45	18.4	18.28	2.7	0.130	0.129	0.125	2.000	Pass
	Full | 0	18.43	18.35	18.3	2.7	0.130	0.127	0.126	2.000	Pass
	1 | 1	23.07	22.94	23.01	2.7	0.378	0.366	0.372	2.000	Pass
	Full | Full	19.97	19.86	19.83	2.7	0.185	0.180	0.179	2.000	Pass
5MHz+20MHz										
QPSK	1 | 1	24.13	23.98	24.08	2.7	0.482	0.466	0.476	2.000	Pass
	Full | Full	21.14	21.05	20.93	2.7	0.242	0.237	0.231	2.000	Pass
16QAM	1 | 1	23.09	22.93	23.1	2.7	0.379	0.366	0.380	2.000	Pass
	Full | Full	20.12	20.03	20.01	2.7	0.191	0.187	0.187	2.000	Pass
10MHz+15MHz										
QPSK	1 | 1	24.22	24.02	23.95	2.7	0.492	0.470	0.462	2.000	Pass
	Full | Full	21.16	21.11	21.05	2.7	0.243	0.240	0.237	2.000	Pass
16QAM	1 | 1	22.98	22.99	23	2.7	0.370	0.371	0.372	2.000	Pass
	Full | Full	20.17	20.06	20.04	2.7	0.194	0.189	0.188	2.000	Pass
15MHz+10MHz										

QPSK	1 | 1	24.11	24.01	24.02	2.7	0.480	0.469	0.470	2.000	Pass
	Full | Full	21.19	21.11	21.17	2.7	0.245	0.240	0.244	2.000	Pass
16QAM	1 | 1	23.12	22.93	23	2.7	0.382	0.366	0.372	2.000	Pass
	Full | Full	20.24	20.06	20.18	2.7	0.197	0.189	0.194	2.000	Pass
10MHz+20MHz										
QPSK	1 | 1	24.13	23.95	15.85	2.7	0.482	0.462	0.072	2.000	Pass
	Full | Full	21.27	21.19	20.55	2.7	0.249	0.245	0.211	2.000	Pass
16QAM	1 | 1	23.03	22.96	23.45	2.7	0.374	0.368	0.412	2.000	Pass
	Full | Full	20.31	20.21	19.53	2.7	0.200	0.195	0.167	2.000	Pass
20MHz+10MHz										
QPSK	1 | 1	24.14	24.01	24.01	2.7	0.483	0.469	0.469	2.000	Pass
	Full | Full	21.38	21.21	21.22	2.7	0.256	0.246	0.247	2.000	Pass
16QAM	1 | 1	23.17	23.12	23.07	2.7	0.386	0.382	0.378	2.000	Pass
	Full | Full	20.33	20.27	20.27	2.7	0.201	0.198	0.198	2.000	Pass
15MHz+15MHz										
QPSK	1 | 1	24.12	23.86	23.92	2.7	0.481	0.453	0.459	2.000	Pass
	Full | Full	20.99	20.78	20.78	2.7	0.234	0.223	0.223	2.000	Pass
16QAM	1 | 1	23.1	22.95	22.99	2.7	0.380	0.367	0.371	2.000	Pass
	Full | Full	19.97	19.81	19.83	2.7	0.185	0.178	0.179	2.000	Pass
15MHz+20MHz										
QPSK	1 | 1	24.12	23.94	23.91	2.7	0.481	0.461	0.458	2.000	Pass
	Full | Full	21.09	20.89	21	2.7	0.239	0.229	0.234	2.000	Pass
16QAM	1 | 1	23.06	23.01	22.97	2.7	0.377	0.372	0.369	2.000	Pass
	Full | Full	20.17	19.95	19.95	2.7	0.194	0.184	0.184	2.000	Pass
20MHz+15MHz										
QPSK	1 | 1	24.16	23.99	24.14	2.7	0.485	0.467	0.483	2.000	Pass
	Full | Full	21.1	20.94	21.02	2.7	0.240	0.231	0.236	2.000	Pass
16QAM	1 | 1	23.15	22.93	22.96	2.7	0.385	0.366	0.368	2.000	Pass
	Full | Full	20.19	20.01	20.03	2.7	0.195	0.187	0.187	2.000	Pass

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit	Verdict
		Low	Mid	High		LCH	MCH	HCH	(W)	
CA_42C										
20MHz+5MHz										
QPSK	1 | 0	18.3	17.89	17.32	1.1	0.087	0.079	0.070	1.000	Pass
	Half | 0	16.17	15.89	15.34	1.1	0.053	0.050	0.044	1.000	Pass
	Full | 0	16.02	15.62	15.34	1.1	0.052	0.047	0.044	1.000	Pass
	1 | 1	21.3	20.87	20.8	1.1	0.174	0.157	0.155	1.000	Pass
	Full | Full	18.26	17.93	17.83	1.1	0.086	0.080	0.078	1.000	Pass
16QAM	1 | 0	17.16	16.97	16.22	1.1	0.067	0.064	0.054	1.000	Pass
	Half | 0	15.04	14.75	14.32	1.1	0.041	0.038	0.035	1.000	Pass
	Full | 0	14.98	14.63	14.32	1.1	0.041	0.037	0.035	1.000	Pass
	1 | 1	19.96	20.08	19.6	1.1	0.128	0.131	0.117	1.000	Pass
	Full | Full	17.38	16.91	16.7	1.1	0.070	0.063	0.060	1.000	Pass
20MHz+20MHz										
QPSK	1 | 0	18.15	17.55	17.2	1.1	0.084	0.073	0.068	1.000	Pass
	Half | 0	17.17	16.75	16.31	1.1	0.067	0.061	0.055	1.000	Pass
	Full | 0	16.91	16.72	16.29	1.1	0.063	0.061	0.055	1.000	Pass
	1 | 1	21.12	20.96	20.83	1.1	0.167	0.161	0.156	1.000	Pass
	Full | Full	18.08	17.8	17.63	1.1	0.083	0.078	0.075	1.000	Pass
16QAM	1 | 0	17.18	16.97	16.4	1.1	0.067	0.064	0.056	1.000	Pass
	Half | 0	16.01	15.89	15.11	1.1	0.051	0.050	0.042	1.000	Pass
	Full | 0	15.87	15.73	15.16	1.1	0.050	0.048	0.042	1.000	Pass
	1 | 1	19.84	20.1	19.85	1.1	0.124	0.132	0.124	1.000	Pass
	Full | Full	17.13	16.8	16.74	1.1	0.067	0.062	0.061	1.000	Pass
5MHz+20MHz										
QPSK	1 | 1	21.42	21.22	20.81	1.1	0.179	0.171	0.155	1.000	Pass
	Full | Full	18.37	18.05	17.77	1.1	0.089	0.082	0.077	1.000	Pass
16QAM	1 | 1	20.43	20.19	19.75	1.1	0.142	0.135	0.122	1.000	Pass
	Full | Full	17.32	17.14	16.7	1.1	0.070	0.067	0.060	1.000	Pass
10MHz+20MHz										
QPSK	1 | 1	21.19	21.04	20.69	1.1	0.169	0.164	0.151	1.000	Pass
	Full | Full	18.34	18.14	17.95	1.1	0.088	0.084	0.080	1.000	Pass
16QAM	1 | 1	20.06	20.01	19.74	1.1	0.131	0.129	0.121	1.000	Pass
	Full | Full	17.45	17.14	16.93	1.1	0.072	0.067	0.064	1.000	Pass
20MHz+10MHz										

QPSK	1 | 1	21.03	21.02	20.79	1.1	0.163	0.163	0.155	1.000	Pass
	Full | Full	18.42	18.07	18.11	1.1	0.090	0.083	0.083	1.000	Pass
16QAM	1 | 1	19.95	19.77	19.99	1.1	0.127	0.122	0.129	1.000	Pass
	Full | Full	17.45	17.19	17.11	1.1	0.072	0.067	0.066	1.000	Pass
15MHz+20MHz										
QPSK	1 | 1	21.06	20.97	20.71	1.1	0.164	0.161	0.152	1.000	Pass
	Full | Full	18.16	17.95	17.69	1.1	0.084	0.080	0.076	1.000	Pass
16QAM	1 | 1	19.91	19.9	19.84	1.1	0.126	0.126	0.124	1.000	Pass
	Full | Full	17.01	17.05	16.83	1.1	0.065	0.065	0.062	1.000	Pass
20MHz+15MHz										
QPSK	1 | 1	21.04	20.95	20.84	1.1	0.164	0.160	0.156	1.000	Pass
	Full | Full	18.2	17.98	17.83	1.1	0.085	0.081	0.078	1.000	Pass
16QAM	1 | 1	19.98	19.76	19.89	1.1	0.128	0.122	0.126	1.000	Pass
	Full | Full	17.16	17	16.72	1.1	0.067	0.065	0.061	1.000	Pass

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit	Verdict
		Low	Mid	High		LCH	MCH	HCH	(W)	
CA_43C										
20MHz+5MHz										
QPSK	1 | 0	11.18	11.04	11.05	1.6	0.019	0.018	0.018	1.000	Pass
	Half | 0	10.22	10.22	9.84	1.6	0.015	0.015	0.014	1.000	Pass
	Full | 0	10.03	10.18	9.89	1.6	0.015	0.015	0.014	1.000	Pass
	1 | 1	14.56	14.52	14.48	1.6	0.041	0.041	0.041	1.000	Pass
	Full | Full	11.68	11.57	11.42	1.6	0.021	0.021	0.020	1.000	Pass
16QAM	1 | 0	9.94	10.34	9.98	1.6	0.014	0.016	0.014	1.000	Pass
	Half | 0	9.2	9.14	8.99	1.6	0.012	0.012	0.011	1.000	Pass
	Full | 0	9.14	9.18	8.82	1.6	0.012	0.012	0.011	1.000	Pass
	1 | 1	13.61	13.68	13.5	1.6	0.033	0.034	0.032	1.000	Pass
	Full | Full	10.54	10.63	10.5	1.6	0.016	0.017	0.016	1.000	Pass
20MHz+20MHz										
QPSK	1 | 0	11.28	10.92	10.96	1.6	0.019	0.018	0.018	1.000	Pass
	Half | 0	10	10.28	10.01	1.6	0.014	0.015	0.014	1.000	Pass
	Full | 0	9.92	10.19	9.91	1.6	0.014	0.015	0.014	1.000	Pass
	1 | 1	14.77	14.68	14.7	1.6	0.043	0.042	0.043	1.000	Pass
	Full | Full	11.72	11.42	11.43	1.6	0.021	0.020	0.020	1.000	Pass
16QAM	1 | 0	9.87	10.45	9.69	1.6	0.014	0.016	0.013	1.000	Pass
	Half | 0	8.92	9.24	8.84	1.6	0.011	0.012	0.011	1.000	Pass
	Full | 0	9.17	9.13	8.68	1.6	0.012	0.012	0.011	1.000	Pass
	1 | 1	13.53	13.43	13.53	1.6	0.033	0.032	0.033	1.000	Pass
	Full | Full	10.6	10.61	10.28	1.6	0.017	0.017	0.015	1.000	Pass
5MHz+20MHz										
QPSK	1 | 1	14.38	14.73	14.28	1.6	0.040	0.043	0.039	1.000	Pass
	Full | Full	11.56	11.53	11.32	1.6	0.021	0.021	0.020	1.000	Pass
16QAM	1 | 1	13.62	13.56	13.38	1.6	0.033	0.033	0.031	1.000	Pass
	Full | Full	10.41	10.83	10.44	1.6	0.016	0.017	0.016	1.000	Pass
10MHz+20MHz										
QPSK	1 | 1	14.57	14.72	14.55	1.6	0.041	0.043	0.041	1.000	Pass
	Full | Full	11.56	11.67	11.65	1.6	0.021	0.021	0.021	1.000	Pass
16QAM	1 | 1	13.77	13.61	13.57	1.6	0.034	0.033	0.033	1.000	Pass
	Full | Full	10.71	10.69	10.56	1.6	0.017	0.017	0.016	1.000	Pass
20MHz+10MHz										

QPSK	1 | 1	14.8	14.37	14.33	1.6	0.044	0.040	0.039	1.000	Pass
	Full | Full	11.81	11.55	11.43	1.6	0.022	0.021	0.020	1.000	Pass
16QAM	1 | 1	13.62	13.79	13.59	1.6	0.033	0.035	0.033	1.000	Pass
	Full | Full	10.7	10.53	10.44	1.6	0.017	0.016	0.016	1.000	Pass
15MHz+20MHz										
QPSK	1 | 1	14.36	14.33	14.55	1.6	0.039	0.039	0.041	1.000	Pass
	Full | Full	11.7	11.54	11.37	1.6	0.021	0.021	0.020	1.000	Pass
16QAM	1 | 1	13.73	13.49	13.47	1.6	0.034	0.032	0.032	1.000	Pass
	Full | Full	10.7	10.32	10.37	1.6	0.017	0.016	0.016	1.000	Pass
20MHz+15MHz										
QPSK	1 | 1	14.69	14.54	14.45	1.6	0.043	0.041	0.040	1.000	Pass
	Full | Full	11.72	11.6	11.48	1.6	0.021	0.021	0.020	1.000	Pass
16QAM	1 | 1	13.7	13.49	13.52	1.6	0.034	0.032	0.033	1.000	Pass
	Full | Full	10.48	10.48	10.49	1.6	0.016	0.016	0.016	1.000	Pass

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit	Verdict
		Low	Mid	High		LCH	MCH	HCH	(W)	
CA_66B										
10MHz+5MHz										
QPSK	1 | 0	19.39	19.28	19.28	2.9	0.169	0.165	0.165	3.000	Pass
	Half | 0	18.35	18.41	18.38	2.9	0.133	0.135	0.134	3.000	Pass
	Full | 0	17.35	17.42	17.37	2.9	0.106	0.108	0.106	3.000	Pass
	1 | 1	22.8	22.89	22.79	2.9	0.372	0.379	0.371	3.000	Pass
	Full | Full	20.24	20.26	20.16	2.9	0.206	0.207	0.202	3.000	Pass
16QAM	1 | 0	18.22	18.24	18.19	2.9	0.129	0.130	0.129	3.000	Pass
	Half | 0	17.37	17.37	17.34	2.9	0.106	0.106	0.106	3.000	Pass
	Full | 0	16.35	16.41	16.4	2.9	0.084	0.085	0.085	3.000	Pass
	1 | 1	21.96	21.9	21.95	2.9	0.306	0.302	0.305	3.000	Pass
	Full | Full	19.18	19.22	19.23	2.9	0.161	0.163	0.163	3.000	Pass
10MHz+10MHz										
QPSK	1 | 0	19.18	19.23	19.21	2.9	0.161	0.163	0.163	3.000	Pass
	Half | 0	18.34	18.38	18.4	2.9	0.133	0.134	0.135	3.000	Pass
	Full | 0	18.42	18.33	18.33	2.9	0.136	0.133	0.133	3.000	Pass
	1 | 1	23	23.02	23.1	2.9	0.389	0.391	0.398	3.000	Pass
	Full | Full	19.78	19.85	19.79	2.9	0.185	0.188	0.186	3.000	Pass
16QAM	1 | 0	18.32	18.37	18.32	2.9	0.132	0.134	0.132	3.000	Pass
	Half | 0	17.34	17.42	17.39	2.9	0.106	0.108	0.107	3.000	Pass
	Full | 0	17.38	17.41	17.36	2.9	0.107	0.107	0.106	3.000	Pass
	1 | 1	21.98	22.13	21.99	2.9	0.308	0.318	0.308	3.000	Pass
	Full | Full	18.85	18.92	18.84	2.9	0.150	0.152	0.149	3.000	Pass
15MHz+5MHz										
QPSK	1 | 0	19.22	19.27	19.15	2.9	0.163	0.165	0.160	3.000	Pass
	Half | 0	17.37	17.46	17.37	2.9	0.106	0.109	0.106	3.000	Pass
	Full | 0	17.44	17.44	17.35	2.9	0.108	0.108	0.106	3.000	Pass
	1 | 1	23.04	23.13	23.1	2.9	0.393	0.401	0.398	3.000	Pass
	Full | Full	20.11	20.1	20.11	2.9	0.200	0.200	0.200	3.000	Pass
16QAM	1 | 0	18.38	18.17	18.25	2.9	0.134	0.128	0.130	3.000	Pass
	Half | 0	16.36	16.4	16.36	2.9	0.084	0.085	0.084	3.000	Pass
	Full | 0	16.45	16.41	16.36	2.9	0.086	0.085	0.084	3.000	Pass
	1 | 1	21.99	22.19	22.11	2.9	0.308	0.323	0.317	3.000	Pass
	Full | Full	19.07	19.15	19.13	2.9	0.157	0.160	0.160	3.000	Pass

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit	Verdict
		Low	Mid	High		LCH	MCH	HCH	(W)	
CA_66C										
20MHz+5MHz										
QPSK	1 | 0	19.25	19.32	19.15	2.9	0.164	0.167	0.160	1.000	Pass
	Half | 0	17.33	17.37	17.27	2.9	0.105	0.106	0.104	1.000	Pass
	Full | 0	17.34	17.34	17.27	2.9	0.106	0.106	0.104	1.000	Pass
	1 | 1	22.88	22.97	22.92	2.9	0.378	0.386	0.382	1.000	Pass
	Full | Full	19.95	19.95	19.85	2.9	0.193	0.193	0.188	1.000	Pass
16QAM	1 | 0	18.48	18.17	18.12	2.9	0.137	0.128	0.126	1.000	Pass
	Half | 0	16.34	16.35	16.2	2.9	0.084	0.084	0.081	1.000	Pass
	Full | 0	16.32	16.33	16.31	2.9	0.084	0.084	0.083	1.000	Pass
	1 | 1	22.07	21.78	21.91	2.9	0.314	0.294	0.303	1.000	Pass
	Full | Full	19	18.93	18.88	2.9	0.155	0.152	0.151	1.000	Pass
20MHz+20MHz										
QPSK	1 | 0	19.35	19.21	19.18	2.9	0.168	0.163	0.161	1.000	Pass
	Half | 0	18.4	18.31	18.25	2.9	0.135	0.132	0.130	1.000	Pass
	Full | 0	18.4	18.28	18.18	2.9	0.135	0.131	0.128	1.000	Pass
	1 | 1	22.97	22.95	22.99	2.9	0.386	0.385	0.388	1.000	Pass
	Full | Full	19.88	19.86	19.83	2.9	0.190	0.189	0.187	1.000	Pass
16QAM	1 | 0	18.45	18.14	18.21	2.9	0.136	0.127	0.129	1.000	Pass
	Half | 0	17.33	17.32	17.29	2.9	0.105	0.105	0.104	1.000	Pass
	Full | 0	17.33	17.37	17.26	2.9	0.105	0.106	0.104	1.000	Pass
	1 | 1	22.05	21.96	21.85	2.9	0.313	0.306	0.299	1.000	Pass
	Full | Full	18.93	18.76	18.71	2.9	0.152	0.147	0.145	1.000	Pass
5MHz+20MHz										
QPSK	1 | 1	23.04	22.85	22.97	2.9	0.393	0.376	0.386	1.000	Pass
	Full | Full	19.96	19.86	19.77	2.9	0.193	0.189	0.185	1.000	Pass
16QAM	1 | 1	22.04	22.02	21.82	2.9	0.312	0.310	0.296	1.000	Pass
	Full | Full	18.98	18.84	18.87	2.9	0.154	0.149	0.150	1.000	Pass
10MHz+15MHz										
QPSK	1 | 1	22.91	23	22.92	2.9	0.381	0.389	0.382	1.000	Pass
	Full | Full	20.01	20.01	19.92	2.9	0.195	0.195	0.191	1.000	Pass
16QAM	1 | 1	22.06	21.88	21.93	2.9	0.313	0.301	0.304	1.000	Pass
	Full | Full	19.06	18.96	18.99	2.9	0.157	0.153	0.155	1.000	Pass
15MHz+10MHz										

QPSK	1 | 1	23.04	22.99	23	2.9	0.393	0.388	0.389	1.000	Pass
	Full | Full	20.08	19.99	19.92	2.9	0.199	0.195	0.191	1.000	Pass
16QAM	1 | 1	22.1	21.88	21.92	2.9	0.316	0.301	0.303	1.000	Pass
	Full | Full	19.16	19.02	18.96	2.9	0.161	0.156	0.153	1.000	Pass
10MHz+20MHz										
QPSK	1 | 1	22.99	22.94	22.93	2.9	0.388	0.384	0.383	1.000	Pass
	Full | Full	20.1	20.09	20.01	2.9	0.200	0.199	0.195	1.000	Pass
16QAM	1 | 1	21.97	22.02	21.89	2.9	0.307	0.310	0.301	1.000	Pass
	Full | Full	19.11	19.08	19.1	2.9	0.159	0.158	0.158	1.000	Pass
20MHz+10MHz										
QPSK	1 | 1	22.98	22.98	23.04	2.9	0.387	0.387	0.393	1.000	Pass
	Full | Full	20.23	20.11	20.05	2.9	0.206	0.200	0.197	1.000	Pass
16QAM	1 | 1	21.94	21.97	22.11	2.9	0.305	0.307	0.317	1.000	Pass
	Full | Full	19.15	19.12	19.11	2.9	0.160	0.159	0.159	1.000	Pass
15MHz+15MHz										
QPSK	1 | 1	23.14	22.94	22.98	2.9	0.402	0.384	0.387	1.000	Pass
	Full | Full	19.82	19.81	19.67	2.9	0.187	0.187	0.181	1.000	Pass
16QAM	1 | 1	21.95	21.77	21.88	2.9	0.305	0.293	0.301	1.000	Pass
	Full | Full	18.87	18.84	18.71	2.9	0.150	0.149	0.145	1.000	Pass

NR Mode Test Data

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n2										
5	LCH	PI/2 BPSK	12	6	23.21	2	25.21	0.332	2.000	Pass
			1	1	23.03	2	25.03	0.318	2.000	Pass
			1	23	23.05	2	25.05	0.320	2.000	Pass
		QPSK	12	6	23.24	2	25.24	0.334	2.000	Pass
			1	1	23.25	2	25.25	0.335	2.000	Pass
			1	23	22.91	2	24.91	0.310	2.000	Pass
		16QAM	12	6	21.83	2	23.83	0.242	2.000	Pass
			1	1	22.27	2	24.27	0.267	2.000	Pass
			1	23	21.97	2	23.97	0.249	2.000	Pass
		64QAM	12	6	20.53	2	22.53	0.179	2.000	Pass
			1	1	20.81	2	22.81	0.191	2.000	Pass
			1	23	20.44	2	22.44	0.175	2.000	Pass
		256QAM	12	6	18.48	2	20.48	0.112	2.000	Pass
			1	1	18.63	2	20.63	0.116	2.000	Pass
			1	23	18.26	2	20.26	0.106	2.000	Pass
	MCH	PI/2 BPSK	12	6	23.07	2	25.07	0.321	2.000	Pass
			1	1	23.07	2	25.07	0.321	2.000	Pass
			1	23	22.93	2	24.93	0.311	2.000	Pass
		QPSK	12	6	22.95	2	24.95	0.313	2.000	Pass
			1	1	23.09	2	25.09	0.323	2.000	Pass
			1	23	23.19	2	25.19	0.330	2.000	Pass
		16QAM	12	6	22.04	2	24.04	0.254	2.000	Pass
			1	1	22.22	2	24.22	0.264	2.000	Pass
			1	23	22.2	2	24.20	0.263	2.000	Pass
		64QAM	12	6	20.58	2	22.58	0.181	2.000	Pass
			1	1	20.57	2	22.57	0.181	2.000	Pass
			1	23	20.67	2	22.67	0.185	2.000	Pass
		256QAM	12	6	18.62	2	20.62	0.115	2.000	Pass
			1	1	18.25	2	20.25	0.106	2.000	Pass
			1	23	18.42	2	20.42	0.110	2.000	Pass
	HCH	PI/2 BPSK	12	6	23.24	2	25.24	0.334	2.000	Pass
			1	1	23.31	2	25.31	0.340	2.000	Pass
			1	23	23.28	2	25.28	0.337	2.000	Pass
		QPSK	12	6	23.09	2	25.09	0.323	2.000	Pass
			1	1	22.99	2	24.99	0.316	2.000	Pass
			1	23	23.16	2	25.16	0.328	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n2										
		16QAM	12	6	21.92	2	23.92	0.247	2.000	Pass
			1	1	22.21	2	24.21	0.264	2.000	Pass
			1	23	22.47	2	24.47	0.280	2.000	Pass
		64QAM	12	6	20.58	2	22.58	0.181	2.000	Pass
			1	1	20.86	2	22.86	0.193	2.000	Pass
			1	23	20.63	2	22.63	0.183	2.000	Pass
		256QAM	12	6	18.61	2	20.61	0.115	2.000	Pass
			1	1	18.65	2	20.65	0.116	2.000	Pass
			1	23	18.46	2	20.46	0.111	2.000	Pass
10	LCH	PI/2 BPSK	25	12	23.14	2	25.14	0.327	2.000	Pass
			1	1	23.13	2	25.13	0.326	2.000	Pass
			1	50	23.17	2	25.17	0.329	2.000	Pass
		QPSK	25	12	23.47	2	25.47	0.352	2.000	Pass
			1	1	23.2	2	25.20	0.331	2.000	Pass
			1	50	23.37	2	25.37	0.344	2.000	Pass
		16QAM	25	12	21.88	2	23.88	0.244	2.000	Pass
			1	1	22.26	2	24.26	0.267	2.000	Pass
			1	50	22.41	2	24.41	0.276	2.000	Pass
		64QAM	25	12	20.37	2	22.37	0.173	2.000	Pass
			1	1	20.66	2	22.66	0.185	2.000	Pass
			1	50	20.61	2	22.61	0.182	2.000	Pass
		256QAM	25	12	18.45	2	20.45	0.111	2.000	Pass
			1	1	18.6	2	20.60	0.115	2.000	Pass
			1	50	18.65	2	20.65	0.116	2.000	Pass
	MCH	PI/2 BPSK	25	12	23.19	2	25.19	0.330	2.000	Pass
			1	1	23.36	2	25.36	0.344	2.000	Pass
			1	50	23.39	2	25.39	0.346	2.000	Pass
		QPSK	25	12	23.06	2	25.06	0.321	2.000	Pass
			1	1	23.33	2	25.33	0.341	2.000	Pass
			1	50	23.1	2	25.10	0.324	2.000	Pass
		16QAM	25	12	22.28	2	24.28	0.268	2.000	Pass
			1	1	22.17	2	24.17	0.261	2.000	Pass
			1	50	21.98	2	23.98	0.250	2.000	Pass
		64QAM	25	12	20.51	2	22.51	0.178	2.000	Pass
			1	1	20.4	2	22.40	0.174	2.000	Pass
			1	50	20.78	2	22.78	0.190	2.000	Pass
		256QAM	25	12	18.56	2	20.56	0.114	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n2										
			1	1	18.65	2	20.65	0.116	2.000	Pass
			1	50	18.18	2	20.18	0.104	2.000	Pass
		PI/2 BPSK	25	12	23.32	2	25.32	0.340	2.000	Pass
			1	1	23.47	2	25.47	0.352	2.000	Pass
			1	50	23.2	2	25.20	0.331	2.000	Pass
		QPSK	25	12	23.42	2	25.42	0.348	2.000	Pass
			1	1	23.21	2	25.21	0.332	2.000	Pass
			1	50	23.19	2	25.19	0.330	2.000	Pass
		16QAM	25	12	22.39	2	24.39	0.275	2.000	Pass
	HCH		1	1	22.33	2	24.33	0.271	2.000	Pass
			1	50	22.1	2	24.10	0.257	2.000	Pass
		64QAM	25	12	20.67	2	22.67	0.185	2.000	Pass
			1	1	20.78	2	22.78	0.190	2.000	Pass
			1	50	20.51	2	22.51	0.178	2.000	Pass
		256QAM	25	12	18.84	2	20.84	0.121	2.000	Pass
			1	1	18.39	2	20.39	0.109	2.000	Pass
			1	50	18.69	2	20.69	0.117	2.000	Pass
		PI/2 BPSK	36	18	22.87	2	24.87	0.307	2.000	Pass
			1	1	22.85	2	24.85	0.305	2.000	Pass
			1	77	23.34	2	25.34	0.342	2.000	Pass
		QPSK	36	18	22.7	2	24.70	0.295	2.000	Pass
			1	1	23	2	25.00	0.316	2.000	Pass
			1	77	23.25	2	25.25	0.335	2.000	Pass
		16QAM	36	18	21.92	2	23.92	0.247	2.000	Pass
	LCH		1	1	22.21	2	24.21	0.264	2.000	Pass
			1	77	22.24	2	24.24	0.265	2.000	Pass
15		64QAM	36	18	20.7	2	22.70	0.186	2.000	Pass
			1	1	20.64	2	22.64	0.184	2.000	Pass
			1	77	20.63	2	22.63	0.183	2.000	Pass
		256QAM	36	18	18.26	2	20.26	0.106	2.000	Pass
			1	1	18.5	2	20.50	0.112	2.000	Pass
			1	77	18.25	2	20.25	0.106	2.000	Pass
		PI/2 BPSK	36	18	22.91	2	24.91	0.310	2.000	Pass
			1	1	23.14	2	25.14	0.327	2.000	Pass
	MCH		1	77	22.91	2	24.91	0.310	2.000	Pass
		QPSK	36	18	23.13	2	25.13	0.326	2.000	Pass
			1	1	22.81	2	24.81	0.303	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n2										
			1	77	23.11	2	25.11	0.324	2.000	Pass
		16QAM	36	18	21.83	2	23.83	0.242	2.000	Pass
			1	1	22.43	2	24.43	0.277	2.000	Pass
			1	77	22.32	2	24.32	0.270	2.000	Pass
		64QAM	36	18	20.5	2	22.50	0.178	2.000	Pass
			1	1	20.34	2	22.34	0.171	2.000	Pass
			1	77	20.43	2	22.43	0.175	2.000	Pass
		256QAM	36	18	18.13	2	20.13	0.103	2.000	Pass
			1	1	18.76	2	20.76	0.119	2.000	Pass
			1	77	18.7	2	20.70	0.117	2.000	Pass
	HCH	PI/2 BPSK	36	18	22.71	2	24.71	0.296	2.000	Pass
			1	1	22.87	2	24.87	0.307	2.000	Pass
			1	77	23.21	2	25.21	0.332	2.000	Pass
		QPSK	36	18	23.14	2	25.14	0.327	2.000	Pass
			1	1	23.02	2	25.02	0.318	2.000	Pass
			1	77	23.28	2	25.28	0.337	2.000	Pass
		16QAM	36	18	22.12	2	24.12	0.258	2.000	Pass
			1	1	22.04	2	24.04	0.254	2.000	Pass
			1	77	22.53	2	24.53	0.284	2.000	Pass
		64QAM	36	18	20.24	2	22.24	0.167	2.000	Pass
			1	1	20.8	2	22.80	0.191	2.000	Pass
			1	77	21.07	2	23.07	0.203	2.000	Pass
		256QAM	36	18	18.63	2	20.63	0.116	2.000	Pass
			1	1	18.43	2	20.43	0.110	2.000	Pass
			1	77	18.34	2	20.34	0.108	2.000	Pass
20	LCH	PI/2 BPSK	50	25	23.37	2	25.37	0.344	2.000	Pass
			1	1	23.41	2	25.41	0.348	2.000	Pass
			1	104	23.35	2	25.35	0.343	2.000	Pass
		QPSK	50	25	23.36	2	25.36	0.344	2.000	Pass
			1	1	23.4	2	25.40	0.347	2.000	Pass
			1	104	23.54	2	25.54	0.358	2.000	Pass
		16QAM	50	25	21.94	2	23.94	0.248	2.000	Pass
			1	1	22.11	2	24.11	0.258	2.000	Pass
			1	104	22.1	2	24.10	0.257	2.000	Pass
		64QAM	50	25	20.61	2	22.61	0.182	2.000	Pass
			1	1	20.59	2	22.59	0.182	2.000	Pass
			1	104	20.69	2	22.69	0.186	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n2										
		256QAM	50	25	18.79	2	20.79	0.120	2.000	Pass
			1	1	18.58	2	20.58	0.114	2.000	Pass
			1	104	18.61	2	20.61	0.115	2.000	Pass
	MCH	PI/2 BPSK	50	25	23.34	2	25.34	0.342	2.000	Pass
			1	1	23.09	2	25.09	0.323	2.000	Pass
			1	104	23.3	2	25.30	0.339	2.000	Pass
		QPSK	50	25	23.05	2	25.05	0.320	2.000	Pass
			1	1	22.98	2	24.98	0.315	2.000	Pass
			1	104	23.1	2	25.10	0.324	2.000	Pass
		16QAM	50	25	22.09	2	24.09	0.256	2.000	Pass
			1	1	21.99	2	23.99	0.251	2.000	Pass
			1	104	22.31	2	24.31	0.270	2.000	Pass
		64QAM	50	25	20.7	2	22.70	0.186	2.000	Pass
			1	1	20.46	2	22.46	0.176	2.000	Pass
			1	104	20.68	2	22.68	0.185	2.000	Pass
		256QAM	50	25	18.63	2	20.63	0.116	2.000	Pass
			1	1	18.39	2	20.39	0.109	2.000	Pass
			1	104	18.14	2	20.14	0.103	2.000	Pass
	HCH	PI/2 BPSK	50	25	23.18	2	25.18	0.330	2.000	Pass
			1	1	23.37	2	25.37	0.344	2.000	Pass
			1	104	23.42	2	25.42	0.348	2.000	Pass
		QPSK	50	25	23.45	2	25.45	0.351	2.000	Pass
			1	1	23.5	2	25.50	0.355	2.000	Pass
			1	104	23.37	2	25.37	0.344	2.000	Pass
		16QAM	50	25	22.41	2	24.41	0.276	2.000	Pass
			1	1	22.48	2	24.48	0.281	2.000	Pass
			1	104	22.24	2	24.24	0.265	2.000	Pass
		64QAM	50	25	20.94	2	22.94	0.197	2.000	Pass
			1	1	20.89	2	22.89	0.195	2.000	Pass
			1	104	20.74	2	22.74	0.188	2.000	Pass
		256QAM	50	25	18.75	2	20.75	0.119	2.000	Pass
			1	1	18.56	2	20.56	0.114	2.000	Pass
			1	104	18.37	2	20.37	0.109	2.000	Pass
25	LCH	PI/2 BPSK	64	32	22.95	2	24.95	0.313	2.000	Pass
			1	1	23.21	2	25.21	0.332	2.000	Pass
			1	131	23.13	2	25.13	0.326	2.000	Pass
		QPSK	64	32	22.8	2	24.80	0.302	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n2										
			1	1	22.95	2	24.95	0.313	2.000	Pass
			1	131	23.24	2	25.24	0.334	2.000	Pass
		16QAM	64	32	22.02	2	24.02	0.252	2.000	Pass
			1	1	22.34	2	24.34	0.272	2.000	Pass
			1	131	22.16	2	24.16	0.261	2.000	Pass
		64QAM	64	32	20.71	2	22.71	0.187	2.000	Pass
			1	1	20.45	2	22.45	0.176	2.000	Pass
			1	131	20.56	2	22.56	0.180	2.000	Pass
		256QAM	64	32	18.35	2	20.35	0.108	2.000	Pass
			1	1	18.27	2	20.27	0.106	2.000	Pass
			1	131	18.25	2	20.25	0.106	2.000	Pass
	MCH	PI/2 BPSK	64	32	22.99	2	24.99	0.316	2.000	Pass
			1	1	23.15	2	25.15	0.327	2.000	Pass
			1	131	22.9	2	24.90	0.309	2.000	Pass
		QPSK	64	32	23.05	2	25.05	0.320	2.000	Pass
			1	1	23	2	25.00	0.316	2.000	Pass
			1	131	22.98	2	24.98	0.315	2.000	Pass
		16QAM	64	32	22	2	24.00	0.251	2.000	Pass
			1	1	22.41	2	24.41	0.276	2.000	Pass
			1	131	22.24	2	24.24	0.265	2.000	Pass
		64QAM	64	32	20.55	2	22.55	0.180	2.000	Pass
			1	1	20.34	2	22.34	0.171	2.000	Pass
			1	131	20.58	2	22.58	0.181	2.000	Pass
		256QAM	64	32	18.4	2	20.40	0.110	2.000	Pass
			1	1	18.46	2	20.46	0.111	2.000	Pass
			1	131	18.68	2	20.68	0.117	2.000	Pass
	HCH	PI/2 BPSK	64	32	23.1	2	25.10	0.324	2.000	Pass
			1	1	23.01	2	25.01	0.317	2.000	Pass
			1	131	22.94	2	24.94	0.312	2.000	Pass
		QPSK	64	32	23.13	2	25.13	0.326	2.000	Pass
			1	1	23.26	2	25.26	0.336	2.000	Pass
			1	131	23.32	2	25.32	0.340	2.000	Pass
		16QAM	64	32	21.99	2	23.99	0.251	2.000	Pass
			1	1	22.07	2	24.07	0.255	2.000	Pass
			1	131	22.3	2	24.30	0.269	2.000	Pass
		64QAM	64	32	20.36	2	22.36	0.172	2.000	Pass
			1	1	20.73	2	22.73	0.187	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n2										
			1	131	20.83	2	22.83	0.192	2.000	Pass
		256QAM	64	32	18.44	2	20.44	0.111	2.000	Pass
			1	1	18.62	2	20.62	0.115	2.000	Pass
			1	131	18.35	2	20.35	0.108	2.000	Pass
30	LCH	PI/2 BPSK	80	40	22.97	2	24.97	0.314	2.000	Pass
			1	1	23.2	2	25.20	0.331	2.000	Pass
			1	158	23.26	2	25.26	0.336	2.000	Pass
		QPSK	80	40	22.97	2	24.97	0.314	2.000	Pass
			1	1	23.14	2	25.14	0.327	2.000	Pass
			1	158	23.17	2	25.17	0.329	2.000	Pass
		16QAM	80	40	21.95	2	23.95	0.248	2.000	Pass
			1	1	22.53	2	24.53	0.284	2.000	Pass
			1	158	22.04	2	24.04	0.254	2.000	Pass
		64QAM	80	40	20.48	2	22.48	0.177	2.000	Pass
			1	1	20.61	2	22.61	0.182	2.000	Pass
			1	158	20.55	2	22.55	0.180	2.000	Pass
		256QAM	80	40	18.34	2	20.34	0.108	2.000	Pass
			1	1	18.2	2	20.20	0.105	2.000	Pass
			1	158	18.47	2	20.47	0.111	2.000	Pass
	MCH	PI/2 BPSK	80	40	22.92	2	24.92	0.310	2.000	Pass
			1	1	23.22	2	25.22	0.333	2.000	Pass
			1	158	22.83	2	24.83	0.304	2.000	Pass
		QPSK	80	40	23.21	2	25.21	0.332	2.000	Pass
			1	1	22.94	2	24.94	0.312	2.000	Pass
			1	158	23.27	2	25.27	0.337	2.000	Pass
		16QAM	80	40	22.09	2	24.09	0.256	2.000	Pass
			1	1	22.35	2	24.35	0.272	2.000	Pass
			1	158	22.17	2	24.17	0.261	2.000	Pass
		64QAM	80	40	20.69	2	22.69	0.186	2.000	Pass
			1	1	20.66	2	22.66	0.185	2.000	Pass
			1	158	20.42	2	22.42	0.175	2.000	Pass
		256QAM	80	40	18.3	2	20.30	0.107	2.000	Pass
			1	1	18.6	2	20.60	0.115	2.000	Pass
			1	158	18.32	2	20.32	0.108	2.000	Pass
	HCH	PI/2 BPSK	80	40	23.03	2	25.03	0.318	2.000	Pass
			1	1	22.93	2	24.93	0.311	2.000	Pass
			1	158	22.95	2	24.95	0.313	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n2										
		QPSK	80	40	23.23	2	25.23	0.333	2.000	Pass
			1	1	23.2	2	25.20	0.331	2.000	Pass
			1	158	23.37	2	25.37	0.344	2.000	Pass
		16QAM	80	40	22.21	2	24.21	0.264	2.000	Pass
			1	1	22.12	2	24.12	0.258	2.000	Pass
			1	158	22.28	2	24.28	0.268	2.000	Pass
		64QAM	80	40	20.55	2	22.55	0.180	2.000	Pass
			1	1	20.89	2	22.89	0.195	2.000	Pass
			1	158	20.98	2	22.98	0.199	2.000	Pass
		256QAM	80	40	18.58	2	20.58	0.114	2.000	Pass
			1	1	18.52	2	20.52	0.113	2.000	Pass
			1	158	18.42	2	20.42	0.110	2.000	Pass
40	LCH	PI/2 BPSK	108	54	23.01	2	25.01	0.317	2.000	Pass
			1	1	23.07	2	25.07	0.321	2.000	Pass
			1	214	23.38	2	25.38	0.345	2.000	Pass
		QPSK	108	54	22.93	2	24.93	0.311	2.000	Pass
			1	1	23.22	2	25.22	0.333	2.000	Pass
			1	214	23.34	2	25.34	0.342	2.000	Pass
		16QAM	108	54	22	2	24.00	0.251	2.000	Pass
			1	1	22.13	2	24.13	0.259	2.000	Pass
			1	214	22.24	2	24.24	0.265	2.000	Pass
		64QAM	108	54	20.72	2	22.72	0.187	2.000	Pass
			1	1	20.43	2	22.43	0.175	2.000	Pass
			1	214	20.82	2	22.82	0.191	2.000	Pass
		256QAM	108	54	18.4	2	20.40	0.110	2.000	Pass
			1	1	18.16	2	20.16	0.104	2.000	Pass
			1	214	18.32	2	20.32	0.108	2.000	Pass
	MCH	PI/2 BPSK	108	54	22.96	2	24.96	0.313	2.000	Pass
			1	1	23.31	2	25.31	0.340	2.000	Pass
			1	214	23.14	2	25.14	0.327	2.000	Pass
		QPSK	108	54	23.32	2	25.32	0.340	2.000	Pass
			1	1	23.05	2	25.05	0.320	2.000	Pass
			1	214	23.23	2	25.23	0.333	2.000	Pass
		16QAM	108	54	21.82	2	23.82	0.241	2.000	Pass
			1	1	22.21	2	24.21	0.264	2.000	Pass
			1	214	22.34	2	24.34	0.272	2.000	Pass
		64QAM	108	54	20.47	2	22.47	0.177	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n2										
			1	1	20.59	2	22.59	0.182	2.000	Pass
			1	214	20.74	2	22.74	0.188	2.000	Pass
		256QAM	108	54	18.3	2	20.30	0.107	2.000	Pass
			1	1	18.74	2	20.74	0.119	2.000	Pass
			1	214	18.31	2	20.31	0.107	2.000	Pass
	HCH	PI/2 BPSK	108	54	23.02	2	25.02	0.318	2.000	Pass
			1	1	22.76	2	24.76	0.299	2.000	Pass
			1	214	22.96	2	24.96	0.313	2.000	Pass
		QPSK	108	54	23.28	2	25.28	0.337	2.000	Pass
			1	1	23.09	2	25.09	0.323	2.000	Pass
			1	214	23.47	2	25.47	0.352	2.000	Pass
		16QAM	108	54	22.13	2	24.13	0.259	2.000	Pass
			1	1	21.93	2	23.93	0.247	2.000	Pass
			1	214	22.17	2	24.17	0.261	2.000	Pass
		64QAM	108	54	20.38	2	22.38	0.173	2.000	Pass
			1	1	20.59	2	22.59	0.182	2.000	Pass
			1	214	21.09	2	23.09	0.204	2.000	Pass
		256QAM	108	54	18.31	2	20.31	0.107	2.000	Pass
			1	1	18.45	2	20.45	0.111	2.000	Pass
			1	214	18.59	2	20.59	0.115	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n5											
5	LCH	PI/2 BPSK	12	6	22.52	2.2	0.05	22.57	0.181	7.000	Pass
			1	1	22.31	2.2	0.05	22.36	0.172	7.000	Pass
			1	23	22.29	2.2	0.05	22.34	0.171	7.000	Pass
		QPSK	12	6	22.4	2.2	0.05	22.45	0.176	7.000	Pass
			1	1	22.37	2.2	0.05	22.42	0.175	7.000	Pass
			1	23	22.44	2.2	0.05	22.49	0.177	7.000	Pass
		16QAM	12	6	21.27	2.2	0.05	21.32	0.136	7.000	Pass
			1	1	21.37	2.2	0.05	21.42	0.139	7.000	Pass
			1	23	21.28	2.2	0.05	21.33	0.136	7.000	Pass
		64QAM	12	6	19.86	2.2	0.05	19.91	0.098	7.000	Pass
			1	1	19.9	2.2	0.05	19.95	0.099	7.000	Pass
			1	23	19.95	2.2	0.05	20.00	0.100	7.000	Pass
		256QAM	12	6	17.9	2.2	0.05	17.95	0.062	7.000	Pass
			1	1	17.76	2.2	0.05	17.81	0.060	7.000	Pass
			1	23	17.7	2.2	0.05	17.75	0.060	7.000	Pass
	MCH	PI/2 BPSK	12	6	22.27	2.2	0.05	22.32	0.171	7.000	Pass
			1	1	22.31	2.2	0.05	22.36	0.172	7.000	Pass
			1	23	22.29	2.2	0.05	22.34	0.171	7.000	Pass
		QPSK	12	6	22.47	2.2	0.05	22.52	0.179	7.000	Pass
			1	1	22.47	2.2	0.05	22.52	0.179	7.000	Pass
			1	23	22.38	2.2	0.05	22.43	0.175	7.000	Pass
		16QAM	12	6	21.14	2.2	0.05	21.19	0.132	7.000	Pass
			1	1	21.62	2.2	0.05	21.67	0.147	7.000	Pass
			1	23	21.41	2.2	0.05	21.46	0.140	7.000	Pass
		64QAM	12	6	19.91	2.2	0.05	19.96	0.099	7.000	Pass
			1	1	19.92	2.2	0.05	19.97	0.099	7.000	Pass
			1	23	19.83	2.2	0.05	19.88	0.097	7.000	Pass
		256QAM	12	6	17.79	2.2	0.05	17.84	0.061	7.000	Pass
			1	1	17.66	2.2	0.05	17.71	0.059	7.000	Pass
			1	23	17.67	2.2	0.05	17.72	0.059	7.000	Pass
	HCH	PI/2 BPSK	12	6	22.38	2.2	0.05	22.43	0.175	7.000	Pass
			1	1	22.45	2.2	0.05	22.50	0.178	7.000	Pass
			1	23	22.24	2.2	0.05	22.29	0.169	7.000	Pass
		QPSK	12	6	22.5	2.2	0.05	22.55	0.180	7.000	Pass
			1	1	22.58	2.2	0.05	22.63	0.183	7.000	Pass
			1	23	22.38	2.2	0.05	22.43	0.175	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n5											
		16QAM	12	6	21.31	2.2	0.05	21.36	0.137	7.000	Pass
			1	1	21.51	2.2	0.05	21.56	0.143	7.000	Pass
			1	23	21.48	2.2	0.05	21.53	0.142	7.000	Pass
		64QAM	12	6	19.75	2.2	0.05	19.80	0.095	7.000	Pass
			1	1	19.86	2.2	0.05	19.91	0.098	7.000	Pass
			1	23	19.83	2.2	0.05	19.88	0.097	7.000	Pass
		256QAM	12	6	17.76	2.2	0.05	17.81	0.060	7.000	Pass
			1	1	17.76	2.2	0.05	17.81	0.060	7.000	Pass
			1	23	17.64	2.2	0.05	17.69	0.059	7.000	Pass
10	LCH	PI/2 BPSK	25	12	22.51	2.2	0.05	22.56	0.180	7.000	Pass
			1	1	22.53	2.2	0.05	22.58	0.181	7.000	Pass
			1	50	22.41	2.2	0.05	22.46	0.176	7.000	Pass
		QPSK	25	12	22.55	2.2	0.05	22.60	0.182	7.000	Pass
			1	1	22.44	2.2	0.05	22.49	0.177	7.000	Pass
			1	50	22.52	2.2	0.05	22.57	0.181	7.000	Pass
		16QAM	25	12	21.34	2.2	0.05	21.39	0.138	7.000	Pass
			1	1	21.47	2.2	0.05	21.52	0.142	7.000	Pass
			1	50	21.56	2.2	0.05	21.61	0.145	7.000	Pass
		64QAM	25	12	19.86	2.2	0.05	19.91	0.098	7.000	Pass
			1	1	19.88	2.2	0.05	19.93	0.098	7.000	Pass
			1	50	19.98	2.2	0.05	20.03	0.101	7.000	Pass
		256QAM	25	12	17.75	2.2	0.05	17.80	0.060	7.000	Pass
			1	1	17.65	2.2	0.05	17.70	0.059	7.000	Pass
			1	50	17.9	2.2	0.05	17.95	0.062	7.000	Pass
	MCH	PI/2 BPSK	25	12	22.59	2.2	0.05	22.64	0.184	7.000	Pass
			1	1	22.51	2.2	0.05	22.56	0.180	7.000	Pass
			1	50	22.47	2.2	0.05	22.52	0.179	7.000	Pass
		QPSK	25	12	22.46	2.2	0.05	22.51	0.178	7.000	Pass
			1	1	22.46	2.2	0.05	22.51	0.178	7.000	Pass
			1	50	22.55	2.2	0.05	22.60	0.182	7.000	Pass
		16QAM	25	12	21.32	2.2	0.05	21.37	0.137	7.000	Pass
			1	1	21.56	2.2	0.05	21.61	0.145	7.000	Pass
			1	50	21.49	2.2	0.05	21.54	0.143	7.000	Pass
		64QAM	25	12	19.73	2.2	0.05	19.78	0.095	7.000	Pass
			1	1	19.87	2.2	0.05	19.92	0.098	7.000	Pass
			1	50	19.72	2.2	0.05	19.77	0.095	7.000	Pass
		256QAM	25	12	17.94	2.2	0.05	17.99	0.063	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n5											
			1	1	17.79	2.2	0.05	17.84	0.061	7.000	Pass
			1	50	17.77	2.2	0.05	17.82	0.061	7.000	Pass
	HCH	PI/2 BPSK	25	12	22.29	2.2	0.05	22.34	0.171	7.000	Pass
			1	1	22.51	2.2	0.05	22.56	0.180	7.000	Pass
			1	50	22.32	2.2	0.05	22.37	0.173	7.000	Pass
		QPSK	25	12	22.49	2.2	0.05	22.54	0.179	7.000	Pass
			1	1	22.35	2.2	0.05	22.40	0.174	7.000	Pass
			1	50	22.53	2.2	0.05	22.58	0.181	7.000	Pass
		16QAM	25	12	21.62	2.2	0.05	21.67	0.147	7.000	Pass
			1	1	21.52	2.2	0.05	21.57	0.144	7.000	Pass
			1	50	21.32	2.2	0.05	21.37	0.137	7.000	Pass
		64QAM	25	12	19.74	2.2	0.05	19.79	0.095	7.000	Pass
			1	1	19.85	2.2	0.05	19.90	0.098	7.000	Pass
			1	50	19.84	2.2	0.05	19.89	0.097	7.000	Pass
		256QAM	25	12	17.52	2.2	0.05	17.57	0.057	7.000	Pass
			1	1	17.55	2.2	0.05	17.60	0.058	7.000	Pass
			1	50	17.55	2.2	0.05	17.60	0.058	7.000	Pass
15	LCH	PI/2 BPSK	36	18	22.48	2.2	0.05	22.53	0.179	7.000	Pass
			1	1	22.58	2.2	0.05	22.63	0.183	7.000	Pass
			1	77	22.48	2.2	0.05	22.53	0.179	7.000	Pass
		QPSK	36	18	22.43	2.2	0.05	22.48	0.177	7.000	Pass
			1	1	22.7	2.2	0.05	**22.75**	0.188	7.000	Pass
			1	77	22.47	2.2	0.05	22.52	0.179	7.000	Pass
		16QAM	36	18	21.54	2.2	0.05	21.59	0.144	7.000	Pass
			1	1	21.52	2.2	0.05	21.57	0.144	7.000	Pass
			1	77	21.38	2.2	0.05	21.43	0.139	7.000	Pass
		64QAM	36	18	19.98	2.2	0.05	20.03	0.101	7.000	Pass
			1	1	19.84	2.2	0.05	19.89	0.097	7.000	Pass
			1	77	19.93	2.2	0.05	19.98	0.100	7.000	Pass
		256QAM	36	18	17.83	2.2	0.05	17.88	0.061	7.000	Pass
			1	1	17.72	2.2	0.05	17.77	0.060	7.000	Pass
			1	77	17.66	2.2	0.05	17.71	0.059	7.000	Pass
	MCH	PI/2 BPSK	36	18	22.49	2.2	0.05	22.54	0.179	7.000	Pass
			1	1	22.52	2.2	0.05	22.57	0.181	7.000	Pass
			1	77	22.31	2.2	0.05	22.36	0.172	7.000	Pass
		QPSK	36	18	22.53	2.2	0.05	22.58	0.181	7.000	Pass
			1	1	22.56	2.2	0.05	22.61	0.182	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n5											
			1	77	22.34	2.2	0.05	22.39	0.173	7.000	Pass
		16QAM	36	18	21.38	2.2	0.05	21.43	0.139	7.000	Pass
			1	1	21.51	2.2	0.05	21.56	0.143	7.000	Pass
			1	77	21.4	2.2	0.05	21.45	0.140	7.000	Pass
		64QAM	36	18	19.8	2.2	0.05	19.85	0.097	7.000	Pass
			1	1	19.98	2.2	0.05	20.03	0.101	7.000	Pass
			1	77	19.87	2.2	0.05	19.92	0.098	7.000	Pass
		256QAM	36	18	17.8	2.2	0.05	17.85	0.061	7.000	Pass
			1	1	17.79	2.2	0.05	17.84	0.061	7.000	Pass
			1	77	17.6	2.2	0.05	17.65	0.058	7.000	Pass
	HCH	PI/2 BPSK	36	18	22.45	2.2	0.05	22.50	0.178	7.000	Pass
			1	1	22.38	2.2	0.05	22.43	0.175	7.000	Pass
			1	77	22.3	2.2	0.05	22.35	0.172	7.000	Pass
		QPSK	36	18	22.27	2.2	0.05	22.32	0.171	7.000	Pass
			1	1	22.48	2.2	0.05	22.53	0.179	7.000	Pass
			1	77	22.41	2.2	0.05	22.46	0.176	7.000	Pass
		16QAM	36	18	21.46	2.2	0.05	21.51	0.142	7.000	Pass
			1	1	21.5	2.2	0.05	21.55	0.143	7.000	Pass
			1	77	21.34	2.2	0.05	21.39	0.138	7.000	Pass
		64QAM	36	18	19.8	2.2	0.05	19.85	0.097	7.000	Pass
			1	1	19.9	2.2	0.05	19.95	0.099	7.000	Pass
			1	77	19.81	2.2	0.05	19.86	0.097	7.000	Pass
		256QAM	36	18	17.79	2.2	0.05	17.84	0.061	7.000	Pass
			1	1	17.69	2.2	0.05	17.74	0.059	7.000	Pass
			1	77	17.54	2.2	0.05	17.59	0.057	7.000	Pass
20	LCH	PI/2 BPSK	50	25	22.49	2.2	0.05	22.54	0.179	7.000	Pass
			1	1	22.35	2.2	0.05	22.40	0.174	7.000	Pass
			1	104	22.43	2.2	0.05	22.48	0.177	7.000	Pass
		QPSK	50	25	22.46	2.2	0.05	22.51	0.178	7.000	Pass
			1	1	22.49	2.2	0.05	22.54	0.179	7.000	Pass
			1	104	22.34	2.2	0.05	22.39	0.173	7.000	Pass
		16QAM	50	25	21.42	2.2	0.05	21.47	0.140	7.000	Pass
			1	1	21.53	2.2	0.05	21.58	0.144	7.000	Pass
			1	104	21.42	2.2	0.05	21.47	0.140	7.000	Pass
		64QAM	50	25	19.83	2.2	0.05	19.88	0.097	7.000	Pass
			1	1	19.89	2.2	0.05	19.94	0.099	7.000	Pass
			1	104	19.8	2.2	0.05	19.85	0.097	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n5											
		256QAM	50	25	17.98	2.2	0.05	18.03	0.064	7.000	Pass
			1	1	17.6	2.2	0.05	17.65	0.058	7.000	Pass
			1	104	17.68	2.2	0.05	17.73	0.059	7.000	Pass
	MCH	PI/2 BPSK	50	25	22.37	2.2	0.05	22.42	0.175	7.000	Pass
			1	1	22.54	2.2	0.05	22.59	0.182	7.000	Pass
			1	104	22.44	2.2	0.05	22.49	0.177	7.000	Pass
		QPSK	50	25	22.47	2.2	0.05	22.52	0.179	7.000	Pass
			1	1	22.41	2.2	0.05	22.46	0.176	7.000	Pass
			1	104	22.38	2.2	0.05	22.43	0.175	7.000	Pass
		16QAM	50	25	21.37	2.2	0.05	21.42	0.139	7.000	Pass
			1	1	21.36	2.2	0.05	21.41	0.138	7.000	Pass
			1	104	21.28	2.2	0.05	21.33	0.136	7.000	Pass
		64QAM	50	25	19.98	2.2	0.05	20.03	0.101	7.000	Pass
			1	1	20	2.2	0.05	20.05	0.101	7.000	Pass
			1	104	19.66	2.2	0.05	19.71	0.094	7.000	Pass
		256QAM	50	25	17.98	2.2	0.05	18.03	0.064	7.000	Pass
			1	1	17.79	2.2	0.05	17.84	0.061	7.000	Pass
			1	104	17.64	2.2	0.05	17.69	0.059	7.000	Pass
	HCH	PI/2 BPSK	50	25	22.32	2.2	0.05	22.37	0.173	7.000	Pass
			1	1	22.41	2.2	0.05	22.46	0.176	7.000	Pass
			1	104	22.4	2.2	0.05	22.45	0.176	7.000	Pass
		QPSK	50	25	22.34	2.2	0.05	22.39	0.173	7.000	Pass
			1	1	22.62	2.2	0.05	22.67	0.185	7.000	Pass
			1	104	22.28	2.2	0.05	22.33	0.171	7.000	Pass
		16QAM	50	25	21.49	2.2	0.05	21.54	0.143	7.000	Pass
			1	1	21.46	2.2	0.05	21.51	0.142	7.000	Pass
			1	104	21.39	2.2	0.05	21.44	0.139	7.000	Pass
		64QAM	50	25	19.8	2.2	0.05	19.85	0.097	7.000	Pass
			1	1	20	2.2	0.05	20.05	0.101	7.000	Pass
			1	104	19.83	2.2	0.05	19.88	0.097	7.000	Pass
		256QAM	50	25	17.77	2.2	0.05	17.82	0.061	7.000	Pass
			1	1	17.63	2.2	0.05	17.68	0.059	7.000	Pass
			1	104	17.54	2.2	0.05	17.59	0.057	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n7										
5	LCH	PI/2 BPSK	12	6	22.66	3.2	25.86	0.385	2.000	Pass
			1	1	22.55	3.2	25.75	0.376	2.000	Pass
			1	23	22.41	3.2	25.61	0.364	2.000	Pass
		QPSK	12	6	22.28	3.2	25.48	0.353	2.000	Pass
			1	1	22.54	3.2	25.74	0.375	2.000	Pass
			1	23	22.46	3.2	25.66	0.368	2.000	Pass
		16QAM	12	6	21.47	3.2	24.67	0.293	2.000	Pass
			1	1	21.6	3.2	24.80	0.302	2.000	Pass
			1	23	21.37	3.2	24.57	0.286	2.000	Pass
		64QAM	12	6	19.98	3.2	23.18	0.208	2.000	Pass
			1	1	20.04	3.2	23.24	0.211	2.000	Pass
			1	23	19.9	3.2	23.10	0.204	2.000	Pass
		256QAM	12	6	17.72	3.2	20.92	0.124	2.000	Pass
			1	1	17.87	3.2	21.07	0.128	2.000	Pass
			1	23	17.81	3.2	21.01	0.126	2.000	Pass
	MCH	PI/2 BPSK	12	6	22.65	3.2	25.85	0.385	2.000	Pass
			1	1	22.62	3.2	25.82	0.382	2.000	Pass
			1	23	22.63	3.2	25.83	0.383	2.000	Pass
		QPSK	12	6	22.59	3.2	25.79	0.379	2.000	Pass
			1	1	22.7	3.2	25.90	0.389	2.000	Pass
			1	23	22.64	3.2	25.84	0.384	2.000	Pass
		16QAM	12	6	21.63	3.2	24.83	0.304	2.000	Pass
			1	1	21.46	3.2	24.66	0.292	2.000	Pass
			1	23	21.83	3.2	25.03	0.318	2.000	Pass
		64QAM	12	6	20.13	3.2	23.33	0.215	2.000	Pass
			1	1	20.12	3.2	23.32	0.215	2.000	Pass
			1	23	20.25	3.2	23.45	0.221	2.000	Pass
		256QAM	12	6	17.99	3.2	21.19	0.132	2.000	Pass
			1	1	18.05	3.2	21.25	0.133	2.000	Pass
			1	23	17.8	3.2	21.00	0.126	2.000	Pass
	HCH	PI/2 BPSK	12	6	22.52	3.2	25.72	0.373	2.000	Pass
			1	1	22.48	3.2	25.68	0.370	2.000	Pass
			1	23	22.51	3.2	25.71	0.372	2.000	Pass
		QPSK	12	6	22.77	3.2	25.97	0.395	2.000	Pass
			1	1	22.41	3.2	25.61	0.364	2.000	Pass
			1	23	22.75	3.2	25.95	0.394	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n7										
		16QAM	12	6	21.35	3.2	24.55	0.285	2.000	Pass
			1	1	21.7	3.2	24.90	0.309	2.000	Pass
			1	23	21.65	3.2	24.85	0.305	2.000	Pass
		64QAM	12	6	19.98	3.2	23.18	0.208	2.000	Pass
			1	1	19.91	3.2	23.11	0.205	2.000	Pass
			1	23	20.02	3.2	23.22	0.210	2.000	Pass
		256QAM	12	6	18.03	3.2	21.23	0.133	2.000	Pass
			1	1	17.81	3.2	21.01	0.126	2.000	Pass
			1	23	17.97	3.2	21.17	0.131	2.000	Pass
10	LCH	PI/2 BPSK	25	12	22.72	3.2	25.92	0.391	2.000	Pass
			1	1	22.95	3.2	26.15	0.412	2.000	Pass
			1	50	22.7	3.2	25.90	0.389	2.000	Pass
		QPSK	25	12	22.81	3.2	26.01	0.399	2.000	Pass
			1	1	23.09	3.2	26.29	0.426	2.000	Pass
			1	50	23.04	3.2	26.24	0.421	2.000	Pass
		16QAM	25	12	21.66	3.2	24.86	0.306	2.000	Pass
			1	1	21.8	3.2	25.00	0.316	2.000	Pass
			1	50	21.82	3.2	25.02	0.318	2.000	Pass
		64QAM	25	12	20.45	3.2	23.65	0.232	2.000	Pass
			1	1	20.21	3.2	23.41	0.219	2.000	Pass
			1	50	20.46	3.2	23.66	0.232	2.000	Pass
		256QAM	25	12	18.29	3.2	21.49	0.141	2.000	Pass
			1	1	18.07	3.2	21.27	0.134	2.000	Pass
			1	50	18.02	3.2	21.22	0.132	2.000	Pass
	MCH	PI/2 BPSK	25	12	22.62	3.2	25.82	0.382	2.000	Pass
			1	1	22.98	3.2	26.18	0.415	2.000	Pass
			1	50	22.69	3.2	25.89	0.388	2.000	Pass
		QPSK	25	12	22.73	3.2	25.93	0.392	2.000	Pass
			1	1	22.77	3.2	25.97	0.395	2.000	Pass
			1	50	23.02	3.2	26.22	0.419	2.000	Pass
		16QAM	25	12	21.7	3.2	24.90	0.309	2.000	Pass
			1	1	22.03	3.2	25.23	0.333	2.000	Pass
			1	50	21.69	3.2	24.89	0.308	2.000	Pass
		64QAM	25	12	20.18	3.2	23.38	0.218	2.000	Pass
			1	1	20.62	3.2	23.82	0.241	2.000	Pass
			1	50	20.04	3.2	23.24	0.211	2.000	Pass
		256QAM	25	12	18.37	3.2	21.57	0.144	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n7										
			1	1	18.38	3.2	21.58	0.144	2.000	Pass
			1	50	18	3.2	21.20	0.132	2.000	Pass
		PI/2 BPSK	25	12	22.59	3.2	25.79	0.379	2.000	Pass
			1	1	22.55	3.2	25.75	0.376	2.000	Pass
			1	50	22.71	3.2	25.91	0.390	2.000	Pass
		QPSK	25	12	22.82	3.2	26.02	0.400	2.000	Pass
			1	1	22.7	3.2	25.90	0.389	2.000	Pass
			1	50	22.78	3.2	25.98	0.396	2.000	Pass
		16QAM	25	12	21.67	3.2	24.87	0.307	2.000	Pass
	HCH		1	1	21.81	3.2	25.01	0.317	2.000	Pass
			1	50	21.63	3.2	24.83	0.304	2.000	Pass
		64QAM	25	12	19.9	3.2	23.10	0.204	2.000	Pass
			1	1	20.18	3.2	23.38	0.218	2.000	Pass
			1	50	20.13	3.2	23.33	0.215	2.000	Pass
		256QAM	25	12	17.93	3.2	21.13	0.130	2.000	Pass
			1	1	18.07	3.2	21.27	0.134	2.000	Pass
			1	50	18.07	3.2	21.27	0.134	2.000	Pass
		PI/2 BPSK	36	18	22.96	3.2	26.16	0.413	2.000	Pass
			1	1	22.81	3.2	26.01	0.399	2.000	Pass
			1	77	22.92	3.2	26.12	0.409	2.000	Pass
		QPSK	36	18	22.64	3.2	25.84	0.384	2.000	Pass
			1	1	23.12	3.2	26.32	0.429	2.000	Pass
			1	77	22.87	3.2	26.07	0.405	2.000	Pass
		16QAM	36	18	21.77	3.2	24.97	0.314	2.000	Pass
	LCH		1	1	21.8	3.2	25.00	0.316	2.000	Pass
			1	77	21.63	3.2	24.83	0.304	2.000	Pass
15		64QAM	36	18	20.21	3.2	23.41	0.219	2.000	Pass
			1	1	20.16	3.2	23.36	0.217	2.000	Pass
			1	77	20.2	3.2	23.40	0.219	2.000	Pass
		256QAM	36	18	18.08	3.2	21.28	0.134	2.000	Pass
			1	1	18.4	3.2	21.60	0.145	2.000	Pass
			1	77	17.86	3.2	21.06	0.128	2.000	Pass
		PI/2 BPSK	36	18	22.76	3.2	25.96	0.394	2.000	Pass
			1	1	22.94	3.2	26.14	0.411	2.000	Pass
	MCH		1	77	22.72	3.2	25.92	0.391	2.000	Pass
		QPSK	36	18	22.82	3.2	26.02	0.400	2.000	Pass
			1	1	23.11	3.2	26.31	0.428	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n7										
			1	77	22.76	3.2	25.96	0.394	2.000	Pass
		16QAM	36	18	21.84	3.2	25.04	0.319	2.000	Pass
			1	1	21.9	3.2	25.10	0.324	2.000	Pass
			1	77	21.75	3.2	24.95	0.313	2.000	Pass
		64QAM	36	18	20.27	3.2	23.47	0.222	2.000	Pass
			1	1	20.13	3.2	23.33	0.215	2.000	Pass
			1	77	20.32	3.2	23.52	0.225	2.000	Pass
		256QAM	36	18	18.06	3.2	21.26	0.134	2.000	Pass
			1	1	18.26	3.2	21.46	0.140	2.000	Pass
			1	77	18.07	3.2	21.27	0.134	2.000	Pass
	HCH	PI/2 BPSK	36	18	22.81	3.2	26.01	0.399	2.000	Pass
			1	1	22.69	3.2	25.89	0.388	2.000	Pass
			1	77	22.67	3.2	25.87	0.386	2.000	Pass
		QPSK	36	18	22.88	3.2	26.08	0.406	2.000	Pass
			1	1	22.76	3.2	25.96	0.394	2.000	Pass
			1	77	22.96	3.2	26.16	0.413	2.000	Pass
		16QAM	36	18	21.92	3.2	25.12	0.325	2.000	Pass
			1	1	21.69	3.2	24.89	0.308	2.000	Pass
			1	77	21.64	3.2	24.84	0.305	2.000	Pass
		64QAM	36	18	20.42	3.2	23.62	0.230	2.000	Pass
			1	1	20.35	3.2	23.55	0.226	2.000	Pass
			1	77	20.32	3.2	23.52	0.225	2.000	Pass
		256QAM	36	18	18.04	3.2	21.24	0.133	2.000	Pass
			1	1	18.13	3.2	21.33	0.136	2.000	Pass
			1	77	18.09	3.2	21.29	0.135	2.000	Pass
20	LCH	PI/2 BPSK	50	25	22.86	3.2	26.06	0.404	2.000	Pass
			1	1	22.78	3.2	25.98	0.396	2.000	Pass
			1	104	22.69	3.2	25.89	0.388	2.000	Pass
		QPSK	50	25	23.01	3.2	26.21	0.418	2.000	Pass
			1	1	22.83	3.2	26.03	0.401	2.000	Pass
			1	104	22.89	3.2	26.09	0.406	2.000	Pass
		16QAM	50	25	21.53	3.2	24.73	0.297	2.000	Pass
			1	1	21.97	3.2	25.17	0.329	2.000	Pass
			1	104	21.72	3.2	24.92	0.310	2.000	Pass
		64QAM	50	25	20.38	3.2	23.58	0.228	2.000	Pass
			1	1	20.45	3.2	23.65	0.232	2.000	Pass
			1	104	20.32	3.2	23.52	0.225	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n7										
		256QAM	50	25	18.38	3.2	21.58	0.144	2.000	Pass
			1	1	18.2	3.2	21.40	0.138	2.000	Pass
			1	104	18	3.2	21.20	0.132	2.000	Pass
	MCH	PI/2 BPSK	50	25	22.91	3.2	26.11	0.408	2.000	Pass
			1	1	22.75	3.2	25.95	0.394	2.000	Pass
			1	104	22.65	3.2	25.85	0.385	2.000	Pass
		QPSK	50	25	22.98	3.2	26.18	0.415	2.000	Pass
			1	1	22.88	3.2	26.08	0.406	2.000	Pass
			1	104	23.02	3.2	26.22	0.419	2.000	Pass
		16QAM	50	25	21.82	3.2	25.02	0.318	2.000	Pass
			1	1	22.1	3.2	25.30	0.339	2.000	Pass
			1	104	21.66	3.2	24.86	0.306	2.000	Pass
		64QAM	50	25	20.27	3.2	23.47	0.222	2.000	Pass
			1	1	20.46	3.2	23.66	0.232	2.000	Pass
			1	104	20.19	3.2	23.39	0.218	2.000	Pass
		256QAM	50	25	18.12	3.2	21.32	0.136	2.000	Pass
			1	1	18.24	3.2	21.44	0.139	2.000	Pass
			1	104	18.27	3.2	21.47	0.140	2.000	Pass
	HCH	PI/2 BPSK	50	25	22.89	3.2	26.09	0.406	2.000	Pass
			1	1	22.95	3.2	26.15	0.412	2.000	Pass
			1	104	22.71	3.2	25.91	0.390	2.000	Pass
		QPSK	50	25	22.76	3.2	25.96	0.394	2.000	Pass
			1	1	22.84	3.2	26.04	0.402	2.000	Pass
			1	104	22.88	3.2	26.08	0.406	2.000	Pass
		16QAM	50	25	21.57	3.2	24.77	0.300	2.000	Pass
			1	1	21.86	3.2	25.06	0.321	2.000	Pass
			1	104	21.88	3.2	25.08	0.322	2.000	Pass
		64QAM	50	25	19.88	3.2	23.08	0.203	2.000	Pass
			1	1	20.29	3.2	23.49	0.223	2.000	Pass
			1	104	20.18	3.2	23.38	0.218	2.000	Pass
		256QAM	50	25	17.91	3.2	21.11	0.129	2.000	Pass
			1	1	18	3.2	21.20	0.132	2.000	Pass
			1	104	18.07	3.2	21.27	0.134	2.000	Pass
25	LCH	PI/2 BPSK	64	32	22.79	3.2	25.99	0.397	2.000	Pass
			1	1	22.68	3.2	25.88	0.387	2.000	Pass
			1	131	22.64	3.2	25.84	0.384	2.000	Pass
		QPSK	64	32	22.66	3.2	25.86	0.385	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n7										
			1	1	22.76	3.2	25.96	0.394	2.000	Pass
			1	131	23.02	3.2	26.22	0.419	2.000	Pass
		16QAM	64	32	21.8	3.2	25.00	0.316	2.000	Pass
			1	1	21.72	3.2	24.92	0.310	2.000	Pass
			1	131	21.98	3.2	25.18	0.330	2.000	Pass
		64QAM	64	32	20.39	3.2	23.59	0.229	2.000	Pass
			1	1	20.47	3.2	23.67	0.233	2.000	Pass
			1	131	20.26	3.2	23.46	0.222	2.000	Pass
		256QAM	64	32	18.14	3.2	21.34	0.136	2.000	Pass
			1	1	18.37	3.2	21.57	0.144	2.000	Pass
			1	131	18.31	3.2	21.51	0.142	2.000	Pass
	MCH	PI/2 BPSK	64	32	22.96	3.2	26.16	0.413	2.000	Pass
			1	1	22.81	3.2	26.01	0.399	2.000	Pass
			1	131	22.91	3.2	26.11	0.408	2.000	Pass
		QPSK	64	32	22.65	3.2	25.85	0.385	2.000	Pass
			1	1	22.89	3.2	26.09	0.406	2.000	Pass
			1	131	22.96	3.2	26.16	0.413	2.000	Pass
		16QAM	64	32	21.65	3.2	24.85	0.305	2.000	Pass
			1	1	21.97	3.2	25.17	0.329	2.000	Pass
			1	131	21.64	3.2	24.84	0.305	2.000	Pass
		64QAM	64	32	20.33	3.2	23.53	0.225	2.000	Pass
			1	1	20.36	3.2	23.56	0.227	2.000	Pass
			1	131	20.32	3.2	23.52	0.225	2.000	Pass
		256QAM	64	32	18.35	3.2	21.55	0.143	2.000	Pass
			1	1	18.28	3.2	21.48	0.141	2.000	Pass
			1	131	18.05	3.2	21.25	0.133	2.000	Pass
	HCH	PI/2 BPSK	64	32	22.76	3.2	25.96	0.394	2.000	Pass
			1	1	22.79	3.2	25.99	0.397	2.000	Pass
			1	131	22.56	3.2	25.76	0.377	2.000	Pass
		QPSK	64	32	22.92	3.2	26.12	0.409	2.000	Pass
			1	1	22.76	3.2	25.96	0.394	2.000	Pass
			1	131	22.76	3.2	25.96	0.394	2.000	Pass
		16QAM	64	32	21.75	3.2	24.95	0.313	2.000	Pass
			1	1	21.6	3.2	24.80	0.302	2.000	Pass
			1	131	21.6	3.2	24.80	0.302	2.000	Pass
		64QAM	64	32	20.19	3.2	23.39	0.218	2.000	Pass
			1	1	20.44	3.2	23.64	0.231	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n7										
			1	131	20.08	3.2	23.28	0.213	2.000	Pass
		256QAM	64	32	18.21	3.2	21.41	0.138	2.000	Pass
			1	1	18.37	3.2	21.57	0.144	2.000	Pass
			1	131	18	3.2	21.20	0.132	2.000	Pass
30	LCH	PI/2 BPSK	80	40	22.99	3.2	26.19	0.416	2.000	Pass
			1	1	22.97	3.2	26.17	0.414	2.000	Pass
			1	158	22.96	3.2	26.16	0.413	2.000	Pass
		QPSK	80	40	22.94	3.2	26.14	0.411	2.000	Pass
			1	1	22.84	3.2	26.04	0.402	2.000	Pass
			1	158	22.69	3.2	25.89	0.388	2.000	Pass
		16QAM	80	40	21.72	3.2	24.92	0.310	2.000	Pass
			1	1	21.88	3.2	25.08	0.322	2.000	Pass
			1	158	21.68	3.2	24.88	0.308	2.000	Pass
		64QAM	80	40	20.13	3.2	23.33	0.215	2.000	Pass
			1	1	20.46	3.2	23.66	0.232	2.000	Pass
			1	158	20.09	3.2	23.29	0.213	2.000	Pass
		256QAM	80	40	18.15	3.2	21.35	0.136	2.000	Pass
			1	1	18.05	3.2	21.25	0.133	2.000	Pass
			1	158	18.11	3.2	21.31	0.135	2.000	Pass
	MCH	PI/2 BPSK	80	40	22.82	3.2	26.02	0.400	2.000	Pass
			1	1	22.82	3.2	26.02	0.400	2.000	Pass
			1	158	22.64	3.2	25.84	0.384	2.000	Pass
		QPSK	80	40	22.71	3.2	25.91	0.390	2.000	Pass
			1	1	23.08	3.2	26.28	0.425	2.000	Pass
			1	158	22.88	3.2	26.08	0.406	2.000	Pass
		16QAM	80	40	21.73	3.2	24.93	0.311	2.000	Pass
			1	1	21.79	3.2	24.99	0.316	2.000	Pass
			1	158	21.77	3.2	24.97	0.314	2.000	Pass
		64QAM	80	40	20.31	3.2	23.51	0.224	2.000	Pass
			1	1	20.5	3.2	23.70	0.234	2.000	Pass
			1	158	20.12	3.2	23.32	0.215	2.000	Pass
		256QAM	80	40	18.42	3.2	21.62	0.145	2.000	Pass
			1	1	18.39	3.2	21.59	0.144	2.000	Pass
			1	158	18.05	3.2	21.25	0.133	2.000	Pass
	HCH	PI/2 BPSK	80	40	22.57	3.2	25.77	0.378	2.000	Pass
			1	1	22.71	3.2	25.91	0.390	2.000	Pass
			1	158	22.64	3.2	25.84	0.384	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n7										
		QPSK	80	40	22.59	3.2	25.79	0.379	2.000	Pass
			1	1	22.87	3.2	26.07	0.405	2.000	Pass
			1	158	22.93	3.2	26.13	0.410	2.000	Pass
		16QAM	80	40	21.41	3.2	24.61	0.289	2.000	Pass
			1	1	21.69	3.2	24.89	0.308	2.000	Pass
			1	158	21.81	3.2	25.01	0.317	2.000	Pass
		64QAM	80	40	20.21	3.2	23.41	0.219	2.000	Pass
			1	1	20.04	3.2	23.24	0.211	2.000	Pass
			1	158	20.21	3.2	23.41	0.219	2.000	Pass
		256QAM	80	40	17.95	3.2	21.15	0.130	2.000	Pass
			1	1	18.12	3.2	21.32	0.136	2.000	Pass
			1	158	17.91	3.2	21.11	0.129	2.000	Pass
40	LCH	PI/2 BPSK	108	54	22.76	3.2	25.96	0.394	2.000	Pass
			1	1	22.92	3.2	26.12	0.409	2.000	Pass
			1	214	22.58	3.2	25.78	0.378	2.000	Pass
		QPSK	108	54	23	3.2	26.20	0.417	2.000	Pass
			1	1	23.01	3.2	26.21	0.418	2.000	Pass
			1	214	22.91	3.2	26.11	0.408	2.000	Pass
		16QAM	108	54	21.53	3.2	24.73	0.297	2.000	Pass
			1	1	21.77	3.2	24.97	0.314	2.000	Pass
			1	214	21.7	3.2	24.90	0.309	2.000	Pass
		64QAM	108	54	20.04	3.2	23.24	0.211	2.000	Pass
			1	1	20.19	3.2	23.39	0.218	2.000	Pass
			1	214	20.23	3.2	23.43	0.220	2.000	Pass
		256QAM	108	54	18.23	3.2	21.43	0.139	2.000	Pass
			1	1	18.05	3.2	21.25	0.133	2.000	Pass
			1	214	18.15	3.2	21.35	0.136	2.000	Pass
	MCH	PI/2 BPSK	108	54	22.99	3.2	26.19	0.416	2.000	Pass
			1	1	23.07	3.2	26.27	0.424	2.000	Pass
			1	214	22.73	3.2	25.93	0.392	2.000	Pass
		QPSK	108	54	23.04	3.2	26.24	0.421	2.000	Pass
			1	1	23.02	3.2	26.22	0.419	2.000	Pass
			1	214	22.64	3.2	25.84	0.384	2.000	Pass
		16QAM	108	54	21.59	3.2	24.79	0.301	2.000	Pass
			1	1	21.82	3.2	25.02	0.318	2.000	Pass
			1	214	21.55	3.2	24.75	0.299	2.000	Pass
		64QAM	108	54	20.09	3.2	23.29	0.213	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n7										
			1	1	20.28	3.2	23.48	0.223	2.000	Pass
			1	214	19.98	3.2	23.18	0.208	2.000	Pass
		256QAM	108	54	18.08	3.2	21.28	0.134	2.000	Pass
			1	1	18.14	3.2	21.34	0.136	2.000	Pass
			1	214	17.95	3.2	21.15	0.130	2.000	Pass
	HCH	PI/2 BPSK	108	54	22.77	3.2	25.97	0.395	2.000	Pass
			1	1	22.8	3.2	26.00	0.398	2.000	Pass
			1	214	22.53	3.2	25.73	0.374	2.000	Pass
		QPSK	108	54	22.93	3.2	26.13	0.410	2.000	Pass
			1	1	22.93	3.2	26.13	0.410	2.000	Pass
			1	214	22.69	3.2	25.89	0.388	2.000	Pass
		16QAM	108	54	21.83	3.2	25.03	0.318	2.000	Pass
			1	1	21.98	3.2	25.18	0.330	2.000	Pass
			1	214	21.71	3.2	24.91	0.310	2.000	Pass
		64QAM	108	54	20.31	3.2	23.51	0.224	2.000	Pass
			1	1	20.22	3.2	23.42	0.220	2.000	Pass
			1	214	20.37	3.2	23.57	0.228	2.000	Pass
		256QAM	108	54	18.23	3.2	21.43	0.139	2.000	Pass
			1	1	18.27	3.2	21.47	0.140	2.000	Pass
			1	214	17.91	3.2	21.11	0.129	2.000	Pass
50	LCH	PI/2 BPSK	135	67	22.96	3.2	26.16	0.413	2.000	Pass
			1	1	23.13	3.2	**26.33**	0.430	2.000	Pass
			1	268	22.86	3.2	26.06	0.404	2.000	Pass
		QPSK	135	67	22.78	3.2	25.98	0.396	2.000	Pass
			1	1	23.01	3.2	26.21	0.418	2.000	Pass
			1	268	22.85	3.2	26.05	0.403	2.000	Pass
		16QAM	135	67	21.68	3.2	24.88	0.308	2.000	Pass
			1	1	21.8	3.2	25.00	0.316	2.000	Pass
			1	268	21.69	3.2	24.89	0.308	2.000	Pass
		64QAM	135	67	20.1	3.2	23.30	0.214	2.000	Pass
			1	1	20.28	3.2	23.48	0.223	2.000	Pass
			1	268	19.94	3.2	23.14	0.206	2.000	Pass
		256QAM	135	67	18.32	3.2	21.52	0.142	2.000	Pass
			1	1	18.35	3.2	21.55	0.143	2.000	Pass
			1	268	17.86	3.2	21.06	0.128	2.000	Pass
	MCH	PI/2 BPSK	135	67	23.11	3.2	26.31	0.428	2.000	Pass
			1	1	22.83	3.2	26.03	0.401	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n7										
			1	268	22.68	3.2	25.88	0.387	2.000	Pass
		QPSK	135	67	22.87	3.2	26.07	0.405	2.000	Pass
			1	1	22.93	3.2	26.13	0.410	2.000	Pass
			1	268	22.59	3.2	25.79	0.379	2.000	Pass
		16QAM	135	67	21.96	3.2	25.16	0.328	2.000	Pass
			1	1	21.86	3.2	25.06	0.321	2.000	Pass
			1	268	21.77	3.2	24.97	0.314	2.000	Pass
		64QAM	135	67	20.38	3.2	23.58	0.228	2.000	Pass
			1	1	20.12	3.2	23.32	0.215	2.000	Pass
			1	268	20.08	3.2	23.28	0.213	2.000	Pass
		256QAM	135	67	18.04	3.2	21.24	0.133	2.000	Pass
			1	1	18.3	3.2	21.50	0.141	2.000	Pass
			1	268	18.12	3.2	21.32	0.136	2.000	Pass
	HCH	PI/2 BPSK	135	67	22.82	3.2	26.02	0.400	2.000	Pass
			1	1	22.98	3.2	26.18	0.415	2.000	Pass
			1	268	22.8	3.2	26.00	0.398	2.000	Pass
		QPSK	135	67	22.79	3.2	25.99	0.397	2.000	Pass
			1	1	22.88	3.2	26.08	0.406	2.000	Pass
			1	268	22.77	3.2	25.97	0.395	2.000	Pass
		16QAM	135	67	21.72	3.2	24.92	0.310	2.000	Pass
			1	1	21.99	3.2	25.19	0.330	2.000	Pass
			1	268	21.68	3.2	24.88	0.308	2.000	Pass
		64QAM	135	67	20.07	3.2	23.27	0.212	2.000	Pass
			1	1	20.49	3.2	23.69	0.234	2.000	Pass
			1	268	20.03	3.2	23.23	0.210	2.000	Pass
		256QAM	135	67	18.34	3.2	21.54	0.143	2.000	Pass
			1	1	18.18	3.2	21.38	0.137	2.000	Pass
			1	268	17.8	3.2	21.00	0.126	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n12											
5	LCH	PI/2 BPSK	12	6	23.32	-0.7	-2.85	20.47	0.111	3.000	Pass
			1	1	22.77	-0.7	-2.85	19.92	0.098	3.000	Pass
			1	23	23.38	-0.7	-2.85	20.53	0.113	3.000	Pass
		QPSK	12	6	22.8	-0.7	-2.85	19.95	0.099	3.000	Pass
			1	1	23.36	-0.7	-2.85	20.51	0.112	3.000	Pass
			1	23	23.02	-0.7	-2.85	20.17	0.104	3.000	Pass
		16QAM	12	6	22.39	-0.7	-2.85	19.54	0.090	3.000	Pass
			1	1	22.43	-0.7	-2.85	19.58	0.091	3.000	Pass
			1	23	22.31	-0.7	-2.85	19.46	0.088	3.000	Pass
		64QAM	12	6	20.84	-0.7	-2.85	17.99	0.063	3.000	Pass
			1	1	20.74	-0.7	-2.85	17.89	0.062	3.000	Pass
			1	23	20.67	-0.7	-2.85	17.82	0.061	3.000	Pass
		256QAM	12	6	18.73	-0.7	-2.85	15.88	0.039	3.000	Pass
			1	1	18.72	-0.7	-2.85	15.87	0.039	3.000	Pass
			1	23	18.56	-0.7	-2.85	15.71	0.037	3.000	Pass
	MCH	PI/2 BPSK	12	6	23.4	-0.7	-2.85	20.55	0.114	3.000	Pass
			1	1	23.45	-0.7	-2.85	20.60	0.115	3.000	Pass
			1	23	23.4	-0.7	-2.85	20.55	0.114	3.000	Pass
		QPSK	12	6	23.4	-0.7	-2.85	20.55	0.114	3.000	Pass
			1	1	23.47	-0.7	-2.85	20.62	0.115	3.000	Pass
			1	23	23.43	-0.7	-2.85	20.58	0.114	3.000	Pass
		16QAM	12	6	22.25	-0.7	-2.85	19.40	0.087	3.000	Pass
			1	1	22.56	-0.7	-2.85	19.71	0.094	3.000	Pass
			1	23	22.52	-0.7	-2.85	19.67	0.093	3.000	Pass
		64QAM	12	6	20.8	-0.7	-2.85	17.95	0.062	3.000	Pass
			1	1	20.99	-0.7	-2.85	18.14	0.065	3.000	Pass
			1	23	20.91	-0.7	-2.85	18.06	0.064	3.000	Pass
		256QAM	12	6	18.8	-0.7	-2.85	15.95	0.039	3.000	Pass
			1	1	18.75	-0.7	-2.85	15.90	0.039	3.000	Pass
			1	23	18.69	-0.7	-2.85	15.84	0.038	3.000	Pass
	HCH	PI/2 BPSK	12	6	23.3	-0.7	-2.85	20.45	0.111	3.000	Pass
			1	1	23.39	-0.7	-2.85	20.54	0.113	3.000	Pass
			1	23	23.31	-0.7	-2.85	20.46	0.111	3.000	Pass
		QPSK	12	6	23.39	-0.7	-2.85	20.54	0.113	3.000	Pass
			1	1	23.19	-0.7	-2.85	20.34	0.108	3.000	Pass
			1	23	23.21	-0.7	-2.85	20.36	0.109	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n12											
		16QAM	12	6	22.23	-0.7	-2.85	19.38	0.087	3.000	Pass
			1	1	22.41	-0.7	-2.85	19.56	0.090	3.000	Pass
			1	23	22.44	-0.7	-2.85	19.59	0.091	3.000	Pass
		64QAM	12	6	20.75	-0.7	-2.85	17.90	0.062	3.000	Pass
			1	1	20.99	-0.7	-2.85	18.14	0.065	3.000	Pass
			1	23	20.98	-0.7	-2.85	18.13	0.065	3.000	Pass
		256QAM	12	6	18.72	-0.7	-2.85	15.87	0.039	3.000	Pass
			1	1	18.68	-0.7	-2.85	15.83	0.038	3.000	Pass
			1	23	18.64	-0.7	-2.85	15.79	0.038	3.000	Pass
10	LCH	PI/2 BPSK	25	12	23.43	-0.7	-2.85	20.58	0.114	3.000	Pass
			1	1	23.48	-0.7	-2.85	20.63	0.116	3.000	Pass
			1	50	23.46	-0.7	-2.85	20.61	0.115	3.000	Pass
		QPSK	25	12	23.37	-0.7	-2.85	20.52	0.113	3.000	Pass
			1	1	23.54	-0.7	-2.85	20.69	0.117	3.000	Pass
			1	50	23.53	-0.7	-2.85	20.68	0.117	3.000	Pass
		16QAM	25	12	22.42	-0.7	-2.85	19.57	0.091	3.000	Pass
			1	1	22.52	-0.7	-2.85	19.67	0.093	3.000	Pass
			1	50	22.54	-0.7	-2.85	19.69	0.093	3.000	Pass
		64QAM	25	12	20.95	-0.7	-2.85	18.10	0.065	3.000	Pass
			1	1	20.94	-0.7	-2.85	18.09	0.064	3.000	Pass
			1	50	20.94	-0.7	-2.85	18.09	0.064	3.000	Pass
		256QAM	25	12	18.81	-0.7	-2.85	15.96	0.039	3.000	Pass
			1	1	18.7	-0.7	-2.85	15.85	0.038	3.000	Pass
			1	50	18.78	-0.7	-2.85	15.93	0.039	3.000	Pass
	MCH	PI/2 BPSK	25	12	23.5	-0.7	-2.85	20.65	0.116	3.000	Pass
			1	1	23.56	-0.7	-2.85	20.71	0.118	3.000	Pass
			1	50	23.52	-0.7	-2.85	20.67	0.117	3.000	Pass
		QPSK	25	12	23.35	-0.7	-2.85	20.50	0.112	3.000	Pass
			1	1	23.63	-0.7	-2.85	**20.78**	0.120	3.000	Pass
			1	50	23.54	-0.7	-2.85	20.69	0.117	3.000	Pass
		16QAM	25	12	22.35	-0.7	-2.85	19.50	0.089	3.000	Pass
			1	1	22.58	-0.7	-2.85	19.73	0.094	3.000	Pass
			1	50	22.56	-0.7	-2.85	19.71	0.094	3.000	Pass
		64QAM	25	12	20.9	-0.7	-2.85	18.05	0.064	3.000	Pass
			1	1	21.02	-0.7	-2.85	18.17	0.066	3.000	Pass
			1	50	20.92	-0.7	-2.85	18.07	0.064	3.000	Pass
		256QAM	25	12	18.78	-0.7	-2.85	15.93	0.039	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n12											
			1	1	18.78	-0.7	-2.85	15.93	0.039	3.000	Pass
			1	50	18.76	-0.7	-2.85	15.91	0.039	3.000	Pass
		PI/2 BPSK	25	12	23.39	-0.7	-2.85	20.54	0.113	3.000	Pass
			1	1	23.5	-0.7	-2.85	20.65	0.116	3.000	Pass
			1	50	23.48	-0.7	-2.85	20.63	0.116	3.000	Pass
		QPSK	25	12	23.44	-0.7	-2.85	20.59	0.115	3.000	Pass
			1	1	23.43	-0.7	-2.85	20.58	0.114	3.000	Pass
			1	50	23.54	-0.7	-2.85	20.69	0.117	3.000	Pass
		16QAM	25	12	22.29	-0.7	-2.85	19.44	0.088	3.000	Pass
	HCH		1	1	22.5	-0.7	-2.85	19.65	0.092	3.000	Pass
			1	50	22.52	-0.7	-2.85	19.67	0.093	3.000	Pass
		64QAM	25	12	20.77	-0.7	-2.85	17.92	0.062	3.000	Pass
			1	1	20.91	-0.7	-2.85	18.06	0.064	3.000	Pass
			1	50	20.92	-0.7	-2.85	18.07	0.064	3.000	Pass
		256QAM	25	12	18.76	-0.7	-2.85	15.91	0.039	3.000	Pass
			1	1	18.68	-0.7	-2.85	15.83	0.038	3.000	Pass
			1	50	18.67	-0.7	-2.85	15.82	0.038	3.000	Pass
15		PI/2 BPSK	36	18	23.5	-0.7	-2.85	20.65	0.116	3.000	Pass
			1	1	23.54	-0.7	-2.85	20.69	0.117	3.000	Pass
			1	77	23.46	-0.7	-2.85	20.61	0.115	3.000	Pass
		QPSK	36	18	23.49	-0.7	-2.85	20.64	0.116	3.000	Pass
			1	1	23.62	-0.7	-2.85	20.77	0.119	3.000	Pass
			1	77	23.43	-0.7	-2.85	20.58	0.114	3.000	Pass
		16QAM	36	18	22.54	-0.7	-2.85	19.69	0.093	3.000	Pass
	LCH		1	1	22.59	-0.7	-2.85	19.74	0.094	3.000	Pass
			1	77	22.44	-0.7	-2.85	19.59	0.091	3.000	Pass
		64QAM	36	18	20.85	-0.7	-2.85	18.00	0.063	3.000	Pass
			1	1	20.89	-0.7	-2.85	18.04	0.064	3.000	Pass
			1	77	20.83	-0.7	-2.85	17.98	0.063	3.000	Pass
		256QAM	36	18	18.83	-0.7	-2.85	15.98	0.040	3.000	Pass
			1	1	18.75	-0.7	-2.85	15.90	0.039	3.000	Pass
			1	77	18.66	-0.7	-2.85	15.81	0.038	3.000	Pass
		PI/2 BPSK	36	18	23.49	-0.7	-2.85	20.64	0.116	3.000	Pass
			1	1	23.52	-0.7	-2.85	20.67	0.117	3.000	Pass
	MCH		1	77	23.34	-0.7	-2.85	20.49	0.112	3.000	Pass
		QPSK	36	18	23.45	-0.7	-2.85	20.60	0.115	3.000	Pass
			1	1	23.6	-0.7	-2.85	20.75	0.119	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n12											
			1	77	23.42	-0.7	-2.85	20.57	0.114	3.000	Pass
		16QAM	36	18	22.64	-0.7	-2.85	19.79	0.095	3.000	Pass
			1	1	22.57	-0.7	-2.85	19.72	0.094	3.000	Pass
			1	77	22.39	-0.7	-2.85	19.54	0.090	3.000	Pass
		64QAM	36	18	20.84	-0.7	-2.85	17.99	0.063	3.000	Pass
			1	1	20.99	-0.7	-2.85	18.14	0.065	3.000	Pass
			1	77	20.8	-0.7	-2.85	17.95	0.062	3.000	Pass
		256QAM	36	18	18.82	-0.7	-2.85	15.97	0.040	3.000	Pass
			1	1	18.76	-0.7	-2.85	15.91	0.039	3.000	Pass
			1	77	18.68	-0.7	-2.85	15.83	0.038	3.000	Pass
	HCH	PI/2 BPSK	36	18	23.45	-0.7	-2.85	20.60	0.115	3.000	Pass
			1	1	23.48	-0.7	-2.85	20.63	0.116	3.000	Pass
			1	77	23.44	-0.7	-2.85	20.59	0.115	3.000	Pass
		QPSK	36	18	23.43	-0.7	-2.85	20.58	0.114	3.000	Pass
			1	1	23.46	-0.7	-2.85	20.61	0.115	3.000	Pass
			1	77	23.5	-0.7	-2.85	20.65	0.116	3.000	Pass
		16QAM	36	18	22.51	-0.7	-2.85	19.66	0.092	3.000	Pass
			1	1	22.57	-0.7	-2.85	19.72	0.094	3.000	Pass
			1	77	22.51	-0.7	-2.85	19.66	0.092	3.000	Pass
		64QAM	36	18	20.83	-0.7	-2.85	17.98	0.063	3.000	Pass
			1	1	20.98	-0.7	-2.85	18.13	0.065	3.000	Pass
			1	77	20.77	-0.7	-2.85	17.92	0.062	3.000	Pass
		256QAM	36	18	18.84	-0.7	-2.85	15.99	0.040	3.000	Pass
			1	1	18.74	-0.7	-2.85	15.89	0.039	3.000	Pass
			1	77	18.62	-0.7	-2.85	15.77	0.038	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n13											
5	LCH	PI/2 BPSK	12	6	23.4	-2.2	-4.35	19.05	0.080	3.000	Pass
			1	1	23.51	-2.2	-4.35	19.16	0.082	3.000	Pass
			1	23	23.41	-2.2	-4.35	19.06	0.081	3.000	Pass
		QPSK	12	6	23.37	-2.2	-4.35	19.02	0.080	3.000	Pass
			1	1	23.5	-2.2	-4.35	19.15	0.082	3.000	Pass
			1	23	23.44	-2.2	-4.35	19.09	0.081	3.000	Pass
		16QAM	12	6	22.35	-2.2	-4.35	18.00	0.063	3.000	Pass
			1	1	22.64	-2.2	-4.35	18.29	0.067	3.000	Pass
			1	23	22.54	-2.2	-4.35	18.19	0.066	3.000	Pass
		64QAM	12	6	20.91	-2.2	-4.35	16.56	0.045	3.000	Pass
			1	1	20.99	-2.2	-4.35	16.64	0.046	3.000	Pass
			1	23	20.94	-2.2	-4.35	16.59	0.046	3.000	Pass
		256QAM	12	6	18.77	-2.2	-4.35	14.42	0.028	3.000	Pass
			1	1	18.74	-2.2	-4.35	14.39	0.027	3.000	Pass
			1	23	18.71	-2.2	-4.35	14.36	0.027	3.000	Pass
	MCH	PI/2 BPSK	12	6	23.39	-2.2	-4.35	19.04	0.080	3.000	Pass
			1	1	23.41	-2.2	-4.35	19.06	0.081	3.000	Pass
			1	23	23.38	-2.2	-4.35	19.03	0.080	3.000	Pass
		QPSK	12	6	23.41	-2.2	-4.35	19.06	0.081	3.000	Pass
			1	1	23.48	-2.2	-4.35	19.13	0.082	3.000	Pass
			1	23	23.41	-2.2	-4.35	19.06	0.081	3.000	Pass
		16QAM	12	6	22.26	-2.2	-4.35	17.91	0.062	3.000	Pass
			1	1	22.57	-2.2	-4.35	18.22	0.066	3.000	Pass
			1	23	22.48	-2.2	-4.35	18.13	0.065	3.000	Pass
		64QAM	12	6	20.82	-2.2	-4.35	16.47	0.044	3.000	Pass
			1	1	20.95	-2.2	-4.35	16.60	0.046	3.000	Pass
			1	23	20.93	-2.2	-4.35	16.58	0.045	3.000	Pass
		256QAM	12	6	18.81	-2.2	-4.35	14.46	0.028	3.000	Pass
			1	1	18.73	-2.2	-4.35	14.38	0.027	3.000	Pass
			1	23	18.66	-2.2	-4.35	14.31	0.027	3.000	Pass
	HCH	PI/2 BPSK	12	6	23.35	-2.2	-4.35	19.00	0.079	3.000	Pass
			1	1	23.36	-2.2	-4.35	19.01	0.080	3.000	Pass
			1	23	23.3	-2.2	-4.35	18.95	0.079	3.000	Pass
		QPSK	12	6	23.38	-2.2	-4.35	19.03	0.080	3.000	Pass
			1	1	23.41	-2.2	-4.35	19.06	0.081	3.000	Pass
			1	23	23.39	-2.2	-4.35	19.04	0.080	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n13											
		16QAM	12	6	22.27	-2.2	-4.35	17.92	0.062	3.000	Pass
			1	1	22.5	-2.2	-4.35	18.15	0.065	3.000	Pass
			1	23	22.47	-2.2	-4.35	18.12	0.065	3.000	Pass
		64QAM	12	6	20.8	-2.2	-4.35	16.45	0.044	3.000	Pass
			1	1	20.92	-2.2	-4.35	16.57	0.045	3.000	Pass
			1	23	20.9	-2.2	-4.35	16.55	0.045	3.000	Pass
		256QAM	12	6	18.75	-2.2	-4.35	14.40	0.028	3.000	Pass
			1	1	18.69	-2.2	-4.35	14.34	0.027	3.000	Pass
			1	23	18.66	-2.2	-4.35	14.31	0.027	3.000	Pass
10	MCH	PI/2 BPSK	25	12	23.37	-2.2	-4.35	19.02	0.080	3.000	Pass
			1	1	23.59	-2.2	-4.35	**19.24**	0.084	3.000	Pass
			1	50	23.54	-2.2	-4.35	19.19	0.083	3.000	Pass
		QPSK	25	12	23.42	-2.2	-4.35	19.07	0.081	3.000	Pass
			1	1	23.54	-2.2	-4.35	19.19	0.083	3.000	Pass
			1	50	23.41	-2.2	-4.35	19.06	0.081	3.000	Pass
		16QAM	25	12	22.32	-2.2	-4.35	17.97	0.063	3.000	Pass
			1	1	22.66	-2.2	-4.35	18.31	0.068	3.000	Pass
			1	50	22.5	-2.2	-4.35	18.15	0.065	3.000	Pass
		64QAM	25	12	20.86	-2.2	-4.35	16.51	0.045	3.000	Pass
			1	1	21.01	-2.2	-4.35	16.66	0.046	3.000	Pass
			1	50	20.88	-2.2	-4.35	16.53	0.045	3.000	Pass
		256QAM	25	12	18.77	-2.2	-4.35	14.42	0.028	3.000	Pass
			1	1	18.72	-2.2	-4.35	14.37	0.027	3.000	Pass
			1	50	18.82	-2.2	-4.35	14.47	0.028	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n14											
5	LCH	PI/2 BPSK	12	6	23.35	-1.7	-3.85	19.50	0.089	3.000	Pass
			1	1	23.34	-1.7	-3.85	19.49	0.089	3.000	Pass
			1	23	23.42	-1.7	-3.85	19.57	0.091	3.000	Pass
		QPSK	12	6	23.37	-1.7	-3.85	19.52	0.090	3.000	Pass
			1	1	23.39	-1.7	-3.85	19.54	0.090	3.000	Pass
			1	23	23.38	-1.7	-3.85	19.53	0.090	3.000	Pass
		16QAM	12	6	22.26	-1.7	-3.85	18.41	0.069	3.000	Pass
			1	1	22.46	-1.7	-3.85	18.61	0.073	3.000	Pass
			1	23	22.47	-1.7	-3.85	18.62	0.073	3.000	Pass
		64QAM	12	6	20.79	-1.7	-3.85	16.94	0.049	3.000	Pass
			1	1	20.89	-1.7	-3.85	17.04	0.051	3.000	Pass
			1	23	20.86	-1.7	-3.85	17.01	0.050	3.000	Pass
		256QAM	12	6	18.73	-1.7	-3.85	14.88	0.031	3.000	Pass
			1	1	18.7	-1.7	-3.85	14.85	0.031	3.000	Pass
			1	23	18.46	-1.7	-3.85	14.61	0.029	3.000	Pass
	MCH	PI/2 BPSK	12	6	23.44	-1.7	-3.85	19.59	0.091	3.000	Pass
			1	1	23.32	-1.7	-3.85	19.47	0.089	3.000	Pass
			1	23	23.32	-1.7	-3.85	19.47	0.089	3.000	Pass
		QPSK	12	6	23.32	-1.7	-3.85	19.47	0.089	3.000	Pass
			1	1	23.36	-1.7	-3.85	19.51	0.089	3.000	Pass
			1	23	23.34	-1.7	-3.85	19.49	0.089	3.000	Pass
		16QAM	12	6	22.2	-1.7	-3.85	18.35	0.068	3.000	Pass
			1	1	22.45	-1.7	-3.85	18.60	0.072	3.000	Pass
			1	23	22.45	-1.7	-3.85	18.60	0.072	3.000	Pass
		64QAM	12	6	20.73	-1.7	-3.85	16.88	0.049	3.000	Pass
			1	1	20.87	-1.7	-3.85	17.02	0.050	3.000	Pass
			1	23	20.84	-1.7	-3.85	16.99	0.050	3.000	Pass
		256QAM	12	6	18.73	-1.7	-3.85	14.88	0.031	3.000	Pass
			1	1	18.64	-1.7	-3.85	14.79	0.030	3.000	Pass
			1	23	18.64	-1.7	-3.85	14.79	0.030	3.000	Pass
	HCH	PI/2 BPSK	12	6	23.32	-1.7	-3.85	19.47	0.089	3.000	Pass
			1	1	23.37	-1.7	-3.85	19.52	0.090	3.000	Pass
			1	23	23.27	-1.7	-3.85	19.42	0.087	3.000	Pass
		QPSK	12	6	23.32	-1.7	-3.85	19.47	0.089	3.000	Pass
			1	1	23.18	-1.7	-3.85	19.33	0.086	3.000	Pass
			1	23	23.19	-1.7	-3.85	19.34	0.086	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n14											
		16QAM	12	6	22.26	-1.7	-3.85	18.41	0.069	3.000	Pass
			1	1	22.4	-1.7	-3.85	18.55	0.072	3.000	Pass
			1	23	22.38	-1.7	-3.85	18.53	0.071	3.000	Pass
		64QAM	12	6	20.71	-1.7	-3.85	16.86	0.049	3.000	Pass
			1	1	21.02	-1.7	-3.85	17.17	0.052	3.000	Pass
			1	23	21.05	-1.7	-3.85	17.20	0.052	3.000	Pass
		256QAM	12	6	18.68	-1.7	-3.85	14.83	0.030	3.000	Pass
			1	1	18.73	-1.7	-3.85	14.88	0.031	3.000	Pass
			1	23	18.42	-1.7	-3.85	14.57	0.029	3.000	Pass
10	MCH	PI/2 BPSK	25	12	23.44	-1.7	-3.85	19.59	0.091	3.000	Pass
			1	1	23.45	-1.7	-3.85	19.60	0.091	3.000	Pass
			1	50	23.43	-1.7	-3.85	19.58	0.091	3.000	Pass
		QPSK	25	12	23.29	-1.7	-3.85	19.44	0.088	3.000	Pass
			1	1	23.56	-1.7	-3.85	**19.71**	0.094	3.000	Pass
			1	50	23.45	-1.7	-3.85	19.60	0.091	3.000	Pass
		16QAM	25	12	22.28	-1.7	-3.85	18.43	0.070	3.000	Pass
			1	1	22.53	-1.7	-3.85	18.68	0.074	3.000	Pass
			1	50	22.45	-1.7	-3.85	18.60	0.072	3.000	Pass
		64QAM	25	12	20.8	-1.7	-3.85	16.95	0.050	3.000	Pass
			1	1	20.82	-1.7	-3.85	16.97	0.050	3.000	Pass
			1	50	20.88	-1.7	-3.85	17.03	0.050	3.000	Pass
		256QAM	25	12	18.71	-1.7	-3.85	14.86	0.031	3.000	Pass
			1	1	18.76	-1.7	-3.85	14.91	0.031	3.000	Pass
			1	50	18.72	-1.7	-3.85	14.87	0.031	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n25										
5	LCH	PI/2 BPSK	12	6	22.59	2	24.59	0.288	3.000	Pass
			1	1	22.49	2	24.49	0.281	3.000	Pass
			1	23	22.56	2	24.56	0.286	3.000	Pass
		QPSK	12	6	22.78	2	24.78	0.301	3.000	Pass
			1	1	22.55	2	24.55	0.285	3.000	Pass
			1	23	22.78	2	24.78	0.301	3.000	Pass
		16QAM	12	6	21.4	2	23.40	0.219	3.000	Pass
			1	1	21.67	2	23.67	0.233	3.000	Pass
			1	23	21.82	2	23.82	0.241	3.000	Pass
		64QAM	12	6	19.91	2	21.91	0.155	3.000	Pass
			1	1	20.2	2	22.20	0.166	3.000	Pass
			1	23	20.2	2	22.20	0.166	3.000	Pass
		256QAM	12	6	17.96	2	19.96	0.099	3.000	Pass
			1	1	17.92	2	19.92	0.098	3.000	Pass
			1	23	17.83	2	19.83	0.096	3.000	Pass
	MCH	PI/2 BPSK	12	6	22.5	2	24.50	0.282	3.000	Pass
			1	1	22.63	2	24.63	0.290	3.000	Pass
			1	23	22.52	2	24.52	0.283	3.000	Pass
		QPSK	12	6	22.72	2	24.72	0.296	3.000	Pass
			1	1	22.58	2	24.58	0.287	3.000	Pass
			1	23	22.78	2	24.78	0.301	3.000	Pass
		16QAM	12	6	21.34	2	23.34	0.216	3.000	Pass
			1	1	21.81	2	23.81	0.240	3.000	Pass
			1	23	21.65	2	23.65	0.232	3.000	Pass
		64QAM	12	6	19.82	2	21.82	0.152	3.000	Pass
			1	1	20.14	2	22.14	0.164	3.000	Pass
			1	23	20.13	2	22.13	0.163	3.000	Pass
		256QAM	12	6	18.11	2	20.11	0.103	3.000	Pass
			1	1	18.05	2	20.05	0.101	3.000	Pass
			1	23	17.86	2	19.86	0.097	3.000	Pass
	HCH	PI/2 BPSK	12	6	22.69	2	24.69	0.294	3.000	Pass
			1	1	22.84	2	24.84	0.305	3.000	Pass
			1	23	22.6	2	24.60	0.288	3.000	Pass
		QPSK	12	6	22.55	2	24.55	0.285	3.000	Pass
			1	1	22.68	2	24.68	0.294	3.000	Pass
			1	23	22.66	2	24.66	0.292	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n25										
		16QAM	12	6	21.31	2	23.31	0.214	3.000	Pass
			1	1	21.75	2	23.75	0.237	3.000	Pass
			1	23	21.84	2	23.84	0.242	3.000	Pass
		64QAM	12	6	20.19	2	22.19	0.166	3.000	Pass
			1	1	20.09	2	22.09	0.162	3.000	Pass
			1	23	20.35	2	22.35	0.172	3.000	Pass
		256QAM	12	6	17.86	2	19.86	0.097	3.000	Pass
			1	1	17.83	2	19.83	0.096	3.000	Pass
			1	23	18.12	2	20.12	0.103	3.000	Pass
10	LCH	PI/2 BPSK	25	12	22.88	2	24.88	0.308	3.000	Pass
			1	1	22.88	2	24.88	0.308	3.000	Pass
			1	50	23.01	2	25.01	0.317	3.000	Pass
		QPSK	25	12	22.65	2	24.65	0.292	3.000	Pass
			1	1	22.78	2	24.78	0.301	3.000	Pass
			1	50	23	2	25.00	0.316	3.000	Pass
		16QAM	25	12	21.58	2	23.58	0.228	3.000	Pass
			1	1	21.95	2	23.95	0.248	3.000	Pass
			1	50	21.65	2	23.65	0.232	3.000	Pass
		64QAM	25	12	20.35	2	22.35	0.172	3.000	Pass
			1	1	20.15	2	22.15	0.164	3.000	Pass
			1	50	20.13	2	22.13	0.163	3.000	Pass
		256QAM	25	12	17.95	2	19.95	0.099	3.000	Pass
			1	1	18.17	2	20.17	0.104	3.000	Pass
			1	50	17.83	2	19.83	0.096	3.000	Pass
	MCH	PI/2 BPSK	25	12	22.83	2	24.83	0.304	3.000	Pass
			1	1	22.84	2	24.84	0.305	3.000	Pass
			1	50	22.51	2	24.51	0.282	3.000	Pass
		QPSK	25	12	22.84	2	24.84	0.305	3.000	Pass
			1	1	22.58	2	24.58	0.287	3.000	Pass
			1	50	22.52	2	24.52	0.283	3.000	Pass
		16QAM	25	12	21.6	2	23.60	0.229	3.000	Pass
			1	1	21.77	2	23.77	0.238	3.000	Pass
			1	50	21.84	2	23.84	0.242	3.000	Pass
		64QAM	25	12	20.02	2	22.02	0.159	3.000	Pass
			1	1	20.06	2	22.06	0.161	3.000	Pass
			1	50	19.94	2	21.94	0.156	3.000	Pass
		256QAM	25	12	18.07	2	20.07	0.102	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n25										
			1	1	18.06	2	20.06	0.101	3.000	Pass
			1	50	17.73	2	19.73	0.094	3.000	Pass
		PI/2 BPSK	25	12	22.78	2	24.78	0.301	3.000	Pass
			1	1	22.73	2	24.73	0.297	3.000	Pass
			1	50	22.78	2	24.78	0.301	3.000	Pass
		QPSK	25	12	22.59	2	24.59	0.288	3.000	Pass
			1	1	22.91	2	24.91	0.310	3.000	Pass
			1	50	22.75	2	24.75	0.299	3.000	Pass
		16QAM	25	12	21.86	2	23.86	0.243	3.000	Pass
	HCH		1	1	21.94	2	23.94	0.248	3.000	Pass
			1	50	21.67	2	23.67	0.233	3.000	Pass
		64QAM	25	12	20.2	2	22.20	0.166	3.000	Pass
			1	1	20.33	2	22.33	0.171	3.000	Pass
			1	50	20.46	2	22.46	0.176	3.000	Pass
		256QAM	25	12	18.07	2	20.07	0.102	3.000	Pass
			1	1	18.03	2	20.03	0.101	3.000	Pass
			1	50	17.99	2	19.99	0.100	3.000	Pass
15		PI/2 BPSK	36	18	22.92	2	24.92	0.310	3.000	Pass
			1	1	22.79	2	24.79	0.301	3.000	Pass
			1	77	22.8	2	24.80	0.302	3.000	Pass
		QPSK	36	18	22.89	2	24.89	0.308	3.000	Pass
			1	1	23	2	25.00	0.316	3.000	Pass
			1	77	22.97	2	24.97	0.314	3.000	Pass
		16QAM	36	18	21.71	2	23.71	0.235	3.000	Pass
	LCH		1	1	21.93	2	23.93	0.247	3.000	Pass
			1	77	21.93	2	23.93	0.247	3.000	Pass
		64QAM	36	18	20.23	2	22.23	0.167	3.000	Pass
			1	1	20.5	2	22.50	0.178	3.000	Pass
			1	77	20.02	2	22.02	0.159	3.000	Pass
		256QAM	36	18	18.17	2	20.17	0.104	3.000	Pass
			1	1	18.21	2	20.21	0.105	3.000	Pass
			1	77	18	2	20.00	0.100	3.000	Pass
		PI/2 BPSK	36	18	22.9	2	24.90	0.309	3.000	Pass
			1	1	22.94	2	24.94	0.312	3.000	Pass
	MCH		1	77	22.65	2	24.65	0.292	3.000	Pass
		QPSK	36	18	22.64	2	24.64	0.291	3.000	Pass
			1	1	22.77	2	24.77	0.300	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n25										
			1	77	22.78	2	24.78	0.301	3.000	Pass
		16QAM	36	18	21.67	2	23.67	0.233	3.000	Pass
			1	1	21.99	2	23.99	0.251	3.000	Pass
			1	77	21.62	2	23.62	0.230	3.000	Pass
		64QAM	36	18	20.31	2	22.31	0.170	3.000	Pass
			1	1	20.29	2	22.29	0.169	3.000	Pass
			1	77	20.26	2	22.26	0.168	3.000	Pass
		256QAM	36	18	18.13	2	20.13	0.103	3.000	Pass
			1	1	17.9	2	19.90	0.098	3.000	Pass
			1	77	18.14	2	20.14	0.103	3.000	Pass
	HCH	PI/2 BPSK	36	18	22.85	2	24.85	0.305	3.000	Pass
			1	1	23.08	2	25.08	0.322	3.000	Pass
			1	77	22.91	2	24.91	0.310	3.000	Pass
		QPSK	36	18	22.72	2	24.72	0.296	3.000	Pass
			1	1	23.12	2	25.12	0.325	3.000	Pass
			1	77	22.96	2	24.96	0.313	3.000	Pass
		16QAM	36	18	21.92	2	23.92	0.247	3.000	Pass
			1	1	22.01	2	24.01	0.252	3.000	Pass
			1	77	21.75	2	23.75	0.237	3.000	Pass
		64QAM	36	18	20.17	2	22.17	0.165	3.000	Pass
			1	1	20.28	2	22.28	0.169	3.000	Pass
			1	77	20.35	2	22.35	0.172	3.000	Pass
		256QAM	36	18	18.51	2	20.51	0.112	3.000	Pass
			1	1	18.36	2	20.36	0.109	3.000	Pass
			1	77	18.26	2	20.26	0.106	3.000	Pass
20	LCH	PI/2 BPSK	64	32	22.91	2	24.91	0.310	3.000	Pass
			1	1	22.84	2	24.84	0.305	3.000	Pass
			1	131	22.99	2	24.99	0.316	3.000	Pass
		QPSK	64	32	22.54	2	24.54	0.284	3.000	Pass
			1	1	22.83	2	24.83	0.304	3.000	Pass
			1	131	22.67	2	24.67	0.293	3.000	Pass
		16QAM	64	32	21.55	2	23.55	0.226	3.000	Pass
			1	1	21.86	2	23.86	0.243	3.000	Pass
			1	131	21.77	2	23.77	0.238	3.000	Pass
		64QAM	64	32	20.15	2	22.15	0.164	3.000	Pass
			1	1	20.23	2	22.23	0.167	3.000	Pass
			1	131	20.2	2	22.20	0.166	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n25										
		256QAM	64	32	18.06	2	20.06	0.101	3.000	Pass
			1	1	17.96	2	19.96	0.099	3.000	Pass
			1	131	17.8	2	19.80	0.095	3.000	Pass
	MCH	PI/2 BPSK	64	32	22.84	2	24.84	0.305	3.000	Pass
			1	1	22.81	2	24.81	0.303	3.000	Pass
			1	131	22.42	2	24.42	0.277	3.000	Pass
		QPSK	64	32	22.85	2	24.85	0.305	3.000	Pass
			1	1	22.79	2	24.79	0.301	3.000	Pass
			1	131	22.64	2	24.64	0.291	3.000	Pass
		16QAM	64	32	21.57	2	23.57	0.228	3.000	Pass
			1	1	21.89	2	23.89	0.245	3.000	Pass
			1	131	21.59	2	23.59	0.229	3.000	Pass
		64QAM	64	32	19.95	2	21.95	0.157	3.000	Pass
			1	1	20.06	2	22.06	0.161	3.000	Pass
			1	131	20.03	2	22.03	0.160	3.000	Pass
		256QAM	64	32	18.04	2	20.04	0.101	3.000	Pass
			1	1	18.1	2	20.10	0.102	3.000	Pass
			1	131	17.61	2	19.61	0.091	3.000	Pass
	HCH	PI/2 BPSK	64	32	22.75	2	24.75	0.299	3.000	Pass
			1	1	22.74	2	24.74	0.298	3.000	Pass
			1	131	22.7	2	24.70	0.295	3.000	Pass
		QPSK	64	32	22.89	2	24.89	0.308	3.000	Pass
			1	1	22.65	2	24.65	0.292	3.000	Pass
			1	131	22.97	2	24.97	0.314	3.000	Pass
		16QAM	64	32	21.68	2	23.68	0.233	3.000	Pass
			1	1	21.83	2	23.83	0.242	3.000	Pass
			1	131	21.88	2	23.88	0.244	3.000	Pass
		64QAM	64	32	20.29	2	22.29	0.169	3.000	Pass
			1	1	20.14	2	22.14	0.164	3.000	Pass
			1	131	20.26	2	22.26	0.168	3.000	Pass
		256QAM	64	32	18.03	2	20.03	0.101	3.000	Pass
			1	1	17.75	2	19.75	0.094	3.000	Pass
			1	131	17.76	2	19.76	0.095	3.000	Pass
25	LCH	PI/2 BPSK	64	32	22.89	2	24.89	0.308	3.000	Pass
			1	1	23.07	2	25.07	0.321	3.000	Pass
			1	131	22.92	2	24.92	0.310	3.000	Pass
		QPSK	64	32	22.71	2	24.71	0.296	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n25										
			1	1	23.03	2	25.03	0.318	3.000	Pass
			1	131	22.85	2	24.85	0.305	3.000	Pass
		16QAM	64	32	21.66	2	23.66	0.232	3.000	Pass
			1	1	21.94	2	23.94	0.248	3.000	Pass
			1	131	21.84	2	23.84	0.242	3.000	Pass
		64QAM	64	32	20.35	2	22.35	0.172	3.000	Pass
			1	1	20.23	2	22.23	0.167	3.000	Pass
			1	131	20.24	2	22.24	0.167	3.000	Pass
		256QAM	64	32	18.27	2	20.27	0.106	3.000	Pass
			1	1	17.99	2	19.99	0.100	3.000	Pass
			1	131	18.27	2	20.27	0.106	3.000	Pass
	MCH	PI/2 BPSK	64	32	22.97	2	24.97	0.314	3.000	Pass
			1	1	22.7	2	24.70	0.295	3.000	Pass
			1	131	22.84	2	24.84	0.305	3.000	Pass
		QPSK	64	32	22.74	2	24.74	0.298	3.000	Pass
			1	1	22.97	2	24.97	0.314	3.000	Pass
			1	131	22.72	2	24.72	0.296	3.000	Pass
		16QAM	64	32	21.61	2	23.61	0.230	3.000	Pass
			1	1	21.76	2	23.76	0.238	3.000	Pass
			1	131	21.8	2	23.80	0.240	3.000	Pass
		64QAM	64	32	20.09	2	22.09	0.162	3.000	Pass
			1	1	20.25	2	22.25	0.168	3.000	Pass
			1	131	20.08	2	22.08	0.161	3.000	Pass
		256QAM	64	32	18.08	2	20.08	0.102	3.000	Pass
			1	1	17.75	2	19.75	0.094	3.000	Pass
			1	131	18.12	2	20.12	0.103	3.000	Pass
	HCH	PI/2 BPSK	64	32	22.74	2	24.74	0.298	3.000	Pass
			1	1	22.87	2	24.87	0.307	3.000	Pass
			1	131	22.72	2	24.72	0.296	3.000	Pass
		QPSK	64	32	22.61	2	24.61	0.289	3.000	Pass
			1	1	22.84	2	24.84	0.305	3.000	Pass
			1	131	23	2	25.00	0.316	3.000	Pass
		16QAM	64	32	21.61	2	23.61	0.230	3.000	Pass
			1	1	22.22	2	24.22	0.264	3.000	Pass
			1	131	21.82	2	23.82	0.241	3.000	Pass
		64QAM	64	32	20.21	2	22.21	0.166	3.000	Pass
			1	1	20.34	2	22.34	0.171	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n25										
			1	131	20.24	2	22.24	0.167	3.000	Pass
		256QAM	64	32	18.22	2	20.22	0.105	3.000	Pass
			1	1	18.31	2	20.31	0.107	3.000	Pass
			1	131	17.91	2	19.91	0.098	3.000	Pass
30	LCH	PI/2 BPSK	80	40	22.82	2	24.82	0.303	3.000	Pass
			1	1	22.57	2	24.57	0.286	3.000	Pass
			1	158	22.87	2	24.87	0.307	3.000	Pass
		QPSK	80	40	22.77	2	24.77	0.300	3.000	Pass
			1	1	23.02	2	25.02	0.318	3.000	Pass
			1	158	22.78	2	24.78	0.301	3.000	Pass
		16QAM	80	40	21.83	2	23.83	0.242	3.000	Pass
			1	1	21.79	2	23.79	0.239	3.000	Pass
			1	158	21.82	2	23.82	0.241	3.000	Pass
		64QAM	80	40	20.11	2	22.11	0.163	3.000	Pass
			1	1	20.29	2	22.29	0.169	3.000	Pass
			1	158	20.07	2	22.07	0.161	3.000	Pass
		256QAM	80	40	18.3	2	20.30	0.107	3.000	Pass
			1	1	17.79	2	19.79	0.095	3.000	Pass
			1	158	18.09	2	20.09	0.102	3.000	Pass
	MCH	PI/2 BPSK	80	40	22.88	2	24.88	0.308	3.000	Pass
			1	1	22.57	2	24.57	0.286	3.000	Pass
			1	158	22.76	2	24.76	0.299	3.000	Pass
		QPSK	80	40	22.78	2	24.78	0.301	3.000	Pass
			1	1	22.95	2	24.95	0.313	3.000	Pass
			1	158	22.75	2	24.75	0.299	3.000	Pass
		16QAM	80	40	21.56	2	23.56	0.227	3.000	Pass
			1	1	21.57	2	23.57	0.228	3.000	Pass
			1	158	21.82	2	23.82	0.241	3.000	Pass
		64QAM	80	40	20.25	2	22.25	0.168	3.000	Pass
			1	1	20.32	2	22.32	0.171	3.000	Pass
			1	158	20.06	2	22.06	0.161	3.000	Pass
		256QAM	80	40	18.09	2	20.09	0.102	3.000	Pass
			1	1	17.89	2	19.89	0.097	3.000	Pass
			1	158	17.85	2	19.85	0.097	3.000	Pass
	HCH	PI/2 BPSK	80	40	22.89	2	24.89	0.308	3.000	Pass
			1	1	22.86	2	24.86	0.306	3.000	Pass
			1	158	22.67	2	24.67	0.293	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n25										
		QPSK	80	40	22.45	2	24.45	0.279	3.000	Pass
			1	1	22.94	2	24.94	0.312	3.000	Pass
			1	158	22.93	2	24.93	0.311	3.000	Pass
		16QAM	80	40	21.57	2	23.57	0.228	3.000	Pass
			1	1	21.67	2	23.67	0.233	3.000	Pass
			1	158	21.63	2	23.63	0.231	3.000	Pass
		64QAM	80	40	20.21	2	22.21	0.166	3.000	Pass
			1	1	20.3	2	22.30	0.170	3.000	Pass
			1	158	20.07	2	22.07	0.161	3.000	Pass
		256QAM	80	40	18.08	2	20.08	0.102	3.000	Pass
			1	1	17.79	2	19.79	0.095	3.000	Pass
			1	158	17.62	2	19.62	0.092	3.000	Pass
40	LCH	PI/2 BPSK	108	54	22.74	2	24.74	0.298	3.000	Pass
			1	1	23.04	2	25.04	0.319	3.000	Pass
			1	214	22.94	2	24.94	0.312	3.000	Pass
		QPSK	108	54	23	2	25.00	0.316	3.000	Pass
			1	1	23.01	2	25.01	0.317	3.000	Pass
			1	214	22.8	2	24.80	0.302	3.000	Pass
		16QAM	108	54	21.77	2	23.77	0.238	3.000	Pass
			1	1	22.03	2	24.03	0.253	3.000	Pass
			1	214	21.84	2	23.84	0.242	3.000	Pass
		64QAM	108	54	20.07	2	22.07	0.161	3.000	Pass
			1	1	20.48	2	22.48	0.177	3.000	Pass
			1	214	20.1	2	22.10	0.162	3.000	Pass
		256QAM	108	54	18.32	2	20.32	0.108	3.000	Pass
			1	1	17.94	2	19.94	0.099	3.000	Pass
			1	214	18.19	2	20.19	0.104	3.000	Pass
	MCH	PI/2 BPSK	108	54	22.83	2	24.83	0.304	3.000	Pass
			1	1	22.7	2	24.70	0.295	3.000	Pass
			1	214	22.73	2	24.73	0.297	3.000	Pass
		QPSK	108	54	22.82	2	24.82	0.303	3.000	Pass
			1	1	22.95	2	24.95	0.313	3.000	Pass
			1	214	22.92	2	24.92	0.310	3.000	Pass
		16QAM	108	54	21.64	2	23.64	0.231	3.000	Pass
			1	1	21.94	2	23.94	0.248	3.000	Pass
			1	214	21.68	2	23.68	0.233	3.000	Pass
		64QAM	108	54	20.1	2	22.10	0.162	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n25										
			1	1	20.14	2	22.14	0.164	3.000	Pass
			1	214	20.36	2	22.36	0.172	3.000	Pass
		256QAM	108	54	18.44	2	20.44	0.111	3.000	Pass
			1	1	18.04	2	20.04	0.101	3.000	Pass
			1	214	18.22	2	20.22	0.105	3.000	Pass
	HCH	PI/2 BPSK	108	54	23.11	2	25.11	0.324	3.000	Pass
			1	1	23.16	2	**25.16**	0.328	3.000	Pass
			1	214	22.94	2	24.94	0.312	3.000	Pass
		QPSK	108	54	22.7	2	24.70	0.295	3.000	Pass
			1	1	22.8	2	24.80	0.302	3.000	Pass
			1	214	23.02	2	25.02	0.318	3.000	Pass
		16QAM	108	54	21.83	2	23.83	0.242	3.000	Pass
			1	1	21.87	2	23.87	0.244	3.000	Pass
			1	214	21.96	2	23.96	0.249	3.000	Pass
		64QAM	108	54	20.34	2	22.34	0.171	3.000	Pass
			1	1	20.19	2	22.19	0.166	3.000	Pass
			1	214	20.54	2	22.54	0.179	3.000	Pass
		256QAM	108	54	18.54	2	20.54	0.113	3.000	Pass
			1	1	18.14	2	20.14	0.103	3.000	Pass
			1	214	18.2	2	20.20	0.105	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n26(PART22)											
5	LCH	PI/2 BPSK	12	6	22.42	2.2	0.05	22.47	0.177	7.000	Pass
			1	1	22.37	2.2	0.05	22.42	0.175	7.000	Pass
			1	23	22.32	2.2	0.05	22.37	0.173	7.000	Pass
		QPSK	12	6	22.19	2.2	0.05	22.24	0.167	7.000	Pass
			1	1	22.45	2.2	0.05	22.50	0.178	7.000	Pass
			1	23	22.37	2.2	0.05	22.42	0.175	7.000	Pass
		16QAM	12	6	21.22	2.2	0.05	21.27	0.134	7.000	Pass
			1	1	21.47	2.2	0.05	21.52	0.142	7.000	Pass
			1	23	21.25	2.2	0.05	21.30	0.135	7.000	Pass
		64QAM	12	6	19.65	2.2	0.05	19.70	0.093	7.000	Pass
			1	1	19.95	2.2	0.05	20.00	0.100	7.000	Pass
			1	23	19.92	2.2	0.05	19.97	0.099	7.000	Pass
		256QAM	12	6	17.83	2.2	0.05	17.88	0.061	7.000	Pass
			1	1	17.8	2.2	0.05	17.85	0.061	7.000	Pass
			1	23	17.61	2.2	0.05	17.66	0.058	7.000	Pass
	MCH	PI/2 BPSK	12	6	22.24	2.2	0.05	22.29	0.169	7.000	Pass
			1	1	22.34	2.2	0.05	22.39	0.173	7.000	Pass
			1	23	22.22	2.2	0.05	22.27	0.169	7.000	Pass
		QPSK	12	6	22.15	2.2	0.05	22.20	0.166	7.000	Pass
			1	1	22.32	2.2	0.05	22.37	0.173	7.000	Pass
			1	23	22.18	2.2	0.05	22.23	0.167	7.000	Pass
		16QAM	12	6	21.13	2.2	0.05	21.18	0.131	7.000	Pass
			1	1	21.3	2.2	0.05	21.35	0.136	7.000	Pass
			1	23	21.2	2.2	0.05	21.25	0.133	7.000	Pass
		64QAM	12	6	19.6	2.2	0.05	19.65	0.092	7.000	Pass
			1	1	19.78	2.2	0.05	19.83	0.096	7.000	Pass
			1	23	20.01	2.2	0.05	20.06	0.101	7.000	Pass
		256QAM	12	6	17.74	2.2	0.05	17.79	0.060	7.000	Pass
			1	1	17.8	2.2	0.05	17.85	0.061	7.000	Pass
			1	23	17.43	2.2	0.05	17.48	0.056	7.000	Pass
	HCH	PI/2 BPSK	12	6	22.38	2.2	0.05	22.43	0.175	7.000	Pass
			1	1	22.28	2.2	0.05	22.33	0.171	7.000	Pass
			1	23	22.12	2.2	0.05	22.17	0.165	7.000	Pass
		QPSK	12	6	22.61	2.2	0.05	22.66	0.185	7.000	Pass
			1	1	22.41	2.2	0.05	22.46	0.176	7.000	Pass
			1	23	22.58	2.2	0.05	22.63	0.183	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n26(PART22)											
		16QAM	12	6	21.08	2.2	0.05	21.13	0.130	7.000	Pass
			1	1	21.65	2.2	0.05	21.70	0.148	7.000	Pass
			1	23	21.25	2.2	0.05	21.30	0.135	7.000	Pass
		64QAM	12	6	19.87	2.2	0.05	19.92	0.098	7.000	Pass
			1	1	20.14	2.2	0.05	20.19	0.104	7.000	Pass
			1	23	19.95	2.2	0.05	20.00	0.100	7.000	Pass
		256QAM	12	6	17.96	2.2	0.05	18.01	0.063	7.000	Pass
			1	1	17.72	2.2	0.05	17.77	0.060	7.000	Pass
			1	23	17.71	2.2	0.05	17.76	0.060	7.000	Pass
10	LCH	PI/2 BPSK	25	12	22.47	2.2	0.05	22.52	0.179	7.000	Pass
			1	1	22.57	2.2	0.05	22.62	0.183	7.000	Pass
			1	50	22.29	2.2	0.05	22.34	0.171	7.000	Pass
		QPSK	25	12	22.62	2.2	0.05	22.67	0.185	7.000	Pass
			1	1	22.23	2.2	0.05	22.28	0.169	7.000	Pass
			1	50	22.3	2.2	0.05	22.35	0.172	7.000	Pass
		16QAM	25	12	21.4	2.2	0.05	21.45	0.140	7.000	Pass
			1	1	21.33	2.2	0.05	21.38	0.137	7.000	Pass
			1	50	21.63	2.2	0.05	21.68	0.147	7.000	Pass
		64QAM	25	12	19.63	2.2	0.05	19.68	0.093	7.000	Pass
			1	1	19.61	2.2	0.05	19.66	0.092	7.000	Pass
			1	50	19.4	2.2	0.05	19.45	0.088	7.000	Pass
		256QAM	25	12	17.8	2.2	0.05	17.85	0.061	7.000	Pass
			1	1	17.7	2.2	0.05	17.75	0.060	7.000	Pass
			1	50	17.54	2.2	0.05	17.59	0.057	7.000	Pass
	MCH	PI/2 BPSK	25	12	22.69	2.2	0.05	22.74	0.188	7.000	Pass
			1	1	22.58	2.2	0.05	22.63	0.183	7.000	Pass
			1	50	22.18	2.2	0.05	22.23	0.167	7.000	Pass
		QPSK	25	12	22.56	2.2	0.05	22.61	0.182	7.000	Pass
			1	1	22.36	2.2	0.05	22.41	0.174	7.000	Pass
			1	50	22.38	2.2	0.05	22.43	0.175	7.000	Pass
		16QAM	25	12	21.67	2.2	0.05	21.72	0.149	7.000	Pass
			1	1	21.36	2.2	0.05	21.41	0.138	7.000	Pass
			1	50	21.53	2.2	0.05	21.58	0.144	7.000	Pass
		64QAM	25	12	19.62	2.2	0.05	19.67	0.093	7.000	Pass
			1	1	19.66	2.2	0.05	19.71	0.094	7.000	Pass
			1	50	19.88	2.2	0.05	19.93	0.098	7.000	Pass
		256QAM	25	12	17.75	2.2	0.05	17.80	0.060	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n26(PART22)											
			1	1	17.71	2.2	0.05	17.76	0.060	7.000	Pass
			1	50	17.72	2.2	0.05	17.77	0.060	7.000	Pass
		PI/2 BPSK	25	12	22.38	2.2	0.05	22.43	0.175	7.000	Pass
			1	1	22.48	2.2	0.05	22.53	0.179	7.000	Pass
			1	50	22.36	2.2	0.05	22.41	0.174	7.000	Pass
		QPSK	25	12	22.5	2.2	0.05	22.55	0.180	7.000	Pass
			1	1	22.56	2.2	0.05	22.61	0.182	7.000	Pass
			1	50	22.61	2.2	0.05	22.66	0.185	7.000	Pass
		16QAM	25	12	21.61	2.2	0.05	21.66	0.147	7.000	Pass
	HCH		1	1	21.61	2.2	0.05	21.66	0.147	7.000	Pass
			1	50	21.31	2.2	0.05	21.36	0.137	7.000	Pass
		64QAM	25	12	19.76	2.2	0.05	19.81	0.096	7.000	Pass
			1	1	19.58	2.2	0.05	19.63	0.092	7.000	Pass
			1	50	19.85	2.2	0.05	19.90	0.098	7.000	Pass
		256QAM	25	12	17.62	2.2	0.05	17.67	0.058	7.000	Pass
			1	1	17.92	2.2	0.05	17.97	0.063	7.000	Pass
			1	50	17.49	2.2	0.05	17.54	0.057	7.000	Pass
		PI/2 BPSK	36	18	22.4	2.2	0.05	22.45	0.176	7.000	Pass
			1	1	22.57	2.2	0.05	22.62	0.183	7.000	Pass
			1	77	22.52	2.2	0.05	22.57	0.181	7.000	Pass
		QPSK	36	18	22.47	2.2	0.05	22.52	0.179	7.000	Pass
			1	1	22.2	2.2	0.05	22.25	0.168	7.000	Pass
			1	77	22.12	2.2	0.05	22.17	0.165	7.000	Pass
		16QAM	36	18	21.68	2.2	0.05	21.73	0.149	7.000	Pass
	LCH		1	1	21.3	2.2	0.05	21.35	0.136	7.000	Pass
			1	77	21.51	2.2	0.05	21.56	0.143	7.000	Pass
		64QAM	36	18	19.59	2.2	0.05	19.64	0.092	7.000	Pass
			1	1	19.79	2.2	0.05	19.84	0.096	7.000	Pass
			1	77	19.61	2.2	0.05	19.66	0.092	7.000	Pass
		256QAM	36	18	17.58	2.2	0.05	17.63	0.058	7.000	Pass
			1	1	17.63	2.2	0.05	17.68	0.059	7.000	Pass
			1	77	17.73	2.2	0.05	17.78	0.060	7.000	Pass
15		PI/2 BPSK	36	18	22.24	2.2	0.05	22.29	0.169	7.000	Pass
			1	1	22.62	2.2	0.05	22.67	0.185	7.000	Pass
	MCH		1	77	22.21	2.2	0.05	22.26	0.168	7.000	Pass
		QPSK	36	18	22.52	2.2	0.05	22.57	0.181	7.000	Pass
			1	1	22.42	2.2	0.05	22.47	0.177	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n26(PART22)											
			1	77	22.46	2.2	0.05	22.51	0.178	7.000	Pass
		16QAM	36	18	21.5	2.2	0.05	21.55	0.143	7.000	Pass
			1	1	21.72	2.2	0.05	21.77	0.150	7.000	Pass
			1	77	21.32	2.2	0.05	21.37	0.137	7.000	Pass
		64QAM	36	18	19.75	2.2	0.05	19.80	0.095	7.000	Pass
			1	1	19.73	2.2	0.05	19.78	0.095	7.000	Pass
			1	77	19.68	2.2	0.05	19.73	0.094	7.000	Pass
		256QAM	36	18	17.93	2.2	0.05	17.98	0.063	7.000	Pass
			1	1	17.82	2.2	0.05	17.87	0.061	7.000	Pass
			1	77	17.84	2.2	0.05	17.89	0.062	7.000	Pass
	HCH	PI/2 BPSK	36	18	22.42	2.2	0.05	22.47	0.177	7.000	Pass
			1	1	22.49	2.2	0.05	22.54	0.179	7.000	Pass
			1	77	22.33	2.2	0.05	22.38	0.173	7.000	Pass
		QPSK	36	18	22.43	2.2	0.05	22.48	0.177	7.000	Pass
			1	1	22.39	2.2	0.05	22.44	0.175	7.000	Pass
			1	77	22.49	2.2	0.05	22.54	0.179	7.000	Pass
		16QAM	36	18	21.22	2.2	0.05	21.27	0.134	7.000	Pass
			1	1	21.5	2.2	0.05	21.55	0.143	7.000	Pass
			1	77	21.49	2.2	0.05	21.54	0.143	7.000	Pass
		64QAM	36	18	19.52	2.2	0.05	19.57	0.091	7.000	Pass
			1	1	19.76	2.2	0.05	19.81	0.096	7.000	Pass
			1	77	19.81	2.2	0.05	19.86	0.097	7.000	Pass
		256QAM	36	18	17.67	2.2	0.05	17.72	0.059	7.000	Pass
			1	1	17.82	2.2	0.05	17.87	0.061	7.000	Pass
			1	77	17.71	2.2	0.05	17.76	0.060	7.000	Pass
20	LCH	PI/2 BPSK	50	25	22.56	2.2	0.05	22.61	0.182	7.000	Pass
			1	1	22.36	2.2	0.05	22.41	0.174	7.000	Pass
			1	104	22.34	2.2	0.05	22.39	0.173	7.000	Pass
		QPSK	50	25	22.43	2.2	0.05	22.48	0.177	7.000	Pass
			1	1	22.6	2.2	0.05	22.65	0.184	7.000	Pass
			1	104	22.25	2.2	0.05	22.30	0.170	7.000	Pass
		16QAM	50	25	21.46	2.2	0.05	21.51	0.142	7.000	Pass
			1	1	21.54	2.2	0.05	21.59	0.144	7.000	Pass
			1	104	21.59	2.2	0.05	21.64	0.146	7.000	Pass
		64QAM	50	25	19.75	2.2	0.05	19.80	0.095	7.000	Pass
			1	1	19.67	2.2	0.05	19.72	0.094	7.000	Pass
			1	104	19.8	2.2	0.05	19.85	0.097	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n26(PART22)											
		256QAM	50	25	17.76	2.2	0.05	17.81	0.060	7.000	Pass
			1	1	17.49	2.2	0.05	17.54	0.057	7.000	Pass
			1	104	17.44	2.2	0.05	17.49	0.056	7.000	Pass
	MCH	PI/2 BPSK	50	25	22.38	2.2	0.05	22.43	0.175	7.000	Pass
			1	1	22.19	2.2	0.05	22.24	0.167	7.000	Pass
			1	104	21.73	2.2	0.05	21.78	0.151	7.000	Pass
		QPSK	50	25	22.24	2.2	0.05	22.29	0.169	7.000	Pass
			1	1	22.11	2.2	0.05	22.16	0.164	7.000	Pass
			1	104	21.34	2.2	0.05	21.39	0.138	7.000	Pass
		16QAM	50	25	21.32	2.2	0.05	21.37	0.137	7.000	Pass
			1	1	21.42	2.2	0.05	21.47	0.140	7.000	Pass
			1	104	21	2.2	0.05	21.05	0.127	7.000	Pass
		64QAM	50	25	20.03	2.2	0.05	20.08	0.102	7.000	Pass
			1	1	19.67	2.2	0.05	19.72	0.094	7.000	Pass
			1	104	19.65	2.2	0.05	19.70	0.093	7.000	Pass
		256QAM	50	25	18.03	2.2	0.05	18.08	0.064	7.000	Pass
			1	1	17.56	2.2	0.05	17.61	0.058	7.000	Pass
			1	104	17.49	2.2	0.05	17.54	0.057	7.000	Pass
	HCH	PI/2 BPSK	50	25	22.41	2.2	0.05	22.46	0.176	7.000	Pass
			1	1	22.65	2.2	0.05	22.70	0.186	7.000	Pass
			1	104	22.49	2.2	0.05	22.54	0.179	7.000	Pass
		QPSK	50	25	22.62	2.2	0.05	22.67	0.185	7.000	Pass
			1	1	22.34	2.2	0.05	22.39	0.173	7.000	Pass
			1	104	22.42	2.2	0.05	22.47	0.177	7.000	Pass
		16QAM	50	25	21.38	2.2	0.05	21.43	0.139	7.000	Pass
			1	1	21.36	2.2	0.05	21.41	0.138	7.000	Pass
			1	104	21.46	2.2	0.05	21.51	0.142	7.000	Pass
		64QAM	50	25	19.78	2.2	0.05	19.83	0.096	7.000	Pass
			1	1	20.01	2.2	0.05	20.06	0.101	7.000	Pass
			1	104	19.86	2.2	0.05	19.91	0.098	7.000	Pass
		256QAM	50	25	17.97	2.2	0.05	18.02	0.063	7.000	Pass
			1	1	17.95	2.2	0.05	18.00	0.063	7.000	Pass
			1	104	17.51	2.2	0.05	17.56	0.057	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n26(PART90)											
5	LCH	PI/2 BPSK	12	6	23.31	2.2	0.05	23.36	0.217	100.0	Pass
			1	1	23.22	2.2	0.05	23.27	0.212	100.0	Pass
			1	23	23.28	2.2	0.05	23.33	0.215	100.0	Pass
		QPSK	12	6	23.35	2.2	0.05	23.40	0.219	100.0	Pass
			1	1	23.27	2.2	0.05	23.32	0.215	100.0	Pass
			1	23	23.21	2.2	0.05	23.26	0.212	100.0	Pass
		16QAM	12	6	22.15	2.2	0.05	22.20	0.166	100.0	Pass
			1	1	22.39	2.2	0.05	22.44	0.175	100.0	Pass
			1	23	22.32	2.2	0.05	22.37	0.173	100.0	Pass
		64QAM	12	6	20.65	2.2	0.05	20.70	0.117	100.0	Pass
			1	1	20.77	2.2	0.05	20.82	0.121	100.0	Pass
			1	23	20.72	2.2	0.05	20.77	0.119	100.0	Pass
		256QAM	12	6	18.68	2.2	0.05	18.73	0.075	100.0	Pass
			1	1	18.78	2.2	0.05	18.83	0.076	100.0	Pass
			1	23	18.66	2.2	0.05	18.71	0.074	100.0	Pass
	MCH	PI/2 BPSK	12	6	23.28	2.2	0.05	23.33	0.215	100.0	Pass
			1	1	23.32	2.2	0.05	23.37	0.217	100.0	Pass
			1	23	23.26	2.2	0.05	23.31	0.214	100.0	Pass
		QPSK	12	6	23.31	2.2	0.05	23.36	0.217	100.0	Pass
			1	1	23.19	2.2	0.05	23.24	0.211	100.0	Pass
			1	23	23.15	2.2	0.05	23.20	0.209	100.0	Pass
		16QAM	12	6	22.18	2.2	0.05	22.23	0.167	100.0	Pass
			1	1	22.44	2.2	0.05	22.49	0.177	100.0	Pass
			1	23	22.39	2.2	0.05	22.44	0.175	100.0	Pass
		64QAM	12	6	20.73	2.2	0.05	20.78	0.120	100.0	Pass
			1	1	21.02	2.2	0.05	21.07	0.128	100.0	Pass
			1	23	20.92	2.2	0.05	20.97	0.125	100.0	Pass
		256QAM	12	6	18.69	2.2	0.05	18.74	0.075	100.0	Pass
			1	1	18.74	2.2	0.05	18.79	0.076	100.0	Pass
			1	23	18.65	2.2	0.05	18.70	0.074	100.0	Pass
	HCH	PI/2 BPSK	12	6	23.24	2.2	0.05	23.29	0.213	100.0	Pass
			1	1	23.27	2.2	0.05	23.32	0.215	100.0	Pass
			1	23	23.19	2.2	0.05	23.24	0.211	100.0	Pass
		QPSK	12	6	23.25	2.2	0.05	23.30	0.214	100.0	Pass
			1	1	23.31	2.2	0.05	23.36	0.217	100.0	Pass
			1	23	23.27	2.2	0.05	23.32	0.215	100.0	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n26(PART90)											
		16QAM	12	6	22.16	2.2	0.05	22.21	0.166	100.0	Pass
			1	1	22.38	2.2	0.05	22.43	0.175	100.0	Pass
			1	23	22.38	2.2	0.05	22.43	0.175	100.0	Pass
		64QAM	12	6	20.71	2.2	0.05	20.76	0.119	100.0	Pass
			1	1	20.8	2.2	0.05	20.85	0.122	100.0	Pass
			1	23	20.74	2.2	0.05	20.79	0.120	100.0	Pass
		256QAM	12	6	18.63	2.2	0.05	18.68	0.074	100.0	Pass
			1	1	18.7	2.2	0.05	18.75	0.075	100.0	Pass
			1	23	18.63	2.2	0.05	18.68	0.074	100.0	Pass
10	MCH	PI/2 BPSK	25	12	23.32	2.2	0.05	23.37	0.217	100.0	Pass
			1	1	23.5	2.2	0.05	**23.55**	0.226	100.0	Pass
			1	50	23.41	2.2	0.05	23.46	0.222	100.0	Pass
		QPSK	25	12	23.36	2.2	0.05	23.41	0.219	100.0	Pass
			1	1	23.48	2.2	0.05	23.53	0.225	100.0	Pass
			1	50	23.46	2.2	0.05	23.51	0.224	100.0	Pass
		16QAM	25	12	22.28	2.2	0.05	22.33	0.171	100.0	Pass
			1	1	22.46	2.2	0.05	22.51	0.178	100.0	Pass
			1	50	22.46	2.2	0.05	22.51	0.178	100.0	Pass
		64QAM	25	12	20.77	2.2	0.05	20.82	0.121	100.0	Pass
			1	1	20.89	2.2	0.05	20.94	0.124	100.0	Pass
			1	50	20.89	2.2	0.05	20.94	0.124	100.0	Pass
		256QAM	25	12	18.69	2.2	0.05	18.74	0.075	100.0	Pass
			1	1	18.77	2.2	0.05	18.82	0.076	100.0	Pass
			1	50	18.64	2.2	0.05	18.69	0.074	100.0	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n30										
5	LCH	PI/2 BPSK	12	6	14.07	3.02	17.09	0.051	0.250	Pass
			1	1	14.18	3.02	17.20	0.052	0.250	Pass
			1	23	14.3	3.02	17.32	0.054	0.250	Pass
		QPSK	12	6	14.34	3.02	17.36	0.054	0.250	Pass
			1	1	14.37	3.02	17.39	0.055	0.250	Pass
			1	23	14.28	3.02	17.30	0.054	0.250	Pass
		16QAM	12	6	13.05	3.02	16.07	0.040	0.250	Pass
			1	1	13.36	3.02	16.38	0.043	0.250	Pass
			1	23	13.31	3.02	16.33	0.043	0.250	Pass
		64QAM	12	6	11.76	3.02	14.78	0.030	0.250	Pass
			1	1	11.79	3.02	14.81	0.030	0.250	Pass
			1	23	11.72	3.02	14.74	0.030	0.250	Pass
		256QAM	12	6	9.74	3.02	12.76	0.019	0.250	Pass
			1	1	9.72	3.02	12.74	0.019	0.250	Pass
			1	23	9.81	3.02	12.83	0.019	0.250	Pass
	MCH	PI/2 BPSK	12	6	14.25	3.02	17.27	0.053	0.250	Pass
			1	1	14.15	3.02	17.17	0.052	0.250	Pass
			1	23	14.11	3.02	17.13	0.052	0.250	Pass
		QPSK	12	6	14.29	3.02	17.31	0.054	0.250	Pass
			1	1	14.2	3.02	17.22	0.053	0.250	Pass
			1	23	14.21	3.02	17.23	0.053	0.250	Pass
		16QAM	12	6	13.18	3.02	16.20	0.042	0.250	Pass
			1	1	13.4	3.02	16.42	0.044	0.250	Pass
			1	23	13.37	3.02	16.39	0.044	0.250	Pass
		64QAM	12	6	11.74	3.02	14.76	0.030	0.250	Pass
			1	1	11.81	3.02	14.83	0.030	0.250	Pass
			1	23	11.85	3.02	14.87	0.031	0.250	Pass
		256QAM	12	6	9.62	3.02	12.64	0.018	0.250	Pass
			1	1	9.63	3.02	12.65	0.018	0.250	Pass
			1	23	9.62	3.02	12.64	0.018	0.250	Pass
	HCH	PI/2 BPSK	12	6	14.28	3.02	17.30	0.054	0.250	Pass
			1	1	14.33	3.02	17.35	0.054	0.250	Pass
			1	23	14.27	3.02	17.29	0.054	0.250	Pass
		QPSK	12	6	14.26	3.02	17.28	0.053	0.250	Pass
			1	1	14.32	3.02	17.34	0.054	0.250	Pass
			1	23	14.18	3.02	17.20	0.052	0.250	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n30										
		16QAM	12	6	13.17	3.02	16.19	0.042	0.250	Pass
			1	1	13.43	3.02	16.45	0.044	0.250	Pass
			1	23	13.29	3.02	16.31	0.043	0.250	Pass
		64QAM	12	6	11.65	3.02	14.67	0.029	0.250	Pass
			1	1	11.88	3.02	14.90	0.031	0.250	Pass
			1	23	11.78	3.02	14.80	0.030	0.250	Pass
		256QAM	12	6	9.79	3.02	12.81	0.019	0.250	Pass
			1	1	9.82	3.02	12.84	0.019	0.250	Pass
			1	23	9.76	3.02	12.78	0.019	0.250	Pass
10	MCH	PI/2 BPSK	25	12	14.3	3.02	17.32	0.054	0.250	Pass
			1	1	14.37	3.02	17.39	0.055	0.250	Pass
			1	50	14.31	3.02	17.33	0.054	0.250	Pass
		QPSK	25	12	14.28	3.02	17.30	0.054	0.250	Pass
			1	1	14.38	3.02	17.40	0.055	0.250	Pass
			1	50	14.24	3.02	17.26	0.053	0.250	Pass
		16QAM	25	12	13.26	3.02	16.28	0.042	0.250	Pass
			1	1	13.05	3.02	16.07	0.040	0.250	Pass
			1	50	13.23	3.02	16.25	0.042	0.250	Pass
		64QAM	25	12	11.85	3.02	14.87	0.031	0.250	Pass
			1	1	11.64	3.02	14.66	0.029	0.250	Pass
			1	50	11.4	3.02	14.42	0.028	0.250	Pass
		256QAM	25	12	9.64	3.02	12.66	0.018	0.250	Pass
			1	1	9.72	3.02	12.74	0.019	0.250	Pass
			1	50	9.7	3.02	12.72	0.019	0.250	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n38										
10	LCH	PI/2 BPSK	12	6	24.76	2.6	27.36	0.545	2.000	Pass
			1	1	25.05	2.6	27.65	0.582	2.000	Pass
			1	22	24.84	2.6	27.44	0.555	2.000	Pass
		QPSK	12	6	24.81	2.6	27.41	0.551	2.000	Pass
			1	1	25.24	2.6	27.84	0.608	2.000	Pass
			1	22	24.93	2.6	27.53	0.566	2.000	Pass
		16QAM	12	6	23.61	2.6	26.21	0.418	2.000	Pass
			1	1	23.87	2.6	26.47	0.444	2.000	Pass
			1	22	23.7	2.6	26.30	0.427	2.000	Pass
		64QAM	12	6	21.88	2.6	24.48	0.281	2.000	Pass
			1	1	21.84	2.6	24.44	0.278	2.000	Pass
			1	22	21.8	2.6	24.40	0.275	2.000	Pass
		256QAM	12	6	19.29	2.6	21.89	0.155	2.000	Pass
			1	1	19.15	2.6	21.75	0.150	2.000	Pass
			1	22	19.15	2.6	21.75	0.150	2.000	Pass
	MCH	PI/2 BPSK	12	6	25	2.6	27.60	0.575	2.000	Pass
			1	1	25.02	2.6	27.62	0.578	2.000	Pass
			1	22	25.05	2.6	27.65	0.582	2.000	Pass
		QPSK	12	6	24.97	2.6	27.57	0.571	2.000	Pass
			1	1	24.84	2.6	27.44	0.555	2.000	Pass
			1	22	24.76	2.6	27.36	0.545	2.000	Pass
		16QAM	12	6	23.78	2.6	26.38	0.435	2.000	Pass
			1	1	23.87	2.6	26.47	0.444	2.000	Pass
			1	22	24.03	2.6	26.63	0.460	2.000	Pass
		64QAM	12	6	21.76	2.6	24.36	0.273	2.000	Pass
			1	1	21.84	2.6	24.44	0.278	2.000	Pass
			1	22	21.92	2.6	24.52	0.283	2.000	Pass
		256QAM	12	6	19.33	2.6	21.93	0.156	2.000	Pass
			1	1	19.42	2.6	22.02	0.159	2.000	Pass
			1	22	19.06	2.6	21.66	0.147	2.000	Pass
	HCH	PI/2 BPSK	12	6	25.19	2.6	27.79	0.601	2.000	Pass
			1	1	25.17	2.6	27.77	0.598	2.000	Pass
			1	22	25.32	2.6	27.92	0.619	2.000	Pass
		QPSK	12	6	24.94	2.6	27.54	0.568	2.000	Pass
			1	1	25.06	2.6	27.66	0.583	2.000	Pass
			1	22	25.16	2.6	27.76	0.597	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n38										
		16QAM	12	6	24.05	2.6	26.65	0.462	2.000	Pass
			1	1	24.29	2.6	26.89	0.489	2.000	Pass
			1	22	24.15	2.6	26.75	0.473	2.000	Pass
		64QAM	12	6	21.98	2.6	24.58	0.287	2.000	Pass
			1	1	21.6	2.6	24.20	0.263	2.000	Pass
			1	22	21.91	2.6	24.51	0.282	2.000	Pass
		256QAM	12	6	19.42	2.6	22.02	0.159	2.000	Pass
			1	1	19.61	2.6	22.21	0.166	2.000	Pass
			1	22	19.44	2.6	22.04	0.160	2.000	Pass
15	LCH	PI/2 BPSK	18	9	25.14	2.6	27.74	0.594	2.000	Pass
			1	1	24.99	2.6	27.59	0.574	2.000	Pass
			1	36	24.9	2.6	27.50	0.562	2.000	Pass
		QPSK	18	9	25.09	2.6	27.69	0.587	2.000	Pass
			1	1	25.08	2.6	27.68	0.586	2.000	Pass
			1	36	24.64	2.6	27.24	0.530	2.000	Pass
		16QAM	18	9	23.95	2.6	26.55	0.452	2.000	Pass
			1	1	23.9	2.6	26.50	0.447	2.000	Pass
			1	36	23.94	2.6	26.54	0.451	2.000	Pass
		64QAM	18	9	22.06	2.6	24.66	0.292	2.000	Pass
			1	1	21.51	2.6	24.11	0.258	2.000	Pass
			1	36	21.3	2.6	23.90	0.245	2.000	Pass
		256QAM	18	9	19.27	2.6	21.87	0.154	2.000	Pass
			1	1	19.34	2.6	21.94	0.156	2.000	Pass
			1	36	18.86	2.6	21.46	0.140	2.000	Pass
	MCH	PI/2 BPSK	18	9	24.96	2.6	27.56	0.570	2.000	Pass
			1	1	24.9	2.6	27.50	0.562	2.000	Pass
			1	36	24.6	2.6	27.20	0.525	2.000	Pass
		QPSK	18	9	24.95	2.6	27.55	0.569	2.000	Pass
			1	1	24.97	2.6	27.57	0.571	2.000	Pass
			1	36	24.7	2.6	27.30	0.537	2.000	Pass
		16QAM	18	9	23.8	2.6	26.40	0.437	2.000	Pass
			1	1	24.06	2.6	26.66	0.463	2.000	Pass
			1	36	23.68	2.6	26.28	0.425	2.000	Pass
		64QAM	18	9	21.78	2.6	24.38	0.274	2.000	Pass
			1	1	21.43	2.6	24.03	0.253	2.000	Pass
			1	36	21.26	2.6	23.86	0.243	2.000	Pass
		256QAM	18	9	19.19	2.6	21.79	0.151	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n38										
			1	1	19.01	2.6	21.61	0.145	2.000	Pass
			1	36	19.13	2.6	21.73	0.149	2.000	Pass
	HCH	PI/2 BPSK	18	9	25.2	2.6	27.80	0.603	2.000	Pass
			1	1	24.95	2.6	27.55	0.569	2.000	Pass
			1	36	24.83	2.6	27.43	0.553	2.000	Pass
		QPSK	18	9	24.93	2.6	27.53	0.566	2.000	Pass
			1	1	25.01	2.6	27.61	0.577	2.000	Pass
			1	36	24.87	2.6	27.47	0.558	2.000	Pass
		16QAM	18	9	24.15	2.6	26.75	0.473	2.000	Pass
			1	1	23.81	2.6	26.41	0.438	2.000	Pass
			1	36	23.78	2.6	26.38	0.435	2.000	Pass
		64QAM	18	9	22.23	2.6	24.83	0.304	2.000	Pass
			1	1	22.16	2.6	24.76	0.299	2.000	Pass
			1	36	22.13	2.6	24.73	0.297	2.000	Pass
		256QAM	18	9	19.7	2.6	22.30	0.170	2.000	Pass
			1	1	19.21	2.6	21.81	0.152	2.000	Pass
			1	36	19.28	2.6	21.88	0.154	2.000	Pass
20	LCH	PI/2 BPSK	25	12	24.85	2.6	27.45	0.556	2.000	Pass
			1	1	24.96	2.6	27.56	0.570	2.000	Pass
			1	49	24.8	2.6	27.40	0.550	2.000	Pass
		QPSK	25	12	25.11	2.6	27.71	0.590	2.000	Pass
			1	1	24.8	2.6	27.40	0.550	2.000	Pass
			1	49	24.67	2.6	27.27	0.533	2.000	Pass
		16QAM	25	12	23.97	2.6	26.57	0.454	2.000	Pass
			1	1	24.05	2.6	26.65	0.462	2.000	Pass
			1	49	23.93	2.6	26.53	0.450	2.000	Pass
		64QAM	25	12	21.87	2.6	24.47	0.280	2.000	Pass
			1	1	21.7	2.6	24.30	0.269	2.000	Pass
			1	49	21.6	2.6	24.20	0.263	2.000	Pass
		256QAM	25	12	19.26	2.6	21.86	0.153	2.000	Pass
			1	1	19.28	2.6	21.88	0.154	2.000	Pass
			1	49	19.18	2.6	21.78	0.151	2.000	Pass
	MCH	PI/2 BPSK	25	12	25.15	2.6	27.75	0.596	2.000	Pass
			1	1	25.06	2.6	27.66	0.583	2.000	Pass
			1	49	24.95	2.6	27.55	0.569	2.000	Pass
		QPSK	25	12	24.97	2.6	27.57	0.571	2.000	Pass
			1	1	24.86	2.6	27.46	0.557	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n38										
			1	49	24.8	2.6	27.40	0.550	2.000	Pass
		16QAM	25	12	23.94	2.6	26.54	0.451	2.000	Pass
			1	1	23.89	2.6	26.49	0.446	2.000	Pass
			1	49	23.93	2.6	26.53	0.450	2.000	Pass
		64QAM	25	12	21.79	2.6	24.39	0.275	2.000	Pass
			1	1	21.64	2.6	24.24	0.265	2.000	Pass
			1	49	21.44	2.6	24.04	0.254	2.000	Pass
		256QAM	25	12	19.15	2.6	21.75	0.150	2.000	Pass
			1	1	19.19	2.6	21.79	0.151	2.000	Pass
			1	49	19.02	2.6	21.62	0.145	2.000	Pass
	HCH	PI/2 BPSK	25	12	25.2	2.6	27.80	0.603	2.000	Pass
			1	1	24.78	2.6	27.38	0.547	2.000	Pass
			1	49	24.95	2.6	27.55	0.569	2.000	Pass
		QPSK	25	12	25.31	2.6	27.91	0.618	2.000	Pass
			1	1	24.95	2.6	27.55	0.569	2.000	Pass
			1	49	24.91	2.6	27.51	0.564	2.000	Pass
		16QAM	25	12	24.14	2.6	26.74	0.472	2.000	Pass
			1	1	24.07	2.6	26.67	0.465	2.000	Pass
			1	49	24.02	2.6	26.62	0.459	2.000	Pass
		64QAM	25	12	22.19	2.6	24.79	0.301	2.000	Pass
			1	1	22.18	2.6	24.78	0.301	2.000	Pass
			1	49	21.92	2.6	24.52	0.283	2.000	Pass
		256QAM	25	12	19.33	2.6	21.93	0.156	2.000	Pass
			1	1	19.28	2.6	21.88	0.154	2.000	Pass
			1	49	19.08	2.6	21.68	0.147	2.000	Pass
25	LCH	PI/2 BPSK	32	16	25.11	2.6	27.71	0.590	2.000	Pass
			1	1	24.82	2.6	27.42	0.552	2.000	Pass
			1	63	25.01	2.6	27.61	0.577	2.000	Pass
		QPSK	32	16	24.83	2.6	27.43	0.553	2.000	Pass
			1	1	24.72	2.6	27.32	0.540	2.000	Pass
			1	63	24.85	2.6	27.45	0.556	2.000	Pass
		16QAM	32	16	23.99	2.6	26.59	0.456	2.000	Pass
			1	1	23.79	2.6	26.39	0.436	2.000	Pass
			1	63	23.8	2.6	26.40	0.437	2.000	Pass
		64QAM	32	16	21.83	2.6	24.43	0.277	2.000	Pass
			1	1	21.61	2.6	24.21	0.264	2.000	Pass
			1	63	21.46	2.6	24.06	0.255	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n38										
		256QAM	32	16	19.51	2.6	22.11	0.163	2.000	Pass
			1	1	19.13	2.6	21.73	0.149	2.000	Pass
			1	63	18.89	2.6	21.49	0.141	2.000	Pass
	MCH	PI/2 BPSK	32	16	25.14	2.6	27.74	0.594	2.000	Pass
			1	1	24.99	2.6	27.59	0.574	2.000	Pass
			1	63	24.7	2.6	27.30	0.537	2.000	Pass
		QPSK	32	16	24.89	2.6	27.49	0.561	2.000	Pass
			1	1	25.08	2.6	27.68	0.586	2.000	Pass
			1	63	25.01	2.6	27.61	0.577	2.000	Pass
		16QAM	32	16	23.72	2.6	26.32	0.429	2.000	Pass
			1	1	24.06	2.6	26.66	0.463	2.000	Pass
			1	63	23.83	2.6	26.43	0.440	2.000	Pass
		64QAM	32	16	21.75	2.6	24.35	0.272	2.000	Pass
			1	1	21.56	2.6	24.16	0.261	2.000	Pass
			1	63	21.6	2.6	24.20	0.263	2.000	Pass
		256QAM	32	16	19.4	2.6	22.00	0.158	2.000	Pass
			1	1	19.22	2.6	21.82	0.152	2.000	Pass
			1	63	18.88	2.6	21.48	0.141	2.000	Pass
	HCH	PI/2 BPSK	32	16	25.09	2.6	27.69	0.587	2.000	Pass
			1	1	25.15	2.6	27.75	0.596	2.000	Pass
			1	63	24.78	2.6	27.38	0.547	2.000	Pass
		QPSK	32	16	25.05	2.6	27.65	0.582	2.000	Pass
			1	1	24.95	2.6	27.55	0.569	2.000	Pass
			1	63	24.91	2.6	27.51	0.564	2.000	Pass
		16QAM	32	16	24	2.6	26.60	0.457	2.000	Pass
			1	1	23.97	2.6	26.57	0.454	2.000	Pass
			1	63	23.92	2.6	26.52	0.449	2.000	Pass
		64QAM	32	16	22.21	2.6	24.81	0.303	2.000	Pass
			1	1	21.96	2.6	24.56	0.286	2.000	Pass
			1	63	21.96	2.6	24.56	0.286	2.000	Pass
		256QAM	32	16	19.52	2.6	22.12	0.163	2.000	Pass
			1	1	19.5	2.6	22.10	0.162	2.000	Pass
			1	63	19.25	2.6	21.85	0.153	2.000	Pass
30	LCH	PI/2 BPSK	36	18	25.16	2.6	27.76	0.597	2.000	Pass
			1	1	25.17	2.6	27.77	0.598	2.000	Pass
			1	76	24.91	2.6	27.51	0.564	2.000	Pass
		QPSK	36	18	24.94	2.6	27.54	0.568	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n38										
			1	1	25.11	2.6	27.71	0.590	2.000	Pass
			1	76	24.95	2.6	27.55	0.569	2.000	Pass
		16QAM	36	18	23.98	2.6	26.58	0.455	2.000	Pass
			1	1	24.03	2.6	26.63	0.460	2.000	Pass
			1	76	23.91	2.6	26.51	0.448	2.000	Pass
		64QAM	36	18	21.84	2.6	24.44	0.278	2.000	Pass
			1	1	21.6	2.6	24.20	0.263	2.000	Pass
			1	76	21.4	2.6	24.00	0.251	2.000	Pass
		256QAM	36	18	19.44	2.6	22.04	0.160	2.000	Pass
			1	1	19.38	2.6	21.98	0.158	2.000	Pass
			1	76	19.21	2.6	21.81	0.152	2.000	Pass
	MCH	PI/2 BPSK	36	18	24.79	2.6	27.39	0.548	2.000	Pass
			1	1	25.17	2.6	27.77	0.598	2.000	Pass
			1	76	25.06	2.6	27.66	0.583	2.000	Pass
		QPSK	36	18	24.88	2.6	27.48	0.560	2.000	Pass
			1	1	25.08	2.6	27.68	0.586	2.000	Pass
			1	76	24.79	2.6	27.39	0.548	2.000	Pass
		16QAM	36	18	24.02	2.6	26.62	0.459	2.000	Pass
			1	1	23.96	2.6	26.56	0.453	2.000	Pass
			1	76	23.55	2.6	26.15	0.412	2.000	Pass
		64QAM	36	18	21.91	2.6	24.51	0.282	2.000	Pass
			1	1	21.97	2.6	24.57	0.286	2.000	Pass
			1	76	21.76	2.6	24.36	0.273	2.000	Pass
		256QAM	36	18	19.37	2.6	21.97	0.157	2.000	Pass
			1	1	19.41	2.6	22.01	0.159	2.000	Pass
			1	76	19.28	2.6	21.88	0.154	2.000	Pass
	HCH	PI/2 BPSK	36	18	25.23	2.6	27.83	0.607	2.000	Pass
			1	1	25.28	2.6	27.88	0.614	2.000	Pass
			1	76	24.93	2.6	27.53	0.566	2.000	Pass
		QPSK	36	18	25.14	2.6	27.74	0.594	2.000	Pass
			1	1	25.18	2.6	27.78	0.600	2.000	Pass
			1	76	25.13	2.6	27.73	0.593	2.000	Pass
		16QAM	36	18	24	2.6	26.60	0.457	2.000	Pass
			1	1	24.02	2.6	26.62	0.459	2.000	Pass
			1	76	23.75	2.6	26.35	0.432	2.000	Pass
		64QAM	36	18	22.11	2.6	24.71	0.296	2.000	Pass
			1	1	21.84	2.6	24.44	0.278	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n38										
			1	76	21.63	2.6	24.23	0.265	2.000	Pass
		256QAM	36	18	19.45	2.6	22.05	0.160	2.000	Pass
			1	1	19.4	2.6	22.00	0.158	2.000	Pass
			1	76	19.08	2.6	21.68	0.147	2.000	Pass
40	LCH	PI/2 BPSK	50	25	25.07	2.6	27.67	0.585	2.000	Pass
			1	1	25.24	2.6	27.84	0.608	2.000	Pass
			1	104	24.88	2.6	27.48	0.560	2.000	Pass
		QPSK	50	25	24.87	2.6	27.47	0.558	2.000	Pass
			1	1	25.01	2.6	27.61	0.577	2.000	Pass
			1	104	24.73	2.6	27.33	0.541	2.000	Pass
		16QAM	50	25	23.76	2.6	26.36	0.433	2.000	Pass
			1	1	24.17	2.6	26.77	0.475	2.000	Pass
			1	104	23.89	2.6	26.49	0.446	2.000	Pass
		64QAM	50	25	21.83	2.6	24.43	0.277	2.000	Pass
			1	1	21.61	2.6	24.21	0.264	2.000	Pass
			1	104	21.57	2.6	24.17	0.261	2.000	Pass
		256QAM	50	25	19.45	2.6	22.05	0.160	2.000	Pass
			1	1	19.21	2.6	21.81	0.152	2.000	Pass
			1	104	19.03	2.6	21.63	0.146	2.000	Pass
	MCH	PI/2 BPSK	50	25	24.86	2.6	27.46	0.557	2.000	Pass
			1	1	25.25	2.6	27.85	0.610	2.000	Pass
			1	104	24.69	2.6	27.29	0.536	2.000	Pass
		QPSK	50	25	24.97	2.6	27.57	0.571	2.000	Pass
			1	1	25.03	2.6	27.63	0.579	2.000	Pass
			1	104	24.69	2.6	27.29	0.536	2.000	Pass
		16QAM	50	25	23.71	2.6	26.31	0.428	2.000	Pass
			1	1	24	2.6	26.60	0.457	2.000	Pass
			1	104	23.55	2.6	26.15	0.412	2.000	Pass
		64QAM	50	25	21.96	2.6	24.56	0.286	2.000	Pass
			1	1	21.89	2.6	24.49	0.281	2.000	Pass
			1	104	22.02	2.6	24.62	0.290	2.000	Pass
		256QAM	50	25	19.3	2.6	21.90	0.155	2.000	Pass
			1	1	19.45	2.6	22.05	0.160	2.000	Pass
			1	104	19.11	2.6	21.71	0.148	2.000	Pass
	HCH	PI/2 BPSK	50	25	25.15	2.6	27.75	0.596	2.000	Pass
			1	1	25.26	2.6	27.86	0.611	2.000	Pass
			1	104	25	2.6	27.60	0.575	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n38										
		QPSK	50	25	24.95	2.6	27.55	0.569	2.000	Pass
			1	1	25.35	2.6	**27.95**	0.624	2.000	Pass
			1	104	25.12	2.6	27.72	0.592	2.000	Pass
		16QAM	50	25	23.77	2.6	26.37	0.434	2.000	Pass
			1	1	24.27	2.6	26.87	0.486	2.000	Pass
			1	104	23.83	2.6	26.43	0.440	2.000	Pass
		64QAM	50	25	21.86	2.6	24.46	0.279	2.000	Pass
			1	1	21.64	2.6	24.24	0.265	2.000	Pass
			1	104	21.51	2.6	24.11	0.258	2.000	Pass
		256QAM	50	25	19.51	2.6	22.11	0.163	2.000	Pass
			1	1	19.34	2.6	21.94	0.156	2.000	Pass
			1	104	19.35	2.6	21.95	0.157	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
10	LCH	PI/2 BPSK	25	12	24.42	2.7	27.12	0.515	2.000	Pass
			1	1	24.2	2.7	26.90	0.490	2.000	Pass
			1	49	24.59	2.7	27.29	0.536	2.000	Pass
		QPSK	25	12	24.5	2.7	27.20	0.525	2.000	Pass
			1	1	24.14	2.7	26.84	0.483	2.000	Pass
			1	49	24.63	2.7	27.33	0.541	2.000	Pass
		16QAM	25	12	23.96	2.7	26.66	0.463	2.000	Pass
			1	1	24.13	2.7	26.83	0.482	2.000	Pass
			1	49	24.49	2.7	27.19	0.524	2.000	Pass
		64QAM	25	12	22.27	2.7	24.97	0.314	2.000	Pass
			1	1	22.01	2.7	24.71	0.296	2.000	Pass
			1	49	22.19	2.7	24.89	0.308	2.000	Pass
		256QAM	25	12	19.46	2.7	22.16	0.164	2.000	Pass
			1	1	19.79	2.7	22.49	0.177	2.000	Pass
			1	49	19.69	2.7	22.39	0.173	2.000	Pass
	MCH	PI/2 BPSK	25	12	25.1	2.7	27.80	0.603	2.000	Pass
			1	1	25.58	2.7	28.28	0.673	2.000	Pass
			1	49	25.23	2.7	27.93	0.621	2.000	Pass
		QPSK	25	12	25.15	2.7	27.85	0.610	2.000	Pass
			1	1	25.53	2.7	28.23	0.665	2.000	Pass
			1	49	25.29	2.7	27.99	0.630	2.000	Pass
		16QAM	25	12	24.28	2.7	26.98	0.499	2.000	Pass
			1	1	24.3	2.7	27.00	0.501	2.000	Pass
			1	49	24.29	2.7	26.99	0.500	2.000	Pass
		64QAM	25	12	22.38	2.7	25.08	0.322	2.000	Pass
			1	1	22.53	2.7	25.23	0.333	2.000	Pass
			1	49	22.3	2.7	25.00	0.316	2.000	Pass
		256QAM	25	12	19.84	2.7	22.54	0.179	2.000	Pass
			1	1	19.83	2.7	22.53	0.179	2.000	Pass
			1	49	19.71	2.7	22.41	0.174	2.000	Pass
	HCH	PI/2 BPSK	25	12	25.09	2.7	27.79	0.601	2.000	Pass
			1	1	25.08	2.7	27.78	0.600	2.000	Pass
			1	49	24.82	2.7	27.52	0.565	2.000	Pass
		QPSK	25	12	25.17	2.7	27.87	0.612	2.000	Pass
			1	1	25.01	2.7	27.71	0.590	2.000	Pass
			1	49	24.9	2.7	27.60	0.575	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
		16QAM	25	12	24.22	2.7	26.92	0.492	2.000	Pass
			1	1	24.56	2.7	27.26	0.532	2.000	Pass
			1	49	24.45	2.7	27.15	0.519	2.000	Pass
		64QAM	25	12	22.1	2.7	24.80	0.302	2.000	Pass
			1	1	22.73	2.7	25.43	0.349	2.000	Pass
			1	49	22.45	2.7	25.15	0.327	2.000	Pass
		256QAM	25	12	19.89	2.7	22.59	0.182	2.000	Pass
			1	1	20.07	2.7	22.77	0.189	2.000	Pass
			1	49	20.02	2.7	22.72	0.187	2.000	Pass
15	LCH	PI/2 BPSK	18	9	24.82	2.7	27.52	0.565	2.000	Pass
			1	1	24.02	2.7	26.72	0.470	2.000	Pass
			1	36	24.96	2.7	27.66	0.583	2.000	Pass
		QPSK	18	9	24.95	2.7	27.65	0.582	2.000	Pass
			1	1	24.29	2.7	26.99	0.500	2.000	Pass
			1	36	24.88	2.7	27.58	0.573	2.000	Pass
		16QAM	18	9	24.45	2.7	27.15	0.519	2.000	Pass
			1	1	23.84	2.7	26.54	0.451	2.000	Pass
			1	36	24.51	2.7	27.21	0.526	2.000	Pass
		64QAM	18	9	22.65	2.7	25.35	0.343	2.000	Pass
			1	1	22.53	2.7	25.23	0.333	2.000	Pass
			1	36	22.48	2.7	25.18	0.330	2.000	Pass
		256QAM	18	9	20.31	2.7	23.01	0.200	2.000	Pass
			1	1	19.71	2.7	22.41	0.174	2.000	Pass
			1	36	19.6	2.7	22.30	0.170	2.000	Pass
	MCH	PI/2 BPSK	18	9	25.59	2.7	28.29	0.675	2.000	Pass
			1	1	25.32	2.7	28.02	0.634	2.000	Pass
			1	36	25.16	2.7	27.86	0.611	2.000	Pass
		QPSK	18	9	25.28	2.7	27.98	0.628	2.000	Pass
			1	1	25.11	2.7	27.81	0.604	2.000	Pass
			1	36	25.28	2.7	27.98	0.628	2.000	Pass
		16QAM	18	9	24.72	2.7	27.42	0.552	2.000	Pass
			1	1	24.49	2.7	27.19	0.524	2.000	Pass
			1	36	24.25	2.7	26.95	0.495	2.000	Pass
		64QAM	18	9	22.45	2.7	25.15	0.327	2.000	Pass
			1	1	22.55	2.7	25.25	0.335	2.000	Pass
			1	36	22.64	2.7	25.34	0.342	2.000	Pass
		256QAM	18	9	20.16	2.7	22.86	0.193	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
			1	1	19.82	2.7	22.52	0.179	2.000	Pass
			1	36	19.97	2.7	22.67	0.185	2.000	Pass
		PI/2 BPSK	18	9	24.99	2.7	27.69	0.587	2.000	Pass
			1	1	24.92	2.7	27.62	0.578	2.000	Pass
			1	36	24.45	2.7	27.15	0.519	2.000	Pass
		QPSK	18	9	25.31	2.7	28.01	0.632	2.000	Pass
			1	1	24.97	2.7	27.67	0.585	2.000	Pass
			1	36	24.69	2.7	27.39	0.548	2.000	Pass
		16QAM	18	9	24.64	2.7	27.34	0.542	2.000	Pass
	HCH		1	1	24.79	2.7	27.49	0.561	2.000	Pass
			1	36	24.13	2.7	26.83	0.482	2.000	Pass
		64QAM	18	9	22.85	2.7	25.55	0.359	2.000	Pass
			1	1	22.14	2.7	24.84	0.305	2.000	Pass
			1	36	22.03	2.7	24.73	0.297	2.000	Pass
		256QAM	18	9	20.01	2.7	22.71	0.187	2.000	Pass
			1	1	20.11	2.7	22.81	0.191	2.000	Pass
			1	36	19.64	2.7	22.34	0.171	2.000	Pass
		PI/2 BPSK	25	12	25.28	2.7	27.98	0.628	2.000	Pass
			1	1	24.12	2.7	26.82	0.481	2.000	Pass
			1	49	25.34	2.7	28.04	0.637	2.000	Pass
		QPSK	25	12	25.11	2.7	27.81	0.604	2.000	Pass
			1	1	24.16	2.7	26.86	0.485	2.000	Pass
			1	49	25.24	2.7	27.94	0.622	2.000	Pass
		16QAM	25	12	24.26	2.7	26.96	0.497	2.000	Pass
	LCH		1	1	24.08	2.7	26.78	0.476	2.000	Pass
			1	49	24.28	2.7	26.98	0.499	2.000	Pass
20		64QAM	25	12	22.24	2.7	24.94	0.312	2.000	Pass
			1	1	22.59	2.7	25.29	0.338	2.000	Pass
			1	49	22.62	2.7	25.32	0.340	2.000	Pass
		256QAM	25	12	19.85	2.7	22.55	0.180	2.000	Pass
			1	1	19.85	2.7	22.55	0.180	2.000	Pass
			1	49	19.74	2.7	22.44	0.175	2.000	Pass
		PI/2 BPSK	25	12	25.37	2.7	28.07	0.641	2.000	Pass
			1	1	24.98	2.7	27.68	0.586	2.000	Pass
	MCH		1	49	24.76	2.7	27.46	0.557	2.000	Pass
		QPSK	25	12	25.45	2.7	28.15	0.653	2.000	Pass
			1	1	25.1	2.7	27.80	0.603	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
			1	49	24.94	2.7	27.64	0.581	2.000	Pass
		16QAM	25	12	24.38	2.7	27.08	0.511	2.000	Pass
			1	1	24.78	2.7	27.48	0.560	2.000	Pass
			1	49	24.44	2.7	27.14	0.518	2.000	Pass
		64QAM	25	12	22.48	2.7	25.18	0.330	2.000	Pass
			1	1	22.79	2.7	25.49	0.354	2.000	Pass
			1	49	22.59	2.7	25.29	0.338	2.000	Pass
		256QAM	25	12	19.78	2.7	22.48	0.177	2.000	Pass
			1	1	20.13	2.7	22.83	0.192	2.000	Pass
			1	49	19.94	2.7	22.64	0.184	2.000	Pass
	HCH	PI/2 BPSK	25	12	25.29	2.7	27.99	0.630	2.000	Pass
			1	1	25.69	2.7	28.39	0.690	2.000	Pass
			1	49	24.64	2.7	27.34	0.542	2.000	Pass
		QPSK	25	12	25.25	2.7	27.95	0.624	2.000	Pass
			1	1	25.6	2.7	28.30	0.676	2.000	Pass
			1	49	24.59	2.7	27.29	0.536	2.000	Pass
		16QAM	25	12	24.41	2.7	27.11	0.514	2.000	Pass
			1	1	24.71	2.7	27.41	0.551	2.000	Pass
			1	49	24.5	2.7	27.20	0.525	2.000	Pass
		64QAM	25	12	22.66	2.7	25.36	0.344	2.000	Pass
			1	1	22.45	2.7	25.15	0.327	2.000	Pass
			1	49	22.14	2.7	24.84	0.305	2.000	Pass
		256QAM	25	12	19.91	2.7	22.61	0.182	2.000	Pass
			1	1	20.07	2.7	22.77	0.189	2.000	Pass
			1	49	20.03	2.7	22.73	0.187	2.000	Pass
30	LCH	PI/2 BPSK	36	18	24.99	2.7	27.69	0.587	2.000	Pass
			1	1	24.12	2.7	26.82	0.481	2.000	Pass
			1	76	25.19	2.7	27.89	0.615	2.000	Pass
		QPSK	36	18	25.22	2.7	27.92	0.619	2.000	Pass
			1	1	24.21	2.7	26.91	0.491	2.000	Pass
			1	76	25.23	2.7	27.93	0.621	2.000	Pass
		16QAM	36	18	24.37	2.7	27.07	0.509	2.000	Pass
			1	1	23.93	2.7	26.63	0.460	2.000	Pass
			1	76	24.47	2.7	27.17	0.521	2.000	Pass
		64QAM	36	18	22.38	2.7	25.08	0.322	2.000	Pass
			1	1	22.78	2.7	25.48	0.353	2.000	Pass
			1	76	22.64	2.7	25.34	0.342	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
		256QAM	36	18	19.69	2.7	22.39	0.173	2.000	Pass
			1	1	20	2.7	22.70	0.186	2.000	Pass
			1	76	19.55	2.7	22.25	0.168	2.000	Pass
	MCH	PI/2 BPSK	36	18	25.26	2.7	27.96	0.625	2.000	Pass
			1	1	25.1	2.7	27.80	0.603	2.000	Pass
			1	76	24.97	2.7	27.67	0.585	2.000	Pass
		QPSK	36	18	25.24	2.7	27.94	0.622	2.000	Pass
			1	1	25.12	2.7	27.82	0.605	2.000	Pass
			1	76	24.96	2.7	27.66	0.583	2.000	Pass
		16QAM	36	18	24.45	2.7	27.15	0.519	2.000	Pass
			1	1	24.78	2.7	27.48	0.560	2.000	Pass
			1	76	24.55	2.7	27.25	0.531	2.000	Pass
		64QAM	36	18	22.47	2.7	25.17	0.329	2.000	Pass
			1	1	22.58	2.7	25.28	0.337	2.000	Pass
			1	76	22.74	2.7	25.44	0.350	2.000	Pass
		256QAM	36	18	19.94	2.7	22.64	0.184	2.000	Pass
			1	1	20.06	2.7	22.76	0.189	2.000	Pass
			1	76	19.76	2.7	22.46	0.176	2.000	Pass
	HCH	PI/2 BPSK	36	18	25.3	2.7	28.00	0.631	2.000	Pass
			1	1	25.79	2.7	28.49	0.706	2.000	Pass
			1	76	24.4	2.7	27.10	0.513	2.000	Pass
		QPSK	36	18	25.38	2.7	28.08	0.643	2.000	Pass
			1	1	25.46	2.7	28.16	0.655	2.000	Pass
			1	76	24.75	2.7	27.45	0.556	2.000	Pass
		16QAM	36	18	24.47	2.7	27.17	0.521	2.000	Pass
			1	1	24.66	2.7	27.36	0.545	2.000	Pass
			1	76	24.43	2.7	27.13	0.516	2.000	Pass
		64QAM	36	18	22.89	2.7	25.59	0.362	2.000	Pass
			1	1	22.35	2.7	25.05	0.320	2.000	Pass
			1	76	22.4	2.7	25.10	0.324	2.000	Pass
		256QAM	36	18	19.93	2.7	22.63	0.183	2.000	Pass
			1	1	20.17	2.7	22.87	0.194	2.000	Pass
			1	76	20.07	2.7	22.77	0.189	2.000	Pass
40	LCH	PI/2 BPSK	50	25	24.9	2.7	27.60	0.575	2.000	Pass
			1	1	24.24	2.7	26.94	0.494	2.000	Pass
			1	104	24.61	2.7	27.31	0.538	2.000	Pass
		QPSK	50	25	24.93	2.7	27.63	0.579	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
			1	1	24.02	2.7	26.72	0.470	2.000	Pass
			1	104	24.87	2.7	27.57	0.571	2.000	Pass
		16QAM	50	25	24.42	2.7	27.12	0.515	2.000	Pass
			1	1	24.06	2.7	26.76	0.474	2.000	Pass
			1	104	24.51	2.7	27.21	0.526	2.000	Pass
		64QAM	50	25	22.83	2.7	25.53	0.357	2.000	Pass
			1	1	22.64	2.7	25.34	0.342	2.000	Pass
			1	104	22.49	2.7	25.19	0.330	2.000	Pass
		256QAM	50	25	20.08	2.7	22.78	0.190	2.000	Pass
			1	1	19.81	2.7	22.51	0.178	2.000	Pass
			1	104	19.62	2.7	22.32	0.171	2.000	Pass
	MCH	PI/2 BPSK	50	25	25.31	2.7	28.01	0.632	2.000	Pass
			1	1	24.98	2.7	27.68	0.586	2.000	Pass
			1	104	25.16	2.7	27.86	0.611	2.000	Pass
		QPSK	50	25	25.37	2.7	28.07	0.641	2.000	Pass
			1	1	24.88	2.7	27.58	0.573	2.000	Pass
			1	104	25.32	2.7	28.02	0.634	2.000	Pass
		16QAM	50	25	24.41	2.7	27.11	0.514	2.000	Pass
			1	1	24.49	2.7	27.19	0.524	2.000	Pass
			1	104	24.56	2.7	27.26	0.532	2.000	Pass
		64QAM	50	25	22.83	2.7	25.53	0.357	2.000	Pass
			1	1	22.56	2.7	25.26	0.336	2.000	Pass
			1	104	22.59	2.7	25.29	0.338	2.000	Pass
		256QAM	50	25	20.25	2.7	22.95	0.197	2.000	Pass
			1	1	19.94	2.7	22.64	0.184	2.000	Pass
			1	104	19.99	2.7	22.69	0.186	2.000	Pass
	HCH	PI/2 BPSK	50	25	25.15	2.7	27.85	0.610	2.000	Pass
			1	1	25.03	2.7	27.73	0.593	2.000	Pass
			1	104	24.34	2.7	27.04	0.506	2.000	Pass
		QPSK	50	25	25.02	2.7	27.72	0.592	2.000	Pass
			1	1	25.16	2.7	27.86	0.611	2.000	Pass
			1	104	24.7	2.7	27.40	0.550	2.000	Pass
		16QAM	50	25	24.4	2.7	27.10	0.513	2.000	Pass
			1	1	24.72	2.7	27.42	0.552	2.000	Pass
			1	104	24.13	2.7	26.83	0.482	2.000	Pass
		64QAM	50	25	22.71	2.7	25.41	0.348	2.000	Pass
			1	1	22.49	2.7	25.19	0.330	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
			1	104	22.1	2.7	24.80	0.302	2.000	Pass
		256QAM	50	25	20.08	2.7	22.78	0.190	2.000	Pass
			1	1	20	2.7	22.70	0.186	2.000	Pass
			1	104	19.99	2.7	22.69	0.186	2.000	Pass
50	LCH	PI/2 BPSK	64	32	24.89	2.7	27.59	0.574	2.000	Pass
			1	1	23.98	2.7	26.68	0.466	2.000	Pass
			1	131	24.86	2.7	27.56	0.570	2.000	Pass
		QPSK	64	32	25.2	2.7	27.90	0.617	2.000	Pass
			1	1	24.02	2.7	26.72	0.470	2.000	Pass
			1	131	24.78	2.7	27.48	0.560	2.000	Pass
		16QAM	64	32	24.66	2.7	27.36	0.545	2.000	Pass
			1	1	24.17	2.7	26.87	0.486	2.000	Pass
			1	131	24.44	2.7	27.14	0.518	2.000	Pass
		64QAM	64	32	22.75	2.7	25.45	0.351	2.000	Pass
			1	1	22.84	2.7	25.54	0.358	2.000	Pass
			1	131	22.44	2.7	25.14	0.327	2.000	Pass
		256QAM	64	32	20.13	2.7	22.83	0.192	2.000	Pass
			1	1	19.93	2.7	22.63	0.183	2.000	Pass
			1	131	19.92	2.7	22.62	0.183	2.000	Pass
	MCH	PI/2 BPSK	64	32	25.39	2.7	28.09	0.644	2.000	Pass
			1	1	25.21	2.7	27.91	0.618	2.000	Pass
			1	131	25.17	2.7	27.87	0.612	2.000	Pass
		QPSK	64	32	25.5	2.7	28.20	0.661	2.000	Pass
			1	1	25.07	2.7	27.77	0.598	2.000	Pass
			1	131	25.17	2.7	27.87	0.612	2.000	Pass
		16QAM	64	32	24.37	2.7	27.07	0.509	2.000	Pass
			1	1	24.35	2.7	27.05	0.507	2.000	Pass
			1	131	24.48	2.7	27.18	0.522	2.000	Pass
		64QAM	64	32	22.58	2.7	25.28	0.337	2.000	Pass
			1	1	22.56	2.7	25.26	0.336	2.000	Pass
			1	131	22.71	2.7	25.41	0.348	2.000	Pass
		256QAM	64	32	20.2	2.7	22.90	0.195	2.000	Pass
			1	1	19.74	2.7	22.44	0.175	2.000	Pass
			1	131	19.78	2.7	22.48	0.177	2.000	Pass
	HCH	PI/2 BPSK	64	32	25.11	2.7	27.81	0.604	2.000	Pass
			1	1	24.76	2.7	27.46	0.557	2.000	Pass
			1	131	24.35	2.7	27.05	0.507	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
		QPSK	64	32	25.18	2.7	27.88	0.614	2.000	Pass
			1	1	25.04	2.7	27.74	0.594	2.000	Pass
			1	131	24.57	2.7	27.27	0.533	2.000	Pass
		16QAM	64	32	24.76	2.7	27.46	0.557	2.000	Pass
			1	1	24.54	2.7	27.24	0.530	2.000	Pass
			1	131	24.17	2.7	26.87	0.486	2.000	Pass
		64QAM	64	32	22.69	2.7	25.39	0.346	2.000	Pass
			1	1	22.48	2.7	25.18	0.330	2.000	Pass
			1	131	22.08	2.7	24.78	0.301	2.000	Pass
		256QAM	64	32	20.25	2.7	22.95	0.197	2.000	Pass
			1	1	19.79	2.7	22.49	0.177	2.000	Pass
			1	131	19.95	2.7	22.65	0.184	2.000	Pass
60	LCH	PI/2 BPSK	81	40	25.04	2.7	27.74	0.594	2.000	Pass
			1	1	24	2.7	26.70	0.468	2.000	Pass
			1	160	24.62	2.7	27.32	0.540	2.000	Pass
		QPSK	81	40	25.05	2.7	27.75	0.596	2.000	Pass
			1	1	24.25	2.7	26.95	0.495	2.000	Pass
			1	160	24.84	2.7	27.54	0.568	2.000	Pass
		16QAM	81	40	24.53	2.7	27.23	0.528	2.000	Pass
			1	1	24.12	2.7	26.82	0.481	2.000	Pass
			1	160	24.7	2.7	27.40	0.550	2.000	Pass
		64QAM	81	40	22.84	2.7	25.54	0.358	2.000	Pass
			1	1	22.86	2.7	25.56	0.360	2.000	Pass
			1	160	22.4	2.7	25.10	0.324	2.000	Pass
		256QAM	81	40	19.97	2.7	22.67	0.185	2.000	Pass
			1	1	20	2.7	22.70	0.186	2.000	Pass
			1	160	19.94	2.7	22.64	0.184	2.000	Pass
	MCH	PI/2 BPSK	81	40	25.3	2.7	28.00	0.631	2.000	Pass
			1	1	25.02	2.7	27.72	0.592	2.000	Pass
			1	160	25.26	2.7	27.96	0.625	2.000	Pass
		QPSK	81	40	25.52	2.7	28.22	0.664	2.000	Pass
			1	1	24.9	2.7	27.60	0.575	2.000	Pass
			1	160	25.25	2.7	27.95	0.624	2.000	Pass
		16QAM	81	40	24.65	2.7	27.35	0.543	2.000	Pass
			1	1	24.42	2.7	27.12	0.515	2.000	Pass
			1	160	24.29	2.7	26.99	0.500	2.000	Pass
		64QAM	81	40	22.78	2.7	25.48	0.353	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
			1	1	22.37	2.7	25.07	0.321	2.000	Pass
			1	160	22.62	2.7	25.32	0.340	2.000	Pass
		256QAM	81	40	19.99	2.7	22.69	0.186	2.000	Pass
			1	1	20.03	2.7	22.73	0.187	2.000	Pass
			1	160	19.73	2.7	22.43	0.175	2.000	Pass
	HCH	PI/2 BPSK	81	40	25.18	2.7	27.88	0.614	2.000	Pass
			1	1	24.93	2.7	27.63	0.579	2.000	Pass
			1	160	24.51	2.7	27.21	0.526	2.000	Pass
		QPSK	81	40	25.16	2.7	27.86	0.611	2.000	Pass
			1	1	25.02	2.7	27.72	0.592	2.000	Pass
			1	160	24.55	2.7	27.25	0.531	2.000	Pass
		16QAM	81	40	24.57	2.7	27.27	0.533	2.000	Pass
			1	1	24.57	2.7	27.27	0.533	2.000	Pass
			1	160	24.43	2.7	27.13	0.516	2.000	Pass
		64QAM	81	40	22.84	2.7	25.54	0.358	2.000	Pass
			1	1	22.13	2.7	24.83	0.304	2.000	Pass
			1	160	22.24	2.7	24.94	0.312	2.000	Pass
		256QAM	81	40	20.28	2.7	22.98	0.199	2.000	Pass
			1	1	19.8	2.7	22.50	0.178	2.000	Pass
			1	160	19.82	2.7	22.52	0.179	2.000	Pass
70	LCH	PI/2 BPSK	90	45	24.99	2.7	27.69	0.587	2.000	Pass
			1	1	24.35	2.7	27.05	0.507	2.000	Pass
			1	187	25.45	2.7	28.15	0.653	2.000	Pass
		QPSK	90	45	25.43	2.7	28.13	0.650	2.000	Pass
			1	1	24.22	2.7	26.92	0.492	2.000	Pass
			1	187	25.27	2.7	27.97	0.627	2.000	Pass
		16QAM	90	45	24.52	2.7	27.22	0.527	2.000	Pass
			1	1	24.07	2.7	26.77	0.475	2.000	Pass
			1	187	24.25	2.7	26.95	0.495	2.000	Pass
		64QAM	90	45	22.49	2.7	25.19	0.330	2.000	Pass
			1	1	22.85	2.7	25.55	0.359	2.000	Pass
			1	187	22.37	2.7	25.07	0.321	2.000	Pass
		256QAM	90	45	19.86	2.7	22.56	0.180	2.000	Pass
			1	1	19.92	2.7	22.62	0.183	2.000	Pass
			1	187	19.88	2.7	22.58	0.181	2.000	Pass
	MCH	PI/2 BPSK	90	45	25.11	2.7	27.81	0.604	2.000	Pass
			1	1	25.15	2.7	27.85	0.610	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
			1	187	24.67	2.7	27.37	0.546	2.000	Pass
		QPSK	90	45	25.23	2.7	27.93	0.621	2.000	Pass
			1	1	25.17	2.7	27.87	0.612	2.000	Pass
			1	187	24.87	2.7	27.57	0.571	2.000	Pass
		16QAM	90	45	24.51	2.7	27.21	0.526	2.000	Pass
			1	1	24.61	2.7	27.31	0.538	2.000	Pass
			1	187	24.5	2.7	27.20	0.525	2.000	Pass
		64QAM	90	45	22.33	2.7	25.03	0.318	2.000	Pass
			1	1	22.7	2.7	25.40	0.347	2.000	Pass
			1	187	22.7	2.7	25.40	0.347	2.000	Pass
		256QAM	90	45	19.7	2.7	22.40	0.174	2.000	Pass
			1	1	20.04	2.7	22.74	0.188	2.000	Pass
			1	187	19.77	2.7	22.47	0.177	2.000	Pass
	HCH	PI/2 BPSK	90	45	25.05	2.7	27.75	0.596	2.000	Pass
			1	1	25.51	2.7	28.21	0.662	2.000	Pass
			1	187	24.5	2.7	27.20	0.525	2.000	Pass
		QPSK	90	45	25.29	2.7	27.99	0.630	2.000	Pass
			1	1	25.47	2.7	28.17	0.656	2.000	Pass
			1	187	24.53	2.7	27.23	0.528	2.000	Pass
		16QAM	90	45	24.55	2.7	27.25	0.531	2.000	Pass
			1	1	24.86	2.7	27.56	0.570	2.000	Pass
			1	187	24.46	2.7	27.16	0.520	2.000	Pass
		64QAM	90	45	22.87	2.7	25.57	0.361	2.000	Pass
			1	1	22.44	2.7	25.14	0.327	2.000	Pass
			1	187	22.45	2.7	25.15	0.327	2.000	Pass
		256QAM	90	45	19.92	2.7	22.62	0.183	2.000	Pass
			1	1	20.23	2.7	22.93	0.196	2.000	Pass
			1	187	20.24	2.7	22.94	0.197	2.000	Pass
80	LCH	PI/2 BPSK	108	54	24.98	2.7	27.68	0.586	2.000	Pass
			1	1	24.09	2.7	26.79	0.478	2.000	Pass
			1	215	24.77	2.7	27.47	0.558	2.000	Pass
		QPSK	108	54	25.02	2.7	27.72	0.592	2.000	Pass
			1	1	24.37	2.7	27.07	0.509	2.000	Pass
			1	215	24.97	2.7	27.67	0.585	2.000	Pass
		16QAM	108	54	24.46	2.7	27.16	0.520	2.000	Pass
			1	1	24.05	2.7	26.75	0.473	2.000	Pass
			1	215	24.5	2.7	27.20	0.525	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
		64QAM	108	54	22.62	2.7	25.32	0.340	2.000	Pass
			1	1	22.68	2.7	25.38	0.345	2.000	Pass
			1	215	22.74	2.7	25.44	0.350	2.000	Pass
		256QAM	108	54	20.27	2.7	22.97	0.198	2.000	Pass
			1	1	19.75	2.7	22.45	0.176	2.000	Pass
			1	215	19.63	2.7	22.33	0.171	2.000	Pass
	MCH	PI/2 BPSK	108	54	25.49	2.7	28.19	0.659	2.000	Pass
			1	1	24.94	2.7	27.64	0.581	2.000	Pass
			1	215	25.34	2.7	28.04	0.637	2.000	Pass
		QPSK	108	54	25.54	2.7	28.24	0.667	2.000	Pass
			1	1	25.05	2.7	27.75	0.596	2.000	Pass
			1	215	25.42	2.7	28.12	0.649	2.000	Pass
		16QAM	108	54	24.69	2.7	27.39	0.548	2.000	Pass
			1	1	24.12	2.7	26.82	0.481	2.000	Pass
			1	215	24.59	2.7	27.29	0.536	2.000	Pass
		64QAM	108	54	22.74	2.7	25.44	0.350	2.000	Pass
			1	1	22.55	2.7	25.25	0.335	2.000	Pass
			1	215	22.41	2.7	25.11	0.324	2.000	Pass
		256QAM	108	54	19.97	2.7	22.67	0.185	2.000	Pass
			1	1	19.93	2.7	22.63	0.183	2.000	Pass
			1	215	19.78	2.7	22.48	0.177	2.000	Pass
	HCH	PI/2 BPSK	108	54	25.16	2.7	27.86	0.611	2.000	Pass
			1	1	25.12	2.7	27.82	0.605	2.000	Pass
			1	215	24.3	2.7	27.00	0.501	2.000	Pass
		QPSK	108	54	25.06	2.7	27.76	0.597	2.000	Pass
			1	1	25.07	2.7	27.77	0.598	2.000	Pass
			1	215	24.66	2.7	27.36	0.545	2.000	Pass
		16QAM	108	54	24.42	2.7	27.12	0.515	2.000	Pass
			1	1	24.82	2.7	27.52	0.565	2.000	Pass
			1	215	24.44	2.7	27.14	0.518	2.000	Pass
		64QAM	108	54	22.65	2.7	25.35	0.343	2.000	Pass
			1	1	22.33	2.7	25.03	0.318	2.000	Pass
			1	215	22.39	2.7	25.09	0.323	2.000	Pass
		256QAM	108	54	20.37	2.7	23.07	0.203	2.000	Pass
			1	1	19.83	2.7	22.53	0.179	2.000	Pass
			1	215	19.96	2.7	22.66	0.185	2.000	Pass
90	LCH	PI/2	120	60	25.03	2.7	27.73	0.593	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
		BPSK	1	1	24.16	2.7	26.86	0.485	2.000	Pass
			1	243	25.52	2.7	28.22	0.664	2.000	Pass
		QPSK	120	60	25.37	2.7	28.07	0.641	2.000	Pass
			1	1	24.1	2.7	26.80	0.479	2.000	Pass
			1	243	25.35	2.7	28.05	0.638	2.000	Pass
		16QAM	120	60	24.33	2.7	27.03	0.505	2.000	Pass
			1	1	24.3	2.7	27.00	0.501	2.000	Pass
			1	243	24.36	2.7	27.06	0.508	2.000	Pass
		64QAM	120	60	22.48	2.7	25.18	0.330	2.000	Pass
			1	1	22.73	2.7	25.43	0.349	2.000	Pass
			1	243	22.49	2.7	25.19	0.330	2.000	Pass
		256QAM	120	60	20.05	2.7	22.75	0.188	2.000	Pass
			1	1	19.9	2.7	22.60	0.182	2.000	Pass
			1	243	19.87	2.7	22.57	0.181	2.000	Pass
	MCH	PI/2 BPSK	120	60	25.39	2.7	28.09	0.644	2.000	Pass
			1	1	25.15	2.7	27.85	0.610	2.000	Pass
			1	243	24.76	2.7	27.46	0.557	2.000	Pass
		QPSK	120	60	25.43	2.7	28.13	0.650	2.000	Pass
			1	1	24.82	2.7	27.52	0.565	2.000	Pass
			1	243	24.69	2.7	27.39	0.548	2.000	Pass
		16QAM	120	60	24.42	2.7	27.12	0.515	2.000	Pass
			1	1	24.55	2.7	27.25	0.531	2.000	Pass
			1	243	24.37	2.7	27.07	0.509	2.000	Pass
		64QAM	120	60	22.45	2.7	25.15	0.327	2.000	Pass
			1	1	22.82	2.7	25.52	0.356	2.000	Pass
			1	243	22.66	2.7	25.36	0.344	2.000	Pass
		256QAM	120	60	19.86	2.7	22.56	0.180	2.000	Pass
			1	1	19.78	2.7	22.48	0.177	2.000	Pass
			1	243	20	2.7	22.70	0.186	2.000	Pass
	HCH	PI/2 BPSK	120	60	25.35	2.7	28.05	0.638	2.000	Pass
			1	1	25.59	2.7	28.29	0.675	2.000	Pass
			1	243	24.46	2.7	27.16	0.520	2.000	Pass
		QPSK	120	60	25.4	2.7	28.10	0.646	2.000	Pass
			1	1	25.44	2.7	28.14	0.652	2.000	Pass
			1	243	24.56	2.7	27.26	0.532	2.000	Pass
		16QAM	120	60	24.62	2.7	27.32	0.540	2.000	Pass
			1	1	24.62	2.7	27.32	0.540	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
			1	243	24.44	2.7	27.14	0.518	2.000	Pass
		64QAM	120	60	22.69	2.7	25.39	0.346	2.000	Pass
			1	1	22.38	2.7	25.08	0.322	2.000	Pass
			1	243	22.27	2.7	24.97	0.314	2.000	Pass
		256QAM	120	60	20.08	2.7	22.78	0.190	2.000	Pass
			1	1	20.13	2.7	22.83	0.192	2.000	Pass
			1	243	20.2	2.7	22.90	0.195	2.000	Pass
100	LCH	PI/2 BPSK	135	67	25.08	2.7	27.78	0.600	2.000	Pass
			1	1	24.04	2.7	26.74	0.472	2.000	Pass
			1	271	25.43	2.7	28.13	0.650	2.000	Pass
		QPSK	135	67	25.36	2.7	28.06	0.640	2.000	Pass
			1	1	24.09	2.7	26.79	0.478	2.000	Pass
			1	271	25.24	2.7	27.94	0.622	2.000	Pass
		16QAM	135	67	24.44	2.7	27.14	0.518	2.000	Pass
			1	1	23.95	2.7	26.65	0.462	2.000	Pass
			1	271	24.37	2.7	27.07	0.509	2.000	Pass
		64QAM	135	67	22.51	2.7	25.21	0.332	2.000	Pass
			1	1	22.84	2.7	25.54	0.358	2.000	Pass
			1	271	22.59	2.7	25.29	0.338	2.000	Pass
		256QAM	135	67	19.99	2.7	22.69	0.186	2.000	Pass
			1	1	19.85	2.7	22.55	0.180	2.000	Pass
			1	271	19.92	2.7	22.62	0.183	2.000	Pass
	MCH	PI/2 BPSK	135	67	25.12	2.7	27.82	0.605	2.000	Pass
			1	1	24.95	2.7	27.65	0.582	2.000	Pass
			1	271	24.76	2.7	27.46	0.557	2.000	Pass
		QPSK	135	67	25.58	2.7	28.28	0.673	2.000	Pass
			1	1	24.93	2.7	27.63	0.579	2.000	Pass
			1	271	24.61	2.7	27.31	0.538	2.000	Pass
		16QAM	135	67	24.54	2.7	27.24	0.530	2.000	Pass
			1	1	24.58	2.7	27.28	0.535	2.000	Pass
			1	271	24.55	2.7	27.25	0.531	2.000	Pass
		64QAM	135	67	22.18	2.7	24.88	0.308	2.000	Pass
			1	1	22.77	2.7	25.47	0.352	2.000	Pass
			1	271	22.46	2.7	25.16	0.328	2.000	Pass
		256QAM	135	67	19.78	2.7	22.48	0.177	2.000	Pass
			1	1	19.77	2.7	22.47	0.177	2.000	Pass
			1	271	19.99	2.7	22.69	0.186	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
	HCH	PI/2 BPSK	135	67	25.17	2.7	27.87	0.612	2.000	Pass
			1	1	25.84	2.7	**28.54**	0.714	2.000	Pass
			1	271	24.68	2.7	27.38	0.547	2.000	Pass
		QPSK	135	67	25.44	2.7	28.14	0.652	2.000	Pass
			1	1	25.66	2.7	28.36	0.685	2.000	Pass
			1	271	24.61	2.7	27.31	0.538	2.000	Pass
		16QAM	135	67	24.53	2.7	27.23	0.528	2.000	Pass
			1	1	24.51	2.7	27.21	0.526	2.000	Pass
			1	271	24.58	2.7	27.28	0.535	2.000	Pass
		64QAM	135	67	22.6	2.7	25.30	0.339	2.000	Pass
			1	1	22.23	2.7	24.93	0.311	2.000	Pass
			1	271	22.19	2.7	24.89	0.308	2.000	Pass
		256QAM	135	67	20.03	2.7	22.73	0.187	2.000	Pass
			1	1	20.32	2.7	23.02	0.200	2.000	Pass
			1	271	19.93	2.7	22.63	0.183	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
5	LCH	PI/2 BPSK	12	6	22.72	-0.54	22.18	0.165	1.000	Pass
			1	1	22.42	-0.54	21.88	0.154	1.000	Pass
			1	23	22.35	-0.54	21.81	0.152	1.000	Pass
		QPSK	12	6	22.64	-0.54	22.10	0.162	1.000	Pass
			1	1	22.69	-0.54	22.15	0.164	1.000	Pass
			1	23	22.77	-0.54	22.23	0.167	1.000	Pass
		16QAM	12	6	21.62	-0.54	21.08	0.128	1.000	Pass
			1	1	21.86	-0.54	21.32	0.136	1.000	Pass
			1	23	21.83	-0.54	21.29	0.135	1.000	Pass
		64QAM	12	6	20.29	-0.54	19.75	0.094	1.000	Pass
			1	1	19.99	-0.54	19.45	0.088	1.000	Pass
			1	23	20.09	-0.54	19.55	0.090	1.000	Pass
		256QAM	12	6	17.98	-0.54	17.44	0.055	1.000	Pass
			1	1	17.87	-0.54	17.33	0.054	1.000	Pass
			1	23	18.08	-0.54	17.54	0.057	1.000	Pass
	MCH	PI/2 BPSK	12	6	22.49	-0.54	21.95	0.157	1.000	Pass
			1	1	22.43	-0.54	21.89	0.155	1.000	Pass
			1	23	22.76	-0.54	22.22	0.167	1.000	Pass
		QPSK	12	6	22.81	-0.54	22.27	0.169	1.000	Pass
			1	1	22.36	-0.54	21.82	0.152	1.000	Pass
			1	23	22.5	-0.54	21.96	0.157	1.000	Pass
		16QAM	12	6	21.36	-0.54	20.82	0.121	1.000	Pass
			1	1	21.53	-0.54	20.99	0.126	1.000	Pass
			1	23	21.64	-0.54	21.10	0.129	1.000	Pass
		64QAM	12	6	20.21	-0.54	19.67	0.093	1.000	Pass
			1	1	19.96	-0.54	19.42	0.087	1.000	Pass
			1	23	20.11	-0.54	19.57	0.091	1.000	Pass
		256QAM	12	6	17.96	-0.54	17.42	0.055	1.000	Pass
			1	1	18.02	-0.54	17.48	0.056	1.000	Pass
			1	23	17.68	-0.54	17.14	0.052	1.000	Pass
	HCH	PI/2 BPSK	12	6	22.67	-0.54	22.13	0.163	1.000	Pass
			1	1	22.6	-0.54	22.06	0.161	1.000	Pass
			1	23	22.78	-0.54	22.24	0.167	1.000	Pass
		QPSK	12	6	22.68	-0.54	22.14	0.164	1.000	Pass
			1	1	22.67	-0.54	22.13	0.163	1.000	Pass
			1	23	22.55	-0.54	22.01	0.159	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
		16QAM	12	6	21.4	-0.54	20.86	0.122	1.000	Pass
			1	1	21.7	-0.54	21.16	0.131	1.000	Pass
			1	23	21.75	-0.54	21.21	0.132	1.000	Pass
		64QAM	12	6	20.01	-0.54	19.47	0.089	1.000	Pass
			1	1	20.04	-0.54	19.50	0.089	1.000	Pass
			1	23	20.04	-0.54	19.50	0.089	1.000	Pass
		256QAM	12	6	17.83	-0.54	17.29	0.054	1.000	Pass
			1	1	17.74	-0.54	17.20	0.052	1.000	Pass
			1	23	17.96	-0.54	17.42	0.055	1.000	Pass
10	LCH	PI/2 BPSK	25	12	22.75	-0.54	22.21	0.166	1.000	Pass
			1	1	22.98	-0.54	22.44	0.175	1.000	Pass
			1	50	22.74	-0.54	22.20	0.166	1.000	Pass
		QPSK	25	12	22.94	-0.54	22.40	0.174	1.000	Pass
			1	1	22.66	-0.54	22.12	0.163	1.000	Pass
			1	50	22.6	-0.54	22.06	0.161	1.000	Pass
		16QAM	25	12	21.75	-0.54	21.21	0.132	1.000	Pass
			1	1	21.85	-0.54	21.31	0.135	1.000	Pass
			1	50	21.83	-0.54	21.29	0.135	1.000	Pass
		64QAM	25	12	20.23	-0.54	19.69	0.093	1.000	Pass
			1	1	19.92	-0.54	19.38	0.087	1.000	Pass
			1	50	19.68	-0.54	19.14	0.082	1.000	Pass
		256QAM	25	12	18.19	-0.54	17.65	0.058	1.000	Pass
			1	1	18	-0.54	17.46	0.056	1.000	Pass
			1	50	18.12	-0.54	17.58	0.057	1.000	Pass
	MCH	PI/2 BPSK	25	12	22.78	-0.54	22.24	0.167	1.000	Pass
			1	1	22.82	-0.54	22.28	0.169	1.000	Pass
			1	50	22.63	-0.54	22.09	0.162	1.000	Pass
		QPSK	25	12	22.41	-0.54	21.87	0.154	1.000	Pass
			1	1	22.82	-0.54	22.28	0.169	1.000	Pass
			1	50	22.71	-0.54	22.17	0.165	1.000	Pass
		16QAM	25	12	21.54	-0.54	21.00	0.126	1.000	Pass
			1	1	21.92	-0.54	21.38	0.137	1.000	Pass
			1	50	21.41	-0.54	20.87	0.122	1.000	Pass
		64QAM	25	12	20.33	-0.54	19.79	0.095	1.000	Pass
			1	1	20.11	-0.54	19.57	0.091	1.000	Pass
			1	50	20.06	-0.54	19.52	0.090	1.000	Pass
		256QAM	25	12	17.9	-0.54	17.36	0.054	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
			1	1	17.68	-0.54	17.14	0.052	1.000	Pass
			1	50	17.85	-0.54	17.31	0.054	1.000	Pass
		PI/2 BPSK	25	12	22.47	-0.54	21.93	0.156	1.000	Pass
			1	1	22.67	-0.54	22.13	0.163	1.000	Pass
			1	50	22.41	-0.54	21.87	0.154	1.000	Pass
		QPSK	25	12	22.82	-0.54	22.28	0.169	1.000	Pass
			1	1	22.75	-0.54	22.21	0.166	1.000	Pass
			1	50	22.71	-0.54	22.17	0.165	1.000	Pass
		16QAM	25	12	21.62	-0.54	21.08	0.128	1.000	Pass
	HCH		1	1	21.5	-0.54	20.96	0.125	1.000	Pass
			1	50	21.68	-0.54	21.14	0.130	1.000	Pass
		64QAM	25	12	20	-0.54	19.46	0.088	1.000	Pass
			1	1	19.82	-0.54	19.28	0.085	1.000	Pass
			1	50	19.71	-0.54	19.17	0.083	1.000	Pass
		256QAM	25	12	17.86	-0.54	17.32	0.054	1.000	Pass
			1	1	17.96	-0.54	17.42	0.055	1.000	Pass
			1	50	17.81	-0.54	17.27	0.053	1.000	Pass
		PI/2 BPSK	36	18	22.79	-0.54	22.25	0.168	1.000	Pass
			1	1	22.88	-0.54	22.34	0.171	1.000	Pass
			1	77	22.74	-0.54	22.20	0.166	1.000	Pass
		QPSK	36	18	22.79	2.9	25.69	0.371	1.000	Pass
			1	1	22.97	2.9	25.87	0.386	1.000	Pass
			1	77	22.35	2.9	25.25	0.335	1.000	Pass
		16QAM	36	18	21.89	2.9	24.79	0.301	1.000	Pass
	LCH		1	1	21.56	2.9	24.46	0.279	1.000	Pass
			1	77	21.6	2.9	24.50	0.282	1.000	Pass
15		64QAM	36	18	20.32	2.9	23.22	0.210	1.000	Pass
			1	1	20.24	2.9	23.14	0.206	1.000	Pass
			1	77	20.06	2.9	22.96	0.198	1.000	Pass
		256QAM	36	18	18.24	2.9	21.14	0.130	1.000	Pass
			1	1	17.9	2.9	20.80	0.120	1.000	Pass
			1	77	17.91	2.9	20.81	0.121	1.000	Pass
		PI/2 BPSK	36	18	22.48	2.9	25.38	0.345	1.000	Pass
			1	1	22.79	2.9	25.69	0.371	1.000	Pass
	MCH		1	77	22.69	2.9	25.59	0.362	1.000	Pass
		QPSK	36	18	22.77	2.9	25.67	0.369	1.000	Pass
			1	1	22.83	2.9	25.73	0.374	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
			1	77	22.53	2.9	25.43	0.349	1.000	Pass
		16QAM	36	18	21.75	2.9	24.65	0.292	1.000	Pass
			1	1	21.91	2.9	24.81	0.303	1.000	Pass
			1	77	21.84	2.9	24.74	0.298	1.000	Pass
		64QAM	36	18	20.16	2.9	23.06	0.202	1.000	Pass
			1	1	20.21	2.9	23.11	0.205	1.000	Pass
			1	77	20.39	2.9	23.29	0.213	1.000	Pass
		256QAM	36	18	18.05	2.9	20.95	0.124	1.000	Pass
			1	1	17.96	2.9	20.86	0.122	1.000	Pass
			1	77	17.97	2.9	20.87	0.122	1.000	Pass
	HCH	PI/2 BPSK	36	18	22.92	2.9	25.82	0.382	1.000	Pass
			1	1	22.67	2.9	25.57	0.361	1.000	Pass
			1	77	22.91	2.9	25.81	0.381	1.000	Pass
		QPSK	36	18	22.96	2.9	25.86	0.385	1.000	Pass
			1	1	22.75	2.9	25.65	0.367	1.000	Pass
			1	77	22.43	2.9	25.33	0.341	1.000	Pass
		16QAM	36	18	21.58	2.9	24.48	0.281	1.000	Pass
			1	1	21.73	2.9	24.63	0.290	1.000	Pass
			1	77	21.57	2.9	24.47	0.280	1.000	Pass
		64QAM	36	18	20.12	2.9	23.02	0.200	1.000	Pass
			1	1	20.02	2.9	22.92	0.196	1.000	Pass
			1	77	20.24	2.9	23.14	0.206	1.000	Pass
		256QAM	36	18	18.05	2.9	20.95	0.124	1.000	Pass
			1	1	18.14	2.9	21.04	0.127	1.000	Pass
			1	77	17.92	2.9	20.82	0.121	1.000	Pass
20	LCH	PI/2 BPSK	50	25	22.61	2.9	25.51	0.356	1.000	Pass
			1	1	22.76	2.9	25.66	0.368	1.000	Pass
			1	104	22.79	2.9	25.69	0.371	1.000	Pass
		QPSK	50	25	22.75	2.9	25.65	0.367	1.000	Pass
			1	1	22.6	2.9	25.50	0.355	1.000	Pass
			1	104	22.76	2.9	25.66	0.368	1.000	Pass
		16QAM	50	25	21.68	2.9	24.58	0.287	1.000	Pass
			1	1	21.55	2.9	24.45	0.279	1.000	Pass
			1	104	21.63	2.9	24.53	0.284	1.000	Pass
		64QAM	50	25	20.08	2.9	22.98	0.199	1.000	Pass
			1	1	19.81	2.9	22.71	0.187	1.000	Pass
			1	104	19.96	2.9	22.86	0.193	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
		256QAM	50	25	18.05	2.9	20.95	0.124	1.000	Pass
			1	1	18.26	2.9	21.16	0.131	1.000	Pass
			1	104	17.76	2.9	20.66	0.116	1.000	Pass
	MCH	PI/2 BPSK	50	25	22.74	2.9	25.64	0.366	1.000	Pass
			1	1	23	2.9	25.90	0.389	1.000	Pass
			1	104	22.63	2.9	25.53	0.357	1.000	Pass
		QPSK	50	25	22.75	2.9	25.65	0.367	1.000	Pass
			1	1	22.74	2.9	25.64	0.366	1.000	Pass
			1	104	22.54	2.9	25.44	0.350	1.000	Pass
		16QAM	50	25	21.66	2.9	24.56	0.286	1.000	Pass
			1	1	21.86	2.9	24.76	0.299	1.000	Pass
			1	104	21.69	2.9	24.59	0.288	1.000	Pass
		64QAM	50	25	20.04	2.9	22.94	0.197	1.000	Pass
			1	1	19.89	2.9	22.79	0.190	1.000	Pass
			1	104	19.86	2.9	22.76	0.189	1.000	Pass
		256QAM	50	25	18.11	2.9	21.01	0.126	1.000	Pass
			1	1	18.15	2.9	21.05	0.127	1.000	Pass
			1	104	17.86	2.9	20.76	0.119	1.000	Pass
	HCH	PI/2 BPSK	50	25	22.65	2.9	25.55	0.359	1.000	Pass
			1	1	22.4	2.9	25.30	0.339	1.000	Pass
			1	104	22.71	2.9	25.61	0.364	1.000	Pass
		QPSK	50	25	22.78	2.9	25.68	0.370	1.000	Pass
			1	1	22.6	2.9	25.50	0.355	1.000	Pass
			1	104	22.62	2.9	25.52	0.356	1.000	Pass
		16QAM	50	25	21.6	2.9	24.50	0.282	1.000	Pass
			1	1	21.55	2.9	24.45	0.279	1.000	Pass
			1	104	21.72	2.9	24.62	0.290	1.000	Pass
		64QAM	50	25	19.96	2.9	22.86	0.193	1.000	Pass
			1	1	19.54	2.9	22.44	0.175	1.000	Pass
			1	104	19.66	2.9	22.56	0.180	1.000	Pass
		256QAM	50	25	17.75	2.9	20.65	0.116	1.000	Pass
			1	1	18.08	2.9	20.98	0.125	1.000	Pass
			1	104	17.46	2.9	20.36	0.109	1.000	Pass
25	LCH	PI/2 BPSK	64	32	22.79	2.9	25.69	0.371	1.000	Pass
			1	1	22.74	2.9	25.64	0.366	1.000	Pass
			1	131	22.69	2.9	25.59	0.362	1.000	Pass
		QPSK	64	32	22.76	2.9	25.66	0.368	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
			1	1	22.82	2.9	25.72	0.373	1.000	Pass
			1	131	22.32	2.9	25.22	0.333	1.000	Pass
		16QAM	64	32	21.55	2.9	24.45	0.279	1.000	Pass
			1	1	21.67	2.9	24.57	0.286	1.000	Pass
			1	131	21.55	2.9	24.45	0.279	1.000	Pass
		64QAM	64	32	19.96	2.9	22.86	0.193	1.000	Pass
			1	1	19.95	2.9	22.85	0.193	1.000	Pass
			1	131	19.91	2.9	22.81	0.191	1.000	Pass
		256QAM	64	32	18.15	2.9	21.05	0.127	1.000	Pass
			1	1	17.9	2.9	20.80	0.120	1.000	Pass
			1	131	17.86	2.9	20.76	0.119	1.000	Pass
	MCH	PI/2 BPSK	64	32	22.9	2.9	25.80	0.380	1.000	Pass
			1	1	22.83	2.9	25.73	0.374	1.000	Pass
			1	131	22.81	2.9	25.71	0.372	1.000	Pass
		QPSK	64	32	22.58	2.9	25.48	0.353	1.000	Pass
			1	1	22.6	2.9	25.50	0.355	1.000	Pass
			1	131	22.95	2.9	25.85	0.385	1.000	Pass
		16QAM	64	32	21.81	2.9	24.71	0.296	1.000	Pass
			1	1	21.72	2.9	24.62	0.290	1.000	Pass
			1	131	21.65	2.9	24.55	0.285	1.000	Pass
		64QAM	64	32	19.9	2.9	22.80	0.191	1.000	Pass
			1	1	20.37	2.9	23.27	0.212	1.000	Pass
			1	131	20.13	2.9	23.03	0.201	1.000	Pass
		256QAM	64	32	17.91	2.9	20.81	0.121	1.000	Pass
			1	1	18.28	2.9	21.18	0.131	1.000	Pass
			1	131	17.98	2.9	20.88	0.122	1.000	Pass
	HCH	PI/2 BPSK	64	32	22.54	2.9	25.44	0.350	1.000	Pass
			1	1	22.57	2.9	25.47	0.352	1.000	Pass
			1	131	22.91	2.9	25.81	0.381	1.000	Pass
		QPSK	64	32	22.7	2.9	25.60	0.363	1.000	Pass
			1	1	22.76	2.9	25.66	0.368	1.000	Pass
			1	131	22.65	2.9	25.55	0.359	1.000	Pass
		16QAM	64	32	21.68	2.9	24.58	0.287	1.000	Pass
			1	1	21.73	2.9	24.63	0.290	1.000	Pass
			1	131	21.62	2.9	24.52	0.283	1.000	Pass
		64QAM	64	32	20.43	2.9	23.33	0.215	1.000	Pass
			1	1	19.97	2.9	22.87	0.194	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
			1	131	20.28	2.9	23.18	0.208	1.000	Pass
		256QAM	64	32	18.26	2.9	21.16	0.131	1.000	Pass
			1	1	18.09	2.9	20.99	0.126	1.000	Pass
			1	131	17.83	2.9	20.73	0.118	1.000	Pass
30	LCH	PI/2 BPSK	80	40	22.63	2.9	25.53	0.357	1.000	Pass
			1	1	22.69	2.9	25.59	0.362	1.000	Pass
			1	158	22.52	2.9	25.42	0.348	1.000	Pass
		QPSK	80	40	22.92	2.9	25.82	0.382	1.000	Pass
			1	1	22.51	2.9	25.41	0.348	1.000	Pass
			1	158	22.5	2.9	25.40	0.347	1.000	Pass
		16QAM	80	40	21.92	2.9	24.82	0.303	1.000	Pass
			1	1	21.73	2.9	24.63	0.290	1.000	Pass
			1	158	21.52	2.9	24.42	0.277	1.000	Pass
		64QAM	80	40	20.19	2.9	23.09	0.204	1.000	Pass
			1	1	19.84	2.9	22.74	0.188	1.000	Pass
			1	158	19.83	2.9	22.73	0.187	1.000	Pass
		256QAM	80	40	18.16	2.9	21.06	0.128	1.000	Pass
			1	1	18.13	2.9	21.03	0.127	1.000	Pass
			1	158	17.87	2.9	20.77	0.119	1.000	Pass
	MCH	PI/2 BPSK	80	40	22.66	2.9	25.56	0.360	1.000	Pass
			1	1	22.5	2.9	25.40	0.347	1.000	Pass
			1	158	22.64	2.9	25.54	0.358	1.000	Pass
		QPSK	80	40	22.61	2.9	25.51	0.356	1.000	Pass
			1	1	22.77	2.9	25.67	0.369	1.000	Pass
			1	158	22.79	2.9	25.69	0.371	1.000	Pass
		16QAM	80	40	21.56	2.9	24.46	0.279	1.000	Pass
			1	1	21.77	2.9	24.67	0.293	1.000	Pass
			1	158	21.52	2.9	24.42	0.277	1.000	Pass
		64QAM	80	40	19.92	2.9	22.82	0.191	1.000	Pass
			1	1	20.04	2.9	22.94	0.197	1.000	Pass
			1	158	19.84	2.9	22.74	0.188	1.000	Pass
		256QAM	80	40	18.18	2.9	21.08	0.128	1.000	Pass
			1	1	18	2.9	20.90	0.123	1.000	Pass
			1	158	17.86	2.9	20.76	0.119	1.000	Pass
	HCH	PI/2 BPSK	80	40	22.82	2.9	25.72	0.373	1.000	Pass
			1	1	22.77	2.9	25.67	0.369	1.000	Pass
			1	158	22.37	2.9	25.27	0.337	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
		QPSK	80	40	22.48	2.9	25.38	0.345	1.000	Pass
			1	1	22.46	2.9	25.36	0.344	1.000	Pass
			1	158	22.4	2.9	25.30	0.339	1.000	Pass
		16QAM	80	40	21.57	2.9	24.47	0.280	1.000	Pass
			1	1	21.69	2.9	24.59	0.288	1.000	Pass
			1	158	21.45	2.9	24.35	0.272	1.000	Pass
		64QAM	80	40	19.81	2.9	22.71	0.187	1.000	Pass
			1	1	19.81	2.9	22.71	0.187	1.000	Pass
			1	158	19.7	2.9	22.60	0.182	1.000	Pass
		256QAM	80	40	17.89	2.9	20.79	0.120	1.000	Pass
			1	1	17.6	2.9	20.50	0.112	1.000	Pass
			1	158	17.88	2.9	20.78	0.120	1.000	Pass
40	LCH	PI/2 BPSK	108	54	22.63	2.9	25.53	0.357	1.000	Pass
			1	1	23.03	2.9	25.93	0.392	1.000	Pass
			1	214	22.78	2.9	25.68	0.370	1.000	Pass
		QPSK	108	54	22.97	2.9	25.87	0.386	1.000	Pass
			1	1	22.63	2.9	25.53	0.357	1.000	Pass
			1	214	22.48	2.9	25.38	0.345	1.000	Pass
		16QAM	108	54	21.67	2.9	24.57	0.286	1.000	Pass
			1	1	21.7	2.9	24.60	0.288	1.000	Pass
			1	214	21.58	2.9	24.48	0.281	1.000	Pass
		64QAM	108	54	20.23	2.9	23.13	0.206	1.000	Pass
			1	1	19.94	2.9	22.84	0.192	1.000	Pass
			1	214	20.02	2.9	22.92	0.196	1.000	Pass
		256QAM	108	54	18.28	2.9	21.18	0.131	1.000	Pass
			1	1	18.07	2.9	20.97	0.125	1.000	Pass
			1	214	18.03	2.9	20.93	0.124	1.000	Pass
	MCH	PI/2 BPSK	108	54	22.67	2.9	25.57	0.361	1.000	Pass
			1	1	22.62	2.9	25.52	0.356	1.000	Pass
			1	214	22.94	2.9	25.84	0.384	1.000	Pass
		QPSK	108	54	22.74	2.9	25.64	0.366	1.000	Pass
			1	1	22.67	2.9	25.57	0.361	1.000	Pass
			1	214	22.83	2.9	25.73	0.374	1.000	Pass
		16QAM	108	54	21.47	2.9	24.37	0.274	1.000	Pass
			1	1	21.87	2.9	24.77	0.300	1.000	Pass
			1	214	21.75	2.9	24.65	0.292	1.000	Pass
		64QAM	108	54	20.06	2.9	22.96	0.198	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
			1	1	20.07	2.9	22.97	0.198	1.000	Pass
			1	214	20.25	2.9	23.15	0.207	1.000	Pass
		256QAM	108	54	18.23	2.9	21.13	0.130	1.000	Pass
			1	1	18.17	2.9	21.07	0.128	1.000	Pass
			1	214	18.26	2.9	21.16	0.131	1.000	Pass
	HCH	PI/2 BPSK	108	54	22.62	2.9	25.52	0.356	1.000	Pass
			1	1	22.65	2.9	25.55	0.359	1.000	Pass
			1	214	22.97	2.9	25.87	0.386	1.000	Pass
		QPSK	108	54	22.86	2.9	25.76	0.377	1.000	Pass
			1	1	22.77	2.9	25.67	0.369	1.000	Pass
			1	214	22.57	2.9	25.47	0.352	1.000	Pass
		16QAM	108	54	21.5	2.9	24.40	0.275	1.000	Pass
			1	1	21.54	2.9	24.44	0.278	1.000	Pass
			1	214	21.85	2.9	24.75	0.299	1.000	Pass
		64QAM	108	54	20.07	2.9	22.97	0.198	1.000	Pass
			1	1	20.33	2.9	23.23	0.210	1.000	Pass
			1	214	20.08	2.9	22.98	0.199	1.000	Pass
		256QAM	108	54	17.85	2.9	20.75	0.119	1.000	Pass
			1	1	17.98	2.9	20.88	0.122	1.000	Pass
			1	214	17.99	2.9	20.89	0.123	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n70											
5	LCH	PI/2 BPSK	12	6	23.24	0.9	-1.25	21.99	0.158	1.000	Pass
			1	1	23.17	0.9	-1.25	21.92	0.156	1.000	Pass
			1	23	23.25	0.9	-1.25	22.00	0.158	1.000	Pass
		QPSK	12	6	23.25	0.9	-1.25	22.00	0.158	1.000	Pass
			1	1	23.12	0.9	-1.25	21.87	0.154	1.000	Pass
			1	23	23.12	0.9	-1.25	21.87	0.154	1.000	Pass
		16QAM	12	6	22.13	0.9	-1.25	20.88	0.122	1.000	Pass
			1	1	22.36	0.9	-1.25	21.11	0.129	1.000	Pass
			1	23	22.35	0.9	-1.25	21.10	0.129	1.000	Pass
		64QAM	12	6	20.67	0.9	-1.25	19.42	0.087	1.000	Pass
			1	1	20.63	0.9	-1.25	19.38	0.087	1.000	Pass
			1	23	20.61	0.9	-1.25	19.36	0.086	1.000	Pass
		256QAM	12	6	18.63	0.9	-1.25	17.38	0.055	1.000	Pass
			1	1	18.52	0.9	-1.25	17.27	0.053	1.000	Pass
			1	23	18.6	0.9	-1.25	17.35	0.054	1.000	Pass
	MCH	PI/2 BPSK	12	6	23.28	0.9	-1.25	22.03	0.160	1.000	Pass
			1	1	23.23	0.9	-1.25	21.98	0.158	1.000	Pass
			1	23	23.32	0.9	-1.25	22.07	0.161	1.000	Pass
		QPSK	12	6	23.28	0.9	-1.25	22.03	0.160	1.000	Pass
			1	1	23.3	0.9	-1.25	22.05	0.160	1.000	Pass
			1	23	23.36	0.9	-1.25	22.11	0.163	1.000	Pass
		16QAM	12	6	22.17	0.9	-1.25	20.92	0.124	1.000	Pass
			1	1	22.36	0.9	-1.25	21.11	0.129	1.000	Pass
			1	23	22.46	0.9	-1.25	21.21	0.132	1.000	Pass
		64QAM	12	6	20.72	0.9	-1.25	19.47	0.089	1.000	Pass
			1	1	20.79	0.9	-1.25	19.54	0.090	1.000	Pass
			1	23	20.87	0.9	-1.25	19.62	0.092	1.000	Pass
		256QAM	12	6	18.7	0.9	-1.25	17.45	0.056	1.000	Pass
			1	1	18.58	0.9	-1.25	17.33	0.054	1.000	Pass
			1	23	18.66	0.9	-1.25	17.41	0.055	1.000	Pass
	HCH	PI/2 BPSK	12	6	23.3	0.9	-1.25	22.05	0.160	1.000	Pass
			1	1	23.25	0.9	-1.25	22.00	0.158	1.000	Pass
			1	23	23.33	0.9	-1.25	22.08	0.161	1.000	Pass
		QPSK	12	6	23.3	0.9	-1.25	22.05	0.160	1.000	Pass
			1	1	23.35	0.9	-1.25	22.10	0.162	1.000	Pass
			1	23	23.37	0.9	-1.25	22.12	0.163	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n70											
		16QAM	12	6	22.25	0.9	-1.25	21.00	0.126	1.000	Pass
			1	1	22.42	0.9	-1.25	21.17	0.131	1.000	Pass
			1	23	22.41	0.9	-1.25	21.16	0.131	1.000	Pass
		64QAM	12	6	20.75	0.9	-1.25	19.50	0.089	1.000	Pass
			1	1	20.81	0.9	-1.25	19.56	0.090	1.000	Pass
			1	23	20.84	0.9	-1.25	19.59	0.091	1.000	Pass
		256QAM	12	6	18.69	0.9	-1.25	17.44	0.055	1.000	Pass
			1	1	18.58	0.9	-1.25	17.33	0.054	1.000	Pass
			1	23	18.64	0.9	-1.25	17.39	0.055	1.000	Pass
10	LCH	PI/2 BPSK	25	12	23.27	0.9	-1.25	22.02	0.159	1.000	Pass
			1	1	23.41	0.9	-1.25	22.16	0.164	1.000	Pass
			1	50	23.48	0.9	-1.25	22.23	0.167	1.000	Pass
		QPSK	25	12	23.28	0.9	-1.25	22.03	0.160	1.000	Pass
			1	1	23.45	0.9	-1.25	22.20	0.166	1.000	Pass
			1	50	23.57	0.9	-1.25	**22.32**	0.171	1.000	Pass
		16QAM	25	12	22.18	0.9	-1.25	20.93	0.124	1.000	Pass
			1	1	22.44	0.9	-1.25	21.19	0.132	1.000	Pass
			1	50	22.54	0.9	-1.25	21.29	0.135	1.000	Pass
		64QAM	25	12	20.78	0.9	-1.25	19.53	0.090	1.000	Pass
			1	1	20.86	0.9	-1.25	19.61	0.091	1.000	Pass
			1	50	20.95	0.9	-1.25	19.70	0.093	1.000	Pass
		256QAM	25	12	18.64	0.9	-1.25	17.39	0.055	1.000	Pass
			1	1	18.65	0.9	-1.25	17.40	0.055	1.000	Pass
			1	50	18.68	0.9	-1.25	17.43	0.055	1.000	Pass
	MCH	PI/2 BPSK	25	12	23.37	0.9	-1.25	22.12	0.163	1.000	Pass
			1	1	23.36	0.9	-1.25	22.11	0.163	1.000	Pass
			1	50	23.5	0.9	-1.25	22.25	0.168	1.000	Pass
		QPSK	25	12	23.2	0.9	-1.25	21.95	0.157	1.000	Pass
			1	1	23.4	0.9	-1.25	22.15	0.164	1.000	Pass
			1	50	23.5	0.9	-1.25	22.25	0.168	1.000	Pass
		16QAM	25	12	22.18	0.9	-1.25	20.93	0.124	1.000	Pass
			1	1	22.4	0.9	-1.25	21.15	0.130	1.000	Pass
			1	50	22.51	0.9	-1.25	21.26	0.134	1.000	Pass
		64QAM	25	12	20.78	0.9	-1.25	19.53	0.090	1.000	Pass
			1	1	20.86	0.9	-1.25	19.61	0.091	1.000	Pass
			1	50	20.94	0.9	-1.25	19.69	0.093	1.000	Pass
		256QAM	25	12	18.62	0.9	-1.25	17.37	0.055	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n70											
			1	1	18.64	0.9	-1.25	17.39	0.055	1.000	Pass
			1	50	18.71	0.9	-1.25	17.46	0.056	1.000	Pass
	HCH	PI/2 BPSK	25	12	23.31	0.9	-1.25	22.06	0.161	1.000	Pass
			1	1	23.45	0.9	-1.25	22.20	0.166	1.000	Pass
			1	50	23.48	0.9	-1.25	22.23	0.167	1.000	Pass
		QPSK	25	12	23.37	0.9	-1.25	22.12	0.163	1.000	Pass
			1	1	23.38	0.9	-1.25	22.13	0.163	1.000	Pass
			1	50	23.57	0.9	-1.25	22.32	0.171	1.000	Pass
		16QAM	25	12	22.31	0.9	-1.25	21.06	0.128	1.000	Pass
			1	1	22.49	0.9	-1.25	21.24	0.133	1.000	Pass
			1	50	22.53	0.9	-1.25	21.28	0.134	1.000	Pass
		64QAM	25	12	20.77	0.9	-1.25	19.52	0.090	1.000	Pass
			1	1	20.91	0.9	-1.25	19.66	0.092	1.000	Pass
			1	50	20.95	0.9	-1.25	19.70	0.093	1.000	Pass
		256QAM	25	12	18.66	0.9	-1.25	17.41	0.055	1.000	Pass
			1	1	18.69	0.9	-1.25	17.44	0.055	1.000	Pass
			1	50	18.71	0.9	-1.25	17.46	0.056	1.000	Pass
15	LCH	PI/2 BPSK	36	18	23.47	0.9	-1.25	22.22	0.167	1.000	Pass
			1	1	23.21	0.9	-1.25	21.96	0.157	1.000	Pass
			1	77	23.38	0.9	-1.25	22.13	0.163	1.000	Pass
		QPSK	36	18	23.31	0.9	-1.25	22.06	0.161	1.000	Pass
			1	1	23.31	0.9	-1.25	22.06	0.161	1.000	Pass
			1	77	23.41	0.9	-1.25	22.16	0.164	1.000	Pass
		16QAM	36	18	22.44	0.9	-1.25	21.19	0.132	1.000	Pass
			1	1	22.23	0.9	-1.25	20.98	0.125	1.000	Pass
			1	77	22.41	0.9	-1.25	21.16	0.131	1.000	Pass
		64QAM	36	18	20.73	0.9	-1.25	19.48	0.089	1.000	Pass
			1	1	20.56	0.9	-1.25	19.31	0.085	1.000	Pass
			1	77	20.79	0.9	-1.25	19.54	0.090	1.000	Pass
		256QAM	36	18	18.67	0.9	-1.25	17.42	0.055	1.000	Pass
			1	1	18.6	0.9	-1.25	17.35	0.054	1.000	Pass
			1	77	18.59	0.9	-1.25	17.34	0.054	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n71											
5	LCH	PI/2 BPSK	12	6	23.38	1	-1.15	22.23	0.167	3.000	Pass
			1	1	23.42	1	-1.15	22.27	0.169	3.000	Pass
			1	23	23.37	1	-1.15	22.22	0.167	3.000	Pass
		QPSK	12	6	23.43	1	-1.15	22.28	0.169	3.000	Pass
			1	1	23.47	1	-1.15	22.32	0.171	3.000	Pass
			1	23	23.42	1	-1.15	22.27	0.169	3.000	Pass
		16QAM	12	6	22.39	1	-1.15	21.24	0.133	3.000	Pass
			1	1	22.62	1	-1.15	21.47	0.140	3.000	Pass
			1	23	22.56	1	-1.15	21.41	0.138	3.000	Pass
		64QAM	12	6	20.91	1	-1.15	19.76	0.095	3.000	Pass
			1	1	21.01	1	-1.15	19.86	0.097	3.000	Pass
			1	23	20.9	1	-1.15	19.75	0.094	3.000	Pass
		256QAM	12	6	18.82	1	-1.15	17.67	0.058	3.000	Pass
			1	1	18.82	1	-1.15	17.67	0.058	3.000	Pass
			1	23	18.71	1	-1.15	17.56	0.057	3.000	Pass
	MCH	PI/2 BPSK	12	6	23.41	1	-1.15	22.26	0.168	3.000	Pass
			1	1	23.41	1	-1.15	22.26	0.168	3.000	Pass
			1	23	23.4	1	-1.15	22.25	0.168	3.000	Pass
		QPSK	12	6	23.42	1	-1.15	22.27	0.169	3.000	Pass
			1	1	23.49	1	-1.15	22.34	0.171	3.000	Pass
			1	23	23.42	1	-1.15	22.27	0.169	3.000	Pass
		16QAM	12	6	22.32	1	-1.15	21.17	0.131	3.000	Pass
			1	1	22.59	1	-1.15	21.44	0.139	3.000	Pass
			1	23	22.58	1	-1.15	21.43	0.139	3.000	Pass
		64QAM	12	6	20.86	1	-1.15	19.71	0.094	3.000	Pass
			1	1	21.02	1	-1.15	19.87	0.097	3.000	Pass
			1	23	20.92	1	-1.15	19.77	0.095	3.000	Pass
		256QAM	12	6	18.81	1	-1.15	17.66	0.058	3.000	Pass
			1	1	18.8	1	-1.15	17.65	0.058	3.000	Pass
			1	23	18.68	1	-1.15	17.53	0.057	3.000	Pass
	HCH	PI/2 BPSK	12	6	23.46	1	-1.15	22.31	0.170	3.000	Pass
			1	1	23.45	1	-1.15	22.30	0.170	3.000	Pass
			1	23	23.42	1	-1.15	22.27	0.169	3.000	Pass
		QPSK	12	6	23.4	1	-1.15	22.25	0.168	3.000	Pass
			1	1	23.44	1	-1.15	22.29	0.169	3.000	Pass
			1	23	23.36	1	-1.15	22.21	0.166	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n71											
		16QAM	12	6	22.25	1	-1.15	21.10	0.129	3.000	Pass
			1	1	22.48	1	-1.15	21.33	0.136	3.000	Pass
			1	23	22.44	1	-1.15	21.29	0.135	3.000	Pass
		64QAM	12	6	20.84	1	-1.15	19.69	0.093	3.000	Pass
			1	1	20.96	1	-1.15	19.81	0.096	3.000	Pass
			1	23	20.93	1	-1.15	19.78	0.095	3.000	Pass
		256QAM	12	6	18.83	1	-1.15	17.68	0.059	3.000	Pass
			1	1	18.84	1	-1.15	17.69	0.059	3.000	Pass
			1	23	18.74	1	-1.15	17.59	0.057	3.000	Pass
10	LCH	PI/2 BPSK	26	13	23.27	1	-1.15	22.12	0.163	3.000	Pass
			1	1	23.23	1	-1.15	22.08	0.161	3.000	Pass
			1	50	23.15	1	-1.15	22.00	0.158	3.000	Pass
		QPSK	26	13	23.36	1	-1.15	22.21	0.166	3.000	Pass
			1	1	23.34	1	-1.15	22.19	0.166	3.000	Pass
			1	50	23.35	1	-1.15	22.20	0.166	3.000	Pass
		16QAM	26	13	22.33	1	-1.15	21.18	0.131	3.000	Pass
			1	1	22.38	1	-1.15	21.23	0.133	3.000	Pass
			1	50	22.42	1	-1.15	21.27	0.134	3.000	Pass
		64QAM	26	13	20.79	1	-1.15	19.64	0.092	3.000	Pass
			1	1	23.34	1	-1.15	22.19	0.166	3.000	Pass
			1	50	20.78	1	-1.15	19.63	0.092	3.000	Pass
		256QAM	26	13	18.74	1	-1.15	17.59	0.057	3.000	Pass
			1	1	18.81	1	-1.15	17.66	0.058	3.000	Pass
			1	50	18.7	1	-1.15	17.55	0.057	3.000	Pass
	MCH	PI/2 BPSK	26	13	23.16	1	-1.15	22.01	0.159	3.000	Pass
			1	1	23.16	1	-1.15	22.01	0.159	3.000	Pass
			1	50	23.22	1	-1.15	22.07	0.161	3.000	Pass
		QPSK	26	13	23.14	1	-1.15	21.99	0.158	3.000	Pass
			1	1	23.49	1	-1.15	22.34	0.171	3.000	Pass
			1	50	23.28	1	-1.15	22.13	0.163	3.000	Pass
		16QAM	26	13	22.19	1	-1.15	21.04	0.127	3.000	Pass
			1	1	22.49	1	-1.15	21.34	0.136	3.000	Pass
			1	50	22.42	1	-1.15	21.27	0.134	3.000	Pass
		64QAM	26	13	20.65	1	-1.15	19.50	0.089	3.000	Pass
			1	1	20.88	1	-1.15	19.73	0.094	3.000	Pass
			1	50	20.73	1	-1.15	19.58	0.091	3.000	Pass
		256QAM	26	13	18.71	1	-1.15	17.56	0.057	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n71											
			1	1	18.56	1	-1.15	17.41	0.055	3.000	Pass
			1	50	18.53	1	-1.15	17.38	0.055	3.000	Pass
	HCH	PI/2 BPSK	26	13	23.27	1	-1.15	22.12	0.163	3.000	Pass
			1	1	23.17	1	-1.15	22.02	0.159	3.000	Pass
			1	50	23.16	1	-1.15	22.01	0.159	3.000	Pass
		QPSK	26	13	23.16	1	-1.15	22.01	0.159	3.000	Pass
			1	1	23.15	1	-1.15	22.00	0.158	3.000	Pass
			1	50	23.07	1	-1.15	21.92	0.156	3.000	Pass
		16QAM	26	13	22.19	1	-1.15	21.04	0.127	3.000	Pass
			1	1	22.34	1	-1.15	21.19	0.132	3.000	Pass
			1	50	22.35	1	-1.15	21.20	0.132	3.000	Pass
		64QAM	26	13	20.78	1	-1.15	19.63	0.092	3.000	Pass
			1	1	20.69	1	-1.15	19.54	0.090	3.000	Pass
			1	50	20.84	1	-1.15	19.69	0.093	3.000	Pass
		256QAM	26	13	18.77	1	-1.15	17.62	0.058	3.000	Pass
			1	1	18.71	1	-1.15	17.56	0.057	3.000	Pass
			1	50	18.64	1	-1.15	17.49	0.056	3.000	Pass
15	LCH	PI/2 BPSK	36	18	23.51	1	-1.15	22.36	0.172	3.000	Pass
			1	1	23.51	1	-1.15	22.36	0.172	3.000	Pass
			1	77	23.35	1	-1.15	22.20	0.166	3.000	Pass
		QPSK	36	18	23.42	1	-1.15	22.27	0.169	3.000	Pass
			1	1	23.57	1	-1.15	22.42	0.175	3.000	Pass
			1	77	23.39	1	-1.15	22.24	0.167	3.000	Pass
		16QAM	36	18	22.45	1	-1.15	21.30	0.135	3.000	Pass
			1	1	22.57	1	-1.15	21.42	0.139	3.000	Pass
			1	77	22.38	1	-1.15	21.23	0.133	3.000	Pass
		64QAM	36	18	20.84	1	-1.15	19.69	0.093	3.000	Pass
			1	1	21	1	-1.15	19.85	0.097	3.000	Pass
			1	77	20.8	1	-1.15	19.65	0.092	3.000	Pass
		256QAM	36	18	18.84	1	-1.15	17.69	0.059	3.000	Pass
			1	1	18.85	1	-1.15	17.70	0.059	3.000	Pass
			1	77	18.81	1	-1.15	17.66	0.058	3.000	Pass
	MCH	PI/2 BPSK	36	18	23.51	1	-1.15	22.36	0.172	3.000	Pass
			1	1	23.5	1	-1.15	22.35	0.172	3.000	Pass
			1	77	23.46	1	-1.15	22.31	0.170	3.000	Pass
		QPSK	36	18	23.44	1	-1.15	22.29	0.169	3.000	Pass
			1	1	23.48	1	-1.15	22.33	0.171	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n71											
			1	77	23.48	1	-1.15	22.33	0.171	3.000	Pass
		16QAM	36	18	22.57	1	-1.15	21.42	0.139	3.000	Pass
			1	1	22.48	1	-1.15	21.33	0.136	3.000	Pass
			1	77	22.54	1	-1.15	21.39	0.138	3.000	Pass
		64QAM	36	18	20.89	1	-1.15	19.74	0.094	3.000	Pass
			1	1	20.91	1	-1.15	19.76	0.095	3.000	Pass
			1	77	20.82	1	-1.15	19.67	0.093	3.000	Pass
		256QAM	36	18	18.84	1	-1.15	17.69	0.059	3.000	Pass
			1	1	18.79	1	-1.15	17.64	0.058	3.000	Pass
			1	77	18.76	1	-1.15	17.61	0.058	3.000	Pass
	HCH	PI/2 BPSK	36	18	23.56	1	-1.15	22.41	0.174	3.000	Pass
			1	1	23.35	1	-1.15	22.20	0.166	3.000	Pass
			1	77	23.39	1	-1.15	22.24	0.167	3.000	Pass
		QPSK	36	18	23.6	1	-1.15	22.45	0.176	3.000	Pass
			1	1	23.51	1	-1.15	22.36	0.172	3.000	Pass
			1	77	23.38	1	-1.15	22.23	0.167	3.000	Pass
		16QAM	36	18	22.46	1	-1.15	21.31	0.135	3.000	Pass
			1	1	22.49	1	-1.15	21.34	0.136	3.000	Pass
			1	77	22.43	1	-1.15	21.28	0.134	3.000	Pass
		64QAM	36	18	20.91	1	-1.15	19.76	0.095	3.000	Pass
			1	1	20.86	1	-1.15	19.71	0.094	3.000	Pass
			1	77	20.79	1	-1.15	19.64	0.092	3.000	Pass
		256QAM	36	18	18.85	1	-1.15	17.70	0.059	3.000	Pass
			1	1	18.78	1	-1.15	17.63	0.058	3.000	Pass
			1	77	18.76	1	-1.15	17.61	0.058	3.000	Pass
20	LCH	PI/2 BPSK	50	25	23.48	1	-1.15	22.33	0.171	3.000	Pass
			1	1	23.5	1	-1.15	22.35	0.172	3.000	Pass
			1	104	23.38	1	-1.15	22.23	0.167	3.000	Pass
		QPSK	50	25	23.5	1	-1.15	22.35	0.172	3.000	Pass
			1	1	23.64	1	-1.15	**22.49**	0.177	3.000	Pass
			1	104	23.41	1	-1.15	22.26	0.168	3.000	Pass
		16QAM	50	25	22.37	1	-1.15	21.22	0.132	3.000	Pass
			1	1	22.58	1	-1.15	21.43	0.139	3.000	Pass
			1	104	22.39	1	-1.15	21.24	0.133	3.000	Pass
		64QAM	50	25	20.92	1	-1.15	19.77	0.095	3.000	Pass
			1	1	21	1	-1.15	19.85	0.097	3.000	Pass
			1	104	20.79	1	-1.15	19.64	0.092	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n71											
		256QAM	50	25	18.88	1	-1.15	17.73	0.059	3.000	Pass
			1	1	18.84	1	-1.15	17.69	0.059	3.000	Pass
			1	104	18.62	1	-1.15	17.47	0.056	3.000	Pass
	MCH	PI/2 BPSK	50	25	23.49	1	-1.15	22.34	0.171	3.000	Pass
			1	1	23.41	1	-1.15	22.26	0.168	3.000	Pass
			1	104	23.46	1	-1.15	22.31	0.170	3.000	Pass
		QPSK	50	25	23.42	1	-1.15	22.27	0.169	3.000	Pass
			1	1	23.35	1	-1.15	22.20	0.166	3.000	Pass
			1	104	23.29	1	-1.15	22.14	0.164	3.000	Pass
		16QAM	50	25	22.45	1	-1.15	21.30	0.135	3.000	Pass
			1	1	22.57	1	-1.15	21.42	0.139	3.000	Pass
			1	104	22.33	1	-1.15	21.18	0.131	3.000	Pass
		64QAM	50	25	20.89	1	-1.15	19.74	0.094	3.000	Pass
			1	1	20.67	1	-1.15	19.52	0.090	3.000	Pass
			1	104	20.51	1	-1.15	19.36	0.086	3.000	Pass
		256QAM	50	25	18.87	1	-1.15	17.72	0.059	3.000	Pass
			1	1	18.78	1	-1.15	17.63	0.058	3.000	Pass
			1	104	18.68	1	-1.15	17.53	0.057	3.000	Pass
	HCH	PI/2 BPSK	50	25	23.47	1	-1.15	22.32	0.171	3.000	Pass
			1	1	23.35	1	-1.15	22.20	0.166	3.000	Pass
			1	104	23.27	1	-1.15	22.12	0.163	3.000	Pass
		QPSK	50	25	23.51	1	-1.15	22.36	0.172	3.000	Pass
			1	1	23.39	1	-1.15	22.24	0.167	3.000	Pass
			1	104	23.32	1	-1.15	22.17	0.165	3.000	Pass
		16QAM	50	25	22.39	1	-1.15	21.24	0.133	3.000	Pass
			1	1	22.49	1	-1.15	21.34	0.136	3.000	Pass
			1	104	22.4	1	-1.15	21.25	0.133	3.000	Pass
		64QAM	50	25	20.95	1	-1.15	19.80	0.095	3.000	Pass
			1	1	20.89	1	-1.15	19.74	0.094	3.000	Pass
			1	104	20.78	1	-1.15	19.63	0.092	3.000	Pass
		256QAM	50	25	18.89	1	-1.15	17.74	0.059	3.000	Pass
			1	1	18.73	1	-1.15	17.58	0.057	3.000	Pass
			1	104	18.62	1	-1.15	17.47	0.056	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
10	LCH	PI/2 BPSK	12	6	23.49	1.6	25.09	0.323	1.000	Pass
			1	1	23.68	1.6	25.28	0.337	1.000	Pass
			1	22	23.87	1.6	25.47	0.352	1.000	Pass
		QPSK	12	6	23.47	1.6	25.07	0.321	1.000	Pass
			1	1	23.83	1.6	25.43	0.349	1.000	Pass
			1	22	23.7	1.6	25.30	0.339	1.000	Pass
		16QAM	12	6	22.27	1.6	23.87	0.244	1.000	Pass
			1	1	22.78	1.6	24.38	0.274	1.000	Pass
			1	22	22.89	1.6	24.49	0.281	1.000	Pass
		64QAM	12	6	20.62	1.6	22.22	0.167	1.000	Pass
			1	1	20.69	1.6	22.29	0.169	1.000	Pass
			1	22	20.67	1.6	22.27	0.169	1.000	Pass
		256QAM	12	6	18	1.6	19.60	0.091	1.000	Pass
			1	1	17.93	1.6	19.53	0.090	1.000	Pass
			1	22	18.09	1.6	19.69	0.093	1.000	Pass
	MCH	PI/2 BPSK	12	6	23.52	1.6	25.12	0.325	1.000	Pass
			1	1	23.58	1.6	25.18	0.330	1.000	Pass
			1	22	23.91	1.6	25.51	0.356	1.000	Pass
		QPSK	12	6	23.4	1.6	25.00	0.316	1.000	Pass
			1	1	23.85	1.6	25.45	0.351	1.000	Pass
			1	22	23.57	1.6	25.17	0.329	1.000	Pass
		16QAM	12	6	22.14	1.6	23.74	0.237	1.000	Pass
			1	1	22.81	1.6	24.41	0.276	1.000	Pass
			1	22	22.49	1.6	24.09	0.256	1.000	Pass
		64QAM	12	6	20.46	1.6	22.06	0.161	1.000	Pass
			1	1	20.63	1.6	22.23	0.167	1.000	Pass
			1	22	20.67	1.6	22.27	0.169	1.000	Pass
		256QAM	12	6	18.17	1.6	19.77	0.095	1.000	Pass
			1	1	17.92	1.6	19.52	0.090	1.000	Pass
			1	22	18.1	1.6	19.70	0.093	1.000	Pass
	HCH	PI/2 BPSK	12	6	23.65	1.6	25.25	0.335	1.000	Pass
			1	1	23.26	1.6	24.86	0.306	1.000	Pass
			1	22	23.53	1.6	25.13	0.326	1.000	Pass
		QPSK	12	6	23.31	1.6	24.91	0.310	1.000	Pass
			1	1	23.67	1.6	25.27	0.337	1.000	Pass
			1	22	23.56	1.6	25.16	0.328	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
		16QAM	12	6	22.39	1.6	23.99	0.251	1.000	Pass
			1	1	22.43	1.6	24.03	0.253	1.000	Pass
			1	22	22.69	1.6	24.29	0.269	1.000	Pass
		64QAM	12	6	20.47	1.6	22.07	0.161	1.000	Pass
			1	1	20.13	1.6	21.73	0.149	1.000	Pass
			1	22	20.28	1.6	21.88	0.154	1.000	Pass
		256QAM	12	6	17.92	1.6	19.52	0.090	1.000	Pass
			1	1	17.9	1.6	19.50	0.089	1.000	Pass
			1	22	17.55	1.6	19.15	0.082	1.000	Pass
15	LCH	PI/2 BPSK	18	9	24.08	1.6	25.68	0.370	1.000	Pass
			1	1	23.77	1.6	25.37	0.344	1.000	Pass
			1	36	23.64	1.6	25.24	0.334	1.000	Pass
		QPSK	18	9	23.96	1.6	25.56	0.360	1.000	Pass
			1	1	24.09	1.6	25.69	0.371	1.000	Pass
			1	36	23.87	1.6	25.47	0.352	1.000	Pass
		16QAM	18	9	22.61	1.6	24.21	0.264	1.000	Pass
			1	1	22.64	1.6	24.24	0.265	1.000	Pass
			1	36	22.5	1.6	24.10	0.257	1.000	Pass
		64QAM	18	9	20.61	1.6	22.21	0.166	1.000	Pass
			1	1	20.47	1.6	22.07	0.161	1.000	Pass
			1	36	20.33	1.6	21.93	0.156	1.000	Pass
		256QAM	18	9	18.41	1.6	20.01	0.100	1.000	Pass
			1	1	18.09	1.6	19.69	0.093	1.000	Pass
			1	36	18.15	1.6	19.75	0.094	1.000	Pass
	MCH	PI/2 BPSK	18	9	24.1	1.6	25.70	0.372	1.000	Pass
			1	1	23.84	1.6	25.44	0.350	1.000	Pass
			1	36	23.95	1.6	25.55	0.359	1.000	Pass
		QPSK	18	9	23.85	1.6	25.45	0.351	1.000	Pass
			1	1	23.53	1.6	25.13	0.326	1.000	Pass
			1	36	23.79	1.6	25.39	0.346	1.000	Pass
		16QAM	18	9	22.61	1.6	24.21	0.264	1.000	Pass
			1	1	22.84	1.6	24.44	0.278	1.000	Pass
			1	36	22.41	1.6	24.01	0.252	1.000	Pass
		64QAM	18	9	20.55	1.6	22.15	0.164	1.000	Pass
			1	1	20.1	1.6	21.70	0.148	1.000	Pass
			1	36	19.94	1.6	21.54	0.143	1.000	Pass
		256QAM	18	9	18.17	1.6	19.77	0.095	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
			1	1	17.87	1.6	19.47	0.089	1.000	Pass
			1	36	17.68	1.6	19.28	0.085	1.000	Pass
	HCH	PI/2 BPSK	18	9	23.89	1.6	25.49	0.354	1.000	Pass
			1	1	23.71	1.6	25.31	0.340	1.000	Pass
			1	36	23.51	1.6	25.11	0.324	1.000	Pass
		QPSK	18	9	23.68	1.6	25.28	0.337	1.000	Pass
			1	1	23.86	1.6	25.46	0.352	1.000	Pass
			1	36	23.75	1.6	25.35	0.343	1.000	Pass
		16QAM	18	9	22.72	1.6	24.32	0.270	1.000	Pass
			1	1	22.68	1.6	24.28	0.268	1.000	Pass
			1	36	22.29	1.6	23.89	0.245	1.000	Pass
		64QAM	18	9	20.8	1.6	22.40	0.174	1.000	Pass
			1	1	20.32	1.6	21.92	0.156	1.000	Pass
			1	36	20.13	1.6	21.73	0.149	1.000	Pass
		256QAM	18	9	18.43	1.6	20.03	0.101	1.000	Pass
			1	1	17.84	1.6	19.44	0.088	1.000	Pass
			1	36	17.57	1.6	19.17	0.083	1.000	Pass
20	LCH	PI/2 BPSK	25	12	23.71	1.6	25.31	0.340	1.000	Pass
			1	1	24.05	1.6	25.65	0.367	1.000	Pass
			1	49	23.63	1.6	25.23	0.333	1.000	Pass
		QPSK	25	12	23.8	1.6	25.40	0.347	1.000	Pass
			1	1	23.96	1.6	25.56	0.360	1.000	Pass
			1	49	23.89	1.6	25.49	0.354	1.000	Pass
		16QAM	25	12	22.98	1.6	24.58	0.287	1.000	Pass
			1	1	22.63	1.6	24.23	0.265	1.000	Pass
			1	49	22.69	1.6	24.29	0.269	1.000	Pass
		64QAM	25	12	20.68	1.6	22.28	0.169	1.000	Pass
			1	1	20.48	1.6	22.08	0.161	1.000	Pass
			1	49	20.49	1.6	22.09	0.162	1.000	Pass
		256QAM	25	12	18.37	1.6	19.97	0.099	1.000	Pass
			1	1	18.04	1.6	19.64	0.092	1.000	Pass
			1	49	17.84	1.6	19.44	0.088	1.000	Pass
	MCH	PI/2 BPSK	25	12	23.65	1.6	25.25	0.335	1.000	Pass
			1	1	23.9	1.6	25.50	0.355	1.000	Pass
			1	49	23.66	1.6	25.26	0.336	1.000	Pass
		QPSK	25	12	23.75	1.6	25.35	0.343	1.000	Pass
			1	1	23.89	1.6	25.49	0.354	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
			1	49	23.57	1.6	25.17	0.329	1.000	Pass
		16QAM	25	12	22.72	1.6	24.32	0.270	1.000	Pass
			1	1	22.61	1.6	24.21	0.264	1.000	Pass
			1	49	22.64	1.6	24.24	0.265	1.000	Pass
		64QAM	25	12	20.8	1.6	22.40	0.174	1.000	Pass
			1	1	20.36	1.6	21.96	0.157	1.000	Pass
			1	49	20.25	1.6	21.85	0.153	1.000	Pass
		256QAM	25	12	18.43	1.6	20.03	0.101	1.000	Pass
			1	1	17.93	1.6	19.53	0.090	1.000	Pass
			1	49	18.07	1.6	19.67	0.093	1.000	Pass
	HCH	PI/2 BPSK	25	12	23.84	1.6	25.44	0.350	1.000	Pass
			1	1	23.77	1.6	25.37	0.344	1.000	Pass
			1	49	23.7	1.6	25.30	0.339	1.000	Pass
		QPSK	25	12	23.62	1.6	25.22	0.333	1.000	Pass
			1	1	23.92	1.6	25.52	0.356	1.000	Pass
			1	49	23.73	1.6	25.33	0.341	1.000	Pass
		16QAM	25	12	22.56	1.6	24.16	0.261	1.000	Pass
			1	1	22.56	1.6	24.16	0.261	1.000	Pass
			1	49	22.63	1.6	24.23	0.265	1.000	Pass
		64QAM	25	12	20.74	1.6	22.34	0.171	1.000	Pass
			1	1	20.2	1.6	21.80	0.151	1.000	Pass
			1	49	20.05	1.6	21.65	0.146	1.000	Pass
		256QAM	25	12	18.23	1.6	19.83	0.096	1.000	Pass
			1	1	17.77	1.6	19.37	0.086	1.000	Pass
			1	49	17.68	1.6	19.28	0.085	1.000	Pass
25	LCH	PI/2 BPSK	32	16	23.96	1.6	25.56	0.360	1.000	Pass
			1	1	23.97	1.6	25.57	0.361	1.000	Pass
			1	63	23.83	1.6	25.43	0.349	1.000	Pass
		QPSK	32	16	23.66	1.6	25.26	0.336	1.000	Pass
			1	1	23.69	1.6	25.29	0.338	1.000	Pass
			1	63	23.79	1.6	25.39	0.346	1.000	Pass
		16QAM	32	16	22.6	1.6	24.20	0.263	1.000	Pass
			1	1	22.97	1.6	24.57	0.286	1.000	Pass
			1	63	22.68	1.6	24.28	0.268	1.000	Pass
		64QAM	32	16	20.92	1.6	22.52	0.179	1.000	Pass
			1	1	20.32	1.6	21.92	0.156	1.000	Pass
			1	63	20.37	1.6	21.97	0.157	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
		256QAM	32	16	18.46	1.6	20.06	0.101	1.000	Pass
			1	1	18.02	1.6	19.62	0.092	1.000	Pass
			1	63	18.24	1.6	19.84	0.096	1.000	Pass
	MCH	PI/2 BPSK	32	16	23.87	1.6	25.47	0.352	1.000	Pass
			1	1	23.69	1.6	25.29	0.338	1.000	Pass
			1	63	23.95	1.6	25.55	0.359	1.000	Pass
		QPSK	32	16	23.7	1.6	25.30	0.339	1.000	Pass
			1	1	23.71	1.6	25.31	0.340	1.000	Pass
			1	63	23.67	1.6	25.27	0.337	1.000	Pass
		16QAM	32	16	22.49	1.6	24.09	0.256	1.000	Pass
			1	1	22.72	1.6	24.32	0.270	1.000	Pass
			1	63	22.5	1.6	24.10	0.257	1.000	Pass
		64QAM	32	16	20.67	1.6	22.27	0.169	1.000	Pass
			1	1	20.37	1.6	21.97	0.157	1.000	Pass
			1	63	19.92	1.6	21.52	0.142	1.000	Pass
		256QAM	32	16	18.41	1.6	20.01	0.100	1.000	Pass
			1	1	17.82	1.6	19.42	0.087	1.000	Pass
			1	63	17.68	1.6	19.28	0.085	1.000	Pass
	HCH	PI/2 BPSK	32	16	23.78	1.6	25.38	0.345	1.000	Pass
			1	1	23.56	1.6	25.16	0.328	1.000	Pass
			1	63	23.6	1.6	25.20	0.331	1.000	Pass
		QPSK	32	16	23.72	1.6	25.32	0.340	1.000	Pass
			1	1	23.81	1.6	25.41	0.348	1.000	Pass
			1	63	23.52	1.6	25.12	0.325	1.000	Pass
		16QAM	32	16	22.73	1.6	24.33	0.271	1.000	Pass
			1	1	22.58	1.6	24.18	0.262	1.000	Pass
			1	63	22.72	1.6	24.32	0.270	1.000	Pass
		64QAM	32	16	20.74	1.6	22.34	0.171	1.000	Pass
			1	1	20.33	1.6	21.93	0.156	1.000	Pass
			1	63	20.09	1.6	21.69	0.148	1.000	Pass
		256QAM	32	16	18.24	1.6	19.84	0.096	1.000	Pass
			1	1	17.89	1.6	19.49	0.089	1.000	Pass
			1	63	17.73	1.6	19.33	0.086	1.000	Pass
30	LCH	PI/2 BPSK	36	18	23.85	1.6	25.45	0.351	1.000	Pass
			1	1	23.89	1.6	25.49	0.354	1.000	Pass
			1	76	23.87	1.6	25.47	0.352	1.000	Pass
		QPSK	36	18	23.84	1.6	25.44	0.350	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
			1	1	23.85	1.6	25.45	0.351	1.000	Pass
			1	76	23.71	1.6	25.31	0.340	1.000	Pass
		16QAM	36	18	22.57	1.6	24.17	0.261	1.000	Pass
			1	1	22.78	1.6	24.38	0.274	1.000	Pass
			1	76	22.53	1.6	24.13	0.259	1.000	Pass
		64QAM	36	18	20.86	1.6	22.46	0.176	1.000	Pass
			1	1	20.34	1.6	21.94	0.156	1.000	Pass
			1	76	20.26	1.6	21.86	0.153	1.000	Pass
		256QAM	36	18	18.4	1.6	20.00	0.100	1.000	Pass
			1	1	18.15	1.6	19.75	0.094	1.000	Pass
			1	76	17.91	1.6	19.51	0.089	1.000	Pass
	MCH	PI/2 BPSK	36	18	23.94	1.6	25.54	0.358	1.000	Pass
			1	1	23.7	1.6	25.30	0.339	1.000	Pass
			1	76	23.57	1.6	25.17	0.329	1.000	Pass
		QPSK	36	18	23.9	1.6	25.50	0.355	1.000	Pass
			1	1	23.67	1.6	25.27	0.337	1.000	Pass
			1	76	23.7	1.6	25.30	0.339	1.000	Pass
		16QAM	36	18	22.52	1.6	24.12	0.258	1.000	Pass
			1	1	22.51	1.6	24.11	0.258	1.000	Pass
			1	76	22.39	1.6	23.99	0.251	1.000	Pass
		64QAM	36	18	20.64	1.6	22.24	0.167	1.000	Pass
			1	1	20.38	1.6	21.98	0.158	1.000	Pass
			1	76	20.21	1.6	21.81	0.152	1.000	Pass
		256QAM	36	18	18.39	1.6	19.99	0.100	1.000	Pass
			1	1	18.04	1.6	19.64	0.092	1.000	Pass
			1	76	17.82	1.6	19.42	0.087	1.000	Pass
	HCH	PI/2 BPSK	36	18	23.82	1.6	25.42	0.348	1.000	Pass
			1	1	23.62	1.6	25.22	0.333	1.000	Pass
			1	76	23.58	1.6	25.18	0.330	1.000	Pass
		QPSK	36	18	23.8	1.6	25.40	0.347	1.000	Pass
			1	1	23.7	1.6	25.30	0.339	1.000	Pass
			1	76	23.55	1.6	25.15	0.327	1.000	Pass
		16QAM	36	18	22.77	1.6	24.37	0.274	1.000	Pass
			1	1	22.53	1.6	24.13	0.259	1.000	Pass
			1	76	22.47	1.6	24.07	0.255	1.000	Pass
		64QAM	36	18	20.72	1.6	22.32	0.171	1.000	Pass
			1	1	20.13	1.6	21.73	0.149	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
			1	76	20.31	1.6	21.91	0.155	1.000	Pass
		256QAM	36	18	18.41	1.6	20.01	0.100	1.000	Pass
			1	1	17.69	1.6	19.29	0.085	1.000	Pass
			1	76	17.87	1.6	19.47	0.089	1.000	Pass
40	LCH	PI/2 BPSK	50	25	23.78	1.6	25.38	0.345	1.000	Pass
			1	1	23.84	1.6	25.44	0.350	1.000	Pass
			1	104	23.81	1.6	25.41	0.348	1.000	Pass
		QPSK	50	25	24.06	1.6	25.66	0.368	1.000	Pass
			1	1	23.82	1.6	25.42	0.348	1.000	Pass
			1	104	23.48	1.6	25.08	0.322	1.000	Pass
		16QAM	50	25	22.72	1.6	24.32	0.270	1.000	Pass
			1	1	22.57	1.6	24.17	0.261	1.000	Pass
			1	104	22.59	1.6	24.19	0.262	1.000	Pass
		64QAM	50	25	20.86	1.6	22.46	0.176	1.000	Pass
			1	1	20.24	1.6	21.84	0.153	1.000	Pass
			1	104	20.38	1.6	21.98	0.158	1.000	Pass
		256QAM	50	25	18.24	1.6	19.84	0.096	1.000	Pass
			1	1	18.02	1.6	19.62	0.092	1.000	Pass
			1	104	18.02	1.6	19.62	0.092	1.000	Pass
	MCH	PI/2 BPSK	50	25	23.69	1.6	25.29	0.338	1.000	Pass
			1	1	23.87	1.6	25.47	0.352	1.000	Pass
			1	104	23.54	1.6	25.14	0.327	1.000	Pass
		QPSK	50	25	24.01	1.6	25.61	0.364	1.000	Pass
			1	1	23.75	1.6	25.35	0.343	1.000	Pass
			1	104	23.71	1.6	25.31	0.340	1.000	Pass
		16QAM	50	25	22.82	1.6	24.42	0.277	1.000	Pass
			1	1	22.89	1.6	24.49	0.281	1.000	Pass
			1	104	22.41	1.6	24.01	0.252	1.000	Pass
		64QAM	50	25	20.74	1.6	22.34	0.171	1.000	Pass
			1	1	20.36	1.6	21.96	0.157	1.000	Pass
			1	104	20.15	1.6	21.75	0.150	1.000	Pass
		256QAM	50	25	18.57	1.6	20.17	0.104	1.000	Pass
			1	1	18.02	1.6	19.62	0.092	1.000	Pass
			1	104	18.04	1.6	19.64	0.092	1.000	Pass
	HCH	PI/2 BPSK	50	25	23.83	1.6	25.43	0.349	1.000	Pass
			1	1	23.61	1.6	25.21	0.332	1.000	Pass
			1	104	23.72	1.6	25.32	0.340	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
		QPSK	50	25	23.71	1.6	25.31	0.340	1.000	Pass
			1	1	23.65	1.6	25.25	0.335	1.000	Pass
			1	104	23.43	1.6	25.03	0.318	1.000	Pass
		16QAM	50	25	22.81	1.6	24.41	0.276	1.000	Pass
			1	1	22.7	1.6	24.30	0.269	1.000	Pass
			1	104	22.59	1.6	24.19	0.262	1.000	Pass
		64QAM	50	25	20.53	1.6	22.13	0.163	1.000	Pass
			1	1	20.27	1.6	21.87	0.154	1.000	Pass
			1	104	20.33	1.6	21.93	0.156	1.000	Pass
		256QAM	50	25	18.23	1.6	19.83	0.096	1.000	Pass
			1	1	17.94	1.6	19.54	0.090	1.000	Pass
			1	104	17.79	1.6	19.39	0.087	1.000	Pass
50	LCH	PI/2 BPSK	64	32	24.12	1.6	25.72	0.373	1.000	Pass
			1	1	24.16	1.6	25.76	0.377	1.000	Pass
			1	131	23.87	1.6	25.47	0.352	1.000	Pass
		QPSK	64	32	23.66	1.6	25.26	0.336	1.000	Pass
			1	1	24.03	1.6	25.63	0.366	1.000	Pass
			1	131	23.72	1.6	25.32	0.340	1.000	Pass
		16QAM	64	32	22.95	1.6	24.55	0.285	1.000	Pass
			1	1	22.9	1.6	24.50	0.282	1.000	Pass
			1	131	22.66	1.6	24.26	0.267	1.000	Pass
		64QAM	64	32	20.93	1.6	22.53	0.179	1.000	Pass
			1	1	20.36	1.6	21.96	0.157	1.000	Pass
			1	131	20.31	1.6	21.91	0.155	1.000	Pass
		256QAM	64	32	18.52	1.6	20.12	0.103	1.000	Pass
			1	1	18.09	1.6	19.69	0.093	1.000	Pass
			1	131	17.91	1.6	19.51	0.089	1.000	Pass
	MCH	PI/2 BPSK	64	32	23.84	1.6	25.44	0.350	1.000	Pass
			1	1	23.75	1.6	25.35	0.343	1.000	Pass
			1	131	23.43	1.6	25.03	0.318	1.000	Pass
		QPSK	64	32	23.78	1.6	25.38	0.345	1.000	Pass
			1	1	23.81	1.6	25.41	0.348	1.000	Pass
			1	131	23.5	1.6	25.10	0.324	1.000	Pass
		16QAM	64	32	22.79	1.6	24.39	0.275	1.000	Pass
			1	1	22.98	1.6	24.58	0.287	1.000	Pass
			1	131	22.5	1.6	24.10	0.257	1.000	Pass
		64QAM	64	32	20.57	1.6	22.17	0.165	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
			1	1	20.39	1.6	21.99	0.158	1.000	Pass
			1	131	20.14	1.6	21.74	0.149	1.000	Pass
		256QAM	64	32	18.37	1.6	19.97	0.099	1.000	Pass
			1	1	18.03	1.6	19.63	0.092	1.000	Pass
			1	131	17.67	1.6	19.27	0.085	1.000	Pass
	HCH	PI/2 BPSK	64	32	23.69	1.6	25.29	0.338	1.000	Pass
			1	1	23.61	1.6	25.21	0.332	1.000	Pass
			1	131	23.55	1.6	25.15	0.327	1.000	Pass
		QPSK	64	32	23.53	1.6	25.13	0.326	1.000	Pass
			1	1	23.63	1.6	25.23	0.333	1.000	Pass
			1	131	23.31	1.6	24.91	0.310	1.000	Pass
		16QAM	64	32	22.81	1.6	24.41	0.276	1.000	Pass
			1	1	22.49	1.6	24.09	0.256	1.000	Pass
			1	131	22.51	1.6	24.11	0.258	1.000	Pass
		64QAM	64	32	20.69	1.6	22.29	0.169	1.000	Pass
			1	1	20.35	1.6	21.95	0.157	1.000	Pass
			1	131	20.08	1.6	21.68	0.147	1.000	Pass
		256QAM	64	32	18.37	1.6	19.97	0.099	1.000	Pass
			1	1	17.86	1.6	19.46	0.088	1.000	Pass
			1	131	17.87	1.6	19.47	0.089	1.000	Pass
60	LCH	PI/2 BPSK	81	40	23.9	1.6	25.50	0.355	1.000	Pass
			1	1	23.82	1.6	25.42	0.348	1.000	Pass
			1	160	23.64	1.6	25.24	0.334	1.000	Pass
		QPSK	81	40	23.81	1.6	25.41	0.348	1.000	Pass
			1	1	24.04	1.6	25.64	0.366	1.000	Pass
			1	160	23.63	1.6	25.23	0.333	1.000	Pass
		16QAM	81	40	22.72	1.6	24.32	0.270	1.000	Pass
			1	1	23.05	1.6	24.65	0.292	1.000	Pass
			1	160	22.84	1.6	24.44	0.278	1.000	Pass
		64QAM	81	40	21.01	1.6	22.61	0.182	1.000	Pass
			1	1	20.25	1.6	21.85	0.153	1.000	Pass
			1	160	19.98	1.6	21.58	0.144	1.000	Pass
		256QAM	81	40	18.47	1.6	20.07	0.102	1.000	Pass
			1	1	18.13	1.6	19.73	0.094	1.000	Pass
			1	160	17.87	1.6	19.47	0.089	1.000	Pass
	MCH	PI/2 BPSK	81	40	23.97	1.6	25.57	0.361	1.000	Pass
			1	1	23.66	1.6	25.26	0.336	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
			1	160	23.42	1.6	25.02	0.318	1.000	Pass
		QPSK	81	40	23.85	1.6	25.45	0.351	1.000	Pass
			1	1	23.83	1.6	25.43	0.349	1.000	Pass
			1	160	23.58	1.6	25.18	0.330	1.000	Pass
		16QAM	81	40	22.82	1.6	24.42	0.277	1.000	Pass
			1	1	22.62	1.6	24.22	0.264	1.000	Pass
			1	160	22.66	1.6	24.26	0.267	1.000	Pass
		64QAM	81	40	20.65	1.6	22.25	0.168	1.000	Pass
			1	1	20.11	1.6	21.71	0.148	1.000	Pass
			1	160	20.01	1.6	21.61	0.145	1.000	Pass
		256QAM	81	40	18.31	1.6	19.91	0.098	1.000	Pass
			1	1	17.91	1.6	19.51	0.089	1.000	Pass
			1	160	17.9	1.6	19.50	0.089	1.000	Pass
	HCH	PI/2 BPSK	81	40	23.89	1.6	25.49	0.354	1.000	Pass
			1	1	23.95	1.6	25.55	0.359	1.000	Pass
			1	160	23.63	1.6	25.23	0.333	1.000	Pass
		QPSK	81	40	23.59	1.6	25.19	0.330	1.000	Pass
			1	1	23.75	1.6	25.35	0.343	1.000	Pass
			1	160	23.43	1.6	25.03	0.318	1.000	Pass
		16QAM	81	40	22.44	1.6	24.04	0.254	1.000	Pass
			1	1	22.47	1.6	24.07	0.255	1.000	Pass
			1	160	22.36	1.6	23.96	0.249	1.000	Pass
		64QAM	81	40	20.63	1.6	22.23	0.167	1.000	Pass
			1	1	20.29	1.6	21.89	0.155	1.000	Pass
			1	160	20.24	1.6	21.84	0.153	1.000	Pass
		256QAM	81	40	18.34	1.6	19.94	0.099	1.000	Pass
			1	1	18.18	1.6	19.78	0.095	1.000	Pass
			1	160	17.92	1.6	19.52	0.090	1.000	Pass
70	LCH	PI/2 BPSK	90	45	23.82	1.6	25.42	0.348	1.000	Pass
			1	1	23.74	1.6	25.34	0.342	1.000	Pass
			1	187	23.88	1.6	25.48	0.353	1.000	Pass
		QPSK	90	45	24.05	1.6	25.65	0.367	1.000	Pass
			1	1	24	1.6	25.60	0.363	1.000	Pass
			1	187	23.58	1.6	25.18	0.330	1.000	Pass
		16QAM	90	45	22.61	1.6	24.21	0.264	1.000	Pass
			1	1	23.07	1.6	24.67	0.293	1.000	Pass
			1	187	22.54	1.6	24.14	0.259	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
		64QAM	90	45	20.81	1.6	22.41	0.174	1.000	Pass
			1	1	20.55	1.6	22.15	0.164	1.000	Pass
			1	187	20.18	1.6	21.78	0.151	1.000	Pass
		256QAM	90	45	18.19	1.6	19.79	0.095	1.000	Pass
			1	1	18.24	1.6	19.84	0.096	1.000	Pass
			1	187	18.05	1.6	19.65	0.092	1.000	Pass
	MCH	PI/2 BPSK	90	45	24	1.6	25.60	0.363	1.000	Pass
			1	1	24	1.6	25.60	0.363	1.000	Pass
			1	187	23.69	1.6	25.29	0.338	1.000	Pass
		QPSK	90	45	23.66	1.6	25.26	0.336	1.000	Pass
			1	1	23.64	1.6	25.24	0.334	1.000	Pass
			1	187	23.5	1.6	25.10	0.324	1.000	Pass
		16QAM	90	45	22.84	1.6	24.44	0.278	1.000	Pass
			1	1	22.79	1.6	24.39	0.275	1.000	Pass
			1	187	22.53	1.6	24.13	0.259	1.000	Pass
		64QAM	90	45	20.83	1.6	22.43	0.175	1.000	Pass
			1	1	20.38	1.6	21.98	0.158	1.000	Pass
			1	187	20.12	1.6	21.72	0.149	1.000	Pass
		256QAM	90	45	18.35	1.6	19.95	0.099	1.000	Pass
			1	1	17.71	1.6	19.31	0.085	1.000	Pass
			1	187	18.01	1.6	19.61	0.091	1.000	Pass
	HCH	PI/2 BPSK	90	45	23.61	1.6	25.21	0.332	1.000	Pass
			1	1	23.67	1.6	25.27	0.337	1.000	Pass
			1	187	23.64	1.6	25.24	0.334	1.000	Pass
		QPSK	90	45	23.59	1.6	25.19	0.330	1.000	Pass
			1	1	23.67	1.6	25.27	0.337	1.000	Pass
			1	187	23.59	1.6	25.19	0.330	1.000	Pass
		16QAM	90	45	22.51	1.6	24.11	0.258	1.000	Pass
			1	1	22.58	1.6	24.18	0.262	1.000	Pass
			1	187	22.39	1.6	23.99	0.251	1.000	Pass
		64QAM	90	45	20.63	1.6	22.23	0.167	1.000	Pass
			1	1	20.38	1.6	21.98	0.158	1.000	Pass
			1	187	20.13	1.6	21.73	0.149	1.000	Pass
		256QAM	90	45	18.21	1.6	19.81	0.096	1.000	Pass
			1	1	17.82	1.6	19.42	0.087	1.000	Pass
			1	187	17.55	1.6	19.15	0.082	1.000	Pass
80	LCH	PI/2	108	54	23.8	1.6	25.40	0.347	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
		BPSK	1	1	23.86	1.6	25.46	0.352	1.000	Pass
			1	215	23.68	1.6	25.28	0.337	1.000	Pass
		QPSK	108	54	23.81	1.6	25.41	0.348	1.000	Pass
			1	1	23.95	1.6	25.55	0.359	1.000	Pass
			1	215	23.77	1.6	25.37	0.344	1.000	Pass
		16QAM	108	54	22.7	1.6	24.30	0.269	1.000	Pass
			1	1	22.78	1.6	24.38	0.274	1.000	Pass
			1	215	22.62	1.6	24.22	0.264	1.000	Pass
		64QAM	108	54	20.81	1.6	22.41	0.174	1.000	Pass
			1	1	20.51	1.6	22.11	0.163	1.000	Pass
			1	215	20.43	1.6	22.03	0.160	1.000	Pass
		256QAM	108	54	18.49	1.6	20.09	0.102	1.000	Pass
			1	1	18.23	1.6	19.83	0.096	1.000	Pass
			1	215	17.79	1.6	19.39	0.087	1.000	Pass
	MCH	PI/2 BPSK	108	54	23.86	1.6	25.46	0.352	1.000	Pass
			1	1	23.91	1.6	25.51	0.356	1.000	Pass
			1	215	23.86	1.6	25.46	0.352	1.000	Pass
		QPSK	108	54	24.01	1.6	25.61	0.364	1.000	Pass
			1	1	23.63	1.6	25.23	0.333	1.000	Pass
			1	215	23.37	1.6	24.97	0.314	1.000	Pass
		16QAM	108	54	22.52	1.6	24.12	0.258	1.000	Pass
			1	1	22.53	1.6	24.13	0.259	1.000	Pass
			1	215	22.55	1.6	24.15	0.260	1.000	Pass
		64QAM	108	54	20.7	1.6	22.30	0.170	1.000	Pass
			1	1	20.26	1.6	21.86	0.153	1.000	Pass
			1	215	20.25	1.6	21.85	0.153	1.000	Pass
		256QAM	108	54	18.04	1.6	19.64	0.092	1.000	Pass
			1	1	18.02	1.6	19.62	0.092	1.000	Pass
			1	215	17.68	1.6	19.28	0.085	1.000	Pass
	HCH	PI/2 BPSK	108	54	23.8	1.6	25.40	0.347	1.000	Pass
			1	1	23.83	1.6	25.43	0.349	1.000	Pass
			1	215	23.4	1.6	25.00	0.316	1.000	Pass
		QPSK	108	54	23.84	1.6	25.44	0.350	1.000	Pass
			1	1	23.55	1.6	25.15	0.327	1.000	Pass
			1	215	23.72	1.6	25.32	0.340	1.000	Pass
		16QAM	108	54	22.36	1.6	23.96	0.249	1.000	Pass
			1	1	22.74	1.6	24.34	0.272	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
			1	215	22.41	1.6	24.01	0.252	1.000	Pass
		64QAM	108	54	20.91	1.6	22.51	0.178	1.000	Pass
			1	1	19.98	1.6	21.58	0.144	1.000	Pass
			1	215	20.19	1.6	21.79	0.151	1.000	Pass
		256QAM	108	54	18.51	1.6	20.11	0.103	1.000	Pass
			1	1	17.81	1.6	19.41	0.087	1.000	Pass
			1	215	17.76	1.6	19.36	0.086	1.000	Pass
90	LCH	PI/2 BPSK	120	60	23.71	1.6	25.31	0.340	1.000	Pass
			1	1	23.87	1.6	25.47	0.352	1.000	Pass
			1	243	23.79	1.6	25.39	0.346	1.000	Pass
		QPSK	120	60	23.92	1.6	25.52	0.356	1.000	Pass
			1	1	24.07	1.6	25.67	0.369	1.000	Pass
			1	243	23.82	1.6	25.42	0.348	1.000	Pass
		16QAM	120	60	22.98	1.6	24.58	0.287	1.000	Pass
			1	1	22.99	1.6	24.59	0.288	1.000	Pass
			1	243	22.55	1.6	24.15	0.260	1.000	Pass
		64QAM	120	60	20.7	1.6	22.30	0.170	1.000	Pass
			1	1	20.33	1.6	21.93	0.156	1.000	Pass
			1	243	20.22	1.6	21.82	0.152	1.000	Pass
		256QAM	120	60	18.09	1.6	19.69	0.093	1.000	Pass
			1	1	18.13	1.6	19.73	0.094	1.000	Pass
			1	243	18	1.6	19.60	0.091	1.000	Pass
	MCH	PI/2 BPSK	120	60	23.79	1.6	25.39	0.346	1.000	Pass
			1	1	23.59	1.6	25.19	0.330	1.000	Pass
			1	243	23.79	1.6	25.39	0.346	1.000	Pass
		QPSK	120	60	23.67	1.6	25.27	0.337	1.000	Pass
			1	1	24.06	1.6	25.66	0.368	1.000	Pass
			1	243	23.51	1.6	25.11	0.324	1.000	Pass
		16QAM	120	60	22.75	1.6	24.35	0.272	1.000	Pass
			1	1	22.83	1.6	24.43	0.277	1.000	Pass
			1	243	22.64	1.6	24.24	0.265	1.000	Pass
		64QAM	120	60	20.63	1.6	22.23	0.167	1.000	Pass
			1	1	20.27	1.6	21.87	0.154	1.000	Pass
			1	243	20	1.6	21.60	0.145	1.000	Pass
		256QAM	120	60	18.37	1.6	19.97	0.099	1.000	Pass
			1	1	18.14	1.6	19.74	0.094	1.000	Pass
			1	243	17.87	1.6	19.47	0.089	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
	HCH	PI/2 BPSK	120	60	23.61	1.6	25.21	0.332	1.000	Pass
			1	1	23.71	1.6	25.31	0.340	1.000	Pass
			1	243	23.46	1.6	25.06	0.321	1.000	Pass
		QPSK	120	60	23.5	1.6	25.10	0.324	1.000	Pass
			1	1	23.89	1.6	25.49	0.354	1.000	Pass
			1	243	23.33	1.6	24.93	0.311	1.000	Pass
		16QAM	120	60	22.58	1.6	24.18	0.262	1.000	Pass
			1	1	22.54	1.6	24.14	0.259	1.000	Pass
			1	243	22.52	1.6	24.12	0.258	1.000	Pass
		64QAM	120	60	20.75	1.6	22.35	0.172	1.000	Pass
			1	1	20.29	1.6	21.89	0.155	1.000	Pass
			1	243	20.12	1.6	21.72	0.149	1.000	Pass
		256QAM	120	60	18.34	1.6	19.94	0.099	1.000	Pass
			1	1	18.08	1.6	19.68	0.093	1.000	Pass
			1	243	17.83	1.6	19.43	0.088	1.000	Pass
100	MCH	PI/2 BPSK	135	67	23.33	1.6	24.93	0.311	1.000	Pass
			1	1	24.15	1.6	25.75	0.376	1.000	Pass
			1	271	23.79	1.6	25.39	0.346	1.000	Pass
		QPSK	135	67	23.45	1.6	25.05	0.320	1.000	Pass
			1	1	23.87	1.6	25.47	0.352	1.000	Pass
			1	271	23.76	1.6	25.36	0.344	1.000	Pass
		16QAM	135	67	22.46	1.6	24.06	0.255	1.000	Pass
			1	1	23.29	1.6	24.89	0.308	1.000	Pass
			1	271	22.65	1.6	24.25	0.266	1.000	Pass
		64QAM	135	67	20.48	1.6	22.08	0.161	1.000	Pass
			1	1	21.21	1.6	22.81	0.191	1.000	Pass
			1	271	20.64	1.6	22.24	0.167	1.000	Pass
		256QAM	135	67	18.25	1.6	19.85	0.097	1.000	Pass
			1	1	18.47	1.6	20.07	0.102	1.000	Pass
			1	271	17.95	1.6	19.55	0.090	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
10	LCH	PI/2 BPSK	12	6	23.78	1.6	25.38	0.345	1.000	Pass
			1	1	23.92	1.6	25.52	0.356	1.000	Pass
			1	22	24.21	1.6	25.81	0.381	1.000	Pass
		QPSK	12	6	23.94	1.6	25.54	0.358	1.000	Pass
			1	1	24.16	1.6	25.76	0.377	1.000	Pass
			1	22	24.1	1.6	25.70	0.372	1.000	Pass
		16QAM	12	6	22.93	1.6	24.53	0.284	1.000	Pass
			1	1	23.06	1.6	24.66	0.292	1.000	Pass
			1	22	23.03	1.6	24.63	0.290	1.000	Pass
		64QAM	12	6	20.9	1.6	22.50	0.178	1.000	Pass
			1	1	20.55	1.6	22.15	0.164	1.000	Pass
			1	22	20.94	1.6	22.54	0.179	1.000	Pass
		256QAM	12	6	18.64	1.6	20.24	0.106	1.000	Pass
			1	1	18.4	1.6	20.00	0.100	1.000	Pass
			1	22	18.19	1.6	19.79	0.095	1.000	Pass
	MCH	PI/2 BPSK	12	6	23.94	1.6	25.54	0.358	1.000	Pass
			1	1	23.87	1.6	25.47	0.352	1.000	Pass
			1	22	23.76	1.6	25.36	0.344	1.000	Pass
		QPSK	12	6	23.61	1.6	25.21	0.332	1.000	Pass
			1	1	23.81	1.6	25.41	0.348	1.000	Pass
			1	22	23.93	1.6	25.53	0.357	1.000	Pass
		16QAM	12	6	22.72	1.6	24.32	0.270	1.000	Pass
			1	1	23.09	1.6	24.69	0.294	1.000	Pass
			1	22	23.02	1.6	24.62	0.290	1.000	Pass
		64QAM	12	6	20.87	1.6	22.47	0.177	1.000	Pass
			1	1	20.61	1.6	22.21	0.166	1.000	Pass
			1	22	20.63	1.6	22.23	0.167	1.000	Pass
		256QAM	12	6	18.46	1.6	20.06	0.101	1.000	Pass
			1	1	18.35	1.6	19.95	0.099	1.000	Pass
			1	22	18.29	1.6	19.89	0.097	1.000	Pass
	HCH	PI/2 BPSK	12	6	23.49	1.6	25.09	0.323	1.000	Pass
			1	1	23.77	1.6	25.37	0.344	1.000	Pass
			1	22	24.11	1.6	25.71	0.372	1.000	Pass
		QPSK	12	6	23.73	1.6	25.33	0.341	1.000	Pass
			1	1	23.79	1.6	25.39	0.346	1.000	Pass
			1	22	23.99	1.6	25.59	0.362	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		16QAM	12	6	22.44	1.6	24.04	0.254	1.000	Pass
			1	1	22.8	1.6	24.40	0.275	1.000	Pass
			1	22	22.95	1.6	24.55	0.285	1.000	Pass
		64QAM	12	6	20.66	1.6	22.26	0.168	1.000	Pass
			1	1	20.62	1.6	22.22	0.167	1.000	Pass
			1	22	20.2	1.6	21.80	0.151	1.000	Pass
		256QAM	12	6	18.03	1.6	19.63	0.092	1.000	Pass
			1	1	18.21	1.6	19.81	0.096	1.000	Pass
			1	22	17.96	1.6	19.56	0.090	1.000	Pass
15	LCH	PI/2 BPSK	18	9	24.3	1.6	25.90	0.389	1.000	Pass
			1	1	24.23	1.6	25.83	0.383	1.000	Pass
			1	36	24.2	1.6	25.80	0.380	1.000	Pass
		QPSK	18	9	24.35	1.6	25.95	0.394	1.000	Pass
			1	1	24.44	1.6	26.04	0.402	1.000	Pass
			1	36	24.28	1.6	25.88	0.387	1.000	Pass
		16QAM	18	9	23	1.6	24.60	0.288	1.000	Pass
			1	1	23.22	1.6	24.82	0.303	1.000	Pass
			1	36	22.92	1.6	24.52	0.283	1.000	Pass
		64QAM	18	9	21.24	1.6	22.84	0.192	1.000	Pass
			1	1	20.84	1.6	22.44	0.175	1.000	Pass
			1	36	20.71	1.6	22.31	0.170	1.000	Pass
		256QAM	18	9	18.82	1.6	20.42	0.110	1.000	Pass
			1	1	18.33	1.6	19.93	0.098	1.000	Pass
			1	36	18.78	1.6	20.38	0.109	1.000	Pass
	MCH	PI/2 BPSK	18	9	24.39	1.6	25.99	0.397	1.000	Pass
			1	1	24.43	1.6	26.03	0.401	1.000	Pass
			1	36	24.37	1.6	25.97	0.395	1.000	Pass
		QPSK	18	9	24.1	1.6	25.70	0.372	1.000	Pass
			1	1	24.06	1.6	25.66	0.368	1.000	Pass
			1	36	24.08	1.6	25.68	0.370	1.000	Pass
		16QAM	18	9	22.9	1.6	24.50	0.282	1.000	Pass
			1	1	23.41	1.6	25.01	0.317	1.000	Pass
			1	36	22.66	1.6	24.26	0.267	1.000	Pass
		64QAM	18	9	20.85	1.6	22.45	0.176	1.000	Pass
			1	1	20.52	1.6	22.12	0.163	1.000	Pass
			1	36	20.47	1.6	22.07	0.161	1.000	Pass
		256QAM	18	9	18.59	1.6	20.19	0.104	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
			1	1	18.43	1.6	20.03	0.101	1.000	Pass
			1	36	18.22	1.6	19.82	0.096	1.000	Pass
	HCH	PI/2 BPSK	18	9	23.94	1.6	25.54	0.358	1.000	Pass
			1	1	24.17	1.6	25.77	0.378	1.000	Pass
			1	36	23.86	1.6	25.46	0.352	1.000	Pass
		QPSK	18	9	24.23	1.6	25.83	0.383	1.000	Pass
			1	1	24.31	1.6	25.91	0.390	1.000	Pass
			1	36	24.26	1.6	25.86	0.385	1.000	Pass
		16QAM	18	9	23.11	1.6	24.71	0.296	1.000	Pass
			1	1	23.24	1.6	24.84	0.305	1.000	Pass
			1	36	22.82	1.6	24.42	0.277	1.000	Pass
		64QAM	18	9	21.34	1.6	22.94	0.197	1.000	Pass
			1	1	20.73	1.6	22.33	0.171	1.000	Pass
			1	36	20.32	1.6	21.92	0.156	1.000	Pass
		256QAM	18	9	18.93	1.6	20.53	0.113	1.000	Pass
			1	1	18.26	1.6	19.86	0.097	1.000	Pass
			1	36	17.75	1.6	19.35	0.086	1.000	Pass
20	LCH	PI/2 BPSK	25	12	24.06	1.6	25.66	0.368	1.000	Pass
			1	1	24.67	1.6	26.27	0.424	1.000	Pass
			1	49	23.86	1.6	25.46	0.352	1.000	Pass
		QPSK	25	12	24.12	1.6	25.72	0.373	1.000	Pass
			1	1	24.21	1.6	25.81	0.381	1.000	Pass
			1	49	24.1	1.6	25.70	0.372	1.000	Pass
		16QAM	25	12	23.29	1.6	24.89	0.308	1.000	Pass
			1	1	23.01	1.6	24.61	0.289	1.000	Pass
			1	49	22.98	1.6	24.58	0.287	1.000	Pass
		64QAM	25	12	21.29	1.6	22.89	0.195	1.000	Pass
			1	1	21.09	1.6	22.69	0.186	1.000	Pass
			1	49	20.76	1.6	22.36	0.172	1.000	Pass
		256QAM	25	12	18.95	1.6	20.55	0.114	1.000	Pass
			1	1	18.46	1.6	20.06	0.101	1.000	Pass
			1	49	18.44	1.6	20.04	0.101	1.000	Pass
	MCH	PI/2 BPSK	25	12	23.96	1.6	25.56	0.360	1.000	Pass
			1	1	24.49	1.6	26.09	0.406	1.000	Pass
			1	49	23.87	1.6	25.47	0.352	1.000	Pass
		QPSK	25	12	24.13	1.6	25.73	0.374	1.000	Pass
			1	1	24.1	1.6	25.70	0.372	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
			1	49	24.12	1.6	25.72	0.373	1.000	Pass
		16QAM	25	12	23.07	1.6	24.67	0.293	1.000	Pass
			1	1	23.07	1.6	24.67	0.293	1.000	Pass
			1	49	23.23	1.6	24.83	0.304	1.000	Pass
		64QAM	25	12	20.96	1.6	22.56	0.180	1.000	Pass
			1	1	20.98	1.6	22.58	0.181	1.000	Pass
			1	49	20.58	1.6	22.18	0.165	1.000	Pass
		256QAM	25	12	18.85	1.6	20.45	0.111	1.000	Pass
			1	1	18.46	1.6	20.06	0.101	1.000	Pass
			1	49	18.49	1.6	20.09	0.102	1.000	Pass
	HCH	PI/2 BPSK	25	12	24.42	1.6	26.02	0.400	1.000	Pass
			1	1	24.25	1.6	25.85	0.385	1.000	Pass
			1	49	23.87	1.6	25.47	0.352	1.000	Pass
		QPSK	25	12	23.71	1.6	25.31	0.340	1.000	Pass
			1	1	24.26	1.6	25.86	0.385	1.000	Pass
			1	49	24.3	1.6	25.90	0.389	1.000	Pass
		16QAM	25	12	22.87	1.6	24.47	0.280	1.000	Pass
			1	1	23	1.6	24.60	0.288	1.000	Pass
			1	49	23.04	1.6	24.64	0.291	1.000	Pass
		64QAM	25	12	21.02	1.6	22.62	0.183	1.000	Pass
			1	1	20.34	1.6	21.94	0.156	1.000	Pass
			1	49	20.55	1.6	22.15	0.164	1.000	Pass
		256QAM	25	12	18.39	1.6	19.99	0.100	1.000	Pass
			1	1	17.86	1.6	19.46	0.088	1.000	Pass
			1	49	18.07	1.6	19.67	0.093	1.000	Pass
25	LCH	PI/2 BPSK	32	16	24.08	1.6	25.68	0.370	1.000	Pass
			1	1	24.16	1.6	25.76	0.377	1.000	Pass
			1	63	24.44	1.6	26.04	0.402	1.000	Pass
		QPSK	32	16	24.02	1.6	25.62	0.365	1.000	Pass
			1	1	24.3	1.6	25.90	0.389	1.000	Pass
			1	63	24.54	1.6	26.14	0.411	1.000	Pass
		16QAM	32	16	23.06	1.6	24.66	0.292	1.000	Pass
			1	1	23.43	1.6	25.03	0.318	1.000	Pass
			1	63	23.15	1.6	24.75	0.299	1.000	Pass
		64QAM	32	16	21.48	1.6	23.08	0.203	1.000	Pass
			1	1	20.93	1.6	22.53	0.179	1.000	Pass
			1	63	20.95	1.6	22.55	0.180	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		256QAM	32	16	18.73	1.6	20.33	0.108	1.000	Pass
			1	1	18.41	1.6	20.01	0.100	1.000	Pass
			1	63	18.53	1.6	20.13	0.103	1.000	Pass
	MCH	PI/2 BPSK	32	16	24.53	1.6	26.13	0.410	1.000	Pass
			1	1	24.12	1.6	25.72	0.373	1.000	Pass
			1	63	24.37	1.6	25.97	0.395	1.000	Pass
		QPSK	32	16	23.88	1.6	25.48	0.353	1.000	Pass
			1	1	24.38	1.6	25.98	0.396	1.000	Pass
			1	63	24.01	1.6	25.61	0.364	1.000	Pass
		16QAM	32	16	22.84	1.6	24.44	0.278	1.000	Pass
			1	1	23.36	1.6	24.96	0.313	1.000	Pass
			1	63	22.8	1.6	24.40	0.275	1.000	Pass
		64QAM	32	16	21.32	1.6	22.92	0.196	1.000	Pass
			1	1	20.78	1.6	22.38	0.173	1.000	Pass
			1	63	20.31	1.6	21.91	0.155	1.000	Pass
		256QAM	32	16	18.63	1.6	20.23	0.105	1.000	Pass
			1	1	18.14	1.6	19.74	0.094	1.000	Pass
			1	63	18.16	1.6	19.76	0.095	1.000	Pass
	HCH	PI/2 BPSK	32	16	24.15	1.6	25.75	0.376	1.000	Pass
			1	1	24.18	1.6	25.78	0.378	1.000	Pass
			1	63	24.13	1.6	25.73	0.374	1.000	Pass
		QPSK	32	16	24.18	1.6	25.78	0.378	1.000	Pass
			1	1	24.43	1.6	26.03	0.401	1.000	Pass
			1	63	24.18	1.6	25.78	0.378	1.000	Pass
		16QAM	32	16	23.27	1.6	24.87	0.307	1.000	Pass
			1	1	22.88	1.6	24.48	0.281	1.000	Pass
			1	63	22.86	1.6	24.46	0.279	1.000	Pass
		64QAM	32	16	21.35	1.6	22.95	0.197	1.000	Pass
			1	1	20.62	1.6	22.22	0.167	1.000	Pass
			1	63	20.6	1.6	22.20	0.166	1.000	Pass
		256QAM	32	16	18.49	1.6	20.09	0.102	1.000	Pass
			1	1	18.4	1.6	20.00	0.100	1.000	Pass
			1	63	18.19	1.6	19.79	0.095	1.000	Pass
30	LCH	PI/2 BPSK	36	18	24.24	1.6	25.84	0.384	1.000	Pass
			1	1	24.17	1.6	25.77	0.378	1.000	Pass
			1	76	24.17	1.6	25.77	0.378	1.000	Pass
		QPSK	36	18	24.2	1.6	25.80	0.380	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
			1	1	23.9	1.6	25.50	0.355	1.000	Pass
			1	76	24.21	1.6	25.81	0.381	1.000	Pass
		16QAM	36	18	22.96	1.6	24.56	0.286	1.000	Pass
			1	1	23.1	1.6	24.70	0.295	1.000	Pass
			1	76	22.83	1.6	24.43	0.277	1.000	Pass
		64QAM	36	18	21.23	1.6	22.83	0.192	1.000	Pass
			1	1	20.75	1.6	22.35	0.172	1.000	Pass
			1	76	20.78	1.6	22.38	0.173	1.000	Pass
		256QAM	36	18	18.79	1.6	20.39	0.109	1.000	Pass
			1	1	18.56	1.6	20.16	0.104	1.000	Pass
			1	76	18.3	1.6	19.90	0.098	1.000	Pass
	MCH	PI/2 BPSK	36	18	24.46	1.6	26.06	0.404	1.000	Pass
			1	1	24.05	1.6	25.65	0.367	1.000	Pass
			1	76	24.13	1.6	25.73	0.374	1.000	Pass
		QPSK	36	18	24.42	1.6	26.02	0.400	1.000	Pass
			1	1	24.28	1.6	25.88	0.387	1.000	Pass
			1	76	24.1	1.6	25.70	0.372	1.000	Pass
		16QAM	36	18	22.93	1.6	24.53	0.284	1.000	Pass
			1	1	22.74	1.6	24.34	0.272	1.000	Pass
			1	76	22.97	1.6	24.57	0.286	1.000	Pass
		64QAM	36	18	21.08	1.6	22.68	0.185	1.000	Pass
			1	1	20.49	1.6	22.09	0.162	1.000	Pass
			1	76	20.57	1.6	22.17	0.165	1.000	Pass
		256QAM	36	18	18.93	1.6	20.53	0.113	1.000	Pass
			1	1	18.74	1.6	20.34	0.108	1.000	Pass
			1	76	18.13	1.6	19.73	0.094	1.000	Pass
	HCH	PI/2 BPSK	36	18	24.21	1.6	25.81	0.381	1.000	Pass
			1	1	23.91	1.6	25.51	0.356	1.000	Pass
			1	76	24.01	1.6	25.61	0.364	1.000	Pass
		QPSK	36	18	24.3	1.6	25.90	0.389	1.000	Pass
			1	1	24.27	1.6	25.87	0.386	1.000	Pass
			1	76	23.81	1.6	25.41	0.348	1.000	Pass
		16QAM	36	18	23.38	1.6	24.98	0.315	1.000	Pass
			1	1	23.04	1.6	24.64	0.291	1.000	Pass
			1	76	22.91	1.6	24.51	0.282	1.000	Pass
		64QAM	36	18	21.11	1.6	22.71	0.187	1.000	Pass
			1	1	20.47	1.6	22.07	0.161	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
			1	76	20.73	1.6	22.33	0.171	1.000	Pass
		256QAM	36	18	18.81	1.6	20.41	0.110	1.000	Pass
			1	1	18.11	1.6	19.71	0.094	1.000	Pass
			1	76	18.22	1.6	19.82	0.096	1.000	Pass
40	LCH	PI/2 BPSK	50	25	24.24	1.6	25.84	0.384	1.000	Pass
			1	1	24.24	1.6	25.84	0.384	1.000	Pass
			1	104	24.22	1.6	25.82	0.382	1.000	Pass
		QPSK	50	25	24.65	1.6	26.25	0.422	1.000	Pass
			1	1	24.25	1.6	25.85	0.385	1.000	Pass
			1	104	23.95	1.6	25.55	0.359	1.000	Pass
		16QAM	50	25	23.22	1.6	24.82	0.303	1.000	Pass
			1	1	22.95	1.6	24.55	0.285	1.000	Pass
			1	104	23.24	1.6	24.84	0.305	1.000	Pass
		64QAM	50	25	20.91	1.6	22.51	0.178	1.000	Pass
			1	1	20.69	1.6	22.29	0.169	1.000	Pass
			1	104	21.05	1.6	22.65	0.184	1.000	Pass
		256QAM	50	25	18.89	1.6	20.49	0.112	1.000	Pass
			1	1	18.5	1.6	20.10	0.102	1.000	Pass
			1	104	18.29	1.6	19.89	0.097	1.000	Pass
	MCH	PI/2 BPSK	50	25	24.03	1.6	25.63	0.366	1.000	Pass
			1	1	24.15	1.6	25.75	0.376	1.000	Pass
			1	104	23.94	1.6	25.54	0.358	1.000	Pass
		QPSK	50	25	24.51	1.6	26.11	0.408	1.000	Pass
			1	1	24.44	1.6	26.04	0.402	1.000	Pass
			1	104	24.03	1.6	25.63	0.366	1.000	Pass
		16QAM	50	25	23.24	1.6	24.84	0.305	1.000	Pass
			1	1	23.2	1.6	24.80	0.302	1.000	Pass
			1	104	22.81	1.6	24.41	0.276	1.000	Pass
		64QAM	50	25	21.05	1.6	22.65	0.184	1.000	Pass
			1	1	20.95	1.6	22.55	0.180	1.000	Pass
			1	104	20.63	1.6	22.23	0.167	1.000	Pass
		256QAM	50	25	18.87	1.6	20.47	0.111	1.000	Pass
			1	1	18.23	1.6	19.83	0.096	1.000	Pass
			1	104	18.32	1.6	19.92	0.098	1.000	Pass
	HCH	PI/2 BPSK	50	25	24.02	1.6	25.62	0.365	1.000	Pass
			1	1	23.68	1.6	25.28	0.337	1.000	Pass
			1	104	24.12	1.6	25.72	0.373	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		QPSK	50	25	23.93	1.6	25.53	0.357	1.000	Pass
			1	1	23.93	1.6	25.53	0.357	1.000	Pass
			1	104	23.66	1.6	25.26	0.336	1.000	Pass
		16QAM	50	25	23.14	1.6	24.74	0.298	1.000	Pass
			1	1	23.05	1.6	24.65	0.292	1.000	Pass
			1	104	22.91	1.6	24.51	0.282	1.000	Pass
		64QAM	50	25	20.85	1.6	22.45	0.176	1.000	Pass
			1	1	20.69	1.6	22.29	0.169	1.000	Pass
			1	104	20.74	1.6	22.34	0.171	1.000	Pass
		256QAM	50	25	18.82	1.6	20.42	0.110	1.000	Pass
			1	1	18.56	1.6	20.16	0.104	1.000	Pass
			1	104	18.08	1.6	19.68	0.093	1.000	Pass
50	LCH	PI/2 BPSK	64	32	24.53	1.6	26.13	0.410	1.000	Pass
			1	1	24.4	1.6	26.00	0.398	1.000	Pass
			1	131	24.28	1.6	25.88	0.387	1.000	Pass
		QPSK	64	32	24.08	1.6	25.68	0.370	1.000	Pass
			1	1	24.33	1.6	25.93	0.392	1.000	Pass
			1	131	24.43	1.6	26.03	0.401	1.000	Pass
		16QAM	64	32	23.31	1.6	24.91	0.310	1.000	Pass
			1	1	23.17	1.6	24.77	0.300	1.000	Pass
			1	131	23.32	1.6	24.92	0.310	1.000	Pass
		64QAM	64	32	21.29	1.6	22.89	0.195	1.000	Pass
			1	1	20.45	1.6	22.05	0.160	1.000	Pass
			1	131	20.66	1.6	22.26	0.168	1.000	Pass
		256QAM	64	32	18.9	1.6	20.50	0.112	1.000	Pass
			1	1	18.21	1.6	19.81	0.096	1.000	Pass
			1	131	18.22	1.6	19.82	0.096	1.000	Pass
	MCH	PI/2 BPSK	64	32	24.07	1.6	25.67	0.369	1.000	Pass
			1	1	24.07	1.6	25.67	0.369	1.000	Pass
			1	131	24.07	1.6	25.67	0.369	1.000	Pass
		QPSK	64	32	24.33	1.6	25.93	0.392	1.000	Pass
			1	1	24.13	1.6	25.73	0.374	1.000	Pass
			1	131	24.1	1.6	25.70	0.372	1.000	Pass
		16QAM	64	32	23.19	1.6	24.79	0.301	1.000	Pass
			1	1	23.14	1.6	24.74	0.298	1.000	Pass
			1	131	22.83	1.6	24.43	0.277	1.000	Pass
		64QAM	64	32	20.96	1.6	22.56	0.180	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
			1	1	20.89	1.6	22.49	0.177	1.000	Pass
			1	131	20.63	1.6	22.23	0.167	1.000	Pass
		256QAM	64	32	19.03	1.6	20.63	0.116	1.000	Pass
			1	1	18.64	1.6	20.24	0.106	1.000	Pass
			1	131	17.76	1.6	19.36	0.086	1.000	Pass
	HCH	PI/2 BPSK	64	32	24.03	1.6	25.63	0.366	1.000	Pass
			1	1	23.67	1.6	25.27	0.337	1.000	Pass
			1	131	23.93	1.6	25.53	0.357	1.000	Pass
		QPSK	64	32	23.76	1.6	25.36	0.344	1.000	Pass
			1	1	23.79	1.6	25.39	0.346	1.000	Pass
			1	131	23.61	1.6	25.21	0.332	1.000	Pass
		16QAM	64	32	23.37	1.6	24.97	0.314	1.000	Pass
			1	1	22.91	1.6	24.51	0.282	1.000	Pass
			1	131	22.8	1.6	24.40	0.275	1.000	Pass
		64QAM	64	32	21.2	1.6	22.80	0.191	1.000	Pass
			1	1	20.63	1.6	22.23	0.167	1.000	Pass
			1	131	20.3	1.6	21.90	0.155	1.000	Pass
		256QAM	64	32	18.77	1.6	20.37	0.109	1.000	Pass
			1	1	18.47	1.6	20.07	0.102	1.000	Pass
			1	131	18.18	1.6	19.78	0.095	1.000	Pass
60	LCH	PI/2 BPSK	81	40	24.54	1.6	26.14	0.411	1.000	Pass
			1	1	24.1	1.6	25.70	0.372	1.000	Pass
			1	160	24.09	1.6	25.69	0.371	1.000	Pass
		QPSK	81	40	24.14	1.6	25.74	0.375	1.000	Pass
			1	1	24.33	1.6	25.93	0.392	1.000	Pass
			1	160	24.14	1.6	25.74	0.375	1.000	Pass
		16QAM	81	40	23	1.6	24.60	0.288	1.000	Pass
			1	1	23.3	1.6	24.90	0.309	1.000	Pass
			1	160	23.09	1.6	24.69	0.294	1.000	Pass
		64QAM	81	40	21.41	1.6	23.01	0.200	1.000	Pass
			1	1	20.43	1.6	22.03	0.160	1.000	Pass
			1	160	20.71	1.6	22.31	0.170	1.000	Pass
		256QAM	81	40	18.71	1.6	20.31	0.107	1.000	Pass
			1	1	18.52	1.6	20.12	0.103	1.000	Pass
			1	160	18.41	1.6	20.01	0.100	1.000	Pass
	MCH	PI/2 BPSK	81	40	24.4	1.6	26.00	0.398	1.000	Pass
			1	1	23.79	1.6	25.39	0.346	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
			1	160	23.8	1.6	25.40	0.347	1.000	Pass
		QPSK	81	40	24.39	1.6	25.99	0.397	1.000	Pass
			1	1	24.33	1.6	25.93	0.392	1.000	Pass
			1	160	24.05	1.6	25.65	0.367	1.000	Pass
		16QAM	81	40	22.97	1.6	24.57	0.286	1.000	Pass
			1	1	22.92	1.6	24.52	0.283	1.000	Pass
			1	160	22.96	1.6	24.56	0.286	1.000	Pass
		64QAM	81	40	21.09	1.6	22.69	0.186	1.000	Pass
			1	1	20.65	1.6	22.25	0.168	1.000	Pass
			1	160	20.34	1.6	21.94	0.156	1.000	Pass
		256QAM	81	40	18.75	1.6	20.35	0.108	1.000	Pass
			1	1	18.25	1.6	19.85	0.097	1.000	Pass
			1	160	18.32	1.6	19.92	0.098	1.000	Pass
	HCH	PI/2 BPSK	81	40	24.12	1.6	25.72	0.373	1.000	Pass
			1	1	24.39	1.6	25.99	0.397	1.000	Pass
			1	160	24.22	1.6	25.82	0.382	1.000	Pass
		QPSK	81	40	24.16	1.6	25.76	0.377	1.000	Pass
			1	1	24.08	1.6	25.68	0.370	1.000	Pass
			1	160	23.7	1.6	25.30	0.339	1.000	Pass
		16QAM	81	40	23.09	1.6	24.69	0.294	1.000	Pass
			1	1	23.13	1.6	24.73	0.297	1.000	Pass
			1	160	22.92	1.6	24.52	0.283	1.000	Pass
		64QAM	81	40	20.91	1.6	22.51	0.178	1.000	Pass
			1	1	20.53	1.6	22.13	0.163	1.000	Pass
			1	160	20.49	1.6	22.09	0.162	1.000	Pass
		256QAM	81	40	19.05	1.6	20.65	0.116	1.000	Pass
			1	1	18.41	1.6	20.01	0.100	1.000	Pass
			1	160	18.13	1.6	19.73	0.094	1.000	Pass
70	LCH	PI/2 BPSK	90	45	24.5	1.6	26.10	0.407	1.000	Pass
			1	1	24.29	1.6	25.89	0.388	1.000	Pass
			1	187	24.15	1.6	25.75	0.376	1.000	Pass
		QPSK	90	45	24.51	1.6	26.11	0.408	1.000	Pass
			1	1	24.3	1.6	25.90	0.389	1.000	Pass
			1	187	24.22	1.6	25.82	0.382	1.000	Pass
		16QAM	90	45	23.04	1.6	24.64	0.291	1.000	Pass
			1	1	23.55	1.6	25.15	0.327	1.000	Pass
			1	187	22.76	1.6	24.36	0.273	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		64QAM	90	45	21.27	1.6	22.87	0.194	1.000	Pass
			1	1	20.84	1.6	22.44	0.175	1.000	Pass
			1	187	20.55	1.6	22.15	0.164	1.000	Pass
		256QAM	90	45	18.48	1.6	20.08	0.102	1.000	Pass
			1	1	18.64	1.6	20.24	0.106	1.000	Pass
			1	187	18.47	1.6	20.07	0.102	1.000	Pass
	MCH	PI/2 BPSK	90	45	24.32	1.6	25.92	0.391	1.000	Pass
			1	1	24.41	1.6	26.01	0.399	1.000	Pass
			1	187	23.98	1.6	25.58	0.361	1.000	Pass
		QPSK	90	45	24.4	1.6	26.00	0.398	1.000	Pass
			1	1	23.93	1.6	25.53	0.357	1.000	Pass
			1	187	24.19	1.6	25.79	0.379	1.000	Pass
		16QAM	90	45	23.15	1.6	24.75	0.299	1.000	Pass
			1	1	23.15	1.6	24.75	0.299	1.000	Pass
			1	187	22.75	1.6	24.35	0.272	1.000	Pass
		64QAM	90	45	21.29	1.6	22.89	0.195	1.000	Pass
			1	1	20.56	1.6	22.16	0.164	1.000	Pass
			1	187	20.76	1.6	22.36	0.172	1.000	Pass
		256QAM	90	45	18.82	1.6	20.42	0.110	1.000	Pass
			1	1	18.07	1.6	19.67	0.093	1.000	Pass
			1	187	18.3	1.6	19.90	0.098	1.000	Pass
	HCH	PI/2 BPSK	90	45	24.19	1.6	25.79	0.379	1.000	Pass
			1	1	23.93	1.6	25.53	0.357	1.000	Pass
			1	187	24.28	1.6	25.88	0.387	1.000	Pass
		QPSK	90	45	23.84	1.6	25.44	0.350	1.000	Pass
			1	1	24	1.6	25.60	0.363	1.000	Pass
			1	187	23.82	1.6	25.42	0.348	1.000	Pass
		16QAM	90	45	23.01	1.6	24.61	0.289	1.000	Pass
			1	1	22.91	1.6	24.51	0.282	1.000	Pass
			1	187	22.88	1.6	24.48	0.281	1.000	Pass
		64QAM	90	45	20.78	1.6	22.38	0.173	1.000	Pass
			1	1	20.96	1.6	22.56	0.180	1.000	Pass
			1	187	20.71	1.6	22.31	0.170	1.000	Pass
		256QAM	90	45	18.79	1.6	20.39	0.109	1.000	Pass
			1	1	18.21	1.6	19.81	0.096	1.000	Pass
			1	187	18.06	1.6	19.66	0.092	1.000	Pass
80	LCH	PI/2	108	54	24.29	1.6	25.89	0.388	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		BPSK	1	1	24.25	1.6	25.85	0.385	1.000	Pass
			1	215	24.15	1.6	25.75	0.376	1.000	Pass
		QPSK	108	54	24.32	1.6	25.92	0.391	1.000	Pass
			1	1	24.1	1.6	25.70	0.372	1.000	Pass
			1	215	24.3	1.6	25.90	0.389	1.000	Pass
		16QAM	108	54	23.28	1.6	24.88	0.308	1.000	Pass
			1	1	23.18	1.6	24.78	0.301	1.000	Pass
			1	215	23.04	1.6	24.64	0.291	1.000	Pass
		64QAM	108	54	21.48	1.6	23.08	0.203	1.000	Pass
			1	1	20.92	1.6	22.52	0.179	1.000	Pass
			1	215	20.86	1.6	22.46	0.176	1.000	Pass
		256QAM	108	54	18.88	1.6	20.48	0.112	1.000	Pass
			1	1	18.74	1.6	20.34	0.108	1.000	Pass
			1	215	17.95	1.6	19.55	0.090	1.000	Pass
	MCH	PI/2 BPSK	108	54	24.45	1.6	26.05	0.403	1.000	Pass
			1	1	24.33	1.6	25.93	0.392	1.000	Pass
			1	215	24.26	1.6	25.86	0.385	1.000	Pass
		QPSK	108	54	24.29	1.6	25.89	0.388	1.000	Pass
			1	1	24.2	1.6	25.80	0.380	1.000	Pass
			1	215	23.62	1.6	25.22	0.333	1.000	Pass
		16QAM	108	54	22.82	1.6	24.42	0.277	1.000	Pass
			1	1	23.07	1.6	24.67	0.293	1.000	Pass
			1	215	22.81	1.6	24.41	0.276	1.000	Pass
		64QAM	108	54	21.34	1.6	22.94	0.197	1.000	Pass
			1	1	20.6	1.6	22.20	0.166	1.000	Pass
			1	215	20.62	1.6	22.22	0.167	1.000	Pass
		256QAM	108	54	18.59	1.6	20.19	0.104	1.000	Pass
			1	1	18.38	1.6	19.98	0.100	1.000	Pass
			1	215	17.91	1.6	19.51	0.089	1.000	Pass
	HCH	PI/2 BPSK	108	54	24.4	1.6	26.00	0.398	1.000	Pass
			1	1	24.23	1.6	25.83	0.383	1.000	Pass
			1	215	23.81	1.6	25.41	0.348	1.000	Pass
		QPSK	108	54	24.09	1.6	25.69	0.371	1.000	Pass
			1	1	24.24	1.6	25.84	0.384	1.000	Pass
			1	215	24.32	1.6	25.92	0.391	1.000	Pass
		16QAM	108	54	22.69	1.6	24.29	0.269	1.000	Pass
			1	1	22.83	1.6	24.43	0.277	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
			1	215	22.96	1.6	24.56	0.286	1.000	Pass
		64QAM	108	54	21.24	1.6	22.84	0.192	1.000	Pass
			1	1	20.34	1.6	21.94	0.156	1.000	Pass
			1	215	20.41	1.6	22.01	0.159	1.000	Pass
		256QAM	108	54	18.97	1.6	20.57	0.114	1.000	Pass
			1	1	18.38	1.6	19.98	0.100	1.000	Pass
			1	215	18.12	1.6	19.72	0.094	1.000	Pass
90	LCH	PI/2 BPSK	120	60	24.16	1.6	25.76	0.377	1.000	Pass
			1	1	23.99	1.6	25.59	0.362	1.000	Pass
			1	243	23.93	1.6	25.53	0.357	1.000	Pass
		QPSK	120	60	24.44	1.6	26.04	0.402	1.000	Pass
			1	1	24.46	1.6	26.06	0.404	1.000	Pass
			1	243	24.05	1.6	25.65	0.367	1.000	Pass
		16QAM	120	60	23.4	1.6	25.00	0.316	1.000	Pass
			1	1	23.49	1.6	25.09	0.323	1.000	Pass
			1	243	22.77	1.6	24.37	0.274	1.000	Pass
		64QAM	120	60	21.2	1.6	22.80	0.191	1.000	Pass
			1	1	20.76	1.6	22.36	0.172	1.000	Pass
			1	243	20.57	1.6	22.17	0.165	1.000	Pass
		256QAM	120	60	18.52	1.6	20.12	0.103	1.000	Pass
			1	1	18.56	1.6	20.16	0.104	1.000	Pass
			1	243	18.38	1.6	19.98	0.100	1.000	Pass
	MCH	PI/2 BPSK	120	60	23.9	1.6	25.50	0.355	1.000	Pass
			1	1	23.9	1.6	25.50	0.355	1.000	Pass
			1	243	24.08	1.6	25.68	0.370	1.000	Pass
		QPSK	120	60	24.03	1.6	25.63	0.366	1.000	Pass
			1	1	24.28	1.6	25.88	0.387	1.000	Pass
			1	243	23.89	1.6	25.49	0.354	1.000	Pass
		16QAM	120	60	23.18	1.6	24.78	0.301	1.000	Pass
			1	1	23.19	1.6	24.79	0.301	1.000	Pass
			1	243	22.79	1.6	24.39	0.275	1.000	Pass
		64QAM	120	60	21.17	1.6	22.77	0.189	1.000	Pass
			1	1	20.86	1.6	22.46	0.176	1.000	Pass
			1	243	20.56	1.6	22.16	0.164	1.000	Pass
		256QAM	120	60	18.66	1.6	20.26	0.106	1.000	Pass
			1	1	18.64	1.6	20.24	0.106	1.000	Pass
			1	243	18.2	1.6	19.80	0.095	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
	HCH	PI/2 BPSK	120	60	24.36	1.6	25.96	0.394	1.000	Pass
			1	1	23.83	1.6	25.43	0.349	1.000	Pass
			1	243	23.62	1.6	25.22	0.333	1.000	Pass
		QPSK	120	60	23.97	1.6	25.57	0.361	1.000	Pass
			1	1	24.27	1.6	25.87	0.386	1.000	Pass
			1	243	23.73	1.6	25.33	0.341	1.000	Pass
		16QAM	120	60	23.11	1.6	24.71	0.296	1.000	Pass
			1	1	22.96	1.6	24.56	0.286	1.000	Pass
			1	243	23.05	1.6	24.65	0.292	1.000	Pass
		64QAM	120	60	21.27	1.6	22.87	0.194	1.000	Pass
			1	1	20.73	1.6	22.33	0.171	1.000	Pass
			1	243	20.53	1.6	22.13	0.163	1.000	Pass
		256QAM	120	60	18.55	1.6	20.15	0.104	1.000	Pass
			1	1	18.32	1.6	19.92	0.098	1.000	Pass
			1	243	18.41	1.6	20.01	0.100	1.000	Pass
100	LCH	PI/2 BPSK	135	67	24.28	1.6	25.88	0.387	1.000	Pass
			1	1	24.37	1.6	25.97	0.395	1.000	Pass
			1	271	24.14	1.6	25.74	0.375	1.000	Pass
		QPSK	135	67	24.22	1.6	25.82	0.382	1.000	Pass
			1	1	24.11	1.6	25.71	0.372	1.000	Pass
			1	271	23.93	1.6	25.53	0.357	1.000	Pass
		16QAM	135	67	23.44	1.6	25.04	0.319	1.000	Pass
			1	1	23.29	1.6	24.89	0.308	1.000	Pass
			1	271	22.96	1.6	24.56	0.286	1.000	Pass
		64QAM	135	67	20.94	1.6	22.54	0.179	1.000	Pass
			1	1	20.66	1.6	22.26	0.168	1.000	Pass
			1	271	20.86	1.6	22.46	0.176	1.000	Pass
		256QAM	135	67	18.51	1.6	20.11	0.103	1.000	Pass
			1	1	18.41	1.6	20.01	0.100	1.000	Pass
			1	271	18.46	1.6	20.06	0.101	1.000	Pass
	MCH	PI/2 BPSK	135	67	24.12	1.6	25.72	0.373	1.000	Pass
			1	1	24.09	1.6	25.69	0.371	1.000	Pass
			1	271	23.92	1.6	25.52	0.356	1.000	Pass
		QPSK	135	67	24.1	1.6	25.70	0.372	1.000	Pass
			1	1	24.46	1.6	26.06	0.404	1.000	Pass
			1	271	23.77	1.6	25.37	0.344	1.000	Pass
		16QAM	135	67	23.09	1.6	24.69	0.294	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
			1	1	23.04	1.6	24.64	0.291	1.000	Pass
			1	271	22.77	1.6	24.37	0.274	1.000	Pass
		64QAM	135	67	21.13	1.6	22.73	0.187	1.000	Pass
			1	1	20.84	1.6	22.44	0.175	1.000	Pass
			1	271	20.52	1.6	22.12	0.163	1.000	Pass
		256QAM	135	67	18.95	1.6	20.55	0.114	1.000	Pass
			1	1	18.41	1.6	20.01	0.100	1.000	Pass
			1	271	18.41	1.6	20.01	0.100	1.000	Pass
	HCH	PI/2 BPSK	135	67	24.01	1.6	25.61	0.364	1.000	Pass
			1	1	23.88	1.6	25.48	0.353	1.000	Pass
			1	271	23.85	1.6	25.45	0.351	1.000	Pass
		QPSK	135	67	24.09	1.6	25.69	0.371	1.000	Pass
			1	1	24.34	1.6	25.94	0.393	1.000	Pass
			1	271	23.6	1.6	25.20	0.331	1.000	Pass
		16QAM	135	67	23.25	1.6	24.85	0.305	1.000	Pass
			1	1	23.12	1.6	24.72	0.296	1.000	Pass
			1	271	22.96	1.6	24.56	0.286	1.000	Pass
		64QAM	135	67	20.98	1.6	22.58	0.181	1.000	Pass
			1	1	20.83	1.6	22.43	0.175	1.000	Pass
			1	271	20.53	1.6	22.13	0.163	1.000	Pass
		256QAM	135	67	18.77	1.6	20.37	0.109	1.000	Pass
			1	1	18.53	1.6	20.13	0.103	1.000	Pass
			1	271	18.57	1.6	20.17	0.104	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
10	LCH	PI/2 BPSK	12	6	23.13	2.1	25.23	0.333	1.000	Pass
			1	1	22.93	2.1	25.03	0.318	1.000	Pass
			1	22	23.23	2.1	25.33	0.341	1.000	Pass
		QPSK	12	6	23	2.1	25.10	0.324	1.000	Pass
			1	1	23.3	2.1	25.40	0.347	1.000	Pass
			1	22	23.07	2.1	25.17	0.329	1.000	Pass
		16QAM	12	6	21.95	2.1	24.05	0.254	1.000	Pass
			1	1	22.21	2.1	24.31	0.270	1.000	Pass
			1	22	22.05	2.1	24.15	0.260	1.000	Pass
		64QAM	12	6	20.19	2.1	22.29	0.169	1.000	Pass
			1	1	20.37	2.1	22.47	0.177	1.000	Pass
			1	22	20.16	2.1	22.26	0.168	1.000	Pass
		256QAM	12	6	17.3	2.1	19.40	0.087	1.000	Pass
			1	1	17.42	2.1	19.52	0.090	1.000	Pass
			1	22	17.34	2.1	19.44	0.088	1.000	Pass
	MCH	PI/2 BPSK	12	6	23.2	2.1	25.30	0.339	1.000	Pass
			1	1	23.18	2.1	25.28	0.337	1.000	Pass
			1	22	23.38	2.1	25.48	0.353	1.000	Pass
		QPSK	12	6	23.06	2.1	25.16	0.328	1.000	Pass
			1	1	23.33	2.1	25.43	0.349	1.000	Pass
			1	22	22.95	2.1	25.05	0.320	1.000	Pass
		16QAM	12	6	22.14	2.1	24.24	0.265	1.000	Pass
			1	1	22.11	2.1	24.21	0.264	1.000	Pass
			1	22	22.04	2.1	24.14	0.259	1.000	Pass
		64QAM	12	6	19.94	2.1	22.04	0.160	1.000	Pass
			1	1	20.31	2.1	22.41	0.174	1.000	Pass
			1	22	20.42	2.1	22.52	0.179	1.000	Pass
		256QAM	12	6	17.57	2.1	19.67	0.093	1.000	Pass
			1	1	17.74	2.1	19.84	0.096	1.000	Pass
			1	22	17.56	2.1	19.66	0.092	1.000	Pass
	HCH	PI/2 BPSK	12	6	22.89	2.1	24.99	0.316	1.000	Pass
			1	1	22.82	2.1	24.92	0.310	1.000	Pass
			1	22	22.87	2.1	24.97	0.314	1.000	Pass
		QPSK	12	6	23.03	2.1	25.13	0.326	1.000	Pass
			1	1	22.97	2.1	25.07	0.321	1.000	Pass
			1	22	23.13	2.1	25.23	0.333	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
		16QAM	12	6	21.84	2.1	23.94	0.248	1.000	Pass
			1	1	22.1	2.1	24.20	0.263	1.000	Pass
			1	22	21.94	2.1	24.04	0.254	1.000	Pass
		64QAM	12	6	19.97	2.1	22.07	0.161	1.000	Pass
			1	1	19.57	2.1	21.67	0.147	1.000	Pass
			1	22	19.36	2.1	21.46	0.140	1.000	Pass
		256QAM	12	6	17.43	2.1	19.53	0.090	1.000	Pass
			1	1	17.06	2.1	19.16	0.082	1.000	Pass
			1	22	17.37	2.1	19.47	0.089	1.000	Pass
15	LCH	PI/2 BPSK	18	9	23.3	2.1	25.40	0.347	1.000	Pass
			1	1	22.98	2.1	25.08	0.322	1.000	Pass
			1	36	22.86	2.1	24.96	0.313	1.000	Pass
		QPSK	18	9	23.35	2.1	25.45	0.351	1.000	Pass
			1	1	23.56	2.1	25.66	0.368	1.000	Pass
			1	36	23.06	2.1	25.16	0.328	1.000	Pass
		16QAM	18	9	21.82	2.1	23.92	0.247	1.000	Pass
			1	1	21.92	2.1	24.02	0.252	1.000	Pass
			1	36	21.68	2.1	23.78	0.239	1.000	Pass
		64QAM	18	9	20	2.1	22.10	0.162	1.000	Pass
			1	1	19.92	2.1	22.02	0.159	1.000	Pass
			1	36	19.5	2.1	21.60	0.145	1.000	Pass
		256QAM	18	9	17.64	2.1	19.74	0.094	1.000	Pass
			1	1	17.55	2.1	19.65	0.092	1.000	Pass
			1	36	17.63	2.1	19.73	0.094	1.000	Pass
	MCH	PI/2 BPSK	18	9	23.53	2.1	25.63	0.366	1.000	Pass
			1	1	23.25	2.1	25.35	0.343	1.000	Pass
			1	36	23.47	2.1	25.57	0.361	1.000	Pass
		QPSK	18	9	22.93	2.1	25.03	0.318	1.000	Pass
			1	1	23.06	2.1	25.16	0.328	1.000	Pass
			1	36	23.11	2.1	25.21	0.332	1.000	Pass
		16QAM	18	9	21.98	2.1	24.08	0.256	1.000	Pass
			1	1	22.13	2.1	24.23	0.265	1.000	Pass
			1	36	21.8	2.1	23.90	0.245	1.000	Pass
		64QAM	18	9	20.12	2.1	22.22	0.167	1.000	Pass
			1	1	19.56	2.1	21.66	0.147	1.000	Pass
			1	36	19.61	2.1	21.71	0.148	1.000	Pass
		256QAM	18	9	17.42	2.1	19.52	0.090	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
			1	1	17.14	2.1	19.24	0.084	1.000	Pass
			1	36	17.1	2.1	19.20	0.083	1.000	Pass
	HCH	PI/2 BPSK	18	9	23.33	2.1	25.43	0.349	1.000	Pass
			1	1	23.1	2.1	25.20	0.331	1.000	Pass
			1	36	23.14	2.1	25.24	0.334	1.000	Pass
		QPSK	18	9	23.02	2.1	25.12	0.325	1.000	Pass
			1	1	23.16	2.1	25.26	0.336	1.000	Pass
			1	36	23.39	2.1	25.49	0.354	1.000	Pass
		16QAM	18	9	22.02	2.1	24.12	0.258	1.000	Pass
			1	1	21.85	2.1	23.95	0.248	1.000	Pass
			1	36	21.81	2.1	23.91	0.246	1.000	Pass
		64QAM	18	9	20.23	2.1	22.33	0.171	1.000	Pass
			1	1	19.69	2.1	21.79	0.151	1.000	Pass
			1	36	19.54	2.1	21.64	0.146	1.000	Pass
		256QAM	18	9	17.73	2.1	19.83	0.096	1.000	Pass
			1	1	17.27	2.1	19.37	0.086	1.000	Pass
			1	36	17.14	2.1	19.24	0.084	1.000	Pass
20	LCH	PI/2 BPSK	25	12	23.11	2.1	25.21	0.332	1.000	Pass
			1	1	23.35	2.1	25.45	0.351	1.000	Pass
			1	49	23.08	2.1	25.18	0.330	1.000	Pass
		QPSK	25	12	23.23	2.1	25.33	0.341	1.000	Pass
			1	1	23.47	2.1	25.57	0.361	1.000	Pass
			1	49	23.45	2.1	25.55	0.359	1.000	Pass
		16QAM	25	12	22.33	2.1	24.43	0.277	1.000	Pass
			1	1	21.86	2.1	23.96	0.249	1.000	Pass
			1	49	21.94	2.1	24.04	0.254	1.000	Pass
		64QAM	25	12	19.86	2.1	21.96	0.157	1.000	Pass
			1	1	19.73	2.1	21.83	0.152	1.000	Pass
			1	49	19.8	2.1	21.90	0.155	1.000	Pass
		256QAM	25	12	17.68	2.1	19.78	0.095	1.000	Pass
			1	1	17.53	2.1	19.63	0.092	1.000	Pass
			1	49	17.62	2.1	19.72	0.094	1.000	Pass
	MCH	PI/2 BPSK	25	12	22.9	2.1	25.00	0.316	1.000	Pass
			1	1	23.57	2.1	25.67	0.369	1.000	Pass
			1	49	22.98	2.1	25.08	0.322	1.000	Pass
		QPSK	25	12	23.14	2.1	25.24	0.334	1.000	Pass
			1	1	23.4	2.1	25.50	0.355	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
			1	49	23.04	2.1	25.14	0.327	1.000	Pass
		16QAM	25	12	22.27	2.1	24.37	0.274	1.000	Pass
			1	1	21.93	2.1	24.03	0.253	1.000	Pass
			1	49	21.9	2.1	24.00	0.251	1.000	Pass
		64QAM	25	12	20.25	2.1	22.35	0.172	1.000	Pass
			1	1	19.82	2.1	21.92	0.156	1.000	Pass
			1	49	19.61	2.1	21.71	0.148	1.000	Pass
		256QAM	25	12	17.59	2.1	19.69	0.093	1.000	Pass
			1	1	17.35	2.1	19.45	0.088	1.000	Pass
			1	49	17.46	2.1	19.56	0.090	1.000	Pass
	HCH	PI/2 BPSK	25	12	23.34	2.1	25.44	0.350	1.000	Pass
			1	1	23.29	2.1	25.39	0.346	1.000	Pass
			1	49	23.35	2.1	25.45	0.351	1.000	Pass
		QPSK	25	12	23.17	2.1	25.27	0.337	1.000	Pass
			1	1	23.19	2.1	25.29	0.338	1.000	Pass
			1	49	23.04	2.1	25.14	0.327	1.000	Pass
		16QAM	25	12	22.04	2.1	24.14	0.259	1.000	Pass
			1	1	21.9	2.1	24.00	0.251	1.000	Pass
			1	49	21.76	2.1	23.86	0.243	1.000	Pass
		64QAM	25	12	20.31	2.1	22.41	0.174	1.000	Pass
			1	1	19.7	2.1	21.80	0.151	1.000	Pass
			1	49	19.39	2.1	21.49	0.141	1.000	Pass
		256QAM	25	12	17.47	2.1	19.57	0.091	1.000	Pass
			1	1	17.23	2.1	19.33	0.086	1.000	Pass
			1	49	17.21	2.1	19.31	0.085	1.000	Pass
25	LCH	PI/2 BPSK	32	16	23.29	2.1	25.39	0.346	1.000	Pass
			1	1	23.08	2.1	25.18	0.330	1.000	Pass
			1	63	23.36	2.1	25.46	0.352	1.000	Pass
		QPSK	32	16	23.12	2.1	25.22	0.333	1.000	Pass
			1	1	22.99	2.1	25.09	0.323	1.000	Pass
			1	63	23.5	2.1	25.60	0.363	1.000	Pass
		16QAM	32	16	22.14	2.1	24.24	0.265	1.000	Pass
			1	1	22.41	2.1	24.51	0.282	1.000	Pass
			1	63	22.34	2.1	24.44	0.278	1.000	Pass
		64QAM	32	16	20.27	2.1	22.37	0.173	1.000	Pass
			1	1	19.65	2.1	21.75	0.150	1.000	Pass
			1	63	19.9	2.1	22.00	0.158	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
		256QAM	32	16	18.02	2.1	20.12	0.103	1.000	Pass
			1	1	17.38	2.1	19.48	0.089	1.000	Pass
			1	63	17.43	2.1	19.53	0.090	1.000	Pass
	MCH	PI/2 BPSK	32	16	23.27	2.1	25.37	0.344	1.000	Pass
			1	1	23.19	2.1	25.29	0.338	1.000	Pass
			1	63	23.18	2.1	25.28	0.337	1.000	Pass
		QPSK	32	16	22.82	2.1	24.92	0.310	1.000	Pass
			1	1	23.18	2.1	25.28	0.337	1.000	Pass
			1	63	22.94	2.1	25.04	0.319	1.000	Pass
		16QAM	32	16	21.92	2.1	24.02	0.252	1.000	Pass
			1	1	22.06	2.1	24.16	0.261	1.000	Pass
			1	63	21.77	2.1	23.87	0.244	1.000	Pass
		64QAM	32	16	19.89	2.1	21.99	0.158	1.000	Pass
			1	1	19.65	2.1	21.75	0.150	1.000	Pass
			1	63	19.29	2.1	21.39	0.138	1.000	Pass
		256QAM	32	16	17.6	2.1	19.70	0.093	1.000	Pass
			1	1	17.38	2.1	19.48	0.089	1.000	Pass
			1	63	17.04	2.1	19.14	0.082	1.000	Pass
	HCH	PI/2 BPSK	32	16	23.26	2.1	25.36	0.344	1.000	Pass
			1	1	22.94	2.1	25.04	0.319	1.000	Pass
			1	63	22.94	2.1	25.04	0.319	1.000	Pass
		QPSK	32	16	22.89	2.1	24.99	0.316	1.000	Pass
			1	1	23.34	2.1	25.44	0.350	1.000	Pass
			1	63	22.9	2.1	25.00	0.316	1.000	Pass
		16QAM	32	16	22.44	2.1	24.54	0.284	1.000	Pass
			1	1	22.11	2.1	24.21	0.264	1.000	Pass
			1	63	22.19	2.1	24.29	0.269	1.000	Pass
		64QAM	32	16	20.23	2.1	22.33	0.171	1.000	Pass
			1	1	19.8	2.1	21.90	0.155	1.000	Pass
			1	63	19.4	2.1	21.50	0.141	1.000	Pass
		256QAM	32	16	17.56	2.1	19.66	0.092	1.000	Pass
			1	1	17.34	2.1	19.44	0.088	1.000	Pass
			1	63	17.22	2.1	19.32	0.086	1.000	Pass
30	LCH	PI/2 BPSK	36	18	23.29	2.1	25.39	0.346	1.000	Pass
			1	1	23.54	2.1	25.64	0.366	1.000	Pass
			1	76	23.47	2.1	25.57	0.361	1.000	Pass
		QPSK	36	18	23.19	2.1	25.29	0.338	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
			1	1	23.11	2.1	25.21	0.332	1.000	Pass
			1	76	22.97	2.1	25.07	0.321	1.000	Pass
		16QAM	36	18	21.88	2.1	23.98	0.250	1.000	Pass
			1	1	21.99	2.1	24.09	0.256	1.000	Pass
			1	76	21.98	2.1	24.08	0.256	1.000	Pass
		64QAM	36	18	20.53	2.1	22.63	0.183	1.000	Pass
			1	1	20.05	2.1	22.15	0.164	1.000	Pass
			1	76	19.8	2.1	21.90	0.155	1.000	Pass
		256QAM	36	18	17.76	2.1	19.86	0.097	1.000	Pass
			1	1	17.46	2.1	19.56	0.090	1.000	Pass
			1	76	17.42	2.1	19.52	0.090	1.000	Pass
	MCH	PI/2 BPSK	36	18	23.4	2.1	25.50	0.355	1.000	Pass
			1	1	23.02	2.1	25.12	0.325	1.000	Pass
			1	76	22.92	2.1	25.02	0.318	1.000	Pass
		QPSK	36	18	23.23	2.1	25.33	0.341	1.000	Pass
			1	1	23.17	2.1	25.27	0.337	1.000	Pass
			1	76	22.91	2.1	25.01	0.317	1.000	Pass
		16QAM	36	18	22.2	2.1	24.30	0.269	1.000	Pass
			1	1	22.04	2.1	24.14	0.259	1.000	Pass
			1	76	22.08	2.1	24.18	0.262	1.000	Pass
		64QAM	36	18	20.23	2.1	22.33	0.171	1.000	Pass
			1	1	19.7	2.1	21.80	0.151	1.000	Pass
			1	76	19.63	2.1	21.73	0.149	1.000	Pass
		256QAM	36	18	18.07	2.1	20.17	0.104	1.000	Pass
			1	1	17.52	2.1	19.62	0.092	1.000	Pass
			1	76	17.39	2.1	19.49	0.089	1.000	Pass
	HCH	PI/2 BPSK	36	18	23.39	2.1	25.49	0.354	1.000	Pass
			1	1	22.85	2.1	24.95	0.313	1.000	Pass
			1	76	22.81	2.1	24.91	0.310	1.000	Pass
		QPSK	36	18	23.12	2.1	25.22	0.333	1.000	Pass
			1	1	23.12	2.1	25.22	0.333	1.000	Pass
			1	76	23.05	2.1	25.15	0.327	1.000	Pass
		16QAM	36	18	22.07	2.1	24.17	0.261	1.000	Pass
			1	1	21.69	2.1	23.79	0.239	1.000	Pass
			1	76	22.08	2.1	24.18	0.262	1.000	Pass
		64QAM	36	18	20	2.1	22.10	0.162	1.000	Pass
			1	1	19.46	2.1	21.56	0.143	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
			1	76	19.5	2.1	21.60	0.145	1.000	Pass
		256QAM	36	18	17.81	2.1	19.91	0.098	1.000	Pass
			1	1	17.39	2.1	19.49	0.089	1.000	Pass
			1	76	17.26	2.1	19.36	0.086	1.000	Pass
40	LCH	PI/2 BPSK	50	25	23.45	2.1	25.55	0.359	1.000	Pass
			1	1	23.32	2.1	25.42	0.348	1.000	Pass
			1	104	22.97	2.1	25.07	0.321	1.000	Pass
		QPSK	50	25	23.43	2.1	25.53	0.357	1.000	Pass
			1	1	23.39	2.1	25.49	0.354	1.000	Pass
			1	104	22.85	2.1	24.95	0.313	1.000	Pass
		16QAM	50	25	22.38	2.1	24.48	0.281	1.000	Pass
			1	1	21.78	2.1	23.88	0.244	1.000	Pass
			1	104	22.2	2.1	24.30	0.269	1.000	Pass
		64QAM	50	25	20.16	2.1	22.26	0.168	1.000	Pass
			1	1	19.8	2.1	21.90	0.155	1.000	Pass
			1	104	19.78	2.1	21.88	0.154	1.000	Pass
		256QAM	50	25	17.64	2.1	19.74	0.094	1.000	Pass
			1	1	17.59	2.1	19.69	0.093	1.000	Pass
			1	104	17.7	2.1	19.80	0.095	1.000	Pass
	MCH	PI/2 BPSK	50	25	23.33	2.1	25.43	0.349	1.000	Pass
			1	1	23.22	2.1	25.32	0.340	1.000	Pass
			1	104	22.97	2.1	25.07	0.321	1.000	Pass
		QPSK	50	25	23.68	2.1	25.78	0.378	1.000	Pass
			1	1	23.07	2.1	25.17	0.329	1.000	Pass
			1	104	23.14	2.1	25.24	0.334	1.000	Pass
		16QAM	50	25	22.26	2.1	24.36	0.273	1.000	Pass
			1	1	22.35	2.1	24.45	0.279	1.000	Pass
			1	104	21.74	2.1	23.84	0.242	1.000	Pass
		64QAM	50	25	20.08	2.1	22.18	0.165	1.000	Pass
			1	1	19.77	2.1	21.87	0.154	1.000	Pass
			1	104	19.39	2.1	21.49	0.141	1.000	Pass
		256QAM	50	25	17.82	2.1	19.92	0.098	1.000	Pass
			1	1	17.54	2.1	19.64	0.092	1.000	Pass
			1	104	17.24	2.1	19.34	0.086	1.000	Pass
	HCH	PI/2 BPSK	50	25	23.09	2.1	25.19	0.330	1.000	Pass
			1	1	23.01	2.1	25.11	0.324	1.000	Pass
			1	104	22.98	2.1	25.08	0.322	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
		QPSK	50	25	23.25	2.1	25.35	0.343	1.000	Pass
			1	1	23.04	2.1	25.14	0.327	1.000	Pass
			1	104	23.12	2.1	25.22	0.333	1.000	Pass
		16QAM	50	25	22.36	2.1	24.46	0.279	1.000	Pass
			1	1	21.99	2.1	24.09	0.256	1.000	Pass
			1	104	22.12	2.1	24.22	0.264	1.000	Pass
		64QAM	50	25	20.12	2.1	22.22	0.167	1.000	Pass
			1	1	19.62	2.1	21.72	0.149	1.000	Pass
			1	104	19.6	2.1	21.70	0.148	1.000	Pass
		256QAM	50	25	17.45	2.1	19.55	0.090	1.000	Pass
			1	1	17.29	2.1	19.39	0.087	1.000	Pass
			1	104	17.44	2.1	19.54	0.090	1.000	Pass
50	LCH	PI/2 BPSK	64	32	23.24	2.1	25.34	0.342	1.000	Pass
			1	1	23.56	2.1	25.66	0.368	1.000	Pass
			1	131	23.13	2.1	25.23	0.333	1.000	Pass
		QPSK	64	32	23.05	2.1	25.15	0.327	1.000	Pass
			1	1	23.47	2.1	25.57	0.361	1.000	Pass
			1	131	23.24	2.1	25.34	0.342	1.000	Pass
		16QAM	64	32	22.44	2.1	24.54	0.284	1.000	Pass
			1	1	22.38	2.1	24.48	0.281	1.000	Pass
			1	131	21.95	2.1	24.05	0.254	1.000	Pass
		64QAM	64	32	20.53	2.1	22.63	0.183	1.000	Pass
			1	1	19.78	2.1	21.88	0.154	1.000	Pass
			1	131	19.51	2.1	21.61	0.145	1.000	Pass
		256QAM	64	32	17.78	2.1	19.88	0.097	1.000	Pass
			1	1	17.52	2.1	19.62	0.092	1.000	Pass
			1	131	17.08	2.1	19.18	0.083	1.000	Pass
	MCH	PI/2 BPSK	64	32	23.11	2.1	25.21	0.332	1.000	Pass
			1	1	23.03	2.1	25.13	0.326	1.000	Pass
			1	131	22.74	2.1	24.84	0.305	1.000	Pass
		QPSK	64	32	23.32	2.1	25.42	0.348	1.000	Pass
			1	1	23.35	2.1	25.45	0.351	1.000	Pass
			1	131	23.22	2.1	25.32	0.340	1.000	Pass
		16QAM	64	32	22.49	2.1	24.59	0.288	1.000	Pass
			1	1	22.12	2.1	24.22	0.264	1.000	Pass
			1	131	21.78	2.1	23.88	0.244	1.000	Pass
		64QAM	64	32	19.93	2.1	22.03	0.160	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
			1	1	19.92	2.1	22.02	0.159	1.000	Pass
			1	131	19.39	2.1	21.49	0.141	1.000	Pass
		256QAM	64	32	17.76	2.1	19.86	0.097	1.000	Pass
			1	1	17.4	2.1	19.50	0.089	1.000	Pass
			1	131	16.86	2.1	18.96	0.079	1.000	Pass
	HCH	PI/2 BPSK	64	32	22.89	2.1	24.99	0.316	1.000	Pass
			1	1	23.02	2.1	25.12	0.325	1.000	Pass
			1	131	22.97	2.1	25.07	0.321	1.000	Pass
		QPSK	64	32	22.98	2.1	25.08	0.322	1.000	Pass
			1	1	22.93	2.1	25.03	0.318	1.000	Pass
			1	131	22.93	2.1	25.03	0.318	1.000	Pass
		16QAM	64	32	22.05	2.1	24.15	0.260	1.000	Pass
			1	1	22.02	2.1	24.12	0.258	1.000	Pass
			1	131	22.16	2.1	24.26	0.267	1.000	Pass
		64QAM	64	32	20.11	2.1	22.21	0.166	1.000	Pass
			1	1	19.69	2.1	21.79	0.151	1.000	Pass
			1	131	19.32	2.1	21.42	0.139	1.000	Pass
		256QAM	64	32	17.71	2.1	19.81	0.096	1.000	Pass
			1	1	17.43	2.1	19.53	0.090	1.000	Pass
			1	131	17.06	2.1	19.16	0.082	1.000	Pass
60	LCH	PI/2 BPSK	81	40	23.48	2.1	25.58	0.361	1.000	Pass
			1	1	23.18	2.1	25.28	0.337	1.000	Pass
			1	160	23.07	2.1	25.17	0.329	1.000	Pass
		QPSK	81	40	23.08	2.1	25.18	0.330	1.000	Pass
			1	1	23.43	2.1	25.53	0.357	1.000	Pass
			1	160	22.9	2.1	25.00	0.316	1.000	Pass
		16QAM	81	40	22.17	2.1	24.27	0.267	1.000	Pass
			1	1	22.38	2.1	24.48	0.281	1.000	Pass
			1	160	22.17	2.1	24.27	0.267	1.000	Pass
		64QAM	81	40	20.43	2.1	22.53	0.179	1.000	Pass
			1	1	19.75	2.1	21.85	0.153	1.000	Pass
			1	160	19.38	2.1	21.48	0.141	1.000	Pass
		256QAM	81	40	17.84	2.1	19.94	0.099	1.000	Pass
			1	1	17.62	2.1	19.72	0.094	1.000	Pass
			1	160	17.5	2.1	19.60	0.091	1.000	Pass
	MCH	PI/2 BPSK	81	40	23.24	2.1	25.34	0.342	1.000	Pass
			1	1	22.77	2.1	24.87	0.307	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
			1	160	22.72	2.1	24.82	0.303	1.000	Pass
		QPSK	81	40	23.45	2.1	25.55	0.359	1.000	Pass
			1	1	23.2	2.1	25.30	0.339	1.000	Pass
			1	160	23.14	2.1	25.24	0.334	1.000	Pass
		16QAM	81	40	21.93	2.1	24.03	0.253	1.000	Pass
			1	1	22.16	2.1	24.26	0.267	1.000	Pass
			1	160	22.22	2.1	24.32	0.270	1.000	Pass
		64QAM	81	40	20.17	2.1	22.27	0.169	1.000	Pass
			1	1	19.44	2.1	21.54	0.143	1.000	Pass
			1	160	19.42	2.1	21.52	0.142	1.000	Pass
		256QAM	81	40	17.68	2.1	19.78	0.095	1.000	Pass
			1	1	17.57	2.1	19.67	0.093	1.000	Pass
			1	160	17.4	2.1	19.50	0.089	1.000	Pass
	HCH	PI/2 BPSK	81	40	23.11	2.1	25.21	0.332	1.000	Pass
			1	1	23.1	2.1	25.20	0.331	1.000	Pass
			1	160	23.1	2.1	25.20	0.331	1.000	Pass
		QPSK	81	40	23.08	2.1	25.18	0.330	1.000	Pass
			1	1	22.9	2.1	25.00	0.316	1.000	Pass
			1	160	23.02	2.1	25.12	0.325	1.000	Pass
		16QAM	81	40	22.17	2.1	24.27	0.267	1.000	Pass
			1	1	21.9	2.1	24.00	0.251	1.000	Pass
			1	160	21.85	2.1	23.95	0.248	1.000	Pass
		64QAM	81	40	20.1	2.1	22.20	0.166	1.000	Pass
			1	1	19.66	2.1	21.76	0.150	1.000	Pass
			1	160	19.58	2.1	21.68	0.147	1.000	Pass
		256QAM	81	40	17.84	2.1	19.94	0.099	1.000	Pass
			1	1	17.56	2.1	19.66	0.092	1.000	Pass
			1	160	17.19	2.1	19.29	0.085	1.000	Pass
70	LCH	PI/2 BPSK	90	45	23.24	2.1	25.34	0.342	1.000	Pass
			1	1	23.16	2.1	25.26	0.336	1.000	Pass
			1	187	23.01	2.1	25.11	0.324	1.000	Pass
		QPSK	90	45	23.48	2.1	25.58	0.361	1.000	Pass
			1	1	23.55	2.1	25.65	0.367	1.000	Pass
			1	187	23.03	2.1	25.13	0.326	1.000	Pass
		16QAM	90	45	21.92	2.1	24.02	0.252	1.000	Pass
			1	1	22.32	2.1	24.42	0.277	1.000	Pass
			1	187	21.69	2.1	23.79	0.239	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
		64QAM	90	45	20.16	2.1	22.26	0.168	1.000	Pass
			1	1	19.88	2.1	21.98	0.158	1.000	Pass
			1	187	19.43	2.1	21.53	0.142	1.000	Pass
		256QAM	90	45	17.56	2.1	19.66	0.092	1.000	Pass
			1	1	17.62	2.1	19.72	0.094	1.000	Pass
			1	187	17.4	2.1	19.50	0.089	1.000	Pass
	MCH	PI/2 BPSK	90	45	23.38	2.1	25.48	0.353	1.000	Pass
			1	1	23.26	2.1	25.36	0.344	1.000	Pass
			1	187	23.14	2.1	25.24	0.334	1.000	Pass
		QPSK	90	45	22.9	2.1	25.00	0.316	1.000	Pass
			1	1	23.06	2.1	25.16	0.328	1.000	Pass
			1	187	22.86	2.1	24.96	0.313	1.000	Pass
		16QAM	90	45	22.21	2.1	24.31	0.270	1.000	Pass
			1	1	22.37	2.1	24.47	0.280	1.000	Pass
			1	187	21.92	2.1	24.02	0.252	1.000	Pass
		64QAM	90	45	20.31	2.1	22.41	0.174	1.000	Pass
			1	1	19.58	2.1	21.68	0.147	1.000	Pass
			1	187	19.44	2.1	21.54	0.143	1.000	Pass
		256QAM	90	45	17.81	2.1	19.91	0.098	1.000	Pass
			1	1	17.08	2.1	19.18	0.083	1.000	Pass
			1	187	17.37	2.1	19.47	0.089	1.000	Pass
	HCH	PI/2 BPSK	90	45	23	2.1	25.10	0.324	1.000	Pass
			1	1	23.06	2.1	25.16	0.328	1.000	Pass
			1	187	22.92	2.1	25.02	0.318	1.000	Pass
		QPSK	90	45	22.96	2.1	25.06	0.321	1.000	Pass
			1	1	22.99	2.1	25.09	0.323	1.000	Pass
			1	187	23.04	2.1	25.14	0.327	1.000	Pass
		16QAM	90	45	22	2.1	24.10	0.257	1.000	Pass
			1	1	21.76	2.1	23.86	0.243	1.000	Pass
			1	187	21.66	2.1	23.76	0.238	1.000	Pass
		64QAM	90	45	19.9	2.1	22.00	0.158	1.000	Pass
			1	1	19.75	2.1	21.85	0.153	1.000	Pass
			1	187	19.72	2.1	21.82	0.152	1.000	Pass
		256QAM	90	45	17.47	2.1	19.57	0.091	1.000	Pass
			1	1	17.29	2.1	19.39	0.087	1.000	Pass
			1	187	17.12	2.1	19.22	0.084	1.000	Pass
80	LCH	PI/2	108	54	23.2	2.1	25.30	0.339	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
		BPSK	1	1	23.22	2.1	25.32	0.340	1.000	Pass
			1	215	23.24	2.1	25.34	0.342	1.000	Pass
		QPSK	108	54	23.19	2.1	25.29	0.338	1.000	Pass
			1	1	23.3	2.1	25.40	0.347	1.000	Pass
			1	215	23.09	2.1	25.19	0.330	1.000	Pass
		16QAM	108	54	22.21	2.1	24.31	0.270	1.000	Pass
			1	1	22.16	2.1	24.26	0.267	1.000	Pass
			1	215	21.89	2.1	23.99	0.251	1.000	Pass
		64QAM	108	54	20.55	2.1	22.65	0.184	1.000	Pass
			1	1	19.7	2.1	21.80	0.151	1.000	Pass
			1	215	19.87	2.1	21.97	0.157	1.000	Pass
		256QAM	108	54	18	2.1	20.10	0.102	1.000	Pass
			1	1	17.73	2.1	19.83	0.096	1.000	Pass
			1	215	17.11	2.1	19.21	0.083	1.000	Pass
	MCH	PI/2 BPSK	108	54	23.38	2.1	25.48	0.353	1.000	Pass
			1	1	23.32	2.1	25.42	0.348	1.000	Pass
			1	215	23.46	2.1	25.56	0.360	1.000	Pass
		QPSK	108	54	23.47	2.1	25.57	0.361	1.000	Pass
			1	1	23.01	2.1	25.11	0.324	1.000	Pass
			1	215	22.68	2.1	24.78	0.301	1.000	Pass
		16QAM	108	54	21.71	2.1	23.81	0.240	1.000	Pass
			1	1	22.13	2.1	24.23	0.265	1.000	Pass
			1	215	22.08	2.1	24.18	0.262	1.000	Pass
		64QAM	108	54	19.99	2.1	22.09	0.162	1.000	Pass
			1	1	19.61	2.1	21.71	0.148	1.000	Pass
			1	215	19.74	2.1	21.84	0.153	1.000	Pass
		256QAM	108	54	17.26	2.1	19.36	0.086	1.000	Pass
			1	1	17.41	2.1	19.51	0.089	1.000	Pass
			1	215	17.11	2.1	19.21	0.083	1.000	Pass
	HCH	PI/2 BPSK	108	54	23.47	2.1	25.57	0.361	1.000	Pass
			1	1	23.2	2.1	25.30	0.339	1.000	Pass
			1	215	22.65	2.1	24.75	0.299	1.000	Pass
		QPSK	108	54	23.07	2.1	25.17	0.329	1.000	Pass
			1	1	22.83	2.1	24.93	0.311	1.000	Pass
			1	215	22.92	2.1	25.02	0.318	1.000	Pass
		16QAM	108	54	21.82	2.1	23.92	0.247	1.000	Pass
			1	1	21.94	2.1	24.04	0.254	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
			1	215	21.78	2.1	23.88	0.244	1.000	Pass
		64QAM	108	54	19.94	2.1	22.04	0.160	1.000	Pass
			1	1	19.43	2.1	21.53	0.142	1.000	Pass
			1	215	19.69	2.1	21.79	0.151	1.000	Pass
		256QAM	108	54	17.59	2.1	19.69	0.093	1.000	Pass
			1	1	17	2.1	19.10	0.081	1.000	Pass
			1	215	17.32	2.1	19.42	0.087	1.000	Pass
90	LCH	PI/2 BPSK	120	60	22.94	2.1	25.04	0.319	1.000	Pass
			1	1	23.18	2.1	25.28	0.337	1.000	Pass
			1	243	23.27	2.1	25.37	0.344	1.000	Pass
		QPSK	120	60	23.19	2.1	25.29	0.338	1.000	Pass
			1	1	23.64	2.1	25.74	0.375	1.000	Pass
			1	243	23.25	2.1	25.35	0.343	1.000	Pass
		16QAM	120	60	22.39	2.1	24.49	0.281	1.000	Pass
			1	1	22.03	2.1	24.13	0.259	1.000	Pass
			1	243	21.96	2.1	24.06	0.255	1.000	Pass
		64QAM	120	60	20.15	2.1	22.25	0.168	1.000	Pass
			1	1	19.86	2.1	21.96	0.157	1.000	Pass
			1	243	19.77	2.1	21.87	0.154	1.000	Pass
		256QAM	120	60	17.52	2.1	19.62	0.092	1.000	Pass
			1	1	17.27	2.1	19.37	0.086	1.000	Pass
			1	243	17.24	2.1	19.34	0.086	1.000	Pass
	MCH	PI/2 BPSK	120	60	23.18	2.1	25.28	0.337	1.000	Pass
			1	1	23.31	2.1	25.41	0.348	1.000	Pass
			1	243	23.26	2.1	25.36	0.344	1.000	Pass
		QPSK	120	60	23.17	2.1	25.27	0.337	1.000	Pass
			1	1	23.21	2.1	25.31	0.340	1.000	Pass
			1	243	23.05	2.1	25.15	0.327	1.000	Pass
		16QAM	120	60	22.03	2.1	24.13	0.259	1.000	Pass
			1	1	22.49	2.1	24.59	0.288	1.000	Pass
			1	243	22.03	2.1	24.13	0.259	1.000	Pass
		64QAM	120	60	20.01	2.1	22.11	0.163	1.000	Pass
			1	1	19.64	2.1	21.74	0.149	1.000	Pass
			1	243	19.53	2.1	21.63	0.146	1.000	Pass
		256QAM	120	60	17.82	2.1	19.92	0.098	1.000	Pass
			1	1	17.78	2.1	19.88	0.097	1.000	Pass
			1	243	17.37	2.1	19.47	0.089	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
	HCH	PI/2 BPSK	120	60	23.11	2.1	25.21	0.332	1.000	Pass
			1	1	23.31	2.1	25.41	0.348	1.000	Pass
			1	243	22.85	2.1	24.95	0.313	1.000	Pass
		QPSK	120	60	22.86	2.1	24.96	0.313	1.000	Pass
			1	1	23.49	2.1	25.59	0.362	1.000	Pass
			1	243	22.84	2.1	24.94	0.312	1.000	Pass
		16QAM	120	60	22.11	2.1	24.21	0.264	1.000	Pass
			1	1	21.9	2.1	24.00	0.251	1.000	Pass
			1	243	21.98	2.1	24.08	0.256	1.000	Pass
		64QAM	120	60	20.2	2.1	22.30	0.170	1.000	Pass
			1	1	19.74	2.1	21.84	0.153	1.000	Pass
			1	243	19.57	2.1	21.67	0.147	1.000	Pass
		256QAM	120	60	17.62	2.1	19.72	0.094	1.000	Pass
			1	1	17.26	2.1	19.36	0.086	1.000	Pass
			1	243	17.41	2.1	19.51	0.089	1.000	Pass
100	MCH	PI/2 BPSK	135	67	22.89	2.1	24.99	0.316	1.000	Pass
			1	1	23.45	2.1	25.55	0.359	1.000	Pass
			1	271	22.97	2.1	25.07	0.321	1.000	Pass
		QPSK	135	67	22.49	2.1	24.59	0.288	1.000	Pass
			1	1	23.64	2.1	25.74	0.375	1.000	Pass
			1	271	23.31	2.1	25.41	0.348	1.000	Pass
		16QAM	135	67	21.8	2.1	23.90	0.245	1.000	Pass
			1	1	22.43	2.1	24.53	0.284	1.000	Pass
			1	271	22.16	2.1	24.26	0.267	1.000	Pass
		64QAM	135	67	19.65	2.1	21.75	0.150	1.000	Pass
			1	1	20.81	2.1	22.91	0.195	1.000	Pass
			1	271	20.16	2.1	22.26	0.168	1.000	Pass
		256QAM	135	67	17.56	2.1	19.66	0.092	1.000	Pass
			1	1	17.89	2.1	19.99	0.100	1.000	Pass
			1	271	17.43	2.1	19.53	0.090	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
10	LCH	PI/2 BPSK	12	6	23.15	2.1	25.25	0.335	1.000	Pass
			1	1	23.46	2.1	25.56	0.360	1.000	Pass
			1	22	23.22	2.1	25.32	0.340	1.000	Pass
		QPSK	12	6	23.2	2.1	25.30	0.339	1.000	Pass
			1	1	23.65	2.1	25.75	0.376	1.000	Pass
			1	22	23.26	2.1	25.36	0.344	1.000	Pass
		16QAM	12	6	22.35	2.1	24.45	0.279	1.000	Pass
			1	1	22.39	2.1	24.49	0.281	1.000	Pass
			1	22	22.05	2.1	24.15	0.260	1.000	Pass
		64QAM	12	6	20.23	2.1	22.33	0.171	1.000	Pass
			1	1	20.07	2.1	22.17	0.165	1.000	Pass
			1	22	20.23	2.1	22.33	0.171	1.000	Pass
		256QAM	12	6	18.13	2.1	20.23	0.105	1.000	Pass
			1	1	17.41	2.1	19.51	0.089	1.000	Pass
			1	22	17.39	2.1	19.49	0.089	1.000	Pass
	MCH	PI/2 BPSK	12	6	23.33	2.1	25.43	0.349	1.000	Pass
			1	1	23.33	2.1	25.43	0.349	1.000	Pass
			1	22	23.2	2.1	25.30	0.339	1.000	Pass
		QPSK	12	6	23.05	2.1	25.15	0.327	1.000	Pass
			1	1	23.11	2.1	25.21	0.332	1.000	Pass
			1	22	23.21	2.1	25.31	0.340	1.000	Pass
		16QAM	12	6	22.16	2.1	24.26	0.267	1.000	Pass
			1	1	22.49	2.1	24.59	0.288	1.000	Pass
			1	22	22.54	2.1	24.64	0.291	1.000	Pass
		64QAM	12	6	20.21	2.1	22.31	0.170	1.000	Pass
			1	1	19.92	2.1	22.02	0.159	1.000	Pass
			1	22	20	2.1	22.10	0.162	1.000	Pass
		256QAM	12	6	17.88	2.1	19.98	0.100	1.000	Pass
			1	1	17.49	2.1	19.59	0.091	1.000	Pass
			1	22	17.86	2.1	19.96	0.099	1.000	Pass
	HCH	PI/2 BPSK	12	6	23.09	2.1	25.19	0.330	1.000	Pass
			1	1	23.23	2.1	25.33	0.341	1.000	Pass
			1	22	23.45	2.1	25.55	0.359	1.000	Pass
		QPSK	12	6	22.88	2.1	24.98	0.315	1.000	Pass
			1	1	23.26	2.1	25.36	0.344	1.000	Pass
			1	22	23.03	2.1	25.13	0.326	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
		16QAM	12	6	21.62	2.1	23.72	0.236	1.000	Pass
			1	1	22.1	2.1	24.20	0.263	1.000	Pass
			1	22	22.14	2.1	24.24	0.265	1.000	Pass
		64QAM	12	6	19.96	2.1	22.06	0.161	1.000	Pass
			1	1	19.85	2.1	21.95	0.157	1.000	Pass
			1	22	19.71	2.1	21.81	0.152	1.000	Pass
		256QAM	12	6	17.07	2.1	19.17	0.083	1.000	Pass
			1	1	17.76	2.1	19.86	0.097	1.000	Pass
			1	22	17.04	2.1	19.14	0.082	1.000	Pass
15	LCH	PI/2 BPSK	18	9	23.68	2.1	25.78	0.378	1.000	Pass
			1	1	23.34	2.1	25.44	0.350	1.000	Pass
			1	36	23.27	2.1	25.37	0.344	1.000	Pass
		QPSK	18	9	23.43	2.1	25.53	0.357	1.000	Pass
			1	1	23.63	2.1	25.73	0.374	1.000	Pass
			1	36	23.41	2.1	25.51	0.356	1.000	Pass
		16QAM	18	9	22.14	2.1	24.24	0.265	1.000	Pass
			1	1	22.17	2.1	24.27	0.267	1.000	Pass
			1	36	22.26	2.1	24.36	0.273	1.000	Pass
		64QAM	18	9	20.43	2.1	22.53	0.179	1.000	Pass
			1	1	20.16	2.1	22.26	0.168	1.000	Pass
			1	36	20.01	2.1	22.11	0.163	1.000	Pass
		256QAM	18	9	18.27	2.1	20.37	0.109	1.000	Pass
			1	1	17.62	2.1	19.72	0.094	1.000	Pass
			1	36	18.12	2.1	20.22	0.105	1.000	Pass
	MCH	PI/2 BPSK	18	9	23.56	2.1	25.66	0.368	1.000	Pass
			1	1	23.87	2.1	25.97	0.395	1.000	Pass
			1	36	23.75	2.1	25.85	0.385	1.000	Pass
		QPSK	18	9	23.53	2.1	25.63	0.366	1.000	Pass
			1	1	23.35	2.1	25.45	0.351	1.000	Pass
			1	36	23.36	2.1	25.46	0.352	1.000	Pass
		16QAM	18	9	22.18	2.1	24.28	0.268	1.000	Pass
			1	1	22.8	2.1	24.90	0.309	1.000	Pass
			1	36	21.89	2.1	23.99	0.251	1.000	Pass
		64QAM	18	9	20.32	2.1	22.42	0.175	1.000	Pass
			1	1	19.78	2.1	21.88	0.154	1.000	Pass
			1	36	19.65	2.1	21.75	0.150	1.000	Pass
		256QAM	18	9	18.01	2.1	20.11	0.103	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
20	HCH	PI/2 BPSK	1	1	17.58	2.1	19.68	0.093	1.000	Pass
			1	36	17.74	2.1	19.84	0.096	1.000	Pass
			18	9	23.13	2.1	25.23	0.333	1.000	Pass
			1	1	23.43	2.1	25.53	0.357	1.000	Pass
			1	36	23.04	2.1	25.14	0.327	1.000	Pass
		QPSK	18	9	23.57	2.1	25.67	0.369	1.000	Pass
			1	1	23.48	2.1	25.58	0.361	1.000	Pass
			1	36	23.47	2.1	25.57	0.361	1.000	Pass
		16QAM	18	9	22.47	2.1	24.57	0.286	1.000	Pass
			1	1	22.25	2.1	24.35	0.272	1.000	Pass
			1	36	22.16	2.1	24.26	0.267	1.000	Pass
		64QAM	18	9	20.8	2.1	22.90	0.195	1.000	Pass
			1	1	20.09	2.1	22.19	0.166	1.000	Pass
			1	36	19.54	2.1	21.64	0.146	1.000	Pass
		256QAM	18	9	18.18	2.1	20.28	0.107	1.000	Pass
			1	1	17.35	2.1	19.45	0.088	1.000	Pass
			1	36	17.11	2.1	19.21	0.083	1.000	Pass
	LCH	PI/2 BPSK	25	12	23.23	2.1	25.33	0.341	1.000	Pass
			1	1	23.82	2.1	25.92	0.391	1.000	Pass
			1	49	23.11	2.1	25.21	0.332	1.000	Pass
		QPSK	25	12	23.49	2.1	25.59	0.362	1.000	Pass
			1	1	23.56	2.1	25.66	0.368	1.000	Pass
			1	49	23.28	2.1	25.38	0.345	1.000	Pass
		16QAM	25	12	22.49	2.1	24.59	0.288	1.000	Pass
			1	1	22.36	2.1	24.46	0.279	1.000	Pass
			1	49	22.33	2.1	24.43	0.277	1.000	Pass
		64QAM	25	12	20.46	2.1	22.56	0.180	1.000	Pass
			1	1	20.25	2.1	22.35	0.172	1.000	Pass
			1	49	20.32	2.1	22.42	0.175	1.000	Pass
		256QAM	25	12	18.38	2.1	20.48	0.112	1.000	Pass
			1	1	17.87	2.1	19.97	0.099	1.000	Pass
			1	49	17.69	2.1	19.79	0.095	1.000	Pass
	MCH	PI/2 BPSK	25	12	23.25	2.1	25.35	0.343	1.000	Pass
			1	1	23.64	2.1	25.74	0.375	1.000	Pass
			1	49	23.19	2.1	25.29	0.338	1.000	Pass
		QPSK	25	12	23.51	2.1	25.61	0.364	1.000	Pass
			1	1	23.69	2.1	25.79	0.379	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
			1	49	23.49	2.1	25.59	0.362	1.000	Pass
		16QAM	25	12	22.4	2.1	24.50	0.282	1.000	Pass
			1	1	22.18	2.1	24.28	0.268	1.000	Pass
			1	49	22.46	2.1	24.56	0.286	1.000	Pass
		64QAM	25	12	20.43	2.1	22.53	0.179	1.000	Pass
			1	1	19.97	2.1	22.07	0.161	1.000	Pass
			1	49	20.05	2.1	22.15	0.164	1.000	Pass
		256QAM	25	12	18.03	2.1	20.13	0.103	1.000	Pass
			1	1	17.54	2.1	19.64	0.092	1.000	Pass
			1	49	17.73	2.1	19.83	0.096	1.000	Pass
	HCH	PI/2 BPSK	25	12	23.93	2.1	26.03	0.401	1.000	Pass
			1	1	23.55	2.1	25.65	0.367	1.000	Pass
			1	49	23.36	2.1	25.46	0.352	1.000	Pass
		QPSK	25	12	23.02	2.1	25.12	0.325	1.000	Pass
			1	1	23.54	2.1	25.64	0.366	1.000	Pass
			1	49	23.56	2.1	25.66	0.368	1.000	Pass
		16QAM	25	12	22.28	2.1	24.38	0.274	1.000	Pass
			1	1	22.16	2.1	24.26	0.267	1.000	Pass
			1	49	22.5	2.1	24.60	0.288	1.000	Pass
		64QAM	25	12	20.42	2.1	22.52	0.179	1.000	Pass
			1	1	19.58	2.1	21.68	0.147	1.000	Pass
			1	49	19.9	2.1	22.00	0.158	1.000	Pass
		256QAM	25	12	17.76	2.1	19.86	0.097	1.000	Pass
			1	1	17.14	2.1	19.24	0.084	1.000	Pass
			1	49	17.46	2.1	19.56	0.090	1.000	Pass
25	LCH	PI/2 BPSK	32	16	23.51	2.1	25.61	0.364	1.000	Pass
			1	1	23.68	2.1	25.78	0.378	1.000	Pass
			1	63	23.74	2.1	25.84	0.384	1.000	Pass
		QPSK	32	16	23.56	2.1	25.66	0.368	1.000	Pass
			1	1	23.35	2.1	25.45	0.351	1.000	Pass
			1	63	23.54	2.1	25.64	0.366	1.000	Pass
		16QAM	32	16	22.59	2.1	24.69	0.294	1.000	Pass
			1	1	22.65	2.1	24.75	0.299	1.000	Pass
			1	63	22.57	2.1	24.67	0.293	1.000	Pass
		64QAM	32	16	20.69	2.1	22.79	0.190	1.000	Pass
			1	1	20.1	2.1	22.20	0.166	1.000	Pass
			1	63	20.06	2.1	22.16	0.164	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
		256QAM	32	16	18.2	2.1	20.30	0.107	1.000	Pass
			1	1	17.7	2.1	19.80	0.095	1.000	Pass
			1	63	17.89	2.1	19.99	0.100	1.000	Pass
	MCH	PI/2 BPSK	32	16	23.92	2.1	26.02	0.400	1.000	Pass
			1	1	23.64	2.1	25.74	0.375	1.000	Pass
			1	63	23.58	2.1	25.68	0.370	1.000	Pass
		QPSK	32	16	23.28	2.1	25.38	0.345	1.000	Pass
			1	1	23.66	2.1	25.76	0.377	1.000	Pass
			1	63	23.25	2.1	25.35	0.343	1.000	Pass
		16QAM	32	16	21.97	2.1	24.07	0.255	1.000	Pass
			1	1	22.63	2.1	24.73	0.297	1.000	Pass
			1	63	22.06	2.1	24.16	0.261	1.000	Pass
		64QAM	32	16	20.37	2.1	22.47	0.177	1.000	Pass
			1	1	19.97	2.1	22.07	0.161	1.000	Pass
			1	63	19.7	2.1	21.80	0.151	1.000	Pass
		256QAM	32	16	17.98	2.1	20.08	0.102	1.000	Pass
			1	1	17.39	2.1	19.49	0.089	1.000	Pass
			1	63	17.5	2.1	19.60	0.091	1.000	Pass
	HCH	PI/2 BPSK	32	16	23.54	2.1	25.64	0.366	1.000	Pass
			1	1	23.23	2.1	25.33	0.341	1.000	Pass
			1	63	23.67	2.1	25.77	0.378	1.000	Pass
		QPSK	32	16	23.2	2.1	25.30	0.339	1.000	Pass
			1	1	23.52	2.1	25.62	0.365	1.000	Pass
			1	63	23.61	2.1	25.71	0.372	1.000	Pass
		16QAM	32	16	22.46	2.1	24.56	0.286	1.000	Pass
			1	1	21.91	2.1	24.01	0.252	1.000	Pass
			1	63	22.21	2.1	24.31	0.270	1.000	Pass
		64QAM	32	16	20.65	2.1	22.75	0.188	1.000	Pass
			1	1	19.8	2.1	21.90	0.155	1.000	Pass
			1	63	20.07	2.1	22.17	0.165	1.000	Pass
		256QAM	32	16	17.91	2.1	20.01	0.100	1.000	Pass
			1	1	17.46	2.1	19.56	0.090	1.000	Pass
			1	63	17.51	2.1	19.61	0.091	1.000	Pass
30	LCH	PI/2 BPSK	36	18	23.72	2.1	25.82	0.382	1.000	Pass
			1	1	23.63	2.1	25.73	0.374	1.000	Pass
			1	76	23.59	2.1	25.69	0.371	1.000	Pass
		QPSK	36	18	23.57	2.1	25.67	0.369	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
			1	1	23.33	2.1	25.43	0.349	1.000	Pass
			1	76	23.47	2.1	25.57	0.361	1.000	Pass
		16QAM	36	18	22.06	2.1	24.16	0.261	1.000	Pass
			1	1	22.16	2.1	24.26	0.267	1.000	Pass
			1	76	22.18	2.1	24.28	0.268	1.000	Pass
		64QAM	36	18	20.58	2.1	22.68	0.185	1.000	Pass
			1	1	19.85	2.1	21.95	0.157	1.000	Pass
			1	76	20.02	2.1	22.12	0.163	1.000	Pass
		256QAM	36	18	17.93	2.1	20.03	0.101	1.000	Pass
			1	1	17.84	2.1	19.94	0.099	1.000	Pass
			1	76	17.71	2.1	19.81	0.096	1.000	Pass
	MCH	PI/2 BPSK	36	18	23.81	2.1	25.91	0.390	1.000	Pass
			1	1	23.32	2.1	25.42	0.348	1.000	Pass
			1	76	23.57	2.1	25.67	0.369	1.000	Pass
		QPSK	36	18	23.71	2.1	25.81	0.381	1.000	Pass
			1	1	23.63	2.1	25.73	0.374	1.000	Pass
			1	76	23.26	2.1	25.36	0.344	1.000	Pass
		16QAM	36	18	22.37	2.1	24.47	0.280	1.000	Pass
			1	1	22.19	2.1	24.29	0.269	1.000	Pass
			1	76	22.38	2.1	24.48	0.281	1.000	Pass
		64QAM	36	18	20.52	2.1	22.62	0.183	1.000	Pass
			1	1	20.01	2.1	22.11	0.163	1.000	Pass
			1	76	19.65	2.1	21.75	0.150	1.000	Pass
		256QAM	36	18	18.14	2.1	20.24	0.106	1.000	Pass
			1	1	17.97	2.1	20.07	0.102	1.000	Pass
			1	76	17.73	2.1	19.83	0.096	1.000	Pass
	HCH	PI/2 BPSK	36	18	23.75	2.1	25.85	0.385	1.000	Pass
			1	1	23.23	2.1	25.33	0.341	1.000	Pass
			1	76	23.08	2.1	25.18	0.330	1.000	Pass
		QPSK	36	18	23.37	2.1	25.47	0.352	1.000	Pass
			1	1	23.64	2.1	25.74	0.375	1.000	Pass
			1	76	23.01	2.1	25.11	0.324	1.000	Pass
		16QAM	36	18	22.57	2.1	24.67	0.293	1.000	Pass
			1	1	22.37	2.1	24.47	0.280	1.000	Pass
			1	76	21.93	2.1	24.03	0.253	1.000	Pass
		64QAM	36	18	20.38	2.1	22.48	0.177	1.000	Pass
			1	1	19.7	2.1	21.80	0.151	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
			1	76	20.16	2.1	22.26	0.168	1.000	Pass
		256QAM	36	18	18.41	2.1	20.51	0.112	1.000	Pass
			1	1	17.54	2.1	19.64	0.092	1.000	Pass
			1	76	17.57	2.1	19.67	0.093	1.000	Pass
40	LCH	PI/2 BPSK	50	25	23.44	2.1	25.54	0.358	1.000	Pass
			1	1	23.6	2.1	25.70	0.372	1.000	Pass
			1	104	23.61	2.1	25.71	0.372	1.000	Pass
		QPSK	50	25	23.74	2.1	25.84	0.384	1.000	Pass
			1	1	23.63	2.1	25.73	0.374	1.000	Pass
			1	104	23.23	2.1	25.33	0.341	1.000	Pass
		16QAM	50	25	22.71	2.1	24.81	0.303	1.000	Pass
			1	1	22.23	2.1	24.33	0.271	1.000	Pass
			1	104	22.5	2.1	24.60	0.288	1.000	Pass
		64QAM	50	25	20.16	2.1	22.26	0.168	1.000	Pass
			1	1	19.99	2.1	22.09	0.162	1.000	Pass
			1	104	20.2	2.1	22.30	0.170	1.000	Pass
		256QAM	50	25	18.03	2.1	20.13	0.103	1.000	Pass
			1	1	17.92	2.1	20.02	0.100	1.000	Pass
			1	104	17.82	2.1	19.92	0.098	1.000	Pass
	MCH	PI/2 BPSK	50	25	23.5	2.1	25.60	0.363	1.000	Pass
			1	1	23.49	2.1	25.59	0.362	1.000	Pass
			1	104	23.44	2.1	25.54	0.358	1.000	Pass
		QPSK	50	25	23.82	2.1	25.92	0.391	1.000	Pass
			1	1	23.53	2.1	25.63	0.366	1.000	Pass
			1	104	23.53	2.1	25.63	0.366	1.000	Pass
		16QAM	50	25	22.59	2.1	24.69	0.294	1.000	Pass
			1	1	22.59	2.1	24.69	0.294	1.000	Pass
			1	104	22.13	2.1	24.23	0.265	1.000	Pass
		64QAM	50	25	20.38	2.1	22.48	0.177	1.000	Pass
			1	1	20.18	2.1	22.28	0.169	1.000	Pass
			1	104	19.77	2.1	21.87	0.154	1.000	Pass
		256QAM	50	25	18.44	2.1	20.54	0.113	1.000	Pass
			1	1	17.53	2.1	19.63	0.092	1.000	Pass
			1	104	17.77	2.1	19.87	0.097	1.000	Pass
	HCH	PI/2 BPSK	50	25	23.51	2.1	25.61	0.364	1.000	Pass
			1	1	23.22	2.1	25.32	0.340	1.000	Pass
			1	104	23.49	2.1	25.59	0.362	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
		QPSK	50	25	23.35	2.1	25.45	0.351	1.000	Pass
			1	1	23.12	2.1	25.22	0.333	1.000	Pass
			1	104	23.22	2.1	25.32	0.340	1.000	Pass
		16QAM	50	25	22.55	2.1	24.65	0.292	1.000	Pass
			1	1	22.09	2.1	24.19	0.262	1.000	Pass
			1	104	22.25	2.1	24.35	0.272	1.000	Pass
		64QAM	50	25	19.94	2.1	22.04	0.160	1.000	Pass
			1	1	19.92	2.1	22.02	0.159	1.000	Pass
			1	104	19.86	2.1	21.96	0.157	1.000	Pass
		256QAM	50	25	18.17	2.1	20.27	0.106	1.000	Pass
			1	1	17.97	2.1	20.07	0.102	1.000	Pass
			1	104	17.58	2.1	19.68	0.093	1.000	Pass
50	LCH	PI/2 BPSK	64	32	23.8	2.1	25.90	0.389	1.000	Pass
			1	1	23.95	2.1	26.05	0.403	1.000	Pass
			1	131	23.73	2.1	25.83	0.383	1.000	Pass
		QPSK	64	32	24.07	2.1	26.17	0.414	1.000	Pass
			1	1	23.82	2.1	25.92	0.391	1.000	Pass
			1	131	23.61	2.1	25.71	0.372	1.000	Pass
		16QAM	64	32	22.88	2.1	24.98	0.315	1.000	Pass
			1	1	22.51	2.1	24.61	0.289	1.000	Pass
			1	131	22.37	2.1	24.47	0.280	1.000	Pass
		64QAM	64	32	20.88	2.1	22.98	0.199	1.000	Pass
			1	1	19.78	2.1	21.88	0.154	1.000	Pass
			1	131	19.85	2.1	21.95	0.157	1.000	Pass
		256QAM	64	32	18.14	2.1	20.24	0.106	1.000	Pass
			1	1	17.56	2.1	19.66	0.092	1.000	Pass
			1	131	17.76	2.1	19.86	0.097	1.000	Pass
	MCH	PI/2 BPSK	64	32	23.23	2.1	25.33	0.341	1.000	Pass
			1	1	23.49	2.1	25.59	0.362	1.000	Pass
			1	131	23.57	2.1	25.67	0.369	1.000	Pass
		QPSK	64	32	23.65	2.1	25.75	0.376	1.000	Pass
			1	1	23.54	2.1	25.64	0.366	1.000	Pass
			1	131	23.28	2.1	25.38	0.345	1.000	Pass
		16QAM	64	32	22.43	2.1	24.53	0.284	1.000	Pass
			1	1	22.54	2.1	24.64	0.291	1.000	Pass
			1	131	21.96	2.1	24.06	0.255	1.000	Pass
		64QAM	64	32	20.56	2.1	22.66	0.185	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
			1	1	20.04	2.1	22.14	0.164	1.000	Pass
			1	131	19.8	2.1	21.90	0.155	1.000	Pass
		256QAM	64	32	18.2	2.1	20.30	0.107	1.000	Pass
			1	1	17.78	2.1	19.88	0.097	1.000	Pass
			1	131	17.37	2.1	19.47	0.089	1.000	Pass
	HCH	PI/2 BPSK	64	32	23.32	2.1	25.42	0.348	1.000	Pass
			1	1	22.98	2.1	25.08	0.322	1.000	Pass
			1	131	23.25	2.1	25.35	0.343	1.000	Pass
		QPSK	64	32	22.98	2.1	25.08	0.322	1.000	Pass
			1	1	23.18	2.1	25.28	0.337	1.000	Pass
			1	131	22.85	2.1	24.95	0.313	1.000	Pass
		16QAM	64	32	22.8	2.1	24.90	0.309	1.000	Pass
			1	1	22.23	2.1	24.33	0.271	1.000	Pass
			1	131	22.16	2.1	24.26	0.267	1.000	Pass
		64QAM	64	32	20.38	2.1	22.48	0.177	1.000	Pass
			1	1	19.94	2.1	22.04	0.160	1.000	Pass
			1	131	19.61	2.1	21.71	0.148	1.000	Pass
		256QAM	64	32	17.88	2.1	19.98	0.100	1.000	Pass
			1	1	17.84	2.1	19.94	0.099	1.000	Pass
			1	131	17.5	2.1	19.60	0.091	1.000	Pass
60	LCH	PI/2 BPSK	81	40	23.93	2.1	26.03	0.401	1.000	Pass
			1	1	23.37	2.1	25.47	0.352	1.000	Pass
			1	160	23.27	2.1	25.37	0.344	1.000	Pass
		QPSK	81	40	23.39	2.1	25.49	0.354	1.000	Pass
			1	1	23.66	2.1	25.76	0.377	1.000	Pass
			1	160	23.53	2.1	25.63	0.366	1.000	Pass
		16QAM	81	40	22.43	2.1	24.53	0.284	1.000	Pass
			1	1	22.46	2.1	24.56	0.286	1.000	Pass
			1	160	22.45	2.1	24.55	0.285	1.000	Pass
		64QAM	81	40	20.96	2.1	23.06	0.202	1.000	Pass
			1	1	19.73	2.1	21.83	0.152	1.000	Pass
			1	160	19.79	2.1	21.89	0.155	1.000	Pass
		256QAM	81	40	17.79	2.1	19.89	0.097	1.000	Pass
			1	1	17.96	2.1	20.06	0.101	1.000	Pass
			1	160	17.66	2.1	19.76	0.095	1.000	Pass
	MCH	PI/2 BPSK	81	40	23.77	2.1	25.87	0.386	1.000	Pass
			1	1	23.27	2.1	25.37	0.344	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
			1	160	23.06	2.1	25.16	0.328	1.000	Pass
		QPSK	81	40	23.71	2.1	25.81	0.381	1.000	Pass
			1	1	23.68	2.1	25.78	0.378	1.000	Pass
			1	160	23.43	2.1	25.53	0.357	1.000	Pass
		16QAM	81	40	22.32	2.1	24.42	0.277	1.000	Pass
			1	1	22.12	2.1	24.22	0.264	1.000	Pass
			1	160	22.4	2.1	24.50	0.282	1.000	Pass
		64QAM	81	40	20.28	2.1	22.38	0.173	1.000	Pass
			1	1	20.18	2.1	22.28	0.169	1.000	Pass
			1	160	19.83	2.1	21.93	0.156	1.000	Pass
		256QAM	81	40	17.87	2.1	19.97	0.099	1.000	Pass
			1	1	17.75	2.1	19.85	0.097	1.000	Pass
			1	160	17.67	2.1	19.77	0.095	1.000	Pass
	HCH	PI/2 BPSK	81	40	23.36	2.1	25.46	0.352	1.000	Pass
			1	1	23.61	2.1	25.71	0.372	1.000	Pass
			1	160	23.58	2.1	25.68	0.370	1.000	Pass
		QPSK	81	40	23.65	2.1	25.75	0.376	1.000	Pass
			1	1	23.13	2.1	25.23	0.333	1.000	Pass
			1	160	23.23	2.1	25.33	0.341	1.000	Pass
		16QAM	81	40	22.28	2.1	24.38	0.274	1.000	Pass
			1	1	22.63	2.1	24.73	0.297	1.000	Pass
			1	160	22.16	2.1	24.26	0.267	1.000	Pass
		64QAM	81	40	20.31	2.1	22.41	0.174	1.000	Pass
			1	1	19.89	2.1	21.99	0.158	1.000	Pass
			1	160	19.64	2.1	21.74	0.149	1.000	Pass
		256QAM	81	40	18.39	2.1	20.49	0.112	1.000	Pass
			1	1	17.54	2.1	19.64	0.092	1.000	Pass
			1	160	17.5	2.1	19.60	0.091	1.000	Pass
70	LCH	PI/2 BPSK	90	45	23.64	2.1	25.74	0.375	1.000	Pass
			1	1	23.54	2.1	25.64	0.366	1.000	Pass
			1	187	23.53	2.1	25.63	0.366	1.000	Pass
		QPSK	90	45	23.95	2.1	26.05	0.403	1.000	Pass
			1	1	23.27	2.1	25.37	0.344	1.000	Pass
			1	187	23.73	2.1	25.83	0.383	1.000	Pass
		16QAM	90	45	22.44	2.1	24.54	0.284	1.000	Pass
			1	1	22.98	2.1	25.08	0.322	1.000	Pass
			1	187	22.13	2.1	24.23	0.265	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
		64QAM	90	45	20.63	2.1	22.73	0.187	1.000	Pass
			1	1	20.27	2.1	22.37	0.173	1.000	Pass
			1	187	19.86	2.1	21.96	0.157	1.000	Pass
		256QAM	90	45	17.8	2.1	19.90	0.098	1.000	Pass
			1	1	18.15	2.1	20.25	0.106	1.000	Pass
			1	187	17.58	2.1	19.68	0.093	1.000	Pass
	MCH	PI/2 BPSK	90	45	23.55	2.1	25.65	0.367	1.000	Pass
			1	1	23.66	2.1	25.76	0.377	1.000	Pass
			1	187	23.28	2.1	25.38	0.345	1.000	Pass
		QPSK	90	45	23.76	2.1	25.86	0.385	1.000	Pass
			1	1	23.27	2.1	25.37	0.344	1.000	Pass
			1	187	23.22	2.1	25.32	0.340	1.000	Pass
		16QAM	90	45	22.49	2.1	24.59	0.288	1.000	Pass
			1	1	22.42	2.1	24.52	0.283	1.000	Pass
			1	187	21.91	2.1	24.01	0.252	1.000	Pass
		64QAM	90	45	20.61	2.1	22.71	0.187	1.000	Pass
			1	1	20.11	2.1	22.21	0.166	1.000	Pass
			1	187	19.78	2.1	21.88	0.154	1.000	Pass
		256QAM	90	45	18.31	2.1	20.41	0.110	1.000	Pass
			1	1	17.15	2.1	19.25	0.084	1.000	Pass
			1	187	17.4	2.1	19.50	0.089	1.000	Pass
	HCH	PI/2 BPSK	90	45	23.56	2.1	25.66	0.368	1.000	Pass
			1	1	23.42	2.1	25.52	0.356	1.000	Pass
			1	187	23.43	2.1	25.53	0.357	1.000	Pass
		QPSK	90	45	23.23	2.1	25.33	0.341	1.000	Pass
			1	1	23.46	2.1	25.56	0.360	1.000	Pass
			1	187	23	2.1	25.10	0.324	1.000	Pass
		16QAM	90	45	22.28	2.1	24.38	0.274	1.000	Pass
			1	1	22.13	2.1	24.23	0.265	1.000	Pass
			1	187	22.16	2.1	24.26	0.267	1.000	Pass
		64QAM	90	45	20.3	2.1	22.40	0.174	1.000	Pass
			1	1	20.1	2.1	22.20	0.166	1.000	Pass
			1	187	20.05	2.1	22.15	0.164	1.000	Pass
		256QAM	90	45	17.86	2.1	19.96	0.099	1.000	Pass
			1	1	17.24	2.1	19.34	0.086	1.000	Pass
			1	187	17.21	2.1	19.31	0.085	1.000	Pass
80	LCH	PI/2	108	54	23.35	2.1	25.45	0.351	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
		BPSK	1	1	23.51	2.1	25.61	0.364	1.000	Pass
			1	215	23.6	2.1	25.70	0.372	1.000	Pass
		QPSK	108	54	23.7	2.1	25.80	0.380	1.000	Pass
			1	1	23.65	2.1	25.75	0.376	1.000	Pass
			1	215	23.56	2.1	25.66	0.368	1.000	Pass
		16QAM	108	54	22.72	2.1	24.82	0.303	1.000	Pass
			1	1	22.5	2.1	24.60	0.288	1.000	Pass
			1	215	22.43	2.1	24.53	0.284	1.000	Pass
		64QAM	108	54	20.79	2.1	22.89	0.195	1.000	Pass
			1	1	20.53	2.1	22.63	0.183	1.000	Pass
			1	215	19.99	2.1	22.09	0.162	1.000	Pass
		256QAM	108	54	18.4	2.1	20.50	0.112	1.000	Pass
			1	1	17.88	2.1	19.98	0.100	1.000	Pass
			1	215	17.3	2.1	19.40	0.087	1.000	Pass
	MCH	PI/2 BPSK	108	54	23.75	2.1	25.85	0.385	1.000	Pass
			1	1	23.56	2.1	25.66	0.368	1.000	Pass
			1	215	23.64	2.1	25.74	0.375	1.000	Pass
		QPSK	108	54	23.65	2.1	25.75	0.376	1.000	Pass
			1	1	23.65	2.1	25.75	0.376	1.000	Pass
			1	215	22.88	2.1	24.98	0.315	1.000	Pass
		16QAM	108	54	22.05	2.1	24.15	0.260	1.000	Pass
			1	1	22.31	2.1	24.41	0.276	1.000	Pass
			1	215	22.22	2.1	24.32	0.270	1.000	Pass
		64QAM	108	54	20.44	2.1	22.54	0.179	1.000	Pass
			1	1	19.65	2.1	21.75	0.150	1.000	Pass
			1	215	20.2	2.1	22.30	0.170	1.000	Pass
		256QAM	108	54	17.56	2.1	19.66	0.092	1.000	Pass
			1	1	17.7	2.1	19.80	0.095	1.000	Pass
			1	215	17.26	2.1	19.36	0.086	1.000	Pass
	HCH	PI/2 BPSK	108	54	23.64	2.1	25.74	0.375	1.000	Pass
			1	1	23.77	2.1	25.87	0.386	1.000	Pass
			1	215	22.9	2.1	25.00	0.316	1.000	Pass
		QPSK	108	54	23.41	2.1	25.51	0.356	1.000	Pass
			1	1	23.31	2.1	25.41	0.348	1.000	Pass
			1	215	23.48	2.1	25.58	0.361	1.000	Pass
		16QAM	108	54	22.04	2.1	24.14	0.259	1.000	Pass
			1	1	22.14	2.1	24.24	0.265	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
			1	215	22.08	2.1	24.18	0.262	1.000	Pass
		64QAM	108	54	20.46	2.1	22.56	0.180	1.000	Pass
			1	1	19.63	2.1	21.73	0.149	1.000	Pass
			1	215	19.57	2.1	21.67	0.147	1.000	Pass
		256QAM	108	54	18.24	2.1	20.34	0.108	1.000	Pass
			1	1	17.68	2.1	19.78	0.095	1.000	Pass
			1	215	17.51	2.1	19.61	0.091	1.000	Pass
90	LCH	PI/2 BPSK	120	60	23.55	2.1	25.65	0.367	1.000	Pass
			1	1	23.08	2.1	25.18	0.330	1.000	Pass
			1	243	23.5	2.1	25.60	0.363	1.000	Pass
		QPSK	120	60	23.82	2.1	25.92	0.391	1.000	Pass
			1	1	24.02	2.1	26.12	0.409	1.000	Pass
			1	243	23.56	2.1	25.66	0.368	1.000	Pass
		16QAM	120	60	22.88	2.1	24.98	0.315	1.000	Pass
			1	1	22.87	2.1	24.97	0.314	1.000	Pass
			1	243	21.96	2.1	24.06	0.255	1.000	Pass
		64QAM	120	60	20.79	2.1	22.89	0.195	1.000	Pass
			1	1	20.1	2.1	22.20	0.166	1.000	Pass
			1	243	20.09	2.1	22.19	0.166	1.000	Pass
		256QAM	120	60	17.65	2.1	19.75	0.094	1.000	Pass
			1	1	17.83	2.1	19.93	0.098	1.000	Pass
			1	243	17.84	2.1	19.94	0.099	1.000	Pass
	MCH	PI/2 BPSK	120	60	23.27	2.1	25.37	0.344	1.000	Pass
			1	1	22.92	2.1	25.02	0.318	1.000	Pass
			1	243	23.32	2.1	25.42	0.348	1.000	Pass
		QPSK	120	60	23.2	2.1	25.30	0.339	1.000	Pass
			1	1	23.48	2.1	25.58	0.361	1.000	Pass
			1	243	23.31	2.1	25.41	0.348	1.000	Pass
		16QAM	120	60	22.4	2.1	24.50	0.282	1.000	Pass
			1	1	22.39	2.1	24.49	0.281	1.000	Pass
			1	243	22.05	2.1	24.15	0.260	1.000	Pass
		64QAM	120	60	20.29	2.1	22.39	0.173	1.000	Pass
			1	1	20.24	2.1	22.34	0.171	1.000	Pass
			1	243	19.81	2.1	21.91	0.155	1.000	Pass
		256QAM	120	60	17.63	2.1	19.73	0.094	1.000	Pass
			1	1	17.75	2.1	19.85	0.097	1.000	Pass
			1	243	17.34	2.1	19.44	0.088	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
	HCH	PI/2 BPSK	120	60	23.54	2.1	25.64	0.366	1.000	Pass
			1	1	23.27	2.1	25.37	0.344	1.000	Pass
			1	243	23.07	2.1	25.17	0.329	1.000	Pass
		QPSK	120	60	23.52	2.1	25.62	0.365	1.000	Pass
			1	1	23.62	2.1	25.72	0.373	1.000	Pass
			1	243	22.95	2.1	25.05	0.320	1.000	Pass
		16QAM	120	60	22.65	2.1	24.75	0.299	1.000	Pass
			1	1	22.05	2.1	24.15	0.260	1.000	Pass
			1	243	22.44	2.1	24.54	0.284	1.000	Pass
		64QAM	120	60	20.66	2.1	22.76	0.189	1.000	Pass
			1	1	20.23	2.1	22.33	0.171	1.000	Pass
			1	243	19.67	2.1	21.77	0.150	1.000	Pass
		256QAM	120	60	17.71	2.1	19.81	0.096	1.000	Pass
			1	1	17.67	2.1	19.77	0.095	1.000	Pass
			1	243	17.79	2.1	19.89	0.097	1.000	Pass
100	MCH	PI/2 BPSK	135	67	23.65	2.1	25.75	0.376	1.000	Pass
			1	1	23.78	2.1	25.88	0.387	1.000	Pass
			1	271	23.46	2.1	25.56	0.360	1.000	Pass
		QPSK	135	67	23.59	2.1	25.69	0.371	1.000	Pass
			1	1	23.66	2.1	25.76	0.377	1.000	Pass
			1	271	23.41	2.1	25.51	0.356	1.000	Pass
		16QAM	135	67	22.7	2.1	24.80	0.302	1.000	Pass
			1	1	22.73	2.1	24.83	0.304	1.000	Pass
			1	271	22.49	2.1	24.59	0.288	1.000	Pass
		64QAM	135	67	20.39	2.1	22.49	0.177	1.000	Pass
			1	1	20.29	2.1	22.39	0.173	1.000	Pass
			1	271	19.92	2.1	22.02	0.159	1.000	Pass
		256QAM	135	67	17.68	2.1	19.78	0.095	1.000	Pass
			1	1	17.62	2.1	19.72	0.094	1.000	Pass
			1	271	17.55	2.1	19.65	0.092	1.000	Pass

ENDC Mode Test Data

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n5A													
5MHz(LTE)+5MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	19.046	19.462	22.2693	23.64	0.231	7.00	Pass
			12	6	8	0	18.964	19.455	22.2267	23.61	0.229	7.00	Pass
	MCH		12	6	8	0	18.949	19.433	22.208	23.59	0.228	7.00	Pass
	HCH		1	23	1	24	18.906	19.432	22.1873	23.57	0.228	7.00	Pass
			12	6	8	0	18.896	19.471	22.2033	23.59	0.229	7.00	Pass
	LCH	QPSK	1	1	1	0	18.977	19.429	22.2192	23.60	0.229	7.00	Pass
			12	6	8	0	18.901	19.437	22.1876	23.57	0.228	7.00	Pass
	MCH		12	6	8	0	18.876	19.511	22.2154	23.61	0.230	7.00	Pass
	HCH		1	23	1	24	18.958	19.520	22.2584	23.65	0.232	7.00	Pass
			12	6	8	0	18.837	19.455	22.1673	23.56	0.227	7.00	Pass
	LCH	16QAM	1	1	1	0	19.293	19.419	22.3668	23.70	0.235	7.00	Pass
			12	6	8	0	18.868	19.407	22.1562	23.54	0.226	7.00	Pass
	MCH		12	6	8	0	18.853	19.511	22.2047	23.61	0.229	7.00	Pass
	HCH		1	23	1	24	19.318	19.318	22.3283	23.65	0.232	7.00	Pass
			12	6	8	0	18.846	19.465	22.1768	23.57	0.228	7.00	Pass
	LCH	64QAM	1	1	1	0	18.979	19.537	22.2773	23.67	0.233	7.00	Pass
			12	6	8	0	18.833	19.538	22.2101	23.62	0.230	7.00	Pass
	MCH		12	6	8	0	18.919	19.542	22.252	23.65	0.232	7.00	Pass
	HCH		1	23	1	24	18.950	19.304	22.1409	23.50	0.224	7.00	Pass
			12	6	8	0	18.901	19.496	22.219	23.61	0.230	7.00	Pass
	LCH	256QAM	1	1	1	0	17.856	19.438	21.7289	23.24	0.211	7.00	Pass
			12	6	8	0	17.899	19.459	21.759	23.27	0.212	7.00	Pass
	MCH		12	6	8	0	17.849	19.525	21.7777	23.30	0.214	7.00	Pass
	HCH		1	23	1	24	17.808	19.428	21.7034	23.22	0.210	7.00	Pass
			12	6	8	0	17.913	19.471	21.7718	23.28	0.213	7.00	Pass
20MHz(LTE)+20MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	19.078	19.114	22.1053	23.43	0.220	7.00	Pass
			50	25	18	0	18.945	19.261	22.1152	23.48	0.223	7.00	Pass
	MCH		50	25	18	0	19.001	19.248	22.1356	23.49	0.223	7.00	Pass
	HCH		1	104	1	99	18.832	19.119	21.9636	23.34	0.216	7.00	Pass
			50	25	18	0	18.944	19.271	22.1151	23.48	0.223	7.00	Pass
	LCH	QPSK	1	1	1	0	19.077	19.004	22.0605	23.36	0.217	7.00	Pass
			50	25	18	0	18.933	19.258	22.106	23.47	0.222	7.00	Pass
	MCH		50	25	18	0	18.892	19.316	22.1161	23.49	0.223	7.00	Pass
	HCH		1	104	1	99	18.776	19.200	22.0221	23.38	0.218	7.00	Pass
			50	25	18	0	18.918	19.281	22.1623	23.48	0.223	7.00	Pass

	LCH	16 QAM	1	1	1	0	19.381	19.117	22.3319	23.55	0.226	7.00	Pass
			50	25	18	0	18.967	19.316	22.1539	23.52	0.225	7.00	Pass
	MCH		50	25	18	0	18.963	19.191	22.0805	23.44	0.221	7.00	Pass
	HCH		1	104	1	99	19.193	19.198	22.1551	23.53	0.225	7.00	Pass
			50	25	18	0	18.927	19.274	22.1354	23.48	0.223	7.00	Pass
	LCH	64 QAM	1	1	1	0	19.015	19.122	22.1308	23.41	0.219	7.00	Pass
			50	25	18	0	18.951	19.359	22.2098	23.54	0.226	7.00	Pass
	MCH		50	25	18	0	18.953	19.344	22.2025	23.53	0.226	7.00	Pass
	HCH		1	104	1	99	18.744	19.246	22.0267	23.39	0.219	7.00	Pass
			50	25	18	0	19.024	19.197	22.1222	23.46	0.222	7.00	Pass
	LCH	256 QAM	1	1	1	0	17.968	19.099	21.6085	23.04	0.201	7.00	Pass
			50	25	18	0	17.854	19.364	21.7305	23.19	0.208	7.00	Pass
	MCH		50	25	18	0	17.933	19.326	21.7326	23.19	0.208	7.00	Pass
	HCH		1	104	1	99	17.705	19.307	21.5967	23.11	0.204	7.00	Pass
			50	25	18	0	17.974	19.266	21.6731	23.16	0.207	7.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n7A													
5MHz(LTE)+5MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	21.126	19.426	23.369	26.12	0.410	2.00	Pass
			12	6	8	0	21.020	19.528	23.3481	26.09	0.406	2.00	Pass
	MCH		12	6	8	0	21.074	19.501	23.3686	26.12	0.409	2.00	Pass
	HCH		1	23	1	24	21.220	19.386	23.4094	26.17	0.414	2.00	Pass
			12	6	8	0	21.092	19.550	23.3994	26.14	0.412	2.00	Pass
	LCH	QPSK	1	1	1	0	21.133	19.530	23.4153	26.16	0.413	2.00	Pass
			12	6	8	0	21.115	19.537	23.4076	26.15	0.413	2.00	Pass
	MCH		12	6	8	0	20.989	19.483	23.3113	26.05	0.403	2.00	Pass
	HCH		1	23	1	24	21.115	19.471	23.3806	26.13	0.410	2.00	Pass
			12	6	8	0	21.005	19.516	23.3343	26.08	0.405	2.00	Pass
	LCH	16QAM	1	1	1	0	21.452	19.524	23.6044	26.37	0.434	2.00	Pass
			12	6	8	0	21.073	19.580	23.4006	26.14	0.411	2.00	Pass
	MCH		12	6	8	0	21.073	19.468	23.3545	26.10	0.408	2.00	Pass
	HCH		1	23	1	24	21.583	19.369	23.6259	26.41	0.438	2.00	Pass
			12	6	8	0	21.025	19.537	23.3547	26.10	0.407	2.00	Pass
	LCH	64QAM	1	1	1	0	21.126	19.549	23.419	26.17	0.414	2.00	Pass
			12	6	8	0	21.113	19.499	23.3909	26.14	0.411	2.00	Pass
	MCH		12	6	8	0	21.019	19.613	23.383	26.12	0.409	2.00	Pass
	HCH		1	23	1	24	21.132	19.401	23.3625	26.12	0.409	2.00	Pass
			12	6	8	0	20.983	19.571	23.3444	26.08	0.406	2.00	Pass
	LCH	256QAM	1	1	1	0	19.894	19.432	22.6794	25.35	0.343	2.00	Pass
			12	6	8	0	20.065	19.542	22.8217	25.50	0.355	2.00	Pass
	MCH		12	6	8	0	20.021	19.558	22.806	25.48	0.353	2.00	Pass
	HCH		1	23	1	24	20.113	19.496	22.8257	25.51	0.356	2.00	Pass
			12	6	8	0	20.060	19.538	22.8171	25.49	0.354	2.00	Pass
5MHz(LTE)+50MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	21.097	19.550	23.4023	26.15	0.412	2.00	Pass
			135	67	8	0	21.394	19.667	23.6261	26.38	0.435	2.00	Pass
	MCH		135	67	8	0	21.382	19.648	23.6113	26.37	0.433	2.00	Pass
	HCH		1	268	1	24	21.262	19.519	23.4877	26.25	0.421	2.00	Pass
			135	67	8	0	21.362	19.679	23.6118	26.37	0.433	2.00	Pass
	LCH	QPSK	1	1	1	0	21.105	19.658	23.4518	26.19	0.416	2.00	Pass
			135	67	8	0	21.359	19.662	23.6032	26.36	0.432	2.00	Pass
	MCH		135	67	8	0	21.325	19.645	23.576	26.33	0.430	2.00	Pass
	HCH		1	268	1	24	21.270	19.518	23.4921	26.25	0.422	2.00	Pass
			135	67	8	0	21.328	19.692	23.5969	26.35	0.431	2.00	Pass

	LCH	16 QAM	1	1	1	0	21.441	19.463	23.574	26.35	0.431	2.00	Pass
			135	67	8	0	21.357	19.647	23.5959	26.35	0.432	2.00	Pass
	MCH		135	67	8	0	21.267	19.640	23.5395	26.29	0.426	2.00	Pass
	HCH		1	268	1	24	21.386	19.523	23.5639	26.33	0.429	2.00	Pass
			135	67	8	0	21.225	19.710	23.5435	26.29	0.425	2.00	Pass
	LCH	64 QAM	1	1	1	0	20.998	19.602	23.3662	26.10	0.408	2.00	Pass
			135	67	8	0	21.226	19.682	23.5326	26.28	0.424	2.00	Pass
	MCH		135	67	8	0	21.254	19.666	23.5425	26.29	0.426	2.00	Pass
	HCH		1	268	1	24	21.148	19.663	23.479	26.22	0.419	2.00	Pass
			135	67	8	0	21.301	19.735	23.5985	26.34	0.431	2.00	Pass
	LCH	256 QAM	1	1	1	0	20.100	19.471	22.8072	25.49	0.354	2.00	Pass
			135	67	8	0	20.362	19.587	23.0021	25.70	0.371	2.00	Pass
	MCH		135	67	8	0	20.340	19.678	23.0319	25.72	0.373	2.00	Pass
	HCH		1	268	1	24	20.069	19.767	22.9309	25.59	0.362	2.00	Pass
			135	67	8	0	20.247	19.607	22.9491	25.63	0.366	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n12A													
5MHz(LTE)+5MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	17.043	19.562	21.4929	22.55	0.180	3.00	Pass
			12	6	8	0	17.165	19.576	21.546	22.58	0.181	3.00	Pass
	MCH		12	6	8	0	17.151	19.440	21.4549	22.46	0.176	3.00	Pass
	HCH		1	23	1	24	17.205	19.563	21.5524	22.57	0.181	3.00	Pass
			12	6	8	0	17.148	19.484	21.4815	22.50	0.178	3.00	Pass
	LCH	QPSK	1	1	1	0	16.951	19.565	21.4621	22.54	0.179	3.00	Pass
			12	6	8	0	17.157	19.484	21.4848	22.50	0.178	3.00	Pass
	MCH		12	6	8	0	17.134	19.442	21.4498	22.46	0.176	3.00	Pass
	HCH		1	23	1	24	17.225	19.348	21.4253	22.39	0.174	3.00	Pass
			12	6	8	0	17.116	19.483	21.4691	22.49	0.177	3.00	Pass
	LCH	16QAM	1	1	1	0	17.396	19.449	21.553	22.51	0.178	3.00	Pass
			12	6	8	0	17.047	19.452	21.4242	22.45	0.176	3.00	Pass
	MCH		12	6	8	0	17.072	19.548	21.4944	22.54	0.179	3.00	Pass
	HCH		1	23	1	24	17.448	19.386	21.5345	22.46	0.176	3.00	Pass
			12	6	8	0	17.110	19.409	21.4202	22.43	0.175	3.00	Pass
	LCH	64QAM	1	1	1	0	17.012	19.497	21.4402	22.49	0.177	3.00	Pass
			12	6	8	0	17.104	19.585	21.5296	22.58	0.181	3.00	Pass
	MCH		12	6	8	0	17.115	19.480	21.4668	22.49	0.177	3.00	Pass
	HCH		1	23	1	24	17.197	19.420	21.4595	22.45	0.176	3.00	Pass
			12	6	8	0	17.082	19.554	21.5019	22.55	0.180	3.00	Pass
	LCH	256QAM	1	1	1	0	16.907	19.613	21.4777	22.57	0.181	3.00	Pass
			12	6	8	0	17.125	19.523	21.4977	22.53	0.179	3.00	Pass
	MCH		12	6	8	0	17.204	19.494	21.5085	22.51	0.178	3.00	Pass
	HCH		1	23	1	24	17.081	19.294	21.3373	22.33	0.171	3.00	Pass
			12	6	8	0	17.176	19.523	21.5165	22.53	0.179	3.00	Pass
20MHz(LTE)+15MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	17.038	19.185	21.2531	22.23	0.167	3.00	Pass
			36	18	18	0	17.041	19.336	21.3487	22.36	0.172	3.00	Pass
	MCH		36	18	18	0	17.121	19.320	21.3685	22.35	0.172	3.00	Pass
	HCH		1	77	1	99	17.202	19.197	21.3234	22.26	0.168	3.00	Pass
			36	18	18	0	17.082	19.259	21.3158	22.30	0.170	3.00	Pass
	LCH	QPSK	1	1	1	0	17.082	19.092	21.2126	22.16	0.164	3.00	Pass
			36	18	18	0	17.037	19.358	21.361	22.37	0.173	3.00	Pass
	MCH		36	18	18	0	17.130	19.337	21.3825	22.37	0.173	3.00	Pass
	HCH		1	77	1	99	17.238	19.203	21.341	22.27	0.169	3.00	Pass
			36	18	18	0	17.076	19.378	21.3881	22.40	0.174	3.00	Pass

	LCH	16 QAM	1	1	1	0	17.384	19.117	21.3467	22.23	0.167	3.00	Pass
			36	18	18	0	17.126	19.327	21.3748	22.36	0.172	3.00	Pass
	MCH		36	18	18	0	17.132	19.318	21.3714	22.35	0.172	3.00	Pass
	HCH		1	77	1	99	17.348	19.219	21.3938	22.31	0.170	3.00	Pass
			36	18	18	0	17.109	19.406	21.4179	22.42	0.175	3.00	Pass
	LCH	64 QAM	1	1	1	0	16.976	19.142	21.203	22.18	0.165	3.00	Pass
			36	18	18	0	17.061	19.247	21.3004	22.28	0.169	3.00	Pass
	MCH		36	18	18	0	17.076	19.248	21.3067	22.29	0.169	3.00	Pass
	HCH		1	77	1	99	17.044	19.144	21.23	22.19	0.166	3.00	Pass
			36	18	18	0	17.141	19.236	21.3239	22.29	0.169	3.00	Pass
	LCH	256 QAM	1	1	1	0	17.258	19.155	21.3196	22.24	0.167	3.00	Pass
			36	18	18	0	17.094	19.302	21.3471	22.33	0.171	3.00	Pass
	MCH		36	18	18	0	17.082	19.281	21.3295	22.31	0.170	3.00	Pass
	HCH		1	77	1	99	17.049	19.254	21.3003	22.29	0.169	3.00	Pass
			36	18	18	0	17.127	19.329	21.3764	22.36	0.172	3.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n14A													
5MHz(LTE)+5MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	18.512	19.447	22.0149	22.27	0.169	3.00	Pass
			12	6	8	0	18.427	19.576	22.0497	22.37	0.172	3.00	Pass
	MCH		12	6	8	0	18.396	19.536	22.0136	22.33	0.171	3.00	Pass
	HCH		1	23	1	24	18.406	19.316	21.8951	22.15	0.164	3.00	Pass
			12	6	8	0	18.495	19.481	22.0262	22.30	0.170	3.00	Pass
	LCH	QPSK	1	1	1	0	18.507	19.462	22.021	22.29	0.169	3.00	Pass
			12	6	8	0	18.374	19.592	22.0359	22.37	0.173	3.00	Pass
	MCH		12	6	8	0	18.424	19.441	21.9725	22.25	0.168	3.00	Pass
	HCH		1	23	1	24	18.424	19.559	22.0388	22.35	0.172	3.00	Pass
			12	6	8	0	18.418	19.579	22.0475	22.37	0.172	3.00	Pass
	LCH	16QAM	1	1	1	0	18.862	19.440	22.1709	22.33	0.171	3.00	Pass
			12	6	8	0	18.381	19.533	22.0054	22.32	0.171	3.00	Pass
	MCH		12	6	8	0	18.371	19.541	22.0056	22.33	0.171	3.00	Pass
	HCH		1	23	1	24	18.726	19.344	22.0563	22.23	0.167	3.00	Pass
			12	6	8	0	18.340	19.496	21.9666	22.29	0.169	3.00	Pass
	LCH	64QAM	1	1	1	0	18.514	19.450	22.0175	22.28	0.169	3.00	Pass
			12	6	8	0	18.454	19.451	21.9913	22.27	0.169	3.00	Pass
	MCH		12	6	8	0	18.407	19.557	22.0303	22.35	0.172	3.00	Pass
	HCH		1	23	1	24	18.460	19.366	21.9469	22.20	0.166	3.00	Pass
			12	6	8	0	18.389	19.432	21.952	22.24	0.167	3.00	Pass
	LCH	256QAM	1	1	1	0	18.271	19.488	21.9323	22.27	0.169	3.00	Pass
			12	6	8	0	18.355	19.513	21.9828	22.30	0.170	3.00	Pass
	MCH		12	6	8	0	18.324	19.481	21.9512	22.27	0.169	3.00	Pass
	HCH		1	23	1	24	18.120	19.369	21.7995	22.14	0.164	3.00	Pass
			12	6	8	0	18.353	19.526	21.9893	22.31	0.170	3.00	Pass
20MHz(LTE)+10MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	18.471	19.167	21.8432	22.04	0.160	3.00	Pass
			25	12	18	0	18.437	19.317	21.9096	22.15	0.164	3.00	Pass
	MCH		25	12	18	0	18.491	19.399	21.979	22.23	0.167	3.00	Pass
	HCH		1	50	1	99	18.235	19.153	21.7285	21.98	0.158	3.00	Pass
			25	12	18	0	18.415	19.338	21.9113	22.17	0.165	3.00	Pass
	LCH	QPSK	1	1	1	0	18.537	19.100	21.8379	21.99	0.158	3.00	Pass
			25	12	18	0	18.464	19.360	21.9454	22.19	0.166	3.00	Pass
	MCH		25	12	18	0	18.430	19.332	21.9147	22.16	0.165	3.00	Pass
	HCH		1	50	1	99	18.318	19.082	21.7271	21.94	0.156	3.00	Pass
			25	12	18	0	18.444	19.370	21.9419	22.20	0.166	3.00	Pass

	LCH	16 QAM	1	1	1	0	18.973	19.305	22.1525	22.24	0.168	3.00	Pass
			25	12	18	0	18.461	19.310	21.9165	22.15	0.164	3.00	Pass
	MCH		25	12	18	0	18.440	19.410	21.9623	22.23	0.167	3.00	Pass
	HCH		1	50	1	99	18.652	19.195	21.9423	22.09	0.162	3.00	Pass
			25	12	18	0	18.492	19.380	21.969	22.21	0.167	3.00	Pass
	LCH	64 QAM	1	1	1	0	18.439	19.217	21.8557	22.07	0.161	3.00	Pass
			25	12	18	0	18.424	19.322	21.9065	22.16	0.164	3.00	Pass
	MCH		25	12	18	0	18.411	19.311	21.8946	22.14	0.164	3.00	Pass
	HCH		1	50	1	99	18.255	19.127	21.7231	21.96	0.157	3.00	Pass
			25	12	18	0	18.397	19.306	21.8855	22.14	0.164	3.00	Pass
	LCH	256 QAM	1	1	1	0	18.188	19.191	21.7287	22.01	0.159	3.00	Pass
			25	12	18	0	18.282	19.362	21.8658	22.16	0.165	3.00	Pass
	MCH		25	12	18	0	18.325	19.327	21.8651	22.14	0.164	3.00	Pass
	HCH		1	50	1	99	18.053	19.197	21.6729	21.99	0.158	3.00	Pass
			25	12	18	0	18.239	19.362	21.847	22.16	0.164	3.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n30A													
5MHz(LTE)+5MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	18.415	18.261	21.3490	23.90	0.245	0.25	Pass
			12	6	8	0	18.263	18.253	21.2683	23.81	0.240	0.25	Pass
	MCH		12	6	8	0	18.314	18.339	21.3368	23.88	0.244	0.25	Pass
	HCH		1	23	1	24	18.224	18.218	21.2313	23.77	0.238	0.25	Pass
			12	6	8	0	18.302	18.158	21.2409	23.79	0.239	0.25	Pass
	LCH	QPSK	1	1	1	0	18.395	18.16	21.2894	23.84	0.242	0.25	Pass
			12	6	8	0	18.214	18.23	21.2323	23.77	0.238	0.25	Pass
	MCH		12	6	8	0	18.286	18.21	21.2585	23.80	0.240	0.25	Pass
	HCH		1	23	1	24	18.341	18.093	21.2291	23.78	0.239	0.25	Pass
			12	6	8	0	18.247	18.368	21.3182	23.85	0.243	0.25	Pass
	LCH	16QAM	1	1	1	0	18.449	18.256	21.3639	23.92	0.246	0.25	Pass
			12	6	8	0	18.253	18.201	21.2374	23.78	0.239	0.25	Pass
	MCH		12	6	8	0	18.242	18.191	21.2269	23.77	0.238	0.25	Pass
	HCH		1	23	1	24	18.191	18.071	21.1417	23.69	0.234	0.25	Pass
			12	6	8	0	18.189	18.256	21.2329	23.77	0.238	0.25	Pass
	LCH	64QAM	1	1	1	0	18.285	18.267	21.2863	23.83	0.241	0.25	Pass
			12	6	8	0	18.081	18.218	21.1603	23.69	0.234	0.25	Pass
	MCH		12	6	8	0	18.16	18.21	21.1954	23.73	0.236	0.25	Pass
	HCH		1	23	1	24	18.14	18.204	21.1824	23.72	0.235	0.25	Pass
			12	6	8	0	18.105	18.285	21.2062	23.74	0.236	0.25	Pass
	LCH	256QAM	1	1	1	0	17.216	18.22	20.7572	23.24	0.211	0.25	Pass
			12	6	8	0	17.076	18.176	20.6710	23.15	0.206	0.25	Pass
	MCH		12	6	8	0	17.137	18.267	20.7489	23.22	0.210	0.25	Pass
	HCH		1	23	1	24	17.164	18.131	20.6847	23.17	0.207	0.25	Pass
			12	6	8	0	17.153	18.301	20.7751	23.25	0.211	0.25	Pass
20MHz(LTE)+10MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	18.527	17.879	21.2254	23.80	0.240	0.50	Pass
			25	12	18	0	18.346	18.108	21.2389	23.79	0.239	0.50	Pass
	MCH		25	12	18	0	18.293	18.077	21.1966	23.75	0.237	0.50	Pass
	HCH		1	50	1	99	18.343	17.995	21.1828	23.74	0.237	0.50	Pass
			25	12	18	0	18.171	18.004	21.0986	23.65	0.232	0.50	Pass
	LCH	QPSK	1	1	1	0	18.504	17.967	21.2541	23.83	0.241	0.50	Pass
			25	12	18	0	18.318	18.071	21.2066	23.76	0.238	0.50	Pass
	MCH		25	12	18	0	18.285	17.962	21.1368	23.70	0.234	0.50	Pass
	HCH		1	50	1	99	18.436	18.095	21.2791	23.84	0.242	0.50	Pass
			25	12	18	0	18.356	18.003	21.1934	23.75	0.237	0.50	Pass

	LCH	16 QAM	1	1	1	0	18.73	17.874	21.3334	23.92	0.247	0.50	Pass
			25	12	18	0	18.265	18.081	21.1843	23.73	0.236	0.50	Pass
	MCH		25	12	18	0	18.349	18.053	21.2138	23.77	0.238	0.50	Pass
	HCH		1	50	1	99	18.785	18.083	21.4585	24.04	0.253	0.50	Pass
			25	12	18	0	18.266	18.008	21.1492	23.70	0.235	0.50	Pass
	LCH	64 QAM	1	1	1	0	18.338	17.899	21.1343	23.70	0.234	0.50	Pass
			25	12	18	0	18.14	18.078	21.1194	23.66	0.232	0.50	Pass
	MCH		25	12	18	0	18.248	18.072	21.1712	23.72	0.236	0.50	Pass
	HCH		1	50	1	99	18.399	17.931	21.1816	23.75	0.237	0.50	Pass
			25	12	18	0	18.263	18.034	21.1603	23.71	0.235	0.50	Pass
	LCH	256 QAM	1	1	1	0	17.001	17.971	20.5233	23.01	0.200	0.50	Pass
			25	12	18	0	17.117	17.97	20.5747	23.06	0.203	0.50	Pass
	MCH		25	12	18	0	17.072	18.061	20.6049	23.09	0.204	0.50	Pass
	HCH		1	50	1	99	16.986	17.857	20.4536	22.94	0.197	0.50	Pass
			25	12	18	0	16.964	18.087	20.5720	23.05	0.202	0.50	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n38A													
5MHz(LTE)+10MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	20.964	19.654	23.3685	25.72	0.374	2.00	Pass
			12	6	8	0	21.130	19.533	23.4148	25.78	0.378	2.00	Pass
	MCH		12	6	8	0	21.003	19.511	23.3311	25.69	0.371	2.00	Pass
	HCH		1	22	1	24	20.845	19.378	23.1834	25.54	0.358	2.00	Pass
			12	6	8	0	21.171	19.552	23.4468	25.81	0.381	2.00	Pass
	LCH	QPSK	1	1	1	0	20.803	19.669	23.2832	25.63	0.366	2.00	Pass
			12	6	8	0	20.871	19.544	23.2683	25.62	0.365	2.00	Pass
	MCH		12	6	8	0	20.860	19.514	23.2492	25.61	0.364	2.00	Pass
	HCH		1	22	1	24	20.738	19.399	23.1302	25.49	0.354	2.00	Pass
			12	6	8	0	20.919	19.569	23.3065	25.66	0.368	2.00	Pass
	LCH	16QAM	1	1	1	0	21.097	19.465	23.3675	25.73	0.374	2.00	Pass
			12	6	8	0	21.017	19.635	23.391	25.75	0.376	2.00	Pass
	MCH		12	6	8	0	20.915	19.521	23.284	25.64	0.367	2.00	Pass
	HCH		1	22	1	24	21.014	19.418	23.2992	25.66	0.368	2.00	Pass
			12	6	8	0	20.997	19.595	23.3626	25.72	0.373	2.00	Pass
	LCH	64QAM	1	1	1	0	20.924	19.522	23.2896	25.65	0.367	2.00	Pass
			12	6	8	0	20.866	19.577	23.2794	25.63	0.366	2.00	Pass
	MCH		12	6	8	0	21.080	19.582	23.4056	25.77	0.377	2.00	Pass
	HCH		1	22	1	24	20.804	19.469	23.1979	25.55	0.359	2.00	Pass
			12	6	8	0	21.066	19.555	23.3862	25.75	0.376	2.00	Pass
	LCH	256QAM	1	1	1	0	20.269	19.464	22.8954	25.23	0.334	2.00	Pass
			12	6	8	0	20.534	19.602	23.1033	25.45	0.350	2.00	Pass
	MCH		12	6	8	0	20.286	19.576	22.9558	25.29	0.338	2.00	Pass
	HCH		1	22	1	24	20.199	19.448	22.85	25.19	0.330	2.00	Pass
			12	6	8	0	20.479	19.617	23.0797	25.42	0.348	2.00	Pass
10MHz(LTE)+40MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	21.017	19.180	23.2052	25.58	0.361	2.00	Pass
			50	25	12	0	21.118	19.411	23.3581	25.73	0.374	2.00	Pass
	MCH		50	25	12	0	21.096	19.399	23.3402	25.71	0.372	2.00	Pass
	HCH		1	104	1	49	20.733	19.224	23.054	25.42	0.348	2.00	Pass
			50	25	12	0	20.852	19.333	23.1689	25.53	0.357	2.00	Pass
	LCH	QPSK	1	1	1	0	21.085	19.263	23.2792	25.65	0.367	2.00	Pass
			50	25	12	0	21.020	19.374	23.2848	25.65	0.367	2.00	Pass
	MCH		50	25	12	0	20.797	19.376	23.1547	25.51	0.356	2.00	Pass
	HCH		1	104	1	49	20.816	19.209	23.0967	25.46	0.352	2.00	Pass
			50	25	12	0	20.858	19.318	23.1662	25.53	0.357	2.00	Pass

	LCH	16 QAM	1	1	1	0	20.996	19.214	23.2061	25.58	0.361	2.00	Pass
			50	25	12	0	20.911	19.393	23.2283	25.59	0.362	2.00	Pass
	MCH		50	25	12	0	20.908	19.380	23.2212	25.58	0.362	2.00	Pass
	HCH		1	104	1	49	20.839	19.341	23.1646	25.53	0.357	2.00	Pass
			50	25	12	0	20.889	19.349	23.1972	25.56	0.360	2.00	Pass
	LCH	64 QAM	1	1	1	0	21.087	19.142	23.2328	25.61	0.364	2.00	Pass
			50	25	12	0	21.035	19.449	23.3243	25.69	0.371	2.00	Pass
	MCH		50	25	12	0	21.039	19.449	23.3267	25.69	0.371	2.00	Pass
	HCH		1	104	1	49	21.061	19.175	23.2299	25.60	0.363	2.00	Pass
			50	25	12	0	21.001	19.423	23.2936	25.66	0.368	2.00	Pass
	LCH	256 QAM	1	1	1	0	20.558	19.181	22.9341	25.29	0.338	2.00	Pass
			50	25	12	0	20.329	19.423	22.9099	25.25	0.335	2.00	Pass
	MCH		50	25	12	0	20.404	19.409	22.9452	25.29	0.338	2.00	Pass
	HCH		1	104	1	49	20.301	19.250	22.8175	25.16	0.328	2.00	Pass
			50	25	12	0	20.341	19.356	22.8867	25.23	0.333	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n41A													
5MHz(LTE)+10MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	20.872	19.603	23.294	25.71	0.372	2.00	Pass
			12	6	8	0	21.115	19.599	23.4331	25.86	0.385	2.00	Pass
	MCH		12	6	8	0	20.870	19.570	23.2788	25.69	0.371	2.00	Pass
	HCH		1	22	1	24	20.692	19.453	23.1268	25.54	0.358	2.00	Pass
			12	6	8	0	21.138	19.508	23.4093	25.84	0.384	2.00	Pass
	LCH	QPSK	1	1	1	0	21.103	19.521	23.3939	25.82	0.382	2.00	Pass
			12	6	8	0	20.851	19.595	23.2785	25.69	0.371	2.00	Pass
	MCH		12	6	8	0	21.024	19.574	23.3695	25.79	0.379	2.00	Pass
	HCH		1	22	1	24	20.795	19.575	23.238	25.65	0.367	2.00	Pass
			12	6	8	0	20.975	19.528	23.3218	25.74	0.375	2.00	Pass
	LCH	16QAM	1	1	1	0	21.300	19.543	23.5201	25.95	0.394	2.00	Pass
			12	6	8	0	20.853	19.606	23.2844	25.70	0.371	2.00	Pass
	MCH		12	6	8	0	21.052	19.593	23.3938	25.82	0.382	2.00	Pass
	HCH		1	22	1	24	21.073	19.372	23.3156	25.75	0.376	2.00	Pass
			12	6	8	0	20.907	19.555	23.2937	25.71	0.373	2.00	Pass
	LCH	64QAM	1	1	1	0	20.900	19.481	23.2585	25.68	0.370	2.00	Pass
			12	6	8	0	21.035	19.648	23.4069	25.83	0.382	2.00	Pass
	MCH		12	6	8	0	21.018	19.541	23.3523	25.77	0.378	2.00	Pass
	HCH		1	22	1	24	20.668	19.541	23.1513	25.56	0.360	2.00	Pass
			12	6	8	0	21.000	19.621	23.3753	25.79	0.380	2.00	Pass
	LCH	256QAM	1	1	1	0	20.902	19.463	23.2521	25.67	0.369	2.00	Pass
			12	6	8	0	20.797	19.561	23.2331	25.65	0.367	2.00	Pass
	MCH		12	6	8	0	20.987	19.527	23.3284	25.75	0.376	2.00	Pass
	HCH		1	22	1	24	20.684	19.404	23.1013	25.52	0.356	2.00	Pass
			12	6	8	0	20.933	19.585	23.3214	25.74	0.375	2.00	Pass
10MHz(LTE)+100MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	20.814	19.492	23.2134	25.63	0.366	2.00	Pass
			135	67	12	0	20.811	19.728	23.3135	25.72	0.373	2.00	Pass
	MCH		135	67	12	0	20.686	19.706	23.2339	25.64	0.366	2.00	Pass
	HCH		1	271	1	49	20.638	19.452	23.0957	25.51	0.355	2.00	Pass
			135	67	12	0	20.833	19.756	23.3381	25.75	0.375	2.00	Pass
	LCH	QPSK	1	1	1	0	20.712	19.472	23.1464	25.56	0.360	2.00	Pass
			135	67	12	0	20.713	19.706	23.2489	25.65	0.368	2.00	Pass
	MCH		135	67	12	0	20.725	19.689	23.2481	25.65	0.368	2.00	Pass
	HCH		1	271	1	49	20.729	19.560	23.194	25.60	0.363	2.00	Pass
			135	67	12	0	20.757	19.633	23.2416	25.65	0.367	2.00	Pass

	LCH	16 QAM	1	1	1	0	20.984	19.518	23.3229	25.74	0.375	2.00	Pass
			135	67	12	0	20.766	19.716	23.283	25.69	0.371	2.00	Pass
	MCH		135	67	12	0	20.574	19.706	23.1719	25.57	0.361	2.00	Pass
	HCH		1	271	1	49	20.898	19.588	23.3025	25.72	0.373	2.00	Pass
			135	67	12	0	20.721	19.675	23.2397	25.65	0.367	2.00	Pass
	LCH	64 QAM	1	1	1	0	20.543	19.468	23.049	25.46	0.351	2.00	Pass
			135	67	12	0	20.908	19.745	23.3756	25.79	0.379	2.00	Pass
	MCH		135	67	12	0	20.689	19.636	23.2046	25.61	0.364	2.00	Pass
	HCH		1	271	1	49	20.596	19.529	23.1055	25.51	0.356	2.00	Pass
			135	67	12	0	20.767	19.727	23.2884	25.69	0.371	2.00	Pass
	LCH	256 QAM	1	1	1	0	20.577	19.623	23.1364	25.54	0.358	2.00	Pass
			135	67	12	0	20.701	19.760	23.2662	25.67	0.369	2.00	Pass
	MCH		135	67	12	0	21.016	19.739	23.4346	25.85	0.385	2.00	Pass
	HCH		1	271	1	49	20.866	19.604	23.291	25.71	0.372	2.00	Pass
			135	67	12	0	20.643	19.679	23.198	25.60	0.363	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n66A													
5MHz(LTE)+5MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	19.840	19.478	22.6731	25.30	0.339	1.00	Pass
			12	6	8	0	19.801	19.511	22.6687	25.29	0.338	1.00	Pass
	MCH		12	6	8	0	19.766	19.572	22.6804	25.30	0.339	1.00	Pass
	HCH		1	23	1	24	19.785	19.479	22.645	25.27	0.336	1.00	Pass
			12	6	8	0	19.788	19.527	22.6698	25.29	0.338	1.00	Pass
	LCH	QPSK	1	1	1	0	19.761	19.478	22.6321	25.25	0.335	1.00	Pass
			12	6	8	0	19.718	19.523	22.6319	25.25	0.335	1.00	Pass
	MCH		12	6	8	0	19.679	19.603	22.6515	25.26	0.336	1.00	Pass
	HCH		1	23	1	24	19.773	19.492	22.6451	25.27	0.336	1.00	Pass
			12	6	8	0	19.788	19.631	22.7205	25.34	0.342	1.00	Pass
	LCH	16QAM	1	1	1	0	20.040	19.478	22.7784	25.41	0.347	1.00	Pass
			12	6	8	0	19.676	19.480	22.5894	25.21	0.332	1.00	Pass
	MCH		12	6	8	0	19.767	19.366	22.5814	25.21	0.332	1.00	Pass
	HCH		1	23	1	24	20.222	19.388	22.8353	25.47	0.353	1.00	Pass
			12	6	8	0	19.865	19.531	22.7115	25.33	0.341	1.00	Pass
	LCH	64QAM	1	1	1	0	19.777	19.498	22.65	25.27	0.337	1.00	Pass
			12	6	8	0	19.702	19.499	22.612	25.23	0.333	1.00	Pass
	MCH		12	6	8	0	19.690	19.505	22.6088	25.23	0.333	1.00	Pass
	HCH		1	23	1	24	19.856	19.410	22.649	25.27	0.337	1.00	Pass
			12	6	8	0	19.732	19.465	22.6109	25.23	0.333	1.00	Pass
	LCH	256QAM	1	1	1	0	18.597	19.626	22.1522	24.73	0.297	1.00	Pass
			12	6	8	0	18.789	19.544	22.1932	24.78	0.300	1.00	Pass
	MCH		12	6	8	0	18.744	19.518	22.1585	24.74	0.298	1.00	Pass
	HCH		1	23	1	24	18.659	19.314	22.0091	24.60	0.288	1.00	Pass
			12	6	8	0	18.797	19.567	22.2093	24.79	0.302	1.00	Pass
10MHz(LTE)+10MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	19.524	19.172	22.3619	24.98	0.315	1.00	Pass
			25	12	12	0	19.860	19.320	22.6087	25.24	0.334	1.00	Pass
	MCH		25	12	12	0	19.967	19.283	22.6488	25.28	0.337	1.00	Pass
	HCH		1	50	1	49	19.801	19.158	22.5017	25.13	0.326	1.00	Pass
			25	12	12	0	19.915	19.232	22.5972	25.23	0.334	1.00	Pass
	LCH	QPSK	1	1	1	0	19.583	19.201	22.4065	25.03	0.318	1.00	Pass
			25	12	12	0	19.828	19.232	22.5505	25.18	0.330	1.00	Pass
	MCH		25	12	12	0	19.895	19.421	22.6748	25.30	0.339	1.00	Pass
	HCH		1	50	1	49	19.879	19.181	22.5543	25.19	0.330	1.00	Pass
			25	12	12	0	19.838	19.354	22.613	25.24	0.334	1.00	Pass

	LCH	16 QAM	1	1	1	0	19.979	19.184	22.61	25.25	0.335	1.00	Pass
			25	12	12	0	19.884	19.396	22.6572	25.28	0.338	1.00	Pass
	MCH		25	12	12	0	19.883	19.385	22.6514	25.28	0.337	1.00	Pass
	HCH		1	50	1	49	20.278	19.388	22.8661	25.51	0.355	1.00	Pass
			25	12	12	0	19.882	19.362	22.6401	25.27	0.336	1.00	Pass
	LCH	64 QAM	1	1	1	0	19.595	19.184	22.4047	25.03	0.318	1.00	Pass
			25	12	12	0	19.864	19.304	22.6033	25.23	0.334	1.00	Pass
	MCH		25	12	12	0	19.855	19.296	22.5948	25.22	0.333	1.00	Pass
	HCH		1	50	1	49	19.803	19.418	22.6251	25.25	0.335	1.00	Pass
			25	12	12	0	19.852	19.392	22.6384	25.26	0.336	1.00	Pass
	LCH	256 QAM	1	1	1	0	18.397	19.179	21.8159	24.40	0.275	1.00	Pass
			25	12	12	0	18.749	19.332	22.0606	24.65	0.292	1.00	Pass
	MCH		25	12	12	0	18.819	19.315	22.0844	24.68	0.294	1.00	Pass
	HCH		1	50	1	49	18.709	19.173	21.9575	24.55	0.285	1.00	Pass
			25	12	12	0	18.781	19.344	22.0819	24.67	0.293	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n71A													
5MHz(LTE)+5MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	19.743	19.408	22.589	23.43	0.221	3.00	Pass
			12	6	8	0	19.952	19.435	22.7115	23.52	0.225	3.00	Pass
	MCH		12	6	8	0	19.914	19.404	22.6768	23.49	0.223	3.00	Pass
	HCH		1	23	1	24	19.782	19.302	22.5589	23.38	0.218	3.00	Pass
			12	6	8	0	19.758	19.545	22.6631	23.53	0.226	3.00	Pass
	LCH	QPSK	1	1	1	0	19.789	19.394	22.6063	23.44	0.221	3.00	Pass
			12	6	8	0	19.859	19.543	22.7142	23.56	0.227	3.00	Pass
	MCH		12	6	8	0	19.833	19.510	22.6848	23.53	0.226	3.00	Pass
	HCH		1	23	1	24	19.780	19.492	22.6487	23.50	0.224	3.00	Pass
			12	6	8	0	19.941	19.544	22.7573	23.59	0.229	3.00	Pass
	LCH	16QAM	1	1	1	0	20.154	19.495	22.8473	23.63	0.231	3.00	Pass
			12	6	8	0	19.736	19.503	22.6314	23.50	0.224	3.00	Pass
	MCH		12	6	8	0	19.816	19.611	22.725	23.60	0.229	3.00	Pass
	HCH		1	23	1	24	20.137	19.389	22.7894	23.56	0.227	3.00	Pass
			12	6	8	0	19.774	19.454	22.6272	23.48	0.223	3.00	Pass
	LCH	64QAM	1	1	1	0	19.857	19.507	22.6958	23.54	0.226	3.00	Pass
			12	6	8	0	19.759	19.520	22.6514	23.52	0.225	3.00	Pass
	MCH		12	6	8	0	19.759	19.420	22.6031	23.45	0.221	3.00	Pass
	HCH		1	23	1	24	19.791	19.329	22.5764	23.40	0.219	3.00	Pass
			12	6	8	0	19.809	19.595	22.7136	23.58	0.228	3.00	Pass
	LCH	256QAM	1	1	1	0	18.569	19.424	22.0278	23.09	0.204	3.00	Pass
			12	6	8	0	18.864	19.460	22.1825	23.20	0.209	3.00	Pass
	MCH		12	6	8	0	18.942	19.650	22.3207	23.36	0.217	3.00	Pass
	HCH		1	23	1	24	18.708	19.326	22.0383	23.06	0.202	3.00	Pass
			12	6	8	0	18.857	19.582	22.2449	23.29	0.213	3.00	Pass
20MHz(LTE)+20MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	19.887	19.080	22.5125	23.27	0.212	3.00	Pass
			50	25	18	0	20.030	19.353	22.715	23.49	0.224	3.00	Pass
	MCH		50	25	18	0	19.902	19.307	22.625	23.42	0.220	3.00	Pass
	HCH		1	104	1	99	19.684	19.196	22.4572	23.27	0.212	3.00	Pass
			50	25	18	0	19.859	19.259	22.5797	23.37	0.217	3.00	Pass
	LCH	QPSK	1	1	1	0	19.831	19.072	22.4784	23.24	0.211	3.00	Pass
			50	25	18	0	19.891	19.364	22.6458	23.45	0.222	3.00	Pass
	MCH		50	25	18	0	19.866	19.224	22.5672	23.35	0.216	3.00	Pass
	HCH		1	104	1	99	19.722	19.283	22.5183	23.34	0.216	3.00	Pass
			50	25	18	0	19.919	19.277	22.6202	23.41	0.219	3.00	Pass

	LCH	16 QAM	1	1	1	0	20.184	19.093	22.683	23.38	0.218	3.00	Pass
			50	25	18	0	19.934	19.313	22.6449	23.44	0.221	3.00	Pass
	MCH		50	25	18	0	19.921	19.298	22.631	23.42	0.220	3.00	Pass
	HCH		1	104	1	99	20.051	19.301	22.7025	23.47	0.222	3.00	Pass
			50	25	18	0	19.913	19.274	22.6155	23.40	0.219	3.00	Pass
	LCH	64 QAM	1	1	1	0	19.836	19.110	22.4985	23.27	0.212	3.00	Pass
			50	25	18	0	19.887	19.355	22.6394	23.45	0.221	3.00	Pass
	MCH		50	25	18	0	19.890	19.323	22.626	23.43	0.220	3.00	Pass
	HCH		1	104	1	99	19.673	19.223	22.4641	23.29	0.213	3.00	Pass
			50	25	18	0	19.883	19.307	22.6148	23.41	0.219	3.00	Pass
	LCH	256 QAM	1	1	1	0	18.653	19.126	21.9062	22.90	0.195	3.00	Pass
			50	25	18	0	18.870	19.264	22.0818	23.06	0.203	3.00	Pass
	MCH		50	25	18	0	18.845	19.349	22.1146	23.12	0.205	3.00	Pass
	HCH		1	104	1	99	18.383	19.329	21.892	22.98	0.198	3.00	Pass
			50	25	18	0	18.796	19.294	22.0624	23.06	0.203	3.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n2A													
5MHz(LTE)+5MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	19.895	18.857	22.4172	22.51	0.178	2.00	Pass
			12	6	8	0	19.930	18.870	22.4426	22.54	0.180	2.00	Pass
	MCH		12	6	8	0	19.896	18.853	22.416	22.51	0.178	2.00	Pass
	HCH		1	23	1	24	19.769	19.006	22.4145	22.42	0.175	2.00	Pass
			12	6	8	0	19.828	18.900	22.399	22.46	0.176	2.00	Pass
	LCH	QPSK	1	1	1	0	19.877	18.857	22.4072	22.49	0.178	2.00	Pass
			12	6	8	0	19.791	18.879	22.3692	22.42	0.175	2.00	Pass
	MCH		12	6	8	0	19.863	18.857	22.3994	22.48	0.177	2.00	Pass
	HCH		1	23	1	24	19.721	19.015	22.3926	22.38	0.173	2.00	Pass
			12	6	8	0	19.803	18.919	22.3938	22.44	0.175	2.00	Pass
	LCH	16QAM	1	1	1	0	20.217	18.918	22.6262	22.80	0.190	2.00	Pass
			12	6	8	0	19.738	18.886	22.3432	22.38	0.173	2.00	Pass
	MCH		12	6	8	0	19.825	18.894	22.3947	22.45	0.176	2.00	Pass
	HCH		1	23	1	24	20.114	19.046	22.623	22.72	0.187	2.00	Pass
			12	6	8	0	19.791	18.851	22.3567	22.42	0.174	2.00	Pass
	LCH	64QAM	1	1	1	0	19.912	18.760	22.3844	22.51	0.178	2.00	Pass
			12	6	8	0	19.818	18.843	22.3681	22.44	0.175	2.00	Pass
	MCH		12	6	8	0	19.812	18.934	22.4055	22.45	0.176	2.00	Pass
	HCH		1	23	1	24	19.710	19.001	22.3803	22.37	0.173	2.00	Pass
			12	6	8	0	19.790	18.921	22.3875	22.43	0.175	2.00	Pass
	LCH	256QAM	1	1	1	0	18.663	18.944	21.8161	21.48	0.140	2.00	Pass
			12	6	8	0	18.842	18.944	21.9036	21.62	0.145	2.00	Pass
	MCH		12	6	8	0	18.703	18.933	21.8298	21.51	0.141	2.00	Pass
	HCH		1	23	1	24	18.614	18.982	21.8122	21.44	0.139	2.00	Pass
			12	6	8	0	18.826	18.884	21.8654	21.60	0.145	2.00	Pass
10MHz(LTE)+20MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	19.584	18.789	22.215	22.23	0.167	2.00	Pass
			50	25	12	0	19.793	18.974	22.4131	22.44	0.175	2.00	Pass
	MCH		50	25	12	0	19.755	18.972	22.3914	22.40	0.174	2.00	Pass
	HCH		1	104	1	49	19.842	19.061	22.4793	22.49	0.177	2.00	Pass
			50	25	12	0	19.787	19.052	22.4453	22.44	0.175	2.00	Pass
	LCH	QPSK	1	1	1	0	19.629	18.809	22.2486	22.27	0.169	2.00	Pass
			50	25	12	0	19.720	18.892	22.336	22.36	0.172	2.00	Pass
	MCH		50	25	12	0	19.740	18.990	22.3915	22.39	0.173	2.00	Pass
	HCH		1	104	1	49	19.855	19.084	22.4969	22.50	0.178	2.00	Pass
			50	25	12	0	19.792	19.052	22.448	22.45	0.176	2.00	Pass

	LCH	16 QAM	1	1	1	0	19.954	18.837	22.4416	22.56	0.180	2.00	Pass
			50	25	12	0	19.882	19.023	22.484	22.52	0.179	2.00	Pass
	MCH		50	25	12	0	19.840	18.904	22.4075	22.47	0.176	2.00	Pass
	HCH		1	104	1	49	20.156	19.106	22.673	22.77	0.189	2.00	Pass
			50	25	12	0	19.806	18.993	22.4288	22.45	0.176	2.00	Pass
	LCH	64 QAM	1	1	1	0	19.571	19.100	22.3522	22.26	0.168	2.00	Pass
			50	25	12	0	19.769	19.063	22.4406	22.43	0.175	2.00	Pass
	MCH		50	25	12	0	19.736	19.053	22.4182	22.40	0.174	2.00	Pass
	HCH		1	104	1	49	19.843	19.065	22.4817	22.49	0.177	2.00	Pass
			50	25	12	0	19.809	18.949	22.4106	22.45	0.176	2.00	Pass
	LCH	256 QAM	1	1	1	0	18.418	18.824	21.636	21.25	0.133	2.00	Pass
			50	25	12	0	18.658	18.912	21.7972	21.47	0.140	2.00	Pass
	MCH		50	25	12	0	18.732	18.991	21.8737	21.54	0.143	2.00	Pass
	HCH		1	104	1	49	18.736	18.981	21.8705	21.54	0.143	2.00	Pass
			50	25	12	0	18.622	18.958	21.8035	21.44	0.139	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n25A													
5MHz(LTE)+5MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	19.895	18.857	22.4172	22.51	0.178	3.00	Pass
			12	6	8	0	19.930	18.870	22.4426	22.54	0.180	3.00	Pass
	MCH		12	6	8	0	19.896	18.853	22.416	22.51	0.178	3.00	Pass
	HCH		1	23	1	24	19.769	19.006	22.4145	22.42	0.175	3.00	Pass
			12	6	8	0	19.828	18.900	22.399	22.46	0.176	3.00	Pass
	LCH	QPSK	1	1	1	0	19.877	18.857	22.4072	22.49	0.178	3.00	Pass
			12	6	8	0	19.791	18.879	22.3692	22.42	0.175	3.00	Pass
	MCH		12	6	8	0	19.863	18.857	22.3994	22.48	0.177	3.00	Pass
	HCH		1	23	1	24	19.721	19.015	22.3926	22.38	0.173	3.00	Pass
			12	6	8	0	19.803	18.919	22.3938	22.44	0.175	3.00	Pass
	LCH	16QAM	1	1	1	0	20.217	18.918	22.6262	22.80	0.190	3.00	Pass
			12	6	8	0	19.738	18.886	22.3432	22.38	0.173	3.00	Pass
	MCH		12	6	8	0	19.825	18.894	22.3947	22.45	0.176	3.00	Pass
	HCH		1	23	1	24	20.114	19.046	22.623	22.72	0.187	3.00	Pass
			12	6	8	0	19.791	18.851	22.3567	22.42	0.174	3.00	Pass
	LCH	64QAM	1	1	1	0	19.912	18.760	22.3844	22.51	0.178	3.00	Pass
			12	6	8	0	19.818	18.843	22.3681	22.44	0.175	3.00	Pass
	MCH		12	6	8	0	19.812	18.934	22.4055	22.45	0.176	3.00	Pass
	HCH		1	23	1	24	19.710	19.001	22.3803	22.37	0.173	3.00	Pass
			12	6	8	0	19.790	18.921	22.3875	22.43	0.175	3.00	Pass
	LCH	256QAM	1	1	1	0	18.663	18.944	21.8161	21.48	0.140	3.00	Pass
			12	6	8	0	18.842	18.944	21.9036	21.62	0.145	3.00	Pass
	MCH		12	6	8	0	18.703	18.933	21.8298	21.51	0.141	3.00	Pass
	HCH		1	23	1	24	18.614	18.982	21.8122	21.44	0.139	3.00	Pass
			12	6	8	0	18.826	18.884	21.8654	21.60	0.145	3.00	Pass
10MHz(LTE)+40MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	19.584	18.789	22.215	22.23	0.167	3.00	Pass
			108	54	12	0	19.793	18.974	22.4131	22.44	0.175	3.00	Pass
	MCH		108	54	12	0	19.755	18.972	22.3914	22.40	0.174	3.00	Pass
	HCH		1	214	1	49	19.842	19.061	22.4793	22.49	0.177	3.00	Pass
			108	54	12	0	19.787	19.052	22.4453	22.44	0.175	3.00	Pass
	LCH	QPSK	1	1	1	0	19.629	18.809	22.2486	22.27	0.169	3.00	Pass
			108	54	12	0	19.720	18.892	22.336	22.36	0.172	3.00	Pass
	MCH		108	54	12	0	19.740	18.990	22.3915	22.39	0.173	3.00	Pass
	HCH		1	214	1	49	19.855	19.084	22.4969	22.50	0.178	3.00	Pass
			108	54	12	0	19.792	19.052	22.448	22.45	0.176	3.00	Pass

	LCH	16 QAM	1	1	1	0	19.954	18.837	22.4416	22.56	0.180	3.00	Pass
			108	54	12	0	19.882	19.023	22.484	22.52	0.179	3.00	Pass
	MCH		108	54	12	0	19.840	18.904	22.4075	22.47	0.176	3.00	Pass
	HCH		1	214	1	49	20.156	19.106	22.673	22.77	0.189	3.00	Pass
			108	54	12	0	19.806	18.993	22.4288	22.45	0.176	3.00	Pass
	LCH	64 QAM	1	1	1	0	19.571	19.100	22.3522	22.26	0.168	3.00	Pass
			108	54	12	0	19.769	19.063	22.4406	22.43	0.175	3.00	Pass
	MCH		108	54	12	0	19.736	19.053	22.4182	22.40	0.174	3.00	Pass
	HCH		1	214	1	49	19.843	19.065	22.4817	22.49	0.177	3.00	Pass
			108	54	12	0	19.809	18.949	22.4106	22.45	0.176	3.00	Pass
	LCH	256 QAM	1	1	1	0	18.418	18.824	21.636	21.25	0.133	3.00	Pass
			108	54	12	0	18.658	18.912	21.7972	21.47	0.140	3.00	Pass
	MCH		108	54	12	0	18.732	18.991	21.8737	21.54	0.143	3.00	Pass
	HCH		1	214	1	49	18.736	18.981	21.8705	21.54	0.143	3.00	Pass
			108	54	12	0	18.622	18.958	21.8035	21.44	0.139	3.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n77A(3450-3550)													
5MHz(LTE)+10MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	19.338	18.849	22.1107	21.69	0.148	1.00	Pass
			12	6	8	0	19.349	18.830	22.1075	21.70	0.148	1.00	Pass
	MCH		12	6	8	0	19.344	18.815	22.0978	21.69	0.148	1.00	Pass
	HCH		1	22	1	24	19.366	18.952	22.1742	21.73	0.149	1.00	Pass
			12	6	8	0	19.582	18.882	22.2564	21.90	0.155	1.00	Pass
	LCH	QPSK	1	1	1	0	19.699	18.810	22.2875	21.99	0.158	1.00	Pass
			12	6	8	0	19.324	18.823	22.091	21.67	0.147	1.00	Pass
	MCH		12	6	8	0	19.645	18.904	22.3006	21.96	0.157	1.00	Pass
	HCH		1	22	1	24	19.374	18.936	22.1708	21.73	0.149	1.00	Pass
			12	6	8	0	19.536	18.987	22.2805	21.88	0.154	1.00	Pass
	LCH	16QAM	1	1	1	0	19.679	18.795	22.2698	21.97	0.157	1.00	Pass
			12	6	8	0	19.349	18.968	22.173	21.72	0.149	1.00	Pass
	MCH		12	6	8	0	19.682	18.848	22.2953	21.98	0.158	1.00	Pass
	HCH		1	22	1	24	19.445	18.892	22.1876	21.79	0.151	1.00	Pass
			12	6	8	0	19.578	18.838	22.234	21.89	0.155	1.00	Pass
	LCH	64QAM	1	1	1	0	19.596	18.850	22.2493	21.91	0.155	1.00	Pass
			12	6	8	0	19.254	18.917	22.0991	21.63	0.146	1.00	Pass
	MCH		12	6	8	0	19.288	18.805	22.0635	21.64	0.146	1.00	Pass
	HCH		1	22	1	24	19.813	19.025	22.4471	22.12	0.163	1.00	Pass
			12	6	8	0	19.216	18.995	22.1172	21.61	0.145	1.00	Pass
	LCH	256QAM	1	1	1	0	19.093	18.768	21.9438	21.47	0.140	1.00	Pass
			12	6	8	0	19.335	18.869	22.1185	21.69	0.148	1.00	Pass
	MCH		12	6	8	0	19.322	18.860	22.1074	21.68	0.147	1.00	Pass
	HCH		1	22	1	24	19.358	18.796	22.0964	21.70	0.148	1.00	Pass
			12	6	8	0	19.560	18.848	22.2289	21.88	0.154	1.00	Pass
10MHz(LTE)+100MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	18.728	18.706	21.7273	21.16	0.131	1.00	Pass
			135	67	12	0	19.364	18.921	22.1584	21.72	0.149	1.00	Pass
	MCH		135	67	12	0	19.202	18.896	22.062	21.58	0.144	1.00	Pass
	HCH		1	271	1	49	19.486	18.972	22.2469	21.83	0.153	1.00	Pass
			135	67	12	0	19.424	18.854	22.1586	21.76	0.150	1.00	Pass
	LCH	QPSK	1	1	1	0	18.725	18.707	21.7263	21.15	0.130	1.00	Pass
			135	67	12	0	18.996	18.909	21.963	21.41	0.138	1.00	Pass
	MCH		135	67	12	0	19.037	18.886	21.9725	21.44	0.139	1.00	Pass
	HCH		1	271	1	49	19.490	18.963	22.2448	21.84	0.153	1.00	Pass
			135	67	12	0	19.191	18.953	22.0839	21.58	0.144	1.00	Pass

	LCH	16 QAM	1	1	1	0	19.363	19.052	22.2206	21.74	0.149	1.00	Pass
			135	67	12	0	19.292	18.921	22.1208	21.66	0.147	1.00	Pass
	MCH		135	67	12	0	18.970	18.917	21.9539	21.39	0.138	1.00	Pass
	HCH		1	271	1	49	19.294	19.117	22.2167	21.70	0.148	1.00	Pass
			135	67	12	0	19.262	18.910	22.0999	21.64	0.146	1.00	Pass
	LCH	64 QAM	1	1	1	0	19.084	18.803	21.9561	21.47	0.140	1.00	Pass
			135	67	12	0	18.948	18.978	21.9733	21.39	0.138	1.00	Pass
	MCH		135	67	12	0	18.964	18.869	21.9271	21.38	0.137	1.00	Pass
	HCH		1	271	1	49	19.244	18.975	22.1219	21.63	0.146	1.00	Pass
			135	67	12	0	19.230	18.958	22.1064	21.62	0.145	1.00	Pass
	LCH	256 QAM	1	1	1	0	18.866	18.738	21.8128	21.28	0.134	1.00	Pass
			135	67	12	0	19.233	18.861	22.0613	21.60	0.145	1.00	Pass
	MCH		135	67	12	0	18.889	18.948	21.9289	21.33	0.136	1.00	Pass
	HCH		1	271	1	49	19.335	19.024	22.1926	21.72	0.148	1.00	Pass
			135	67	12	0	19.175	19.008	22.1026	21.58	0.144	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n77A(3700-3980)													
5MHz(LTE)+20MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	19.091	18.821	21.9684	21.48	0.141	1.00	Pass
			25	12	8	0	19.150	18.815	21.996	21.53	0.142	1.00	Pass
	MCH		25	12	8	0	19.143	18.799	21.9847	21.52	0.142	1.00	Pass
	HCH		1	49	1	24	19.380	18.938	22.1749	21.74	0.149	1.00	Pass
			25	12	8	0	19.146	18.896	22.0331	21.54	0.142	1.00	Pass
	LCH	QPSK	1	1	1	0	19.044	18.830	21.9486	21.44	0.139	1.00	Pass
			25	12	8	0	19.171	18.830	22.0141	21.55	0.143	1.00	Pass
	MCH		25	12	8	0	19.185	18.816	22.0147	21.56	0.143	1.00	Pass
	HCH		1	49	1	24	19.302	18.932	22.1312	21.67	0.147	1.00	Pass
			25	12	8	0	19.172	18.895	22.046	21.56	0.143	1.00	Pass
	LCH	16QAM	1	1	1	0	19.417	18.800	22.1297	21.75	0.150	1.00	Pass
			25	12	8	0	19.288	18.854	22.0867	21.65	0.146	1.00	Pass
	MCH		25	12	8	0	19.244	18.856	22.0646	21.61	0.145	1.00	Pass
	HCH		1	49	1	24	19.548	18.988	22.2873	21.89	0.154	1.00	Pass
			25	12	8	0	19.231	18.830	22.0454	21.60	0.144	1.00	Pass
	LCH	64QAM	1	1	1	0	18.880	18.849	21.8748	21.31	0.135	1.00	Pass
			25	12	8	0	19.056	18.914	21.9959	21.46	0.140	1.00	Pass
	MCH		25	12	8	0	19.164	18.910	22.0492	21.55	0.143	1.00	Pass
	HCH		1	49	1	24	19.144	19.013	22.0893	21.55	0.143	1.00	Pass
			25	12	8	0	19.132	18.897	22.0264	21.52	0.142	1.00	Pass
	LCH	256QAM	1	1	1	0	18.801	19.015	21.9196	21.27	0.134	1.00	Pass
			25	12	8	0	19.243	18.820	22.0469	21.60	0.145	1.00	Pass
	MCH		25	12	8	0	19.232	18.890	22.0747	21.61	0.145	1.00	Pass
	HCH		1	49	1	24	19.028	19.092	22.0704	21.47	0.140	1.00	Pass
			25	12	8	0	19.216	18.852	22.0481	21.59	0.144	1.00	Pass
10MHz(LTE)+100MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	19.024	18.795	21.9213	21.42	0.139	1.00	Pass
			135	67	12	0	18.545	18.901	21.7369	21.04	0.127	1.00	Pass
	MCH		135	67	12	0	18.523	18.970	21.7625	21.04	0.127	1.00	Pass
	HCH		1	271	1	49	18.392	18.864	21.6447	20.91	0.123	1.00	Pass
			135	67	12	0	18.724	18.946	21.8467	21.20	0.132	1.00	Pass
	LCH	QPSK	1	1	1	0	19.040	18.761	21.913	21.43	0.139	1.00	Pass
			135	67	12	0	18.462	18.879	21.6858	20.97	0.125	1.00	Pass
	MCH		135	67	12	0	18.547	18.947	21.7619	21.05	0.127	1.00	Pass
	HCH		1	271	1	49	18.409	18.930	21.6876	20.94	0.124	1.00	Pass
			135	67	12	0	18.691	18.912	21.8132	21.16	0.131	1.00	Pass

	LCH	16 QAM	1	1	1	0	19.363	18.723	22.0651	21.69	0.148	1.00	Pass
			135	67	12	0	18.585	19.083	21.8514	21.11	0.129	1.00	Pass
	MCH		135	67	12	0	18.474	18.983	21.7463	21.00	0.126	1.00	Pass
	HCH		1	271	1	49	18.674	18.968	21.8338	21.16	0.131	1.00	Pass
			135	67	12	0	18.649	18.958	21.8165	21.14	0.130	1.00	Pass
	LCH	64 QAM	1	1	1	0	19.246	18.743	22.0121	21.60	0.144	1.00	Pass
			135	67	12	0	18.746	18.926	21.8472	21.21	0.132	1.00	Pass
	MCH		135	67	12	0	18.729	18.932	21.842	21.20	0.132	1.00	Pass
	HCH		1	271	1	49	18.587	19.017	21.8176	21.10	0.129	1.00	Pass
			135	67	12	0	18.522	18.911	21.7312	21.03	0.127	1.00	Pass
	LCH	256 QAM	1	1	1	0	19.118	19.005	22.0722	21.53	0.142	1.00	Pass
			135	67	12	0	18.692	18.905	21.8101	21.16	0.131	1.00	Pass
	MCH		135	67	12	0	18.704	18.902	21.8144	21.17	0.131	1.00	Pass
	HCH		1	271	1	49	18.367	18.983	21.6962	20.91	0.123	1.00	Pass
			135	67	12	0	18.571	18.982	21.7917	21.08	0.128	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n78A(3450-3550)													
5MHz(LTE)+10MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	19.628	18.790	22.2395	22.35	0.172	1.00	Pass
			12	6	8	0	19.374	18.812	22.1124	22.14	0.164	1.00	Pass
	MCH		12	6	8	0	19.688	18.797	22.2756	22.41	0.174	1.00	Pass
	HCH		1	22	1	24	19.581	18.923	22.2747	22.33	0.171	1.00	Pass
			12	6	8	0	19.663	18.854	22.2876	22.39	0.174	1.00	Pass
	LCH	QPSK	1	1	1	0	19.434	18.775	22.1273	22.19	0.165	1.00	Pass
			12	6	8	0	19.403	18.804	22.1241	22.16	0.165	1.00	Pass
	MCH		12	6	8	0	19.632	18.766	22.2308	22.36	0.172	1.00	Pass
	HCH		1	22	1	24	19.693	18.911	22.3299	22.43	0.175	1.00	Pass
			12	6	8	0	19.481	18.854	22.1891	22.24	0.167	1.00	Pass
	LCH	16QAM	1	1	1	0	19.916	18.949	22.4697	22.63	0.183	1.00	Pass
			12	6	8	0	19.332	18.810	22.0891	22.10	0.162	1.00	Pass
	MCH		12	6	8	0	19.328	18.817	22.0903	22.10	0.162	1.00	Pass
	HCH		1	22	1	24	20.008	18.961	22.5263	22.71	0.187	1.00	Pass
			12	6	8	0	19.606	18.798	22.2311	22.34	0.171	1.00	Pass
	LCH	64QAM	1	1	1	0	19.523	19.022	22.29	22.30	0.170	1.00	Pass
			12	6	8	0	19.546	18.893	22.2421	22.30	0.170	1.00	Pass
	MCH		12	6	8	0	19.283	18.970	22.1396	22.08	0.162	1.00	Pass
	HCH		1	22	1	24	19.579	18.917	22.2709	22.33	0.171	1.00	Pass
			12	6	8	0	19.273	18.980	22.1393	22.08	0.161	1.00	Pass
	LCH	256QAM	1	1	1	0	19.485	18.937	22.2299	22.25	0.168	1.00	Pass
			12	6	8	0	19.510	18.844	22.2001	22.26	0.168	1.00	Pass
	MCH		12	6	8	0	19.561	18.836	22.2239	22.30	0.170	1.00	Pass
	HCH		1	22	1	24	19.457	18.963	22.2273	22.23	0.167	1.00	Pass
			12	6	8	0	19.492	18.923	22.2271	22.26	0.168	1.00	Pass
10MHz(LTE)+100MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	19.032	18.734	21.8959	21.84	0.153	1.00	Pass
			135	67	12	0	19.100	18.957	22.0394	21.93	0.156	1.00	Pass
	MCH		135	67	12	0	19.105	18.935	22.0311	21.93	0.156	1.00	Pass
	HCH		1	271	1	49	19.334	18.914	22.1394	22.12	0.163	1.00	Pass
			135	67	12	0	19.178	18.903	22.053	21.99	0.158	1.00	Pass
	LCH	QPSK	1	1	1	0	18.796	18.714	21.7655	21.63	0.146	1.00	Pass
			135	67	12	0	19.112	18.903	22.0191	21.93	0.156	1.00	Pass
	MCH		135	67	12	0	19.309	18.899	22.1191	22.10	0.162	1.00	Pass
	HCH		1	271	1	49	19.546	18.981	22.283	22.31	0.170	1.00	Pass
			135	67	12	0	19.382	18.959	22.1859	22.17	0.165	1.00	Pass

	LCH	16 QAM	1	1	1	0	19.427	18.752	22.1129	22.18	0.165	1.00	Pass
			135	67	12	0	19.307	18.921	22.1286	22.10	0.162	1.00	Pass
	MCH		135	67	12	0	19.092	18.901	22.0078	21.91	0.155	1.00	Pass
	HCH		1	271	1	49	19.741	19.011	22.4016	22.48	0.177	1.00	Pass
			135	67	12	0	19.020	18.901	21.9712	21.85	0.153	1.00	Pass
	LCH	64 QAM	1	1	1	0	18.743	18.811	21.7874	21.60	0.145	1.00	Pass
			135	67	12	0	19.217	18.974	22.1075	22.03	0.160	1.00	Pass
	MCH		135	67	12	0	19.236	18.970	22.1153	22.04	0.160	1.00	Pass
	HCH		1	271	1	49	19.099	-38.599	19.099	21.20	0.132	1.00	Pass
			135	67	12	0	19.275	18.913	22.1081	22.07	0.161	1.00	Pass
	LCH	256 QAM	1	1	1	0	18.721	18.763	21.7524	21.58	0.144	1.00	Pass
			135	67	12	0	19.074	18.865	21.9811	21.89	0.155	1.00	Pass
	MCH		135	67	12	0	19.301	18.945	22.1369	22.10	0.162	1.00	Pass
	HCH		1	271	1	49	19.321	18.955	22.1522	22.11	0.163	1.00	Pass
			135	67	12	0	19.066	18.913	22.0005	21.89	0.155	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n78A(3700-3800)													
5MHz(LTE)+20MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	19.207	18.871	22.0525	22.00	0.159	1.00	Pass
			25	12	8	0	19.023	18.857	21.9511	21.85	0.153	1.00	Pass
	MCH		25	12	8	0	19.006	18.844	21.9361	21.83	0.152	1.00	Pass
	HCH		1	49	1	24	18.717	18.960	21.8505	21.61	0.145	1.00	Pass
			25	12	8	0	19.084	18.811	21.9599	21.89	0.155	1.00	Pass
	LCH	QPSK	1	1	1	0	18.966	19.012	21.9994	21.82	0.152	1.00	Pass
			25	12	8	0	18.904	18.911	21.9178	21.75	0.150	1.00	Pass
	MCH		25	12	8	0	18.981	18.886	21.9441	21.82	0.152	1.00	Pass
	HCH		1	49	1	24	18.642	18.925	21.7961	21.54	0.142	1.00	Pass
			25	12	8	0	18.989	18.855	21.9328	21.82	0.152	1.00	Pass
	LCH	16QAM	1	1	1	0	19.021	18.868	21.9555	21.85	0.153	1.00	Pass
			25	12	8	0	19.093	18.937	22.026	21.92	0.156	1.00	Pass
	MCH		25	12	8	0	18.870	18.818	21.8544	21.71	0.148	1.00	Pass
	HCH		1	49	1	24	18.853	18.957	21.9156	21.72	0.149	1.00	Pass
			25	12	8	0	18.948	18.815	21.8923	21.78	0.151	1.00	Pass
	LCH	64QAM	1	1	1	0	19.218	19.040	22.1402	22.04	0.160	1.00	Pass
			25	12	8	0	18.851	19.001	21.9369	21.72	0.149	1.00	Pass
	MCH		25	12	8	0	18.861	18.888	21.8848	21.71	0.148	1.00	Pass
	HCH		1	49	1	24	18.851	18.914	21.8929	21.71	0.148	1.00	Pass
			25	12	8	0	18.935	18.893	21.9244	21.78	0.151	1.00	Pass
	LCH	256QAM	1	1	1	0	18.855	18.836	21.8558	21.70	0.148	1.00	Pass
			25	12	8	0	18.951	18.862	21.917	21.79	0.151	1.00	Pass
	MCH		25	12	8	0	19.056	18.939	22.0082	21.89	0.154	1.00	Pass
	HCH		1	49	1	24	18.547	18.954	21.7656	21.46	0.140	1.00	Pass
			25	12	8	0	19.008	18.808	21.9195	21.83	0.152	1.00	Pass
10MHz(LTE)+100MHz(NR)	LCH	PI/2 BPSK	1	1	1	0	19.241	18.767	22.0208	22.02	0.159	1.00	Pass
			135	67	12	0	18.539	18.971	21.7707	21.46	0.140	1.00	Pass
	MCH		135	67	12	0	18.533	18.969	21.7668	21.45	0.140	1.00	Pass
	HCH		1	271	1	49	18.294	18.940	21.6393	21.25	0.133	1.00	Pass
			135	67	12	0	18.581	18.929	21.7688	21.49	0.141	1.00	Pass
	LCH	QPSK	1	1	1	0	19.089	19.062	22.0858	21.93	0.156	1.00	Pass
			135	67	12	0	18.719	18.966	21.8546	21.61	0.145	1.00	Pass
	MCH		135	67	12	0	18.713	18.948	21.8424	21.60	0.145	1.00	Pass
	HCH		1	271	1	49	18.342	18.930	21.6562	21.29	0.135	1.00	Pass
			135	67	12	0	18.703	18.928	21.8273	21.59	0.144	1.00	Pass

	LCH	16 QAM	1	1	1	0	19.449	18.730	22.1147	22.19	0.166	1.00	Pass
			135	67	12	0	18.483	18.889	21.701	21.40	0.138	1.00	Pass
	MCH		135	67	12	0	18.641	18.873	21.7688	21.53	0.142	1.00	Pass
	HCH		1	271	1	49	18.707	18.970	21.8508	21.60	0.145	1.00	Pass
			135	67	12	0	18.635	18.968	21.815	21.54	0.143	1.00	Pass
	LCH	64 QAM	1	1	1	0	19.241	18.772	22.0231	22.02	0.159	1.00	Pass
			135	67	12	0	18.630	18.931	21.7934	21.53	0.142	1.00	Pass
	MCH		135	67	12	0	18.505	18.925	21.7304	21.42	0.139	1.00	Pass
	HCH		1	271	1	49	18.292	18.934	21.6352	21.25	0.133	1.00	Pass
			135	67	12	0	18.713	18.921	21.8285	21.60	0.144	1.00	Pass
	LCH	256 QAM	1	1	1	0	19.137	18.799	21.9816	21.93	0.156	1.00	Pass
			135	67	12	0	18.477	18.907	21.7076	21.40	0.138	1.00	Pass
	MCH		135	67	12	0	18.476	18.936	21.7224	21.40	0.138	1.00	Pass
	HCH		1	271	1	49	18.118	18.969	21.5746	21.11	0.129	1.00	Pass
			135	67	12	0	18.649	18.958	21.8165	21.55	0.143	1.00	Pass

UL MIMO Test Mode Data

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n2 UL MIMO												
5	LCH	CP	QPSK	13	6	20.024	19.824	22.9355	25.085	0.322	2.00	Pass
			QPSK	1	0	18.729	18.553	21.6522	23.802	0.240	2.00	Pass
			QPSK	1	23	18.599	18.383	21.5026	23.652	0.232	2.00	Pass
			QPSK	25	0	18.572	18.374	21.4844	23.634	0.231	2.00	Pass
			16QAM	13	6	19.472	19.272	22.3835	24.533	0.284	2.00	Pass
			16QAM	1	0	18.105	17.929	21.0282	23.178	0.208	2.00	Pass
			16QAM	1	23	19.099	18.882	22.0022	24.151	0.260	2.00	Pass
			16QAM	25	0	18.635	18.437	21.5474	23.697	0.234	2.00	Pass
			64QAM	1	0	17.717	17.541	20.6402	22.790	0.190	2.00	Pass
			64QAM	1	23	18.217	18.000	21.1202	23.269	0.212	2.00	Pass
			64QAM	25	0	18.026	17.828	20.9384	23.088	0.204	2.00	Pass
			256QAM	1	0	14.960	14.785	17.8837	20.033	0.101	2.00	Pass
			256QAM	1	23	15.178	14.962	18.0816	20.231	0.105	2.00	Pass
			256QAM	25	0	15.146	14.948	18.0584	20.208	0.105	2.00	Pass
	MCH		QPSK	13	6	20.204	20.025	23.1257	25.275	0.337	2.00	Pass
			QPSK	1	0	18.965	18.800	21.8936	24.043	0.254	2.00	Pass
			QPSK	1	23	18.358	18.192	21.2861	23.436	0.221	2.00	Pass
			QPSK	25	0	18.790	18.616	21.7142	23.864	0.243	2.00	Pass
			16QAM	13	6	19.568	19.389	22.4897	24.639	0.291	2.00	Pass
			16QAM	1	0	19.091	18.926	22.0196	24.169	0.261	2.00	Pass
			16QAM	1	23	18.610	18.445	21.5386	23.688	0.234	2.00	Pass
			16QAM	25	0	18.764	18.590	21.6882	23.838	0.242	2.00	Pass
			64QAM	1	0	18.268	18.103	21.1966	23.346	0.216	2.00	Pass
			64QAM	1	23	17.996	17.832	20.9251	23.075	0.203	2.00	Pass
			64QAM	25	0	18.217	18.042	21.1407	23.290	0.213	2.00	Pass
			256QAM	1	0	14.801	14.638	17.7306	19.880	0.097	2.00	Pass
			256QAM	1	23	14.914	14.751	17.8436	19.993	0.100	2.00	Pass
			256QAM	25	0	15.329	15.155	18.2532	20.403	0.110	2.00	Pass
	HCH		QPSK	13	6	20.301	20.155	23.2389	25.389	0.346	2.00	Pass
			QPSK	1	0	18.807	18.654	21.7415	23.891	0.245	2.00	Pass
			QPSK	1	23	18.997	18.856	21.9374	24.088	0.256	2.00	Pass
			QPSK	25	0	18.886	18.739	21.8234	23.973	0.250	2.00	Pass
			16QAM	13	6	19.735	19.589	22.6729	24.823	0.304	2.00	Pass
			16QAM	1	0	18.362	18.208	21.2960	23.446	0.221	2.00	Pass
			16QAM	1	23	19.296	19.156	22.2369	24.387	0.275	2.00	Pass
			16QAM	25	0	18.965	18.818	21.9024	24.052	0.254	2.00	Pass
			64QAM	1	0	18.024	17.870	20.9580	23.108	0.205	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n2 UL MIMO												
			64QAM	1	23	18.425	18.284	21.3654	23.516	0.225	2.00	Pass
			64QAM	25	0	18.257	18.111	21.1949	23.345	0.216	2.00	Pass
			256QAM	1	0	14.886	14.733	17.8205	19.970	0.099	2.00	Pass
			256QAM	1	24	14.994	14.854	17.9349	20.085	0.102	2.00	Pass
			256QAM	25	0	15.435	15.289	18.3729	20.523	0.113	2.00	Pass
10	LCH	CP	QPSK	26	13	20.209	20.003	23.1175	25.267	0.336	2.00	Pass
			QPSK	1	1	18.15	17.94	21.0566	23.206	0.209	2.00	Pass
			QPSK	1	50	19.235	19.032	22.1450	24.294	0.269	2.00	Pass
			QPSK	52	0	18.816	18.608	21.7235	23.873	0.244	2.00	Pass
			16QAM	26	13	19.688	19.481	22.5960	24.745	0.298	2.00	Pass
			16QAM	1	1	18.31	18.101	21.2171	23.366	0.217	2.00	Pass
			16QAM	1	50	18.823	18.621	21.7335	23.883	0.244	2.00	Pass
			16QAM	52	0	18.697	18.489	21.6045	23.754	0.237	2.00	Pass
			64QAM	1	1	17.773	17.564	20.6801	22.829	0.192	2.00	Pass
			64QAM	1	50	18.22	18.017	21.1300	23.279	0.213	2.00	Pass
			64QAM	52	0	18.205	17.997	21.1125	23.262	0.212	2.00	Pass
			256QAM	1	1	14.985	14.776	17.8921	20.041	0.101	2.00	Pass
			256QAM	1	50	15.238	15.036	18.1485	20.298	0.107	2.00	Pass
			256QAM	52	0	15.339	15.132	18.2470	20.396	0.110	2.00	Pass
	MCH		QPSK	26	13	20.246	20.075	23.1716	25.321	0.341	2.00	Pass
			QPSK	1	1	19.164	18.977	22.0818	24.231	0.265	2.00	Pass
			QPSK	1	50	18.47	18.297	21.3947	23.544	0.226	2.00	Pass
			QPSK	52	0	18.762	18.59	21.6872	23.837	0.242	2.00	Pass
			16QAM	26	13	19.685	19.515	22.6111	24.761	0.299	2.00	Pass
			16QAM	1	1	19.024	18.838	21.9423	24.092	0.257	2.00	Pass
			16QAM	1	50	18.919	18.746	21.8437	23.993	0.251	2.00	Pass
			16QAM	52	0	18.698	18.526	21.6232	23.773	0.238	2.00	Pass
			64QAM	1	1	18.251	18.064	21.1688	23.318	0.215	2.00	Pass
			64QAM	1	50	18.278	18.105	21.2027	23.352	0.216	2.00	Pass
			64QAM	52	0	18.256	18.084	21.1812	23.331	0.215	2.00	Pass
			256QAM	1	1	15.23	15.044	18.1483	20.298	0.107	2.00	Pass
			256QAM	1	50	15.222	15.049	18.1467	20.296	0.107	2.00	Pass
			256QAM	52	0	15.337	15.165	18.2622	20.412	0.110	2.00	Pass
	HCH		QPSK	26	13	20.493	20.331	23.4231	25.573	0.361	2.00	Pass
			QPSK	1	1	18.332	18.152	21.2532	23.403	0.219	2.00	Pass
			QPSK	1	50	19.225	19.08	22.1634	24.313	0.270	2.00	Pass
			QPSK	52	0	18.964	18.799	21.8926	24.042	0.254	2.00	Pass
			16QAM	26	13	19.89	19.728	22.8201	24.970	0.314	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n2 UL MIMO												
			16QAM	1	1	18.429	18.247	21.3493	23.499	0.224	2.00	Pass
			16QAM	1	50	18.981	18.835	21.9189	24.069	0.255	2.00	Pass
			16QAM	52	0	18.923	18.759	21.8521	24.002	0.251	2.00	Pass
			64QAM	1	1	18.078	17.897	20.9987	23.148	0.206	2.00	Pass
			64QAM	1	50	18.244	18.098	21.1819	23.332	0.215	2.00	Pass
			64QAM	52	0	18.413	18.248	21.3416	23.491	0.223	2.00	Pass
			256QAM	1	1	15.338	15.158	18.2592	20.409	0.110	2.00	Pass
			256QAM	1	50	15.307	15.161	18.2449	20.395	0.110	2.00	Pass
			256QAM	52	0	15.543	15.38	18.4726	20.622	0.115	2.00	Pass
15	LCH	CP	QPSK	39	19	20.389	20.105	23.2596	25.407	0.347	2.00	Pass
			QPSK	1	1	19.071	18.734	21.9161	24.063	0.255	2.00	Pass
			QPSK	1	77	19.182	18.91	22.0584	24.206	0.263	2.00	Pass
			QPSK	79	0	18.881	18.596	21.7511	23.899	0.245	2.00	Pass
			16QAM	39	19	19.817	19.534	22.6881	24.836	0.304	2.00	Pass
			16QAM	1	1	19.054	18.717	21.8991	24.046	0.254	2.00	Pass
			16QAM	1	77	18.639	18.367	21.5154	23.663	0.232	2.00	Pass
			16QAM	79	0	18.774	18.489	21.6441	23.792	0.239	2.00	Pass
			64QAM	1	1	17.993	17.656	20.8381	22.985	0.199	2.00	Pass
			64QAM	1	77	18.304	18.032	21.1804	23.328	0.215	2.00	Pass
			64QAM	79	0	18.289	18.004	21.1591	23.307	0.214	2.00	Pass
			256QAM	1	1	14.703	14.368	17.5490	19.696	0.093	2.00	Pass
			256QAM	1	77	14.98	14.709	17.8569	20.005	0.100	2.00	Pass
			256QAM	79	0	15.39	15.107	18.2611	20.409	0.110	2.00	Pass
	MCH		QPSK	39	19	20.333	20.066	23.2119	25.360	0.344	2.00	Pass
			QPSK	1	1	19.398	19.029	22.2277	24.374	0.274	2.00	Pass
			QPSK	1	77	18.689	18.452	21.5824	23.731	0.236	2.00	Pass
			QPSK	79	0	18.941	18.666	21.8160	23.964	0.249	2.00	Pass
			16QAM	39	19	19.815	19.548	22.6939	24.842	0.305	2.00	Pass
			16QAM	1	1	18.619	18.25	21.4487	23.595	0.229	2.00	Pass
			16QAM	1	77	18.988	18.751	21.8814	24.030	0.253	2.00	Pass
			16QAM	79	0	18.88	18.604	21.7545	23.902	0.246	2.00	Pass
			64QAM	1	1	18.476	18.108	21.3062	23.452	0.221	2.00	Pass
			64QAM	1	77	18.462	18.226	21.3559	23.504	0.224	2.00	Pass
			64QAM	79	0	18.472	18.197	21.3470	23.495	0.224	2.00	Pass
			256QAM	1	1	14.984	14.617	17.8147	19.961	0.099	2.00	Pass
			256QAM	1	77	15.25	15.014	18.1439	20.292	0.107	2.00	Pass
			256QAM	79	0	15.498	15.223	18.3730	20.521	0.113	2.00	Pass
	HCH		QPSK	39	19	20.346	20.102	23.2360	25.384	0.345	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n2 UL MIMO												
			QPSK	1	1	18.4	18.078	21.2523	23.399	0.219	2.00	Pass
			QPSK	1	77	19.057	18.829	21.9548	24.103	0.257	2.00	Pass
			QPSK	79	0	18.962	18.707	21.8467	23.995	0.251	2.00	Pass
			16QAM	39	19	19.951	19.706	22.8405	24.989	0.315	2.00	Pass
			16QAM	1	1	19.025	18.704	21.8778	24.025	0.253	2.00	Pass
			16QAM	1	77	19.186	18.958	22.0838	24.232	0.265	2.00	Pass
			16QAM	79	0	18.914	18.659	21.7987	23.947	0.248	2.00	Pass
			64QAM	1	1	18.257	17.935	21.1093	23.256	0.212	2.00	Pass
			64QAM	1	77	18.505	18.278	21.4033	23.552	0.227	2.00	Pass
			64QAM	79	0	18.494	18.239	21.3787	23.527	0.225	2.00	Pass
			256QAM	1	1	15.125	14.805	17.9782	20.125	0.103	2.00	Pass
			256QAM	1	77	15.182	14.954	18.0798	20.228	0.105	2.00	Pass
			256QAM	79	0	15.529	15.275	18.4142	20.562	0.114	2.00	Pass
20	LCH	CP	QPSK	53	26	20.221	20.018	23.1310	25.280	0.337	2.00	Pass
			QPSK	1	0	18.162	17.955	21.0700	23.219	0.210	2.00	Pass
			QPSK	1	104	19.247	19.047	22.1585	24.308	0.270	2.00	Pass
			QPSK	106	0	18.828	18.623	21.7370	23.886	0.245	2.00	Pass
			16QAM	53	26	19.700	19.496	22.6095	24.759	0.299	2.00	Pass
			16QAM	1	0	18.322	18.116	21.2305	23.380	0.218	2.00	Pass
			16QAM	1	104	18.835	18.636	21.7469	23.896	0.245	2.00	Pass
			16QAM	106	0	18.709	18.504	21.6180	23.767	0.238	2.00	Pass
			64QAM	1	0	17.785	17.579	20.6935	22.843	0.192	2.00	Pass
			64QAM	1	104	18.232	18.032	21.1435	23.293	0.213	2.00	Pass
			64QAM	106	0	18.217	18.012	21.1260	23.275	0.213	2.00	Pass
			256QAM	1	0	14.997	14.791	17.9055	20.055	0.101	2.00	Pass
			256QAM	1	104	15.250	15.051	18.1619	20.311	0.107	2.00	Pass
			256QAM	106	0	15.351	15.147	18.2605	20.410	0.110	2.00	Pass
	MCH		QPSK	53	26	20.258	20.090	23.1851	25.335	0.342	2.00	Pass
			QPSK	1	0	19.176	18.992	22.0953	24.245	0.266	2.00	Pass
			QPSK	1	104	18.482	18.312	21.4081	23.558	0.227	2.00	Pass
			QPSK	106	0	18.774	18.605	21.7006	23.850	0.243	2.00	Pass
			16QAM	53	26	19.697	19.530	22.6246	24.774	0.300	2.00	Pass
			16QAM	1	0	19.036	18.853	21.9558	24.105	0.257	2.00	Pass
			16QAM	1	104	18.931	18.761	21.8571	24.007	0.252	2.00	Pass
			16QAM	106	0	18.710	18.541	21.6366	23.786	0.239	2.00	Pass
			64QAM	1	0	18.263	18.079	21.1823	23.332	0.215	2.00	Pass
			64QAM	1	104	18.290	18.120	21.2161	23.366	0.217	2.00	Pass
			64QAM	106	0	18.268	18.099	21.1946	23.344	0.216	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n2 UL MIMO												
			256QAM	1	0	15.242	15.059	18.1618	20.311	0.107	2.00	Pass
			256QAM	1	104	15.234	15.064	18.1601	20.310	0.107	2.00	Pass
			256QAM	106	0	15.349	15.180	18.2756	20.425	0.110	2.00	Pass
			QPSK	53	26	20.505	20.346	23.4365	**25.586**	0.362	2.00	Pass
			QPSK	1	0	18.344	18.167	21.2667	23.416	0.220	2.00	Pass
			QPSK	1	104	19.237	19.095	22.1769	24.327	0.271	2.00	Pass
			QPSK	106	0	18.976	18.814	21.9061	24.056	0.254	2.00	Pass
			16QAM	53	26	19.902	19.743	22.8335	24.983	0.315	2.00	Pass
			16QAM	1	0	18.441	18.262	21.3627	23.512	0.225	2.00	Pass
			16QAM	1	104	18.993	18.850	21.9324	24.083	0.256	2.00	Pass
	HCH		16QAM	106	0	18.935	18.774	21.8655	24.015	0.252	2.00	Pass
			64QAM	1	0	18.090	17.912	21.0122	23.162	0.207	2.00	Pass
			64QAM	1	104	18.256	18.113	21.1954	23.346	0.216	2.00	Pass
			64QAM	106	0	18.425	18.263	21.3551	23.505	0.224	2.00	Pass
			256QAM	1	0	15.350	15.173	18.2727	20.422	0.110	2.00	Pass
			256QAM	1	104	15.319	15.176	18.2584	20.409	0.110	2.00	Pass
			256QAM	106	0	15.555	15.395	18.4860	20.636	0.116	2.00	Pass
			QPSK	67	33	20.292	20.116	23.2152	25.365	0.344	2.00	Pass
			QPSK	1	1	18.974	18.745	21.8713	24.020	0.252	2.00	Pass
			QPSK	1	131	19.085	18.921	22.0141	24.164	0.261	2.00	Pass
			QPSK	133	0	18.784	18.607	21.7067	23.856	0.243	2.00	Pass
			16QAM	67	33	19.72	19.545	22.6437	24.793	0.302	2.00	Pass
			16QAM	1	1	18.957	18.728	21.8543	24.003	0.251	2.00	Pass
			16QAM	1	131	18.542	18.378	21.4711	23.621	0.230	2.00	Pass
	LCH		16QAM	133	0	18.677	18.5	21.5997	23.749	0.237	2.00	Pass
			64QAM	1	1	17.896	17.667	20.7933	22.942	0.197	2.00	Pass
			64QAM	1	131	18.207	18.043	21.1361	23.286	0.213	2.00	Pass
25		CP	64QAM	133	0	18.192	18.015	21.1147	23.264	0.212	2.00	Pass
			256QAM	1	1	14.606	14.379	17.5043	19.653	0.092	2.00	Pass
			256QAM	1	131	14.883	14.72	17.8126	19.962	0.099	2.00	Pass
			256QAM	133	0	15.293	15.118	18.2167	20.366	0.109	2.00	Pass
			QPSK	67	33	20.236	20.077	23.1675	25.317	0.340	2.00	Pass
			QPSK	1	1	19.301	19.04	22.1828	24.331	0.271	2.00	Pass
			QPSK	1	131	18.592	18.463	21.5383	23.689	0.234	2.00	Pass
	MCH		QPSK	133	0	18.844	18.677	21.7716	23.921	0.247	2.00	Pass
			16QAM	67	33	19.718	19.559	22.6495	24.799	0.302	2.00	Pass
			16QAM	1	1	18.522	18.261	21.4038	23.552	0.227	2.00	Pass
			16QAM	1	131	18.891	18.762	21.8373	23.988	0.250	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n2 UL MIMO												
			16QAM	133	0	18.783	18.615	21.7101	23.860	0.243	2.00	Pass
			64QAM	1	1	18.379	18.119	21.2612	23.409	0.219	2.00	Pass
			64QAM	1	131	18.365	18.237	21.3118	23.462	0.222	2.00	Pass
			64QAM	133	0	18.375	18.208	21.3026	23.452	0.221	2.00	Pass
			256QAM	1	1	14.887	14.628	17.7697	19.918	0.098	2.00	Pass
			256QAM	1	131	15.153	15.025	18.0998	20.250	0.106	2.00	Pass
			256QAM	133	0	15.401	15.234	18.3286	20.478	0.112	2.00	Pass
			QPSK	67	33	20.249	20.113	23.1918	25.342	0.342	2.00	Pass
			QPSK	1	1	18.303	18.089	21.2076	23.357	0.217	2.00	Pass
			QPSK	1	131	18.96	18.84	21.9107	24.061	0.255	2.00	Pass
			QPSK	133	0	18.865	18.718	21.8024	23.952	0.248	2.00	Pass
			16QAM	67	33	19.854	19.717	22.7963	24.947	0.312	2.00	Pass
			16QAM	1	1	18.928	18.715	21.8331	23.982	0.250	2.00	Pass
			16QAM	1	131	19.089	18.969	22.0397	24.190	0.262	2.00	Pass
			16QAM	133	0	18.817	18.67	21.7544	23.904	0.246	2.00	Pass
			64QAM	1	1	18.16	17.946	21.0646	23.214	0.210	2.00	Pass
			64QAM	1	131	18.408	18.289	21.3592	23.510	0.224	2.00	Pass
			64QAM	133	0	18.397	18.25	21.3344	23.484	0.223	2.00	Pass
			256QAM	1	1	15.028	14.816	17.9336	20.083	0.102	2.00	Pass
			256QAM	1	131	15.085	14.965	18.0357	20.186	0.104	2.00	Pass
			256QAM	133	0	15.552	15.396	18.4850	20.635	0.116	2.00	Pass
			QPSK	80	40	20.109	19.907	23.0195	25.169	0.329	2.00	Pass
			QPSK	1	1	18.05	17.844	20.9585	23.108	0.205	2.00	Pass
			QPSK	1	158	19.135	18.936	22.0469	24.196	0.263	2.00	Pass
			QPSK	160	0	18.716	18.512	21.6255	23.775	0.238	2.00	Pass
			16QAM	80	40	19.588	19.385	22.4980	24.647	0.292	2.00	Pass
			16QAM	1	1	18.21	18.005	21.1190	23.268	0.212	2.00	Pass
			16QAM	1	158	18.723	18.525	21.6354	23.785	0.239	2.00	Pass
			16QAM	160	0	18.597	18.393	21.5065	23.656	0.232	2.00	Pass
			64QAM	1	1	17.673	17.468	20.5820	22.731	0.188	2.00	Pass
			64QAM	1	158	18.12	17.921	21.0319	23.181	0.208	2.00	Pass
			64QAM	160	0	18.105	17.901	21.0145	23.164	0.207	2.00	Pass
			256QAM	1	1	14.885	14.68	17.7940	19.943	0.099	2.00	Pass
			256QAM	1	158	15.138	14.94	18.0504	20.200	0.105	2.00	Pass
			256QAM	160	0	15.239	15.036	18.1490	20.298	0.107	2.00	Pass
			QPSK	80	40	20.146	19.979	23.0736	25.223	0.333	2.00	Pass
			QPSK	1	1	19.064	18.881	21.9838	24.133	0.259	2.00	Pass
			QPSK	1	158	18.37	18.201	21.2966	23.446	0.221	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n2 UL MIMO												
			QPSK	160	0	18.662	18.494	21.5891	23.739	0.237	2.00	Pass
			16QAM	80	40	19.585	19.419	22.5131	24.663	0.293	2.00	Pass
			16QAM	1	1	18.924	18.742	21.8443	23.994	0.251	2.00	Pass
			16QAM	1	158	18.819	18.65	21.7456	23.895	0.245	2.00	Pass
			16QAM	160	0	18.598	18.43	21.5251	23.675	0.233	2.00	Pass
			64QAM	1	1	18.151	17.968	21.0708	23.220	0.210	2.00	Pass
			64QAM	1	158	18.178	18.009	21.1046	23.254	0.212	2.00	Pass
			64QAM	160	0	18.156	17.988	21.0831	23.233	0.211	2.00	Pass
			256QAM	1	1	15.13	14.948	18.0503	20.200	0.105	2.00	Pass
			256QAM	1	158	15.122	14.953	18.0486	20.198	0.105	2.00	Pass
			256QAM	160	0	15.237	15.069	18.1641	20.314	0.107	2.00	Pass
	HCH		QPSK	80	40	20.393	20.235	23.3250	25.475	0.353	2.00	Pass
			QPSK	1	1	18.232	18.056	21.1552	23.305	0.214	2.00	Pass
			QPSK	1	158	19.125	18.984	22.0654	24.216	0.264	2.00	Pass
			QPSK	160	0	18.864	18.703	21.7945	23.944	0.248	2.00	Pass
			16QAM	80	40	19.79	19.632	22.7220	24.872	0.307	2.00	Pass
			16QAM	1	1	18.329	18.151	21.2512	23.401	0.219	2.00	Pass
			16QAM	1	158	18.881	18.739	21.8209	23.971	0.250	2.00	Pass
			16QAM	160	0	18.823	18.663	21.7540	23.904	0.246	2.00	Pass
			64QAM	1	1	17.978	17.801	20.9007	23.050	0.202	2.00	Pass
			64QAM	1	158	18.144	18.002	21.0839	23.234	0.211	2.00	Pass
			64QAM	160	0	18.313	18.152	21.2435	23.393	0.218	2.00	Pass
			256QAM	1	1	15.238	15.062	18.1612	20.311	0.107	2.00	Pass
			256QAM	1	158	15.207	15.065	18.1469	20.297	0.107	2.00	Pass
			256QAM	160	0	15.443	15.284	18.3745	20.524	0.113	2.00	Pass
40	LCH	CP	QPSK	108	54	20.412	20.226	23.3303	25.480	0.353	2.00	Pass
			QPSK	1	1	19.094	18.855	21.9864	24.135	0.259	2.00	Pass
			QPSK	1	214	19.205	19.031	22.1292	24.279	0.268	2.00	Pass
			QPSK	216	0	18.904	18.717	21.8218	23.971	0.250	2.00	Pass
			16QAM	108	54	19.840	19.655	22.7588	24.908	0.310	2.00	Pass
			16QAM	1	1	19.077	18.838	21.9694	24.118	0.258	2.00	Pass
			16QAM	1	214	18.662	18.488	21.5862	23.736	0.236	2.00	Pass
			16QAM	216	0	18.797	18.610	21.7148	23.864	0.243	2.00	Pass
			64QAM	1	1	18.016	17.777	20.9084	23.057	0.202	2.00	Pass
			64QAM	1	214	18.327	18.153	21.2512	23.401	0.219	2.00	Pass
			64QAM	216	0	18.312	18.125	21.2298	23.379	0.218	2.00	Pass
			256QAM	1	1	14.726	14.489	17.6194	19.768	0.095	2.00	Pass
			256QAM	1	214	15.003	14.830	17.9277	20.077	0.102	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n2 UL MIMO												
			256QAM	216	0	15.413	15.228	18.3318	20.481	0.112	2.00	Pass
	MCH		QPSK	108	54	20.356	20.187	23.2826	25.432	0.349	2.00	Pass
			QPSK	1	1	19.421	19.150	22.2979	24.446	0.278	2.00	Pass
			QPSK	1	214	18.712	18.573	21.6534	23.804	0.240	2.00	Pass
			QPSK	216	0	18.964	18.787	21.8867	24.036	0.253	2.00	Pass
			16QAM	108	54	19.838	19.669	22.7646	24.914	0.310	2.00	Pass
			16QAM	1	1	18.642	18.371	21.5189	23.667	0.233	2.00	Pass
			16QAM	1	214	19.011	18.872	21.9524	24.103	0.257	2.00	Pass
			16QAM	216	0	18.903	18.725	21.8252	23.975	0.250	2.00	Pass
			64QAM	1	1	18.499	18.229	21.3764	23.524	0.225	2.00	Pass
			64QAM	1	214	18.485	18.347	21.4268	23.577	0.228	2.00	Pass
			64QAM	216	0	18.495	18.318	21.4177	23.567	0.227	2.00	Pass
			256QAM	1	1	15.007	14.738	17.8849	20.033	0.101	2.00	Pass
			256QAM	1	214	15.273	15.135	18.2148	20.365	0.109	2.00	Pass
			256QAM	216	0	15.521	15.344	18.4437	20.593	0.115	2.00	Pass
	HCH		QPSK	108	54	20.369	20.223	23.3069	25.457	0.351	2.00	Pass
			QPSK	1	1	18.423	18.199	21.3227	23.471	0.222	2.00	Pass
			QPSK	1	214	19.080	18.950	22.0258	24.176	0.262	2.00	Pass
			QPSK	216	0	18.985	18.828	21.9175	24.067	0.255	2.00	Pass
			16QAM	108	54	19.974	19.827	22.9114	25.061	0.321	2.00	Pass
			16QAM	1	1	19.048	18.825	21.9482	24.097	0.257	2.00	Pass
			16QAM	1	214	19.209	19.079	22.1548	24.305	0.269	2.00	Pass
			16QAM	216	0	18.937	18.780	21.8695	24.019	0.252	2.00	Pass
			64QAM	1	1	18.280	18.056	21.1797	23.328	0.215	2.00	Pass
			64QAM	1	214	18.528	18.399	21.4743	23.625	0.230	2.00	Pass
			64QAM	216	0	18.517	18.360	21.4495	23.599	0.229	2.00	Pass
			256QAM	1	1	15.148	14.926	18.0487	20.197	0.105	2.00	Pass
			256QAM	1	214	15.205	15.075	18.1508	20.301	0.107	2.00	Pass
			256QAM	216	0	15.552	15.396	18.4850	20.635	0.116	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n5 UL MIMO												
5	LCH	CP	QPSK	13	6	23.509	23.287	26.4097	26.805	0.479	7.00	Pass
			QPSK	1	0	22.219	22.016	25.1290	25.519	0.356	7.00	Pass
			QPSK	1	23	22.686	22.450	25.5799	25.978	0.396	7.00	Pass
			QPSK	25	0	22.148	21.927	25.0492	25.444	0.350	7.00	Pass
			16QAM	13	6	22.951	22.729	25.8517	26.247	0.421	7.00	Pass
			16QAM	1	0	21.727	21.525	24.6375	25.027	0.318	7.00	Pass
			16QAM	1	23	22.283	22.047	25.1769	25.575	0.361	7.00	Pass
			16QAM	25	0	22.114	21.892	25.0147	25.410	0.348	7.00	Pass
			64QAM	1	0	21.382	21.179	24.2920	24.682	0.294	7.00	Pass
			64QAM	1	23	21.662	21.426	24.5559	24.954	0.313	7.00	Pass
			64QAM	25	0	21.746	21.525	24.6472	25.042	0.319	7.00	Pass
			256QAM	1	0	18.264	18.061	21.1740	21.564	0.143	7.00	Pass
			256QAM	1	23	18.782	18.545	21.6754	22.074	0.161	7.00	Pass
			256QAM	25	0	18.766	18.544	21.6667	22.062	0.161	7.00	Pass
	MCH		QPSK	13	6	24.023	23.817	26.9315	27.322	0.540	7.00	Pass
			QPSK	1	0	22.876	22.689	25.7938	26.179	0.415	7.00	Pass
			QPSK	1	23	21.984	21.789	24.8979	25.286	0.338	7.00	Pass
			QPSK	25	0	22.569	22.368	25.4800	25.869	0.386	7.00	Pass
			16QAM	13	6	23.344	23.139	26.2530	26.643	0.462	7.00	Pass
			16QAM	1	0	22.693	22.506	25.6108	25.996	0.398	7.00	Pass
			16QAM	1	23	22.421	22.226	25.3349	25.723	0.373	7.00	Pass
			16QAM	25	0	22.544	22.344	25.4555	25.845	0.384	7.00	Pass
			64QAM	1	0	21.961	21.774	24.8788	25.264	0.336	7.00	Pass
			64QAM	1	23	21.632	21.438	24.5464	24.934	0.311	7.00	Pass
			64QAM	25	0	21.837	21.636	24.7480	25.137	0.326	7.00	Pass
			256QAM	1	0	18.512	18.324	21.4293	21.815	0.152	7.00	Pass
			256QAM	1	23	18.639	18.445	21.5534	21.941	0.156	7.00	Pass
			256QAM	25	0	19.076	18.876	21.9875	22.377	0.173	7.00	Pass
	HCH		QPSK	13	6	23.350	23.152	26.2624	26.651	0.462	7.00	Pass
			QPSK	1	0	21.911	21.704	24.8190	25.210	0.332	7.00	Pass
			QPSK	1	23	22.413	22.223	25.3293	25.716	0.373	7.00	Pass
			QPSK	25	0	21.897	21.699	24.8094	25.198	0.331	7.00	Pass
			16QAM	13	6	22.701	22.503	25.6134	26.002	0.398	7.00	Pass
			16QAM	1	0	21.468	21.262	24.3765	24.767	0.300	7.00	Pass
			16QAM	1	23	21.984	21.794	24.9003	25.287	0.338	7.00	Pass
			16QAM	25	0	21.941	21.743	24.8534	25.242	0.334	7.00	Pass
			64QAM	1	0	21.115	20.909	24.0235	24.414	0.276	7.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n5 UL MIMO												
			64QAM	1	23	21.463	21.274	24.3798	24.766	0.300	7.00	Pass
			64QAM	25	0	21.463	21.265	24.3754	24.764	0.299	7.00	Pass
			256QAM	1	0	18.336	18.128	21.2435	21.635	0.146	7.00	Pass
			256QAM	1	24	18.286	18.096	21.2023	21.589	0.144	7.00	Pass
			256QAM	25	0	18.578	18.379	21.4899	21.879	0.154	7.00	Pass
10	LCH	CP	QPSK	26	13	23.671	23.317	26.5079	26.938	0.494	7.00	Pass
			QPSK	1	1	21.648	21.283	24.4796	24.912	0.310	7.00	Pass
			QPSK	1	50	21.865	21.514	24.7033	25.132	0.326	7.00	Pass
			QPSK	52	0	22.11	21.755	24.9464	25.376	0.345	7.00	Pass
			16QAM	26	13	22.934	22.58	25.7709	26.201	0.417	7.00	Pass
			16QAM	1	1	21.914	21.55	24.7461	25.178	0.329	7.00	Pass
			16QAM	1	50	21.826	21.476	24.6648	25.093	0.323	7.00	Pass
			16QAM	52	0	22.147	21.792	24.9834	25.413	0.348	7.00	Pass
			64QAM	1	1	21.254	20.889	24.0856	24.518	0.283	7.00	Pass
			64QAM	1	50	21.391	21.041	24.2298	24.658	0.292	7.00	Pass
			64QAM	52	0	21.738	21.383	24.5744	25.004	0.317	7.00	Pass
			256QAM	1	1	18.229	17.864	21.0606	21.493	0.141	7.00	Pass
			256QAM	1	50	18.248	17.898	21.0868	21.515	0.142	7.00	Pass
			256QAM	52	0	18.702	18.348	21.5389	21.969	0.157	7.00	Pass
	MCH		QPSK	26	13	23.867	23.571	26.7318	27.146	0.518	7.00	Pass
			QPSK	1	1	22.515	22.195	25.3682	25.789	0.379	7.00	Pass
			QPSK	1	50	21.729	21.453	24.6035	25.013	0.317	7.00	Pass
			QPSK	52	0	22.334	22.043	25.2012	25.614	0.364	7.00	Pass
			16QAM	26	13	23.36	23.065	26.2253	26.639	0.461	7.00	Pass
			16QAM	1	1	22.766	22.447	25.6197	26.040	0.402	7.00	Pass
			16QAM	1	50	22.419	22.142	25.2930	25.702	0.372	7.00	Pass
			16QAM	52	0	22.353	22.062	25.2202	25.633	0.366	7.00	Pass
			64QAM	1	1	21.827	21.508	24.6807	25.101	0.324	7.00	Pass
			64QAM	1	50	21.492	21.217	24.3670	24.776	0.300	7.00	Pass
			64QAM	52	0	21.902	21.612	24.7697	25.183	0.330	7.00	Pass
			256QAM	1	1	19.017	18.698	21.8707	22.291	0.169	7.00	Pass
			256QAM	1	50	18.649	18.373	21.5235	21.933	0.156	7.00	Pass
			256QAM	52	0	18.913	18.623	21.7807	22.194	0.166	7.00	Pass
	HCH		QPSK	26	13	23.465	23.161	26.3260	26.742	0.472	7.00	Pass
			QPSK	1	1	22.398	22.066	25.2455	25.669	0.369	7.00	Pass
			QPSK	1	50	21.52	21.234	24.3897	24.801	0.302	7.00	Pass
			QPSK	52	0	22.012	21.705	24.8715	25.289	0.338	7.00	Pass
			16QAM	26	13	22.962	22.658	25.8230	26.239	0.421	7.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n5 UL MIMO												
			16QAM	1	1	22.304	21.972	25.1515	25.575	0.361	7.00	Pass
			16QAM	1	50	22.246	21.96	25.1157	25.527	0.357	7.00	Pass
			16QAM	52	0	21.992	21.686	24.8520	25.269	0.336	7.00	Pass
			64QAM	1	1	21.574	21.242	24.4215	24.845	0.305	7.00	Pass
			64QAM	1	50	21.366	21.081	24.2361	24.648	0.292	7.00	Pass
			64QAM	52	0	21.479	21.172	24.3385	24.756	0.299	7.00	Pass
			256QAM	1	1	18.364	18.032	21.2115	21.635	0.146	7.00	Pass
			256QAM	1	50	18.077	17.792	20.9471	21.359	0.137	7.00	Pass
			256QAM	52	0	18.53	18.223	21.3895	21.807	0.152	7.00	Pass
15	LCH	CP	QPSK	39	19	23.783	23.530	26.6686	27.072	0.510	7.00	Pass
			QPSK	1	1	21.760	21.496	24.6403	25.046	0.320	7.00	Pass
			QPSK	1	77	21.977	21.727	24.8641	25.266	0.336	7.00	Pass
			QPSK	79	0	22.222	21.968	25.1072	25.510	0.356	7.00	Pass
			16QAM	39	19	23.046	22.793	25.9316	26.335	0.430	7.00	Pass
			16QAM	1	1	22.026	21.763	24.9068	25.312	0.340	7.00	Pass
			16QAM	1	77	21.938	21.689	24.8256	25.228	0.333	7.00	Pass
			16QAM	79	0	22.259	22.005	25.1442	25.547	0.359	7.00	Pass
			64QAM	1	1	21.366	21.102	24.2463	24.652	0.292	7.00	Pass
			64QAM	1	77	21.503	21.254	24.3906	24.793	0.301	7.00	Pass
			64QAM	79	0	21.850	21.596	24.7352	25.138	0.326	7.00	Pass
			256QAM	1	1	18.341	18.077	21.2213	21.627	0.145	7.00	Pass
			256QAM	1	77	18.360	18.111	21.2476	21.650	0.146	7.00	Pass
			256QAM	79	0	18.814	18.561	21.6996	22.103	0.162	7.00	Pass
	MCH		QPSK	39	19	23.979	23.784	26.8929	27.281	0.535	7.00	Pass
			QPSK	1	1	22.627	22.408	25.5292	25.923	0.391	7.00	Pass
			QPSK	1	77	21.841	21.666	24.7647	25.147	0.327	7.00	Pass
			QPSK	79	0	22.446	22.256	25.3623	25.749	0.376	7.00	Pass
			16QAM	39	19	23.472	23.278	26.3864	26.774	0.476	7.00	Pass
			16QAM	1	1	22.878	22.660	25.7807	26.174	0.414	7.00	Pass
			16QAM	1	77	22.531	22.355	25.4542	25.837	0.383	7.00	Pass
			16QAM	79	0	22.465	22.275	25.3813	25.768	0.377	7.00	Pass
			64QAM	1	1	21.939	21.721	24.8417	25.235	0.334	7.00	Pass
			64QAM	1	77	21.604	21.430	24.5282	24.910	0.310	7.00	Pass
			64QAM	79	0	22.014	21.825	24.9308	25.317	0.340	7.00	Pass
			256QAM	1	1	19.129	18.911	22.0317	22.425	0.175	7.00	Pass
			256QAM	1	77	18.761	18.586	21.6847	22.067	0.161	7.00	Pass
			256QAM	79	0	19.025	18.836	21.9418	22.328	0.171	7.00	Pass
	HCH		QPSK	39	19	23.577	23.374	26.4870	26.877	0.487	7.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n5 UL MIMO												
			QPSK	1	1	22.510	22.279	25.4063	25.804	0.381	7.00	Pass
			QPSK	1	77	21.632	21.447	24.5508	24.936	0.312	7.00	Pass
			QPSK	79	0	22.124	21.918	25.0325	25.423	0.349	7.00	Pass
			16QAM	39	19	23.074	22.871	25.9840	26.374	0.434	7.00	Pass
			16QAM	1	1	22.416	22.185	25.3123	25.710	0.372	7.00	Pass
			16QAM	1	77	22.358	22.173	25.2768	25.662	0.368	7.00	Pass
			16QAM	79	0	22.104	21.899	25.0130	25.403	0.347	7.00	Pass
			64QAM	1	1	21.686	21.455	24.5823	24.980	0.315	7.00	Pass
			64QAM	1	77	21.478	21.294	24.3973	24.782	0.301	7.00	Pass
			64QAM	79	0	21.591	21.385	24.4995	24.890	0.308	7.00	Pass
			256QAM	1	1	18.476	18.245	21.3723	21.770	0.150	7.00	Pass
			256QAM	1	77	18.189	18.005	21.1083	21.493	0.141	7.00	Pass
			256QAM	79	0	18.642	18.436	21.5505	21.941	0.156	7.00	Pass
20	LCH	CP	QPSK	53	26	24.015	23.804	26.9211	27.313	0.539	7.00	Pass
			QPSK	1	0	22.498	22.239	25.3807	25.785	0.379	7.00	Pass
			QPSK	1	104	23.034	22.835	25.9459	26.335	0.430	7.00	Pass
			QPSK	106	0	22.529	22.314	25.4331	25.826	0.382	7.00	Pass
			16QAM	53	26	23.385	23.174	26.2911	26.683	0.466	7.00	Pass
			16QAM	1	0	22.081	21.822	24.9637	25.368	0.344	7.00	Pass
			16QAM	1	104	22.951	22.752	25.8629	26.252	0.422	7.00	Pass
			16QAM	106	0	22.412	22.197	25.3161	25.709	0.372	7.00	Pass
			64QAM	1	0	21.677	21.417	24.5592	24.964	0.314	7.00	Pass
			64QAM	1	104	22.214	22.015	25.1259	25.515	0.356	7.00	Pass
			64QAM	106	0	21.950	21.735	24.8541	25.247	0.335	7.00	Pass
			256QAM	1	0	18.605	18.346	21.4877	21.892	0.155	7.00	Pass
			256QAM	1	104	18.729	18.529	21.6405	22.030	0.160	7.00	Pass
			256QAM	106	0	19.100	18.885	22.0041	22.397	0.174	7.00	Pass
	MCH		QPSK	53	26	24.134	23.945	27.0508	**27.437**	0.554	7.00	Pass
			QPSK	1	0	22.625	22.442	25.5448	25.929	0.392	7.00	Pass
			QPSK	1	104	22.829	22.626	25.7390	26.129	0.410	7.00	Pass
			QPSK	106	0	22.632	22.439	25.5469	25.934	0.392	7.00	Pass
			16QAM	53	26	23.613	23.424	26.5298	26.916	0.492	7.00	Pass
			16QAM	1	0	22.577	22.393	25.4963	25.881	0.387	7.00	Pass
			16QAM	1	104	22.364	22.162	25.2745	25.664	0.368	7.00	Pass
			16QAM	106	0	22.479	22.287	25.3944	25.781	0.379	7.00	Pass
			64QAM	1	0	21.887	21.704	24.8068	25.191	0.330	7.00	Pass
			64QAM	1	104	21.751	21.549	24.6615	25.051	0.320	7.00	Pass
			64QAM	106	0	22.098	21.905	25.0129	25.400	0.347	7.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n5 UL MIMO												
			256QAM	1	0	18.637	18.453	21.5563	21.941	0.156	7.00	Pass
			256QAM	1	104	18.508	18.306	21.4185	21.808	0.152	7.00	Pass
			256QAM	106	0	19.161	18.969	22.0764	22.463	0.176	7.00	Pass
	HCH		QPSK	53	26	23.829	23.611	26.7317	27.125	0.516	7.00	Pass
			QPSK	1	0	22.137	21.884	25.0226	25.426	0.349	7.00	Pass
			QPSK	1	104	22.276	22.061	25.1801	25.573	0.361	7.00	Pass
			QPSK	106	0	22.448	22.225	25.3482	25.743	0.375	7.00	Pass
			16QAM	53	26	23.297	23.080	26.2002	26.594	0.456	7.00	Pass
			16QAM	1	0	23.123	22.869	26.0082	26.411	0.438	7.00	Pass
			16QAM	1	104	21.787	21.571	24.6906	25.084	0.322	7.00	Pass
			16QAM	106	0	22.277	22.054	25.1772	25.572	0.361	7.00	Pass
			64QAM	1	0	21.949	21.696	24.8346	25.238	0.334	7.00	Pass
			64QAM	1	104	21.671	21.456	24.5751	24.968	0.314	7.00	Pass
			64QAM	106	0	21.753	21.529	24.6527	25.048	0.320	7.00	Pass
			256QAM	1	0	18.978	18.725	21.8636	22.267	0.169	7.00	Pass
			256QAM	1	104	18.633	18.418	21.5371	21.930	0.156	7.00	Pass
			256QAM	106	0	18.959	18.736	21.8592	22.254	0.168	7.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n7 UL MIMO												
5	LCH	CP	QPSK	13	6	20.2	20.03	23.1261	26.277	0.424	2.00	Pass
			QPSK	1	0	18.97	18.73	21.8620	25.014	0.317	2.00	Pass
			QPSK	1	23	19.23	19.12	22.1856	25.337	0.342	2.00	Pass
			QPSK	25	0	18.84	18.78	21.8204	24.971	0.314	2.00	Pass
			16QAM	13	6	19.82	19.61	22.7266	25.878	0.387	2.00	Pass
			16QAM	1	0	18.42	18.24	21.3412	24.493	0.281	2.00	Pass
			16QAM	1	23	19.18	18.93	22.0671	25.219	0.333	2.00	Pass
			16QAM	25	0	18.82	18.57	21.7071	24.859	0.306	2.00	Pass
			64QAM	1	0	17.86	17.85	20.8653	24.016	0.252	2.00	Pass
			64QAM	1	23	18.55	18.28	21.4274	24.579	0.287	2.00	Pass
			64QAM	25	0	18.33	18.22	21.2856	24.437	0.278	2.00	Pass
			256QAM	1	0	15.03	14.76	17.9074	21.059	0.128	2.00	Pass
			256QAM	1	23	15.45	15.37	18.4205	21.571	0.144	2.00	Pass
			256QAM	25	0	15.54	15.35	18.4563	21.608	0.145	2.00	Pass
	MCH		QPSK	13	6	20.33	20.23	23.2906	26.441	0.441	2.00	Pass
			QPSK	1	0	18.85	18.66	21.7663	24.918	0.310	2.00	Pass
			QPSK	1	23	19.07	18.88	21.9863	25.138	0.326	2.00	Pass
			QPSK	25	0	19.11	18.89	22.0117	25.163	0.328	2.00	Pass
			16QAM	13	6	19.9	19.8	22.8606	26.011	0.399	2.00	Pass
			16QAM	1	0	19.3	19.27	22.2953	25.446	0.350	2.00	Pass
			16QAM	1	23	18.47	18.5	21.4953	24.645	0.291	2.00	Pass
			16QAM	25	0	18.88	18.82	21.8604	25.011	0.317	2.00	Pass
			64QAM	1	0	18.56	18.28	21.4326	24.584	0.287	2.00	Pass
			64QAM	1	23	18.16	18.1	21.1404	24.291	0.269	2.00	Pass
			64QAM	25	0	18.57	18.34	21.4668	24.618	0.290	2.00	Pass
			256QAM	1	0	15.51	15.52	18.5253	21.676	0.147	2.00	Pass
			256QAM	1	23	14.97	15.01	18.0003	21.150	0.130	2.00	Pass
			256QAM	25	0	15.4	15.3	18.3606	21.511	0.142	2.00	Pass
	HCH		QPSK	13	6	20.34	20.08	23.2222	26.374	0.434	2.00	Pass
			QPSK	1	0	18.87	18.54	21.7184	24.871	0.307	2.00	Pass
			QPSK	1	23	18.54	18.26	21.4126	24.564	0.286	2.00	Pass
			QPSK	25	0	19.06	18.83	21.9568	25.108	0.324	2.00	Pass
			16QAM	13	6	19.8	19.48	22.6532	25.805	0.381	2.00	Pass
			16QAM	1	0	19.22	19.15	22.1954	25.346	0.342	2.00	Pass
			16QAM	1	23	18.52	18.3	21.4217	24.573	0.287	2.00	Pass
			16QAM	25	0	18.9	18.7	21.8115	24.963	0.314	2.00	Pass
			64QAM	1	0	18.26	18.26	21.2703	24.421	0.277	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n7 UL MIMO												
			64QAM	1	23	17.97	17.78	20.8863	24.038	0.253	2.00	Pass
			64QAM	25	0	18.48	18.34	21.4209	24.572	0.287	2.00	Pass
			256QAM	1	0	14.93	14.83	17.8906	21.041	0.127	2.00	Pass
			256QAM	1	24	15.43	15.19	18.3220	21.474	0.140	2.00	Pass
			256QAM	25	0	15.31	15.2	18.2656	21.417	0.139	2.00	Pass
10	LCH	CP	QPSK	26	13	20.58	20.52	23.5604	26.711	0.469	2.00	Pass
			QPSK	1	1	19.23	19.06	22.1561	25.307	0.339	2.00	Pass
			QPSK	1	50	18.97	18.85	21.9207	25.072	0.321	2.00	Pass
			QPSK	52	0	19.22	19.08	22.1609	25.312	0.340	2.00	Pass
			16QAM	26	13	20.17	19.95	23.0717	26.223	0.419	2.00	Pass
			16QAM	1	1	18.73	18.58	21.6659	24.817	0.303	2.00	Pass
			16QAM	1	50	19.57	19.42	22.5059	25.657	0.368	2.00	Pass
			16QAM	52	0	19.03	18.85	21.9512	25.103	0.324	2.00	Pass
			64QAM	1	1	18.34	18.16	21.2612	24.413	0.276	2.00	Pass
			64QAM	1	50	18.85	18.64	21.7566	24.908	0.310	2.00	Pass
			64QAM	52	0	18.62	18.51	21.5756	24.727	0.297	2.00	Pass
			256QAM	1	1	15.15	14.91	18.0420	21.194	0.132	2.00	Pass
			256QAM	1	50	15.13	15.04	18.0955	21.246	0.133	2.00	Pass
			256QAM	52	0	15.66	15.66	18.6703	21.821	0.152	2.00	Pass
	MCH		QPSK	26	13	20.69	20.66	23.6853	26.836	0.483	2.00	Pass
			QPSK	1	1	18.92	18.84	21.8905	25.041	0.319	2.00	Pass
			QPSK	1	50	19.52	19.53	22.5353	25.686	0.370	2.00	Pass
			QPSK	52	0	19.25	19.06	22.1663	25.318	0.340	2.00	Pass
			16QAM	26	13	20.16	20.04	23.1107	26.262	0.423	2.00	Pass
			16QAM	1	1	19.8	19.56	22.6920	25.844	0.384	2.00	Pass
			16QAM	1	50	19.54	19.45	22.5055	25.656	0.368	2.00	Pass
			16QAM	52	0	19.2	19.03	22.1261	25.277	0.337	2.00	Pass
			64QAM	1	1	18.66	18.25	21.4701	24.623	0.290	2.00	Pass
			64QAM	1	50	18.74	18.5	21.6320	24.784	0.301	2.00	Pass
			64QAM	52	0	18.63	18.44	21.5463	24.698	0.295	2.00	Pass
			256QAM	1	1	15.65	15.52	18.5958	21.747	0.150	2.00	Pass
			256QAM	1	50	15.56	15.26	18.4229	21.575	0.144	2.00	Pass
			256QAM	52	0	15.63	15.58	18.6154	21.766	0.150	2.00	Pass
	HCH		QPSK	26	13	20.52	20.41	23.4756	26.627	0.460	2.00	Pass
			QPSK	1	1	19.26	19.08	22.1812	25.333	0.341	2.00	Pass
			QPSK	1	50	18.84	18.63	21.7466	24.898	0.309	2.00	Pass
			QPSK	52	0	19.21	19.14	22.1854	25.336	0.342	2.00	Pass
			16QAM	26	13	20.23	20.18	23.2154	26.366	0.433	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n7 UL MIMO												
			16QAM	1	1	19.22	19.14	22.1905	25.341	0.342	2.00	Pass
			16QAM	1	50	18.64	18.59	21.6254	24.776	0.300	2.00	Pass
			16QAM	52	0	18.97	18.97	21.9803	25.131	0.326	2.00	Pass
			64QAM	1	1	18.39	18.14	21.2771	24.429	0.277	2.00	Pass
			64QAM	1	50	18.5	18.56	21.5404	24.690	0.294	2.00	Pass
			64QAM	52	0	18.37	18.33	21.3603	24.511	0.283	2.00	Pass
			256QAM	1	1	15.43	15.31	18.3807	21.532	0.142	2.00	Pass
			256QAM	1	50	15.09	15.12	18.1153	21.265	0.134	2.00	Pass
			256QAM	52	0	15.57	15.43	18.5109	21.662	0.147	2.00	Pass
15	LCH	CP	QPSK	39	19	20.81	20.7	23.7656	26.917	0.492	2.00	Pass
			QPSK	1	1	18.65	18.55	21.6106	24.761	0.299	2.00	Pass
			QPSK	1	77	19.26	19.09	22.1861	25.337	0.342	2.00	Pass
			QPSK	79	0	19.3	19.11	22.2163	25.368	0.344	2.00	Pass
			16QAM	39	19	20.23	20.1	23.1758	26.327	0.429	2.00	Pass
			16QAM	1	1	19.23	19.02	22.1366	25.288	0.338	2.00	Pass
			16QAM	1	77	19.58	19.45	22.5258	25.677	0.370	2.00	Pass
			16QAM	79	0	19.2	19.16	22.1903	25.341	0.342	2.00	Pass
			64QAM	1	1	18.45	18.36	21.4155	24.566	0.286	2.00	Pass
			64QAM	1	77	18.67	18.58	21.6355	24.786	0.301	2.00	Pass
			64QAM	79	0	18.69	18.48	21.5966	24.748	0.298	2.00	Pass
			256QAM	1	1	15.02	14.9	17.9707	21.122	0.129	2.00	Pass
			256QAM	1	77	15.2	15.26	18.2404	21.390	0.138	2.00	Pass
			256QAM	79	0	15.84	15.61	18.7368	21.888	0.154	2.00	Pass
	MCH		QPSK	39	19	20.66	20.53	23.6058	26.757	0.474	2.00	Pass
			QPSK	1	1	19.31	19.11	22.2215	25.373	0.345	2.00	Pass
			QPSK	1	77	18.66	18.57	21.6255	24.776	0.300	2.00	Pass
			QPSK	79	0	19.2	19.14	22.1804	25.331	0.341	2.00	Pass
			16QAM	39	19	20.3	20.16	23.2409	26.392	0.436	2.00	Pass
			16QAM	1	1	19.51	19.34	22.4361	25.587	0.362	2.00	Pass
			16QAM	1	77	19.6	19.44	22.5310	25.682	0.370	2.00	Pass
			16QAM	79	0	19.22	19.01	22.1266	25.278	0.337	2.00	Pass
			64QAM	1	1	18.84	18.53	21.6981	24.850	0.306	2.00	Pass
			64QAM	1	77	18.73	18.66	21.7054	24.856	0.306	2.00	Pass
			64QAM	79	0	18.86	18.65	21.7666	24.918	0.310	2.00	Pass
			256QAM	1	1	15.66	15.48	18.5812	21.733	0.149	2.00	Pass
			256QAM	1	77	15.52	15.29	18.4168	21.568	0.143	2.00	Pass
			256QAM	79	0	15.81	15.59	18.7117	21.863	0.154	2.00	Pass
	HCH		QPSK	39	19	20.79	20.41	23.6145	26.767	0.475	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n7 UL MIMO												
			QPSK	1	1	19.69	19.54	22.6259	25.777	0.378	2.00	Pass
			QPSK	1	77	18.66	18.71	21.6954	24.845	0.305	2.00	Pass
			QPSK	79	0	19.16	18.94	22.0617	25.213	0.332	2.00	Pass
			16QAM	39	19	20.11	19.99	23.0607	26.212	0.418	2.00	Pass
			16QAM	1	1	19.13	19	22.0758	25.227	0.333	2.00	Pass
			16QAM	1	77	19.3	19.21	22.2655	25.416	0.348	2.00	Pass
			16QAM	79	0	19.18	18.97	22.0866	25.238	0.334	2.00	Pass
			64QAM	1	1	18.59	18.43	21.5210	24.672	0.293	2.00	Pass
			64QAM	1	77	18.03	18.02	21.0353	24.186	0.262	2.00	Pass
			64QAM	79	0	18.72	18.5	21.6217	24.773	0.300	2.00	Pass
			256QAM	1	1	15.25	15.12	18.1958	21.347	0.136	2.00	Pass
			256QAM	1	77	14.93	14.95	17.9503	21.100	0.129	2.00	Pass
			256QAM	79	0	15.78	15.71	18.7554	21.906	0.155	2.00	Pass
20	LCH	CP	QPSK	53	26	20.64	20.42	23.5417	26.693	0.467	2.00	Pass
			QPSK	1	0	19.36	19.1	22.2422	25.394	0.346	2.00	Pass
			QPSK	1	104	18.83	18.69	21.7709	24.922	0.311	2.00	Pass
			QPSK	106	0	19.23	19.15	22.2005	25.351	0.343	2.00	Pass
			16QAM	53	26	20.26	19.99	23.1374	26.289	0.426	2.00	Pass
			16QAM	1	0	18.86	18.61	21.7471	24.899	0.309	2.00	Pass
			16QAM	1	104	19.58	19.43	22.5159	25.667	0.369	2.00	Pass
			16QAM	106	0	19.19	18.91	22.0626	25.214	0.332	2.00	Pass
			64QAM	1	0	18.32	18.1	21.2217	24.373	0.274	2.00	Pass
			64QAM	1	104	18.78	18.63	21.7159	24.867	0.307	2.00	Pass
			64QAM	106	0	18.64	18.52	21.5907	24.742	0.298	2.00	Pass
			256QAM	1	0	15.17	14.91	18.0522	21.204	0.132	2.00	Pass
			256QAM	1	104	15.09	15.1	18.1053	21.256	0.134	2.00	Pass
			256QAM	106	0	15.73	15.46	18.6074	21.759	0.150	2.00	Pass
	MCH		QPSK	53	26	20.61	20.46	23.5459	26.697	0.467	2.00	Pass
			QPSK	1	0	19.09	18.66	21.8906	25.043	0.319	2.00	Pass
			QPSK	1	104	19.63	19.48	22.5659	25.717	0.373	2.00	Pass
			QPSK	106	0	19.22	19.07	22.1559	25.307	0.339	2.00	Pass
			16QAM	53	26	20.13	20.14	23.1453	26.296	0.426	2.00	Pass
			16QAM	1	0	19.75	19.58	22.6761	25.827	0.383	2.00	Pass
			16QAM	1	104	19.51	19.4	22.4656	25.617	0.364	2.00	Pass
			16QAM	106	0	19.09	19.01	22.0605	25.211	0.332	2.00	Pass
			64QAM	1	0	18.46	18.39	21.4354	24.586	0.287	2.00	Pass
			64QAM	1	104	18.67	18.57	21.6306	24.781	0.301	2.00	Pass
			64QAM	106	0	18.5	18.39	21.4556	24.607	0.289	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n7 UL MIMO												
			256QAM	1	0	15.62	15.5	18.5707	21.722	0.149	2.00	Pass
			256QAM	1	104	15.48	15.35	18.4258	21.577	0.144	2.00	Pass
			256QAM	106	0	15.68	15.56	18.6307	21.782	0.151	2.00	Pass
			QPSK	53	26	20.59	20.45	23.5309	26.682	0.466	2.00	Pass
			QPSK	1	0	19.2	19.19	22.2053	25.356	0.343	2.00	Pass
			QPSK	1	104	18.78	18.72	21.7604	24.911	0.310	2.00	Pass
			QPSK	106	0	19.29	18.92	22.1192	25.272	0.337	2.00	Pass
			16QAM	53	26	20.18	19.93	23.0671	26.219	0.419	2.00	Pass
			16QAM	1	0	19.44	19.04	22.2549	25.407	0.347	2.00	Pass
			16QAM	1	104	18.66	18.5	21.5910	24.742	0.298	2.00	Pass
	HCH		16QAM	106	0	18.99	18.88	21.9456	25.097	0.323	2.00	Pass
			64QAM	1	0	18.32	18.18	21.2609	24.412	0.276	2.00	Pass
			64QAM	1	104	18.49	18.48	21.4953	24.646	0.291	2.00	Pass
			64QAM	106	0	18.44	18.45	21.4553	24.606	0.289	2.00	Pass
			256QAM	1	0	15.48	15.36	18.4307	21.582	0.144	2.00	Pass
			256QAM	1	104	15.12	15.11	18.1253	21.276	0.134	2.00	Pass
			256QAM	106	0	15.57	15.38	18.4863	21.638	0.146	2.00	Pass
			QPSK	67	33	20.95	20.77	23.8712	27.023	0.504	2.00	Pass
			QPSK	1	1	18.74	18.48	21.6222	24.774	0.300	2.00	Pass
			QPSK	1	131	19.48	19.22	22.3622	25.514	0.356	2.00	Pass
			QPSK	133	0	19.48	19.21	22.3574	25.509	0.356	2.00	Pass
			16QAM	67	33	20.44	20.35	23.4055	26.556	0.453	2.00	Pass
			16QAM	1	1	19.37	19.16	22.2766	25.428	0.349	2.00	Pass
			16QAM	1	131	19.83	19.58	22.7171	25.869	0.386	2.00	Pass
	LCH		16QAM	133	0	19.36	19.16	22.2715	25.423	0.349	2.00	Pass
			64QAM	1	1	18.62	18.31	21.4781	24.630	0.290	2.00	Pass
			64QAM	1	131	18.86	18.63	21.7568	24.908	0.310	2.00	Pass
25		CP	64QAM	133	0	18.9	18.7	21.8115	24.963	0.314	2.00	Pass
			256QAM	1	1	15.13	14.99	18.0709	21.222	0.132	2.00	Pass
			256QAM	1	131	15.31	15.29	18.3103	21.461	0.140	2.00	Pass
			256QAM	133	0	15.91	15.86	18.8954	22.046	0.160	2.00	Pass
			QPSK	67	33	20.94	20.66	23.8126	26.964	0.497	2.00	Pass
			QPSK	1	1	19.38	19.28	22.3406	25.491	0.354	2.00	Pass
			QPSK	1	131	18.86	18.69	21.7861	24.937	0.312	2.00	Pass
	MCH		QPSK	133	0	19.37	19.2	22.2961	25.447	0.351	2.00	Pass
			16QAM	67	33	20.51	20.23	23.3826	26.534	0.450	2.00	Pass
			16QAM	1	1	19.53	19.41	22.4807	25.632	0.366	2.00	Pass
			16QAM	1	131	19.73	19.53	22.6415	25.793	0.380	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n7 UL MIMO												
			16QAM	133	0	19.41	19.29	22.3607	25.512	0.356	2.00	Pass
			64QAM	1	1	18.97	18.77	21.8815	25.033	0.319	2.00	Pass
			64QAM	1	131	18.85	18.7	21.7859	24.937	0.312	2.00	Pass
			64QAM	133	0	18.89	18.82	21.8654	25.016	0.317	2.00	Pass
			256QAM	1	1	15.74	15.45	18.6077	21.760	0.150	2.00	Pass
			256QAM	1	131	15.64	15.53	18.5956	21.747	0.150	2.00	Pass
			256QAM	133	0	15.85	15.8	18.8354	21.986	0.158	2.00	Pass
			QPSK	67	33	20.81	20.61	23.7215	26.873	0.487	2.00	Pass
			QPSK	1	1	19.79	19.64	22.7259	25.877	0.387	2.00	Pass
			QPSK	1	131	18.79	18.77	21.7903	24.941	0.312	2.00	Pass
			QPSK	133	0	19.28	19.09	22.1963	25.348	0.343	2.00	Pass
			16QAM	67	33	20.25	20.11	23.1909	26.342	0.431	2.00	Pass
			16QAM	1	1	19.32	19.13	22.2363	25.388	0.346	2.00	Pass
			16QAM	1	131	19.4	19.36	22.3903	25.541	0.358	2.00	Pass
			16QAM	133	0	19.22	19.17	22.2054	25.356	0.343	2.00	Pass
			64QAM	1	1	18.82	18.63	21.7363	24.888	0.308	2.00	Pass
			64QAM	1	131	18.16	18.12	21.1503	24.301	0.269	2.00	Pass
			64QAM	133	0	18.79	18.71	21.7605	24.911	0.310	2.00	Pass
			256QAM	1	1	15.39	15.24	18.3259	21.477	0.141	2.00	Pass
			256QAM	1	131	15	14.94	17.9804	21.131	0.130	2.00	Pass
			256QAM	133	0	15.92	15.75	18.8461	21.997	0.158	2.00	Pass
			QPSK	80	40	20.65	20.47	23.5712	26.723	0.470	2.00	Pass
			QPSK	1	1	19.32	19.13	22.2363	25.388	0.346	2.00	Pass
			QPSK	1	158	18.83	18.72	21.7856	24.937	0.312	2.00	Pass
			QPSK	160	0	19.33	19.09	22.2220	25.374	0.345	2.00	Pass
			16QAM	80	40	20.17	19.92	23.0571	26.209	0.418	2.00	Pass
			16QAM	1	1	18.68	18.52	21.6110	24.762	0.299	2.00	Pass
			16QAM	1	158	19.65	19.35	22.5129	25.665	0.369	2.00	Pass
			16QAM	160	0	19.26	19.07	22.1763	25.328	0.341	2.00	Pass
			64QAM	1	1	18.35	18.23	21.3007	24.452	0.279	2.00	Pass
			64QAM	1	158	18.71	18.69	21.7103	24.861	0.306	2.00	Pass
			64QAM	160	0	18.74	18.36	21.5645	24.717	0.296	2.00	Pass
			256QAM	1	1	15.15	14.98	18.0761	21.227	0.133	2.00	Pass
			256QAM	1	158	15.25	14.98	18.1274	21.279	0.134	2.00	Pass
			256QAM	160	0	15.71	15.59	18.6607	21.812	0.152	2.00	Pass
			QPSK	80	40	20.62	20.44	23.5412	26.693	0.467	2.00	Pass
			QPSK	1	1	19.02	18.82	21.9315	25.083	0.322	2.00	Pass
			QPSK	1	158	19.56	19.53	22.5553	25.706	0.372	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n7 UL MIMO												
			QPSK	160	0	19.23	19.1	22.1758	25.327	0.341	2.00	Pass
			16QAM	80	40	20.37	19.97	23.1849	26.337	0.430	2.00	Pass
			16QAM	1	1	19.89	19.58	22.7481	25.900	0.389	2.00	Pass
			16QAM	1	158	19.51	19.36	22.4459	25.597	0.363	2.00	Pass
			16QAM	160	0	19.24	19.09	22.1759	25.327	0.341	2.00	Pass
			64QAM	1	1	18.53	18.46	21.5054	24.656	0.292	2.00	Pass
			64QAM	1	158	18.69	18.49	21.6015	24.753	0.299	2.00	Pass
			64QAM	160	0	18.57	18.33	21.4620	24.614	0.289	2.00	Pass
			256QAM	1	1	15.72	15.62	18.6806	21.831	0.152	2.00	Pass
			256QAM	1	158	15.44	15.29	18.3759	21.527	0.142	2.00	Pass
			256QAM	160	0	15.82	15.63	18.7363	21.888	0.154	2.00	Pass
	HCH		QPSK	80	40	20.66	20.54	23.6107	26.762	0.474	2.00	Pass
			QPSK	1	1	19.28	19.03	22.1671	25.319	0.340	2.00	Pass
			QPSK	1	158	18.68	18.69	21.6953	24.846	0.305	2.00	Pass
			QPSK	160	0	19.13	19.03	22.0906	25.241	0.334	2.00	Pass
			16QAM	80	40	20.31	20.04	23.1874	26.339	0.430	2.00	Pass
			16QAM	1	1	19.33	19.1	22.2268	25.378	0.345	2.00	Pass
			16QAM	1	158	18.61	18.54	21.5854	24.736	0.298	2.00	Pass
			16QAM	160	0	18.99	18.76	21.8868	25.038	0.319	2.00	Pass
			64QAM	1	1	18.3	18.19	21.2556	24.407	0.276	2.00	Pass
			64QAM	1	158	18.58	18.41	21.5061	24.657	0.292	2.00	Pass
			64QAM	160	0	18.53	18.37	21.4610	24.612	0.289	2.00	Pass
			256QAM	1	1	15.46	15.28	18.3812	21.533	0.142	2.00	Pass
			256QAM	1	158	15.22	15.12	18.1806	21.331	0.136	2.00	Pass
			256QAM	160	0	15.65	15.56	18.6155	21.766	0.150	2.00	Pass
40	LCH	CP	QPSK	108	54	20.85	20.65	23.7615	26.913	0.491	2.00	Pass
			QPSK	1	1	18.49	18.28	21.3966	24.548	0.285	2.00	Pass
			QPSK	1	214	19.2	19.06	22.1409	25.292	0.338	2.00	Pass
			QPSK	216	0	19.37	19.24	22.3158	25.467	0.352	2.00	Pass
			16QAM	108	54	20.28	20.25	23.2753	26.426	0.439	2.00	Pass
			16QAM	1	1	19.17	18.93	22.0620	25.214	0.332	2.00	Pass
			16QAM	1	214	19.75	19.55	22.6615	25.813	0.381	2.00	Pass
			16QAM	216	0	19.21	19.01	22.1215	25.273	0.337	2.00	Pass
			64QAM	1	1	18.54	18.21	21.3884	24.541	0.284	2.00	Pass
			64QAM	1	214	18.55	18.6	21.5854	24.735	0.298	2.00	Pass
			64QAM	216	0	18.77	18.52	21.6571	24.809	0.303	2.00	Pass
			256QAM	1	1	15.09	14.95	18.0309	21.182	0.131	2.00	Pass
			256QAM	1	214	15.18	15.15	18.1753	21.326	0.136	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n7 UL MIMO												
			256QAM	216	0	15.89	15.76	18.8358	21.987	0.158	2.00	Pass
	MCH		QPSK	108	54	20.68	20.75	23.7254	26.875	0.487	2.00	Pass
			QPSK	1	1	19.34	18.96	22.1645	25.317	0.340	2.00	Pass
			QPSK	1	214	18.64	18.58	21.6204	24.771	0.300	2.00	Pass
			QPSK	216	0	19.26	19.01	22.1471	25.299	0.339	2.00	Pass
			16QAM	108	54	20.36	20.26	23.3206	26.471	0.444	2.00	Pass
			16QAM	1	1	19.51	19.18	22.3584	25.511	0.356	2.00	Pass
			16QAM	1	214	19.6	19.41	22.5163	25.668	0.369	2.00	Pass
			16QAM	216	0	19.3	19.07	22.1968	25.348	0.343	2.00	Pass
			64QAM	1	1	18.7	18.58	21.6507	24.802	0.302	2.00	Pass
			64QAM	1	214	18.77	18.65	21.7207	24.872	0.307	2.00	Pass
			64QAM	216	0	18.88	18.59	21.7477	24.900	0.309	2.00	Pass
			256QAM	1	1	15.65	15.43	18.5517	21.703	0.148	2.00	Pass
			256QAM	1	214	15.45	15.28	18.3761	21.527	0.142	2.00	Pass
			256QAM	216	0	15.67	15.68	18.6853	21.836	0.153	2.00	Pass
	HCH		QPSK	108	54	20.64	20.67	23.6653	26.815	0.480	2.00	Pass
			QPSK	1	1	19.72	19.33	22.5397	25.692	0.371	2.00	Pass
			QPSK	1	214	18.79	18.52	21.6674	24.819	0.303	2.00	Pass
			QPSK	216	0	19.04	19.03	22.0453	25.196	0.331	2.00	Pass
			16QAM	108	54	20.19	20.06	23.1358	26.287	0.425	2.00	Pass
			16QAM	1	1	19.24	18.92	22.0932	25.245	0.335	2.00	Pass
			16QAM	1	214	19.24	19.21	22.2353	25.386	0.346	2.00	Pass
			16QAM	216	0	19.07	19.1	22.0953	25.245	0.335	2.00	Pass
			64QAM	1	1	18.75	18.6	21.6859	24.837	0.305	2.00	Pass
			64QAM	1	214	18.16	18.08	21.1305	24.281	0.268	2.00	Pass
			64QAM	216	0	18.68	18.57	21.6356	24.787	0.301	2.00	Pass
			256QAM	1	1	15.24	15.17	18.2154	21.366	0.137	2.00	Pass
			256QAM	1	214	14.94	14.93	17.9453	21.096	0.129	2.00	Pass
			256QAM	216	0	15.9	15.71	18.8163	21.968	0.157	2.00	Pass
50	LCH	CP	QPSK	135	67	20.99	20.88	23.9456	**27.097**	0.512	2.00	Pass
			QPSK	1	1	18.79	18.57	21.6917	24.843	0.305	2.00	Pass
			QPSK	1	268	19.38	19.21	22.3061	25.457	0.351	2.00	Pass
			QPSK	270	0	19.45	19.24	22.3566	25.508	0.355	2.00	Pass
			16QAM	135	67	20.45	20.29	23.3810	26.532	0.450	2.00	Pass
			16QAM	1	1	19.41	19.16	22.2971	25.449	0.351	2.00	Pass
			16QAM	1	268	19.7	19.71	22.7153	25.866	0.386	2.00	Pass
			16QAM	270	0	19.26	19.22	22.2503	25.401	0.347	2.00	Pass
			64QAM	1	1	18.53	18.46	21.5054	24.656	0.292	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n7 UL MIMO												
			64QAM	1	268	18.82	18.68	21.7609	24.912	0.310	2.00	Pass
			64QAM	270	0	18.88	18.74	21.8209	24.972	0.314	2.00	Pass
			256QAM	1	1	15.23	14.94	18.0977	21.250	0.133	2.00	Pass
			256QAM	1	268	15.38	15.24	18.3209	21.472	0.140	2.00	Pass
			256QAM	270	0	15.95	15.74	18.8566	22.008	0.159	2.00	Pass
	MCH		QPSK	135	67	20.93	20.65	23.8026	26.954	0.496	2.00	Pass
			QPSK	1	1	19.37	19.15	22.2717	25.423	0.349	2.00	Pass
			QPSK	1	268	18.77	18.62	21.7059	24.857	0.306	2.00	Pass
			QPSK	270	0	19.35	19.1	22.2371	25.389	0.346	2.00	Pass
			16QAM	135	67	20.45	20.31	23.3909	26.542	0.451	2.00	Pass
			16QAM	1	1	19.52	19.42	22.4806	25.631	0.366	2.00	Pass
			16QAM	1	268	19.72	19.51	22.6266	25.778	0.378	2.00	Pass
			16QAM	270	0	19.38	19.26	22.3307	25.482	0.353	2.00	Pass
			64QAM	1	1	18.92	18.65	21.7974	24.949	0.313	2.00	Pass
			64QAM	1	268	18.84	18.8	21.8303	24.981	0.315	2.00	Pass
			64QAM	270	0	18.9	18.7	21.8115	24.963	0.314	2.00	Pass
			256QAM	1	1	15.64	15.45	18.5563	21.708	0.148	2.00	Pass
			256QAM	1	268	15.76	15.49	18.6374	21.789	0.151	2.00	Pass
			256QAM	270	0	15.88	15.84	18.8703	22.021	0.159	2.00	Pass
	HCH		QPSK	135	67	20.78	20.66	23.7307	26.882	0.488	2.00	Pass
			QPSK	1	1	19.76	19.66	22.7206	25.871	0.386	2.00	Pass
			QPSK	1	268	18.82	18.82	21.8303	24.981	0.315	2.00	Pass
			QPSK	270	0	19.35	19.2	22.2859	25.437	0.350	2.00	Pass
			16QAM	135	67	20.37	20.09	23.2426	26.394	0.436	2.00	Pass
			16QAM	1	1	19.28	19.21	22.2554	25.406	0.347	2.00	Pass
			16QAM	1	268	19.46	19.28	22.3812	25.533	0.357	2.00	Pass
			16QAM	270	0	19.21	19.14	22.1854	25.336	0.342	2.00	Pass
			64QAM	1	1	18.79	18.64	21.7259	24.877	0.307	2.00	Pass
			64QAM	1	268	18.16	18.11	21.1454	24.296	0.269	2.00	Pass
			64QAM	270	0	18.78	18.67	21.7356	24.887	0.308	2.00	Pass
			256QAM	1	1	15.52	15.3	18.4217	21.573	0.144	2.00	Pass
			256QAM	1	268	15.09	15.07	18.0903	21.241	0.133	2.00	Pass
			256QAM	270	0	15.89	15.82	18.8654	22.016	0.159	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n25 UL MIMO												
5	LCH	CP	QPSK	13	6	19.79	19.53	22.6722	24.770	0.300	2.00	Pass
			QPSK	1	0	18.53	18.37	21.4610	23.560	0.227	2.00	Pass
			QPSK	1	23	18.64	18.49	21.5759	23.675	0.233	2.00	Pass
			QPSK	25	0	18.33	18.12	21.2366	23.335	0.216	2.00	Pass
			16QAM	13	6	19.15	19.01	22.0909	24.190	0.262	2.00	Pass
			16QAM	1	0	17.96	17.79	20.8861	22.985	0.199	2.00	Pass
			16QAM	1	23	18.74	18.51	21.6368	23.735	0.236	2.00	Pass
			16QAM	25	0	18.33	18.22	21.2856	23.386	0.218	2.00	Pass
			64QAM	1	0	17.53	17.46	20.5054	22.606	0.182	2.00	Pass
			64QAM	1	23	18.09	17.78	20.9481	23.046	0.202	2.00	Pass
			64QAM	25	0	17.8	17.56	20.6920	22.790	0.190	2.00	Pass
			256QAM	1	0	14.3	14.01	17.1677	19.266	0.084	2.00	Pass
			256QAM	1	23	14.86	14.65	17.7666	19.865	0.097	2.00	Pass
			256QAM	25	0	14.92	14.65	17.7974	19.895	0.098	2.00	Pass
	MCH		QPSK	13	6	19.92	19.82	22.8806	24.981	0.315	2.00	Pass
			QPSK	1	0	18.65	18.61	21.6403	23.741	0.237	2.00	Pass
			QPSK	1	23	18.07	17.86	20.9766	23.075	0.203	2.00	Pass
			QPSK	25	0	18.58	18.4	21.5012	23.600	0.229	2.00	Pass
			16QAM	13	6	19.24	19.13	22.1956	24.296	0.269	2.00	Pass
			16QAM	1	0	18.73	18.54	21.6463	23.745	0.237	2.00	Pass
			16QAM	1	23	18.16	18.02	21.1009	23.200	0.209	2.00	Pass
			16QAM	25	0	18.57	18.28	21.4377	23.536	0.226	2.00	Pass
			64QAM	1	0	17.99	17.76	20.8868	22.985	0.199	2.00	Pass
			64QAM	1	23	17.79	17.56	20.6868	22.785	0.190	2.00	Pass
			64QAM	25	0	17.93	17.75	20.8512	22.950	0.197	2.00	Pass
			256QAM	1	0	14.49	14.33	17.4210	19.520	0.090	2.00	Pass
			256QAM	1	23	15	14.89	17.9556	20.056	0.101	2.00	Pass
			256QAM	25	0	15.06	14.89	17.9861	20.085	0.102	2.00	Pass
	HCH		QPSK	13	6	18.2	17.93	21.0774	23.175	0.208	2.00	Pass
			QPSK	1	0	18.14	18.03	21.0956	23.196	0.209	2.00	Pass
			QPSK	1	23	18.87	18.66	21.7766	23.875	0.244	2.00	Pass
			QPSK	25	0	18.55	18.28	21.4274	23.525	0.225	2.00	Pass
			16QAM	13	6	19.16	19.07	22.1255	24.226	0.265	2.00	Pass
			16QAM	1	0	18.85	18.77	21.8205	23.921	0.247	2.00	Pass
			16QAM	1	23	18.26	18	21.1422	23.240	0.211	2.00	Pass
			16QAM	25	0	18.47	18.21	21.3522	23.450	0.221	2.00	Pass
			64QAM	1	0	18.04	17.84	20.9515	23.050	0.202	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n25 UL MIMO												
			64QAM	1	23	17.75	17.57	20.6712	22.770	0.189	2.00	Pass
			64QAM	25	0	17.96	17.92	20.9503	23.051	0.202	2.00	Pass
			256QAM	1	0	15.03	14.92	17.9856	20.086	0.102	2.00	Pass
			256QAM	1	24	14.38	14.25	17.3258	19.425	0.088	2.00	Pass
			256QAM	25	0	14.97	14.88	17.9355	20.036	0.101	2.00	Pass
10	LCH	CP	QPSK	26	13	20.16	19.93	23.0568	25.155	0.328	2.00	Pass
			QPSK	1	1	18.07	17.82	20.9571	23.055	0.202	2.00	Pass
			QPSK	1	50	18.5	18.23	21.3774	23.475	0.223	2.00	Pass
			QPSK	52	0	18.67	18.55	21.6207	23.720	0.236	2.00	Pass
			16QAM	26	13	19.7	19.52	22.6212	24.720	0.297	2.00	Pass
			16QAM	1	1	18.91	18.69	21.8117	23.910	0.246	2.00	Pass
			16QAM	1	50	18.72	18.56	21.6510	23.750	0.237	2.00	Pass
			16QAM	52	0	18.75	18.52	21.6468	23.745	0.237	2.00	Pass
			64QAM	1	1	17.89	17.62	20.7674	22.865	0.193	2.00	Pass
			64QAM	1	50	17.91	17.74	20.8361	22.935	0.197	2.00	Pass
			64QAM	52	0	18.26	18.03	21.1568	23.255	0.212	2.00	Pass
			256QAM	1	1	14.68	14.47	17.5866	19.685	0.093	2.00	Pass
			256QAM	1	50	14.96	14.73	17.8568	19.955	0.099	2.00	Pass
			256QAM	52	0	15.26	15.12	18.2009	20.300	0.107	2.00	Pass
	MCH		QPSK	26	13	20.2	19.98	23.1017	25.200	0.331	2.00	Pass
			QPSK	1	1	18.85	18.75	21.8106	23.911	0.246	2.00	Pass
			QPSK	1	50	18.86	18.7	21.7910	23.890	0.245	2.00	Pass
			QPSK	52	0	18.57	18.55	21.5703	23.671	0.233	2.00	Pass
			16QAM	26	13	19.58	19.35	22.4768	24.575	0.287	2.00	Pass
			16QAM	1	1	19.02	18.91	21.9756	24.076	0.256	2.00	Pass
			16QAM	1	50	19.09	18.93	22.0210	24.120	0.258	2.00	Pass
			16QAM	52	0	18.63	18.45	21.5512	23.650	0.232	2.00	Pass
			64QAM	1	1	18.38	18.1	21.2526	23.350	0.216	2.00	Pass
			64QAM	1	50	18.11	18.02	21.0755	23.176	0.208	2.00	Pass
			64QAM	52	0	18.23	17.98	21.1171	23.215	0.210	2.00	Pass
			256QAM	1	1	14.88	14.63	17.7671	19.865	0.097	2.00	Pass
			256QAM	1	50	14.87	14.84	17.8653	19.966	0.099	2.00	Pass
			256QAM	52	0	15.27	15.05	18.1717	20.270	0.106	2.00	Pass
	HCH		QPSK	26	13	20.35	20.25	23.3106	25.411	0.348	2.00	Pass
			QPSK	1	1	18.21	18.09	21.1607	23.260	0.212	2.00	Pass
			QPSK	1	50	18.92	18.83	21.8855	23.986	0.250	2.00	Pass
			QPSK	52	0	18.82	18.81	21.8253	23.926	0.247	2.00	Pass
			16QAM	26	13	19.85	19.68	22.7761	24.875	0.307	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n25 UL MIMO												
			16QAM	1	1	18.52	18.26	21.4022	23.500	0.224	2.00	Pass
			16QAM	1	50	19.01	18.9	21.9656	24.066	0.255	2.00	Pass
			16QAM	52	0	18.74	18.53	21.6466	23.745	0.237	2.00	Pass
			64QAM	1	1	18.35	18.22	21.2958	23.395	0.219	2.00	Pass
			64QAM	1	50	17.88	17.75	20.8258	22.925	0.196	2.00	Pass
			64QAM	52	0	18.33	18.07	21.2122	23.310	0.214	2.00	Pass
			256QAM	1	1	15.01	14.8	17.9166	20.015	0.100	2.00	Pass
			256QAM	1	50	14.84	14.78	17.8204	19.921	0.098	2.00	Pass
			256QAM	52	0	15.54	15.37	18.4661	20.565	0.114	2.00	Pass
15	LCH	CP	QPSK	39	19	20.23	19.91	23.0832	25.181	0.330	2.00	Pass
			QPSK	1	1	18.25	18.08	21.1761	23.275	0.213	2.00	Pass
			QPSK	1	77	18.47	18.4	21.4454	23.546	0.226	2.00	Pass
			QPSK	79	0	18.51	18.36	21.4459	23.545	0.226	2.00	Pass
			16QAM	39	19	19.67	19.5	22.5961	24.695	0.295	2.00	Pass
			16QAM	1	1	18.21	17.85	21.0440	23.141	0.206	2.00	Pass
			16QAM	1	77	19.13	19.01	22.0807	24.180	0.262	2.00	Pass
			16QAM	79	0	18.66	18.43	21.5568	23.655	0.232	2.00	Pass
			64QAM	1	1	18.07	17.8	20.9474	23.045	0.202	2.00	Pass
			64QAM	1	77	18.14	18.04	21.1006	23.201	0.209	2.00	Pass
			64QAM	79	0	18.27	17.96	21.1281	23.226	0.210	2.00	Pass
			256QAM	1	1	14.92	14.63	17.7877	19.886	0.097	2.00	Pass
			256QAM	1	77	15.01	14.93	17.9805	20.081	0.102	2.00	Pass
			256QAM	79	0	15.24	15.12	18.1907	20.290	0.107	2.00	Pass
	MCH		QPSK	39	19	19.99	19.88	22.9456	25.046	0.320	2.00	Pass
			QPSK	1	1	18.25	18	21.1371	23.235	0.211	2.00	Pass
			QPSK	1	77	18.67	18.41	21.5522	23.650	0.232	2.00	Pass
			QPSK	79	0	18.72	18.59	21.6658	23.765	0.238	2.00	Pass
			16QAM	39	19	19.63	19.49	22.5709	24.670	0.293	2.00	Pass
			16QAM	1	1	18.46	18.16	21.3229	23.421	0.220	2.00	Pass
			16QAM	1	77	19.27	19.13	22.2109	24.310	0.270	2.00	Pass
			16QAM	79	0	18.69	18.44	21.5771	23.675	0.233	2.00	Pass
			64QAM	1	1	18.18	17.88	21.0429	23.141	0.206	2.00	Pass
			64QAM	1	77	18.3	18.15	21.2359	23.335	0.216	2.00	Pass
			64QAM	79	0	18.39	18.08	21.2481	23.346	0.216	2.00	Pass
			256QAM	1	1	15.27	14.98	18.1377	20.236	0.106	2.00	Pass
			256QAM	1	77	15.37	15.24	18.3158	20.415	0.110	2.00	Pass
			256QAM	79	0	15.26	15.23	18.2553	20.356	0.109	2.00	Pass
	HCH		QPSK	39	19	20.32	20.06	23.2022	25.300	0.339	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n25 UL MIMO												
			QPSK	1	1	18.34	17.98	21.1740	23.271	0.212	2.00	Pass
			QPSK	1	77	18.22	18.17	21.2054	23.306	0.214	2.00	Pass
			QPSK	79	0	18.85	18.67	21.7712	23.870	0.244	2.00	Pass
			16QAM	39	19	19.77	19.61	22.7010	24.800	0.302	2.00	Pass
			16QAM	1	1	18.28	18.12	21.2110	23.310	0.214	2.00	Pass
			16QAM	1	77	18.88	18.71	21.8061	23.905	0.246	2.00	Pass
			16QAM	79	0	18.93	18.75	21.8512	23.950	0.248	2.00	Pass
			64QAM	1	1	17.89	17.69	20.8015	22.900	0.195	2.00	Pass
			64QAM	1	77	17.99	17.91	20.9605	23.061	0.202	2.00	Pass
			64QAM	79	0	18.28	18.14	21.2209	23.320	0.215	2.00	Pass
			256QAM	1	1	14.82	14.49	17.6684	19.766	0.095	2.00	Pass
			256QAM	1	77	14.56	14.4	17.4910	19.590	0.091	2.00	Pass
			256QAM	79	0	15.39	15.17	18.2917	20.390	0.109	2.00	Pass
20	LCH	CP	QPSK	53	26	20.29	20.11	23.2112	25.310	0.340	2.00	Pass
			QPSK	1	0	18.43	18.2	21.3268	23.425	0.220	2.00	Pass
			QPSK	1	104	18.65	18.48	21.5761	23.675	0.233	2.00	Pass
			QPSK	106	0	18.7	18.52	21.6212	23.720	0.236	2.00	Pass
			16QAM	53	26	19.74	19.56	22.6612	24.760	0.299	2.00	Pass
			16QAM	1	0	18.28	18.04	21.1720	23.270	0.212	2.00	Pass
			16QAM	1	104	19.26	19.08	22.1812	24.280	0.268	2.00	Pass
			16QAM	106	0	18.72	18.54	21.6412	23.740	0.237	2.00	Pass
			64QAM	1	0	18.14	17.9	21.0320	23.130	0.206	2.00	Pass
			64QAM	1	104	18.34	18.17	21.2661	23.365	0.217	2.00	Pass
			64QAM	106	0	18.33	18.14	21.2463	23.345	0.216	2.00	Pass
			256QAM	1	0	14.97	14.74	17.8668	19.965	0.099	2.00	Pass
			256QAM	1	104	15.18	15.01	18.1061	20.205	0.105	2.00	Pass
			256QAM	106	0	15.39	15.21	18.3112	20.410	0.110	2.00	Pass
	MCH		QPSK	53	26	20.13	19.97	23.0610	25.160	0.328	2.00	Pass
			QPSK	1	0	18.41	18.14	21.2874	23.385	0.218	2.00	Pass
			QPSK	1	104	18.73	18.59	21.6709	23.770	0.238	2.00	Pass
			QPSK	106	0	18.86	18.69	21.7861	23.885	0.245	2.00	Pass
			16QAM	53	26	19.73	19.57	22.6610	24.760	0.299	2.00	Pass
			16QAM	1	0	18.53	18.25	21.4026	23.500	0.224	2.00	Pass
			16QAM	1	104	19.36	19.22	22.3009	24.400	0.275	2.00	Pass
			16QAM	106	0	18.8	18.63	21.7261	23.825	0.241	2.00	Pass
			64QAM	1	0	18.32	18.05	21.1974	23.295	0.214	2.00	Pass
			64QAM	1	104	18.49	18.35	21.4309	23.530	0.225	2.00	Pass
			64QAM	106	0	18.44	18.27	21.3661	23.465	0.222	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n25 UL MIMO												
			256QAM	1	0	15.43	15.16	18.3074	20.405	0.110	2.00	Pass
			256QAM	1	104	15.42	15.29	18.3658	20.465	0.111	2.00	Pass
			256QAM	106	0	15.46	15.29	18.3861	20.485	0.112	2.00	Pass
			QPSK	53	26	20.38	20.21	23.3061	25.405	0.347	2.00	Pass
			QPSK	1	0	18.4	18.15	21.2871	23.385	0.218	2.00	Pass
			QPSK	1	104	18.39	18.23	21.3210	23.420	0.220	2.00	Pass
			QPSK	106	0	18.94	18.76	21.8612	23.960	0.249	2.00	Pass
			16QAM	53	26	19.9	19.74	22.8310	24.930	0.311	2.00	Pass
			16QAM	1	0	18.47	18.23	21.3620	23.460	0.222	2.00	Pass
			16QAM	1	104	19.06	18.9	21.9910	24.090	0.256	2.00	Pass
	HCH		16QAM	106	0	19.03	18.86	21.9561	24.055	0.254	2.00	Pass
			64QAM	1	0	18.01	17.77	20.9020	23.000	0.200	2.00	Pass
			64QAM	1	104	18.13	17.98	21.0659	23.165	0.207	2.00	Pass
			64QAM	106	0	18.47	18.3	21.3961	23.495	0.224	2.00	Pass
			256QAM	1	0	14.91	14.66	17.7971	19.895	0.098	2.00	Pass
			256QAM	1	104	14.74	14.59	17.6759	19.775	0.095	2.00	Pass
			256QAM	106	0	15.45	15.27	18.3712	20.470	0.111	2.00	Pass
			QPSK	67	33	20.21	19.96	23.0971	25.195	0.331	2.00	Pass
			QPSK	1	1	18	17.8	20.9115	23.010	0.200	2.00	Pass
			QPSK	1	131	18.39	18.18	21.2966	23.395	0.219	2.00	Pass
			QPSK	133	0	18.74	18.54	21.6515	23.750	0.237	2.00	Pass
			16QAM	67	33	19.66	19.48	22.5812	24.680	0.294	2.00	Pass
			16QAM	1	1	18.98	18.64	21.8236	23.921	0.247	2.00	Pass
			16QAM	1	131	18.73	18.47	21.6122	23.710	0.235	2.00	Pass
	LCH		16QAM	133	0	18.74	18.52	21.6417	23.740	0.237	2.00	Pass
			64QAM	1	1	17.79	17.68	20.7456	22.846	0.193	2.00	Pass
			64QAM	1	131	17.98	17.73	20.8671	22.965	0.198	2.00	Pass
25		CP	64QAM	133	0	18.19	18.09	21.1506	23.251	0.211	2.00	Pass
			256QAM	1	1	14.72	14.45	17.5974	19.695	0.093	2.00	Pass
			256QAM	1	131	14.91	14.72	17.8263	19.925	0.098	2.00	Pass
			256QAM	133	0	15.23	15.05	18.1512	20.250	0.106	2.00	Pass
			QPSK	67	33	20.23	20.09	23.1709	25.270	0.337	2.00	Pass
			QPSK	1	1	18.82	18.7	21.7707	23.870	0.244	2.00	Pass
			QPSK	1	131	18.9	18.69	21.8066	23.905	0.246	2.00	Pass
	MCH		QPSK	133	0	18.6	18.43	21.5261	23.625	0.230	2.00	Pass
			16QAM	67	33	19.62	19.39	22.5168	24.615	0.289	2.00	Pass
			16QAM	1	1	19.07	19	22.0454	24.146	0.260	2.00	Pass
			16QAM	1	131	19.05	18.97	22.0205	24.121	0.258	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n25 UL MIMO												
			16QAM	133	0	18.7	18.4	21.5629	23.661	0.232	2.00	Pass
			64QAM	1	1	18.28	18.1	21.2012	23.300	0.214	2.00	Pass
			64QAM	1	131	18.04	17.94	21.0006	23.101	0.204	2.00	Pass
			64QAM	133	0	18.14	17.96	21.0612	23.160	0.207	2.00	Pass
			256QAM	1	1	14.92	14.69	17.8168	19.915	0.098	2.00	Pass
			256QAM	1	131	14.95	14.75	17.8615	19.960	0.099	2.00	Pass
			256QAM	133	0	15.32	15.09	18.2168	20.315	0.108	2.00	Pass
			QPSK	67	33	20.43	20.19	23.3220	25.420	0.348	2.00	Pass
			QPSK	1	1	18.23	18.11	21.1807	23.280	0.213	2.00	Pass
			QPSK	1	131	18.91	18.88	21.9053	24.006	0.252	2.00	Pass
			QPSK	133	0	18.83	18.72	21.7856	23.886	0.245	2.00	Pass
			16QAM	67	33	19.87	19.65	22.7717	24.870	0.307	2.00	Pass
			16QAM	1	1	18.43	18.33	21.3906	23.491	0.223	2.00	Pass
			16QAM	1	131	19.08	18.91	22.0061	24.105	0.257	2.00	Pass
			16QAM	133	0	18.84	18.67	21.7661	23.865	0.244	2.00	Pass
			64QAM	1	1	18.3	18.23	21.2754	23.376	0.218	2.00	Pass
			64QAM	1	131	17.81	17.66	20.7459	22.845	0.193	2.00	Pass
			64QAM	133	0	18.24	18.09	21.1759	23.275	0.213	2.00	Pass
			256QAM	1	1	15.08	14.83	17.9671	20.065	0.102	2.00	Pass
			256QAM	1	131	14.8	14.73	17.7754	19.876	0.097	2.00	Pass
			256QAM	133	0	15.41	15.32	18.3755	20.476	0.112	2.00	Pass
			QPSK	80	40	20.14	19.89	23.0271	25.125	0.325	2.00	Pass
			QPSK	1	1	18.09	17.75	20.9336	23.031	0.201	2.00	Pass
			QPSK	1	158	18.5	18.17	21.3484	23.446	0.221	2.00	Pass
			QPSK	160	0	18.8	18.57	21.6968	23.795	0.240	2.00	Pass
			16QAM	80	40	19.75	19.52	22.6468	24.745	0.298	2.00	Pass
			16QAM	1	1	18.97	18.72	21.8571	23.955	0.249	2.00	Pass
			16QAM	1	158	18.74	18.48	21.6222	23.720	0.236	2.00	Pass
			16QAM	160	0	18.63	18.43	21.5415	23.640	0.231	2.00	Pass
			64QAM	1	1	17.79	17.66	20.7358	22.835	0.192	2.00	Pass
			64QAM	1	158	18.06	17.81	20.9471	23.045	0.202	2.00	Pass
			64QAM	160	0	18.26	18.03	21.1568	23.255	0.212	2.00	Pass
			256QAM	1	1	14.79	14.48	17.6481	19.746	0.094	2.00	Pass
			256QAM	1	158	14.86	14.76	17.8206	19.921	0.098	2.00	Pass
			256QAM	160	0	15.2	15.08	18.1507	20.250	0.106	2.00	Pass
			QPSK	80	40	20.23	20.02	23.1366	25.235	0.334	2.00	Pass
			QPSK	1	1	18.9	18.73	21.8261	23.925	0.247	2.00	Pass
			QPSK	1	158	18.84	18.7	21.7809	23.880	0.244	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n25 UL MIMO												
			QPSK	160	0	18.59	18.41	21.5112	23.610	0.230	2.00	Pass
			16QAM	80	40	19.63	19.44	22.5463	24.645	0.291	2.00	Pass
			16QAM	1	1	19.05	18.95	22.0106	24.111	0.258	2.00	Pass
			16QAM	1	158	18.99	18.86	21.9358	24.035	0.253	2.00	Pass
			16QAM	160	0	18.64	18.53	21.5956	23.696	0.234	2.00	Pass
			64QAM	1	1	18.3	18.07	21.1968	23.295	0.214	2.00	Pass
			64QAM	1	158	18.07	18	21.0454	23.146	0.206	2.00	Pass
			64QAM	160	0	18.19	17.99	21.1015	23.200	0.209	2.00	Pass
			256QAM	1	1	14.81	14.64	17.7361	19.835	0.096	2.00	Pass
			256QAM	1	158	15.01	14.8	17.9166	20.015	0.100	2.00	Pass
			256QAM	160	0	15.3	15.1	18.2115	20.310	0.107	2.00	Pass
	HCH		QPSK	80	40	20.37	20.23	23.3109	25.410	0.348	2.00	Pass
			QPSK	1	1	18.33	18.13	21.2415	23.340	0.216	2.00	Pass
			QPSK	1	158	18.99	18.91	21.9605	24.061	0.255	2.00	Pass
			QPSK	160	0	18.9	18.74	21.8310	23.930	0.247	2.00	Pass
			16QAM	80	40	19.86	19.71	22.7959	24.895	0.309	2.00	Pass
			16QAM	1	1	18.52	18.21	21.3781	23.476	0.223	2.00	Pass
			16QAM	1	158	19.01	18.89	21.9607	24.060	0.255	2.00	Pass
			16QAM	160	0	18.7	18.58	21.6507	23.750	0.237	2.00	Pass
			64QAM	1	1	18.31	18.2	21.2656	23.366	0.217	2.00	Pass
			64QAM	1	158	17.86	17.65	20.7666	22.865	0.193	2.00	Pass
			64QAM	160	0	18.27	18.16	21.2256	23.326	0.215	2.00	Pass
			256QAM	1	1	15.01	14.83	17.9312	20.030	0.101	2.00	Pass
			256QAM	1	158	14.8	14.81	17.8153	19.917	0.098	2.00	Pass
			256QAM	160	0	15.43	15.3	18.3758	20.475	0.112	2.00	Pass
40	LCH	CP	QPSK	108	54	20.18	20.02	23.1110	25.210	0.332	2.00	Pass
			QPSK	1	1	18.33	18.12	21.2366	23.335	0.216	2.00	Pass
			QPSK	1	214	18.56	18.31	21.4471	23.545	0.226	2.00	Pass
			QPSK	216	0	18.64	18.43	21.5466	23.645	0.231	2.00	Pass
			16QAM	108	54	19.66	19.44	22.5617	24.660	0.292	2.00	Pass
			16QAM	1	1	18.14	17.84	21.0029	23.101	0.204	2.00	Pass
			16QAM	1	214	19.11	18.96	22.0459	24.145	0.260	2.00	Pass
			16QAM	216	0	18.65	18.39	21.5322	23.630	0.231	2.00	Pass
			64QAM	1	1	18.09	17.75	20.9336	23.031	0.201	2.00	Pass
			64QAM	1	214	18.25	18.09	21.1810	23.280	0.213	2.00	Pass
			64QAM	216	0	18.19	17.97	21.0917	23.190	0.208	2.00	Pass
			256QAM	1	1	14.89	14.62	17.7674	19.865	0.097	2.00	Pass
			256QAM	1	214	15.12	14.94	18.0412	20.140	0.103	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n25 UL MIMO												
			256QAM	216	0	15.19	15.13	18.1704	20.271	0.106	2.00	Pass
	MCH		QPSK	108	54	19.94	19.82	22.8907	24.990	0.316	2.00	Pass
			QPSK	1	1	18.27	18.04	21.1668	23.265	0.212	2.00	Pass
			QPSK	1	214	18.57	18.39	21.4912	23.590	0.229	2.00	Pass
			QPSK	216	0	18.74	18.61	21.6858	23.785	0.239	2.00	Pass
			16QAM	108	54	19.54	19.5	22.5303	24.631	0.290	2.00	Pass
			16QAM	1	1	18.35	18.14	21.2566	23.355	0.217	2.00	Pass
			16QAM	1	214	19.26	19.13	22.2058	24.305	0.269	2.00	Pass
			16QAM	216	0	18.72	18.48	21.6120	23.710	0.235	2.00	Pass
			64QAM	1	1	18.26	17.88	21.0845	23.181	0.208	2.00	Pass
			64QAM	1	214	18.38	18.27	21.3356	23.436	0.221	2.00	Pass
			64QAM	216	0	18.32	18.2	21.2707	23.370	0.217	2.00	Pass
			256QAM	1	1	15.34	15.07	18.2174	20.315	0.108	2.00	Pass
			256QAM	1	214	15.31	15.2	18.2656	20.366	0.109	2.00	Pass
			256QAM	216	0	15.36	15.2	18.2910	20.390	0.109	2.00	Pass
	HCH		QPSK	108	54	20.25	20.06	23.1663	25.265	0.336	2.00	Pass
			QPSK	1	1	18.22	18.05	21.1461	23.245	0.211	2.00	Pass
			QPSK	1	214	18.31	18.06	21.1971	23.295	0.214	2.00	Pass
			QPSK	216	0	18.77	18.58	21.6863	23.785	0.239	2.00	Pass
			16QAM	108	54	19.7	19.57	22.6458	24.745	0.298	2.00	Pass
			16QAM	1	1	18.4	18.05	21.2388	23.336	0.216	2.00	Pass
			16QAM	1	214	18.97	18.8	21.8961	23.995	0.251	2.00	Pass
			16QAM	216	0	18.9	18.68	21.8017	23.900	0.245	2.00	Pass
			64QAM	1	1	17.96	17.61	20.7988	22.896	0.195	2.00	Pass
			64QAM	1	214	17.99	17.92	20.9654	23.066	0.203	2.00	Pass
			64QAM	216	0	18.41	18.25	21.3410	23.440	0.221	2.00	Pass
			256QAM	1	1	14.86	14.55	17.7181	19.816	0.096	2.00	Pass
			256QAM	1	214	14.64	14.47	17.5661	19.665	0.093	2.00	Pass
			256QAM	216	0	15.3	15.11	18.2163	20.315	0.108	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n38 UL MIMO												
10	LCH	CP	QPSK	12	6	26.02	25.93	28.9855	30.949	1.244	2.00	Pass
			QPSK	1	1	20.84	20.69	23.7759	25.744	0.375	2.00	Pass
			QPSK	1	22	20.6	20.6	23.6103	25.566	0.360	2.00	Pass
			QPSK	24	0	23.58	23.49	26.5455	28.509	0.709	2.00	Pass
			16QAM	12	6	25.36	25.45	28.4155	30.365	1.088	2.00	Pass
			16QAM	1	1	21.53	21.43	24.4906	26.455	0.442	2.00	Pass
			16QAM	1	22	20.7	20.72	23.7203	25.675	0.369	2.00	Pass
			16QAM	24	0	23.53	23.44	26.4955	28.459	0.701	2.00	Pass
			64QAM	1	1	21.1	20.99	24.0556	26.021	0.400	2.00	Pass
			64QAM	1	22	20.83	20.86	23.8553	25.809	0.381	2.00	Pass
			64QAM	24	0	22.95	22.93	25.9503	27.908	0.618	2.00	Pass
			256QAM	1	1	19.5	19.52	22.5203	24.475	0.280	2.00	Pass
			256QAM	1	22	20.2	20.18	23.2003	25.158	0.328	2.00	Pass
			256QAM	24	0	20.19	20.09	23.1506	25.115	0.325	2.00	Pass
	MCH		QPSK	12	6	25.84	25.85	28.8553	30.811	1.205	2.00	Pass
			QPSK	1	1	20.73	20.76	23.7553	25.709	0.372	2.00	Pass
			QPSK	1	22	20.84	20.73	23.7956	25.761	0.377	2.00	Pass
			QPSK	24	0	23.56	23.43	26.5058	28.472	0.703	2.00	Pass
			16QAM	12	6	25.42	25.27	28.3559	30.324	1.077	2.00	Pass
			16QAM	1	1	20.84	20.86	23.8603	25.815	0.381	2.00	Pass
			16QAM	1	22	20.96	20.86	23.9206	25.885	0.388	2.00	Pass
			16QAM	24	0	23.47	23.38	26.4355	28.399	0.692	2.00	Pass
			64QAM	1	1	21.35	21.19	24.2810	26.250	0.422	2.00	Pass
			64QAM	1	22	20.44	20.3	23.3809	25.348	0.343	2.00	Pass
			64QAM	24	0	22.94	22.93	25.9453	27.902	0.617	2.00	Pass
			256QAM	1	1	19.72	19.51	22.6266	24.599	0.288	2.00	Pass
			256QAM	1	22	19.76	19.64	22.7107	24.676	0.294	2.00	Pass
			256QAM	24	0	20.1	20.04	23.0804	25.041	0.319	2.00	Pass
	HCH		QPSK	12	6	26.12	25.95	29.0461	31.016	1.264	2.00	Pass
			QPSK	1	1	21.24	21.1	24.1809	26.148	0.412	2.00	Pass
			QPSK	1	22	21.16	21	24.0910	26.060	0.404	2.00	Pass
			QPSK	24	0	23.63	23.41	26.5317	28.505	0.709	2.00	Pass
			16QAM	12	6	25.46	25.29	28.3861	30.356	1.085	2.00	Pass
			16QAM	1	1	21.16	20.93	24.0568	26.031	0.401	2.00	Pass
			16QAM	1	22	21.21	21.1	24.1656	26.131	0.410	2.00	Pass
			16QAM	24	0	23.63	23.57	26.6104	28.571	0.720	2.00	Pass
			64QAM	1	1	20.88	20.7	23.8012	25.772	0.378	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n38 UL MIMO												
			64QAM	1	22	20.79	20.66	23.7358	25.702	0.372	2.00	Pass
			64QAM	24	0	23.03	23.05	26.0503	28.005	0.632	2.00	Pass
			256QAM	1	1	20.22	20.08	23.1609	25.128	0.326	2.00	Pass
			256QAM	1	22	20.2	20.22	23.2203	25.175	0.329	2.00	Pass
			256QAM	24	0	20.26	20.13	23.2058	25.172	0.329	2.00	Pass
15	LCH	CP	QPSK	19	9	25.82	25.89	28.8654	30.816	1.207	2.00	Pass
			QPSK	1	1	20.64	20.67	23.6653	25.619	0.365	2.00	Pass
			QPSK	1	36	20.49	20.52	23.5153	25.469	0.352	2.00	Pass
			QPSK	38	0	23.33	23.44	26.3956	28.343	0.683	2.00	Pass
			16QAM	19	9	25.41	25.23	28.3312	30.302	1.072	2.00	Pass
			16QAM	1	1	20.8	21.25	24.0411	25.961	0.395	2.00	Pass
			16QAM	1	36	20.91	20.46	23.7011	25.693	0.371	2.00	Pass
			16QAM	38	0	23.3	23.25	26.2854	28.246	0.668	2.00	Pass
			64QAM	1	1	20.53	20.82	23.6877	25.621	0.365	2.00	Pass
			64QAM	1	36	20.15	20.76	23.4760	25.383	0.345	2.00	Pass
			64QAM	38	0	22.59	22.88	25.7477	27.681	0.586	2.00	Pass
			256QAM	1	1	19.95	19.39	22.6893	24.690	0.294	2.00	Pass
			256QAM	1	36	19.75	20.12	22.9492	24.876	0.307	2.00	Pass
			256QAM	38	0	19.97	19.98	22.9853	24.941	0.312	2.00	Pass
	MCH		QPSK	19	9	25.87	25.59	28.7426	30.721	1.181	2.00	Pass
			QPSK	1	1	20.93	20.53	23.7449	25.733	0.374	2.00	Pass
			QPSK	1	36	21.07	20.65	23.8754	25.865	0.386	2.00	Pass
			QPSK	38	0	23.35	23.27	26.3205	28.283	0.673	2.00	Pass
			16QAM	19	9	25.52	25.13	28.3397	30.327	1.078	2.00	Pass
			16QAM	1	1	20.4	20.66	23.5422	25.478	0.353	2.00	Pass
			16QAM	1	36	21.25	20.78	24.0317	26.025	0.400	2.00	Pass
			16QAM	38	0	23.33	23.32	26.3353	28.292	0.675	2.00	Pass
			64QAM	1	1	20.91	21.12	24.0266	25.966	0.395	2.00	Pass
			64QAM	1	36	20.64	20.21	23.4406	25.431	0.349	2.00	Pass
			64QAM	38	0	22.59	22.73	25.6709	27.616	0.578	2.00	Pass
			256QAM	1	1	19.62	19.4	22.5217	24.495	0.282	2.00	Pass
			256QAM	1	36	19.54	19.53	22.5453	24.502	0.282	2.00	Pass
			256QAM	38	0	19.99	19.8	22.9063	24.878	0.307	2.00	Pass
	HCH		QPSK	19	9	25.93	25.94	28.9453	30.901	1.230	2.00	Pass
			QPSK	1	1	20.9	20.85	23.8854	25.846	0.384	2.00	Pass
			QPSK	1	36	20.71	20.86	23.7959	25.740	0.375	2.00	Pass
			QPSK	38	0	23.64	23.3	26.4836	28.467	0.703	2.00	Pass
			16QAM	19	9	25.53	25.2	28.3784	30.361	1.087	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n38 UL MIMO												
			16QAM	1	1	20.84	20.82	23.8403	25.798	0.380	2.00	Pass
			16QAM	1	36	20.47	21.05	23.7800	25.690	0.371	2.00	Pass
			16QAM	38	0	23.29	23.4	26.3556	28.303	0.677	2.00	Pass
			64QAM	1	1	21.03	20.55	23.8069	25.801	0.380	2.00	Pass
			64QAM	1	36	20.46	20.63	23.5561	25.499	0.355	2.00	Pass
			64QAM	38	0	23.16	22.89	26.0374	28.015	0.633	2.00	Pass
			256QAM	1	1	19.6	19.94	22.7836	24.713	0.296	2.00	Pass
			256QAM	1	36	19.9	19.96	22.9404	24.892	0.308	2.00	Pass
			256QAM	38	0	20.09	20.06	23.0853	25.044	0.319	2.00	Pass
20	LCH	CP	QPSK	25	12	26.02	25.91	28.9756	30.941	1.242	2.00	Pass
			QPSK	1	1	20.78	20.82	23.8103	25.763	0.377	2.00	Pass
			QPSK	1	49	20.71	20.59	23.6607	25.626	0.365	2.00	Pass
			QPSK	51	0	23.48	23.4	26.4505	28.413	0.694	2.00	Pass
			16QAM	25	12	25.42	25.43	28.4353	30.391	1.094	2.00	Pass
			16QAM	1	1	20.85	20.82	23.8453	25.804	0.381	2.00	Pass
			16QAM	1	49	21.11	21	24.0656	26.031	0.401	2.00	Pass
			16QAM	51	0	23.41	23.36	26.3954	28.356	0.685	2.00	Pass
			64QAM	1	1	20.64	20.52	23.5907	25.556	0.359	2.00	Pass
			64QAM	1	49	20.36	20.17	23.2763	25.248	0.335	2.00	Pass
			64QAM	51	0	22.75	22.83	25.8005	27.750	0.596	2.00	Pass
			256QAM	1	1	20.16	20	23.0910	25.060	0.321	2.00	Pass
			256QAM	1	49	19.84	19.73	22.7956	24.761	0.299	2.00	Pass
			256QAM	51	0	20.17	19.97	23.0815	25.054	0.320	2.00	Pass
	MCH		QPSK	25	12	26.01	25.8	28.9166	30.889	1.227	2.00	Pass
			QPSK	1	1	21.03	20.93	23.9906	25.955	0.394	2.00	Pass
			QPSK	1	49	21.15	21.01	24.0909	26.058	0.403	2.00	Pass
			QPSK	51	0	23.43	23.34	26.3955	28.359	0.685	2.00	Pass
			16QAM	25	12	25.54	25.38	28.4710	30.440	1.107	2.00	Pass
			16QAM	1	1	20.6	20.47	23.5458	25.512	0.356	2.00	Pass
			16QAM	1	49	21.29	21.08	24.1966	26.169	0.414	2.00	Pass
			16QAM	51	0	23.37	23.15	26.2717	28.245	0.668	2.00	Pass
			64QAM	1	1	20.95	20.85	23.9106	25.875	0.387	2.00	Pass
			64QAM	1	49	20.79	20.5	23.6577	25.637	0.366	2.00	Pass
			64QAM	51	0	22.8	22.61	25.7163	27.688	0.587	2.00	Pass
			256QAM	1	1	19.56	19.47	22.5255	24.489	0.281	2.00	Pass
			256QAM	1	49	19.63	19.42	22.5366	24.509	0.282	2.00	Pass
			256QAM	51	0	20.08	19.96	23.0307	24.996	0.316	2.00	Pass
	HCH		QPSK	25	12	26.08	25.9	29.0012	30.972	1.251	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n38 UL MIMO												
			QPSK	1	1	20.92	20.78	23.8609	25.828	0.383	2.00	Pass
			QPSK	1	49	20.74	20.62	23.6907	25.656	0.368	2.00	Pass
			QPSK	51	0	23.76	23.56	26.6715	28.644	0.732	2.00	Pass
			16QAM	25	12	25.59	25.4	28.5063	30.478	1.116	2.00	Pass
			16QAM	1	1	20.91	20.72	23.8263	25.798	0.380	2.00	Pass
			16QAM	1	49	20.57	20.41	23.5010	25.470	0.352	2.00	Pass
			16QAM	51	0	23.59	23.45	26.5309	28.498	0.708	2.00	Pass
			64QAM	1	1	21.18	20.86	24.0332	26.015	0.399	2.00	Pass
			64QAM	1	49	20.56	20.41	23.4959	25.464	0.352	2.00	Pass
			64QAM	51	0	23.11	23	26.0656	28.031	0.635	2.00	Pass
			256QAM	1	1	19.62	19.48	22.5609	24.528	0.284	2.00	Pass
			256QAM	1	49	20.14	19.91	23.0368	25.011	0.317	2.00	Pass
			256QAM	51	0	20.34	20.17	23.2661	25.236	0.334	2.00	Pass
25	LCH	CP	QPSK	33	16	26.32	25.99	29.1684	31.151	1.303	2.00	Pass
			QPSK	1	1	21.66	21.44	24.5617	26.535	0.450	2.00	Pass
			QPSK	1	63	21.2	20.89	24.0581	26.039	0.402	2.00	Pass
			QPSK	65	0	23.85	23.64	26.7566	28.729	0.746	2.00	Pass
			16QAM	33	16	25.86	25.58	28.7326	30.711	1.178	2.00	Pass
			16QAM	1	1	21.6	21.3	24.4629	26.443	0.441	2.00	Pass
			16QAM	1	63	20.9	20.63	23.7774	25.755	0.376	2.00	Pass
			16QAM	65	0	23.8	23.54	26.6822	28.659	0.734	2.00	Pass
			64QAM	1	1	21.65	21.28	24.4792	26.465	0.443	2.00	Pass
			64QAM	1	63	21.42	21.21	24.3266	26.299	0.427	2.00	Pass
			64QAM	65	0	23.31	22.97	26.1536	28.137	0.651	2.00	Pass
			256QAM	1	1	20.66	20.34	23.5132	25.495	0.354	2.00	Pass
			256QAM	1	63	20.37	20.06	23.2281	25.209	0.332	2.00	Pass
			256QAM	65	0	20.52	20.3	23.4217	25.395	0.346	2.00	Pass
	MCH		QPSK	33	16	26.37	26.07	29.2329	31.213	1.322	2.00	Pass
			QPSK	1	1	21.55	21.27	24.4226	26.401	0.437	2.00	Pass
			QPSK	1	63	21.43	21.11	24.2832	26.265	0.423	2.00	Pass
			QPSK	65	0	23.85	23.51	26.6936	28.677	0.737	2.00	Pass
			16QAM	33	16	25.86	25.59	28.7374	30.715	1.179	2.00	Pass
			16QAM	1	1	21.43	21.18	24.3171	26.293	0.426	2.00	Pass
			16QAM	1	63	21.36	21.02	24.2036	26.187	0.416	2.00	Pass
			16QAM	65	0	23.77	23.42	26.6088	28.593	0.723	2.00	Pass
			64QAM	1	1	21.79	21.46	24.6384	26.621	0.459	2.00	Pass
			64QAM	1	63	21.38	21.09	24.2477	26.227	0.419	2.00	Pass
			64QAM	65	0	23.23	22.92	26.0881	28.069	0.641	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n38 UL MIMO												
			256QAM	1	1	20.04	19.8	22.9320	24.907	0.310	2.00	Pass
			256QAM	1	63	20.18	19.89	23.0477	25.027	0.318	2.00	Pass
			256QAM	65	0	20.4	20.07	23.2484	25.231	0.333	2.00	Pass
			QPSK	33	16	26.42	26.1	29.2732	**31.255**	1.335	2.00	Pass
			QPSK	1	1	21.4	21.04	24.2340	26.219	0.419	2.00	Pass
			QPSK	1	63	21.42	21.2	24.3217	26.295	0.426	2.00	Pass
			QPSK	65	0	23.92	23.63	26.7877	28.767	0.753	2.00	Pass
			16QAM	33	16	25.94	25.65	28.8077	30.787	1.199	2.00	Pass
			16QAM	1	1	21.38	20.97	24.1901	26.179	0.415	2.00	Pass
			16QAM	1	63	21.26	20.97	24.1277	26.107	0.408	2.00	Pass
	HCH		16QAM	65	0	23.76	23.45	26.6181	28.599	0.724	2.00	Pass
			64QAM	1	1	21.76	21.38	24.5845	26.571	0.454	2.00	Pass
			64QAM	1	63	20.67	20.46	23.5766	25.549	0.359	2.00	Pass
			64QAM	65	0	23.38	23.13	26.2671	28.243	0.667	2.00	Pass
			256QAM	1	1	20.35	20.07	23.2226	25.201	0.331	2.00	Pass
			256QAM	1	63	20.11	19.78	22.9584	24.941	0.312	2.00	Pass
			256QAM	65	0	20.48	20.23	23.3671	25.343	0.342	2.00	Pass
			QPSK	33	16	26.18	26.03	29.1159	31.084	1.284	2.00	Pass
			QPSK	1	1	21.48	21.33	24.4159	26.384	0.435	2.00	Pass
			QPSK	1	63	21.02	21	24.0203	25.978	0.396	2.00	Pass
			QPSK	65	0	23.78	23.62	26.7110	28.680	0.738	2.00	Pass
			16QAM	33	16	25.73	25.58	28.6659	30.634	1.157	2.00	Pass
			16QAM	1	1	21.55	21.26	24.4177	26.397	0.436	2.00	Pass
			16QAM	1	63	20.83	20.66	23.7561	25.726	0.374	2.00	Pass
	LCH		16QAM	65	0	23.62	23.53	26.5855	28.549	0.716	2.00	Pass
			64QAM	1	1	21.56	21.31	24.4471	26.423	0.439	2.00	Pass
			64QAM	1	63	21.29	21.18	24.2456	26.211	0.418	2.00	Pass
30		CP	64QAM	65	0	23.2	23.06	26.1409	28.108	0.647	2.00	Pass
			256QAM	1	1	20.46	20.34	23.4107	25.376	0.345	2.00	Pass
			256QAM	1	63	20.26	20.13	23.2058	25.172	0.329	2.00	Pass
			256QAM	65	0	20.36	20.29	23.3354	25.297	0.339	2.00	Pass
			QPSK	33	16	26.2	26.07	29.1458	31.112	1.292	2.00	Pass
			QPSK	1	1	21.47	21.24	24.3668	26.341	0.431	2.00	Pass
			QPSK	1	63	21.23	21.12	24.1856	26.151	0.412	2.00	Pass
	MCH		QPSK	65	0	23.71	23.55	26.6410	28.610	0.726	2.00	Pass
			16QAM	33	16	25.72	25.53	28.6363	30.608	1.150	2.00	Pass
			16QAM	1	1	21.35	21.21	24.2909	26.258	0.422	2.00	Pass
			16QAM	1	63	21.19	20.99	24.1015	26.074	0.405	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n38 UL MIMO												
			16QAM	65	0	23.61	23.53	26.5805	28.543	0.715	2.00	Pass
			64QAM	1	1	21.66	21.42	24.5520	26.527	0.449	2.00	Pass
			64QAM	1	63	21.23	21.14	24.1955	26.159	0.413	2.00	Pass
			64QAM	65	0	23.1	23	26.0606	28.025	0.635	2.00	Pass
			256QAM	1	1	19.84	19.71	22.7858	24.752	0.299	2.00	Pass
			256QAM	1	63	20.06	19.92	23.0009	24.968	0.314	2.00	Pass
			256QAM	65	0	20.31	20.04	23.1874	25.165	0.328	2.00	Pass
	HCH		QPSK	33	16	26.3	26.04	29.1822	31.159	1.306	2.00	Pass
			QPSK	1	1	21.32	21.06	24.2022	26.179	0.415	2.00	Pass
			QPSK	1	63	21.34	21.19	24.2759	26.244	0.421	2.00	Pass
			QPSK	65	0	23.75	23.66	26.7155	28.679	0.738	2.00	Pass
			16QAM	33	16	25.77	25.65	28.7207	30.686	1.171	2.00	Pass
			16QAM	1	1	21.27	21.01	24.1522	26.129	0.410	2.00	Pass
			16QAM	1	63	21.08	20.97	24.0356	26.001	0.398	2.00	Pass
			16QAM	65	0	23.61	23.41	26.5215	28.494	0.707	2.00	Pass
			64QAM	1	1	21.6	21.42	24.5212	26.492	0.446	2.00	Pass
			64QAM	1	63	20.56	20.39	23.4861	25.456	0.351	2.00	Pass
			64QAM	65	0	23.22	23.05	26.1461	28.116	0.648	2.00	Pass
			256QAM	1	1	20.22	20	23.1217	25.095	0.323	2.00	Pass
			256QAM	1	63	20	19.83	22.9261	24.896	0.309	2.00	Pass
			256QAM	65	0	20.4	20.17	23.2968	25.271	0.337	2.00	Pass
40	LCH	CP	QPSK	33	16	26.22	26.02	29.1315	31.104	1.289	2.00	Pass
			QPSK	1	1	21.55	21.44	24.5056	26.471	0.444	2.00	Pass
			QPSK	1	63	21.01	20.9	23.9656	25.931	0.392	2.00	Pass
			QPSK	65	0	23.7	23.51	26.6163	28.588	0.722	2.00	Pass
			16QAM	33	16	25.71	25.65	28.6904	30.651	1.162	2.00	Pass
			16QAM	1	1	21.51	21.34	24.4361	26.406	0.437	2.00	Pass
			16QAM	1	63	20.82	20.59	23.7168	25.691	0.371	2.00	Pass
			16QAM	65	0	23.65	23.52	26.5958	28.562	0.718	2.00	Pass
			64QAM	1	1	21.52	21.41	24.4756	26.441	0.441	2.00	Pass
			64QAM	1	63	21.3	21.1	24.2115	26.184	0.415	2.00	Pass
			64QAM	65	0	23.18	23.04	26.1209	28.088	0.644	2.00	Pass
			256QAM	1	1	20.48	20.38	23.4406	25.405	0.347	2.00	Pass
			256QAM	1	63	20.29	20.05	23.1820	25.157	0.328	2.00	Pass
			256QAM	65	0	20.44	20.28	23.3710	25.340	0.342	2.00	Pass
	MCH		QPSK	33	16	26.31	26.12	29.2263	31.198	1.318	2.00	Pass
			QPSK	1	1	21.39	21.31	24.3605	26.323	0.429	2.00	Pass
			QPSK	1	63	21.35	21.09	24.2322	26.209	0.418	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n38 UL MIMO												
			QPSK	65	0	23.78	23.63	26.7159	28.684	0.739	2.00	Pass
			16QAM	33	16	25.81	25.5	28.6681	30.649	1.161	2.00	Pass
			16QAM	1	1	21.31	21.2	24.2656	26.231	0.420	2.00	Pass
			16QAM	1	63	21.19	21.13	24.1704	26.131	0.410	2.00	Pass
			16QAM	65	0	23.6	23.4	26.5115	28.484	0.705	2.00	Pass
			64QAM	1	1	21.64	21.51	24.5858	26.552	0.452	2.00	Pass
			64QAM	1	63	21.29	21.05	24.1820	26.157	0.413	2.00	Pass
			64QAM	65	0	23.16	22.86	26.0229	28.003	0.631	2.00	Pass
			256QAM	1	1	19.84	19.7	22.7809	24.748	0.298	2.00	Pass
			256QAM	1	63	20.01	19.8	22.9166	24.889	0.308	2.00	Pass
			256QAM	65	0	20.35	20.11	23.2420	25.217	0.332	2.00	Pass
	HCH		QPSK	33	16	26.33	26.1	29.2268	31.201	1.319	2.00	Pass
			QPSK	1	1	21.23	20.99	24.1220	26.097	0.407	2.00	Pass
			QPSK	1	63	21.26	21.07	24.1763	26.148	0.412	2.00	Pass
			QPSK	65	0	23.82	23.6	26.7217	28.695	0.741	2.00	Pass
			16QAM	33	16	25.88	25.59	28.7477	30.727	1.182	2.00	Pass
			16QAM	1	1	21.18	21.03	24.1159	26.084	0.406	2.00	Pass
			16QAM	1	63	21.07	20.98	24.0355	25.999	0.398	2.00	Pass
			16QAM	65	0	23.64	23.41	26.5368	28.511	0.710	2.00	Pass
			64QAM	1	1	21.61	21.43	24.5312	26.502	0.447	2.00	Pass
			64QAM	1	63	20.55	20.44	23.5056	25.471	0.352	2.00	Pass
			64QAM	65	0	23.31	23.12	26.2263	28.198	0.660	2.00	Pass
			256QAM	1	1	20.29	20.06	23.1868	25.161	0.328	2.00	Pass
			256QAM	1	63	20.03	19.91	22.9807	24.946	0.312	2.00	Pass
			256QAM	65	0	20.39	20.18	23.2966	25.269	0.336	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n41 UL MIMO												
10	LCH	CP	QPSK	12	6	25.48	25.33	28.4159	31.581	1.439	2.00	Pass
			QPSK	1	1	21.18	20.97	24.0866	27.249	0.531	2.00	Pass
			QPSK	1	22	20.94	20.84	23.9006	27.069	0.509	2.00	Pass
			QPSK	24	0	23.55	23.39	26.4810	29.646	0.922	2.00	Pass
			16QAM	12	6	24.88	24.74	27.8209	30.987	1.255	2.00	Pass
			16QAM	1	1	20.89	20.81	23.8605	27.030	0.505	2.00	Pass
			16QAM	1	22	20.72	20.59	23.6658	26.832	0.482	2.00	Pass
			16QAM	24	0	23.06	22.84	25.9617	29.124	0.817	2.00	Pass
			64QAM	1	1	21.13	21.02	24.0856	27.253	0.531	2.00	Pass
			64QAM	1	22	20.59	20.5	23.5555	26.724	0.470	2.00	Pass
			64QAM	24	0	23.01	22.84	25.9361	29.101	0.813	2.00	Pass
			256QAM	1	1	20.12	19.97	23.0559	26.221	0.419	2.00	Pass
			256QAM	1	22	20.03	19.9	22.9758	26.142	0.411	2.00	Pass
			256QAM	24	0	20	19.96	22.9903	26.162	0.413	2.00	Pass
	MCH		QPSK	12	6	25.85	25.73	28.8007	31.968	1.573	2.00	Pass
			QPSK	1	1	20.97	20.73	23.8620	27.023	0.504	2.00	Pass
			QPSK	1	22	21.31	21.23	24.2805	27.450	0.556	2.00	Pass
			QPSK	24	0	23.71	23.6	26.6656	29.833	0.962	2.00	Pass
			16QAM	12	6	25.27	25.16	28.2256	31.393	1.378	2.00	Pass
			16QAM	1	1	21.66	21.5	24.5910	27.756	0.596	2.00	Pass
			16QAM	1	22	21.6	21.43	24.5261	27.691	0.588	2.00	Pass
			16QAM	24	0	23.22	23.12	26.1806	29.349	0.861	2.00	Pass
			64QAM	1	1	21.24	21.04	24.1515	27.314	0.539	2.00	Pass
			64QAM	1	22	21.07	20.9	23.9961	27.161	0.520	2.00	Pass
			64QAM	24	0	23.26	23.05	26.1666	29.329	0.857	2.00	Pass
			256QAM	1	1	20.26	20.03	23.1568	26.318	0.428	2.00	Pass
			256QAM	1	22	20.26	20.13	23.2058	26.372	0.434	2.00	Pass
			256QAM	24	0	20.32	20.19	23.2658	26.432	0.440	2.00	Pass
	HCH		QPSK	12	6	25.81	25.62	28.7263	31.890	1.545	2.00	Pass
			QPSK	1	1	21.41	21.14	24.2874	27.447	0.555	2.00	Pass
			QPSK	1	22	21.31	21.14	24.2361	27.401	0.550	2.00	Pass
			QPSK	24	0	23.69	23.45	26.5820	29.743	0.943	2.00	Pass
			16QAM	12	6	25.36	25.15	28.2666	31.429	1.390	2.00	Pass
			16QAM	1	1	21.41	21.22	24.3263	27.490	0.561	2.00	Pass
			16QAM	1	22	20.87	20.75	23.8207	26.988	0.500	2.00	Pass
			16QAM	24	0	23.15	22.96	26.0663	29.230	0.837	2.00	Pass
			64QAM	1	1	21.22	20.96	24.1022	27.262	0.532	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n41 UL MIMO												
			64QAM	1	22	20.8	20.72	23.7705	26.940	0.494	2.00	Pass
			64QAM	24	0	23.28	23.02	26.1622	29.322	0.855	2.00	Pass
			256QAM	1	1	19.64	19.43	22.5466	25.709	0.372	2.00	Pass
			256QAM	1	22	20.17	19.95	23.0717	26.234	0.420	2.00	Pass
			256QAM	24	0	20.33	20.17	23.2610	26.426	0.439	2.00	Pass
15	LCH	CP	QPSK	19	9	25.76	25.48	28.6326	31.791	1.511	2.00	Pass
			QPSK	1	1	21.02	20.71	23.8781	27.035	0.505	2.00	Pass
			QPSK	1	36	20.76	20.77	23.7753	26.949	0.495	2.00	Pass
			QPSK	38	0	23.46	23.34	26.4107	29.578	0.907	2.00	Pass
			16QAM	19	9	25.13	24.98	28.0659	31.231	1.328	2.00	Pass
			16QAM	1	1	21.29	21.02	24.1674	27.327	0.540	2.00	Pass
			16QAM	1	36	20.87	20.82	23.8554	27.026	0.504	2.00	Pass
			16QAM	38	0	22.95	22.73	25.8517	29.014	0.797	2.00	Pass
			64QAM	1	1	21.02	20.87	23.9559	27.121	0.515	2.00	Pass
			64QAM	1	36	21.11	21.07	24.1003	27.272	0.534	2.00	Pass
			64QAM	38	0	22.9	22.86	25.8903	29.062	0.806	2.00	Pass
			256QAM	1	1	20.15	20.04	23.1056	26.273	0.424	2.00	Pass
			256QAM	1	36	19.53	19.39	22.4709	25.637	0.366	2.00	Pass
			256QAM	38	0	20.12	20.03	23.0855	26.254	0.422	2.00	Pass
	MCH		QPSK	19	9	25.45	25.3	28.3859	31.551	1.429	2.00	Pass
			QPSK	1	1	21.02	20.83	23.9363	27.100	0.513	2.00	Pass
			QPSK	1	36	20.65	20.51	23.5909	26.757	0.474	2.00	Pass
			QPSK	38	0	23.36	23.32	26.3503	29.522	0.896	2.00	Pass
			16QAM	19	9	25.04	24.92	27.9907	31.158	1.306	2.00	Pass
			16QAM	1	1	20.77	20.46	23.6281	26.785	0.477	2.00	Pass
			16QAM	1	36	20.74	20.58	23.6710	26.836	0.483	2.00	Pass
			16QAM	38	0	23.01	22.82	25.9263	29.090	0.811	2.00	Pass
			64QAM	1	1	21.21	20.9	24.0681	27.225	0.528	2.00	Pass
			64QAM	1	36	20.89	20.94	23.9254	27.101	0.513	2.00	Pass
			64QAM	38	0	22.97	22.79	25.8912	29.055	0.804	2.00	Pass
			256QAM	1	1	19.7	19.36	22.5436	25.699	0.371	2.00	Pass
			256QAM	1	36	19.43	19.26	22.3561	25.521	0.357	2.00	Pass
			256QAM	38	0	20.12	19.87	23.0071	26.167	0.414	2.00	Pass
	HCH		QPSK	19	9	25.43	25.28	28.3659	31.531	1.423	2.00	Pass
			QPSK	1	1	20.94	20.82	23.8907	27.058	0.508	2.00	Pass
			QPSK	1	36	20.88	20.79	23.8455	27.014	0.503	2.00	Pass
			QPSK	38	0	23.28	23.06	26.1817	29.344	0.860	2.00	Pass
			16QAM	19	9	24.96	24.89	27.9354	31.105	1.290	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n41 UL MIMO												
			16QAM	1	1	20.7	20.35	23.5388	26.694	0.467	2.00	Pass
			16QAM	1	36	20.57	20.55	23.5703	26.743	0.472	2.00	Pass
			16QAM	38	0	22.93	22.63	25.7929	28.951	0.785	2.00	Pass
			64QAM	1	1	20.68	20.37	23.5381	26.695	0.467	2.00	Pass
			64QAM	1	36	20.52	20.23	23.3877	26.546	0.451	2.00	Pass
			64QAM	38	0	22.75	22.6	25.6859	28.851	0.768	2.00	Pass
			256QAM	1	1	20.06	19.74	22.9132	26.070	0.405	2.00	Pass
			256QAM	1	36	19.58	19.64	22.6204	25.797	0.380	2.00	Pass
			256QAM	38	0	19.88	19.85	22.8753	26.047	0.402	2.00	Pass
20	LCH	CP	QPSK	25	12	25.46	25.17	28.3277	31.486	1.408	2.00	Pass
			QPSK	1	1	21.25	20.93	24.1032	27.260	0.532	2.00	Pass
			QPSK	1	49	20.98	20.91	23.9554	27.125	0.516	2.00	Pass
			QPSK	51	0	23.51	23.19	26.3632	29.520	0.895	2.00	Pass
			16QAM	25	12	25.08	24.99	28.0455	31.214	1.323	2.00	Pass
			16QAM	1	1	21.42	21.05	24.2492	27.403	0.550	2.00	Pass
			16QAM	1	49	20.82	20.67	23.7559	26.921	0.492	2.00	Pass
			16QAM	51	0	22.9	22.73	25.8261	28.991	0.793	2.00	Pass
			64QAM	1	1	21.26	20.9	24.0940	27.249	0.531	2.00	Pass
			64QAM	1	49	21.2	21.01	24.1163	27.280	0.535	2.00	Pass
			64QAM	51	0	22.91	22.72	25.8263	28.990	0.792	2.00	Pass
			256QAM	1	1	20.29	19.93	23.1240	26.279	0.424	2.00	Pass
			256QAM	1	49	19.76	19.75	22.7653	25.938	0.392	2.00	Pass
			256QAM	51	0	19.99	19.88	22.9456	26.113	0.409	2.00	Pass
	MCH		QPSK	25	12	25.57	25.29	28.4426	31.601	1.446	2.00	Pass
			QPSK	1	1	21.35	20.92	24.1506	27.302	0.537	2.00	Pass
			QPSK	1	49	21.15	20.73	23.9554	27.107	0.514	2.00	Pass
			QPSK	51	0	20.91	20.67	23.8020	26.963	0.497	2.00	Pass
			16QAM	25	12	23.36	23.17	26.2763	29.440	0.879	2.00	Pass
			16QAM	1	1	25.31	25.15	28.2410	31.406	1.382	2.00	Pass
			16QAM	1	49	21.43	20.9	24.1834	27.329	0.541	2.00	Pass
			16QAM	51	0	20.71	20.54	23.6361	26.801	0.479	2.00	Pass
			64QAM	1	1	22.84	22.76	25.8105	28.980	0.791	2.00	Pass
			64QAM	1	49	21.16	21.08	24.1305	27.300	0.537	2.00	Pass
			64QAM	51	0	21.04	21.09	24.0754	27.251	0.531	2.00	Pass
			256QAM	1	1	22.94	22.76	25.8612	29.025	0.799	2.00	Pass
			256QAM	1	49	20.19	19.88	23.0481	26.205	0.417	2.00	Pass
			256QAM	51	0	19.91	19.51	22.7249	25.877	0.387	2.00	Pass
	HCH		QPSK	25	12	25.31	25.34	28.3353	31.510	1.416	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n41 UL MIMO												
			QPSK	1	1	21.11	20.8	23.9681	27.125	0.516	2.00	Pass
			QPSK	1	49	21.44	20.96	24.2169	27.365	0.545	2.00	Pass
			QPSK	51	0	20.82	20.66	23.7510	26.916	0.492	2.00	Pass
			16QAM	25	12	23.64	23.52	26.5907	29.758	0.946	2.00	Pass
			16QAM	1	1	24.82	24.7	27.7707	30.938	1.241	2.00	Pass
			16QAM	1	49	21.49	20.92	24.2246	27.368	0.546	2.00	Pass
			16QAM	51	0	20.73	20.89	23.8210	27.003	0.501	2.00	Pass
			64QAM	1	1	22.81	22.63	25.7312	28.895	0.775	2.00	Pass
			64QAM	1	49	21.44	20.82	24.1514	27.293	0.536	2.00	Pass
			64QAM	51	0	21.39	21.03	24.2240	27.379	0.547	2.00	Pass
			256QAM	1	1	22.75	22.81	25.7904	28.967	0.788	2.00	Pass
			256QAM	1	49	20.34	19.81	23.0934	26.239	0.421	2.00	Pass
			256QAM	51	0	19.81	19.56	22.6971	25.857	0.385	2.00	Pass
25	LCH	CP	QPSK	33	16	25.58	25.54	28.5703	31.742	1.493	2.00	Pass
			QPSK	1	1	20.94	20.73	23.8466	27.009	0.502	2.00	Pass
			QPSK	1	63	20.94	20.79	23.8759	27.041	0.506	2.00	Pass
			QPSK	65	0	23.45	23.38	26.4254	29.595	0.911	2.00	Pass
			16QAM	33	16	25.09	24.96	28.0358	31.202	1.319	2.00	Pass
			16QAM	1	1	21.38	21.08	24.2429	27.401	0.550	2.00	Pass
			16QAM	1	63	20.98	20.79	23.8963	27.060	0.508	2.00	Pass
			16QAM	65	0	22.98	22.84	25.9209	29.087	0.810	2.00	Pass
			64QAM	1	1	21.04	20.86	23.9612	27.125	0.516	2.00	Pass
			64QAM	1	63	21.11	21.15	24.1403	27.316	0.539	2.00	Pass
			64QAM	65	0	22.98	22.9	25.9505	29.120	0.817	2.00	Pass
			256QAM	1	1	20.25	19.92	23.0984	26.255	0.422	2.00	Pass
			256QAM	1	63	19.61	19.47	22.5509	25.717	0.373	2.00	Pass
			256QAM	65	0	20.1	20.01	23.0655	26.234	0.420	2.00	Pass
	MCH		QPSK	33	16	25.42	25.4	28.4203	31.593	1.443	2.00	Pass
			QPSK	1	1	21.03	20.72	23.8881	27.045	0.506	2.00	Pass
			QPSK	1	63	20.69	20.42	23.5674	26.727	0.471	2.00	Pass
			QPSK	65	0	23.5	23.25	26.3871	29.547	0.901	2.00	Pass
			16QAM	33	16	24.92	24.83	27.8855	31.054	1.275	2.00	Pass
			16QAM	1	1	20.67	20.52	23.6059	26.771	0.475	2.00	Pass
			16QAM	1	63	20.65	20.57	23.6205	26.790	0.477	2.00	Pass
			16QAM	65	0	23.16	22.88	26.0326	29.191	0.830	2.00	Pass
			64QAM	1	1	21.21	21.02	24.1263	27.290	0.536	2.00	Pass
			64QAM	1	63	21.01	20.75	23.8922	27.052	0.507	2.00	Pass
			64QAM	65	0	22.95	22.82	25.8958	29.062	0.806	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n41 UL MIMO												
			256QAM	1	1	19.69	19.45	22.5820	25.743	0.375	2.00	Pass
			256QAM	1	63	19.54	19.26	22.4126	25.571	0.361	2.00	Pass
			256QAM	65	0	19.97	19.91	22.9504	26.121	0.409	2.00	Pass
			QPSK	33	16	25.45	25.28	28.3761	31.541	1.426	2.00	Pass
			QPSK	1	1	21.23	20.85	24.0545	27.208	0.526	2.00	Pass
			QPSK	1	63	21.05	21	24.0354	27.206	0.526	2.00	Pass
			QPSK	65	0	23.42	23.3	26.3707	29.538	0.899	2.00	Pass
			16QAM	33	16	25.1	24.93	28.0261	31.191	1.315	2.00	Pass
			16QAM	1	1	20.83	20.54	23.6977	26.856	0.485	2.00	Pass
			16QAM	1	63	20.75	20.71	23.7403	26.912	0.491	2.00	Pass
	HCH		16QAM	65	0	22.97	22.78	25.8863	29.050	0.803	2.00	Pass
			64QAM	1	1	20.87	20.5	23.6992	26.853	0.485	2.00	Pass
			64QAM	1	63	20.53	20.48	23.5154	26.686	0.466	2.00	Pass
			64QAM	65	0	22.99	22.82	25.9161	29.081	0.809	2.00	Pass
			256QAM	1	1	20.29	19.94	23.1288	26.284	0.425	2.00	Pass
			256QAM	1	63	19.83	19.69	22.7709	25.937	0.392	2.00	Pass
			256QAM	65	0	20.09	19.87	22.9917	26.154	0.412	2.00	Pass
			QPSK	39	19	25.5	25.31	28.4163	31.580	1.439	2.00	Pass
			QPSK	1	1	21.33	20.99	24.1736	27.329	0.541	2.00	Pass
			QPSK	1	76	21.06	20.94	24.0107	27.178	0.522	2.00	Pass
			QPSK	78	0	23.62	23.4	26.5217	29.684	0.930	2.00	Pass
			16QAM	39	19	25.14	25.02	28.0907	31.258	1.336	2.00	Pass
			16QAM	1	1	21.59	21.15	24.3859	27.536	0.567	2.00	Pass
			16QAM	1	76	20.88	20.73	23.8159	26.981	0.499	2.00	Pass
	LCH		16QAM	78	0	22.98	22.87	25.9356	29.103	0.813	2.00	Pass
			64QAM	1	1	21.42	21.12	24.2829	27.441	0.555	2.00	Pass
			64QAM	1	76	21.39	21.22	24.3161	27.481	0.560	2.00	Pass
30		CP	64QAM	78	0	23.07	22.88	25.9863	29.150	0.822	2.00	Pass
			256QAM	1	1	20.38	20.04	23.2236	26.379	0.434	2.00	Pass
			256QAM	1	76	19.93	19.81	22.8807	26.048	0.403	2.00	Pass
			256QAM	78	0	20.17	19.97	23.0815	26.244	0.421	2.00	Pass
			QPSK	39	19	25.63	25.34	28.4977	31.656	1.464	2.00	Pass
			QPSK	1	1	21.5	21.08	24.3054	27.457	0.557	2.00	Pass
			QPSK	1	76	21.25	20.83	24.0554	27.207	0.526	2.00	Pass
	MCH		QPSK	78	0	20.96	20.81	23.8959	27.061	0.508	2.00	Pass
			16QAM	39	19	23.47	23.37	26.4306	29.599	0.912	2.00	Pass
			16QAM	1	1	25.35	25.18	28.2761	31.441	1.393	2.00	Pass
			16QAM	1	76	21.64	21.18	24.4264	27.576	0.572	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n41 UL MIMO												
			16QAM	78	0	20.96	20.72	23.8520	27.013	0.503	2.00	Pass
			64QAM	1	1	22.94	22.96	25.9603	29.135	0.819	2.00	Pass
			64QAM	1	76	21.26	21.22	24.2503	27.422	0.552	2.00	Pass
			64QAM	78	0	21.28	21.26	24.2803	27.453	0.556	2.00	Pass
			256QAM	1	1	23.11	22.87	26.0020	29.163	0.825	2.00	Pass
			256QAM	1	76	20.39	19.91	23.1669	26.315	0.428	2.00	Pass
			256QAM	78	0	19.98	19.71	22.8574	26.017	0.400	2.00	Pass
	HCH		QPSK	39	19	25.39	25.52	28.4658	31.646	1.461	2.00	Pass
			QPSK	1	1	21.18	20.9	24.0526	27.211	0.526	2.00	Pass
			QPSK	1	76	21.47	21.25	24.3717	27.534	0.567	2.00	Pass
			QPSK	78	0	20.96	20.82	23.9009	27.067	0.509	2.00	Pass
			16QAM	39	19	23.84	23.59	26.7271	29.887	0.974	2.00	Pass
			16QAM	1	1	25.12	24.9	28.0217	31.184	1.313	2.00	Pass
			16QAM	1	76	21.49	21.02	24.2717	27.421	0.552	2.00	Pass
			16QAM	78	0	20.85	20.86	23.8653	27.039	0.506	2.00	Pass
			64QAM	1	1	23.01	22.76	25.8971	29.057	0.805	2.00	Pass
			64QAM	1	76	21.4	20.9	24.1675	27.315	0.539	2.00	Pass
			64QAM	78	0	21.38	21.21	24.3061	27.471	0.559	2.00	Pass
			256QAM	1	1	22.89	22.97	25.9405	29.118	0.816	2.00	Pass
			256QAM	1	76	20.36	20.11	23.2471	26.407	0.437	2.00	Pass
			256QAM	78	0	19.92	19.69	22.8168	25.978	0.396	2.00	Pass
40	LCH	CP	QPSK	53	26	25.72	25.59	28.6658	31.832	1.525	2.00	Pass
			QPSK	1	1	21.11	20.84	23.9874	27.147	0.518	2.00	Pass
			QPSK	1	104	21.02	20.84	23.9412	27.105	0.513	2.00	Pass
			QPSK	106	0	23.58	23.52	26.5604	29.731	0.940	2.00	Pass
			16QAM	53	26	25.17	25.02	28.1059	31.271	1.340	2.00	Pass
			16QAM	1	1	21.34	21.15	24.2563	27.420	0.552	2.00	Pass
			16QAM	1	104	21.01	20.92	23.9755	27.144	0.518	2.00	Pass
			16QAM	106	0	23.01	22.84	25.9361	29.101	0.813	2.00	Pass
			64QAM	1	1	21.2	21.02	24.1212	27.285	0.535	2.00	Pass
			64QAM	1	104	21.3	21.19	24.2556	27.423	0.552	2.00	Pass
			64QAM	106	0	23.05	22.93	26.0007	29.168	0.826	2.00	Pass
			256QAM	1	1	20.25	20.05	23.1615	26.324	0.429	2.00	Pass
			256QAM	1	104	19.68	19.59	22.6455	25.814	0.381	2.00	Pass
			256QAM	106	0	20.23	20.07	23.1610	26.326	0.429	2.00	Pass
	MCH		QPSK	53	26	25.61	25.43	28.5312	31.695	1.477	2.00	Pass
			QPSK	1	1	21.09	20.93	24.0210	27.186	0.523	2.00	Pass
			QPSK	1	104	20.7	20.56	23.6409	26.807	0.479	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n41 UL MIMO												
			QPSK	106	0	23.5	23.44	26.4804	29.651	0.923	2.00	Pass
			16QAM	53	26	25.06	24.96	28.0206	31.189	1.315	2.00	Pass
			16QAM	1	1	20.83	20.54	23.6977	26.856	0.485	2.00	Pass
			16QAM	1	104	20.77	20.61	23.7010	26.866	0.486	2.00	Pass
			16QAM	106	0	23.23	23.03	26.1415	29.304	0.852	2.00	Pass
			64QAM	1	1	21.43	21.13	24.2929	27.451	0.556	2.00	Pass
			64QAM	1	104	21.13	20.96	24.0561	27.221	0.527	2.00	Pass
			64QAM	106	0	23.04	22.99	26.0254	29.196	0.831	2.00	Pass
			256QAM	1	1	19.88	19.54	22.7236	25.879	0.387	2.00	Pass
			256QAM	1	104	19.61	19.51	22.5706	25.739	0.375	2.00	Pass
			256QAM	106	0	20.23	20.08	23.1659	26.331	0.430	2.00	Pass
	HCH		QPSK	53	26	25.46	25.3	28.3910	31.556	1.431	2.00	Pass
			QPSK	1	1	21.22	20.81	24.0301	27.182	0.523	2.00	Pass
			QPSK	1	104	21.02	20.91	23.9756	27.143	0.518	2.00	Pass
			QPSK	106	0	23.43	23.21	26.3317	29.494	0.890	2.00	Pass
			16QAM	53	26	25.08	24.9	28.0012	31.165	1.308	2.00	Pass
			16QAM	1	1	20.86	20.46	23.6749	26.827	0.482	2.00	Pass
			16QAM	1	104	20.86	20.74	23.8107	26.978	0.499	2.00	Pass
			16QAM	106	0	23.09	22.86	25.9868	29.148	0.822	2.00	Pass
			64QAM	1	1	20.82	20.52	23.6829	26.841	0.483	2.00	Pass
			64QAM	1	104	20.55	20.47	23.5205	26.690	0.467	2.00	Pass
			64QAM	106	0	22.98	22.77	25.8866	29.049	0.803	2.00	Pass
			256QAM	1	1	20.34	19.94	23.1549	26.307	0.427	2.00	Pass
			256QAM	1	104	19.75	19.67	22.7205	25.890	0.388	2.00	Pass
			256QAM	106	0	20.09	19.92	23.0161	26.181	0.415	2.00	Pass
50	LCH	CP	QPSK	67	33	25.53	25.34	28.4463	31.610	1.449	2.00	Pass
			QPSK	1	1	21.33	20.94	24.1497	27.303	0.537	2.00	Pass
			QPSK	1	131	21.11	20.86	23.9971	27.157	0.520	2.00	Pass
			QPSK	133	0	23.59	23.41	26.5112	29.675	0.928	2.00	Pass
			16QAM	67	33	25.21	25.05	28.1410	31.306	1.351	2.00	Pass
			16QAM	1	1	21.49	21.28	24.3966	27.559	0.570	2.00	Pass
			16QAM	1	131	20.89	20.84	23.8754	27.046	0.507	2.00	Pass
			16QAM	133	0	22.97	22.83	25.9109	29.077	0.809	2.00	Pass
			64QAM	1	1	21.41	21.06	24.2488	27.404	0.550	2.00	Pass
			64QAM	1	131	21.38	21.19	24.2963	27.460	0.557	2.00	Pass
			64QAM	133	0	23.09	22.84	25.9771	29.137	0.820	2.00	Pass
			256QAM	1	1	20.44	20.06	23.2645	26.418	0.438	2.00	Pass
			256QAM	1	131	19.99	19.76	22.8868	26.048	0.403	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n41 UL MIMO												
			256QAM	133	0	20.19	20.02	23.1161	26.281	0.425	2.00	Pass
	MCH		QPSK	67	33	25.68	25.4	28.5526	31.711	1.483	2.00	Pass
			QPSK	1	1	21.55	21.11	24.3459	27.496	0.562	2.00	Pass
			QPSK	1	131	21.23	20.84	24.0497	27.203	0.525	2.00	Pass
			QPSK	133	0	21.01	20.82	23.9263	27.090	0.512	2.00	Pass
			16QAM	67	33	23.5	23.38	26.4507	29.618	0.916	2.00	Pass
			16QAM	1	1	25.33	25.17	28.2610	31.426	1.389	2.00	Pass
			16QAM	1	131	21.58	21.12	24.3664	27.516	0.564	2.00	Pass
			16QAM	133	0	20.9	20.73	23.8261	26.991	0.500	2.00	Pass
			64QAM	1	1	22.88	22.96	25.9305	29.108	0.814	2.00	Pass
			64QAM	1	131	21.25	21.19	24.2304	27.401	0.550	2.00	Pass
			64QAM	133	0	21.31	21.3	24.3153	27.488	0.561	2.00	Pass
			256QAM	1	1	23.09	22.88	25.9966	29.159	0.824	2.00	Pass
			256QAM	1	131	20.38	19.94	23.1759	26.326	0.429	2.00	Pass
			256QAM	133	0	20.07	19.72	22.9088	26.064	0.404	2.00	Pass
	HCH		QPSK	67	33	25.38	25.5	28.4507	31.630	1.456	2.00	Pass
			QPSK	1	1	21.23	20.81	24.0354	27.187	0.523	2.00	Pass
			QPSK	1	131	21.48	21.14	24.3236	27.479	0.560	2.00	Pass
			QPSK	133	0	20.92	20.76	23.8510	27.016	0.503	2.00	Pass
			16QAM	67	33	23.8	23.6	26.7115	29.874	0.971	2.00	Pass
			16QAM	1	1	25.03	24.81	27.9317	31.094	1.286	2.00	Pass
			16QAM	1	131	21.48	21.12	24.3140	27.469	0.558	2.00	Pass
			16QAM	133	0	20.88	20.95	23.9254	27.102	0.513	2.00	Pass
			64QAM	1	1	22.99	22.65	25.8336	28.989	0.792	2.00	Pass
			64QAM	1	131	21.42	21.01	24.2301	27.382	0.547	2.00	Pass
			64QAM	133	0	21.4	21.19	24.3066	27.469	0.558	2.00	Pass
			256QAM	1	1	22.92	22.92	25.9303	29.104	0.813	2.00	Pass
			256QAM	1	131	20.34	20.03	23.1981	26.355	0.432	2.00	Pass
			256QAM	133	0	19.87	19.75	22.8207	25.988	0.397	2.00	Pass
60	LCH	CP	QPSK	81	40	25.76	25.56	28.6715	31.834	1.526	2.00	Pass
			QPSK	1	1	21.03	20.9	23.9758	27.142	0.518	2.00	Pass
			QPSK	1	160	20.97	20.9	23.9454	27.115	0.515	2.00	Pass
			QPSK	162	0	23.61	23.46	26.5459	29.711	0.936	2.00	Pass
			16QAM	81	40	25.2	25.09	28.1556	31.323	1.356	2.00	Pass
			16QAM	1	1	21.37	21.14	24.2668	27.428	0.553	2.00	Pass
			16QAM	1	160	20.99	20.92	23.9654	27.135	0.517	2.00	Pass
			16QAM	162	0	22.99	22.8	25.9063	29.070	0.807	2.00	Pass
			64QAM	1	1	21.21	21.05	24.1410	27.306	0.538	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n41 UL MIMO												
			64QAM	1	160	21.35	21.12	24.2468	27.408	0.551	2.00	Pass
			64QAM	162	0	23.04	22.97	26.0154	29.185	0.829	2.00	Pass
			256QAM	1	1	20.34	20.07	23.2174	26.377	0.434	2.00	Pass
			256QAM	1	160	19.74	19.59	22.6759	25.841	0.384	2.00	Pass
			256QAM	162	0	20.31	20.18	23.2558	26.422	0.439	2.00	Pass
			QPSK	81	40	25.57	25.46	28.5256	31.693	1.477	2.00	Pass
			QPSK	1	1	21.08	20.9	24.0012	27.165	0.521	2.00	Pass
			QPSK	1	160	20.68	20.61	23.6554	26.825	0.481	2.00	Pass
			QPSK	162	0	23.54	23.34	26.4515	29.614	0.915	2.00	Pass
			16QAM	81	40	25.1	24.97	28.0458	31.212	1.322	2.00	Pass
			16QAM	1	1	20.84	20.55	23.7077	26.866	0.486	2.00	Pass
			16QAM	1	160	20.72	20.56	23.6510	26.816	0.480	2.00	Pass
			16QAM	162	0	23.13	23.01	26.0807	29.248	0.841	2.00	Pass
			64QAM	1	1	21.39	21.15	24.2820	27.443	0.555	2.00	Pass
			64QAM	1	160	21.17	20.94	24.0668	27.228	0.528	2.00	Pass
			64QAM	162	0	23.11	22.97	26.0509	29.217	0.835	2.00	Pass
			256QAM	1	1	19.87	19.55	22.7232	25.880	0.387	2.00	Pass
			256QAM	1	160	19.66	19.49	22.5861	25.751	0.376	2.00	Pass
			256QAM	162	0	20.15	20.11	23.1403	26.312	0.428	2.00	Pass
			QPSK	81	40	25.42	25.33	28.3855	31.554	1.430	2.00	Pass
			QPSK	1	1	21.13	20.82	23.9881	27.145	0.518	2.00	Pass
			QPSK	1	160	21.11	20.88	24.0068	27.168	0.521	2.00	Pass
			QPSK	162	0	23.45	23.31	26.3909	29.557	0.903	2.00	Pass
			16QAM	81	40	25.09	24.9	28.0063	31.170	1.309	2.00	Pass
			16QAM	1	1	20.85	20.47	23.6745	26.828	0.482	2.00	Pass
			16QAM	1	160	20.84	20.68	23.7710	26.936	0.494	2.00	Pass
			16QAM	162	0	23.03	22.85	25.9512	29.115	0.816	2.00	Pass
			64QAM	1	1	20.77	20.55	23.6717	26.834	0.482	2.00	Pass
			64QAM	1	160	20.57	20.38	23.4863	26.650	0.462	2.00	Pass
			64QAM	162	0	23.07	22.85	25.9717	29.134	0.819	2.00	Pass
			256QAM	1	1	20.34	19.98	23.1740	26.329	0.429	2.00	Pass
			256QAM	1	160	19.74	19.65	22.7055	25.874	0.387	2.00	Pass
			256QAM	162	0	20.12	19.96	23.0510	26.216	0.418	2.00	Pass
			QPSK	95	47	25.47	25.31	28.4010	31.566	1.434	2.00	Pass
			QPSK	1	1	21.37	20.97	24.1849	27.337	0.542	2.00	Pass
			QPSK	1	187	21.12	20.9	24.0217	27.184	0.523	2.00	Pass
			QPSK	189	0	23.63	23.49	26.5709	29.737	0.941	2.00	Pass
			16QAM	95	47	25.16	25.04	28.1107	31.278	1.342	2.00	Pass
70	MCH											
	HCH											
	LCH	CP										

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n41 UL MIMO												
			16QAM	1	1	21.58	21.2	24.4045	27.558	0.570	2.00	Pass
			16QAM	1	187	20.96	20.81	23.8959	27.061	0.508	2.00	Pass
			16QAM	189	0	23.04	22.79	25.9271	29.087	0.810	2.00	Pass
			64QAM	1	1	21.44	21.01	24.2406	27.392	0.548	2.00	Pass
			64QAM	1	187	21.38	21.25	24.3258	27.492	0.561	2.00	Pass
			64QAM	189	0	23.12	22.83	25.9877	29.146	0.821	2.00	Pass
			256QAM	1	1	20.39	20.02	23.2192	26.373	0.434	2.00	Pass
			256QAM	1	187	19.9	19.82	22.8705	26.040	0.402	2.00	Pass
			256QAM	189	0	20.17	20.03	23.1109	26.277	0.424	2.00	Pass
	MCH		QPSK	95	47	25.62	25.34	28.4926	31.651	1.463	2.00	Pass
			QPSK	1	1	21.52	21.08	24.3159	27.466	0.558	2.00	Pass
			QPSK	1	187	21.24	20.86	24.0645	27.218	0.527	2.00	Pass
			QPSK	189	0	21.01	20.84	23.9361	27.101	0.513	2.00	Pass
			16QAM	95	47	23.52	23.41	26.4756	29.643	0.921	2.00	Pass
			16QAM	1	1	25.38	25.21	28.3061	31.471	1.403	2.00	Pass
			16QAM	1	187	21.67	21.2	24.4517	27.601	0.576	2.00	Pass
			16QAM	189	0	20.9	20.72	23.8212	26.985	0.499	2.00	Pass
			64QAM	1	1	22.85	22.95	25.9106	29.089	0.811	2.00	Pass
			64QAM	1	187	21.26	21.14	24.2107	27.378	0.547	2.00	Pass
			64QAM	189	0	21.32	21.24	24.2905	27.460	0.557	2.00	Pass
			256QAM	1	1	23.1	22.89	26.0066	29.169	0.826	2.00	Pass
			256QAM	1	187	20.32	19.84	23.0969	26.245	0.421	2.00	Pass
			256QAM	189	0	19.97	19.71	22.8522	26.012	0.399	2.00	Pass
	HCH		QPSK	95	47	25.4	25.55	28.4859	31.667	1.468	2.00	Pass
			QPSK	1	1	21.21	20.87	24.0536	27.209	0.526	2.00	Pass
			QPSK	1	187	21.51	21.17	24.3536	27.509	0.564	2.00	Pass
			QPSK	189	0	20.99	20.78	23.8966	27.059	0.508	2.00	Pass
			16QAM	95	47	23.82	23.55	26.6974	29.857	0.968	2.00	Pass
			16QAM	1	1	25.15	24.92	28.0468	31.208	1.321	2.00	Pass
			16QAM	1	187	21.49	21.1	24.3097	27.463	0.558	2.00	Pass
			16QAM	189	0	20.9	20.88	23.9003	27.073	0.510	2.00	Pass
			64QAM	1	1	22.97	22.7	25.8474	29.007	0.796	2.00	Pass
			64QAM	1	187	21.43	20.97	24.2164	27.366	0.545	2.00	Pass
			64QAM	189	0	21.37	21.19	24.2912	27.455	0.557	2.00	Pass
			256QAM	1	1	22.96	22.99	25.9853	29.160	0.824	2.00	Pass
			256QAM	1	187	20.39	20.11	23.2626	26.421	0.439	2.00	Pass
			256QAM	189	0	19.87	19.76	22.8256	25.993	0.397	2.00	Pass
80	LCH	CP	QPSK	109	54	25.55	25.4	28.4859	31.651	1.463	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n41 UL MIMO												
			QPSK	1	1	21.38	21.02	24.2140	27.369	0.546	2.00	Pass
			QPSK	1	215	21.12	20.93	24.0363	27.200	0.525	2.00	Pass
			QPSK	217	0	23.61	23.41	26.5215	29.684	0.930	2.00	Pass
			16QAM	109	54	25.15	25.09	28.1304	31.301	1.349	2.00	Pass
			16QAM	1	1	21.6	21.2	24.4149	27.567	0.571	2.00	Pass
			16QAM	1	215	20.95	20.8	23.8859	27.051	0.507	2.00	Pass
			16QAM	217	0	23.05	22.83	25.9517	29.114	0.815	2.00	Pass
			64QAM	1	1	21.38	21.04	24.2236	27.379	0.547	2.00	Pass
			64QAM	1	215	21.38	21.24	24.3209	27.487	0.561	2.00	Pass
			64QAM	217	0	23.03	22.84	25.9463	29.110	0.815	2.00	Pass
			256QAM	1	1	20.44	20.04	23.2549	26.407	0.437	2.00	Pass
			256QAM	1	215	19.98	19.79	22.8963	26.060	0.404	2.00	Pass
			256QAM	217	0	20.12	20.02	23.0806	26.249	0.422	2.00	Pass
	MCH		QPSK	109	54	25.63	25.37	28.5122	31.672	1.470	2.00	Pass
			QPSK	1	1	21.48	21.08	24.2949	27.447	0.556	2.00	Pass
			QPSK	1	215	21.29	20.82	24.0717	27.221	0.527	2.00	Pass
			QPSK	217	0	20.97	20.81	23.9010	27.066	0.509	2.00	Pass
			16QAM	109	54	23.43	23.32	26.3856	29.553	0.902	2.00	Pass
			16QAM	1	1	25.43	25.25	28.3512	31.515	1.417	2.00	Pass
			16QAM	1	215	21.66	21.14	24.4181	27.564	0.571	2.00	Pass
			16QAM	217	0	20.85	20.65	23.7615	26.924	0.493	2.00	Pass
			64QAM	1	1	22.95	22.88	25.9254	29.095	0.812	2.00	Pass
			64QAM	1	215	21.31	21.2	24.2656	27.433	0.554	2.00	Pass
			64QAM	217	0	21.24	21.28	24.2703	27.446	0.555	2.00	Pass
			256QAM	1	1	23.14	22.79	25.9788	29.134	0.819	2.00	Pass
			256QAM	1	215	20.41	19.9	23.1728	26.320	0.429	2.00	Pass
			256QAM	217	0	19.98	19.68	22.8429	26.001	0.398	2.00	Pass
	HCH		QPSK	109	54	25.42	25.49	28.4654	31.642	1.460	2.00	Pass
			QPSK	1	1	21.17	20.88	24.0377	27.196	0.524	2.00	Pass
			QPSK	1	215	21.53	21.12	24.3401	27.492	0.561	2.00	Pass
			QPSK	217	0	21.04	20.83	23.9466	27.109	0.514	2.00	Pass
			16QAM	109	54	23.78	23.58	26.6915	29.854	0.967	2.00	Pass
			16QAM	1	1	25.07	24.84	27.9668	31.128	1.297	2.00	Pass
			16QAM	1	215	21.5	21.09	24.3101	27.462	0.557	2.00	Pass
			16QAM	217	0	20.87	20.88	23.8853	27.059	0.508	2.00	Pass
			64QAM	1	1	23.01	22.71	25.8729	29.031	0.800	2.00	Pass
			64QAM	1	215	21.53	20.91	24.2414	27.383	0.547	2.00	Pass
			64QAM	217	0	21.39	21.23	24.3210	27.486	0.561	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n41 UL MIMO												
			256QAM	1	1	22.96	22.9	25.9404	29.111	0.815	2.00	Pass
			256QAM	1	215	20.39	20.06	23.2384	26.395	0.436	2.00	Pass
			256QAM	217	0	19.87	19.78	22.8355	26.004	0.398	2.00	Pass
90	LCH	CP	QPSK	123	61	25.55	25.38	28.4761	31.641	1.459	2.00	Pass
			QPSK	1	1	21.39	20.99	24.2049	27.357	0.544	2.00	Pass
			QPSK	1	243	21.05	20.94	24.0056	27.173	0.522	2.00	Pass
			QPSK	245	0	23.68	23.49	26.5963	29.760	0.946	2.00	Pass
			16QAM	123	61	25.15	24.96	28.0663	31.230	1.327	2.00	Pass
			16QAM	1	1	21.56	21.25	24.4181	27.575	0.572	2.00	Pass
			16QAM	1	243	20.95	20.77	23.8712	27.035	0.505	2.00	Pass
			16QAM	245	0	23	22.76	25.8920	29.053	0.804	2.00	Pass
			64QAM	1	1	21.43	21.06	24.2592	27.413	0.551	2.00	Pass
			64QAM	1	243	21.39	21.16	24.2868	27.448	0.556	2.00	Pass
			64QAM	245	0	23.07	22.9	25.9961	29.161	0.824	2.00	Pass
			256QAM	1	1	20.47	20.05	23.2754	26.427	0.439	2.00	Pass
			256QAM	1	243	19.94	19.85	22.9055	26.074	0.405	2.00	Pass
			256QAM	245	0	20.13	19.99	23.0709	26.237	0.420	2.00	Pass
	MCH		QPSK	123	61	25.72	25.36	28.5540	31.709	1.482	2.00	Pass
			QPSK	1	1	21.5	21.06	24.2959	27.446	0.555	2.00	Pass
			QPSK	1	243	21.23	20.88	24.0688	27.224	0.528	2.00	Pass
			QPSK	245	0	20.99	20.81	23.9112	27.075	0.510	2.00	Pass
			16QAM	123	61	23.49	23.32	26.4161	29.581	0.908	2.00	Pass
			16QAM	1	1	25.33	25.27	28.3104	31.481	1.406	2.00	Pass
			16QAM	1	243	21.69	21.09	24.4107	27.553	0.569	2.00	Pass
			16QAM	245	0	20.89	20.75	23.8309	26.997	0.501	2.00	Pass
			64QAM	1	1	22.91	22.96	25.9454	29.121	0.817	2.00	Pass
			64QAM	1	243	21.25	21.22	24.2453	27.417	0.552	2.00	Pass
			64QAM	245	0	21.34	21.26	24.3105	27.480	0.560	2.00	Pass
			256QAM	1	1	23.09	22.77	25.9432	29.100	0.813	2.00	Pass
			256QAM	1	243	20.36	19.87	23.1322	26.280	0.425	2.00	Pass
			256QAM	245	0	20.02	19.69	22.8684	26.025	0.400	2.00	Pass
	HCH		QPSK	123	61	25.34	25.53	28.4463	31.629	1.455	2.00	Pass
			QPSK	1	1	21.22	20.89	24.0684	27.225	0.528	2.00	Pass
			QPSK	1	243	21.5	21.25	24.3871	27.547	0.569	2.00	Pass
			QPSK	245	0	20.96	20.82	23.9009	27.067	0.509	2.00	Pass
			16QAM	123	61	23.8	23.54	26.6822	29.842	0.964	2.00	Pass
			16QAM	1	1	25.1	24.88	28.0017	31.164	1.307	2.00	Pass
			16QAM	1	243	21.57	21.07	24.3375	27.485	0.560	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n41 UL MIMO												
			16QAM	245	0	20.91	20.92	23.9253	27.099	0.513	2.00	Pass
			64QAM	1	1	22.94	22.7	25.8320	28.993	0.793	2.00	Pass
			64QAM	1	243	21.49	20.93	24.2293	27.374	0.546	2.00	Pass
			64QAM	245	0	21.49	21.24	24.3771	27.537	0.567	2.00	Pass
			256QAM	1	1	22.86	22.92	25.9004	29.077	0.808	2.00	Pass
			256QAM	1	243	20.32	20.09	23.2168	26.378	0.434	2.00	Pass
			256QAM	245	0	19.89	19.75	22.8309	25.997	0.398	2.00	Pass
100	LCH	CP	QPSK	137	68	25.45	25.38	28.4254	31.595	1.444	2.00	Pass
			QPSK	1	1	21.3	21.06	24.1920	27.353	0.544	2.00	Pass
			QPSK	1	271	21.14	20.98	24.0710	27.236	0.529	2.00	Pass
			QPSK	273	0	23.63	23.46	26.5561	29.721	0.938	2.00	Pass
			16QAM	137	68	25.17	24.97	28.0815	31.244	1.332	2.00	Pass
			16QAM	1	1	21.52	21.19	24.3684	27.525	0.566	2.00	Pass
			16QAM	1	271	20.98	20.73	23.8671	27.027	0.504	2.00	Pass
			16QAM	273	0	23.04	22.81	25.9368	29.098	0.812	2.00	Pass
			64QAM	1	1	21.39	20.99	24.2049	27.357	0.544	2.00	Pass
			64QAM	1	271	21.4	21.15	24.2871	27.447	0.556	2.00	Pass
			64QAM	273	0	23.11	22.91	26.0215	29.184	0.829	2.00	Pass
			256QAM	1	1	20.45	20.07	23.2745	26.428	0.439	2.00	Pass
			256QAM	1	271	19.91	19.8	22.8656	26.033	0.401	2.00	Pass
			256QAM	273	0	20.18	20.01	23.1061	26.271	0.424	2.00	Pass
	MCH		QPSK	137	68	25.65	25.35	28.5129	31.671	1.469	2.00	Pass
			QPSK	1	1	21.53	21.05	24.3069	27.455	0.557	2.00	Pass
			QPSK	1	271	21.27	20.83	24.0659	27.216	0.527	2.00	Pass
			QPSK	273	0	21.02	20.8	23.9217	27.084	0.511	2.00	Pass
			16QAM	137	68	23.45	23.37	26.4205	29.590	0.910	2.00	Pass
			16QAM	1	1	25.35	25.23	28.3007	31.468	1.402	2.00	Pass
			16QAM	1	271	21.67	21.2	24.4517	27.601	0.576	2.00	Pass
			16QAM	273	0	20.85	20.65	23.7615	26.924	0.493	2.00	Pass
			64QAM	1	1	22.93	22.89	25.9203	29.092	0.811	2.00	Pass
			64QAM	1	271	21.27	21.21	24.2504	27.421	0.552	2.00	Pass
			64QAM	273	0	21.3	21.22	24.2705	27.440	0.555	2.00	Pass
			256QAM	1	1	23.1	22.85	25.9871	29.147	0.822	2.00	Pass
			256QAM	1	271	20.45	19.96	23.2222	26.370	0.434	2.00	Pass
			256QAM	273	0	20.11	19.78	22.9584	26.115	0.409	2.00	Pass
	HCH		QPSK	137	68	25.43	25.53	28.4906	31.669	1.469	2.00	Pass
			QPSK	1	1	21.25	20.87	24.0745	27.228	0.528	2.00	Pass
			QPSK	1	271	21.58	21.19	24.3997	27.553	0.569	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n41 UL MIMO												
			QPSK	273	0	21.02	20.84	23.9412	27.105	0.513	2.00	Pass
			16QAM	137	68	23.78	23.54	26.6720	29.833	0.962	2.00	Pass
			16QAM	1	1	25.12	24.83	27.9877	31.146	1.302	2.00	Pass
			16QAM	1	271	21.58	21.02	24.3193	27.464	0.558	2.00	Pass
			16QAM	273	0	20.84	20.92	23.8905	27.068	0.509	2.00	Pass
			64QAM	1	1	22.97	22.67	25.8329	28.991	0.793	2.00	Pass
			64QAM	1	271	21.46	20.92	24.2087	27.354	0.544	2.00	Pass
			64QAM	273	0	21.42	21.16	24.3022	27.462	0.557	2.00	Pass
			256QAM	1	1	22.91	22.97	25.9504	29.127	0.818	2.00	Pass
			256QAM	1	271	20.3	20.07	23.1968	26.358	0.432	2.00	Pass
			256QAM	273	0	19.9	19.7	22.8115	25.974	0.396	2.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n66 UL MIMO												
5	LCH	CP	QPSK	13	6	21.67	21.66	24.6753	27.149	0.519	1.00	Pass
			QPSK	1	0	20.52	20.22	23.3829	25.872	0.387	1.00	Pass
			QPSK	1	23	20.11	19.75	22.9440	25.436	0.350	1.00	Pass
			QPSK	25	0	20.07	19.93	23.0109	25.491	0.354	1.00	Pass
			16QAM	13	6	21.04	20.84	23.9515	26.435	0.440	1.00	Pass
			16QAM	1	0	20.20	19.76	22.9959	25.492	0.354	1.00	Pass
			16QAM	1	23	20.82	20.32	23.5875	26.086	0.406	1.00	Pass
			16QAM	25	0	20.12	19.87	23.0071	25.493	0.354	1.00	Pass
			64QAM	1	0	19.54	19.50	22.5303	25.006	0.317	1.00	Pass
			64QAM	1	23	19.71	19.47	22.6020	25.088	0.323	1.00	Pass
			64QAM	25	0	19.55	19.32	22.4468	24.932	0.311	1.00	Pass
			256QAM	1	0	16.43	16.13	19.2929	21.782	0.151	1.00	Pass
			256QAM	1	23	16.69	16.64	19.6754	22.151	0.164	1.00	Pass
			256QAM	25	0	16.70	16.44	19.5822	22.069	0.161	1.00	Pass
	MCH		QPSK	13	6	21.92	21.60	24.7732	27.263	0.532	1.00	Pass
			QPSK	1	0	20.61	20.37	23.5020	25.988	0.397	1.00	Pass
			QPSK	1	23	19.84	20.05	22.9566	25.419	0.348	1.00	Pass
			QPSK	25	0	20.51	20.32	23.4263	25.909	0.390	1.00	Pass
			16QAM	13	6	21.32	21.11	24.2266	26.711	0.469	1.00	Pass
			16QAM	1	0	20.61	20.51	23.5706	26.049	0.403	1.00	Pass
			16QAM	1	23	20.79	20.36	23.5906	26.086	0.406	1.00	Pass
			16QAM	25	0	20.56	20.22	23.4036	25.894	0.389	1.00	Pass
			64QAM	1	0	19.81	19.69	22.7607	25.240	0.334	1.00	Pass
			64QAM	1	23	19.63	19.59	22.6203	25.096	0.323	1.00	Pass
			64QAM	25	0	19.98	19.44	22.7287	25.230	0.333	1.00	Pass
			256QAM	1	0	16.76	16.65	19.7156	22.195	0.166	1.00	Pass
			256QAM	1	23	16.65	16.36	19.5177	22.006	0.159	1.00	Pass
			256QAM	25	0	16.79	16.63	19.7210	22.203	0.166	1.00	Pass
	HCH		QPSK	13	6	21.42	21.13	24.2877	26.776	0.476	1.00	Pass
			QPSK	1	0	19.36	19.02	22.2036	24.694	0.295	1.00	Pass
			QPSK	1	23	19.97	19.76	22.8766	25.361	0.344	1.00	Pass
			QPSK	25	0	19.90	19.71	22.8163	25.299	0.339	1.00	Pass
			16QAM	13	6	20.83	20.35	23.6069	26.105	0.408	1.00	Pass
			16QAM	1	0	20.06	19.70	22.8940	25.386	0.346	1.00	Pass
			16QAM	1	23	19.52	19.37	22.4559	24.937	0.312	1.00	Pass
			16QAM	25	0	19.97	19.58	22.7897	25.283	0.338	1.00	Pass
			64QAM	1	0	19.27	18.85	22.0754	24.570	0.286	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n66 UL MIMO												
			64QAM	1	23	19.15	19.12	22.1453	24.620	0.290	1.00	Pass
			64QAM	25	0	19.42	19.21	22.3266	24.811	0.303	1.00	Pass
			256QAM	1	0	16.13	16.09	19.1203	21.596	0.144	1.00	Pass
			256QAM	1	24	16.51	16.44	19.4854	21.962	0.157	1.00	Pass
			256QAM	25	0	16.42	16.23	19.3363	21.819	0.152	1.00	Pass
10	LCH	CP	QPSK	26	13	21.71	21.58	24.6558	27.136	0.517	1.00	Pass
			QPSK	1	1	19.71	19.46	22.5971	25.083	0.322	1.00	Pass
			QPSK	1	50	19.86	19.96	22.9206	25.389	0.346	1.00	Pass
			QPSK	52	0	20.29	19.98	23.1481	25.637	0.366	1.00	Pass
			16QAM	26	13	21.22	21.08	24.1609	26.641	0.461	1.00	Pass
			16QAM	1	1	19.73	19.59	22.6709	25.151	0.327	1.00	Pass
			16QAM	1	50	20.81	20.37	23.6059	26.102	0.408	1.00	Pass
			16QAM	52	0	20.27	19.91	23.1040	25.596	0.363	1.00	Pass
			64QAM	1	1	19.48	19.10	22.3045	24.797	0.302	1.00	Pass
			64QAM	1	50	19.92	19.72	22.8315	25.315	0.340	1.00	Pass
			64QAM	52	0	19.79	19.43	22.6240	25.116	0.325	1.00	Pass
			256QAM	1	1	16.60	16.36	19.4920	21.978	0.158	1.00	Pass
			256QAM	1	50	16.96	16.70	19.8422	22.329	0.171	1.00	Pass
			256QAM	52	0	16.88	16.58	19.7429	22.232	0.167	1.00	Pass
	MCH		QPSK	26	13	21.98	21.86	24.9307	27.410	0.551	1.00	Pass
			QPSK	1	1	20.40	20.14	23.2822	25.769	0.377	1.00	Pass
			QPSK	1	50	20.38	20.33	23.3654	25.841	0.384	1.00	Pass
			QPSK	52	0	20.52	20.14	23.3445	25.837	0.383	1.00	Pass
			16QAM	26	13	21.36	20.87	24.1322	26.631	0.460	1.00	Pass
			16QAM	1	1	19.82	19.70	22.7707	25.250	0.335	1.00	Pass
			16QAM	1	50	20.45	20.21	23.3420	25.828	0.383	1.00	Pass
			16QAM	52	0	20.26	20.04	23.1617	25.646	0.367	1.00	Pass
			64QAM	1	1	19.79	19.55	22.6820	25.168	0.329	1.00	Pass
			64QAM	1	50	19.84	19.69	22.7759	25.257	0.336	1.00	Pass
			64QAM	52	0	19.79	19.59	22.7015	25.185	0.330	1.00	Pass
			256QAM	1	1	16.50	16.30	19.4115	21.895	0.155	1.00	Pass
			256QAM	1	50	16.07	16.03	19.0603	21.536	0.142	1.00	Pass
			256QAM	52	0	16.93	16.55	19.7545	22.247	0.168	1.00	Pass
	HCH		QPSK	26	13	21.58	21.36	24.4817	26.966	0.497	1.00	Pass
			QPSK	1	1	20.18	19.81	23.0092	25.502	0.355	1.00	Pass
			QPSK	1	50	20.22	20.14	23.1905	25.668	0.369	1.00	Pass
			QPSK	52	0	20.03	19.73	22.8929	25.382	0.345	1.00	Pass
			16QAM	26	13	20.94	20.77	23.8661	26.348	0.431	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n66 UL MIMO												
			16QAM	1	1	19.77	19.64	22.7158	25.196	0.331	1.00	Pass
			16QAM	1	50	20.55	20.10	23.3411	25.838	0.383	1.00	Pass
			16QAM	52	0	20.11	19.93	23.0312	25.514	0.356	1.00	Pass
			64QAM	1	1	19.35	19.39	22.3803	24.852	0.306	1.00	Pass
			64QAM	1	50	19.38	19.24	22.3209	24.801	0.302	1.00	Pass
			64QAM	52	0	19.58	19.29	22.4477	24.936	0.312	1.00	Pass
			256QAM	1	1	16.76	16.45	19.6181	22.107	0.162	1.00	Pass
			256QAM	1	50	16.26	16.32	19.3004	21.771	0.150	1.00	Pass
			256QAM	52	0	16.67	16.38	19.5377	22.026	0.159	1.00	Pass
15	LCH	CP	QPSK	39	19	21.94	21.60	24.7836	27.274	0.534	1.00	Pass
			QPSK	1	1	20.82	20.72	23.7806	26.259	0.423	1.00	Pass
			QPSK	1	77	20.58	20.43	23.5159	25.997	0.398	1.00	Pass
			QPSK	79	0	20.36	20.02	23.2036	25.694	0.371	1.00	Pass
			16QAM	39	19	21.40	21.21	24.3163	26.799	0.479	1.00	Pass
			16QAM	1	1	20.71	20.55	23.6410	26.123	0.410	1.00	Pass
			16QAM	1	77	20.24	19.79	23.0311	25.528	0.357	1.00	Pass
			16QAM	79	0	20.37	20.12	23.2571	25.743	0.375	1.00	Pass
			64QAM	1	1	19.75	19.57	22.6712	25.154	0.328	1.00	Pass
			64QAM	1	77	19.94	19.57	22.7692	25.262	0.336	1.00	Pass
			64QAM	79	0	19.94	19.73	22.8466	25.331	0.341	1.00	Pass
			256QAM	1	1	16.41	16.13	19.2826	21.770	0.150	1.00	Pass
			256QAM	1	77	16.52	16.06	19.3064	21.803	0.151	1.00	Pass
			256QAM	79	0	17.07	16.61	19.8564	22.353	0.172	1.00	Pass
	MCH		QPSK	39	19	21.90	21.57	24.7484	27.239	0.530	1.00	Pass
			QPSK	1	1	20.03	19.70	22.8784	25.369	0.344	1.00	Pass
			QPSK	1	77	20.71	20.37	23.5536	26.044	0.402	1.00	Pass
			QPSK	79	0	20.44	20.22	23.3417	25.826	0.382	1.00	Pass
			16QAM	39	19	21.43	21.02	24.2401	26.735	0.471	1.00	Pass
			16QAM	1	1	20.70	20.48	23.6017	26.086	0.406	1.00	Pass
			16QAM	1	77	19.91	19.70	22.8166	25.301	0.339	1.00	Pass
			16QAM	79	0	20.39	20.40	23.4053	25.878	0.387	1.00	Pass
			64QAM	1	1	19.74	19.66	22.7105	25.188	0.330	1.00	Pass
			64QAM	1	77	19.65	19.57	22.6205	25.098	0.323	1.00	Pass
			64QAM	79	0	20.00	19.73	22.8774	25.365	0.344	1.00	Pass
			256QAM	1	1	16.56	16.10	19.3464	21.843	0.153	1.00	Pass
			256QAM	1	77	16.62	16.24	19.4445	21.937	0.156	1.00	Pass
			256QAM	79	0	16.90	16.84	19.8804	22.357	0.172	1.00	Pass
	HCH		QPSK	39	19	21.65	21.38	24.5274	27.015	0.503	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n66 UL MIMO												
			QPSK	1	1	20.12	20.05	23.0954	25.572	0.361	1.00	Pass
			QPSK	1	77	20.66	20.32	23.5036	25.994	0.398	1.00	Pass
			QPSK	79	0	20.26	20.22	23.2503	25.726	0.374	1.00	Pass
			16QAM	39	19	21.31	21.18	24.2558	26.736	0.472	1.00	Pass
			16QAM	1	1	20.59	20.40	23.5063	25.989	0.397	1.00	Pass
			16QAM	1	77	20.05	19.90	22.9859	25.467	0.352	1.00	Pass
			16QAM	79	0	20.19	20.13	23.1704	25.647	0.367	1.00	Pass
			64QAM	1	1	20.01	19.89	22.9607	25.440	0.350	1.00	Pass
			64QAM	1	77	19.31	19.33	22.3303	24.803	0.302	1.00	Pass
			64QAM	79	0	19.81	19.46	22.6488	25.140	0.327	1.00	Pass
			256QAM	1	1	17.14	16.86	20.0126	22.500	0.178	1.00	Pass
			256QAM	1	77	16.60	16.40	19.5115	21.995	0.158	1.00	Pass
			256QAM	79	0	17.07	16.59	19.8469	22.345	0.172	1.00	Pass
20	LCH	CP	QPSK	53	26	21.73	21.51	24.6317	27.116	0.515	1.00	Pass
			QPSK	1	0	19.68	19.32	22.5140	25.006	0.317	1.00	Pass
			QPSK	1	104	20.12	19.93	23.0363	25.519	0.356	1.00	Pass
			QPSK	106	0	20.21	20.04	23.1361	25.618	0.365	1.00	Pass
			16QAM	53	26	21.29	21.09	24.2015	26.685	0.466	1.00	Pass
			16QAM	1	0	19.63	19.34	22.4977	24.986	0.315	1.00	Pass
			16QAM	1	104	20.67	20.34	23.5184	26.009	0.399	1.00	Pass
			16QAM	106	0	20.20	19.99	23.1066	25.591	0.362	1.00	Pass
			64QAM	1	0	19.42	19.16	22.3022	24.789	0.301	1.00	Pass
			64QAM	1	104	19.88	19.67	22.7866	25.271	0.337	1.00	Pass
			64QAM	106	0	19.70	19.54	22.6310	25.113	0.325	1.00	Pass
			256QAM	1	0	16.79	16.41	19.6145	22.107	0.162	1.00	Pass
			256QAM	1	104	16.82	16.56	19.7022	22.189	0.166	1.00	Pass
			256QAM	106	0	16.87	16.62	19.7571	22.243	0.168	1.00	Pass
	MCH		QPSK	53	26	22.00	21.77	24.8968	27.382	0.547	1.00	Pass
			QPSK	1	0	20.63	20.22	23.4401	25.935	0.392	1.00	Pass
			QPSK	1	104	20.60	20.20	23.4149	25.909	0.390	1.00	Pass
			QPSK	106	0	20.27	20.07	23.1815	25.665	0.369	1.00	Pass
			16QAM	53	26	21.35	21.11	24.2420	26.728	0.471	1.00	Pass
			16QAM	1	0	19.80	19.83	22.8253	25.297	0.339	1.00	Pass
			16QAM	1	104	20.34	20.22	23.2907	25.770	0.378	1.00	Pass
			16QAM	106	0	20.23	20.09	23.1709	25.651	0.367	1.00	Pass
			64QAM	1	0	19.60	19.51	22.5655	25.043	0.319	1.00	Pass
			64QAM	1	104	19.58	19.69	22.6456	25.113	0.325	1.00	Pass
			64QAM	106	0	20.01	19.68	22.8584	25.349	0.343	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n66 UL MIMO												
			256QAM	1	0	16.29	16.09	19.2015	21.685	0.147	1.00	Pass
			256QAM	1	104	16.26	15.99	19.1374	21.625	0.145	1.00	Pass
			256QAM	106	0	16.94	16.79	19.8759	22.357	0.172	1.00	Pass
			QPSK	53	26	21.76	21.42	24.6036	27.094	0.512	1.00	Pass
			QPSK	1	0	20.09	19.87	22.9917	25.476	0.353	1.00	Pass
			QPSK	1	104	20.18	20.09	23.1455	25.623	0.365	1.00	Pass
			QPSK	106	0	20.03	20.11	23.0805	25.550	0.359	1.00	Pass
			16QAM	53	26	21.01	20.69	23.8632	26.353	0.432	1.00	Pass
			16QAM	1	0	19.82	19.49	22.6684	25.159	0.328	1.00	Pass
			16QAM	1	104	20.38	20.13	23.2671	25.753	0.376	1.00	Pass
	HCH		16QAM	106	0	20.00	19.89	22.9556	25.435	0.350	1.00	Pass
			64QAM	1	0	19.60	19.33	22.4774	24.965	0.314	1.00	Pass
			64QAM	1	104	19.47	19.24	22.3668	24.852	0.306	1.00	Pass
			64QAM	106	0	19.70	19.50	22.6115	25.095	0.323	1.00	Pass
			256QAM	1	0	16.58	16.31	19.4574	21.945	0.156	1.00	Pass
			256QAM	1	104	16.37	16.12	19.2571	21.743	0.149	1.00	Pass
			256QAM	106	0	16.77	16.48	19.6377	22.126	0.163	1.00	Pass
			QPSK	67	33	22.03	21.76	24.9074	27.395	0.549	1.00	Pass
			QPSK	1	1	20.86	20.64	23.7617	26.246	0.421	1.00	Pass
			QPSK	1	131	20.71	20.35	23.5440	26.036	0.401	1.00	Pass
			QPSK	133	0	20.31	20.32	23.3253	25.798	0.380	1.00	Pass
			16QAM	67	33	21.18	21.09	24.1455	26.623	0.460	1.00	Pass
			16QAM	1	1	20.73	20.54	23.6463	26.129	0.410	1.00	Pass
			16QAM	1	131	20.04	19.88	22.9710	25.453	0.351	1.00	Pass
	LCH		16QAM	133	0	20.44	20.14	23.3029	25.792	0.379	1.00	Pass
			64QAM	1	1	19.69	19.56	22.6358	25.116	0.325	1.00	Pass
			64QAM	1	131	19.98	19.78	22.8915	25.375	0.345	1.00	Pass
25		CP	64QAM	133	0	19.99	19.95	22.9803	25.456	0.351	1.00	Pass
			256QAM	1	1	16.44	16.17	19.3174	21.805	0.152	1.00	Pass
			256QAM	1	131	16.25	16.15	19.2106	21.689	0.148	1.00	Pass
			256QAM	133	0	17.02	16.91	19.9756	22.455	0.176	1.00	Pass
			QPSK	67	33	21.95	21.67	24.8226	27.310	0.538	1.00	Pass
			QPSK	1	1	19.94	19.78	22.8710	25.353	0.343	1.00	Pass
			QPSK	1	131	20.68	20.19	23.4522	25.951	0.394	1.00	Pass
	MCH		QPSK	133	0	20.19	20.41	23.3117	25.774	0.378	1.00	Pass
			16QAM	67	33	21.31	21.26	24.2954	26.771	0.475	1.00	Pass
			16QAM	1	1	20.73	20.27	23.5164	26.013	0.399	1.00	Pass
			16QAM	1	131	19.83	19.82	22.8353	25.309	0.340	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n66 UL MIMO												
			16QAM	133	0	20.50	20.07	23.3006	25.796	0.380	1.00	Pass
			64QAM	1	1	19.69	19.63	22.6704	25.147	0.327	1.00	Pass
			64QAM	1	131	19.69	19.58	22.6456	25.125	0.325	1.00	Pass
			64QAM	133	0	19.89	19.68	22.7966	25.281	0.337	1.00	Pass
			256QAM	1	1	16.61	16.23	19.4345	21.927	0.156	1.00	Pass
			256QAM	1	131	16.52	16.29	19.4168	21.902	0.155	1.00	Pass
			256QAM	133	0	17.01	16.86	19.9459	22.427	0.175	1.00	Pass
			QPSK	67	33	21.76	21.63	24.7058	27.186	0.523	1.00	Pass
			QPSK	1	1	20.37	19.97	23.1849	25.679	0.370	1.00	Pass
			QPSK	1	131	20.44	20.30	23.3809	25.861	0.386	1.00	Pass
			QPSK	133	0	20.34	20.29	23.3254	25.801	0.380	1.00	Pass
			16QAM	67	33	21.42	21.11	24.2781	26.767	0.475	1.00	Pass
			16QAM	1	1	20.63	20.39	23.5220	26.008	0.399	1.00	Pass
			16QAM	1	131	20.14	20.05	23.1055	25.583	0.362	1.00	Pass
			16QAM	133	0	20.32	20.17	23.2559	25.737	0.375	1.00	Pass
			64QAM	1	1	20.13	19.76	22.9592	25.452	0.351	1.00	Pass
			64QAM	1	131	19.25	19.12	22.1958	24.676	0.293	1.00	Pass
			64QAM	133	0	19.76	19.78	22.7803	25.253	0.335	1.00	Pass
			256QAM	1	1	17.36	17.03	20.2084	22.699	0.186	1.00	Pass
			256QAM	1	131	16.60	16.46	19.5409	22.021	0.159	1.00	Pass
			256QAM	133	0	16.91	16.75	19.8410	22.323	0.171	1.00	Pass
			QPSK	80	40	21.73	21.47	24.6122	27.099	0.513	1.00	Pass
			QPSK	1	1	19.78	19.46	22.6332	25.123	0.325	1.00	Pass
			QPSK	1	158	20.09	19.98	23.0456	25.525	0.357	1.00	Pass
			QPSK	160	0	20.27	19.99	23.1426	25.630	0.366	1.00	Pass
			16QAM	80	40	21.22	21.07	24.1559	26.637	0.461	1.00	Pass
			16QAM	1	1	19.80	19.53	22.6774	25.165	0.328	1.00	Pass
			16QAM	1	158	20.89	20.37	23.6481	26.148	0.412	1.00	Pass
			16QAM	160	0	20.26	19.84	23.0654	25.560	0.360	1.00	Pass
			64QAM	1	1	19.25	19.04	22.1566	24.641	0.291	1.00	Pass
			64QAM	1	158	19.74	19.66	22.7105	25.188	0.330	1.00	Pass
			64QAM	160	0	19.72	19.66	22.7004	25.177	0.329	1.00	Pass
			256QAM	1	1	16.64	16.63	19.6453	22.119	0.163	1.00	Pass
			256QAM	1	158	16.79	16.83	19.8203	22.292	0.169	1.00	Pass
			256QAM	160	0	16.83	16.65	19.7512	22.234	0.167	1.00	Pass
			QPSK	80	40	21.93	21.64	24.7977	27.286	0.535	1.00	Pass
			QPSK	1	1	20.43	20.27	23.3610	25.843	0.384	1.00	Pass
			QPSK	1	158	20.64	20.30	23.4836	25.974	0.396	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n66 UL MIMO												
			QPSK	160	0	20.32	20.18	23.2609	25.741	0.375	1.00	Pass
			16QAM	80	40	21.27	20.89	24.0945	26.587	0.456	1.00	Pass
			16QAM	1	1	19.89	19.76	22.8358	25.316	0.340	1.00	Pass
			16QAM	1	158	20.45	20.28	23.3761	25.858	0.385	1.00	Pass
			16QAM	160	0	20.39	20.10	23.2577	25.746	0.375	1.00	Pass
			64QAM	1	1	19.53	19.59	22.5704	25.041	0.319	1.00	Pass
			64QAM	1	158	19.70	19.44	22.5822	25.069	0.321	1.00	Pass
			64QAM	160	0	19.63	19.63	22.6403	25.114	0.325	1.00	Pass
			256QAM	1	1	16.30	16.17	19.2458	21.726	0.149	1.00	Pass
			256QAM	1	158	16.43	15.91	19.1881	21.688	0.148	1.00	Pass
			256QAM	160	0	16.98	16.87	19.9356	22.415	0.174	1.00	Pass
	HCH		QPSK	80	40	21.56	21.25	24.4181	26.907	0.491	1.00	Pass
			QPSK	1	1	20.03	19.77	22.9122	25.399	0.347	1.00	Pass
			QPSK	1	158	20.41	20.16	23.2971	25.783	0.379	1.00	Pass
			QPSK	160	0	20.03	19.71	22.8832	25.373	0.345	1.00	Pass
			16QAM	80	40	20.88	20.66	23.7817	26.266	0.423	1.00	Pass
			16QAM	1	1	19.65	19.58	22.6254	25.102	0.324	1.00	Pass
			16QAM	1	158	20.47	20.22	23.3571	25.843	0.384	1.00	Pass
			16QAM	160	0	20.05	19.76	22.9177	25.406	0.347	1.00	Pass
			64QAM	1	1	19.62	19.31	22.4781	24.967	0.314	1.00	Pass
			64QAM	1	158	19.56	19.26	22.4229	24.912	0.310	1.00	Pass
			64QAM	160	0	19.46	19.45	22.4653	24.939	0.312	1.00	Pass
			256QAM	1	1	16.48	16.55	19.5254	21.995	0.158	1.00	Pass
			256QAM	1	158	16.59	16.08	19.3528	21.852	0.153	1.00	Pass
			256QAM	160	0	16.53	16.30	19.4268	21.912	0.155	1.00	Pass
40	LCH	CP	QPSK	108	54	22.08	21.86	24.9817	27.466	0.558	1.00	Pass
			QPSK	1	1	20.88	20.70	23.8012	26.284	0.425	1.00	Pass
			QPSK	1	214	20.91	20.48	23.7106	26.206	0.417	1.00	Pass
			QPSK	216	0	20.66	20.29	23.4892	25.982	0.396	1.00	Pass
			16QAM	108	54	21.40	21.33	24.3754	26.852	0.484	1.00	Pass
			16QAM	1	1	20.77	20.64	23.7158	26.196	0.416	1.00	Pass
			16QAM	1	214	20.38	20.00	23.2045	25.697	0.371	1.00	Pass
			16QAM	216	0	20.66	20.34	23.5132	26.003	0.398	1.00	Pass
			64QAM	1	1	19.91	19.41	22.6775	25.176	0.329	1.00	Pass
			64QAM	1	214	20.01	19.72	22.8777	25.366	0.344	1.00	Pass
			64QAM	216	0	20.10	19.93	23.0261	25.508	0.355	1.00	Pass
			256QAM	1	1	16.43	16.21	19.3317	21.816	0.152	1.00	Pass
			256QAM	1	214	16.70	16.23	19.4817	21.979	0.158	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n66 UL MIMO												
			256QAM	216	0	17.20	16.97	20.0968	22.582	0.181	1.00	Pass
	MCH		QPSK	108	54	22.09	21.92	25.0161	27.498	0.562	1.00	Pass
			QPSK	1	1	20.08	19.99	23.0455	25.523	0.357	1.00	Pass
			QPSK	1	214	20.72	20.47	23.6071	26.093	0.407	1.00	Pass
			QPSK	216	0	20.44	20.38	23.4204	25.897	0.389	1.00	Pass
			16QAM	108	54	21.51	21.35	24.4410	26.923	0.492	1.00	Pass
			16QAM	1	1	20.92	20.74	23.8412	26.324	0.429	1.00	Pass
			16QAM	1	214	20.16	19.74	22.9654	25.460	0.352	1.00	Pass
			16QAM	216	0	20.55	20.31	23.4420	25.928	0.392	1.00	Pass
			64QAM	1	1	20.06	19.56	22.8275	25.326	0.341	1.00	Pass
			64QAM	1	214	19.76	19.60	22.6910	25.173	0.329	1.00	Pass
			64QAM	216	0	20.00	20.00	23.0103	25.484	0.353	1.00	Pass
			256QAM	1	1	16.68	16.45	19.5768	22.062	0.161	1.00	Pass
			256QAM	1	214	16.55	16.27	19.4226	21.910	0.155	1.00	Pass
			256QAM	216	0	16.94	16.96	19.9603	22.433	0.175	1.00	Pass
	HCH		QPSK	108	54	21.81	21.86	24.8454	27.316	0.539	1.00	Pass
			QPSK	1	1	20.35	20.04	23.2081	25.697	0.371	1.00	Pass
			QPSK	1	214	20.58	20.50	23.5505	26.028	0.401	1.00	Pass
			QPSK	216	0	20.32	20.32	23.3303	25.804	0.381	1.00	Pass
			16QAM	108	54	21.32	21.07	24.2071	26.693	0.467	1.00	Pass
			16QAM	1	1	20.80	20.40	23.6149	26.109	0.408	1.00	Pass
			16QAM	1	214	20.37	20.01	23.2040	25.696	0.371	1.00	Pass
			16QAM	216	0	20.43	20.21	23.3317	25.816	0.382	1.00	Pass
			64QAM	1	1	20.26	19.89	23.0892	25.582	0.362	1.00	Pass
			64QAM	1	214	19.28	19.39	22.3456	24.813	0.303	1.00	Pass
			64QAM	216	0	20.03	19.80	22.9268	25.412	0.348	1.00	Pass
			256QAM	1	1	17.50	17.05	20.2911	22.788	0.190	1.00	Pass
			256QAM	1	214	16.75	16.62	19.6958	22.176	0.165	1.00	Pass
			256QAM	216	0	17.10	16.85	19.9871	22.473	0.177	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n70 UL MIMO												
5	LCH	CP	QPSK	13	6	24.68	24.31	27.5092	28.457	0.701	1.00	Pass
			QPSK	1	0	21.3	20.89	24.1101	25.058	0.320	1.00	Pass
			QPSK	1	24	21.61	21.24	24.4392	25.387	0.346	1.00	Pass
			QPSK	25	0	23.97	23.59	26.7945	27.743	0.595	1.00	Pass
			16QAM	13	6	24.72	23.33	27.0907	28.033	0.636	1.00	Pass
			16QAM	1	0	21.32	20.77	24.0640	25.011	0.317	1.00	Pass
			16QAM	1	24	21.81	21.59	24.7117	25.661	0.368	1.00	Pass
			16QAM	25	0	24.14	23.58	26.8793	27.826	0.606	1.00	Pass
			64QAM	1	0	21.59	21.38	24.4966	25.446	0.350	1.00	Pass
			64QAM	1	24	21.66	21.18	24.4369	25.384	0.345	1.00	Pass
			64QAM	25	0	23.42	23.03	26.2397	27.188	0.523	1.00	Pass
			256QAM	1	0	20.65	19.99	23.3428	24.289	0.268	1.00	Pass
			256QAM	1	24	20.5	20.29	23.4066	24.356	0.273	1.00	Pass
			256QAM	25	0	20.57	20.21	23.4040	24.352	0.272	1.00	Pass
	MCH		QPSK	13	6	23.21	23.72	26.4828	27.436	0.554	1.00	Pass
			QPSK	1	0	22.09	21.76	24.9384	25.887	0.388	1.00	Pass
			QPSK	1	24	22.14	21.72	24.9454	25.893	0.388	1.00	Pass
			QPSK	25	0	24.74	24.12	27.4514	28.398	0.692	1.00	Pass
			16QAM	13	6	24.25	24.11	27.1909	28.140	0.652	1.00	Pass
			16QAM	1	0	22.05	21.7	24.8888	25.837	0.383	1.00	Pass
			16QAM	1	24	22.34	21.82	25.0981	26.045	0.402	1.00	Pass
			16QAM	25	0	24.33	24.26	27.3054	28.255	0.669	1.00	Pass
			64QAM	1	0	22.41	21.81	25.1307	26.077	0.405	1.00	Pass
			64QAM	1	24	22.25	21.95	25.1129	26.061	0.404	1.00	Pass
			64QAM	25	0	24.15	23.67	26.9269	27.874	0.613	1.00	Pass
			256QAM	1	0	20.4	20.03	23.2292	24.177	0.262	1.00	Pass
			256QAM	1	24	20.98	20.68	23.8429	24.791	0.301	1.00	Pass
			256QAM	25	0	21.03	20.47	23.7693	24.716	0.296	1.00	Pass
	HCH		QPSK	13	6	24.81	24.29	27.5681	28.515	0.710	1.00	Pass
			QPSK	1	0	21.77	21.27	24.5375	25.485	0.354	1.00	Pass
			QPSK	1	24	21.63	21.44	24.5463	25.496	0.354	1.00	Pass
			QPSK	25	0	24.52	24.04	27.2969	28.244	0.667	1.00	Pass
			16QAM	13	6	24.28	24.8	27.5581	28.511	0.710	1.00	Pass
			16QAM	1	0	21.5	21.32	24.4212	25.370	0.344	1.00	Pass
			16QAM	1	24	21.42	21.28	24.3609	25.310	0.340	1.00	Pass
			16QAM	25	0	24.13	24.05	27.1005	28.050	0.638	1.00	Pass
			64QAM	1	0	21.42	21.07	24.2588	25.207	0.332	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n70 UL MIMO												
			64QAM	1	24	21.6	21.59	24.6053	25.556	0.359	1.00	Pass
			64QAM	25	0	23.88	23.43	26.6711	27.619	0.578	1.00	Pass
			256QAM	1	0	20.43	19.87	23.1693	24.116	0.258	1.00	Pass
			256QAM	1	24	20.35	19.88	23.1317	24.079	0.256	1.00	Pass
			256QAM	25	0	20.77	20.37	23.5849	24.533	0.284	1.00	Pass
10	LCH	CP	QPSK	12	6	24.9	24.57	27.7484	**28.697**	0.741	1.00	Pass
			QPSK	1	0	21.27	21.17	24.2306	25.180	0.330	1.00	Pass
			QPSK	1	23	22.16	21.68	24.9369	25.884	0.388	1.00	Pass
			QPSK	24	0	24.7	24.28	27.5054	28.453	0.700	1.00	Pass
			16QAM	12	6	24.48	24.3	27.4012	28.350	0.684	1.00	Pass
			16QAM	1	0	21.34	20.89	24.1311	25.079	0.322	1.00	Pass
			16QAM	1	23	21.87	21.74	24.8158	25.765	0.377	1.00	Pass
			16QAM	24	0	24.64	24.06	27.3700	28.317	0.679	1.00	Pass
			64QAM	1	0	21.42	20.78	24.1221	25.069	0.321	1.00	Pass
			64QAM	1	23	22.39	21.93	25.1764	26.124	0.410	1.00	Pass
			64QAM	24	0	23.85	23.52	26.6984	27.647	0.582	1.00	Pass
			256QAM	1	0	20.54	19.93	23.2560	24.203	0.263	1.00	Pass
			256QAM	1	23	21.03	20.57	23.8164	24.764	0.300	1.00	Pass
			256QAM	24	0	21.26	20.62	23.9621	24.909	0.310	1.00	Pass
	MCH		QPSK	12	6	24.42	23.96	27.2064	28.154	0.654	1.00	Pass
			QPSK	1	0	22.05	21.27	24.6878	25.634	0.366	1.00	Pass
			QPSK	1	23	21.96	21.82	24.9009	25.850	0.385	1.00	Pass
			QPSK	24	0	24.83	24.45	27.6545	28.603	0.725	1.00	Pass
			16QAM	12	6	24.74	24.59	27.6759	28.625	0.729	1.00	Pass
			16QAM	1	0	21.9	21.44	24.6864	25.634	0.366	1.00	Pass
			16QAM	1	23	21.96	21.56	24.7749	25.723	0.373	1.00	Pass
			16QAM	24	0	24.55	24.38	27.4761	28.425	0.696	1.00	Pass
			64QAM	1	0	21.72	21.09	24.4267	25.373	0.345	1.00	Pass
			64QAM	1	23	21.72	21.1	24.4314	25.378	0.345	1.00	Pass
			64QAM	24	0	24.15	23.83	27.0032	27.952	0.624	1.00	Pass
			256QAM	1	0	20.71	20	23.3798	24.326	0.271	1.00	Pass
			256QAM	1	23	20.73	20.64	23.6955	24.645	0.291	1.00	Pass
			256QAM	24	0	21.09	20.66	23.8906	24.838	0.305	1.00	Pass
	HCH		QPSK	12	6	24.28	24.97	27.6490	28.603	0.725	1.00	Pass
			QPSK	1	0	22.16	21.72	24.9559	25.904	0.389	1.00	Pass
			QPSK	1	23	21.91	21.64	24.7874	25.736	0.375	1.00	Pass
			QPSK	24	0	24.77	24.2	27.5046	28.452	0.700	1.00	Pass
			16QAM	12	6	24.05	24.9	27.5061	28.461	0.702	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n70 UL MIMO												
			16QAM	1	0	21.79	21.36	24.5906	25.538	0.358	1.00	Pass
			16QAM	1	23	22.27	21.88	25.0897	26.038	0.402	1.00	Pass
			16QAM	24	0	24.61	24.18	27.4106	28.358	0.685	1.00	Pass
			64QAM	1	0	22.28	21.53	24.9315	25.877	0.387	1.00	Pass
			64QAM	1	23	22.06	21.82	24.9520	25.901	0.389	1.00	Pass
			64QAM	24	0	24.33	23.63	27.0044	27.951	0.624	1.00	Pass
			256QAM	1	0	21.04	20.75	23.9077	24.856	0.306	1.00	Pass
			256QAM	1	23	20.22	20.01	23.1266	24.076	0.256	1.00	Pass
			256QAM	24	0	21.23	20.8	24.0306	24.978	0.315	1.00	Pass
15	MCH	CP	QPSK	25	12	24.77	24.46	27.6281	28.577	0.721	1.00	Pass
			QPSK	1	0	22.04	21.68	24.8740	25.822	0.382	1.00	Pass
			QPSK	1	50	21.77	21.3	24.5517	25.499	0.355	1.00	Pass
			QPSK	25	12	24.35	23.98	27.1792	28.127	0.650	1.00	Pass
			16QAM	1	0	24.3	24.82	27.5781	28.531	0.713	1.00	Pass
			16QAM	1	50	22.29	21.98	25.1481	26.097	0.407	1.00	Pass
			16QAM	25	12	21.73	21.55	24.6512	25.600	0.363	1.00	Pass
			16QAM	1	0	24.24	24.1	27.1809	28.130	0.650	1.00	Pass
			64QAM	1	50	22.31	21.8	25.0728	26.020	0.400	1.00	Pass
			64QAM	25	12	21.69	21.7	24.7053	25.656	0.368	1.00	Pass
			64QAM	1	0	23.85	23.6	26.7371	27.686	0.587	1.00	Pass
			256QAM	1	50	21.17	20.63	23.9187	24.866	0.307	1.00	Pass
			256QAM	25	12	20.5	20.24	23.3822	24.331	0.271	1.00	Pass
			256QAM	1	0	21.01	20.34	23.6982	24.645	0.291	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n71 UL MIMO												
5	LCH	CP	QPSK	13	6	21.87	21.92	24.9054	25.521	0.357	3.00	Pass
			QPSK	1	0	20.72	20.2	23.4781	24.120	0.258	3.00	Pass
			QPSK	1	23	20.51	20.34	23.4361	24.062	0.255	3.00	Pass
			QPSK	25	0	20.47	20.44	23.4653	24.085	0.256	3.00	Pass
			16QAM	13	6	21.35	21.15	24.2615	24.889	0.308	3.00	Pass
			16QAM	1	0	20.31	20.26	23.2954	23.916	0.246	3.00	Pass
			16QAM	1	23	20.36	20.1	23.2422	23.873	0.244	3.00	Pass
			16QAM	25	0	20.56	20.49	23.5354	24.157	0.260	3.00	Pass
			64QAM	1	0	19.52	19.41	22.4756	23.099	0.204	3.00	Pass
			64QAM	1	23	20.24	20.02	23.1417	23.770	0.238	3.00	Pass
			64QAM	25	0	20.09	20.02	23.0654	23.687	0.234	3.00	Pass
			256QAM	1	0	17.13	17.03	20.0906	20.714	0.118	3.00	Pass
			256QAM	1	23	16.85	16.51	19.6936	20.328	0.108	3.00	Pass
			256QAM	25	0	17.14	16.96	20.0612	20.688	0.117	3.00	Pass
	MCH		QPSK	13	6	22.25	22.02	25.1468	25.776	0.378	3.00	Pass
			QPSK	1	0	20.6	20.27	23.4484	24.082	0.256	3.00	Pass
			QPSK	1	23	21.33	21.07	24.2122	24.843	0.305	3.00	Pass
			QPSK	25	0	20.94	20.91	23.9353	24.555	0.285	3.00	Pass
			16QAM	13	6	21.77	21.51	24.6522	25.283	0.337	3.00	Pass
			16QAM	1	0	21.09	21.13	24.1203	24.737	0.298	3.00	Pass
			16QAM	1	23	20.56	20.54	23.5603	24.180	0.262	3.00	Pass
			16QAM	25	0	20.87	20.75	23.8207	24.445	0.278	3.00	Pass
			64QAM	1	0	20.33	20.28	23.3154	23.936	0.248	3.00	Pass
			64QAM	1	23	20.49	20.08	23.3001	23.937	0.248	3.00	Pass
			64QAM	25	0	20.37	20.18	23.2863	23.913	0.246	3.00	Pass
			256QAM	1	0	17.47	17.17	20.3329	20.965	0.125	3.00	Pass
			256QAM	1	23	16.92	16.65	19.7974	20.428	0.110	3.00	Pass
			256QAM	25	0	17.52	17.27	20.4071	21.037	0.127	3.00	Pass
	HCH		QPSK	13	6	22.01	21.71	24.8729	25.505	0.355	3.00	Pass
			QPSK	1	0	20.16	20.27	23.2256	23.839	0.242	3.00	Pass
			QPSK	1	23	20.48	20.06	23.2854	23.923	0.247	3.00	Pass
			QPSK	25	0	20.46	20.24	23.3617	23.990	0.251	3.00	Pass
			16QAM	13	6	21.23	21.05	24.1512	24.778	0.300	3.00	Pass
			16QAM	1	0	20.93	20.56	23.7592	24.395	0.275	3.00	Pass
			16QAM	1	23	20.19	19.88	23.0481	23.681	0.233	3.00	Pass
			16QAM	25	0	20.44	20.34	23.4006	24.024	0.253	3.00	Pass
			64QAM	1	0	20.06	19.6	22.8464	23.486	0.223	3.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n71 UL MIMO												
			64QAM	1	23	19.59	19.47	22.5407	23.165	0.207	3.00	Pass
			64QAM	25	0	20.09	19.83	22.9722	23.603	0.229	3.00	Pass
			256QAM	1	0	16.93	16.67	19.8122	20.443	0.111	3.00	Pass
			256QAM	1	24	17.08	16.98	20.0406	20.664	0.117	3.00	Pass
			256QAM	25	0	17.06	16.94	20.0107	20.635	0.116	3.00	Pass
10	LCH	CP	QPSK	26	13	22.31	21.84	25.0917	25.732	0.374	3.00	Pass
			QPSK	1	1	20.22	20.03	23.1363	23.763	0.238	3.00	Pass
			QPSK	1	50	20.65	20.42	23.5468	24.176	0.262	3.00	Pass
			QPSK	52	0	20.73	20.49	23.6220	24.251	0.266	3.00	Pass
			16QAM	26	13	21.68	21.63	24.6654	25.286	0.338	3.00	Pass
			16QAM	1	1	20.45	20.2	23.3371	23.967	0.249	3.00	Pass
			16QAM	1	50	20.48	20.31	23.4061	24.032	0.253	3.00	Pass
			16QAM	52	0	20.76	20.62	23.7009	24.326	0.271	3.00	Pass
			64QAM	1	1	20.08	19.89	22.9963	23.623	0.230	3.00	Pass
			64QAM	1	50	20.3	19.88	23.1054	23.743	0.237	3.00	Pass
			64QAM	52	0	20.24	20.06	23.1612	23.788	0.239	3.00	Pass
			256QAM	1	1	17.2	16.9	20.0629	20.695	0.117	3.00	Pass
			256QAM	1	50	17.2	17.02	20.1212	20.748	0.119	3.00	Pass
			256QAM	52	0	17.29	17.03	20.1722	20.803	0.120	3.00	Pass
	MCH		QPSK	26	13	22.53	22.28	25.4171	26.047	0.402	3.00	Pass
			QPSK	1	1	20.82	20.44	23.6445	24.280	0.268	3.00	Pass
			QPSK	1	50	21.23	21.02	24.1366	24.765	0.300	3.00	Pass
			QPSK	52	0	20.86	20.64	23.7617	24.390	0.275	3.00	Pass
			16QAM	26	13	21.76	21.6	24.6910	25.317	0.340	3.00	Pass
			16QAM	1	1	20.85	20.53	23.7032	24.336	0.271	3.00	Pass
			16QAM	1	50	21.03	20.91	23.9807	24.605	0.289	3.00	Pass
			16QAM	52	0	20.83	20.38	23.6211	24.260	0.267	3.00	Pass
			64QAM	1	1	20.29	20.15	23.2309	23.856	0.243	3.00	Pass
			64QAM	1	50	20.41	20.04	23.2392	23.875	0.244	3.00	Pass
			64QAM	52	0	20.41	19.93	23.1869	23.827	0.241	3.00	Pass
			256QAM	1	1	17.31	16.85	20.0964	20.736	0.118	3.00	Pass
			256QAM	1	50	17.04	16.77	19.9174	20.548	0.113	3.00	Pass
			256QAM	52	0	17.38	17.28	20.3406	20.964	0.125	3.00	Pass
	HCH		QPSK	26	13	21.93	21.95	24.9503	25.568	0.360	3.00	Pass
			QPSK	1	1	20.05	19.86	22.9663	23.593	0.229	3.00	Pass
			QPSK	1	50	20.97	20.84	23.9158	24.540	0.284	3.00	Pass
			QPSK	52	0	20.59	20.39	23.5015	24.129	0.259	3.00	Pass
			16QAM	26	13	21.54	21.3	24.4320	25.061	0.321	3.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n71 UL MIMO												
			16QAM	1	1	20.96	20.67	23.8277	24.459	0.279	3.00	Pass
			16QAM	1	50	20.2	20.07	23.1458	23.770	0.238	3.00	Pass
			16QAM	52	0	20.52	20.43	23.4855	24.108	0.258	3.00	Pass
			64QAM	1	1	20.08	19.65	22.8806	23.519	0.225	3.00	Pass
			64QAM	1	50	20.16	19.81	22.9988	23.633	0.231	3.00	Pass
			64QAM	52	0	20.02	19.85	22.9461	23.572	0.228	3.00	Pass
			256QAM	1	1	16.83	16.51	19.6832	20.316	0.108	3.00	Pass
			256QAM	1	50	16.45	16.19	19.3322	19.963	0.099	3.00	Pass
			256QAM	52	0	17.36	17.18	20.2812	20.908	0.123	3.00	Pass
15	LCH	CP	QPSK	39	19	22.13	21.96	25.0561	25.682	0.370	3.00	Pass
			QPSK	1	1	20.22	19.99	23.1168	23.746	0.237	3.00	Pass
			QPSK	1	77	20.76	20.34	23.5654	24.203	0.263	3.00	Pass
			QPSK	79	0	20.86	20.56	23.7229	24.355	0.273	3.00	Pass
			16QAM	39	19	21.7	21.58	24.6507	25.275	0.337	3.00	Pass
			16QAM	1	1	20.56	20.47	23.5255	24.148	0.260	3.00	Pass
			16QAM	1	77	20.56	20.27	23.4277	24.059	0.255	3.00	Pass
			16QAM	79	0	20.66	20.48	23.5812	24.208	0.264	3.00	Pass
			64QAM	1	1	19.96	19.97	22.9753	23.593	0.229	3.00	Pass
			64QAM	1	77	20.18	20.14	23.1703	23.791	0.239	3.00	Pass
			64QAM	79	0	20.26	19.95	23.1181	23.751	0.237	3.00	Pass
			256QAM	1	1	17.09	17.05	20.0803	20.701	0.118	3.00	Pass
			256QAM	1	77	17.13	17.16	20.1553	20.772	0.119	3.00	Pass
			256QAM	79	0	17.34	17.18	20.2710	20.897	0.123	3.00	Pass
	MCH		QPSK	39	19	22.52	22.51	26.8963	26.144	0.412	3.00	Pass
			QPSK	1	1	20.63	20.42	23.5366	24.165	0.261	3.00	Pass
			QPSK	1	77	21.19	21.17	24.1903	24.810	0.303	3.00	Pass
			QPSK	79	0	20.92	20.65	23.7974	24.428	0.277	3.00	Pass
			16QAM	39	19	22	21.7	24.8629	25.495	0.354	3.00	Pass
			16QAM	1	1	20.79	20.59	23.7015	24.329	0.271	3.00	Pass
			16QAM	1	77	20.94	20.86	23.9105	24.533	0.284	3.00	Pass
			16QAM	79	0	20.87	20.64	23.7668	24.396	0.275	3.00	Pass
			64QAM	1	1	20.22	20.1	23.1707	23.795	0.240	3.00	Pass
			64QAM	1	77	20.27	20.09	23.1912	23.818	0.241	3.00	Pass
			64QAM	79	0	20.37	20.1	23.2474	23.878	0.244	3.00	Pass
			256QAM	1	1	17.29	17.07	20.1917	20.820	0.121	3.00	Pass
			256QAM	1	77	17.31	17.01	20.1729	20.805	0.120	3.00	Pass
			256QAM	79	0	17.41	17.28	20.3558	20.980	0.125	3.00	Pass
	HCH		QPSK	39	19	21.98	21.94	24.9703	25.591	0.362	3.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n71 UL MIMO												
			QPSK	1	1	20.14	19.93	23.0466	23.675	0.233	3.00	Pass
			QPSK	1	77	20.91	20.78	23.8558	24.480	0.281	3.00	Pass
			QPSK	79	0	20.56	20.35	23.4666	24.095	0.257	3.00	Pass
			16QAM	39	19	21.56	21.21	24.3988	25.033	0.319	3.00	Pass
			16QAM	1	1	20.83	20.74	23.7955	24.418	0.277	3.00	Pass
			16QAM	1	77	20.23	19.87	23.0640	23.699	0.234	3.00	Pass
			16QAM	79	0	20.49	20.25	23.3820	24.011	0.252	3.00	Pass
			64QAM	1	1	20.07	19.76	22.9281	23.561	0.227	3.00	Pass
			64QAM	1	77	19.99	19.83	22.9210	23.547	0.226	3.00	Pass
			64QAM	79	0	20.05	19.94	23.0056	23.629	0.231	3.00	Pass
			256QAM	1	1	16.75	16.62	19.6958	20.320	0.108	3.00	Pass
			256QAM	1	77	16.17	16.27	19.2306	19.844	0.096	3.00	Pass
			256QAM	79	0	17.33	16.98	20.1688	20.803	0.120	3.00	Pass
20	LCH	CP	QPSK	53	26	22.47	22.08	25.2897	25.926	0.391	3.00	Pass
			QPSK	1	0	20.28	20.23	23.2654	23.886	0.245	3.00	Pass
			QPSK	1	104	20.78	20.59	23.6963	24.323	0.271	3.00	Pass
			QPSK	106	0	20.85	20.69	23.7810	24.407	0.276	3.00	Pass
			16QAM	53	26	21.96	21.61	24.7988	25.433	0.349	3.00	Pass
			16QAM	1	0	20.67	20.54	23.6158	24.240	0.265	3.00	Pass
			16QAM	1	104	20.73	20.53	23.6415	24.269	0.267	3.00	Pass
			16QAM	106	0	20.9	20.57	23.7484	24.382	0.274	3.00	Pass
			64QAM	1	0	20.18	19.93	23.0671	23.697	0.234	3.00	Pass
			64QAM	1	104	20.45	19.96	23.2222	23.863	0.243	3.00	Pass
			64QAM	106	0	20.33	20.16	23.2561	23.882	0.244	3.00	Pass
			256QAM	1	0	17.47	17.14	20.3184	20.952	0.125	3.00	Pass
			256QAM	1	104	17.55	17.21	20.3936	21.028	0.127	3.00	Pass
			256QAM	106	0	17.49	17.27	20.3917	21.020	0.126	3.00	Pass
	MCH		QPSK	53	26	22.33	22.29	26.7959	25.941	0.393	3.00	Pass
			QPSK	1	0	20.69	20.48	23.5966	24.225	0.265	3.00	Pass
			QPSK	1	104	21.17	21.06	24.1256	24.749	0.298	3.00	Pass
			QPSK	106	0	20.91	20.95	23.9403	24.557	0.286	3.00	Pass
			16QAM	53	26	21.95	21.81	24.8909	25.516	0.356	3.00	Pass
			16QAM	1	0	20.8	20.55	23.6871	24.317	0.270	3.00	Pass
			16QAM	1	104	21.28	21.01	24.1574	24.788	0.301	3.00	Pass
			16QAM	106	0	21.01	20.74	23.8874	24.518	0.283	3.00	Pass
			64QAM	1	0	20.41	20.06	23.2488	23.883	0.245	3.00	Pass
			64QAM	1	104	20.35	20.19	23.2810	23.907	0.246	3.00	Pass
			64QAM	106	0	20.34	20.18	23.2710	23.897	0.245	3.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n71 UL MIMO												
			256QAM	1	0	17.52	17.16	20.3540	20.989	0.126	3.00	Pass
			256QAM	1	104	17.13	17.06	20.1054	20.727	0.118	3.00	Pass
			256QAM	106	0	17.53	17.36	20.4561	21.082	0.128	3.00	Pass
	HCH		QPSK	53	26	22.25	22.01	25.1420	25.771	0.378	3.00	Pass
			QPSK	1	0	20.29	20.08	23.1966	23.825	0.241	3.00	Pass
			QPSK	1	104	21.16	20.93	24.0568	24.686	0.294	3.00	Pass
			QPSK	106	0	20.77	20.45	23.6232	24.256	0.266	3.00	Pass
			16QAM	53	26	21.76	21.45	24.6181	25.251	0.335	3.00	Pass
			16QAM	1	0	21.08	20.94	24.0209	24.646	0.291	3.00	Pass
			16QAM	1	104	20.3	20.06	23.1920	23.821	0.241	3.00	Pass
			16QAM	106	0	20.61	20.56	23.5954	24.216	0.264	3.00	Pass
			64QAM	1	0	20.1	19.75	22.9388	23.573	0.228	3.00	Pass
			64QAM	1	104	19.98	20.09	23.0456	23.659	0.232	3.00	Pass
			64QAM	106	0	20.25	19.97	23.1226	23.754	0.237	3.00	Pass
			256QAM	1	0	16.78	16.68	19.7406	20.364	0.109	3.00	Pass
			256QAM	1	104	16.69	16.36	19.5384	20.172	0.104	3.00	Pass
			256QAM	106	0	17.38	17.05	20.2284	20.862	0.122	3.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3450-3550) UL MIMO												
10	LCH	CP	QPSK	12	6	23.71	23.09	26.4214	27.840	0.608	1.00	Pass
			QPSK	1	1	18.86	18.03	21.4751	22.899	0.195	1.00	Pass
			QPSK	1	22	18.81	18.23	21.5400	22.958	0.198	1.00	Pass
			QPSK	24	0	21.35	20.75	24.0707	25.489	0.354	1.00	Pass
			16QAM	12	6	23.11	22.54	25.8446	27.262	0.532	1.00	Pass
			16QAM	1	1	18.88	17.97	21.4591	22.885	0.194	1.00	Pass
			16QAM	1	22	18.72	18.19	21.4734	22.890	0.195	1.00	Pass
			16QAM	24	0	21.21	20.69	23.9681	25.385	0.346	1.00	Pass
			64QAM	1	1	18.79	17.97	21.4096	22.833	0.192	1.00	Pass
			64QAM	1	22	18.63	18.22	21.4401	22.854	0.193	1.00	Pass
			64QAM	24	0	20.73	20.17	23.4693	24.887	0.308	1.00	Pass
			256QAM	1	1	17.65	16.88	20.2923	21.715	0.148	1.00	Pass
			256QAM	1	22	17.61	16.95	20.3028	21.723	0.149	1.00	Pass
			256QAM	24	0	17.80	17.11	20.4790	21.899	0.155	1.00	Pass
	MCH		QPSK	12	6	23.89	23.10	26.5232	27.946	0.623	1.00	Pass
			QPSK	1	1	18.90	18.09	21.5242	22.947	0.197	1.00	Pass
			QPSK	1	22	18.78	18.01	21.4223	22.845	0.193	1.00	Pass
			QPSK	24	0	21.38	20.44	23.9457	25.372	0.344	1.00	Pass
			16QAM	12	6	23.28	22.48	25.9087	27.332	0.541	1.00	Pass
			16QAM	1	1	18.72	18.13	21.4453	22.863	0.193	1.00	Pass
			16QAM	1	22	18.58	17.92	21.2728	22.693	0.186	1.00	Pass
			16QAM	24	0	21.20	20.63	23.9346	25.352	0.343	1.00	Pass
			64QAM	1	1	18.75	17.65	21.2450	22.675	0.185	1.00	Pass
			64QAM	1	22	18.72	17.82	21.3036	22.729	0.187	1.00	Pass
			64QAM	24	0	20.83	19.84	23.3734	24.801	0.302	1.00	Pass
			256QAM	1	1	17.60	16.74	20.2016	21.626	0.145	1.00	Pass
			256QAM	1	22	17.62	16.83	20.2532	21.676	0.147	1.00	Pass
			256QAM	24	0	17.97	17.06	20.5491	21.975	0.158	1.00	Pass
	HCH		QPSK	12	6	23.91	22.96	26.4712	27.898	0.616	1.00	Pass
			QPSK	1	1	18.86	17.84	21.3902	22.818	0.191	1.00	Pass
			QPSK	1	22	18.92	18.01	21.4991	22.925	0.196	1.00	Pass
			QPSK	24	0	21.56	20.32	23.9944	25.427	0.349	1.00	Pass
			16QAM	12	6	23.16	22.34	25.7796	27.203	0.525	1.00	Pass
			16QAM	1	1	18.91	18.04	21.5070	22.932	0.196	1.00	Pass
			16QAM	1	22	18.95	18.10	21.5561	22.980	0.199	1.00	Pass
			16QAM	24	0	21.51	20.54	24.0623	25.489	0.354	1.00	Pass
			64QAM	1	1	18.83	17.90	21.4001	22.826	0.192	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3450-3550) UL MIMO												
			64QAM	1	22	18.80	17.74	21.3126	22.741	0.188	1.00	Pass
			64QAM	24	0	20.87	19.84	23.3958	24.824	0.304	1.00	Pass
			256QAM	1	1	17.57	16.83	20.2260	21.648	0.146	1.00	Pass
			256QAM	1	22	17.72	16.79	20.2901	21.716	0.148	1.00	Pass
			256QAM	24	0	18.03	17.03	20.5690	21.996	0.158	1.00	Pass
15	LCH	CP	QPSK	19	9	24.42	23.42	26.9590	28.386	0.690	1.00	Pass
			QPSK	1	1	19.02	18.00	21.5502	22.978	0.199	1.00	Pass
			QPSK	1	36	19.06	18.14	21.6346	23.060	0.202	1.00	Pass
			QPSK	38	0	21.58	20.70	24.1726	25.597	0.363	1.00	Pass
			16QAM	19	9	23.86	22.77	26.3594	27.789	0.601	1.00	Pass
			16QAM	1	1	18.83	18.36	21.6117	23.027	0.201	1.00	Pass
			16QAM	1	36	18.82	18.09	21.4806	22.902	0.195	1.00	Pass
			16QAM	38	0	21.72	20.60	24.2063	25.636	0.366	1.00	Pass
			64QAM	1	1	18.87	18.12	21.5215	22.943	0.197	1.00	Pass
			64QAM	1	36	18.91	18.07	21.5206	22.944	0.197	1.00	Pass
			64QAM	38	0	21.12	20.10	23.6502	25.078	0.322	1.00	Pass
			256QAM	1	1	17.86	16.76	20.3550	21.785	0.151	1.00	Pass
			256QAM	1	36	17.92	16.87	20.4370	21.866	0.154	1.00	Pass
			256QAM	38	0	18.16	17.14	20.6902	22.118	0.163	1.00	Pass
	MCH		QPSK	19	9	24.19	23.26	26.7601	28.186	0.659	1.00	Pass
			QPSK	1	1	19.23	18.08	21.7033	23.134	0.206	1.00	Pass
			QPSK	1	36	18.79	18.00	21.4232	22.846	0.193	1.00	Pass
			QPSK	38	0	21.52	20.78	24.1760	25.598	0.363	1.00	Pass
			16QAM	19	9	23.54	22.87	26.2282	27.648	0.582	1.00	Pass
			16QAM	1	1	19.03	18.08	21.5912	23.018	0.200	1.00	Pass
			16QAM	1	36	18.88	18.03	21.4861	22.910	0.195	1.00	Pass
			16QAM	38	0	21.56	20.62	24.1257	25.552	0.359	1.00	Pass
			64QAM	1	1	18.96	18.20	21.6069	23.029	0.201	1.00	Pass
			64QAM	1	36	18.79	18.03	21.4369	22.859	0.193	1.00	Pass
			64QAM	38	0	21.02	20.20	23.6396	25.063	0.321	1.00	Pass
			256QAM	1	1	17.77	16.75	20.3002	21.728	0.149	1.00	Pass
			256QAM	1	36	17.68	16.69	20.2234	21.651	0.146	1.00	Pass
			256QAM	38	0	18.18	17.22	20.7368	22.163	0.165	1.00	Pass
	HCH		QPSK	19	9	24.00	23.20	26.6287	28.052	0.639	1.00	Pass
			QPSK	1	1	18.86	18.04	21.4796	22.903	0.195	1.00	Pass
			QPSK	1	36	19.27	17.89	21.6449	23.081	0.203	1.00	Pass
			QPSK	38	0	21.44	20.56	24.0326	25.457	0.351	1.00	Pass
			16QAM	19	9	23.51	22.91	26.2307	27.649	0.582	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3450-3550) UL MIMO												
			16QAM	1	1	18.79	18.19	21.5107	22.929	0.196	1.00	Pass
			16QAM	1	36	18.97	18.21	21.6169	23.039	0.201	1.00	Pass
			16QAM	38	0	21.49	20.59	24.0736	25.499	0.355	1.00	Pass
			64QAM	1	1	18.86	17.93	21.4301	22.856	0.193	1.00	Pass
			64QAM	1	36	18.96	17.81	21.4333	22.864	0.193	1.00	Pass
			64QAM	38	0	21.05	20.13	23.6246	25.050	0.320	1.00	Pass
			256QAM	1	1	17.71	16.80	20.2891	21.715	0.148	1.00	Pass
			256QAM	1	36	17.79	16.69	20.2850	21.715	0.148	1.00	Pass
			256QAM	38	0	18.11	17.27	20.7206	22.144	0.164	1.00	Pass
20	LCH	CP	QPSK	25	12	24.43	23.26	26.8946	28.326	0.680	1.00	Pass
			QPSK	1	1	19.00	18.01	21.5434	22.971	0.198	1.00	Pass
			QPSK	1	49	18.98	17.98	21.5190	22.946	0.197	1.00	Pass
			QPSK	51	0	21.68	20.69	24.2234	25.651	0.367	1.00	Pass
			16QAM	25	12	23.86	22.69	26.3246	27.756	0.596	1.00	Pass
			16QAM	1	1	18.74	18.42	21.5932	23.005	0.200	1.00	Pass
			16QAM	1	49	18.82	18.03	21.4532	22.876	0.194	1.00	Pass
			16QAM	51	0	21.58	20.83	24.2315	25.653	0.368	1.00	Pass
			64QAM	1	1	19.04	18.08	21.5968	23.023	0.201	1.00	Pass
			64QAM	1	49	18.76	17.99	21.4023	22.825	0.192	1.00	Pass
			64QAM	51	0	21.07	20.29	23.7078	25.130	0.326	1.00	Pass
			256QAM	1	1	17.70	16.86	20.3106	21.734	0.149	1.00	Pass
			256QAM	1	49	17.92	16.93	20.4634	21.891	0.155	1.00	Pass
			256QAM	51	0	18.04	17.06	20.5879	22.015	0.159	1.00	Pass
	MCH		QPSK	25	12	24.03	23.34	26.7090	28.129	0.650	1.00	Pass
			QPSK	1	1	19.22	18.00	21.6630	23.095	0.204	1.00	Pass
			QPSK	1	49	18.94	17.93	21.4746	22.902	0.195	1.00	Pass
			QPSK	51	0	21.62	20.76	24.2216	25.646	0.367	1.00	Pass
			16QAM	25	12	23.72	22.92	26.3487	27.772	0.599	1.00	Pass
			16QAM	1	1	19.17	18.01	21.6389	23.070	0.203	1.00	Pass
			16QAM	1	49	18.82	18.17	21.5174	22.937	0.197	1.00	Pass
			16QAM	51	0	21.43	20.80	24.1367	25.556	0.359	1.00	Pass
			64QAM	1	1	18.94	18.05	21.5281	22.953	0.197	1.00	Pass
			64QAM	1	49	18.79	17.92	21.3870	22.812	0.191	1.00	Pass
			64QAM	51	0	21.02	20.24	23.6578	25.080	0.322	1.00	Pass
			256QAM	1	1	17.84	16.98	20.4416	21.866	0.154	1.00	Pass
			256QAM	1	49	17.63	16.94	20.3090	21.729	0.149	1.00	Pass
			256QAM	51	0	18.01	17.28	20.6706	22.092	0.162	1.00	Pass
	HCH		QPSK	25	12	24.20	23.39	26.8242	28.247	0.668	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3450-3550) UL MIMO												
			QPSK	1	1	18.87	17.97	21.4536	22.879	0.194	1.00	Pass
			QPSK	1	49	19.13	17.94	21.5859	23.018	0.200	1.00	Pass
			QPSK	51	0	21.42	20.52	24.0036	25.429	0.349	1.00	Pass
			16QAM	25	12	23.52	22.89	26.2267	27.646	0.582	1.00	Pass
			16QAM	1	1	18.67	18.05	21.3814	22.800	0.191	1.00	Pass
			16QAM	1	49	18.88	18.14	21.5360	22.958	0.198	1.00	Pass
			16QAM	51	0	21.45	20.53	24.0246	25.450	0.351	1.00	Pass
			64QAM	1	1	18.96	17.88	21.4638	22.893	0.195	1.00	Pass
			64QAM	1	49	19.01	17.80	21.4573	22.889	0.195	1.00	Pass
			64QAM	51	0	21.10	19.95	23.5733	25.004	0.317	1.00	Pass
			256QAM	1	1	17.61	16.70	20.1891	21.615	0.145	1.00	Pass
			256QAM	1	49	17.83	16.67	20.2989	21.730	0.149	1.00	Pass
			256QAM	51	0	18.02	17.26	20.6669	22.089	0.162	1.00	Pass
25	LCH	CP	QPSK	33	16	24.33	23.44	26.9181	28.343	0.683	1.00	Pass
			QPSK	1	1	19.03	17.96	21.5382	22.967	0.198	1.00	Pass
			QPSK	1	63	19.05	18.04	21.5846	23.012	0.200	1.00	Pass
			QPSK	65	0	21.77	20.55	24.2130	25.645	0.367	1.00	Pass
			16QAM	33	16	23.85	22.93	26.4246	27.850	0.610	1.00	Pass
			16QAM	1	1	18.75	18.29	21.5364	22.952	0.197	1.00	Pass
			16QAM	1	63	18.86	18.05	21.4842	22.907	0.195	1.00	Pass
			16QAM	65	0	21.54	20.66	24.1326	25.557	0.360	1.00	Pass
			64QAM	1	1	18.93	17.91	21.4602	22.888	0.194	1.00	Pass
			64QAM	1	63	18.83	18.02	21.4542	22.877	0.194	1.00	Pass
			64QAM	65	0	21.21	20.06	23.6833	25.114	0.325	1.00	Pass
			256QAM	1	1	17.80	16.88	20.3746	21.800	0.151	1.00	Pass
			256QAM	1	63	17.67	16.95	20.3352	21.756	0.150	1.00	Pass
			256QAM	65	0	18.27	17.15	20.7563	22.186	0.165	1.00	Pass
	MCH		QPSK	33	16	24.27	23.38	26.8581	28.283	0.673	1.00	Pass
			QPSK	1	1	19.06	17.96	21.5550	22.985	0.199	1.00	Pass
			QPSK	1	63	18.96	17.95	21.4946	22.922	0.196	1.00	Pass
			QPSK	65	0	21.44	20.81	24.1467	25.566	0.360	1.00	Pass
			16QAM	33	16	23.45	22.77	26.1336	27.554	0.569	1.00	Pass
			16QAM	1	1	19.00	18.10	21.5836	23.009	0.200	1.00	Pass
			16QAM	1	63	18.73	18.07	21.4228	22.843	0.192	1.00	Pass
			16QAM	65	0	21.45	20.56	24.0381	25.463	0.352	1.00	Pass
			64QAM	1	1	19.01	18.25	21.6569	23.079	0.203	1.00	Pass
			64QAM	1	63	18.77	17.95	21.3896	22.813	0.191	1.00	Pass
			64QAM	65	0	20.81	20.20	23.5260	24.945	0.312	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3450-3550) UL MIMO												
			256QAM	1	1	17.81	17.04	20.4523	21.875	0.154	1.00	Pass
			256QAM	1	63	17.59	16.72	20.1870	21.612	0.145	1.00	Pass
			256QAM	65	0	18.09	17.27	20.7096	22.133	0.163	1.00	Pass
			QPSK	33	16	24.14	23.35	26.7732	28.196	0.660	1.00	Pass
			QPSK	1	1	18.89	17.91	21.4379	22.865	0.193	1.00	Pass
			QPSK	1	63	19.31	17.90	21.6723	23.109	0.205	1.00	Pass
			QPSK	65	0	21.29	20.49	23.9187	25.342	0.342	1.00	Pass
			16QAM	33	16	23.64	22.76	26.2326	27.657	0.583	1.00	Pass
			16QAM	1	1	18.72	18.20	21.4781	22.895	0.195	1.00	Pass
			16QAM	1	63	18.89	18.13	21.5369	22.959	0.198	1.00	Pass
	HCH		16QAM	65	0	21.36	20.57	23.9932	25.416	0.348	1.00	Pass
			64QAM	1	1	18.83	17.80	21.3558	22.784	0.190	1.00	Pass
			64QAM	1	63	19.09	17.80	21.5030	22.937	0.197	1.00	Pass
			64QAM	65	0	20.97	20.11	23.5716	24.996	0.316	1.00	Pass
			256QAM	1	1	17.65	16.65	20.1890	21.616	0.145	1.00	Pass
			256QAM	1	63	17.90	16.73	20.3646	21.796	0.151	1.00	Pass
			256QAM	65	0	18.14	17.32	20.7596	22.183	0.165	1.00	Pass
			QPSK	39	19	24.44	23.46	26.9879	28.415	0.694	1.00	Pass
			QPSK	1	1	19.09	18.05	21.6114	23.040	0.201	1.00	Pass
			QPSK	1	76	18.81	18.05	21.4569	22.879	0.194	1.00	Pass
			QPSK	78	0	21.62	20.61	24.1546	25.582	0.362	1.00	Pass
			16QAM	39	19	23.85	22.82	26.3758	27.804	0.603	1.00	Pass
			16QAM	1	1	18.71	18.30	21.5201	22.934	0.197	1.00	Pass
			16QAM	1	76	18.79	18.04	21.4415	22.863	0.193	1.00	Pass
	LCH		16QAM	78	0	21.50	20.74	24.1469	25.569	0.360	1.00	Pass
			64QAM	1	1	19.00	17.97	21.5258	22.954	0.197	1.00	Pass
			64QAM	1	76	18.84	17.89	21.4012	22.828	0.192	1.00	Pass
30		CP	64QAM	78	0	21.03	20.34	23.7090	25.129	0.326	1.00	Pass
			256QAM	1	1	17.77	16.88	20.3581	21.783	0.151	1.00	Pass
			256QAM	1	76	17.86	16.85	20.3946	21.822	0.152	1.00	Pass
			256QAM	78	0	18.33	17.20	20.8119	22.242	0.168	1.00	Pass
			QPSK	39	19	24.20	23.16	26.7214	28.150	0.653	1.00	Pass
			QPSK	1	1	19.28	18.05	21.7187	23.151	0.207	1.00	Pass
			QPSK	1	76	19.02	18.03	21.5634	22.991	0.199	1.00	Pass
	MCH		QPSK	78	0	21.52	20.72	24.1487	25.572	0.361	1.00	Pass
			16QAM	39	19	23.70	22.75	26.2612	27.688	0.587	1.00	Pass
			16QAM	1	1	18.94	18.10	21.5506	22.974	0.198	1.00	Pass
			16QAM	1	76	18.71	18.24	21.4917	22.907	0.195	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3450-3550) UL MIMO												
			16QAM	78	0	21.35	20.67	24.0336	25.454	0.351	1.00	Pass
			64QAM	1	1	18.90	18.02	21.4926	22.917	0.196	1.00	Pass
			64QAM	1	76	18.90	18.00	21.4836	22.909	0.195	1.00	Pass
			64QAM	78	0	20.86	20.21	23.5574	24.977	0.315	1.00	Pass
			256QAM	1	1	17.70	16.76	20.2657	21.692	0.148	1.00	Pass
			256QAM	1	76	17.68	16.79	20.2681	21.693	0.148	1.00	Pass
			256QAM	78	0	18.08	17.35	20.7406	22.162	0.165	1.00	Pass
	HCH		QPSK	39	19	24.07	23.25	26.6896	28.113	0.648	1.00	Pass
			QPSK	1	1	18.94	17.91	21.4658	22.894	0.195	1.00	Pass
			QPSK	1	76	19.30	17.99	21.7045	23.139	0.206	1.00	Pass
			QPSK	78	0	21.49	20.69	24.1187	25.542	0.358	1.00	Pass
			16QAM	39	19	23.53	22.80	26.1906	27.612	0.577	1.00	Pass
			16QAM	1	1	18.84	18.14	21.5144	22.935	0.197	1.00	Pass
			16QAM	1	76	18.90	18.03	21.4970	22.922	0.196	1.00	Pass
			16QAM	78	0	21.45	20.68	24.0923	25.515	0.356	1.00	Pass
			64QAM	1	1	18.85	17.89	21.4068	22.833	0.192	1.00	Pass
			64QAM	1	76	18.96	17.98	21.5079	22.935	0.197	1.00	Pass
			64QAM	78	0	21.02	20.05	23.5723	24.999	0.316	1.00	Pass
			256QAM	1	1	17.77	16.75	20.3002	21.728	0.149	1.00	Pass
			256QAM	1	76	17.88	16.64	20.3144	21.747	0.150	1.00	Pass
			256QAM	78	0	18.01	17.19	20.6296	22.053	0.160	1.00	Pass
40	LCH	CP	QPSK	53	26	24.30	23.39	26.8791	28.305	0.677	1.00	Pass
			QPSK	1	1	19.03	18.18	21.6361	23.060	0.202	1.00	Pass
			QPSK	1	104	18.87	18.06	21.4942	22.917	0.196	1.00	Pass
			QPSK	106	0	21.55	20.68	24.1470	25.572	0.361	1.00	Pass
			16QAM	53	26	23.66	22.79	26.2570	27.682	0.586	1.00	Pass
			16QAM	1	1	18.85	18.15	21.5244	22.945	0.197	1.00	Pass
			16QAM	1	104	18.78	17.95	21.3951	22.819	0.191	1.00	Pass
			16QAM	106	0	21.72	20.84	24.3126	25.737	0.375	1.00	Pass
			64QAM	1	1	18.99	18.01	21.5379	22.965	0.198	1.00	Pass
			64QAM	1	104	18.87	17.83	21.3914	22.820	0.191	1.00	Pass
			64QAM	106	0	21.15	20.24	23.7291	25.155	0.328	1.00	Pass
			256QAM	1	1	17.86	16.92	20.4257	21.852	0.153	1.00	Pass
			256QAM	1	104	17.86	16.96	20.4436	21.869	0.154	1.00	Pass
			256QAM	106	0	18.11	17.21	20.6936	22.119	0.163	1.00	Pass
	MCH		QPSK	53	26	24.09	23.18	26.6691	28.095	0.645	1.00	Pass
			QPSK	1	1	19.10	18.03	21.6082	23.037	0.201	1.00	Pass
			QPSK	1	104	18.77	17.89	21.3626	22.787	0.190	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3450-3550) UL MIMO												
			QPSK	106	0	21.61	20.66	24.1712	25.598	0.363	1.00	Pass
			16QAM	53	26	23.60	22.92	26.2836	27.704	0.589	1.00	Pass
			16QAM	1	1	19.03	18.12	21.6091	23.035	0.201	1.00	Pass
			16QAM	1	104	18.86	18.03	21.4751	22.899	0.195	1.00	Pass
			16QAM	106	0	21.59	20.61	24.1379	25.565	0.360	1.00	Pass
			64QAM	1	1	18.93	18.09	21.5406	22.964	0.198	1.00	Pass
			64QAM	1	104	18.78	18.18	21.5007	22.919	0.196	1.00	Pass
			64QAM	106	0	21.04	20.20	23.6506	25.074	0.322	1.00	Pass
			256QAM	1	1	17.79	16.84	20.3512	21.778	0.151	1.00	Pass
			256QAM	1	104	17.56	16.87	20.2390	21.659	0.147	1.00	Pass
			256QAM	106	0	18.02	17.14	20.6126	22.037	0.160	1.00	Pass
	HCH		QPSK	53	26	24.13	23.36	26.7723	28.195	0.660	1.00	Pass
			QPSK	1	1	18.89	17.93	21.4468	22.873	0.194	1.00	Pass
			QPSK	1	104	19.15	17.96	21.6059	23.038	0.201	1.00	Pass
			QPSK	106	0	21.51	20.59	24.0846	25.510	0.356	1.00	Pass
			16QAM	53	26	23.71	22.93	26.3478	27.770	0.598	1.00	Pass
			16QAM	1	1	18.73	18.13	21.4507	22.869	0.194	1.00	Pass
			16QAM	1	104	18.96	18.24	21.6252	23.046	0.202	1.00	Pass
			16QAM	106	0	21.42	20.59	24.0351	25.459	0.351	1.00	Pass
			64QAM	1	1	18.82	17.79	21.3458	22.774	0.189	1.00	Pass
			64QAM	1	104	18.91	17.80	21.4007	22.831	0.192	1.00	Pass
			64QAM	106	0	20.96	20.00	23.5168	24.943	0.312	1.00	Pass
			256QAM	1	1	17.63	16.85	20.2678	21.690	0.148	1.00	Pass
			256QAM	1	104	17.71	16.62	20.2094	21.639	0.146	1.00	Pass
			256QAM	106	0	17.98	17.17	20.6042	22.027	0.159	1.00	Pass
50	LCH	CP	QPSK	67	33	24.54	23.61	27.1101	28.536	0.714	1.00	Pass
			QPSK	1	1	19.11	18.16	21.6712	23.098	0.204	1.00	Pass
			QPSK	1	131	19.18	18.19	21.7234	23.151	0.207	1.00	Pass
			QPSK	133	0	21.82	20.79	24.3458	25.774	0.378	1.00	Pass
			16QAM	67	33	23.87	23.05	26.4896	27.913	0.618	1.00	Pass
			16QAM	1	1	18.92	18.32	21.6407	23.059	0.202	1.00	Pass
			16QAM	1	131	18.87	18.30	21.6046	23.022	0.201	1.00	Pass
			16QAM	133	0	21.83	20.78	24.3470	25.776	0.378	1.00	Pass
			64QAM	1	1	19.13	18.23	21.7136	23.139	0.206	1.00	Pass
			64QAM	1	131	19.03	18.04	21.5734	23.001	0.200	1.00	Pass
			64QAM	133	0	21.21	20.38	23.8251	25.249	0.335	1.00	Pass
			256QAM	1	1	17.93	17.07	20.5316	21.956	0.157	1.00	Pass
			256QAM	1	131	17.90	16.90	20.4390	21.866	0.154	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3450-3550) UL MIMO												
			256QAM	133	0	18.29	17.30	20.8334	22.261	0.168	1.00	Pass
	MCH		QPSK	67	33	24.27	23.40	26.8670	28.292	0.675	1.00	Pass
			QPSK	1	1	19.24	18.07	21.7046	23.136	0.206	1.00	Pass
			QPSK	1	131	18.88	18.19	21.5590	22.979	0.199	1.00	Pass
			QPSK	133	0	21.75	20.76	24.2934	25.721	0.373	1.00	Pass
			16QAM	67	33	23.75	22.98	26.3923	27.815	0.605	1.00	Pass
			16QAM	1	1	19.24	18.18	21.7526	23.181	0.208	1.00	Pass
			16QAM	1	131	19.06	18.13	21.6301	23.056	0.202	1.00	Pass
			16QAM	133	0	21.60	20.69	24.1791	25.605	0.363	1.00	Pass
			64QAM	1	1	19.12	18.19	21.6901	23.116	0.205	1.00	Pass
			64QAM	1	131	18.84	18.08	21.4869	22.909	0.195	1.00	Pass
			64QAM	133	0	21.07	20.30	23.7123	25.135	0.326	1.00	Pass
			256QAM	1	1	17.86	17.08	20.4978	21.920	0.156	1.00	Pass
			256QAM	1	131	17.70	17.02	20.3836	21.804	0.151	1.00	Pass
			256QAM	133	0	18.20	17.29	20.7791	22.205	0.166	1.00	Pass
	HCH		QPSK	67	33	24.15	23.34	26.7742	28.197	0.660	1.00	Pass
			QPSK	1	1	19.08	17.99	21.5794	23.009	0.200	1.00	Pass
			QPSK	1	131	19.28	18.13	21.7533	23.184	0.208	1.00	Pass
			QPSK	133	0	21.65	20.78	24.2470	25.672	0.369	1.00	Pass
			16QAM	67	33	23.70	22.97	26.3606	27.782	0.600	1.00	Pass
			16QAM	1	1	18.82	18.15	21.5082	22.928	0.196	1.00	Pass
			16QAM	1	131	18.93	18.26	21.6182	23.038	0.201	1.00	Pass
			16QAM	133	0	21.68	20.83	24.2861	25.710	0.372	1.00	Pass
			64QAM	1	1	19.01	17.94	21.5182	22.947	0.197	1.00	Pass
			64QAM	1	131	19.17	17.99	21.6303	23.062	0.202	1.00	Pass
			64QAM	133	0	21.13	20.23	23.7136	25.139	0.326	1.00	Pass
			256QAM	1	1	17.72	16.89	20.3351	21.759	0.150	1.00	Pass
			256QAM	1	131	17.90	16.80	20.3950	21.825	0.152	1.00	Pass
			256QAM	133	0	18.22	17.25	20.7723	22.199	0.166	1.00	Pass
60	LCH	CP	QPSK	81	40	24.24	23.51	26.9006	28.322	0.680	1.00	Pass
			QPSK	1	1	19.06	18.16	21.6436	23.069	0.203	1.00	Pass
			QPSK	1	160	19.06	18.12	21.6257	23.052	0.202	1.00	Pass
			QPSK	162	0	21.54	20.77	24.1823	25.605	0.363	1.00	Pass
			16QAM	81	40	23.63	22.93	26.3044	27.725	0.592	1.00	Pass
			16QAM	1	1	18.69	18.25	21.4859	22.901	0.195	1.00	Pass
			16QAM	1	160	18.87	18.18	21.5490	22.969	0.198	1.00	Pass
			16QAM	162	0	21.48	20.83	24.1774	25.597	0.363	1.00	Pass
			64QAM	1	1	18.94	18.04	21.5236	22.949	0.197	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3450-3550) UL MIMO												
			64QAM	1	160	19.09	18.00	21.5894	23.019	0.200	1.00	Pass
			64QAM	162	0	21.04	20.19	23.6461	25.070	0.321	1.00	Pass
			256QAM	1	1	17.85	16.85	20.3890	21.816	0.152	1.00	Pass
			256QAM	1	160	17.70	16.83	20.2970	21.722	0.149	1.00	Pass
			256QAM	162	0	18.23	17.25	20.7779	22.205	0.166	1.00	Pass
	MCH		QPSK	81	40	24.13	23.28	26.7361	28.160	0.655	1.00	Pass
			QPSK	1	1	19.18	18.06	21.6663	23.096	0.204	1.00	Pass
			QPSK	1	160	18.91	18.06	21.5161	22.940	0.197	1.00	Pass
			QPSK	162	0	21.67	20.67	24.2090	25.636	0.366	1.00	Pass
			16QAM	81	40	23.49	22.87	26.2014	27.620	0.578	1.00	Pass
			16QAM	1	1	19.20	17.98	21.6430	23.075	0.203	1.00	Pass
			16QAM	1	160	18.83	17.97	21.4316	22.856	0.193	1.00	Pass
			16QAM	162	0	21.52	20.76	24.1669	25.589	0.362	1.00	Pass
			64QAM	1	1	19.00	18.07	21.5701	22.996	0.199	1.00	Pass
			64QAM	1	160	18.78	18.05	21.4406	22.862	0.193	1.00	Pass
			64QAM	162	0	21.09	20.08	23.6246	25.052	0.320	1.00	Pass
			256QAM	1	1	17.95	16.88	20.4582	21.887	0.154	1.00	Pass
			256QAM	1	160	17.50	16.77	20.1606	21.582	0.144	1.00	Pass
			256QAM	162	0	18.22	17.16	20.7326	22.161	0.164	1.00	Pass
	HCH		QPSK	81	40	24.00	23.36	26.7021	28.121	0.649	1.00	Pass
			QPSK	1	1	18.96	17.89	21.4682	22.897	0.195	1.00	Pass
			QPSK	1	160	19.31	17.92	21.6807	23.117	0.205	1.00	Pass
			QPSK	162	0	21.59	20.61	24.1379	25.565	0.360	1.00	Pass
			16QAM	81	40	23.57	22.93	26.2721	27.691	0.588	1.00	Pass
			16QAM	1	1	18.70	18.04	21.3928	22.813	0.191	1.00	Pass
			16QAM	1	160	18.90	18.10	21.5287	22.952	0.197	1.00	Pass
			16QAM	162	0	21.39	20.66	24.0506	25.472	0.353	1.00	Pass
			64QAM	1	1	18.95	17.92	21.4758	22.904	0.195	1.00	Pass
			64QAM	1	160	19.15	17.70	21.4955	22.933	0.196	1.00	Pass
			64QAM	162	0	21.03	20.03	23.5690	24.996	0.316	1.00	Pass
			256QAM	1	1	17.67	16.81	20.2716	21.696	0.148	1.00	Pass
			256QAM	1	160	17.77	16.64	20.2519	21.682	0.147	1.00	Pass
			256QAM	162	0	17.99	17.37	20.7014	22.120	0.163	1.00	Pass
70	LCH	CP	QPSK	95	47	24.30	23.35	26.8612	28.288	0.674	1.00	Pass
			QPSK	1	1	18.98	18.10	21.5726	22.997	0.199	1.00	Pass
			QPSK	1	187	19.04	18.13	21.6191	23.045	0.202	1.00	Pass
			QPSK	189	0	21.59	20.64	24.1512	25.578	0.361	1.00	Pass
			16QAM	95	47	23.88	22.98	26.4636	27.889	0.615	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3450-3550) UL MIMO												
			16QAM	1	1	18.74	18.26	21.5169	22.933	0.196	1.00	Pass
			16QAM	1	187	18.83	18.06	21.4723	22.895	0.195	1.00	Pass
			16QAM	189	0	21.49	20.79	24.1644	25.585	0.362	1.00	Pass
			64QAM	1	1	19.01	18.00	21.5446	22.972	0.198	1.00	Pass
			64QAM	1	187	19.04	18.02	21.5702	22.998	0.199	1.00	Pass
			64QAM	189	0	21.22	20.14	23.7238	25.153	0.328	1.00	Pass
			256QAM	1	1	17.76	16.85	20.3391	21.765	0.150	1.00	Pass
			256QAM	1	187	17.93	16.84	20.4294	21.859	0.153	1.00	Pass
			256QAM	189	0	18.22	17.20	20.7502	22.178	0.165	1.00	Pass
	MCH		QPSK	95	47	24.22	23.30	26.7946	28.220	0.664	1.00	Pass
			QPSK	1	1	19.18	18.03	21.6533	23.084	0.203	1.00	Pass
			QPSK	1	187	18.87	18.09	21.5078	22.930	0.196	1.00	Pass
			QPSK	189	0	21.49	20.82	24.1782	25.598	0.363	1.00	Pass
			16QAM	95	47	23.53	22.87	26.2228	27.643	0.581	1.00	Pass
			16QAM	1	1	19.10	18.09	21.6346	23.062	0.202	1.00	Pass
			16QAM	1	187	18.75	18.15	21.4707	22.889	0.194	1.00	Pass
			16QAM	189	0	21.45	20.59	24.0516	25.476	0.353	1.00	Pass
			64QAM	1	1	18.92	18.25	21.6082	23.028	0.201	1.00	Pass
			64QAM	1	187	18.87	17.93	21.4357	22.862	0.193	1.00	Pass
			64QAM	189	0	20.95	20.11	23.5606	24.984	0.315	1.00	Pass
			256QAM	1	1	17.77	16.83	20.3357	21.762	0.150	1.00	Pass
			256QAM	1	187	17.58	16.76	20.1996	21.623	0.145	1.00	Pass
			256QAM	189	0	17.94	17.23	20.6098	22.031	0.160	1.00	Pass
	HCH		QPSK	95	47	24.10	23.33	26.7423	28.165	0.655	1.00	Pass
			QPSK	1	1	18.84	17.99	21.4461	22.870	0.194	1.00	Pass
			QPSK	1	187	19.03	18.11	21.6046	23.030	0.201	1.00	Pass
			QPSK	189	0	21.33	20.73	24.0507	25.469	0.352	1.00	Pass
			16QAM	95	47	23.59	22.91	26.2736	27.694	0.588	1.00	Pass
			16QAM	1	1	18.84	18.12	21.5052	22.926	0.196	1.00	Pass
			16QAM	1	187	18.82	18.07	21.4715	22.893	0.195	1.00	Pass
			16QAM	189	0	21.53	20.76	24.1723	25.595	0.363	1.00	Pass
			64QAM	1	1	18.75	17.78	21.3023	22.729	0.187	1.00	Pass
			64QAM	1	187	18.86	17.75	21.3507	22.781	0.190	1.00	Pass
			64QAM	189	0	20.86	20.06	23.4887	24.912	0.310	1.00	Pass
			256QAM	1	1	17.78	16.73	20.2970	21.726	0.149	1.00	Pass
			256QAM	1	187	17.91	16.77	20.3876	21.818	0.152	1.00	Pass
			256QAM	189	0	18.03	17.25	20.6678	22.090	0.162	1.00	Pass
80	LCH	CP	QPSK	109	54	24.27	23.37	26.8536	28.279	0.673	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3450-3550) UL MIMO												
			QPSK	1	1	19.01	18.11	21.5936	23.019	0.200	1.00	Pass
			QPSK	1	215	18.89	17.96	21.4601	22.886	0.194	1.00	Pass
			QPSK	217	0	21.63	20.70	24.2001	25.626	0.365	1.00	Pass
			16QAM	109	54	23.81	22.73	26.3138	27.743	0.595	1.00	Pass
			16QAM	1	1	18.63	18.20	21.4306	22.845	0.193	1.00	Pass
			16QAM	1	215	18.85	18.03	21.4696	22.893	0.195	1.00	Pass
			16QAM	217	0	21.62	20.80	24.2396	25.663	0.368	1.00	Pass
			64QAM	1	1	18.99	18.06	21.5601	22.986	0.199	1.00	Pass
			64QAM	1	215	18.97	17.93	21.4914	22.920	0.196	1.00	Pass
			64QAM	217	0	21.13	20.24	23.7181	25.143	0.327	1.00	Pass
			256QAM	1	1	17.67	16.84	20.2851	21.709	0.148	1.00	Pass
			256QAM	1	215	17.69	16.95	20.3460	21.768	0.150	1.00	Pass
			256QAM	217	0	18.25	17.15	20.7450	22.175	0.165	1.00	Pass
	MCH		QPSK	109	54	24.10	23.38	26.7652	28.186	0.659	1.00	Pass
			QPSK	1	1	19.17	18.03	21.6476	23.078	0.203	1.00	Pass
			QPSK	1	215	18.88	18.05	21.4951	22.919	0.196	1.00	Pass
			QPSK	217	0	21.62	20.75	24.2170	25.642	0.367	1.00	Pass
			16QAM	109	54	23.46	22.88	26.1900	27.608	0.576	1.00	Pass
			16QAM	1	1	19.00	17.98	21.5302	22.958	0.198	1.00	Pass
			16QAM	1	215	18.95	18.10	21.5561	22.980	0.199	1.00	Pass
			16QAM	217	0	21.52	20.71	24.1442	25.567	0.360	1.00	Pass
			64QAM	1	1	18.91	18.20	21.5798	23.001	0.200	1.00	Pass
			64QAM	1	215	18.65	18.05	21.3707	22.789	0.190	1.00	Pass
			64QAM	217	0	20.83	20.00	23.4451	24.869	0.307	1.00	Pass
			256QAM	1	1	17.76	16.86	20.3436	21.769	0.150	1.00	Pass
			256QAM	1	215	17.58	16.79	20.2132	21.636	0.146	1.00	Pass
			256QAM	217	0	18.16	17.20	20.7168	22.143	0.164	1.00	Pass
	HCH		QPSK	109	54	24.06	23.25	26.6842	28.107	0.647	1.00	Pass
			QPSK	1	1	18.94	18.02	21.5146	22.940	0.197	1.00	Pass
			QPSK	1	215	19.19	17.90	21.6030	23.037	0.201	1.00	Pass
			QPSK	217	0	21.48	20.58	24.0636	25.489	0.354	1.00	Pass
			16QAM	109	54	23.63	22.82	26.2542	27.677	0.586	1.00	Pass
			16QAM	1	1	18.69	18.21	21.4669	22.883	0.194	1.00	Pass
			16QAM	1	215	18.92	18.18	21.5760	22.998	0.199	1.00	Pass
			16QAM	217	0	21.39	20.69	24.0644	25.485	0.354	1.00	Pass
			64QAM	1	1	18.80	17.98	21.4196	22.843	0.192	1.00	Pass
			64QAM	1	215	18.92	17.93	21.4634	22.891	0.195	1.00	Pass
			64QAM	217	0	20.92	20.08	23.5306	24.954	0.313	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3450-3550) UL MIMO												
			256QAM	1	1	17.63	16.94	20.3090	21.729	0.149	1.00	Pass
			256QAM	1	215	17.77	16.64	20.2519	21.682	0.147	1.00	Pass
			256QAM	217	0	17.96	17.32	20.6621	22.081	0.161	1.00	Pass
90	LCH	CP	QPSK	123	61	24.39	23.42	26.9423	28.369	0.687	1.00	Pass
			QPSK	1	1	18.99	18.17	21.6096	23.033	0.201	1.00	Pass
			QPSK	1	243	18.87	17.94	21.4401	22.866	0.193	1.00	Pass
			QPSK	245	0	21.57	20.73	24.1806	25.604	0.363	1.00	Pass
			16QAM	123	61	23.76	22.82	26.3257	27.752	0.596	1.00	Pass
			16QAM	1	1	18.62	18.34	21.4926	22.904	0.195	1.00	Pass
			16QAM	1	243	18.85	18.20	21.5474	22.967	0.198	1.00	Pass
			16QAM	245	0	21.59	20.81	24.2278	25.650	0.367	1.00	Pass
			64QAM	1	1	18.96	18.13	21.5751	22.999	0.199	1.00	Pass
			64QAM	1	243	19.01	17.96	21.5270	22.956	0.197	1.00	Pass
			64QAM	245	0	21.15	20.12	23.6758	25.104	0.324	1.00	Pass
			256QAM	1	1	17.75	16.87	20.3426	21.767	0.150	1.00	Pass
			256QAM	1	243	17.91	16.75	20.3789	21.810	0.152	1.00	Pass
			256QAM	245	0	18.24	17.28	20.7968	22.223	0.167	1.00	Pass
	MCH		QPSK	123	61	24.19	23.33	26.7916	28.216	0.663	1.00	Pass
			QPSK	1	1	19.26	18.09	21.7246	23.156	0.207	1.00	Pass
			QPSK	1	243	18.99	18.08	21.5691	22.995	0.199	1.00	Pass
			QPSK	245	0	21.64	20.69	24.2012	25.628	0.365	1.00	Pass
			16QAM	123	61	23.63	22.88	26.2815	27.703	0.589	1.00	Pass
			16QAM	1	1	19.07	17.99	21.5738	23.003	0.200	1.00	Pass
			16QAM	1	243	18.98	18.06	21.5546	22.980	0.199	1.00	Pass
			16QAM	245	0	21.55	20.73	24.1696	25.593	0.362	1.00	Pass
			64QAM	1	1	18.86	18.19	21.5482	22.968	0.198	1.00	Pass
			64QAM	1	243	18.79	18.03	21.4369	22.859	0.193	1.00	Pass
			64QAM	245	0	20.92	20.07	23.5261	24.950	0.313	1.00	Pass
			256QAM	1	1	17.79	16.99	20.4187	21.842	0.153	1.00	Pass
			256QAM	1	243	17.51	16.90	20.2260	21.645	0.146	1.00	Pass
			256QAM	245	0	18.15	17.21	20.7157	22.142	0.164	1.00	Pass
	HCH		QPSK	123	61	24.14	23.27	26.7370	28.162	0.655	1.00	Pass
			QPSK	1	1	18.99	17.95	21.5114	22.940	0.197	1.00	Pass
			QPSK	1	243	19.27	18.01	21.6958	23.129	0.206	1.00	Pass
			QPSK	245	0	21.30	20.63	23.9882	25.408	0.347	1.00	Pass
			16QAM	123	61	23.51	22.84	26.1982	27.618	0.578	1.00	Pass
			16QAM	1	1	18.66	18.10	21.3993	22.817	0.191	1.00	Pass
			16QAM	1	243	18.90	18.08	21.5196	22.943	0.197	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3450-3550) UL MIMO												
			16QAM	245	0	21.45	20.73	24.1152	25.536	0.358	1.00	Pass
			64QAM	1	1	18.76	17.96	21.3887	22.812	0.191	1.00	Pass
			64QAM	1	243	19.08	17.90	21.5403	22.972	0.198	1.00	Pass
			64QAM	245	0	20.97	20.09	23.5626	24.987	0.315	1.00	Pass
			256QAM	1	1	17.68	16.95	20.3406	21.762	0.150	1.00	Pass
			256QAM	1	243	17.74	16.55	20.1959	21.628	0.145	1.00	Pass
			256QAM	245	0	17.90	17.20	20.5744	21.995	0.158	1.00	Pass
100	LCH	CP	QPSK	137	68	24.03	23.12	26.6091	28.035	0.636	1.00	Pass
			QPSK	1	1	19.09	18.26	21.7051	23.129	0.206	1.00	Pass
			QPSK	1	271	18.87	17.65	21.3130	22.745	0.188	1.00	Pass
			QPSK	273	0	21.47	20.54	24.0401	25.466	0.352	1.00	Pass
			16QAM	137	68	23.44	22.57	26.0370	27.462	0.557	1.00	Pass
			16QAM	1	1	18.90	18.22	21.5836	23.004	0.200	1.00	Pass
			16QAM	1	271	18.79	17.92	21.3870	22.812	0.191	1.00	Pass
			16QAM	273	0	21.38	20.52	23.9816	25.406	0.347	1.00	Pass
			64QAM	1	1	18.97	17.97	21.5090	22.936	0.197	1.00	Pass
			64QAM	1	271	18.90	17.54	21.2833	22.719	0.187	1.00	Pass
			64QAM	273	0	20.78	19.93	23.3861	24.810	0.303	1.00	Pass
			256QAM	1	1	17.88	16.96	20.4546	21.880	0.154	1.00	Pass
			256QAM	1	271	17.85	16.52	20.2460	21.681	0.147	1.00	Pass
			256QAM	273	0	18.00	16.98	20.5302	21.958	0.157	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3700-3980) UL MIMO												
10	LCH	CP	QPSK	12	6	23.77	23.83	26.8104	28.214	0.663	1.00	Pass
			QPSK	1	1	20.88	20.41	23.6617	25.077	0.322	1.00	Pass
			QPSK	1	22	20.86	20.38	23.6369	25.053	0.320	1.00	Pass
			QPSK	24	0	23.57	23.09	26.3469	27.763	0.597	1.00	Pass
			16QAM	12	6	23.56	23.73	26.6561	28.057	0.639	1.00	Pass
			16QAM	1	1	20.99	20.66	23.8384	25.251	0.335	1.00	Pass
			16QAM	1	22	21.39	21.04	24.2288	25.641	0.367	1.00	Pass
			16QAM	24	0	23.66	23.12	26.4087	27.826	0.606	1.00	Pass
			64QAM	1	1	21.02	20.66	23.8540	25.267	0.336	1.00	Pass
			64QAM	1	22	21.60	21.11	24.3722	25.788	0.379	1.00	Pass
			64QAM	24	0	22.97	22.52	25.7611	27.176	0.522	1.00	Pass
			256QAM	1	1	19.41	19.09	22.2632	23.675	0.233	1.00	Pass
			256QAM	1	22	20.06	19.69	22.8892	24.302	0.269	1.00	Pass
			256QAM	24	0	20.07	19.57	22.8375	24.254	0.266	1.00	Pass
	MCH		QPSK	12	6	23.78	24.00	26.9017	28.301	0.676	1.00	Pass
			QPSK	1	1	21.29	20.82	24.0717	25.487	0.354	1.00	Pass
			QPSK	1	22	21.35	20.95	24.1649	25.579	0.361	1.00	Pass
			QPSK	24	0	23.61	23.20	26.4201	27.834	0.607	1.00	Pass
			16QAM	12	6	24.12	23.69	26.9206	28.335	0.682	1.00	Pass
			16QAM	1	1	21.20	20.80	24.0149	25.429	0.349	1.00	Pass
			16QAM	1	22	21.36	21.10	24.2422	25.653	0.368	1.00	Pass
			16QAM	24	0	23.75	23.24	26.5128	27.929	0.621	1.00	Pass
			64QAM	1	1	20.96	20.53	23.7606	25.175	0.329	1.00	Pass
			64QAM	1	22	21.48	21.02	24.2664	25.682	0.370	1.00	Pass
			64QAM	24	0	22.87	22.62	25.7571	27.167	0.521	1.00	Pass
			256QAM	1	1	19.85	19.47	22.6745	24.088	0.256	1.00	Pass
			256QAM	1	22	19.71	19.37	22.5536	23.966	0.249	1.00	Pass
			256QAM	24	0	20.24	19.71	22.9934	24.410	0.276	1.00	Pass
	HCH		QPSK	12	6	23.72	24.02	26.8829	28.281	0.673	1.00	Pass
			QPSK	1	1	21.36	20.97	24.1797	25.593	0.363	1.00	Pass
			QPSK	1	22	21.25	20.96	24.1177	25.529	0.357	1.00	Pass
			QPSK	24	0	23.97	23.62	26.8088	28.221	0.664	1.00	Pass
			16QAM	12	6	24.14	24.28	27.2209	28.622	0.728	1.00	Pass
			16QAM	1	1	21.08	20.71	23.9092	25.322	0.341	1.00	Pass
			16QAM	1	22	21.57	21.17	24.3849	25.799	0.380	1.00	Pass
			16QAM	24	0	23.96	23.34	26.6714	28.090	0.644	1.00	Pass
			64QAM	1	1	21.33	21.03	24.1929	25.604	0.363	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3700-3980) UL MIMO												
			64QAM	1	22	20.94	20.59	23.7788	25.191	0.330	1.00	Pass
			64QAM	24	0	23.37	22.96	26.1801	27.594	0.575	1.00	Pass
			256QAM	1	1	19.96	19.49	22.7417	24.157	0.260	1.00	Pass
			256QAM	1	22	20.36	20.07	23.2277	24.639	0.291	1.00	Pass
			256QAM	24	0	20.47	20.08	23.2897	24.703	0.295	1.00	Pass
15	LCH	CP	QPSK	19	9	23.99	24.06	27.0354	28.438	0.698	1.00	Pass
			QPSK	1	1	21.30	20.85	24.0911	25.506	0.355	1.00	Pass
			QPSK	1	36	21.63	21.26	24.4592	25.872	0.387	1.00	Pass
			QPSK	38	0	24.08	23.65	26.8806	28.295	0.675	1.00	Pass
			16QAM	19	9	23.15	23.96	26.5842	27.970	0.627	1.00	Pass
			16QAM	1	1	21.73	23.51	25.7209	27.085	0.511	1.00	Pass
			16QAM	1	36	21.46	21.07	24.2797	25.693	0.371	1.00	Pass
			16QAM	38	0	24.08	23.67	26.8901	28.304	0.677	1.00	Pass
			64QAM	1	1	20.87	20.69	23.7912	25.200	0.331	1.00	Pass
			64QAM	1	36	21.28	20.98	24.1429	25.554	0.359	1.00	Pass
			64QAM	38	0	23.42	23.19	26.3168	27.727	0.592	1.00	Pass
			256QAM	1	1	19.89	19.50	22.7097	24.123	0.258	1.00	Pass
			256QAM	1	36	20.59	20.29	23.4529	24.864	0.307	1.00	Pass
			256QAM	38	0	20.56	20.02	23.3087	24.726	0.297	1.00	Pass
	MCH		QPSK	19	9	24.43	24.05	27.2545	28.668	0.736	1.00	Pass
			QPSK	1	1	21.22	20.69	23.9734	25.390	0.346	1.00	Pass
			QPSK	1	36	21.27	20.86	24.0801	25.494	0.354	1.00	Pass
			QPSK	38	0	23.83	23.63	26.7415	28.151	0.653	1.00	Pass
			16QAM	19	9	23.91	23.47	26.7059	28.121	0.649	1.00	Pass
			16QAM	1	1	21.25	20.70	23.9940	25.411	0.348	1.00	Pass
			16QAM	1	36	21.10	20.73	23.9292	25.342	0.342	1.00	Pass
			16QAM	38	0	23.85	23.50	26.6888	28.101	0.646	1.00	Pass
			64QAM	1	1	21.02	20.59	23.8206	25.235	0.334	1.00	Pass
			64QAM	1	36	20.92	20.64	23.7926	25.204	0.331	1.00	Pass
			64QAM	38	0	23.42	23.05	26.2492	27.662	0.584	1.00	Pass
			256QAM	1	1	20.25	19.77	23.0269	24.443	0.278	1.00	Pass
			256QAM	1	36	20.17	19.76	22.9801	24.394	0.275	1.00	Pass
			256QAM	38	0	20.44	20.07	23.2692	24.682	0.294	1.00	Pass
	HCH		QPSK	19	9	23.73	24.22	26.9922	28.386	0.690	1.00	Pass
			QPSK	1	1	21.22	20.67	23.9640	25.381	0.345	1.00	Pass
			QPSK	1	36	21.46	21.03	24.2606	25.675	0.369	1.00	Pass
			QPSK	38	0	24.03	23.67	26.8640	28.277	0.672	1.00	Pass
			16QAM	19	9	24.06	23.63	26.8606	28.275	0.672	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3700-3980) UL MIMO												
			16QAM	1	1	21.59	21.10	24.3622	25.778	0.378	1.00	Pass
			16QAM	1	36	21.61	21.10	24.3728	25.789	0.379	1.00	Pass
			16QAM	38	0	24.19	23.59	26.9107	28.329	0.681	1.00	Pass
			64QAM	1	1	21.96	21.31	24.6574	26.077	0.405	1.00	Pass
			64QAM	1	36	21.88	21.29	24.6053	26.023	0.400	1.00	Pass
			64QAM	38	0	23.57	23.15	26.3754	27.790	0.601	1.00	Pass
			256QAM	1	1	20.12	19.53	22.8453	24.263	0.267	1.00	Pass
			256QAM	1	36	20.19	19.68	22.9528	24.369	0.273	1.00	Pass
			256QAM	38	0	20.60	20.22	23.4245	24.838	0.305	1.00	Pass
20	LCH	CP	QPSK	25	12	23.94	24.10	27.0310	28.432	0.697	1.00	Pass
			QPSK	1	1	21.32	20.80	24.0781	25.495	0.354	1.00	Pass
			QPSK	1	49	21.61	21.24	24.4392	25.852	0.385	1.00	Pass
			QPSK	51	0	24.00	23.66	26.8436	28.256	0.669	1.00	Pass
			16QAM	25	12	23.35	23.91	26.6493	28.041	0.637	1.00	Pass
			16QAM	1	1	21.74	23.51	25.7249	27.089	0.512	1.00	Pass
			16QAM	1	49	21.32	21.08	24.2120	25.622	0.365	1.00	Pass
			16QAM	51	0	23.91	23.61	26.7729	28.184	0.658	1.00	Pass
			64QAM	1	1	21.02	20.57	23.8111	25.226	0.333	1.00	Pass
			64QAM	1	49	21.25	20.84	24.0601	25.474	0.353	1.00	Pass
			64QAM	51	0	23.36	23.09	26.2374	27.648	0.582	1.00	Pass
			256QAM	1	1	19.87	19.43	22.6659	24.081	0.256	1.00	Pass
			256QAM	1	49	20.58	20.23	23.4188	24.831	0.304	1.00	Pass
			256QAM	51	0	20.52	20.19	23.3684	24.781	0.301	1.00	Pass
	MCH		QPSK	25	12	24.42	24.02	27.2349	28.649	0.733	1.00	Pass
			QPSK	1	1	21.27	20.66	23.9860	25.405	0.347	1.00	Pass
			QPSK	1	49	21.24	20.92	24.0932	25.505	0.355	1.00	Pass
			QPSK	51	0	23.93	23.48	26.7211	28.136	0.651	1.00	Pass
			16QAM	25	12	23.93	23.43	26.6975	28.114	0.648	1.00	Pass
			16QAM	1	1	21.12	20.74	23.9445	25.358	0.343	1.00	Pass
			16QAM	1	49	21.13	20.74	23.9497	25.363	0.344	1.00	Pass
			16QAM	51	0	23.84	23.42	26.6454	28.060	0.640	1.00	Pass
			64QAM	1	1	20.95	20.44	23.7128	25.129	0.326	1.00	Pass
			64QAM	1	49	20.94	20.62	23.7932	25.205	0.332	1.00	Pass
			64QAM	51	0	23.40	23.03	26.2292	27.642	0.581	1.00	Pass
			256QAM	1	1	20.14	19.76	22.9645	24.378	0.274	1.00	Pass
			256QAM	1	49	20.26	19.76	23.0275	24.444	0.278	1.00	Pass
			256QAM	51	0	20.50	20.10	23.3149	24.729	0.297	1.00	Pass
	HCH		QPSK	25	12	23.71	24.26	27.0040	28.396	0.691	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3700-3980) UL MIMO												
			QPSK	1	1	21.10	20.65	23.8911	25.306	0.339	1.00	Pass
			QPSK	1	49	21.52	21.16	24.3540	25.767	0.377	1.00	Pass
			QPSK	51	0	24.07	23.72	26.9088	28.321	0.679	1.00	Pass
			16QAM	25	12	24.06	23.66	26.8749	28.289	0.674	1.00	Pass
			16QAM	1	1	21.66	21.21	24.4511	25.866	0.386	1.00	Pass
			16QAM	1	49	21.57	21.11	24.3564	25.772	0.378	1.00	Pass
			16QAM	51	0	24.04	23.62	26.8454	28.260	0.670	1.00	Pass
			64QAM	1	1	21.95	21.25	24.6244	26.045	0.402	1.00	Pass
			64QAM	1	49	21.79	21.27	24.5481	25.965	0.395	1.00	Pass
			64QAM	51	0	23.69	23.15	26.4387	27.856	0.610	1.00	Pass
			256QAM	1	1	20.01	19.43	22.7400	24.158	0.260	1.00	Pass
			256QAM	1	49	20.11	19.74	22.9392	24.352	0.272	1.00	Pass
			256QAM	51	0	20.57	20.10	23.3517	24.767	0.300	1.00	Pass
25	LCH	CP	QPSK	33	16	23.92	24.06	27.0009	28.402	0.692	1.00	Pass
			QPSK	1	1	21.33	20.88	24.1211	25.536	0.358	1.00	Pass
			QPSK	1	63	21.66	21.18	24.4369	25.853	0.385	1.00	Pass
			QPSK	65	0	23.93	23.65	26.8026	28.214	0.663	1.00	Pass
			16QAM	33	16	23.26	23.89	26.5967	27.987	0.629	1.00	Pass
			16QAM	1	1	21.71	23.38	25.6351	27.002	0.501	1.00	Pass
			16QAM	1	63	21.48	21.09	24.2997	25.713	0.373	1.00	Pass
			16QAM	65	0	24.06	23.62	26.8559	28.271	0.672	1.00	Pass
			64QAM	1	1	20.98	20.52	23.7664	25.182	0.330	1.00	Pass
			64QAM	1	63	21.27	20.89	24.0945	25.508	0.355	1.00	Pass
			64QAM	65	0	23.43	23.07	26.2640	27.677	0.586	1.00	Pass
			256QAM	1	1	19.87	19.45	22.6754	24.090	0.256	1.00	Pass
			256QAM	1	63	20.66	20.23	23.4606	24.875	0.307	1.00	Pass
			256QAM	65	0	20.59	20.22	23.4192	24.832	0.304	1.00	Pass
	MCH		QPSK	33	16	24.47	24.08	27.2897	28.703	0.742	1.00	Pass
			QPSK	1	1	21.20	20.87	24.0484	25.461	0.352	1.00	Pass
			QPSK	1	63	21.29	20.93	24.1240	25.537	0.358	1.00	Pass
			QPSK	65	0	24.02	23.48	26.7687	28.186	0.659	1.00	Pass
			16QAM	33	16	23.88	23.55	26.7284	28.141	0.652	1.00	Pass
			16QAM	1	1	21.08	20.62	23.8664	25.282	0.337	1.00	Pass
			16QAM	1	63	21.18	20.66	23.9381	25.355	0.343	1.00	Pass
			16QAM	65	0	23.85	23.36	26.6222	28.038	0.637	1.00	Pass
			64QAM	1	1	21.00	20.58	23.8054	25.220	0.333	1.00	Pass
			64QAM	1	63	21.00	20.59	23.8101	25.224	0.333	1.00	Pass
			64QAM	65	0	23.30	23.01	26.1677	27.579	0.573	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3700-3980) UL MIMO												
			256QAM	1	1	20.14	19.71	22.9406	24.355	0.273	1.00	Pass
			256QAM	1	63	20.15	19.87	23.0226	24.434	0.278	1.00	Pass
			256QAM	65	0	20.47	20.10	23.2992	24.712	0.296	1.00	Pass
			QPSK	33	16	23.63	24.33	27.0044	28.393	0.691	1.00	Pass
			QPSK	1	1	21.17	20.63	23.9187	25.336	0.342	1.00	Pass
			QPSK	1	63	21.48	20.97	24.2428	25.659	0.368	1.00	Pass
			QPSK	65	0	24.05	23.63	26.8554	28.270	0.671	1.00	Pass
			16QAM	33	16	24.04	23.62	26.8454	28.260	0.670	1.00	Pass
			16QAM	1	1	21.71	21.10	24.4260	25.845	0.384	1.00	Pass
			16QAM	1	63	21.47	21.16	24.3281	25.740	0.375	1.00	Pass
	HCH		16QAM	65	0	24.01	23.62	26.8297	28.243	0.667	1.00	Pass
			64QAM	1	1	21.94	21.34	24.6607	26.079	0.405	1.00	Pass
			64QAM	1	63	21.83	21.37	24.6164	26.032	0.401	1.00	Pass
			64QAM	65	0	23.67	23.20	26.4517	27.867	0.612	1.00	Pass
			256QAM	1	1	19.95	19.46	22.7222	24.138	0.259	1.00	Pass
			256QAM	1	63	20.17	19.77	22.9849	24.399	0.275	1.00	Pass
			256QAM	65	0	20.69	20.26	23.4906	24.905	0.309	1.00	Pass
			QPSK	39	19	23.98	24.12	27.0609	28.462	0.702	1.00	Pass
			QPSK	1	1	21.34	20.90	24.1359	25.551	0.359	1.00	Pass
			QPSK	1	76	21.68	21.20	24.4569	25.873	0.387	1.00	Pass
			QPSK	78	0	24.10	23.75	26.9388	28.351	0.684	1.00	Pass
			16QAM	39	19	23.20	24.01	26.6342	28.020	0.634	1.00	Pass
			16QAM	1	1	21.73	23.45	25.6849	27.050	0.507	1.00	Pass
			16QAM	1	76	21.46	21.13	24.3084	25.721	0.373	1.00	Pass
	LCH		16QAM	78	0	23.96	23.55	26.7701	28.184	0.658	1.00	Pass
			64QAM	1	1	21.00	20.48	23.7581	25.175	0.329	1.00	Pass
			64QAM	1	76	21.28	21.02	24.1622	25.573	0.361	1.00	Pass
30		CP	64QAM	78	0	23.55	23.08	26.3317	27.747	0.595	1.00	Pass
			256QAM	1	1	19.86	19.49	22.6892	24.102	0.257	1.00	Pass
			256QAM	1	76	20.71	20.21	23.4775	24.894	0.309	1.00	Pass
			256QAM	78	0	20.40	20.09	23.2581	24.670	0.293	1.00	Pass
			QPSK	39	19	24.43	23.95	27.2069	28.623	0.728	1.00	Pass
			QPSK	1	1	21.11	20.80	23.9681	25.380	0.345	1.00	Pass
			QPSK	1	76	21.42	20.91	24.1828	25.599	0.363	1.00	Pass
	MCH		QPSK	78	0	23.97	23.55	26.7754	28.190	0.659	1.00	Pass
			16QAM	39	19	23.99	23.52	26.7717	28.187	0.659	1.00	Pass
			16QAM	1	1	21.21	20.70	23.9728	25.389	0.346	1.00	Pass
			16QAM	1	76	21.21	20.70	23.9728	25.389	0.346	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3700-3980) UL MIMO												
			16QAM	78	0	23.91	23.45	26.6964	28.112	0.647	1.00	Pass
			64QAM	1	1	20.94	20.62	23.7932	25.205	0.332	1.00	Pass
			64QAM	1	76	21.11	20.59	23.8681	25.285	0.338	1.00	Pass
			64QAM	78	0	23.45	23.01	26.2459	27.661	0.584	1.00	Pass
			256QAM	1	1	20.18	19.73	22.9711	24.386	0.275	1.00	Pass
			256QAM	1	76	20.25	19.83	23.0554	24.470	0.280	1.00	Pass
			256QAM	78	0	20.49	20.05	23.2859	24.701	0.295	1.00	Pass
			QPSK	39	19	23.76	24.29	27.0434	28.436	0.698	1.00	Pass
			QPSK	1	1	21.19	20.64	23.9340	25.351	0.343	1.00	Pass
			QPSK	1	76	21.53	21.01	24.2881	25.705	0.372	1.00	Pass
			QPSK	78	0	24.01	23.59	26.8154	28.230	0.665	1.00	Pass
			16QAM	39	19	24.10	23.67	26.9006	28.315	0.678	1.00	Pass
			16QAM	1	1	21.60	21.03	24.3346	25.752	0.376	1.00	Pass
			16QAM	1	76	21.58	21.03	24.3240	25.741	0.375	1.00	Pass
			16QAM	78	0	23.98	23.60	26.8045	28.218	0.663	1.00	Pass
			64QAM	1	1	21.84	21.33	24.6028	26.019	0.400	1.00	Pass
			64QAM	1	76	21.88	21.34	24.6287	26.046	0.402	1.00	Pass
			64QAM	78	0	23.55	23.10	26.3411	27.756	0.596	1.00	Pass
			256QAM	1	1	20.12	19.51	22.8360	24.255	0.266	1.00	Pass
			256QAM	1	76	20.19	19.76	22.9906	24.405	0.276	1.00	Pass
			256QAM	78	0	20.68	20.22	23.4664	24.882	0.308	1.00	Pass
			QPSK	53	26	24.01	24.12	27.0756	28.478	0.704	1.00	Pass
			QPSK	1	1	21.33	20.88	24.1211	25.536	0.358	1.00	Pass
			QPSK	1	104	21.65	21.31	24.4936	25.906	0.390	1.00	Pass
			QPSK	106	0	24.08	23.69	26.8997	28.313	0.678	1.00	Pass
			16QAM	53	26	23.17	23.99	26.6096	27.995	0.630	1.00	Pass
			16QAM	1	1	21.73	23.49	25.7089	27.073	0.510	1.00	Pass
			16QAM	1	104	21.41	21.13	24.2826	25.694	0.371	1.00	Pass
			16QAM	106	0	23.87	23.72	26.8059	28.214	0.663	1.00	Pass
			64QAM	1	1	20.84	20.57	23.7174	25.128	0.326	1.00	Pass
			64QAM	1	104	21.16	20.96	24.0715	25.481	0.353	1.00	Pass
			64QAM	106	0	23.40	23.05	26.2388	27.651	0.582	1.00	Pass
			256QAM	1	1	19.81	19.44	22.6392	24.052	0.254	1.00	Pass
			256QAM	1	104	20.61	20.24	23.4392	24.852	0.306	1.00	Pass
			256QAM	106	0	20.47	20.11	23.3040	24.717	0.296	1.00	Pass
			QPSK	53	26	24.37	23.92	27.1611	28.576	0.720	1.00	Pass
			QPSK	1	1	21.14	20.78	23.9740	25.387	0.346	1.00	Pass
			QPSK	1	104	21.31	20.85	24.0964	25.512	0.356	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3700-3980) UL MIMO												
			QPSK	106	0	23.95	23.49	26.7364	28.152	0.653	1.00	Pass
			16QAM	53	26	23.86	23.47	26.6797	28.093	0.645	1.00	Pass
			16QAM	1	1	21.10	20.78	23.9532	25.365	0.344	1.00	Pass
			16QAM	1	104	21.15	20.76	23.9697	25.383	0.345	1.00	Pass
			16QAM	106	0	23.96	23.46	26.7275	28.144	0.652	1.00	Pass
			64QAM	1	1	20.99	20.51	23.7669	25.183	0.330	1.00	Pass
			64QAM	1	104	21.00	20.47	23.7534	25.170	0.329	1.00	Pass
			64QAM	106	0	23.40	22.99	26.2101	27.624	0.579	1.00	Pass
			256QAM	1	1	20.24	19.76	23.0169	24.433	0.277	1.00	Pass
			256QAM	1	104	20.17	19.89	23.0426	24.454	0.279	1.00	Pass
			256QAM	106	0	20.52	20.11	23.3301	24.744	0.298	1.00	Pass
	HCH		QPSK	53	26	23.58	24.24	26.9328	28.322	0.680	1.00	Pass
			QPSK	1	1	21.14	20.74	23.9549	25.369	0.344	1.00	Pass
			QPSK	1	104	21.51	21.02	24.2822	25.698	0.371	1.00	Pass
			QPSK	106	0	24.15	23.65	26.9175	28.334	0.681	1.00	Pass
			16QAM	53	26	24.10	23.75	26.9388	28.351	0.684	1.00	Pass
			16QAM	1	1	21.62	21.07	24.3640	25.781	0.379	1.00	Pass
			16QAM	1	104	21.66	21.11	24.4040	25.821	0.382	1.00	Pass
			16QAM	106	0	24.15	23.63	26.9081	28.325	0.680	1.00	Pass
			64QAM	1	1	21.86	21.43	24.6606	26.075	0.405	1.00	Pass
			64QAM	1	104	21.77	21.37	24.5849	25.999	0.398	1.00	Pass
			64QAM	106	0	23.55	23.22	26.3984	27.811	0.604	1.00	Pass
			256QAM	1	1	20.07	19.55	22.8281	24.245	0.266	1.00	Pass
			256QAM	1	104	20.10	19.79	22.9581	24.370	0.274	1.00	Pass
			256QAM	106	0	20.63	20.29	23.4736	24.886	0.308	1.00	Pass
50	LCH	CP	QPSK	67	33	24.09	24.20	27.1556	28.558	0.717	1.00	Pass
			QPSK	1	1	21.45	21.07	24.2745	25.688	0.370	1.00	Pass
			QPSK	1	131	21.72	21.39	24.5684	25.981	0.396	1.00	Pass
			QPSK	133	0	24.12	23.77	26.9588	28.371	0.687	1.00	Pass
			16QAM	67	33	23.44	24.06	26.7714	28.162	0.655	1.00	Pass
			16QAM	1	1	21.77	23.59	25.7849	27.148	0.519	1.00	Pass
			16QAM	1	131	21.56	21.23	24.4084	25.821	0.382	1.00	Pass
			16QAM	133	0	24.13	23.74	26.9497	28.363	0.686	1.00	Pass
			64QAM	1	1	21.07	20.71	23.9040	25.317	0.340	1.00	Pass
			64QAM	1	131	21.43	21.08	24.2688	25.681	0.370	1.00	Pass
			64QAM	133	0	23.62	23.22	26.4349	27.849	0.609	1.00	Pass
			256QAM	1	1	19.92	19.55	22.7492	24.162	0.261	1.00	Pass
			256QAM	1	131	20.72	20.35	23.5492	24.962	0.313	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3700-3980) UL MIMO												
			256QAM	133	0	20.59	20.21	23.4145	24.828	0.304	1.00	Pass
	MCH		QPSK	67	33	24.54	24.14	27.3549	28.769	0.753	1.00	Pass
			QPSK	1	1	21.35	20.85	24.1175	25.534	0.358	1.00	Pass
			QPSK	1	131	21.40	21.06	24.2436	25.656	0.368	1.00	Pass
			QPSK	133	0	24.10	23.65	26.8911	28.306	0.677	1.00	Pass
			16QAM	67	33	24.08	23.61	26.8617	28.277	0.673	1.00	Pass
			16QAM	1	1	21.31	20.83	24.0869	25.503	0.355	1.00	Pass
			16QAM	1	131	21.25	20.90	24.0888	25.501	0.355	1.00	Pass
			16QAM	133	0	23.94	23.60	26.7836	28.196	0.660	1.00	Pass
			64QAM	1	1	21.13	20.62	23.8928	25.309	0.340	1.00	Pass
			64QAM	1	131	21.11	20.75	23.9440	25.357	0.343	1.00	Pass
			64QAM	133	0	23.58	23.12	26.3664	27.782	0.600	1.00	Pass
			256QAM	1	1	20.37	19.88	23.1422	24.558	0.286	1.00	Pass
			256QAM	1	131	20.34	19.95	23.1597	24.573	0.287	1.00	Pass
			256QAM	133	0	20.57	20.16	23.3801	24.794	0.302	1.00	Pass
	HCH		QPSK	67	33	23.80	24.40	27.1207	28.511	0.710	1.00	Pass
			QPSK	1	1	21.34	20.80	24.0887	25.506	0.355	1.00	Pass
			QPSK	1	131	21.60	21.21	24.4197	25.833	0.383	1.00	Pass
			QPSK	133	0	24.25	23.75	27.0175	28.434	0.697	1.00	Pass
			16QAM	67	33	24.19	23.86	27.0384	28.451	0.700	1.00	Pass
			16QAM	1	1	21.71	21.23	24.4869	25.903	0.389	1.00	Pass
			16QAM	1	131	21.66	21.26	24.4749	25.889	0.388	1.00	Pass
			16QAM	133	0	24.24	23.74	27.0075	28.424	0.696	1.00	Pass
			64QAM	1	1	21.97	21.43	24.7187	26.136	0.411	1.00	Pass
			64QAM	1	131	21.93	21.51	24.7354	26.150	0.412	1.00	Pass
			64QAM	133	0	23.68	23.27	26.4901	27.904	0.617	1.00	Pass
			256QAM	1	1	20.13	19.64	22.9022	24.318	0.270	1.00	Pass
			256QAM	1	131	20.29	19.82	23.0717	24.487	0.281	1.00	Pass
			256QAM	133	0	20.77	20.33	23.5659	24.981	0.315	1.00	Pass
60	LCH	CP	QPSK	81	40	23.98	24.05	27.0254	28.428	0.696	1.00	Pass
			QPSK	1	1	21.26	20.85	24.0701	25.484	0.354	1.00	Pass
			QPSK	1	160	21.59	21.29	24.4529	25.864	0.386	1.00	Pass
			QPSK	162	0	24.09	23.67	26.8954	28.310	0.678	1.00	Pass
			16QAM	81	40	23.28	24	26.6652	28.053	0.639	1.00	Pass
			16QAM	1	1	21.67	23.5	25.6910	27.054	0.507	1.00	Pass
			16QAM	1	160	21.45	21.07	24.2745	25.688	0.370	1.00	Pass
			16QAM	162	0	24.04	23.66	26.8645	28.278	0.673	1.00	Pass
			64QAM	1	1	20.93	20.52	23.7401	25.154	0.328	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3700-3980) UL MIMO												
			64QAM	1	160	21.31	20.95	24.1440	25.557	0.359	1.00	Pass
			64QAM	162	0	23.52	23.2	26.3732	27.785	0.601	1.00	Pass
			256QAM	1	1	19.83	19.49	22.6736	24.086	0.256	1.00	Pass
			256QAM	1	160	20.62	20.16	23.4064	24.822	0.303	1.00	Pass
			256QAM	162	0	20.4	20.08	23.2532	24.665	0.293	1.00	Pass
	MCH		QPSK	81	40	24.44	23.98	27.2264	28.642	0.731	1.00	Pass
			QPSK	1	1	21.1	20.84	23.9822	25.393	0.346	1.00	Pass
			QPSK	1	160	21.28	20.98	24.1429	25.554	0.359	1.00	Pass
			QPSK	162	0	24.04	23.49	26.7840	28.201	0.661	1.00	Pass
			16QAM	81	40	23.98	23.56	26.7854	28.200	0.661	1.00	Pass
			16QAM	1	1	21.17	20.63	23.9187	25.336	0.342	1.00	Pass
			16QAM	1	160	21.2	20.82	24.0245	25.438	0.350	1.00	Pass
			16QAM	162	0	23.95	23.53	26.7554	28.170	0.656	1.00	Pass
			64QAM	1	1	20.96	20.54	23.7654	25.180	0.330	1.00	Pass
			64QAM	1	160	21.01	20.63	23.8345	25.248	0.335	1.00	Pass
			64QAM	162	0	23.42	23.02	26.2349	27.649	0.582	1.00	Pass
			256QAM	1	1	20.22	19.8	23.0254	24.440	0.278	1.00	Pass
			256QAM	1	160	20.19	19.8	23.0097	24.423	0.277	1.00	Pass
			256QAM	162	0	20.57	19.96	23.2860	24.705	0.295	1.00	Pass
	HCH		QPSK	81	40	23.7	24.3	27.0207	28.411	0.694	1.00	Pass
			QPSK	1	1	21.21	20.57	23.9121	25.331	0.341	1.00	Pass
			QPSK	1	160	21.41	21.12	24.2777	25.689	0.371	1.00	Pass
			QPSK	162	0	24.11	23.67	26.9059	28.321	0.679	1.00	Pass
			16QAM	81	40	24.08	23.78	26.9429	28.354	0.685	1.00	Pass
			16QAM	1	1	21.61	21.13	24.3869	25.803	0.380	1.00	Pass
			16QAM	1	160	21.49	21.06	24.2906	25.705	0.372	1.00	Pass
			16QAM	162	0	24.07	23.71	26.9040	28.317	0.679	1.00	Pass
			64QAM	1	1	21.89	21.39	24.6575	26.074	0.405	1.00	Pass
			64QAM	1	160	21.78	21.38	24.5949	26.009	0.399	1.00	Pass
			64QAM	162	0	23.61	23.15	26.3964	27.812	0.604	1.00	Pass
			256QAM	1	1	20.03	19.49	22.7787	24.196	0.263	1.00	Pass
			256QAM	1	160	20.19	19.78	23.0001	24.414	0.276	1.00	Pass
			256QAM	162	0	20.75	20.15	23.4707	24.889	0.308	1.00	Pass
70	LCH	CP	QPSK	95	47	23.87	24.16	27.0277	28.426	0.696	1.00	Pass
			QPSK	1	1	21.32	20.88	24.1159	25.531	0.357	1.00	Pass
			QPSK	1	187	21.69	21.22	24.4717	25.887	0.388	1.00	Pass
			QPSK	189	0	24.06	23.7	26.8940	28.307	0.677	1.00	Pass
			16QAM	95	47	23.3	24.01	26.6798	28.068	0.641	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3700-3980) UL MIMO												
			16QAM	1	1	21.68	23.33	25.5932	26.960	0.497	1.00	Pass
			16QAM	1	187	21.44	21.15	24.3077	25.719	0.373	1.00	Pass
			16QAM	189	0	23.96	23.62	26.8036	28.216	0.663	1.00	Pass
			64QAM	1	1	20.89	20.57	23.7432	25.155	0.328	1.00	Pass
			64QAM	1	187	21.23	20.92	24.0881	25.500	0.355	1.00	Pass
			64QAM	189	0	23.52	23.07	26.3111	27.726	0.592	1.00	Pass
			256QAM	1	1	19.79	19.37	22.5954	24.010	0.252	1.00	Pass
			256QAM	1	187	20.62	20.27	23.4588	24.871	0.307	1.00	Pass
			256QAM	189	0	20.45	20.16	23.3177	24.729	0.297	1.00	Pass
	MCH		QPSK	95	47	24.5	24.07	27.3006	28.715	0.744	1.00	Pass
			QPSK	1	1	21.18	20.77	23.9901	25.404	0.347	1.00	Pass
			QPSK	1	187	21.32	20.98	24.1636	25.576	0.361	1.00	Pass
			QPSK	189	0	23.86	23.66	26.7715	28.181	0.658	1.00	Pass
			16QAM	95	47	23.91	23.46	26.7011	28.116	0.648	1.00	Pass
			16QAM	1	1	21.18	20.76	23.9854	25.400	0.347	1.00	Pass
			16QAM	1	187	21.14	20.72	23.9454	25.360	0.344	1.00	Pass
			16QAM	189	0	23.82	23.49	26.6684	28.081	0.643	1.00	Pass
			64QAM	1	1	21.06	20.47	23.7853	25.203	0.331	1.00	Pass
			64QAM	1	187	21.03	20.63	23.8449	25.259	0.336	1.00	Pass
			64QAM	189	0	23.36	22.91	26.1511	27.566	0.571	1.00	Pass
			256QAM	1	1	20.27	19.71	23.0093	24.427	0.277	1.00	Pass
			256QAM	1	187	20.2	19.92	23.0726	24.484	0.281	1.00	Pass
			256QAM	189	0	20.51	19.96	23.2540	24.671	0.293	1.00	Pass
	HCH		QPSK	95	47	23.73	24.19	26.9764	28.370	0.687	1.00	Pass
			QPSK	1	1	21.1	20.59	23.8628	25.279	0.337	1.00	Pass
			QPSK	1	187	21.56	21.05	24.3228	25.739	0.375	1.00	Pass
			QPSK	189	0	24.01	23.66	26.8488	28.261	0.670	1.00	Pass
			16QAM	95	47	24.08	23.66	26.8854	28.300	0.676	1.00	Pass
			16QAM	1	1	21.59	21.07	24.3481	25.765	0.377	1.00	Pass
			16QAM	1	187	21.48	21.03	24.2711	25.686	0.370	1.00	Pass
			16QAM	189	0	24.06	23.52	26.8087	28.226	0.665	1.00	Pass
			64QAM	1	1	21.93	21.47	24.7164	26.132	0.410	1.00	Pass
			64QAM	1	187	21.85	21.26	24.5753	25.993	0.398	1.00	Pass
			64QAM	189	0	23.59	23.17	26.3954	27.810	0.604	1.00	Pass
			256QAM	1	1	20.07	19.45	22.7814	24.200	0.263	1.00	Pass
			256QAM	1	187	20.28	19.73	23.0240	24.441	0.278	1.00	Pass
			256QAM	189	0	20.65	20.14	23.4128	24.829	0.304	1.00	Pass
80	LCH	CP	QPSK	109	54	24.02	24.12	27.0806	28.483	0.705	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3700-3980) UL MIMO												
			QPSK	1	1	21.25	20.9	24.0888	25.501	0.355	1.00	Pass
			QPSK	1	215	21.6	21.39	24.5066	25.916	0.390	1.00	Pass
			QPSK	217	0	23.97	23.76	26.8766	28.286	0.674	1.00	Pass
			16QAM	109	54	23.31	23.94	26.6467	28.037	0.636	1.00	Pass
			16QAM	1	1	21.71	23.37	25.6291	26.996	0.501	1.00	Pass
			16QAM	1	215	21.38	21	24.2045	25.618	0.365	1.00	Pass
			16QAM	217	0	23.97	23.68	26.8377	28.249	0.668	1.00	Pass
			64QAM	1	1	21.03	20.51	23.7881	25.205	0.331	1.00	Pass
			64QAM	1	215	21.31	20.94	24.1392	25.552	0.359	1.00	Pass
			64QAM	217	0	23.5	23	26.2675	27.684	0.587	1.00	Pass
			256QAM	1	1	19.78	19.49	22.6477	24.059	0.255	1.00	Pass
			256QAM	1	215	20.7	20.26	23.4959	24.911	0.310	1.00	Pass
			256QAM	217	0	20.39	20.16	23.2868	24.697	0.295	1.00	Pass
	MCH		QPSK	109	54	24.5	23.97	27.2534	28.670	0.736	1.00	Pass
			QPSK	1	1	21.25	20.77	24.0269	25.443	0.350	1.00	Pass
			QPSK	1	215	21.26	20.89	24.0892	25.502	0.355	1.00	Pass
			QPSK	217	0	23.89	23.55	26.7336	28.146	0.653	1.00	Pass
			16QAM	109	54	23.85	23.49	26.6840	28.097	0.645	1.00	Pass
			16QAM	1	1	21.2	20.72	23.9769	25.393	0.346	1.00	Pass
			16QAM	1	215	21.17	20.66	23.9328	25.349	0.343	1.00	Pass
			16QAM	217	0	23.88	23.36	26.6381	28.055	0.639	1.00	Pass
			64QAM	1	1	20.93	20.52	23.7401	25.154	0.328	1.00	Pass
			64QAM	1	215	20.87	20.47	23.6849	25.099	0.323	1.00	Pass
			64QAM	217	0	23.39	22.96	26.1906	27.605	0.576	1.00	Pass
			256QAM	1	1	20.29	19.72	23.0246	24.442	0.278	1.00	Pass
			256QAM	1	215	20.28	19.85	23.0806	24.495	0.282	1.00	Pass
			256QAM	217	0	20.57	20.03	23.3187	24.736	0.298	1.00	Pass
	HCH		QPSK	109	54	23.6	24.29	26.9690	28.358	0.685	1.00	Pass
			QPSK	1	1	21.28	20.7	24.0100	25.428	0.349	1.00	Pass
			QPSK	1	215	21.53	21.04	24.3022	25.718	0.373	1.00	Pass
			QPSK	217	0	24.03	23.73	26.8929	28.304	0.677	1.00	Pass
			16QAM	109	54	24.08	23.79	26.9477	28.359	0.685	1.00	Pass
			16QAM	1	1	21.55	20.97	24.2800	25.698	0.371	1.00	Pass
			16QAM	1	215	21.47	20.99	24.2469	25.663	0.368	1.00	Pass
			16QAM	217	0	24.08	23.66	26.8854	28.300	0.676	1.00	Pass
			64QAM	1	1	21.87	21.35	24.6281	26.045	0.402	1.00	Pass
			64QAM	1	215	21.86	21.31	24.6040	26.021	0.400	1.00	Pass
			64QAM	217	0	23.61	23.2	26.4201	27.834	0.607	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3700-3980) UL MIMO												
			256QAM	1	1	20.05	19.48	22.7846	24.202	0.263	1.00	Pass
			256QAM	1	215	20.18	19.61	22.9146	24.332	0.271	1.00	Pass
			256QAM	217	0	20.69	20.18	23.4528	24.869	0.307	1.00	Pass
90	LCH	CP	QPSK	123	61	23.96	24.17	27.0766	28.476	0.704	1.00	Pass
			QPSK	1	1	21.28	20.85	24.0806	25.495	0.354	1.00	Pass
			QPSK	1	243	21.59	21.29	24.4529	25.864	0.386	1.00	Pass
			QPSK	245	0	24.1	23.72	26.9245	28.338	0.682	1.00	Pass
			16QAM	123	61	23.26	24.07	26.6942	28.080	0.643	1.00	Pass
			16QAM	1	1	21.77	23.39	25.6654	27.033	0.505	1.00	Pass
			16QAM	1	243	21.5	21.07	24.3006	25.715	0.373	1.00	Pass
			16QAM	245	0	24.03	23.59	26.8259	28.241	0.667	1.00	Pass
			64QAM	1	1	20.9	20.65	23.7871	25.197	0.331	1.00	Pass
			64QAM	1	243	21.32	20.9	24.1254	25.540	0.358	1.00	Pass
			64QAM	245	0	23.45	23.18	26.3274	27.738	0.594	1.00	Pass
			256QAM	1	1	19.83	19.49	22.6736	24.086	0.256	1.00	Pass
			256QAM	1	243	20.59	20.21	23.4145	24.828	0.304	1.00	Pass
			256QAM	245	0	20.47	20.16	23.3281	24.740	0.298	1.00	Pass
	MCH		QPSK	123	61	24.48	23.94	27.2287	28.646	0.732	1.00	Pass
			QPSK	1	1	21.12	20.84	23.9926	25.404	0.347	1.00	Pass
			QPSK	1	243	21.33	21.02	24.1881	25.600	0.363	1.00	Pass
			QPSK	245	0	23.92	23.45	26.7017	28.117	0.648	1.00	Pass
			16QAM	123	61	24.01	23.57	26.8059	28.221	0.664	1.00	Pass
			16QAM	1	1	21.19	20.68	23.9528	25.369	0.344	1.00	Pass
			16QAM	1	243	21.17	20.78	23.9897	25.403	0.347	1.00	Pass
			16QAM	245	0	23.74	23.46	26.6126	28.024	0.634	1.00	Pass
			64QAM	1	1	20.99	20.51	23.7669	25.183	0.330	1.00	Pass
			64QAM	1	243	21.01	20.6	23.8201	25.234	0.334	1.00	Pass
			64QAM	245	0	23.45	22.99	26.2364	27.652	0.582	1.00	Pass
			256QAM	1	1	20.19	19.71	22.9669	24.383	0.274	1.00	Pass
			256QAM	1	243	20.27	19.89	23.0945	24.508	0.282	1.00	Pass
			256QAM	245	0	20.52	20.03	23.2922	24.708	0.296	1.00	Pass
	HCH		QPSK	123	61	23.7	24.31	27.0260	28.417	0.694	1.00	Pass
			QPSK	1	1	21.21	20.63	23.9400	25.358	0.343	1.00	Pass
			QPSK	1	243	21.61	21.11	24.3775	25.794	0.380	1.00	Pass
			QPSK	245	0	24.14	23.59	26.8840	28.301	0.676	1.00	Pass
			16QAM	123	61	24.17	23.66	26.9328	28.349	0.684	1.00	Pass
			16QAM	1	1	21.65	21.06	24.3753	25.793	0.380	1.00	Pass
			16QAM	1	243	21.6	21.2	24.4149	25.829	0.383	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3700-3980) UL MIMO												
			16QAM	245	0	24.1	23.69	26.9101	28.324	0.680	1.00	Pass
			64QAM	1	1	21.79	21.35	24.5859	26.001	0.398	1.00	Pass
			64QAM	1	243	21.81	21.34	24.5917	26.007	0.399	1.00	Pass
			64QAM	245	0	23.68	23.24	26.4759	27.891	0.615	1.00	Pass
			256QAM	1	1	20	19.54	22.7864	24.202	0.263	1.00	Pass
			256QAM	1	243	20.16	19.79	22.9892	24.402	0.276	1.00	Pass
			256QAM	245	0	20.76	20.26	23.5275	24.944	0.312	1.00	Pass
100	LCH	CP	QPSK	137	68	23.94	23.99	26.9754	28.379	0.688	1.00	Pass
			QPSK	1	1	21.33	20.96	24.1592	25.572	0.361	1.00	Pass
			QPSK	1	271	21.65	21.27	24.4745	25.888	0.388	1.00	Pass
			QPSK	273	0	24	23.61	26.8197	28.233	0.666	1.00	Pass
			16QAM	137	68	23.3	24.05	26.7015	28.089	0.644	1.00	Pass
			16QAM	1	1	21.64	23.38	25.6069	26.972	0.498	1.00	Pass
			16QAM	1	271	21.49	21.12	24.3192	25.732	0.374	1.00	Pass
			16QAM	273	0	24.07	23.56	26.8328	28.249	0.668	1.00	Pass
			64QAM	1	1	20.96	20.57	23.7797	25.193	0.331	1.00	Pass
			64QAM	1	271	21.31	20.94	24.1392	25.552	0.359	1.00	Pass
			64QAM	273	0	23.39	23.05	26.2336	27.646	0.582	1.00	Pass
			256QAM	1	1	19.73	19.49	22.6220	24.032	0.253	1.00	Pass
			256QAM	1	271	20.54	20.36	23.4612	24.870	0.307	1.00	Pass
			256QAM	273	0	20.52	20.11	23.3301	24.744	0.298	1.00	Pass
	MCH		QPSK	137	68	24.42	24.03	27.2397	28.653	0.733	1.00	Pass
			QPSK	1	1	21.24	20.77	24.0217	25.437	0.350	1.00	Pass
			QPSK	1	271	21.23	20.84	24.0497	25.463	0.352	1.00	Pass
			QPSK	273	0	23.94	23.56	26.7645	28.178	0.657	1.00	Pass
			16QAM	137	68	23.89	23.51	26.7145	28.128	0.650	1.00	Pass
			16QAM	1	1	21.22	20.65	23.9546	25.372	0.345	1.00	Pass
			16QAM	1	271	21.18	20.85	24.0284	25.441	0.350	1.00	Pass
			16QAM	273	0	23.83	23.54	26.6977	28.109	0.647	1.00	Pass
			64QAM	1	1	20.96	20.56	23.7749	25.189	0.330	1.00	Pass
			64QAM	1	271	20.94	20.51	23.7406	25.155	0.328	1.00	Pass
			64QAM	273	0	23.43	23.08	26.2688	27.681	0.586	1.00	Pass
			256QAM	1	1	20.22	19.77	23.0111	24.426	0.277	1.00	Pass
			256QAM	1	271	20.32	19.8	23.0781	24.495	0.281	1.00	Pass
			256QAM	273	0	20.5	20.11	23.3197	24.733	0.297	1.00	Pass
	HCH		QPSK	137	68	23.56	24.26	26.9344	28.323	0.680	1.00	Pass
			QPSK	1	1	21.15	20.71	23.9459	25.361	0.344	1.00	Pass
			QPSK	1	271	21.47	21.07	24.2849	25.699	0.371	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n77(3700-3980) UL MIMO												
			QPSK	273	0	24.02	23.64	26.8445	28.258	0.670	1.00	Pass
			16QAM	137	68	24.19	23.72	26.9717	28.387	0.690	1.00	Pass
			16QAM	1	1	21.67	21.09	24.4000	25.818	0.382	1.00	Pass
			16QAM	1	271	21.58	21.06	24.3381	25.755	0.376	1.00	Pass
			16QAM	273	0	24.02	23.58	26.8159	28.231	0.665	1.00	Pass
			64QAM	1	1	21.88	21.31	24.6146	26.032	0.401	1.00	Pass
			64QAM	1	271	21.87	21.3	24.6046	26.022	0.400	1.00	Pass
			64QAM	273	0	23.61	23.08	26.3634	27.780	0.600	1.00	Pass
			256QAM	1	1	20.05	19.45	22.7707	24.189	0.262	1.00	Pass
			256QAM	1	271	20.2	19.76	22.9959	24.411	0.276	1.00	Pass
			256QAM	273	0	20.57	20.2	23.3992	24.812	0.303	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n78(3450-3550) UL MIMO												
10	LCH	CP	QPSK	12	6	23.55	22.86	26.2290	27.938	0.622	1.00	Pass
			QPSK	1	1	18.53	17.91	21.2414	22.946	0.197	1.00	Pass
			QPSK	1	22	18.62	18.04	21.3500	23.053	0.202	1.00	Pass
			QPSK	24	0	21.19	20.60	23.9153	25.619	0.365	1.00	Pass
			16QAM	12	6	22.87	22.43	25.6659	27.362	0.545	1.00	Pass
			16QAM	1	1	18.71	17.78	21.2801	23.001	0.200	1.00	Pass
			16QAM	1	22	18.74	18.01	21.4006	23.111	0.205	1.00	Pass
			16QAM	24	0	21.23	20.65	23.9600	25.663	0.368	1.00	Pass
			64QAM	1	1	18.48	18.03	21.2711	22.968	0.198	1.00	Pass
			64QAM	1	22	18.51	17.90	21.2260	22.931	0.196	1.00	Pass
			64QAM	24	0	20.80	20.15	23.4974	25.204	0.331	1.00	Pass
			256QAM	1	1	17.42	16.73	20.0990	21.808	0.152	1.00	Pass
			256QAM	1	22	17.42	16.92	20.1875	21.886	0.154	1.00	Pass
			256QAM	24	0	17.67	16.98	20.3490	22.058	0.161	1.00	Pass
	MCH		QPSK	12	6	23.69	22.76	26.2601	27.981	0.628	1.00	Pass
			QPSK	1	1	18.66	17.70	21.2168	22.939	0.197	1.00	Pass
			QPSK	1	22	18.55	17.94	21.2660	22.971	0.198	1.00	Pass
			QPSK	24	0	21.25	20.47	23.8878	25.601	0.363	1.00	Pass
			16QAM	12	6	23.20	22.48	25.8652	27.575	0.572	1.00	Pass
			16QAM	1	1	18.62	18.01	21.3360	23.041	0.201	1.00	Pass
			16QAM	1	22	18.41	17.87	21.1587	22.860	0.193	1.00	Pass
			16QAM	24	0	21.04	20.50	23.7887	25.490	0.354	1.00	Pass
			64QAM	1	1	18.75	17.60	21.2233	22.955	0.197	1.00	Pass
			64QAM	1	22	18.68	17.54	21.1576	22.889	0.194	1.00	Pass
			64QAM	24	0	20.80	19.77	23.3258	25.052	0.320	1.00	Pass
			256QAM	1	1	17.53	16.63	20.1136	21.833	0.153	1.00	Pass
			256QAM	1	22	17.46	16.61	20.0661	21.783	0.151	1.00	Pass
			256QAM	24	0	17.64	16.84	20.2687	21.983	0.158	1.00	Pass
	HCH		QPSK	12	6	23.60	22.83	26.2423	27.955	0.624	1.00	Pass
			QPSK	1	1	18.71	17.82	21.2981	23.017	0.200	1.00	Pass
			QPSK	1	22	18.81	17.71	21.3050	23.034	0.201	1.00	Pass
			QPSK	24	0	21.51	20.23	23.9273	25.666	0.369	1.00	Pass
			16QAM	12	6	23.07	22.16	25.6491	27.369	0.546	1.00	Pass
			16QAM	1	1	18.90	17.80	21.3950	23.124	0.205	1.00	Pass
			16QAM	1	22	18.86	18.01	21.4661	23.183	0.208	1.00	Pass
			16QAM	24	0	21.31	20.38	23.8801	25.601	0.363	1.00	Pass
			64QAM	1	1	18.75	17.90	21.3561	23.073	0.203	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n78(3450-3550) UL MIMO												
			64QAM	1	22	18.77	17.69	21.2738	23.002	0.200	1.00	Pass
			64QAM	24	0	20.71	19.56	23.1833	24.915	0.310	1.00	Pass
			256QAM	1	1	17.43	16.63	20.0587	21.773	0.150	1.00	Pass
			256QAM	1	22	17.67	16.57	20.1650	21.894	0.155	1.00	Pass
			256QAM	24	0	17.78	16.71	20.2882	22.016	0.159	1.00	Pass
15	LCH	CP	QPSK	19	9	24.19	23.20	26.7334	28.457	0.701	1.00	Pass
			QPSK	1	1	19.06	17.91	21.5333	23.265	0.212	1.00	Pass
			QPSK	1	36	18.79	18.05	21.4460	23.157	0.207	1.00	Pass
			QPSK	38	0	21.45	20.66	24.0832	25.797	0.380	1.00	Pass
			16QAM	19	9	23.62	22.83	26.2532	27.967	0.626	1.00	Pass
			16QAM	1	1	18.66	18.04	21.3714	23.076	0.203	1.00	Pass
			16QAM	1	36	18.71	18.07	21.4121	23.118	0.205	1.00	Pass
			16QAM	38	0	21.62	20.61	24.1546	25.879	0.387	1.00	Pass
			64QAM	1	1	18.84	17.84	21.3790	23.103	0.204	1.00	Pass
			64QAM	1	36	18.86	17.82	21.3814	23.108	0.205	1.00	Pass
			64QAM	38	0	21.16	19.96	23.6116	25.346	0.342	1.00	Pass
			256QAM	1	1	17.58	16.74	20.1906	21.907	0.155	1.00	Pass
			256QAM	1	36	17.88	16.65	20.3187	22.055	0.160	1.00	Pass
			256QAM	38	0	18.16	17.22	20.7257	22.447	0.176	1.00	Pass
	MCH		QPSK	19	9	24.01	23.01	26.5490	28.273	0.672	1.00	Pass
			QPSK	1	1	19.00	17.97	21.5258	23.252	0.211	1.00	Pass
			QPSK	1	36	18.65	18.00	21.3474	23.054	0.202	1.00	Pass
			QPSK	38	0	21.44	20.54	24.0236	25.743	0.375	1.00	Pass
			16QAM	19	9	23.63	22.85	26.2678	27.981	0.628	1.00	Pass
			16QAM	1	1	18.90	17.99	21.4791	23.199	0.209	1.00	Pass
			16QAM	1	36	18.69	17.80	21.2781	22.997	0.199	1.00	Pass
			16QAM	38	0	21.48	20.47	24.0146	25.739	0.375	1.00	Pass
			64QAM	1	1	18.74	18.06	21.4236	23.132	0.206	1.00	Pass
			64QAM	1	36	18.56	17.82	21.2160	22.927	0.196	1.00	Pass
			64QAM	38	0	20.87	19.99	23.4626	25.181	0.330	1.00	Pass
			256QAM	1	1	17.62	16.77	20.2261	21.943	0.156	1.00	Pass
			256QAM	1	36	17.29	16.66	19.9967	21.702	0.148	1.00	Pass
			256QAM	38	0	17.98	17.17	20.6042	22.319	0.171	1.00	Pass
	HCH		QPSK	19	9	24.08	23.11	26.6323	28.355	0.685	1.00	Pass
			QPSK	1	1	18.84	17.95	21.4281	23.147	0.206	1.00	Pass
			QPSK	1	36	18.95	17.87	21.4538	23.182	0.208	1.00	Pass
			QPSK	38	0	21.16	20.35	23.7842	25.499	0.355	1.00	Pass
			16QAM	19	9	23.61	22.82	26.2432	27.957	0.625	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n78(3450-3550) UL MIMO												
			16QAM	1	1	18.79	18.13	21.4828	23.190	0.208	1.00	Pass
			16QAM	1	36	18.86	18.05	21.4842	23.199	0.209	1.00	Pass
			16QAM	38	0	21.35	20.54	23.9742	25.689	0.371	1.00	Pass
			64QAM	1	1	18.80	17.84	21.3568	23.079	0.203	1.00	Pass
			64QAM	1	36	18.81	17.57	21.2444	22.981	0.199	1.00	Pass
			64QAM	38	0	20.80	19.96	23.4106	25.127	0.326	1.00	Pass
			256QAM	1	1	17.40	16.67	20.0606	21.771	0.150	1.00	Pass
			256QAM	1	36	17.86	16.54	20.2603	22.001	0.159	1.00	Pass
			256QAM	38	0	17.99	16.96	20.5158	22.242	0.168	1.00	Pass
20	LCH	CP	QPSK	25	12	24.30	23.24	26.8126	28.540	0.714	1.00	Pass
			QPSK	1	1	18.95	17.94	21.4846	23.209	0.209	1.00	Pass
			QPSK	1	49	18.95	17.90	21.4670	23.194	0.209	1.00	Pass
			QPSK	51	0	21.63	20.54	24.1294	25.858	0.385	1.00	Pass
			16QAM	25	12	23.61	22.78	26.2251	27.941	0.622	1.00	Pass
			16QAM	1	1	18.63	18.25	21.4545	23.147	0.206	1.00	Pass
			16QAM	1	49	18.61	17.95	21.3028	23.010	0.200	1.00	Pass
			16QAM	51	0	21.45	20.60	24.0561	25.773	0.378	1.00	Pass
			64QAM	1	1	18.89	18.04	21.4961	23.213	0.210	1.00	Pass
			64QAM	1	49	18.71	17.86	21.3161	23.033	0.201	1.00	Pass
			64QAM	51	0	20.94	20.12	23.5596	25.275	0.337	1.00	Pass
			256QAM	1	1	17.63	16.79	20.2406	21.957	0.157	1.00	Pass
			256QAM	1	49	17.60	16.63	20.1523	21.875	0.154	1.00	Pass
			256QAM	51	0	17.98	17.07	20.5591	22.279	0.169	1.00	Pass
	MCH		QPSK	25	12	24.01	23.07	26.5757	28.297	0.676	1.00	Pass
			QPSK	1	1	19.05	17.93	21.5363	23.267	0.212	1.00	Pass
			QPSK	1	49	18.84	18.00	21.4506	23.167	0.207	1.00	Pass
			QPSK	51	0	21.44	20.53	24.0191	25.739	0.375	1.00	Pass
			16QAM	25	12	23.49	22.78	26.1598	27.869	0.612	1.00	Pass
			16QAM	1	1	19.01	17.80	21.4573	23.192	0.209	1.00	Pass
			16QAM	1	49	18.68	17.83	21.2861	23.003	0.200	1.00	Pass
			16QAM	51	0	21.42	20.63	24.0532	25.767	0.377	1.00	Pass
			64QAM	1	1	18.66	17.96	21.3344	23.044	0.202	1.00	Pass
			64QAM	1	49	18.55	17.86	21.2290	22.938	0.197	1.00	Pass
			64QAM	51	0	20.77	20.09	23.4536	25.162	0.328	1.00	Pass
			256QAM	1	1	17.84	16.70	20.3176	22.049	0.160	1.00	Pass
			256QAM	1	49	17.48	16.75	20.1406	21.851	0.153	1.00	Pass
			256QAM	51	0	17.94	17.00	20.5057	22.227	0.167	1.00	Pass
	HCH		QPSK	25	12	23.89	23.13	26.5369	28.249	0.668	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n78(3450-3550) UL MIMO												
			QPSK	1	1	18.72	17.97	21.3715	23.083	0.203	1.00	Pass
			QPSK	1	49	19.16	17.83	21.5560	23.297	0.214	1.00	Pass
			QPSK	51	0	21.20	20.54	23.8928	25.600	0.363	1.00	Pass
			16QAM	25	12	23.37	22.64	26.0306	27.741	0.594	1.00	Pass
			16QAM	1	1	18.57	18.03	21.3187	23.020	0.200	1.00	Pass
			16QAM	1	49	18.74	18.01	21.4006	23.111	0.205	1.00	Pass
			16QAM	51	0	21.35	20.46	23.9381	25.657	0.368	1.00	Pass
			64QAM	1	1	18.75	17.63	21.2363	22.967	0.198	1.00	Pass
			64QAM	1	49	18.99	17.57	21.3481	23.093	0.204	1.00	Pass
			64QAM	51	0	20.81	19.95	23.4116	25.129	0.326	1.00	Pass
			256QAM	1	1	17.64	16.54	20.1350	21.864	0.154	1.00	Pass
			256QAM	1	49	17.77	16.42	20.1575	21.899	0.155	1.00	Pass
			256QAM	51	0	17.89	17.31	20.6200	22.323	0.171	1.00	Pass
25	LCH	CP	QPSK	33	16	24.19	23.32	26.7870	28.505	0.709	1.00	Pass
			QPSK	1	1	18.95	17.78	21.4146	23.147	0.206	1.00	Pass
			QPSK	1	63	18.88	17.83	21.3970	23.124	0.205	1.00	Pass
			QPSK	65	0	21.63	20.44	24.0859	25.820	0.382	1.00	Pass
			16QAM	33	16	23.53	22.70	26.1451	27.861	0.611	1.00	Pass
			16QAM	1	1	18.60	18.28	21.4532	23.143	0.206	1.00	Pass
			16QAM	1	63	18.64	17.88	21.2869	22.999	0.199	1.00	Pass
			16QAM	65	0	21.49	20.54	24.0512	25.773	0.378	1.00	Pass
			64QAM	1	1	18.97	17.83	21.4476	23.179	0.208	1.00	Pass
			64QAM	1	63	18.79	17.84	21.3512	23.073	0.203	1.00	Pass
			64QAM	65	0	21.07	20.06	23.6046	25.329	0.341	1.00	Pass
			256QAM	1	1	17.74	16.65	20.2394	21.968	0.157	1.00	Pass
			256QAM	1	63	17.50	16.83	20.1882	21.896	0.155	1.00	Pass
			256QAM	65	0	18.13	17.17	20.6868	22.409	0.174	1.00	Pass
	MCH		QPSK	33	16	24.11	23.18	26.6801	28.401	0.692	1.00	Pass
			QPSK	1	1	19.11	17.91	21.5616	23.296	0.214	1.00	Pass
			QPSK	1	63	18.82	17.75	21.3282	23.056	0.202	1.00	Pass
			QPSK	65	0	21.25	20.66	23.9753	25.679	0.370	1.00	Pass
			16QAM	33	16	23.41	22.61	26.0387	27.753	0.596	1.00	Pass
			16QAM	1	1	19.08	17.86	21.5230	23.258	0.212	1.00	Pass
			16QAM	1	63	18.71	17.92	21.3432	23.057	0.202	1.00	Pass
			16QAM	65	0	21.41	20.63	24.0478	25.761	0.377	1.00	Pass
			64QAM	1	1	18.75	18.11	21.4521	23.158	0.207	1.00	Pass
			64QAM	1	63	18.70	17.75	21.2612	22.983	0.199	1.00	Pass
			64QAM	65	0	20.79	20.00	23.4232	25.137	0.326	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n78(3450-3550) UL MIMO												
			256QAM	1	1	17.69	16.81	20.2826	22.001	0.159	1.00	Pass
			256QAM	1	63	17.52	16.79	20.1806	21.891	0.155	1.00	Pass
			256QAM	65	0	18.01	17.24	20.6523	22.365	0.172	1.00	Pass
	HCH		QPSK	33	16	23.94	23.19	26.5915	28.303	0.677	1.00	Pass
			QPSK	1	1	18.85	17.78	21.3582	23.086	0.204	1.00	Pass
			QPSK	1	63	19.07	17.75	21.4703	23.211	0.209	1.00	Pass
			QPSK	65	0	21.25	20.51	23.9060	25.617	0.365	1.00	Pass
			16QAM	33	16	23.52	22.76	26.1669	27.879	0.614	1.00	Pass
			16QAM	1	1	18.68	18.07	21.3960	23.101	0.204	1.00	Pass
			16QAM	1	63	18.82	18.16	21.5128	23.220	0.210	1.00	Pass
			16QAM	65	0	21.34	20.40	23.9057	25.627	0.365	1.00	Pass
			64QAM	1	1	18.77	17.64	21.2519	22.983	0.199	1.00	Pass
			64QAM	1	63	18.78	17.69	21.2794	23.008	0.200	1.00	Pass
			64QAM	65	0	21.06	19.94	23.5463	25.277	0.337	1.00	Pass
			256QAM	1	1	17.51	16.62	20.0981	21.817	0.152	1.00	Pass
			256QAM	1	63	17.67	16.56	20.1607	21.891	0.155	1.00	Pass
			256QAM	65	0	17.81	17.14	20.4982	22.206	0.166	1.00	Pass
30	LCH	CP	QPSK	39	19	24.26	23.27	26.8034	28.527	0.712	1.00	Pass
			QPSK	1	1	18.99	17.92	21.4982	23.226	0.210	1.00	Pass
			QPSK	1	76	18.80	17.92	21.3926	23.111	0.205	1.00	Pass
			QPSK	78	0	21.39	20.46	23.9601	25.681	0.370	1.00	Pass
			16QAM	39	19	23.68	22.62	26.1926	27.920	0.619	1.00	Pass
			16QAM	1	1	18.52	18.17	21.3588	23.050	0.202	1.00	Pass
			16QAM	1	76	18.78	18.00	21.4178	23.131	0.206	1.00	Pass
			16QAM	78	0	21.37	20.45	23.9446	25.665	0.369	1.00	Pass
			64QAM	1	1	18.91	17.80	21.4007	23.131	0.206	1.00	Pass
			64QAM	1	76	18.83	17.91	21.4046	23.125	0.205	1.00	Pass
			64QAM	78	0	20.87	20.25	23.5814	25.286	0.338	1.00	Pass
			256QAM	1	1	17.72	16.88	20.3306	22.047	0.160	1.00	Pass
			256QAM	1	76	17.72	16.82	20.3036	22.023	0.159	1.00	Pass
			256QAM	78	0	17.98	17.00	20.5279	22.251	0.168	1.00	Pass
	MCH		QPSK	39	19	23.99	23.20	26.6232	28.337	0.682	1.00	Pass
			QPSK	1	1	19.05	17.91	21.5276	23.259	0.212	1.00	Pass
			QPSK	1	76	18.92	17.90	21.4502	23.176	0.208	1.00	Pass
			QPSK	78	0	21.40	20.59	24.0242	25.739	0.375	1.00	Pass
			16QAM	39	19	23.52	22.66	26.1216	27.839	0.608	1.00	Pass
			16QAM	1	1	18.87	18.01	21.4716	23.189	0.208	1.00	Pass
			16QAM	1	76	18.67	18.10	21.4046	23.107	0.205	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n78(3450-3550) UL MIMO												
			16QAM	78	0	21.21	20.63	23.9400	25.643	0.367	1.00	Pass
			64QAM	1	1	18.66	17.91	21.3115	23.023	0.201	1.00	Pass
			64QAM	1	76	18.79	17.81	21.3379	23.061	0.202	1.00	Pass
			64QAM	78	0	20.83	19.93	23.4136	25.133	0.326	1.00	Pass
			256QAM	1	1	17.66	16.86	20.2887	22.003	0.159	1.00	Pass
			256QAM	1	76	17.46	16.66	20.0887	21.803	0.151	1.00	Pass
			256QAM	78	0	17.98	17.14	20.5906	22.307	0.170	1.00	Pass
	HCH		QPSK	39	19	24.09	23.11	26.6379	28.361	0.686	1.00	Pass
			QPSK	1	1	18.77	17.94	21.3851	23.101	0.204	1.00	Pass
			QPSK	1	76	19.14	17.75	21.5107	23.255	0.212	1.00	Pass
			QPSK	78	0	21.34	20.38	23.8968	25.619	0.365	1.00	Pass
			16QAM	39	19	23.36	22.67	26.0390	27.748	0.595	1.00	Pass
			16QAM	1	1	18.68	18.07	21.3960	23.101	0.204	1.00	Pass
			16QAM	1	76	18.84	17.96	21.4326	23.151	0.207	1.00	Pass
			16QAM	78	0	21.56	20.63	24.1301	25.851	0.385	1.00	Pass
			64QAM	1	1	18.52	17.89	21.2267	22.932	0.196	1.00	Pass
			64QAM	1	76	18.95	17.75	21.4016	23.136	0.206	1.00	Pass
			64QAM	78	0	20.88	19.98	23.4636	25.183	0.330	1.00	Pass
			256QAM	1	1	17.63	16.75	20.2226	21.941	0.156	1.00	Pass
			256QAM	1	76	17.57	16.55	20.1002	21.826	0.152	1.00	Pass
			256QAM	78	0	17.99	17.00	20.5334	22.257	0.168	1.00	Pass
40	LCH	CP	QPSK	53	26	24.32	23.24	26.8238	28.552	0.717	1.00	Pass
			QPSK	1	1	18.92	17.98	21.4857	23.207	0.209	1.00	Pass
			QPSK	1	104	18.95	17.78	21.4146	23.147	0.206	1.00	Pass
			QPSK	106	0	21.54	20.56	24.0879	25.811	0.381	1.00	Pass
			16QAM	53	26	23.60	22.63	26.1523	27.875	0.613	1.00	Pass
			16QAM	1	1	18.68	18.07	21.3960	23.101	0.204	1.00	Pass
			16QAM	1	104	18.65	17.97	21.3336	23.042	0.201	1.00	Pass
			16QAM	106	0	21.56	20.64	24.1346	25.855	0.385	1.00	Pass
			64QAM	1	1	18.79	17.96	21.4051	23.121	0.205	1.00	Pass
			64QAM	1	104	18.81	17.81	21.3490	23.073	0.203	1.00	Pass
			64QAM	106	0	21.13	20.21	23.7046	25.425	0.349	1.00	Pass
			256QAM	1	1	17.67	16.84	20.2851	22.001	0.159	1.00	Pass
			256QAM	1	104	17.79	16.71	20.2938	22.022	0.159	1.00	Pass
			256QAM	106	0	18.14	17.06	20.6438	22.372	0.173	1.00	Pass
	MCH		QPSK	53	26	24.13	23.13	26.6690	28.393	0.691	1.00	Pass
			QPSK	1	1	19.02	17.94	21.5238	23.252	0.211	1.00	Pass
			QPSK	1	104	18.62	17.85	21.2623	22.975	0.198	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n78(3450-3550) UL MIMO												
			QPSK	106	0	21.48	20.72	24.1269	25.839	0.384	1.00	Pass
			16QAM	53	26	23.44	22.81	26.1467	27.852	0.610	1.00	Pass
			16QAM	1	1	18.94	17.98	21.4968	23.219	0.210	1.00	Pass
			16QAM	1	104	18.73	17.83	21.3136	23.033	0.201	1.00	Pass
			16QAM	106	0	21.35	20.44	23.9291	25.649	0.367	1.00	Pass
			64QAM	1	1	18.72	17.90	21.3396	23.055	0.202	1.00	Pass
			64QAM	1	104	18.62	18.09	21.3734	23.074	0.203	1.00	Pass
			64QAM	106	0	20.88	20.11	23.5223	25.235	0.334	1.00	Pass
			256QAM	1	1	17.63	16.72	20.2091	21.929	0.156	1.00	Pass
			256QAM	1	104	17.49	16.69	20.1187	21.833	0.153	1.00	Pass
			256QAM	106	0	17.86	17.05	20.4842	22.199	0.166	1.00	Pass
	HCH		QPSK	53	26	23.88	23.32	26.6193	28.321	0.679	1.00	Pass
			QPSK	1	1	18.80	17.87	21.3701	23.091	0.204	1.00	Pass
			QPSK	1	104	19.27	18.03	21.7044	23.441	0.221	1.00	Pass
			QPSK	106	0	21.39	20.63	24.0369	25.749	0.376	1.00	Pass
			16QAM	53	26	23.53	22.89	26.2321	27.938	0.622	1.00	Pass
			16QAM	1	1	18.61	17.96	21.3074	23.014	0.200	1.00	Pass
			16QAM	1	104	18.88	18.12	21.5269	23.239	0.211	1.00	Pass
			16QAM	106	0	21.41	20.64	24.0523	25.765	0.377	1.00	Pass
			64QAM	1	1	18.76	17.70	21.2726	23.000	0.200	1.00	Pass
			64QAM	1	104	18.79	17.80	21.3334	23.057	0.202	1.00	Pass
			64QAM	106	0	20.76	20.09	23.4482	25.156	0.328	1.00	Pass
			256QAM	1	1	17.65	16.78	20.2470	21.965	0.157	1.00	Pass
			256QAM	1	104	17.53	16.50	20.0558	21.782	0.151	1.00	Pass
			256QAM	106	0	17.95	17.02	20.5201	22.241	0.168	1.00	Pass
50	LCH	CP	QPSK	67	33	24.49	23.57	27.0646	28.785	0.756	1.00	Pass
			QPSK	1	1	19.25	18.20	21.7670	23.494	0.224	1.00	Pass
			QPSK	1	131	19.28	18.07	21.7273	23.462	0.222	1.00	Pass
			QPSK	133	0	21.80	20.79	24.3346	26.059	0.404	1.00	Pass
			16QAM	67	33	23.99	22.96	26.5158	28.242	0.667	1.00	Pass
			16QAM	1	1	19.02	18.22	21.6487	23.363	0.217	1.00	Pass
			16QAM	1	131	19.05	18.15	21.6336	23.353	0.216	1.00	Pass
			16QAM	133	0	21.74	20.92	24.3596	26.075	0.405	1.00	Pass
			64QAM	1	1	19.04	18.08	21.5968	23.319	0.215	1.00	Pass
			64QAM	1	131	19.14	17.88	21.5658	23.303	0.214	1.00	Pass
			64QAM	133	0	21.37	20.40	23.9223	25.645	0.367	1.00	Pass
			256QAM	1	1	17.87	16.95	20.4446	22.165	0.165	1.00	Pass
			256QAM	1	131	18.02	17.05	20.5723	22.295	0.170	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n78(3450-3550) UL MIMO												
			256QAM	133	0	18.40	17.33	20.9082	22.636	0.183	1.00	Pass
	MCH		QPSK	67	33	24.31	23.46	26.9161	28.633	0.730	1.00	Pass
			QPSK	1	1	19.28	18.30	21.8279	23.551	0.227	1.00	Pass
			QPSK	1	131	19.06	18.21	21.6661	23.383	0.218	1.00	Pass
			QPSK	133	0	21.81	20.76	24.3270	26.054	0.403	1.00	Pass
			16QAM	67	33	23.84	22.99	26.4461	28.163	0.655	1.00	Pass
			16QAM	1	1	19.43	18.36	21.9382	23.666	0.233	1.00	Pass
			16QAM	1	131	19.15	18.21	21.7157	23.437	0.221	1.00	Pass
			16QAM	133	0	21.70	20.77	24.2701	25.991	0.397	1.00	Pass
			64QAM	1	1	19.23	18.25	21.7779	23.501	0.224	1.00	Pass
			64QAM	1	131	18.91	18.22	21.5890	23.298	0.214	1.00	Pass
			64QAM	133	0	21.15	20.20	23.7112	25.433	0.349	1.00	Pass
			256QAM	1	1	18.07	17.12	20.6312	22.353	0.172	1.00	Pass
			256QAM	1	131	17.77	17.05	20.4352	22.145	0.164	1.00	Pass
			256QAM	133	0	18.36	17.45	20.9391	22.659	0.184	1.00	Pass
	HCH		QPSK	67	33	24.13	23.36	26.7723	28.485	0.706	1.00	Pass
			QPSK	1	1	19.24	18.15	21.7394	23.468	0.222	1.00	Pass
			QPSK	1	131	19.31	18.10	21.7573	23.492	0.223	1.00	Pass
			QPSK	133	0	21.69	20.76	24.2601	25.981	0.396	1.00	Pass
			16QAM	67	33	23.87	22.93	26.4357	28.157	0.654	1.00	Pass
			16QAM	1	1	19.22	18.12	21.7150	23.444	0.221	1.00	Pass
			16QAM	1	131	19.36	17.98	21.7349	23.478	0.223	1.00	Pass
			16QAM	133	0	21.64	20.75	24.2281	25.947	0.393	1.00	Pass
			64QAM	1	1	19.04	18.05	21.5834	23.307	0.214	1.00	Pass
			64QAM	1	131	19.07	18.08	21.6134	23.337	0.216	1.00	Pass
			64QAM	133	0	21.26	20.20	23.7726	25.500	0.355	1.00	Pass
			256QAM	1	1	17.95	16.75	20.4016	22.136	0.164	1.00	Pass
			256QAM	1	131	18.12	16.88	20.5544	22.291	0.169	1.00	Pass
			256QAM	133	0	18.32	17.36	20.8768	22.599	0.182	1.00	Pass
60	LCH	CP	QPSK	81	40	24.12	23.36	26.7669	28.479	0.705	1.00	Pass
			QPSK	1	1	18.77	17.99	21.4078	23.121	0.205	1.00	Pass
			QPSK	1	160	18.97	18.02	21.5312	23.253	0.211	1.00	Pass
			QPSK	162	0	21.43	20.64	24.0632	25.777	0.378	1.00	Pass
			16QAM	81	40	23.59	22.67	26.1646	27.885	0.614	1.00	Pass
			16QAM	1	1	18.49	18.28	21.3966	23.081	0.203	1.00	Pass
			16QAM	1	160	18.77	18.09	21.4536	23.162	0.207	1.00	Pass
			16QAM	162	0	21.34	20.76	24.0700	25.773	0.378	1.00	Pass
			64QAM	1	1	18.96	17.77	21.4159	23.150	0.207	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n78(3450-3550) UL MIMO												
			64QAM	1	160	18.79	17.84	21.3512	23.073	0.203	1.00	Pass
			64QAM	162	0	21.11	20.17	23.6757	25.397	0.346	1.00	Pass
			256QAM	1	1	17.62	16.72	20.2036	21.923	0.156	1.00	Pass
			256QAM	1	160	17.59	16.79	20.2187	21.933	0.156	1.00	Pass
			256QAM	162	0	17.96	17.24	20.6252	22.335	0.171	1.00	Pass
	MCH		QPSK	81	40	24.06	23.14	26.6346	28.355	0.685	1.00	Pass
			QPSK	1	1	18.94	17.83	21.4307	23.161	0.207	1.00	Pass
			QPSK	1	160	18.79	17.90	21.3781	23.097	0.204	1.00	Pass
			QPSK	162	0	21.43	20.54	24.0181	25.737	0.375	1.00	Pass
			16QAM	81	40	23.48	22.57	26.0591	27.779	0.600	1.00	Pass
			16QAM	1	1	19.09	17.97	21.5763	23.307	0.214	1.00	Pass
			16QAM	1	160	18.67	17.98	21.3490	23.058	0.202	1.00	Pass
			16QAM	162	0	21.34	20.48	23.9416	25.659	0.368	1.00	Pass
			64QAM	1	1	18.89	17.98	21.4691	23.189	0.208	1.00	Pass
			64QAM	1	160	18.63	18.01	21.3414	23.046	0.202	1.00	Pass
			64QAM	162	0	20.99	20.06	23.5601	25.281	0.337	1.00	Pass
			256QAM	1	1	17.71	16.75	20.2668	21.989	0.158	1.00	Pass
			256QAM	1	160	17.50	16.62	20.0926	21.811	0.152	1.00	Pass
			256QAM	162	0	18.08	17.19	20.6681	22.387	0.173	1.00	Pass
	HCH		QPSK	81	40	23.95	23.18	26.5923	28.305	0.677	1.00	Pass
			QPSK	1	1	18.98	17.74	21.4144	23.151	0.207	1.00	Pass
			QPSK	1	160	18.98	17.66	21.3803	23.121	0.205	1.00	Pass
			QPSK	162	0	21.43	20.49	23.9957	25.717	0.373	1.00	Pass
			16QAM	81	40	23.33	22.88	26.1211	27.818	0.605	1.00	Pass
			16QAM	1	1	18.75	17.99	21.3969	23.109	0.205	1.00	Pass
			16QAM	1	160	18.63	17.95	21.3136	23.022	0.201	1.00	Pass
			16QAM	162	0	21.26	20.52	23.9160	25.627	0.365	1.00	Pass
			64QAM	1	1	18.63	17.91	21.2952	23.005	0.200	1.00	Pass
			64QAM	1	160	19.03	17.53	21.3547	23.104	0.204	1.00	Pass
			64QAM	162	0	20.89	19.88	23.4246	25.149	0.327	1.00	Pass
			256QAM	1	1	17.44	16.68	20.0869	21.799	0.151	1.00	Pass
			256QAM	1	160	17.67	16.70	20.2223	21.945	0.157	1.00	Pass
			256QAM	162	0	17.91	17.20	20.5798	22.289	0.169	1.00	Pass
70	LCH	CP	QPSK	95	47	24.07	23.36	26.7398	28.449	0.700	1.00	Pass
			QPSK	1	1	18.95	17.82	21.4319	23.163	0.207	1.00	Pass
			QPSK	1	187	18.79	17.93	21.3916	23.109	0.205	1.00	Pass
			QPSK	189	0	21.50	20.57	24.0701	25.791	0.379	1.00	Pass
			16QAM	95	47	23.73	22.79	26.2957	28.017	0.633	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n78(3450-3550) UL MIMO												
			16QAM	1	1	18.57	18.15	21.3754	23.070	0.203	1.00	Pass
			16QAM	1	187	18.72	17.94	21.3578	23.071	0.203	1.00	Pass
			16QAM	189	0	21.55	20.43	24.0363	25.767	0.377	1.00	Pass
			64QAM	1	1	18.87	18.00	21.4670	23.185	0.208	1.00	Pass
			64QAM	1	187	18.86	17.94	21.4346	23.155	0.207	1.00	Pass
			64QAM	189	0	20.99	20.00	23.5334	25.257	0.336	1.00	Pass
			256QAM	1	1	17.64	16.76	20.2326	21.951	0.157	1.00	Pass
			256QAM	1	187	17.71	16.65	20.2226	21.950	0.157	1.00	Pass
			256QAM	189	0	18.02	16.97	20.5370	22.264	0.168	1.00	Pass
	MCH		QPSK	95	47	23.97	23.12	26.5761	28.293	0.675	1.00	Pass
			QPSK	1	1	19.03	17.99	21.5514	23.278	0.213	1.00	Pass
			QPSK	1	187	18.72	17.91	21.3442	23.059	0.202	1.00	Pass
			QPSK	189	0	21.55	20.61	24.1157	25.837	0.383	1.00	Pass
			16QAM	95	47	23.57	22.47	26.0650	27.794	0.602	1.00	Pass
			16QAM	1	1	18.92	17.96	21.4768	23.199	0.209	1.00	Pass
			16QAM	1	187	18.63	17.96	21.3182	23.026	0.201	1.00	Pass
			16QAM	189	0	21.27	20.51	23.9169	25.629	0.366	1.00	Pass
			64QAM	1	1	18.99	18.05	21.5557	23.277	0.213	1.00	Pass
			64QAM	1	187	18.61	17.87	21.2660	22.977	0.198	1.00	Pass
			64QAM	189	0	20.86	19.86	23.3990	25.123	0.325	1.00	Pass
			256QAM	1	1	17.84	16.75	20.3394	22.068	0.161	1.00	Pass
			256QAM	1	187	17.48	16.54	20.0457	21.767	0.150	1.00	Pass
			256QAM	189	0	17.88	17.04	20.4906	22.207	0.166	1.00	Pass
	HCH		QPSK	95	47	23.98	23.28	26.6544	28.364	0.686	1.00	Pass
			QPSK	1	1	18.76	17.89	21.3570	23.075	0.203	1.00	Pass
			QPSK	1	187	19.00	18.03	21.5523	23.275	0.213	1.00	Pass
			QPSK	189	0	21.28	20.45	23.8951	25.611	0.364	1.00	Pass
			16QAM	95	47	23.52	22.87	26.2174	27.924	0.620	1.00	Pass
			16QAM	1	1	18.75	17.94	21.3742	23.089	0.204	1.00	Pass
			16QAM	1	187	18.76	18.08	21.4436	23.152	0.207	1.00	Pass
			16QAM	189	0	21.38	20.54	23.9906	25.707	0.372	1.00	Pass
			64QAM	1	1	18.71	17.68	21.2358	22.962	0.198	1.00	Pass
			64QAM	1	187	18.88	17.75	21.3619	23.093	0.204	1.00	Pass
			64QAM	189	0	20.73	19.96	23.3723	25.085	0.322	1.00	Pass
			256QAM	1	1	17.75	16.51	20.1844	21.921	0.156	1.00	Pass
			256QAM	1	187	17.54	16.75	20.1732	21.887	0.154	1.00	Pass
			256QAM	189	0	17.82	16.91	20.3991	22.119	0.163	1.00	Pass
80	LCH	CP	QPSK	109	54	24.20	23.41	26.8332	28.547	0.716	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n78(3450-3550) UL MIMO												
			QPSK	1	1	18.97	17.98	21.5134	23.237	0.211	1.00	Pass
			QPSK	1	215	18.83	17.80	21.3558	23.082	0.203	1.00	Pass
			QPSK	217	0	21.44	20.52	24.0146	25.735	0.375	1.00	Pass
			16QAM	109	54	23.60	22.67	26.1701	27.891	0.615	1.00	Pass
			16QAM	1	1	18.65	18.26	21.4697	23.163	0.207	1.00	Pass
			16QAM	1	215	18.68	18.01	21.3682	23.076	0.203	1.00	Pass
			16QAM	217	0	21.57	20.76	24.1942	25.909	0.390	1.00	Pass
			64QAM	1	1	18.75	17.96	21.3832	23.097	0.204	1.00	Pass
			64QAM	1	215	18.85	17.81	21.3714	23.098	0.204	1.00	Pass
			64QAM	217	0	21.14	19.97	23.6046	25.337	0.342	1.00	Pass
			256QAM	1	1	17.72	16.71	20.2546	21.979	0.158	1.00	Pass
			256QAM	1	215	17.57	16.81	20.2169	21.929	0.156	1.00	Pass
			256QAM	217	0	18.01	17.13	20.6026	22.321	0.171	1.00	Pass
	MCH		QPSK	109	54	24.02	23.28	26.6760	28.387	0.690	1.00	Pass
			QPSK	1	1	19.03	17.83	21.4816	23.216	0.210	1.00	Pass
			QPSK	1	215	18.80	17.91	21.3881	23.107	0.204	1.00	Pass
			QPSK	217	0	21.54	20.71	24.1551	25.871	0.386	1.00	Pass
			16QAM	109	54	23.43	22.56	26.0270	27.745	0.595	1.00	Pass
			16QAM	1	1	18.89	18.06	21.5051	23.221	0.210	1.00	Pass
			16QAM	1	215	18.65	17.89	21.2969	23.009	0.200	1.00	Pass
			16QAM	217	0	21.46	20.51	24.0212	25.743	0.375	1.00	Pass
			64QAM	1	1	18.89	18.03	21.4916	23.209	0.209	1.00	Pass
			64QAM	1	215	18.60	18.07	21.3534	23.054	0.202	1.00	Pass
			64QAM	217	0	20.93	19.92	23.4646	25.189	0.330	1.00	Pass
			256QAM	1	1	17.63	16.77	20.2316	21.949	0.157	1.00	Pass
			256QAM	1	215	17.52	16.65	20.1170	21.835	0.153	1.00	Pass
			256QAM	217	0	17.95	17.01	20.5157	22.237	0.167	1.00	Pass
	HCH		QPSK	109	54	23.91	23.17	26.5660	28.277	0.673	1.00	Pass
			QPSK	1	1	18.82	17.82	21.3590	23.083	0.203	1.00	Pass
			QPSK	1	215	19.11	17.83	21.5273	23.266	0.212	1.00	Pass
			QPSK	217	0	21.31	20.53	23.9478	25.661	0.368	1.00	Pass
			16QAM	109	54	23.64	22.63	26.1746	27.899	0.617	1.00	Pass
			16QAM	1	1	18.40	18.03	21.2292	22.922	0.196	1.00	Pass
			16QAM	1	215	18.79	17.99	21.4187	23.133	0.206	1.00	Pass
			16QAM	217	0	21.41	20.63	24.0478	25.761	0.377	1.00	Pass
			64QAM	1	1	18.54	17.95	21.2653	22.969	0.198	1.00	Pass
			64QAM	1	215	19.00	17.78	21.4430	23.178	0.208	1.00	Pass
			64QAM	217	0	20.82	19.81	23.3546	25.079	0.322	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n78(3450-3550) UL MIMO												
			256QAM	1	1	17.50	16.71	20.1332	21.847	0.153	1.00	Pass
			256QAM	1	215	17.83	16.54	20.2430	21.982	0.158	1.00	Pass
			256QAM	217	0	17.97	17.19	20.6078	22.321	0.171	1.00	Pass
90	LCH	CP	QPSK	123	61	24.26	23.18	26.7638	28.492	0.707	1.00	Pass
			QPSK	1	1	18.82	17.90	21.3946	23.115	0.205	1.00	Pass
			QPSK	1	243	18.82	17.81	21.3546	23.079	0.203	1.00	Pass
			QPSK	245	0	21.62	20.46	24.0889	25.821	0.382	1.00	Pass
			16QAM	123	61	23.68	22.49	26.1359	27.870	0.612	1.00	Pass
			16QAM	1	1	18.66	18.02	21.3621	23.068	0.203	1.00	Pass
			16QAM	1	243	18.66	17.99	21.3482	23.056	0.202	1.00	Pass
			16QAM	245	0	21.43	20.78	24.1274	25.834	0.383	1.00	Pass
			64QAM	1	1	18.68	17.87	21.3042	23.019	0.200	1.00	Pass
			64QAM	1	243	18.80	17.81	21.3434	23.067	0.203	1.00	Pass
			64QAM	245	0	20.83	20.15	23.5136	25.222	0.333	1.00	Pass
			256QAM	1	1	17.67	16.74	20.2401	21.961	0.157	1.00	Pass
			256QAM	1	243	17.61	16.79	20.2296	21.945	0.156	1.00	Pass
			256QAM	245	0	18.17	17.15	20.7002	22.426	0.175	1.00	Pass
	MCH		QPSK	123	61	24.13	23.18	26.6912	28.413	0.694	1.00	Pass
			QPSK	1	1	19.01	17.86	21.4833	23.215	0.210	1.00	Pass
			QPSK	1	243	18.93	17.96	21.4823	23.205	0.209	1.00	Pass
			QPSK	245	0	21.40	20.67	24.0606	25.771	0.378	1.00	Pass
			16QAM	123	61	23.40	22.66	26.0560	27.767	0.598	1.00	Pass
			16QAM	1	1	18.87	17.91	21.4268	23.149	0.206	1.00	Pass
			16QAM	1	243	18.73	17.95	21.3678	23.081	0.203	1.00	Pass
			16QAM	245	0	21.43	20.59	24.0406	25.757	0.376	1.00	Pass
			64QAM	1	1	18.86	18.02	21.4706	23.187	0.208	1.00	Pass
			64QAM	1	243	18.50	17.96	21.2487	22.950	0.197	1.00	Pass
			64QAM	245	0	20.65	19.93	23.3152	25.025	0.318	1.00	Pass
			256QAM	1	1	17.90	16.86	20.4214	22.148	0.164	1.00	Pass
			256QAM	1	243	17.50	16.73	20.1423	21.855	0.153	1.00	Pass
			256QAM	245	0	17.92	17.03	20.5081	22.227	0.167	1.00	Pass
	HCH		QPSK	123	61	24.09	23.19	26.6736	28.393	0.691	1.00	Pass
			QPSK	1	1	18.93	17.87	21.4426	23.170	0.207	1.00	Pass
			QPSK	1	243	19.22	17.90	21.6203	23.361	0.217	1.00	Pass
			QPSK	245	0	21.30	20.56	23.9560	25.667	0.369	1.00	Pass
			16QAM	123	61	23.48	22.58	26.0636	27.783	0.600	1.00	Pass
			16QAM	1	1	18.45	17.90	21.1940	22.896	0.195	1.00	Pass
			16QAM	1	243	18.59	17.92	21.2782	22.986	0.199	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n78(3450-3550) UL MIMO												
			16QAM	245	0	21.40	20.58	24.0196	25.735	0.375	1.00	Pass
			64QAM	1	1	18.65	17.65	21.1890	22.913	0.196	1.00	Pass
			64QAM	1	243	19.02	17.77	21.4501	23.187	0.208	1.00	Pass
			64QAM	245	0	20.81	20.17	23.5121	25.218	0.333	1.00	Pass
			256QAM	1	1	17.70	16.82	20.2926	22.011	0.159	1.00	Pass
			256QAM	1	243	17.70	16.53	20.1646	21.897	0.155	1.00	Pass
			256QAM	245	0	17.75	17.05	20.4244	22.134	0.163	1.00	Pass
100	MCH	CP	QPSK	137	68	23.87	22.99	26.4626	28.181	0.658	1.00	Pass
			QPSK	1	1	19.10	18.15	21.6612	23.383	0.218	1.00	Pass
			QPSK	1	271	18.92	17.67	21.3501	23.087	0.204	1.00	Pass
			QPSK	273	0	21.51	20.55	24.0668	25.789	0.379	1.00	Pass
			16QAM	137	68	23.33	22.40	25.9001	27.621	0.578	1.00	Pass
			16QAM	1	1	18.69	18.04	21.3874	23.094	0.204	1.00	Pass
			16QAM	1	271	18.65	17.67	21.1979	22.921	0.196	1.00	Pass
			16QAM	273	0	21.31	20.33	23.8579	25.581	0.362	1.00	Pass
			64QAM	1	1	18.93	17.94	21.4734	23.197	0.209	1.00	Pass
			64QAM	1	271	18.87	17.47	21.2365	22.981	0.199	1.00	Pass
			64QAM	273	0	20.69	19.86	23.3051	25.021	0.318	1.00	Pass
			256QAM	1	1	17.70	16.85	20.3061	22.023	0.159	1.00	Pass
			256QAM	1	271	17.86	16.56	20.2688	22.008	0.159	1.00	Pass
			256QAM	273	0	17.88	17.03	20.4861	22.203	0.166	1.00	Pass

Bandwidth (MHz)	UL Channel	UL OFDM	UL Modulation	UL RB Number	UL RB Position	Conducted Output Power (dBm)			SUM - EIRP (dBm)	SUM - EIRP (W)	Limit (W)	Verdict
NR Band n78(3700-3800) UL MIMO												
10	LCH	CP	QPSK	12	6	23.74	23.4	26.5836	28.274	0.672	1.00	Pass
			QPSK	1	1	23.68	23.12	26.4193	28.121	0.649	1.00	Pass
			QPSK	1	22	23.52	23.42	26.4806	28.159	0.654	1.00	Pass
			QPSK	24	0	23.34	23	26.1836	27.874	0.613	1.00	Pass
			16QAM	12	6	23.26	22.89	26.0892	27.782	0.600	1.00	Pass
			16QAM	1	1	21.53	21.99	24.7764	26.426	0.439	1.00	Pass
			16QAM	1	22	21.28	20.9	24.1045	25.797	0.380	1.00	Pass
			16QAM	24	0	21.31	21.94	24.6467	26.287	0.425	1.00	Pass
			64QAM	1	1	20.95	20.7	23.8371	25.523	0.357	1.00	Pass
			64QAM	1	22	20.87	20.41	23.6564	25.353	0.343	1.00	Pass
			64QAM	24	0	20.87	20.32	23.6140	25.316	0.340	1.00	Pass
			256QAM	1	1	19.79	19.27	22.5481	24.248	0.266	1.00	Pass
			256QAM	1	22	20.07	19.65	22.8754	24.570	0.286	1.00	Pass
			256QAM	24	0	19.82	19.33	22.5922	24.291	0.269	1.00	Pass
	MCH		QPSK	12	6	22.16	23.03	25.6270	27.255	0.532	1.00	Pass
			QPSK	1	1	23.14	23.21	26.1854	27.855	0.610	1.00	Pass
			QPSK	1	22	23.15	23.12	26.1453	27.820	0.605	1.00	Pass
			QPSK	24	0	23.78	23.38	26.5949	28.289	0.674	1.00	Pass
			16QAM	12	6	22.53	21.86	25.2182	26.926	0.493	1.00	Pass
			16QAM	1	1	21.47	21.02	24.2611	25.958	0.394	1.00	Pass
			16QAM	1	22	21.66	21.21	24.4511	26.148	0.412	1.00	Pass
			16QAM	24	0	21.54	21.46	24.5105	26.188	0.416	1.00	Pass
			64QAM	1	1	21.42	21.03	24.2397	25.933	0.392	1.00	Pass
			64QAM	1	22	21.6	21.27	24.4484	26.139	0.411	1.00	Pass
			64QAM	24	0	21.5	21.32	24.4212	26.104	0.408	1.00	Pass
			256QAM	1	1	19.8	19.47	22.6484	24.339	0.272	1.00	Pass
			256QAM	1	22	20.44	19.95	23.2122	24.911	0.310	1.00	Pass
			256QAM	24	0	20.37	19.9	23.1517	24.849	0.305	1.00	Pass
	HCH		QPSK	12	6	23.83	23.71	26.7807	28.460	0.701	1.00	Pass
			QPSK	1	1	23.96	23.62	26.8036	28.494	0.707	1.00	Pass
			QPSK	1	22	23.87	23.64	26.7668	28.452	0.700	1.00	Pass
			QPSK	24	0	23.66	23.35	26.5181	28.207	0.662	1.00	Pass
			16QAM	12	6	22.46	22.23	25.3568	27.042	0.506	1.00	Pass
			16QAM	1	1	21.99	21.42	24.7246	26.427	0.439	1.00	Pass
			16QAM	1	22	21.89	21.32	24.6246	26.327	0.429	1.00	Pass
			16QAM	24	0	21.64	21.33	24.4981	26.187	0.416	1.00	Pass
			64QAM	1	1	20.68	20.23	23.4711	25.168	0.329	1.00	Pass

			64QAM	1	22	21.17	20.66	23.9328	25.632	0.366	1.00	Pass
			64QAM	24	0	21.45	21.32	24.3958	26.076	0.405	1.00	Pass
			256QAM	1	1	19.57	19.32	22.4571	24.143	0.260	1.00	Pass
			256QAM	1	22	19.56	19.25	22.4181	24.107	0.257	1.00	Pass
			256QAM	24	0	20.14	19.6	22.8887	24.590	0.288	1.00	Pass
15	LCH	CP	QPSK	19	9	23.41	23.94	26.6934	28.339	0.682	1.00	Pass
			QPSK	1	1	23.86	23.34	26.6181	28.318	0.679	1.00	Pass
			QPSK	1	36	23.45	23.09	26.2840	27.976	0.627	1.00	Pass
			QPSK	38	0	23.74	23.51	26.6368	28.322	0.680	1.00	Pass
			16QAM	19	9	23.93	23.5	26.7306	28.426	0.696	1.00	Pass
			16QAM	1	1	20.85	20.38	23.6317	25.329	0.341	1.00	Pass
			16QAM	1	36	21.13	20.77	23.9640	25.656	0.368	1.00	Pass
			16QAM	38	0	21.75	21.42	24.5984	26.289	0.425	1.00	Pass
			64QAM	1	1	20.69	20.25	23.4859	25.182	0.330	1.00	Pass
			64QAM	1	36	21.5	21.11	24.3197	26.013	0.399	1.00	Pass
			64QAM	38	0	20.67	20.94	23.8174	25.477	0.353	1.00	Pass
			256QAM	1	1	19.76	19.37	22.5797	24.273	0.267	1.00	Pass
			256QAM	1	36	20.24	20.05	23.1563	24.839	0.305	1.00	Pass
			256QAM	38	0	20.41	20.03	23.2345	24.927	0.311	1.00	Pass
	MCH		QPSK	19	9	23.58	23.24	26.4236	28.114	0.648	1.00	Pass
			QPSK	1	1	23.46	23.7	26.5920	28.253	0.669	1.00	Pass
			QPSK	1	36	23.38	23.49	26.4456	28.113	0.648	1.00	Pass
			QPSK	38	0	24.07	23.71	26.9040	28.596	0.724	1.00	Pass
			16QAM	19	9	22.03	22.08	25.0654	26.736	0.472	1.00	Pass
			16QAM	1	1	21.08	20.84	23.9720	25.658	0.368	1.00	Pass
			16QAM	1	36	21.17	20.67	23.9375	25.636	0.366	1.00	Pass
			16QAM	38	0	21.94	21.68	24.8222	26.509	0.448	1.00	Pass
			64QAM	1	1	20.85	20.48	23.6792	25.372	0.344	1.00	Pass
			64QAM	1	36	20.83	20.39	23.6259	25.322	0.341	1.00	Pass
			64QAM	38	0	20.78	20.82	23.8103	25.482	0.353	1.00	Pass
			256QAM	1	1	19.87	19.49	22.6945	24.387	0.275	1.00	Pass
			256QAM	1	36	20.18	19.7	22.9569	24.655	0.292	1.00	Pass
			256QAM	38	0	20.58	20.07	23.3428	25.042	0.319	1.00	Pass
	HCH		QPSK	19	9	23.42	24.16	26.8160	28.451	0.700	1.00	Pass
			QPSK	1	1	23.59	22.95	26.2921	27.998	0.631	1.00	Pass
			QPSK	1	36	23.85	23.67	26.7712	28.454	0.700	1.00	Pass
			QPSK	38	0	23.86	23.48	26.6845	28.377	0.688	1.00	Pass
			16QAM	19	9	22.06	22.71	25.4074	27.047	0.507	1.00	Pass
			16QAM	1	1	21.06	20.52	23.8087	25.510	0.356	1.00	Pass
			16QAM	1	36	21.5	20.98	24.2581	25.958	0.394	1.00	Pass
			16QAM	38	0	21.07	21.1	24.0953	25.767	0.377	1.00	Pass
			64QAM	1	1	21.47	20.8	24.1582	25.866	0.386	1.00	Pass

			64QAM	1	36	21.5	21.03	24.2817	25.979	0.396	1.00	Pass
			64QAM	38	0	20.49	20.13	23.3240	25.016	0.317	1.00	Pass
			256QAM	1	1	20.35	19.94	23.1601	24.855	0.306	1.00	Pass
			256QAM	1	36	19.4	19.31	22.3655	24.043	0.254	1.00	Pass
			256QAM	38	0	20.47	20.1	23.2992	24.992	0.316	1.00	Pass
20	LCH	CP	QPSK	25	12	23.49	24.07	26.8000	28.443	0.699	1.00	Pass
			QPSK	1	1	23.45	23.4	26.4354	28.111	0.647	1.00	Pass
			QPSK	1	49	23.36	23.27	26.3255	28.003	0.631	1.00	Pass
			QPSK	51	0	23.71	23.36	26.5488	28.240	0.667	1.00	Pass
			16QAM	25	12	22.62	22.43	25.5363	27.219	0.527	1.00	Pass
			16QAM	1	1	20.76	20.4	23.5940	25.286	0.338	1.00	Pass
			16QAM	1	49	21.09	20.91	24.0112	25.694	0.371	1.00	Pass
			16QAM	51	0	21.69	21.47	24.5917	26.276	0.424	1.00	Pass
			64QAM	1	1	20.63	20.17	23.4164	25.113	0.325	1.00	Pass
			64QAM	1	49	20.61	20.28	23.4584	25.149	0.327	1.00	Pass
			64QAM	51	0	20.59	20.43	23.5210	25.203	0.331	1.00	Pass
			256QAM	1	1	19.87	19.25	22.5814	24.286	0.268	1.00	Pass
			256QAM	1	49	20.19	19.97	23.0917	24.776	0.300	1.00	Pass
			256QAM	51	0	20.31	20.07	23.2020	24.888	0.308	1.00	Pass
	MCH		QPSK	25	12	23.48	23.15	26.3284	28.019	0.634	1.00	Pass
			QPSK	1	1	23.67	23.65	26.6703	28.345	0.683	1.00	Pass
			QPSK	1	49	23.38	23.59	26.4966	28.159	0.654	1.00	Pass
			QPSK	51	0	24.14	23.67	26.9217	28.619	0.728	1.00	Pass
			16QAM	25	12	22.32	22.45	25.3958	27.062	0.508	1.00	Pass
			16QAM	1	1	21.16	20.69	23.9417	25.639	0.366	1.00	Pass
			16QAM	1	49	20.95	20.7	23.8371	25.523	0.357	1.00	Pass
			16QAM	51	0	21.92	21.67	24.8071	26.493	0.446	1.00	Pass
			64QAM	1	1	21.01	20.48	23.7634	25.464	0.352	1.00	Pass
			64QAM	1	49	20.88	20.43	23.6711	25.368	0.344	1.00	Pass
			64QAM	51	0	20.49	20.14	23.3288	25.020	0.318	1.00	Pass
			256QAM	1	1	19.89	19.48	22.7001	24.395	0.275	1.00	Pass
			256QAM	1	49	20.25	19.8	23.0411	24.738	0.298	1.00	Pass
			256QAM	51	0	20.41	19.97	23.2059	24.902	0.309	1.00	Pass
	HCH		QPSK	25	12	24.22	23.74	26.9969	28.695	0.740	1.00	Pass
			QPSK	1	1	23.52	23.67	26.6059	28.271	0.672	1.00	Pass
			QPSK	1	49	23.2	23.8	26.5207	28.163	0.655	1.00	Pass
			QPSK	51	0	23.81	23.64	26.7361	28.418	0.695	1.00	Pass
			16QAM	25	12	22.53	22.18	25.3688	27.060	0.508	1.00	Pass
			16QAM	1	1	21.07	20.38	23.7490	25.458	0.351	1.00	Pass
			16QAM	1	49	21.43	21.08	24.2688	25.960	0.394	1.00	Pass
			16QAM	51	0	22.14	22.49	25.3288	26.984	0.499	1.00	Pass
			64QAM	1	1	21.38	20.85	24.1334	25.834	0.383	1.00	Pass

			64QAM	1	49	21.32	21.2	24.2707	25.950	0.394	1.00	Pass
			64QAM	51	0	21.38	21.03	24.2188	25.910	0.390	1.00	Pass
			256QAM	1	1	20.33	20.03	23.1929	24.882	0.308	1.00	Pass
			256QAM	1	49	19.45	19.17	22.3226	24.010	0.252	1.00	Pass
			256QAM	51	0	20.48	20.14	23.3236	25.014	0.317	1.00	Pass
25	LCH	CP	QPSK	33	16	23.24	24.14	26.7236	28.350	0.684	1.00	Pass
			QPSK	1	1	23.71	23.29	26.5154	28.210	0.662	1.00	Pass
			QPSK	1	63	23.39	23.12	26.2674	27.955	0.624	1.00	Pass
			QPSK	65	0	23.75	23.56	26.6663	28.349	0.684	1.00	Pass
			16QAM	33	16	22.86	22.87	25.8753	27.548	0.569	1.00	Pass
			16QAM	1	1	20.75	20.46	23.6177	25.306	0.339	1.00	Pass
			16QAM	1	63	21.21	20.9	24.0681	25.757	0.376	1.00	Pass
			16QAM	65	0	21.93	22.44	25.2028	26.850	0.484	1.00	Pass
			64QAM	1	1	20.64	20.33	23.4981	25.187	0.330	1.00	Pass
			64QAM	1	63	20.62	20.37	23.5071	25.193	0.331	1.00	Pass
			64QAM	65	0	21.1	21	24.0606	25.739	0.375	1.00	Pass
			256QAM	1	1	19.81	19.44	22.6392	24.332	0.271	1.00	Pass
			256QAM	1	63	20.14	19.9	23.0320	24.718	0.296	1.00	Pass
			256QAM	65	0	20.36	20.06	23.2229	24.912	0.310	1.00	Pass
	MCH		QPSK	33	16	23.59	23.11	26.3669	28.065	0.640	1.00	Pass
			QPSK	1	1	23.12	22.78	25.9636	27.654	0.583	1.00	Pass
			QPSK	1	63	23.31	22.91	26.1249	27.819	0.605	1.00	Pass
			QPSK	65	0	23.98	23.6	26.8045	28.497	0.708	1.00	Pass
			16QAM	33	16	22.14	21.76	24.9645	26.657	0.463	1.00	Pass
			16QAM	1	1	21.1	20.6	23.8675	25.566	0.360	1.00	Pass
			16QAM	1	63	21.03	20.59	23.8259	25.522	0.357	1.00	Pass
			16QAM	65	0	20.95	20.68	23.8274	25.515	0.356	1.00	Pass
			64QAM	1	1	20.88	20.5	23.7045	25.397	0.347	1.00	Pass
			64QAM	1	63	20.92	20.51	23.7301	25.425	0.349	1.00	Pass
			64QAM	65	0	20.32	20.09	23.2168	24.902	0.309	1.00	Pass
			256QAM	1	1	19.87	19.4	22.6517	24.349	0.272	1.00	Pass
			256QAM	1	63	20.3	19.77	23.0534	24.754	0.299	1.00	Pass
			256QAM	65	0	20.56	20.11	23.3511	25.048	0.320	1.00	Pass
	HCH		QPSK	33	16	23.44	24.17	26.8306	28.466	0.702	1.00	Pass
			QPSK	1	1	23.55	23.82	26.6974	28.357	0.685	1.00	Pass
			QPSK	1	63	24.16	23.96	27.0715	28.755	0.751	1.00	Pass
			QPSK	65	0	23.94	23.47	26.7217	28.419	0.695	1.00	Pass
			16QAM	33	16	22.28	21.76	25.0381	26.738	0.472	1.00	Pass
			16QAM	1	1	21.15	21.42	24.2974	25.957	0.394	1.00	Pass
			16QAM	1	63	21.47	21.21	24.3522	26.039	0.402	1.00	Pass
			16QAM	65	0	20.96	20.69	23.8374	25.525	0.357	1.00	Pass
			64QAM	1	1	21.39	20.85	24.1387	25.840	0.384	1.00	Pass

			64QAM	1	63	21.28	20.15	23.7619	25.493	0.354	1.00	Pass
			64QAM	65	0	20.46	19.86	23.1807	24.885	0.308	1.00	Pass
			256QAM	1	1	20.46	19.9	23.1993	24.901	0.309	1.00	Pass
			256QAM	1	63	19.6	19.09	22.3628	24.062	0.255	1.00	Pass
			256QAM	65	0	20.4	20.06	23.2436	24.934	0.311	1.00	Pass
30	LCH	CP	QPSK	39	19	23.29	23.96	26.6482	28.287	0.674	1.00	Pass
			QPSK	1	1	23.74	23.26	26.5169	28.215	0.663	1.00	Pass
			QPSK	1	76	23.49	23.16	26.3384	28.029	0.635	1.00	Pass
			QPSK	78	0	23.85	23.39	26.6364	28.333	0.681	1.00	Pass
			16QAM	39	19	22.01	22.5	25.2722	26.920	0.492	1.00	Pass
			16QAM	1	1	20.77	20.3	23.5517	25.249	0.335	1.00	Pass
			16QAM	1	76	21.23	20.66	23.9646	25.667	0.369	1.00	Pass
			16QAM	78	0	20.69	20.5	23.6063	25.289	0.338	1.00	Pass
			64QAM	1	1	20.64	20.42	23.5417	25.226	0.333	1.00	Pass
			64QAM	1	76	20.61	20.32	23.4777	25.166	0.329	1.00	Pass
			64QAM	78	0	20.26	21.97	24.2089	25.794	0.380	1.00	Pass
			256QAM	1	1	19.88	19.3	22.6100	24.313	0.270	1.00	Pass
			256QAM	1	76	20.16	20.07	23.1255	24.803	0.302	1.00	Pass
			256QAM	78	0	20.45	19.93	23.2081	24.908	0.310	1.00	Pass
	MCH		QPSK	39	19	23.53	23.17	26.3640	28.056	0.639	1.00	Pass
			QPSK	1	1	24.01	23.6	26.8201	28.515	0.710	1.00	Pass
			QPSK	1	76	23.38	23	26.2045	27.897	0.616	1.00	Pass
			QPSK	78	0	23.97	23.45	26.7281	28.428	0.696	1.00	Pass
			16QAM	39	19	22.22	22.7	25.4769	27.125	0.516	1.00	Pass
			16QAM	1	1	21.19	20.65	23.9387	25.640	0.366	1.00	Pass
			16QAM	1	76	21.22	20.72	23.9875	25.686	0.370	1.00	Pass
			16QAM	78	0	21.05	21.52	24.3017	25.951	0.394	1.00	Pass
			64QAM	1	1	20.91	20.49	23.7154	25.410	0.348	1.00	Pass
			64QAM	1	76	20.94	20.66	23.8126	25.500	0.355	1.00	Pass
			64QAM	78	0	20.54	20.15	23.3597	25.053	0.320	1.00	Pass
			256QAM	1	1	19.98	19.43	22.7240	24.426	0.277	1.00	Pass
			256QAM	1	76	20.11	19.6	22.8728	24.572	0.287	1.00	Pass
			256QAM	78	0	20.62	20.09	23.3734	25.074	0.322	1.00	Pass
	HCH		QPSK	39	19	23.51	24.18	26.8682	28.507	0.709	1.00	Pass
			QPSK	1	1	23.39	23.86	26.6417	28.291	0.675	1.00	Pass
			QPSK	1	76	23.13	23.98	26.5861	28.215	0.663	1.00	Pass
			QPSK	78	0	24.03	23.51	26.7881	28.488	0.706	1.00	Pass
			16QAM	39	19	22.13	22.66	25.4134	27.059	0.508	1.00	Pass
			16QAM	1	1	21.03	20.43	23.7507	25.455	0.351	1.00	Pass
			16QAM	1	76	21.33	21.08	24.2171	25.903	0.389	1.00	Pass
			16QAM	78	0	21.41	21.55	24.4909	26.157	0.413	1.00	Pass
			64QAM	1	1	21.36	20.82	24.1087	25.810	0.381	1.00	Pass

			64QAM	1	76	21.55	20.95	24.2707	25.975	0.396	1.00	Pass
			64QAM	78	0	20.46	20.23	23.3568	25.042	0.319	1.00	Pass
			256QAM	1	1	20.35	19.82	23.1034	24.804	0.302	1.00	Pass
			256QAM	1	76	19.55	19.03	22.3081	24.008	0.252	1.00	Pass
			256QAM	78	0	20.5	20.07	23.3006	24.996	0.316	1.00	Pass
40	LCH	CP	QPSK	53	26	23.41	24.14	26.8006	28.436	0.698	1.00	Pass
			QPSK	1	1	23.71	23.28	26.5106	28.206	0.662	1.00	Pass
			QPSK	1	104	23.37	24.03	26.7228	28.362	0.686	1.00	Pass
			QPSK	106	0	23.91	23.65	26.7922	28.479	0.705	1.00	Pass
			16QAM	53	26	22.05	22.63	25.3600	27.003	0.502	1.00	Pass
			16QAM	1	1	20.8	20.25	23.5440	25.246	0.335	1.00	Pass
			16QAM	1	104	21.1	20.64	23.8864	25.583	0.362	1.00	Pass
			16QAM	106	0	22.43	22.53	25.4906	27.159	0.520	1.00	Pass
			64QAM	1	1	20.76	20.14	23.4714	25.176	0.329	1.00	Pass
			64QAM	1	104	21.68	21.27	24.4901	26.185	0.415	1.00	Pass
			64QAM	106	0	21.38	20.92	24.1664	25.863	0.386	1.00	Pass
			256QAM	1	1	19.75	19.53	22.6517	24.336	0.271	1.00	Pass
			256QAM	1	104	20.28	19.96	23.1332	24.823	0.304	1.00	Pass
			256QAM	106	0	20.38	20.15	23.2768	24.962	0.313	1.00	Pass
	MCH		QPSK	53	26	23.57	23.2	26.3992	28.092	0.644	1.00	Pass
			QPSK	1	1	23.08	23.69	26.4060	28.048	0.638	1.00	Pass
			QPSK	1	104	23.27	23.9	26.6067	28.247	0.668	1.00	Pass
			QPSK	106	0	23.89	23.62	26.7674	28.455	0.701	1.00	Pass
			16QAM	53	26	22.1	22.69	25.4153	27.058	0.508	1.00	Pass
			16QAM	1	1	20.98	20.69	23.8477	25.536	0.358	1.00	Pass
			16QAM	1	104	21.11	20.72	23.9297	25.623	0.365	1.00	Pass
			16QAM	106	0	21.99	22.56	25.2946	26.938	0.494	1.00	Pass
			64QAM	1	1	20.88	20.44	23.6759	25.372	0.344	1.00	Pass
			64QAM	1	104	20.93	20.55	23.7545	25.447	0.351	1.00	Pass
			64QAM	106	0	20.34	20.14	23.2515	24.935	0.312	1.00	Pass
			256QAM	1	1	19.81	19.42	22.6297	24.323	0.271	1.00	Pass
			256QAM	1	104	20.09	19.75	22.9336	24.624	0.290	1.00	Pass
			256QAM	106	0	20.36	20.06	23.2229	24.912	0.310	1.00	Pass
	HCH		QPSK	53	26	23.42	24.19	26.8323	28.466	0.702	1.00	Pass
			QPSK	1	1	23.57	23.86	26.7277	28.386	0.690	1.00	Pass
			QPSK	1	104	23.33	23.75	26.5554	28.207	0.662	1.00	Pass
			QPSK	106	0	23.95	23.47	26.7269	28.425	0.696	1.00	Pass
			16QAM	53	26	22.22	22.4	25.3212	26.985	0.499	1.00	Pass
			16QAM	1	1	21.17	20.41	23.8169	25.529	0.357	1.00	Pass
			16QAM	1	104	21.48	21.08	24.2949	25.989	0.397	1.00	Pass
			16QAM	106	0	21.98	21.55	24.7806	26.476	0.444	1.00	Pass
			64QAM	1	1	21.4	20.95	24.1911	25.888	0.388	1.00	Pass

			64QAM	1	104	21.57	21.12	24.3611	26.058	0.403	1.00	Pass
			64QAM	106	0	20.45	20.93	23.7069	25.355	0.343	1.00	Pass
			256QAM	1	1	20.4	19.88	23.1581	24.858	0.306	1.00	Pass
			256QAM	1	104	19.63	19.06	22.3646	24.067	0.255	1.00	Pass
			256QAM	106	0	20.32	20.01	23.1781	24.867	0.307	1.00	Pass
50	LCH	CP	QPSK	67	33	23.52	24.20	26.8836	28.522	0.711	1.00	Pass
			QPSK	1	1	23.81	23.33	26.5869	28.285	0.674	1.00	Pass
			QPSK	1	131	23.58	23.14	26.3759	28.072	0.641	1.00	Pass
			QPSK	133	0	23.99	23.62	26.8192	28.512	0.710	1.00	Pass
			16QAM	67	33	22.04	22.68	25.3821	27.022	0.504	1.00	Pass
			16QAM	1	1	20.82	20.47	23.6588	25.350	0.343	1.00	Pass
			16QAM	1	131	21.21	20.88	24.0584	25.749	0.376	1.00	Pass
			16QAM	133	0	21.94	22.62	25.3036	26.942	0.495	1.00	Pass
			64QAM	1	1	20.84	20.46	23.6645	25.357	0.343	1.00	Pass
			64QAM	1	131	20.71	20.48	23.6068	25.292	0.338	1.00	Pass
			64QAM	133	0	20.42	22.10	24.3510	25.938	0.392	1.00	Pass
			256QAM	1	1	20.01	19.59	22.8154	24.510	0.283	1.00	Pass
			256QAM	1	131	20.46	20.17	23.3277	25.016	0.317	1.00	Pass
			256QAM	133	0	20.46	20.20	23.3422	25.029	0.318	1.00	Pass
	MCH		QPSK	67	33	24.31	23.85	27.0964	**28.793**	0.757	1.00	Pass
			QPSK	1	1	23.31	23.82	26.5828	28.230	0.665	1.00	Pass
			QPSK	1	131	23.40	24.01	26.7260	28.368	0.687	1.00	Pass
			QPSK	133	0	24.23	23.73	26.9975	28.696	0.741	1.00	Pass
			16QAM	67	33	22.76	22.37	25.5797	27.273	0.534	1.00	Pass
			16QAM	1	1	21.36	20.76	24.0807	25.785	0.379	1.00	Pass
			16QAM	1	131	21.20	20.80	24.0149	25.709	0.372	1.00	Pass
			16QAM	133	0	21.15	21.75	24.4707	26.113	0.409	1.00	Pass
			64QAM	1	1	21.12	20.74	23.9445	25.637	0.366	1.00	Pass
			64QAM	1	131	21.08	20.69	23.8997	25.593	0.362	1.00	Pass
			64QAM	133	0	21.56	21.18	24.3845	26.077	0.405	1.00	Pass
			256QAM	1	1	20.11	19.67	22.9059	24.602	0.289	1.00	Pass
			256QAM	1	131	20.27	19.94	23.1184	24.809	0.303	1.00	Pass
			256QAM	133	0	20.62	20.12	23.3875	25.086	0.323	1.00	Pass
	HCH		QPSK	67	33	23.58	24.20	26.9114	28.553	0.717	1.00	Pass
			QPSK	1	1	23.58	23.14	26.3759	28.072	0.641	1.00	Pass
			QPSK	1	131	23.35	24.00	26.6974	28.337	0.682	1.00	Pass
			QPSK	133	0	24.04	23.56	26.8169	28.515	0.710	1.00	Pass
			16QAM	67	33	22.26	22.87	25.5860	27.228	0.528	1.00	Pass
			16QAM	1	1	21.04	20.61	23.8406	25.536	0.358	1.00	Pass
			16QAM	1	131	21.50	21.19	24.3581	26.047	0.402	1.00	Pass
			16QAM	133	0	21.09	21.79	24.4644	26.101	0.408	1.00	Pass
			64QAM	1	1	21.50	21.05	24.2911	25.988	0.397	1.00	Pass

			64QAM	1	131	21.51	21.21	24.3729	26.062	0.404	1.00	Pass
			64QAM	133	0	20.60	20.05	23.3440	25.046	0.320	1.00	Pass
			256QAM	1	1	20.48	20.10	23.3045	24.997	0.316	1.00	Pass
			256QAM	1	131	19.57	19.32	22.4571	24.143	0.260	1.00	Pass
			256QAM	133	0	20.67	20.10	23.4046	25.107	0.324	1.00	Pass
60	LCH	CP	QPSK	81	40	23.51	24.04	26.7934	28.439	0.698	1.00	Pass
			QPSK	1	1	23.63	23.36	26.5074	28.195	0.660	1.00	Pass
			QPSK	1	160	23.48	23.94	26.7264	28.376	0.688	1.00	Pass
			QPSK	162	0	23.93	23.48	26.7211	28.418	0.695	1.00	Pass
			16QAM	81	40	21.96	22.53	25.2646	26.908	0.491	1.00	Pass
			16QAM	1	1	20.74	20.31	23.5406	25.236	0.334	1.00	Pass
			16QAM	1	160	21.26	20.68	23.9900	25.693	0.371	1.00	Pass
			16QAM	162	0	21.71	21.38	24.5584	26.249	0.422	1.00	Pass
			64QAM	1	1	20.57	20.26	23.4281	25.117	0.325	1.00	Pass
			64QAM	1	160	21.6	21.25	24.4388	26.130	0.410	1.00	Pass
			64QAM	162	0	20.32	20.76	23.5559	25.206	0.332	1.00	Pass
			256QAM	1	1	19.79	19.24	22.5340	24.236	0.265	1.00	Pass
			256QAM	1	160	20.2	19.99	23.1066	24.791	0.301	1.00	Pass
			256QAM	162	0	20.31	20.11	23.2215	24.905	0.309	1.00	Pass
	MCH		QPSK	81	40	23.53	23.23	26.3929	28.082	0.643	1.00	Pass
			QPSK	1	1	23.42	23.78	26.6140	28.269	0.671	1.00	Pass
			QPSK	1	160	23.3	23.34	26.3303	28.002	0.631	1.00	Pass
			QPSK	162	0	23.92	23.5	26.7254	28.420	0.695	1.00	Pass
			16QAM	81	40	22.07	21.57	24.8375	26.536	0.450	1.00	Pass
			16QAM	1	1	21.12	20.64	23.8969	25.595	0.363	1.00	Pass
			16QAM	1	160	21.1	20.6	23.8675	25.566	0.360	1.00	Pass
			16QAM	162	0	20.93	21.51	24.2400	25.883	0.388	1.00	Pass
			64QAM	1	1	21.05	20.57	23.8269	25.525	0.357	1.00	Pass
			64QAM	1	160	20.87	20.59	23.7426	25.430	0.349	1.00	Pass
			64QAM	162	0	20.38	20.05	23.2284	24.919	0.310	1.00	Pass
			256QAM	1	1	19.99	19.38	22.7060	24.411	0.276	1.00	Pass
			256QAM	1	160	20.07	19.76	22.9281	24.617	0.290	1.00	Pass
			256QAM	162	0	20.43	20.06	23.2592	24.952	0.313	1.00	Pass
	HCH		QPSK	81	40	23.52	24.17	26.8674	28.507	0.709	1.00	Pass
			QPSK	1	1	23.53	23.91	26.7345	28.388	0.690	1.00	Pass
			QPSK	1	160	23.26	23.93	26.6182	28.257	0.669	1.00	Pass
			QPSK	162	0	23.8	23.58	26.7017	28.386	0.690	1.00	Pass
			16QAM	81	40	21.99	21.87	24.9407	26.620	0.459	1.00	Pass
			16QAM	1	1	21	20.45	23.7440	25.446	0.350	1.00	Pass
			16QAM	1	160	21.5	21.11	24.3197	26.013	0.399	1.00	Pass
			16QAM	162	0	21.07	21.61	24.3587	26.004	0.398	1.00	Pass
			64QAM	1	1	21.38	20.96	24.1854	25.880	0.387	1.00	Pass

			64QAM	1	160	21.54	21.08	24.3264	26.023	0.400	1.00	Pass
			64QAM	162	0	20.43	20.03	23.2449	24.939	0.312	1.00	Pass
			256QAM	1	1	20.49	19.86	23.1967	24.902	0.309	1.00	Pass
			256QAM	1	160	19.42	19.12	22.2829	23.972	0.250	1.00	Pass
			256QAM	162	0	20.54	20.12	23.3454	25.040	0.319	1.00	Pass
70	LCH	CP	QPSK	95	47	23.27	24.07	26.6987	28.331	0.681	1.00	Pass
			QPSK	1	1	23.59	23.18	26.4001	28.095	0.645	1.00	Pass
			QPSK	1	187	23.34	23.95	26.6660	28.308	0.677	1.00	Pass
			QPSK	189	0	23.78	23.56	26.6817	28.366	0.686	1.00	Pass
			16QAM	95	47	22.89	22.69	25.8015	27.485	0.560	1.00	Pass
			16QAM	1	1	21.65	21.35	24.5129	26.202	0.417	1.00	Pass
			16QAM	1	187	21.13	20.86	24.0074	25.695	0.371	1.00	Pass
			16QAM	189	0	21.79	21.47	24.6432	26.333	0.430	1.00	Pass
			64QAM	1	1	20.84	20.3	23.5887	25.290	0.338	1.00	Pass
			64QAM	1	187	21.77	21.31	24.5564	26.253	0.422	1.00	Pass
			64QAM	189	0	20.39	20.89	23.6575	25.305	0.339	1.00	Pass
			256QAM	1	1	19.9	19.41	22.6722	24.371	0.274	1.00	Pass
			256QAM	1	187	20.46	19.87	23.1853	24.889	0.308	1.00	Pass
			256QAM	189	0	20.3	19.97	23.1484	24.839	0.305	1.00	Pass
	MCH		QPSK	95	47	23.65	23.19	26.4364	28.133	0.651	1.00	Pass
			QPSK	1	1	23.21	23.67	26.4564	28.106	0.647	1.00	Pass
			QPSK	1	187	23.3	23.83	26.5834	28.229	0.665	1.00	Pass
			QPSK	189	0	23.92	23.59	26.7684	28.459	0.701	1.00	Pass
			16QAM	95	47	22.05	22.61	25.3493	26.994	0.500	1.00	Pass
			16QAM	1	1	21.2	20.72	23.9769	25.675	0.369	1.00	Pass
			16QAM	1	187	20.93	20.71	23.8317	25.516	0.356	1.00	Pass
			16QAM	189	0	20.99	21.64	24.3374	25.977	0.396	1.00	Pass
			64QAM	1	1	20.97	20.67	23.8329	25.522	0.357	1.00	Pass
			64QAM	1	187	20.86	20.57	23.7277	25.416	0.348	1.00	Pass
			64QAM	189	0	20.41	20.14	23.2874	24.975	0.314	1.00	Pass
			256QAM	1	1	19.77	19.34	22.5706	24.266	0.267	1.00	Pass
			256QAM	1	187	20.24	19.62	22.9514	24.656	0.292	1.00	Pass
			256QAM	189	0	20.62	20.05	23.3546	25.057	0.320	1.00	Pass
	HCH		QPSK	95	47	23.61	24.29	26.9736	28.612	0.726	1.00	Pass
			QPSK	1	1	23.6	23.85	26.7371	28.397	0.691	1.00	Pass
			QPSK	1	187	23.22	23.82	26.5407	28.183	0.658	1.00	Pass
			QPSK	189	0	24.04	23.64	26.8549	28.549	0.716	1.00	Pass
			16QAM	95	47	21.99	21.84	24.9259	26.607	0.458	1.00	Pass
			16QAM	1	1	21.56	21.54	24.5603	26.235	0.420	1.00	Pass
			16QAM	1	187	21.42	21.12	24.2829	25.972	0.396	1.00	Pass
			16QAM	189	0	21.88	21.66	24.7817	26.466	0.443	1.00	Pass
			64QAM	1	1	21.26	20.93	24.1084	25.799	0.380	1.00	Pass

			64QAM	1	187	21.44	20.9	24.1887	25.890	0.388	1.00	Pass
			64QAM	189	0	20.43	20.14	23.2977	24.986	0.315	1.00	Pass
			256QAM	1	1	20.58	20.07	23.3428	25.042	0.319	1.00	Pass
			256QAM	1	187	19.53	19.09	22.3259	24.022	0.252	1.00	Pass
			256QAM	189	0	20.52	20	23.2781	24.978	0.315	1.00	Pass
80	LCH	CP	QPSK	109	54	23.48	24.1	26.8114	28.453	0.700	1.00	Pass
			QPSK	1	1	23.69	23.37	26.5432	28.233	0.666	1.00	Pass
			QPSK	1	215	23.5	23.94	26.7359	28.386	0.690	1.00	Pass
			QPSK	217	0	23.99	23.47	26.7481	28.448	0.700	1.00	Pass
			16QAM	109	54	22.87	22.57	25.7329	27.422	0.552	1.00	Pass
			16QAM	1	1	20.75	20.34	23.5601	25.255	0.335	1.00	Pass
			16QAM	1	215	21.11	20.78	23.9584	25.649	0.367	1.00	Pass
			16QAM	217	0	21.91	21.27	24.6121	26.318	0.428	1.00	Pass
			64QAM	1	1	20.63	20.18	23.4211	25.118	0.325	1.00	Pass
			64QAM	1	215	21.78	21.38	24.5949	26.289	0.425	1.00	Pass
			64QAM	217	0	20.11	20.79	23.4736	25.112	0.324	1.00	Pass
			256QAM	1	1	19.77	19.52	22.6571	24.343	0.272	1.00	Pass
			256QAM	1	215	20.27	20	23.1474	24.835	0.304	1.00	Pass
			256QAM	217	0	20.31	19.97	23.1536	24.844	0.305	1.00	Pass
	MCH		QPSK	109	54	23.65	23.28	26.4792	28.172	0.656	1.00	Pass
			QPSK	1	1	23.28	23.73	26.5211	28.171	0.656	1.00	Pass
			QPSK	1	215	23.2	23.83	26.5367	28.177	0.657	1.00	Pass
			QPSK	217	0	23.93	23.62	26.7881	28.477	0.704	1.00	Pass
			16QAM	109	54	22.08	22.74	25.4328	27.072	0.510	1.00	Pass
			16QAM	1	1	21.18	20.72	23.9664	25.663	0.368	1.00	Pass
			16QAM	1	215	21.16	20.66	23.9275	25.626	0.365	1.00	Pass
			16QAM	217	0	21.99	21.59	24.8049	26.499	0.447	1.00	Pass
			64QAM	1	1	20.92	20.63	23.7877	25.476	0.353	1.00	Pass
			64QAM	1	215	20.86	20.45	23.6701	25.365	0.344	1.00	Pass
			64QAM	217	0	20.47	20.09	23.2945	24.987	0.315	1.00	Pass
			256QAM	1	1	19.89	19.59	22.7529	24.442	0.278	1.00	Pass
			256QAM	1	215	20.19	19.68	22.9528	24.652	0.292	1.00	Pass
			256QAM	217	0	20.41	20.11	23.2729	24.962	0.313	1.00	Pass
	HCH		QPSK	109	54	23.47	24.1	26.8067	28.447	0.699	1.00	Pass
			QPSK	1	1	23.4	23.02	26.2245	27.917	0.619	1.00	Pass
			QPSK	1	215	23.15	23.93	26.5678	28.201	0.661	1.00	Pass
			QPSK	217	0	23.89	23.56	26.7384	28.429	0.696	1.00	Pass
			16QAM	109	54	22.13	22.68	25.4240	27.069	0.509	1.00	Pass
			16QAM	1	1	21.05	20.47	23.7800	25.483	0.353	1.00	Pass
			16QAM	1	215	21.43	21.08	24.2688	25.960	0.394	1.00	Pass
			16QAM	217	0	21.06	21.49	24.2906	25.942	0.393	1.00	Pass
			64QAM	1	1	21.4	20.81	24.1253	25.829	0.383	1.00	Pass

			64QAM	1	215	20.54	21.01	23.7917	25.441	0.350	1.00	Pass
			64QAM	217	0	20.46	20.96	23.7275	25.375	0.345	1.00	Pass
			256QAM	1	1	20.53	20.04	23.3022	25.001	0.316	1.00	Pass
			256QAM	1	215	19.55	19.28	22.4274	24.115	0.258	1.00	Pass
			256QAM	217	0	20.54	20.13	23.3501	25.045	0.319	1.00	Pass
90	LCH	CP	QPSK	123	61	23.31	23.94	26.6467	28.287	0.674	1.00	Pass
			QPSK	1	1	23.43	23.08	26.2688	27.960	0.625	1.00	Pass
			QPSK	1	243	23.32	23.81	26.5822	28.230	0.665	1.00	Pass
			QPSK	245	0	23.61	23.56	26.5954	28.271	0.672	1.00	Pass
			16QAM	123	61	22.7	22.46	25.5920	27.278	0.534	1.00	Pass
			16QAM	1	1	21.62	21.72	24.6806	26.349	0.431	1.00	Pass
			16QAM	1	243	21.99	21.72	24.8674	26.555	0.452	1.00	Pass
			16QAM	245	0	21.8	21.27	24.5534	26.254	0.422	1.00	Pass
			64QAM	1	1	20.67	20.16	23.4328	25.132	0.326	1.00	Pass
			64QAM	1	243	21.61	21.17	24.4059	26.102	0.408	1.00	Pass
			64QAM	245	0	20.16	20.66	23.4275	25.075	0.322	1.00	Pass
			256QAM	1	1	19.76	19.24	22.5181	24.218	0.264	1.00	Pass
			256QAM	1	243	20.32	19.76	23.0593	24.761	0.299	1.00	Pass
			256QAM	245	0	20.21	19.93	23.0826	24.770	0.300	1.00	Pass
	MCH		QPSK	123	61	23.57	22.99	26.3000	28.003	0.631	1.00	Pass
			QPSK	1	1	23.94	23.56	26.7645	28.457	0.701	1.00	Pass
			QPSK	1	243	23.11	23.75	26.4521	28.092	0.645	1.00	Pass
			QPSK	245	0	23.85	23.52	26.6984	28.389	0.690	1.00	Pass
			16QAM	123	61	22.97	22.4	25.7046	27.407	0.550	1.00	Pass
			16QAM	1	1	21.01	20.74	23.8874	25.575	0.361	1.00	Pass
			16QAM	1	243	20.86	20.36	23.6275	25.326	0.341	1.00	Pass
			16QAM	245	0	21.78	21.86	24.8305	26.500	0.447	1.00	Pass
			64QAM	1	1	20.92	20.59	23.7684	25.459	0.351	1.00	Pass
			64QAM	1	243	20.62	20.41	23.5266	25.211	0.332	1.00	Pass
			64QAM	245	0	20.18	20.03	23.1159	24.797	0.302	1.00	Pass
			256QAM	1	1	19.63	19.36	22.5074	24.195	0.263	1.00	Pass
			256QAM	1	243	19.9	19.62	22.7726	24.460	0.279	1.00	Pass
			256QAM	245	0	20.48	20.07	23.2901	24.985	0.315	1.00	Pass
	HCH		QPSK	123	61	23.38	24.01	26.7167	28.357	0.685	1.00	Pass
			QPSK	1	1	23.48	23.8	26.6532	28.310	0.678	1.00	Pass
			QPSK	1	243	23.17	23.84	26.5282	28.167	0.656	1.00	Pass
			QPSK	245	0	23.84	23.43	26.6501	28.345	0.683	1.00	Pass
			16QAM	123	61	22	22.65	25.3474	26.987	0.500	1.00	Pass
			16QAM	1	1	21.82	21.3	24.5781	26.278	0.424	1.00	Pass
			16QAM	1	243	21.33	21.14	24.2463	25.929	0.392	1.00	Pass
			16QAM	245	0	21.03	21.45	24.2554	25.907	0.390	1.00	Pass
			64QAM	1	1	21.25	20.86	24.0697	25.763	0.377	1.00	Pass

			64QAM	1	243	21.29	20.81	24.0669	25.765	0.377	1.00	Pass
			64QAM	245	0	21.28	21.88	24.6007	26.243	0.421	1.00	Pass
			256QAM	1	1	20.39	19.87	23.1481	24.848	0.305	1.00	Pass
			256QAM	1	243	19.38	19	22.2045	23.897	0.245	1.00	Pass
			256QAM	245	0	20.38	19.84	23.1287	24.830	0.304	1.00	Pass
100	LCH	CP	QPSK	137	68	23.44	24.02	26.7500	28.393	0.691	1.00	Pass
			QPSK	1	1	23.52	23.29	26.4168	28.102	0.646	1.00	Pass
			QPSK	1	271	23.44	23.97	26.7234	28.369	0.687	1.00	Pass
			QPSK	273	0	23.85	23.29	26.5893	28.291	0.675	1.00	Pass
			16QAM	137	68	22.68	22.44	25.5720	27.258	0.532	1.00	Pass
			16QAM	1	1	21.47	21.16	24.3281	26.017	0.400	1.00	Pass
			16QAM	1	271	21.09	20.61	23.8669	25.565	0.360	1.00	Pass
			16QAM	273	0	21.68	21.09	24.4053	26.109	0.408	1.00	Pass
			64QAM	1	1	20.61	20.1	23.3728	25.072	0.322	1.00	Pass
			64QAM	1	271	20.65	20.2	23.4411	25.138	0.326	1.00	Pass
			64QAM	273	0	20.98	20.52	23.7664	25.463	0.352	1.00	Pass
			256QAM	1	1	19.65	19.14	22.4128	24.112	0.258	1.00	Pass
			256QAM	1	271	20.14	19.77	22.9692	24.662	0.293	1.00	Pass
			256QAM	273	0	20.21	19.98	23.1068	24.792	0.301	1.00	Pass
	MCH		QPSK	137	68	23.49	23.04	26.2811	27.978	0.628	1.00	Pass
			QPSK	1	1	23.94	23.62	26.7932	28.483	0.705	1.00	Pass
			QPSK	1	271	23.11	23.15	26.1403	27.812	0.604	1.00	Pass
			QPSK	273	0	23.82	23.39	26.6206	28.316	0.679	1.00	Pass
			16QAM	137	68	22.04	22.44	25.2549	26.907	0.491	1.00	Pass
			16QAM	1	1	21.22	20.67	23.9640	25.666	0.369	1.00	Pass
			16QAM	1	271	21.56	21.39	24.4861	26.168	0.414	1.00	Pass
			16QAM	273	0	21.72	21.39	24.5684	26.259	0.423	1.00	Pass
			64QAM	1	1	20.77	20.43	23.6136	25.304	0.339	1.00	Pass
			64QAM	1	271	20.93	20.36	23.6646	25.367	0.344	1.00	Pass
			64QAM	273	0	20.32	20.01	23.1781	24.867	0.307	1.00	Pass
			256QAM	1	1	19.54	19.35	22.4563	24.139	0.259	1.00	Pass
			256QAM	1	271	20.15	19.6	22.8940	24.596	0.288	1.00	Pass
			256QAM	273	0	20.16	20.12	23.1503	24.826	0.304	1.00	Pass
	HCH		QPSK	137	68	23.42	24.07	26.7674	28.407	0.693	1.00	Pass
			QPSK	1	1	23.37	23.03	26.2136	27.904	0.617	1.00	Pass
			QPSK	1	271	23.06	23.63	26.3646	28.008	0.632	1.00	Pass
			QPSK	273	0	23.74	23.33	26.5501	28.245	0.667	1.00	Pass
			16QAM	137	68	21.9	21.71	24.8163	26.499	0.447	1.00	Pass
			16QAM	1	1	21.98	21.25	24.6406	26.351	0.432	1.00	Pass
			16QAM	1	271	21.3	21.02	24.1726	25.860	0.386	1.00	Pass
			16QAM	273	0	21.52	21.42	24.4806	26.159	0.413	1.00	Pass
			64QAM	1	1	21.19	20.78	24.0001	25.695	0.371	1.00	Pass

			64QAM	1	271	21.24	20.88	24.0740	25.766	0.377	1.00	Pass
			64QAM	273	0	20.37	20.37	23.3803	25.054	0.320	1.00	Pass
			256QAM	1	1	20.33	19.8	23.0834	24.784	0.301	1.00	Pass
			256QAM	1	271	19.43	19.02	22.2401	23.935	0.247	1.00	Pass
			256QAM	273	0	20.38	19.99	23.1997	24.893	0.309	1.00	Pass