


Test Mode	UNII-2C_TX BE(EHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.800	38.000
110	5550	39.200	38.000
134	5670	39.400	38.000

CH102




Date: 29.OCT.2025 18:41:46

CH110
26 dB Bandwidth




Date: 29.OCT.2025 18:43:20

CH134




Date: 29.OCT.2025 18:44:51


99 % Occupied Bandwidth



Date: 29.OCT.2025 18:42:35



Date: 29.OCT.2025 18:44:00




Date: 29.OCT.2025 18:45:35

Test Mode UNII-2C_TX BE(EHT80) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	80.800	77.200
122	5610	80.800	77.600

CH106




Date: 29.OCT.2025 18:52:10

CH122
26 dB Bandwidth




Date: 29.OCT.2025 18:53:39

99 % Occupied Bandwidth



Date: 29.OCT.2025 18:52:55




Date: 29.OCT.2025 18:53:53

Test Mode	UNII-2C_TX BE(EHT160) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	166.400	156.800

CH114 26 dB Bandwidth



Date: 29.OCT.2025 19:02:44

99 % Occupied Bandwidth




Date: 29.OCT.2025 19:03:41

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	32.600	63.000	0.5	Pass
159	5795	31.200	64.800	0.5	Pass

CH151




Date: 7.NOV.2025 13:36:46

CH159
6 dB Bandwidth




Date: 7.NOV.2025 13:38:09

99 % Occupied Bandwidth



Date: 7.NOV.2025 13:36:59




Date: 7.NOV.2025 13:38:22

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	74.000	145.500	0.5	Pass

CH155 6 dB Bandwidth



Date: 7.NOV.2025 13:51:58

99 % Occupied Bandwidth




Date: 7.NOV.2025 13:54:32

Test Mode UNII-3_TX BE(EHT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	18.600	32.880	0.5	Pass
157	5785	18.720	33.000	0.5	Pass
165	5825	18.360	32.760	0.5	Pass

CH149




Date: 29.OCT.2025 17:13:17

CH157
6 dB Bandwidth




Date: 29.OCT.2025 17:45:10

CH165




Date: 29.OCT.2025 17:51:57


99 % Occupied Bandwidth



Date: 29.OCT.2025 17:44:09



Date: 29.OCT.2025 17:51:05




Date: 29.OCT.2025 17:52:19

Test Mode	UNII-3_TX BE(EHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.800	51.000	0.5	Pass
159	5795	36.000	53.000	0.5	Pass

CH151




Date: 29.OCT.2025 18:46:11

CH159
6 dB Bandwidth




Date: 29.OCT.2025 18:46:55

99 % Occupied Bandwidth



Date: 29.OCT.2025 18:46:27




Date: 29.OCT.2025 18:47:16

Test Mode	UNII-3_TX BE(EHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	70.400	125.600	0.5	Pass

CH155 6 dB Bandwidth



Date: 29.OCT.2025 18:54:37

99 % Occupied Bandwidth



Date: 29.OCT.2025 19:00:13

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.98	0.22	20.20	30.00	1.0000	Pass
40	5200	22.85	0.22	23.07	30.00	1.0000	Pass
48	5240	26.85	0.22	27.07	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.69	0.22	19.91	30.00	1.0000	Pass
40	5200	20.77	0.22	20.99	30.00	1.0000	Pass
48	5240	20.82	0.22	21.04	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.86	0.22	20.08	30.00	1.0000	Pass
40	5200	20.87	0.22	21.09	30.00	1.0000	Pass
48	5240	21.17	0.22	21.39	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.98	0.22	20.20	30.00	1.0000	Pass
40	5200	20.93	0.22	21.15	30.00	1.0000	Pass
48	5240	21.07	0.22	21.29	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.84	30.00	1.0000	Pass
40	5200	25.85	30.00	1.0000	Pass
48	5240	26.01	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.39	0.18	17.57	30.00	1.0000	Pass
46	5230	19.05	0.18	19.23	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.64	0.18	17.82	30.00	1.0000	Pass
46	5230	19.31	0.18	19.49	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.61	0.18	17.79	30.00	1.0000	Pass
46	5230	19.18	0.18	19.36	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.50	30.00	1.0000	Pass
46	5230	24.13	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.83	0.20	13.03	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.10	0.20	13.30	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.06	0.20	13.26	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.97	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.39	0.23	19.62	30.00	1.0000	Pass
40	5200	21.48	0.23	21.71	30.00	1.0000	Pass
48	5240	21.97	0.23	22.20	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.54	0.23	19.77	30.00	1.0000	Pass
40	5200	21.63	0.23	21.86	30.00	1.0000	Pass
48	5240	22.25	0.23	22.48	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.76	0.23	19.99	30.00	1.0000	Pass
40	5200	21.65	0.23	21.88	30.00	1.0000	Pass
48	5240	22.36	0.23	22.59	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.57	30.00	1.0000	Pass
40	5200	26.59	30.00	1.0000	Pass
48	5240	27.20	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.73	0.32	18.05	30.00	1.0000	Pass
46	5230	19.25	0.32	19.57	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.93	0.32	18.25	30.00	1.0000	Pass
46	5230	19.62	0.32	19.94	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.81	0.32	18.13	30.00	1.0000	Pass
46	5230	19.46	0.32	19.78	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.92	30.00	1.0000	Pass
46	5230	24.54	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.56	0.33	13.89	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.81	0.33	14.14	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.72	0.33	14.05	30.00	1.0000	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.80	30.00	1.0000	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	23.44	0.22	23.66	23.98	0.2500	Pass
60	5300	18.15	0.22	18.37	23.98	0.2500	Pass
64	5320	18.09	0.22	18.31	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.09	0.22	15.31	23.98	0.2500	Pass
60	5300	15.24	0.22	15.46	23.98	0.2500	Pass
64	5320	15.24	0.22	15.46	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.46	0.22	15.68	23.98	0.2500	Pass
60	5300	15.67	0.22	15.89	23.98	0.2500	Pass
64	5320	15.72	0.22	15.94	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.34	0.22	15.56	23.98	0.2500	Pass
60	5300	15.42	0.22	15.64	23.98	0.2500	Pass
64	5320	15.39	0.22	15.61	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.29	23.98	0.2500	Pass
60	5300	20.44	23.98	0.2500	Pass
64	5320	20.45	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.55	0.18	17.73	23.98	0.2500	Pass
62	5310	17.51	0.18	17.69	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.83	0.18	18.01	23.98	0.2500	Pass
62	5310	17.86	0.18	18.04	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.65	0.18	17.83	23.98	0.2500	Pass
62	5310	17.54	0.18	17.72	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.63	23.98	0.2500	Pass
62	5310	22.59	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.91	0.20	15.11	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.29	0.20	15.49	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.96	0.20	15.16	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.03	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.80	0.23	16.03	23.98	0.2500	Pass
60	5300	15.92	0.23	16.15	23.98	0.2500	Pass
64	5320	16.11	0.23	16.34	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.15	0.23	16.38	23.98	0.2500	Pass
60	5300	16.42	0.23	16.65	23.98	0.2500	Pass
64	5320	16.37	0.23	16.60	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.10	0.23	16.33	23.98	0.2500	Pass
60	5300	16.25	0.23	16.48	23.98	0.2500	Pass
64	5320	16.13	0.23	16.36	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.02	23.98	0.2500	Pass
60	5300	21.20	23.98	0.2500	Pass
64	5320	21.21	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.41	0.32	18.73	23.98	0.2500	Pass
62	5310	17.73	0.32	18.05	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.66	0.32	18.98	23.98	0.2500	Pass
62	5310	18.13	0.32	18.45	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.53	0.32	18.85	23.98	0.2500	Pass
62	5310	17.83	0.32	18.15	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.63	23.98	0.2500	Pass
62	5310	22.99	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.12	0.33	15.45	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.45	0.33	15.78	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.19	0.33	15.52	23.98	0.2500	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.36	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	11.28	0.23	11.51	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	11.84	0.23	12.07	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	11.53	0.23	11.76	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.56	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.58	0.22	12.80	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.02	0.22	13.24	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.82	0.22	13.04	23.98	0.2500	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.80	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	23.49	0.22	23.71	23.98	0.2500	Pass
116	5580	23.52	0.22	23.74	23.98	0.2500	Pass
140	5700	22.65	0.22	22.87	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.89	0.22	15.11	23.98	0.2500	Pass
116	5580	15.03	0.22	15.25	23.98	0.2500	Pass
140	5700	14.73	0.22	14.95	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.01	0.22	15.23	23.98	0.2500	Pass
116	5580	15.38	0.22	15.60	23.98	0.2500	Pass
140	5700	14.69	0.22	14.91	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.93	0.22	15.15	23.98	0.2500	Pass
116	5580	14.57	0.22	14.79	23.98	0.2500	Pass
140	5700	15.13	0.22	15.35	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.93	23.98	0.2500	Pass
116	5580	20.00	23.98	0.2500	Pass
140	5700	19.85	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.09	0.18	17.27	23.98	0.2500	Pass
110	5550	16.63	0.18	16.81	23.98	0.2500	Pass
134	5670	16.71	0.18	16.89	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.12	0.18	17.30	23.98	0.2500	Pass
110	5550	16.61	0.18	16.79	23.98	0.2500	Pass
134	5670	16.39	0.18	16.57	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.03	0.18	17.21	23.98	0.2500	Pass
110	5550	16.57	0.18	16.75	23.98	0.2500	Pass
134	5670	16.75	0.18	16.93	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.03	23.98	0.2500	Pass
110	5550	21.55	23.98	0.2500	Pass
134	5670	21.57	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.01	0.20	15.21	23.98	0.2500	Pass
122	5610	18.72	0.20	18.92	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.06	0.20	15.26	23.98	0.2500	Pass
122	5610	18.78	0.20	18.98	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.84	0.20	15.04	23.98	0.2500	Pass
122	5610	18.01	0.20	18.21	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.94	23.98	0.2500	Pass
122	5610	23.49	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	13.05	0.23	13.28	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.97	0.23	13.20	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	12.98	0.23	13.21	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	18.00	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.14	0.23	16.37	23.98	0.2500	Pass
116	5580	15.86	0.23	16.09	23.98	0.2500	Pass
140	5700	16.08	0.23	16.31	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.15	0.23	16.38	23.98	0.2500	Pass
116	5580	16.16	0.23	16.39	23.98	0.2500	Pass
140	5700	15.85	0.23	16.08	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.20	0.23	16.43	23.98	0.2500	Pass
116	5580	15.28	0.23	15.51	23.98	0.2500	Pass
140	5700	16.36	0.23	16.59	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.16	23.98	0.2500	Pass
116	5580	20.78	23.98	0.2500	Pass
140	5700	21.10	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.93	0.32	18.25	23.98	0.2500	Pass
110	5550	18.02	0.32	18.34	23.98	0.2500	Pass
134	5670	17.27	0.32	17.59	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.72	0.32	18.04	23.98	0.2500	Pass
110	5550	17.88	0.32	18.20	23.98	0.2500	Pass
134	5670	17.18	0.32	17.50	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.65	0.32	17.97	23.98	0.2500	Pass
110	5550	17.82	0.32	18.14	23.98	0.2500	Pass
134	5670	17.41	0.32	17.73	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.86	23.98	0.2500	Pass
110	5550	23.00	23.98	0.2500	Pass
134	5670	22.38	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.61	0.33	15.94	23.98	0.2500	Pass
122	5610	18.26	0.33	18.59	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.68	0.33	16.01	23.98	0.2500	Pass
122	5610	18.76	0.33	19.09	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.65	0.33	15.98	23.98	0.2500	Pass
122	5610	18.58	0.33	18.91	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.75	23.98	0.2500	Pass
122	5610	23.64	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.29	0.22	14.51	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.18	0.22	14.40	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.31	0.22	14.53	23.98	0.2500	Pass

Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	19.25	23.98	0.2500	Pass

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.91	0.22	27.13	30.00	1.0000	Pass
157	5785	26.94	0.22	27.16	30.00	1.0000	Pass
165	5825	26.95	0.22	27.17	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.18	0.22	24.40	30.00	1.0000	Pass
157	5785	23.98	0.22	24.20	30.00	1.0000	Pass
165	5825	24.38	0.22	24.60	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.01	0.22	24.23	30.00	1.0000	Pass
157	5785	24.01	0.22	24.23	30.00	1.0000	Pass
165	5825	23.83	0.22	24.05	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.71	0.22	24.93	30.00	1.0000	Pass
157	5785	24.66	0.22	24.88	30.00	1.0000	Pass
165	5825	24.61	0.22	24.83	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	29.30	30.00	1.0000	Pass
157	5785	29.22	30.00	1.0000	Pass
165	5825	29.28	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.24	0.18	21.42	30.00	1.0000	Pass
159	5795	24.06	0.18	24.24	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.96	0.18	21.14	30.00	1.0000	Pass
159	5795	23.91	0.18	24.09	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.52	0.18	21.70	30.00	1.0000	Pass
159	5795	24.31	0.18	24.49	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.20	30.00	1.0000	Pass
159	5795	29.05	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.34	0.20	20.54	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.04	0.20	20.24	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.57	0.20	20.77	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.29	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.11	0.23	25.34	30.00	1.0000	Pass
157	5785	25.03	0.23	25.26	30.00	1.0000	Pass
165	5825	24.87	0.23	25.10	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.68	0.23	24.91	30.00	1.0000	Pass
157	5785	24.61	0.23	24.84	30.00	1.0000	Pass
165	5825	24.42	0.23	24.65	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.86	0.23	25.09	30.00	1.0000	Pass
157	5785	24.95	0.23	25.18	30.00	1.0000	Pass
165	5825	24.94	0.23	25.17	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	29.89	30.00	1.0000	Pass
157	5785	29.87	30.00	1.0000	Pass
165	5825	29.75	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.88	0.32	25.20	30.00	1.0000	Pass
159	5795	24.56	0.32	24.88	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.36	0.32	24.68	30.00	1.0000	Pass
159	5795	24.24	0.32	24.56	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.35	0.32	24.67	30.00	1.0000	Pass
159	5795	24.45	0.32	24.77	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	29.63	30.00	1.0000	Pass
159	5795	29.51	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.52	0.33	20.85	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.32	0.33	20.65	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.69	0.33	21.02	30.00	1.0000	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.61	30.00	1.0000	Pass

Channel Puncturing:

Test Mode	TX BE(EHT80)_Punctured by 20 MHz x111 Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.65	0.33	13.98	30.00	1.0000	Pass
58	5290	15.12	0.33	15.45	23.98	0.2500	Pass
106	5530	15.37	0.33	15.70	23.98	0.2500	Pass
122	5610	17.96	0.33	18.29	23.98	0.2500	Pass
155	5775	20.37	0.33	20.70	30.00	1.0000	Pass

Test Mode	TX BE(EHT80)_Punctured by 20 MHz x111 Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.74	0.33	14.07	30.00	1.0000	Pass
58	5290	15.42	0.33	15.75	23.98	0.2500	Pass
106	5530	15.55	0.33	15.88	23.98	0.2500	Pass
122	5610	18.64	0.33	18.97	23.98	0.2500	Pass
155	5775	19.63	0.33	19.96	30.00	1.0000	Pass

Test Mode	TX BE(EHT80)_Punctured by 20 MHz x111 Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.59	0.33	12.92	30.00	1.0000	Pass
58	5290	15.11	0.33	15.44	23.98	0.2500	Pass
106	5530	15.71	0.33	16.04	23.98	0.2500	Pass
122	5610	17.89	0.33	18.22	23.98	0.2500	Pass
155	5775	20.61	0.33	20.94	30.00	1.0000	Pass

Test Mode	TX BE(EHT80)_Punctured by 20 MHz x111 Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.46	30.00	1.0000	Pass
58	5290	20.32	23.98	0.2500	Pass
106	5530	20.65	23.98	0.2500	Pass
122	5610	23.28	23.98	0.2500	Pass
155	5775	25.32	30.00	1.0000	Pass

Test Mode	TX BE(EHT80)_Punctured by 20 MHz 111x Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.65	0.33	13.98	30.00	1.0000	Pass
58	5290	15.05	0.33	15.38	23.98	0.2500	Pass
106	5530	15.36	0.33	15.69	23.98	0.2500	Pass
122	5610	18.64	0.33	18.97	23.98	0.2500	Pass
155	5775	20.58	0.33	20.91	30.00	1.0000	Pass

Test Mode	TX BE(EHT80)_Punctured by 20 MHz 111x Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.77	0.33	14.10	30.00	1.0000	Pass
58	5290	15.42	0.33	15.75	23.98	0.2500	Pass
106	5530	15.49	0.33	15.82	23.98	0.2500	Pass
122	5610	18.46	0.33	18.79	23.98	0.2500	Pass
155	5775	20.03	0.33	20.36	30.00	1.0000	Pass

Test Mode	TX BE(EHT80)_Punctured by 20 MHz 111x Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.59	0.33	13.92	30.00	1.0000	Pass
58	5290	15.24	0.33	15.57	23.98	0.2500	Pass
106	5530	15.70	0.33	16.03	23.98	0.2500	Pass
122	5610	17.83	0.33	18.16	23.98	0.2500	Pass
155	5775	20.43	0.33	20.76	30.00	1.0000	Pass

Test Mode	TX BE(EHT80)_Punctured by 20 MHz 111x Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.77	30.00	1.0000	Pass
58	5290	20.34	23.98	0.2500	Pass
106	5530	20.62	23.98	0.2500	Pass
122	5610	23.43	23.98	0.2500	Pass
155	5775	25.45	30.00	1.0000	Pass

Test Mode	TX BE(EHT160)_Punctured by 20 MHz x1111111 Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.62	0.22	12.84	23.98	0.2500	Pass
114	5570	13.96	0.22	14.18	23.98	0.2500	Pass

Test Mode	TX BE(EHT160)_Punctured by 20 MHz x1111111 Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.94	0.22	13.16	23.98	0.2500	Pass
114	5570	14.15	0.22	14.37	23.98	0.2500	Pass

Test Mode	TX BE(EHT160)_Punctured by 20 MHz x1111111 Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.65	0.22	12.87	23.98	0.2500	Pass
114	5570	14.39	0.22	14.61	23.98	0.2500	Pass

Test Mode	TX BE(EHT160)_Punctured by 20 MHz x1111111 Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.73	23.98	0.2500	Pass
114	5570	19.16	23.98	0.2500	Pass

Test Mode	TX BE(EHT160)_Punctured by 20 MHz 1111111x Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.24	0.22	12.46	23.98	0.2500	Pass
114	5570	13.94	0.22	14.16	23.98	0.2500	Pass

Test Mode	TX BE(EHT160)_Punctured by 20 MHz 1111111x Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.33	0.22	12.55	23.98	0.2500	Pass
114	5570	14.12	0.22	14.34	23.98	0.2500	Pass

Test Mode	TX BE(EHT160)_Punctured by 20 MHz 1111111x Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.24	0.22	12.46	23.98	0.2500	Pass
114	5570	14.34	0.22	14.56	23.98	0.2500	Pass

Test Mode	TX BE(EHT160)_Punctured by 20 MHz 1111111x Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.26	23.98	0.2500	Pass
114	5570	19.13	23.98	0.2500	Pass

Test Mode	TX BE(EHT160)_Punctured by 20 MHz xx111111 Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.21	0.22	12.43	23.98	0.2500	Pass
114	5570	13.97	0.22	14.19	23.98	0.2500	Pass

Test Mode	TX BE(EHT160)_Punctured by 20 MHz xx111111 Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.49	0.22	12.71	23.98	0.2500	Pass
114	5570	14.14	0.22	14.36	23.98	0.2500	Pass

Test Mode	TX BE(EHT160)_Punctured by 20 MHz xx111111 Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.27	0.22	12.49	23.98	0.2500	Pass
114	5570	14.46	0.22	14.68	23.98	0.2500	Pass

Test Mode	TX BE(EHT160)_Punctured by 20 MHz xx111111 Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.32	23.98	0.2500	Pass
114	5570	19.19	23.98	0.2500	Pass

Test Mode	TX BE(EHT160)_Punctured by 20 MHz 111111xx Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.24	0.22	12.46	23.98	0.2500	Pass
114	5570	14.01	0.22	14.23	23.98	0.2500	Pass

Test Mode	TX BE(EHT160)_Punctured by 20 MHz 111111xx Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.45	0.22	12.67	23.98	0.2500	Pass
114	5570	14.25	0.22	14.47	23.98	0.2500	Pass

Test Mode	TX BE(EHT160)_Punctured by 20 MHz 111111xx Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.23	0.22	12.45	23.98	0.2500	Pass
114	5570	14.44	0.22	14.66	23.98	0.2500	Pass

Test Mode	TX BE(EHT160)_Punctured by 20 MHz 111111xx Mode_Total
-----------	---


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.30	23.98	0.2500	Pass
114	5570	19.23	23.98	0.2500	Pass

Note: Output power = Measure result + Cable loss


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.79	0.22	15.01	17.00	Pass
40	5200	14.88	0.22	15.10	17.00	Pass
48	5240	14.69	0.22	14.91	17.00	Pass



Date: 18.NOV.2025 09:52:53



Date: 18.NOV.2025 09:54:05



Date: 18.NOV.2025 09:54:32

Test Mode UNII-1_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.16	0.22	9.38	14.74	Pass
40	5200	9.18	0.22	9.40	14.74	Pass
48	5240	9.11	0.22	9.33	14.74	Pass



Date: 7.NOV.2025 10:31:25



Date: 7.NOV.2025 10:33:58




Date: 7.NOV.2025 10:36:23

Test Mode UNII-1_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.19	0.22	9.41	14.74	Pass
40	5200	9.29	0.22	9.50	14.74	Pass
48	5240	9.40	0.22	9.62	14.74	Pass



Date: 7.NOV.2025 10:31:47




Date: 7.NOV.2025 10:34:18




Date: 7.NOV.2025 10:36:50

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.41	0.22	9.62	14.74	Pass
40	5200	9.32	0.22	9.54	14.74	Pass
48	5240	9.31	0.22	9.53	14.74	Pass



Date: 7.NOV.2025 10:32:12



Date: 7.NOV.2025 10:34:53




Date: 7.NOV.2025 10:37:17

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.24	14.74	Pass
40	5200	14.25	14.74	Pass
48	5240	14.27	14.74	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.43	0.18	9.61	14.74	Pass
46	5230	9.58	0.18	9.76	14.74	Pass




Date: 7.NOV.2025 10:59:51




Date: 7.NOV.2025 11:01:09

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.35	0.18	9.52	14.74	Pass
46	5230	9.31	0.18	9.49	14.74	Pass




Date: 7.NOV.2025 11:00:11



Date: 7.NOV.2025 11:01:33

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.18	0.18	9.36	14.74	Pass
46	5230	8.99	0.18	9.16	14.74	Pass




Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	14.27	14.74	Pass
46	5230	14.25	14.74	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.12	0.20	7.32	14.74	Pass




Date: 7.NOV.2025 11:21:01

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	12.12	14.74	Pass

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.21	0.23	9.44	14.74	Pass
40	5200	9.21	0.23	9.44	14.74	Pass
48	5240	9.18	0.23	9.41	14.74	Pass



Date: 27.OCT.2025 18:49:24




Date: 27.OCT.2025 18:51:02




Date: 27.OCT.2025 18:52:32

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.39	0.23	9.62	14.74	Pass
40	5200	9.42	0.23	9.64	14.74	Pass
48	5240	9.50	0.23	9.73	14.74	Pass



Date: 27.OCT.2025 18:49:46



Date: 27.OCT.2025 18:51:21




Date: 27.OCT.2025 18:52:51

Test Mode	UNII-1_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.38	0.23	9.61	14.74	Pass
40	5200	9.32	0.23	9.55	14.74	Pass
48	5240	9.41	0.23	9.64	14.74	Pass



Date: 27.OCT.2025 18:50:07



Date: 27.OCT.2025 18:51:41




Date: 27.OCT.2025 18:53:10

Test Mode	UNII-1_TX BE(EHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.33	14.74	Pass
40	5200	14.32	14.74	Pass
48	5240	14.37	14.74	Pass

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.58	0.32	9.90	14.74	Pass
46	5230	9.28	0.32	9.60	14.74	Pass




Date: 29.OCT.2025 15:51:43




Date: 29.OCT.2025 15:54:59

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.62	0.32	9.94	14.74	Pass
46	5230	9.38	0.32	9.70	14.74	Pass




Date: 29.OCT.2025 15:52:05



Date: 29.OCT.2025 15:55:20

Test Mode	UNII-1_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.27	0.32	9.59	14.74	Pass
46	5230	9.37	0.32	9.69	14.74	Pass




Test Mode	UNII-1_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	14.59	14.74	Pass
46	5230	14.43	14.74	Pass

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.52	0.33	6.85	14.74	Pass



Date: 29.OCT.2025 16:42:45

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.73	0.33	7.06	14.74	Pass



Date: 29.OCT.2025 16:43:52

Test Mode	UNII-1_TX BE(EHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.30	0.33	6.63	14.74	Pass




Test Mode	UNII-1_TX BE(EHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	11.62	14.74	Pass

Test Mode UNII-2A_TX AC(VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.17	0.22	3.39	8.74	Pass
60	5300	3.19	0.22	3.41	8.74	Pass
64	5320	3.40	0.22	3.62	8.74	Pass



Date: 7.NOV.2025 10:39:27




Date: 7.NOV.2025 10:42:15




Date: 7.NOV.2025 10:43:48

Test Mode UNII-2A_TX AC(VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.44	0.22	3.66	8.74	Pass
60	5300	3.51	0.22	3.73	8.74	Pass
64	5320	3.69	0.22	3.91	8.74	Pass



Date: 7.NOV.2025 10:39:50




Date: 7.NOV.2025 10:42:38



Date: 7.NOV.2025 10:44:16

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.29	0.22	3.50	8.74	Pass
60	5300	3.27	0.22	3.49	8.74	Pass
64	5320	3.34	0.22	3.56	8.74	Pass



Date: 7.NOV.2025 10:40:13



Date: 7.NOV.2025 10:43:04





Date: 7.NOV.2025 10:44:41

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.29	8.74	Pass
60	5300	8.32	8.74	Pass
64	5320	8.47	8.74	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.49	0.18	3.67	8.74	Pass
62	5310	3.41	0.18	3.59	8.74	Pass





Date: 7.NOV.2025 11:02:55

Date: 7.NOV.2025 11:04:24

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.60	0.18	3.78	8.74	Pass
62	5310	3.45	0.18	3.63	8.74	Pass




Date: 7.NOV.2025 11:03:22

Date: 7.NOV.2025 11:04:49

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.55	0.18	3.73	8.74	Pass
62	5310	3.27	0.18	3.44	8.74	Pass




Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	8.50	8.74	Pass
62	5310	8.32	8.74	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.43	0.20	1.63	8.74	Pass



Date: 7.NOV.2025 11:23:52

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.44	0.20	1.64	8.74	Pass



Date: 7.NOV.2025 11:24:14

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.35	0.20	1.56	8.74	Pass




Date: 7.NOV.2025 11:24:43

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	6.38	8.74	Pass

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.81	0.23	3.04	8.74	Pass
60	5300	3.02	0.23	3.25	8.74	Pass
64	5320	3.19	0.23	3.42	8.74	Pass



Date: 29.OCT.2025 16:09:52




Date: 27.OCT.2025 18:57:54




Date: 27.OCT.2025 19:00:14

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.19	0.23	3.42	8.74	Pass
60	5300	3.45	0.23	3.68	8.74	Pass
64	5320	3.42	0.23	3.65	8.74	Pass



Date: 29.OCT.2025 16:10:22




Date: 27.OCT.2025 18:59:05




Date: 27.OCT.2025 19:00:40

Test Mode	UNII-2A_TX BE(EHT20) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.03	0.23	3.26	8.74	Pass
60	5300	3.20	0.23	3.42	8.74	Pass
64	5320	3.45	0.23	3.68	8.74	Pass



Date: 29.OCT.2025 16:10:46



Date: 27.OCT.2025 18:59:27




Date: 27.OCT.2025 19:01:14

Test Mode	UNII-2A_TX BE(EHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.01	8.74	Pass
60	5300	8.23	8.74	Pass
64	5320	8.36	8.74	Pass

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.33	0.32	3.65	8.74	Pass
62	5310	3.31	0.32	3.63	8.74	Pass




Date: 29.OCT.2025 16:12:49




Date: 29.OCT.2025 16:21:38

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.62	0.32	3.94	8.74	Pass
62	5310	3.82	0.32	4.14	8.74	Pass




Date: 29.OCT.2025 16:13:18



Date: 29.OCT.2025 16:22:02

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.57	0.33	0.90	8.74	Pass



Date: 29.OCT.2025 16:46:51

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.84	0.33	1.17	8.74	Pass




Date: 29.OCT.2025 16:47:14

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.51	0.33	0.84	8.74	Pass

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	5.74	8.74	Pass

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-1.17	0.23	-0.94	8.74	Pass




Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-0.92	0.23	-0.69	8.74	Pass



Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	4.02	8.74	Pass

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-1.90	0.22	-1.67	8.74	Pass




Date: 29.OCT.2025 16:55:36

Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
-----------	---


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	3.38	8.74	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.54	0.22	10.75	11.00	Pass
116	5580	10.59	0.22	10.81	11.00	Pass
140	5700	10.12	0.22	10.34	11.00	Pass



Date: 18.NOV.2025 10:00:32




Date: 18.NOV.2025 10:01:12




Date: 18.NOV.2025 10:01:44

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.54	0.22	3.76	8.74	Pass
116	5580	3.47	0.22	3.69	8.74	Pass
140	5700	3.64	0.22	3.86	8.74	Pass



Date: 7.NOV.2025 10:47:36




Date: 7.NOV.2025 10:49:10




Date: 7.NOV.2025 10:51:09

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.64	0.22	3.86	8.74	Pass
116	5580	3.66	0.22	3.87	8.74	Pass
140	5700	3.36	0.22	3.57	8.74	Pass



Date: 7.NOV.2025 10:48:00



Date: 7.NOV.2025 10:49:34



Date: 7.NOV.2025 10:51:38