



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 3 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 100     | 5500            | 3.75                             | 0.22             | 3.97                                           | 8.74                 | Pass   |
| 116     | 5580            | 2.93                             | 0.22             | 3.15                                           | 8.74                 | Pass   |
| 140     | 5700            | 3.82                             | 0.22             | 4.04                                           | 8.74                 | Pass   |



Date: 7.NOV.2025 10:48:20



Date: 7.NOV.2025 10:50:17




Date: 7.NOV.2025 10:52:02

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 100     | 5500            | 8.64                             | 8.74                 | Pass   |
| 116     | 5580            | 8.35                             | 8.74                 | Pass   |
| 140     | 5700            | 8.60                             | 8.74                 | Pass   |

Test Mode UNII-2C\_TX AC(VHT40) Mode\_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 102     | 5510            | 3.77                             | 0.18             | 3.94                                           | 8.74                 | Pass   |
| 110     | 5550            | 3.31                             | 0.18             | 3.49                                           | 8.74                 | Pass   |
| 134     | 5670            | 3.37                             | 0.18             | 3.54                                           | 8.74                 | Pass   |



Date: 7.NOV.2025 11:08:16



Date: 7.NOV.2025 11:11:38




Date: 7.NOV.2025 11:13:05

Test Mode UNII-2C\_TX AC(VHT40) Mode\_Ant. 2

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 102     | 5510            | 3.60                             | 0.18             | 3.78                                           | 8.74                 | Pass   |
| 110     | 5550            | 3.34                             | 0.18             | 3.52                                           | 8.74                 | Pass   |
| 134     | 5670            | 2.94                             | 0.18             | 3.12                                           | 8.74                 | Pass   |



Date: 7.NOV.2025 11:08:56




Date: 7.NOV.2025 11:11:57




Date: 7.NOV.2025 11:13:26

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 3 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 102     | 5510            | 3.73                             | 0.18             | 3.91                                           | 8.74                 | Pass   |
| 110     | 5550            | 3.53                             | 0.18             | 3.71                                           | 8.74                 | Pass   |
| 134     | 5670            | 2.97                             | 0.18             | 3.14                                           | 8.74                 | Pass   |



Date: 7.NOV.2025 11:09:16



Date: 7.NOV.2025 11:12:17





Date: 7.NOV.2025 11:13:49

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 102     | 5510            | 8.65                             | 8.74                 | Pass   |
| 110     | 5550            | 8.34                             | 8.74                 | Pass   |
| 134     | 5670            | 8.04                             | 8.74                 | Pass   |



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 106     | 5530            | 1.99                             | 0.20             | 2.19                                           | 8.74                 | Pass   |
| 122     | 5610            | 1.86                             | 0.20             | 2.06                                           | 8.74                 | Pass   |




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 106     | 5530            | 1.99                             | 0.20             | 2.19                                           | 8.74                 | Pass   |
| 122     | 5610            | 1.83                             | 0.20             | 2.03                                           | 8.74                 | Pass   |



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 106     | 5530            | 2.31                             | 0.20             | 2.51                                           | 8.74                 | Pass   |
| 122     | 5610            | 1.20                             | 0.20             | 1.40                                           | 8.74                 | Pass   |




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 106     | 5530            | 7.07                             | 8.74                 | Pass   |
| 122     | 5610            | 6.61                             | 8.74                 | Pass   |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT160) Mode_Ant. 1 |
|-----------|-----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 114     | 5570            | -0.71                            | 0.23             | -0.48                                          | 8.74                 | Pass   |



Date: 7.NOV.2025 11:38:22

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT160) Mode_Ant. 2 |
|-----------|-----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 114     | 5570            | -0.71                            | 0.23             | -0.48                                          | 8.74                 | Pass   |



Date: 7.NOV.2025 11:38:56

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT160) Mode_Ant. 3 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 114     | 5570            | -0.20                            | 0.23             | 0.03                                           | 8.74                 | Pass   |




Date: 7.NOV.2025 11:39:28

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT160) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 114     | 5570            | 4.47                             | 8.74                 | Pass   |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 100     | 5500            | 3.82                             | 0.23             | 4.05                                           | 8.74                 | Pass   |
| 116     | 5580            | 3.37                             | 0.23             | 3.60                                           | 8.74                 | Pass   |
| 140     | 5700            | 3.47                             | 0.23             | 3.69                                           | 8.74                 | Pass   |




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 100     | 5500            | 3.50                             | 0.23             | 3.72                                           | 8.74                 | Pass   |
| 116     | 5580            | 3.51                             | 0.23             | 3.73                                           | 8.74                 | Pass   |
| 140     | 5700            | 3.23                             | 0.23             | 3.46                                           | 8.74                 | Pass   |




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT20) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 100     | 5500            | 3.81                             | 0.23             | 4.04                                           | 8.74                 | Pass   |
| 116     | 5580            | 2.89                             | 0.23             | 3.12                                           | 8.74                 | Pass   |
| 140     | 5700            | 3.90                             | 0.23             | 4.13                                           | 8.74                 | Pass   |



Date: 27.OCT.2025 19:02:58



Date: 27.OCT.2025 19:06:25




Date: 27.OCT.2025 19:08:20

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX BE(EHT20) Mode_Total |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 100     | 5500            | 8.71                             | 8.74                 | Pass   |
| 116     | 5580            | 8.27                             | 8.74                 | Pass   |
| 140     | 5700            | 8.54                             | 8.74                 | Pass   |

Test Mode UNII-2C\_TX BE(EHT40) Mode\_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 102     | 5510            | 3.65                             | 0.32             | 3.97                                           | 8.74                 | Pass   |
| 110     | 5550            | 3.61                             | 0.32             | 3.93                                           | 8.74                 | Pass   |
| 134     | 5670            | 3.35                             | 0.32             | 3.67                                           | 8.74                 | Pass   |



Date: 29.OCT.2025 16:24:31



Date: 29.OCT.2025 16:27:37



Date: 29.OCT.2025 16:36:42

Test Mode UNII-2C\_TX BE(EHT40) Mode\_Ant. 2

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 102     | 5510            | 3.42                             | 0.32             | 3.74                                           | 8.74                 | Pass   |
| 110     | 5550            | 3.49                             | 0.32             | 3.81                                           | 8.74                 | Pass   |
| 134     | 5670            | 2.77                             | 0.32             | 3.09                                           | 8.74                 | Pass   |



Date: 29.OCT.2025 16:25:08




Date: 29.OCT.2025 16:28:52



Date: 29.OCT.2025 16:37:18

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT40) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 102     | 5510            | 3.60                             | 0.32             | 3.92                                           | 8.74                 | Pass   |
| 110     | 5550            | 3.56                             | 0.32             | 3.88                                           | 8.74                 | Pass   |
| 134     | 5670            | 3.27                             | 0.32             | 3.59                                           | 8.74                 | Pass   |



Date: 29.OCT.2025 16:25:37



Date: 29.OCT.2025 16:29:22




Date: 29.OCT.2025 16:37:43

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX BE(EHT40) Mode_Total |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 102     | 5510            | 8.65                             | 8.74                 | Pass   |
| 110     | 5550            | 8.65                             | 8.74                 | Pass   |
| 134     | 5670            | 8.23                             | 8.74                 | Pass   |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 106     | 5530            | 0.97                             | 0.33             | 1.30                                           | 8.74                 | Pass   |
| 122     | 5610            | 1.59                             | 0.33             | 1.92                                           | 8.74                 | Pass   |




Date: 29.OCT.2025 16:48:47




Date: 29.OCT.2025 16:50:32

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 106     | 5530            | 0.67                             | 0.33             | 1.00                                           | 8.74                 | Pass   |
| 122     | 5610            | 1.11                             | 0.33             | 1.44                                           | 8.74                 | Pass   |




Date: 29.OCT.2025 16:49:16




Date: 29.OCT.2025 16:51:00

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT80) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 106     | 5530            | 1.09                             | 0.33             | 1.42                                           | 8.74                 | Pass   |
| 122     | 5610            | 0.70                             | 0.33             | 1.03                                           | 8.74                 | Pass   |



Date: 29.OCT.2025 16:49:44



Date: 29.OCT.2025 16:51:27

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX BE(EHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 106     | 5530            | 6.02                             | 8.74                 | Pass   |
| 122     | 5610            | 6.25                             | 8.74                 | Pass   |

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 114     | 5570            | -1.32                            | 0.22             | -1.10                                          | 8.74                 | Pass   |




| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 114     | 5570            | -1.62                            | 0.22             | -1.40                                          | 8.74                 | Pass   |



|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT160) Mode_Ant. 3 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|------------------|------------------------------------------------|----------------------|--------|
| 114     | 5570            | -1.17                            | 0.22             | -0.95                                          | 8.74                 | Pass   |



Date: 29.OCT.2025 16:58:08


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX BE(EHT160) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result |
|---------|-----------------|----------------------------------|----------------------|--------|
| 114     | 5570            | 3.63                             | 8.74                 | Pass   |


|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|----------------------------------------------------|--------------------------|--------|
| 149     | 5745            | 6.17                                 | 13.16                                | 0.22             | 13.38                                              | 30.00                    | Pass   |
| 157     | 5785            | 5.75                                 | 12.74                                | 0.22             | 12.96                                              | 30.00                    | Pass   |
| 165     | 5825            | 4.58                                 | 11.57                                | 0.22             | 11.79                                              | 30.00                    | Pass   |


NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 18.NOV.2025 10:02:17



Date: 18.NOV.2025 10:02:58



Date: 18.NOV.2025 10:03:24


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|----------------------------------------------------|--------------------------|--------|
| 149     | 5745            | 6.05                                 | 13.04                                | 0.22             | 13.26                                              | 27.74                    | Pass   |
| 157     | 5785            | 5.76                                 | 12.75                                | 0.22             | 12.97                                              | 27.74                    | Pass   |
| 165     | 5825            | 5.63                                 | 12.62                                | 0.22             | 12.84                                              | 27.74                    | Pass   |


NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 7.NOV.2025 10:53:03



Date: 7.NOV.2025 10:54:47




Date: 7.NOV.2025 10:56:17


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|----------------------------------------------------|--------------------------|--------|
| 149     | 5745            | 4.19                                 | 11.18                                | 0.22             | 11.39                                              | 27.74                    | Pass   |
| 157     | 5785            | 3.58                                 | 10.57                                | 0.22             | 10.79                                              | 27.74                    | Pass   |
| 165     | 5825            | 4.28                                 | 11.27                                | 0.22             | 11.49                                              | 27.74                    | Pass   |


NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 7.NOV.2025 10:53:34



Date: 7.NOV.2025 10:55:12




Date: 7.NOV.2025 10:56:41




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|----------------------------------------------------|--------------------------|--------|
| 151     | 5755            | 2.11                                 | 9.09                                 | 0.18             | 9.27                                               | 27.74                    | Pass   |
| 159     | 5795            | 2.28                                 | 9.27                                 | 0.18             | 9.45                                               | 27.74                    | Pass   |

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 7.NOV.2025 11:14:59




Date: 7.NOV.2025 11:16:47


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|----------------------------------------------------|--------------------------|--------|
| 151     | 5755            | 1.31                                 | 8.30                                 | 0.18             | 8.48                                               | 27.74                    | Pass   |
| 159     | 5795            | 0.92                                 | 7.91                                 | 0.18             | 8.09                                               | 27.74                    | Pass   |

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 7.NOV.2025 11:15:39




Date: 7.NOV.2025 11:17:11


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|----------------------------------------------------|--------------------------|--------|
| 151     | 5755            | 1.48                                 | 8.47                                 | 0.18             | 8.65                                               | 27.74                    | Pass   |
| 159     | 5795            | 1.30                                 | 8.29                                 | 0.18             | 8.46                                               | 27.74                    | Pass   |

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 7.NOV.2025 11:16:04



Date: 7.NOV.2025 11:17:34


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------|--------|
| 151     | 5755            | 13.58                                | 27.74                    | Pass   |
| 159     | 5795            | 13.48                                | 27.74                    | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|----------------------------------------------------|--------------------------|--------|
| 155     | 5775            | -1.38                                | 5.61                                 | 0.20             | 5.81                                               | 27.74                    | Pass   |


NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|----------------------------------------------------|--------------------------|--------|
| 155     | 5775            | -2.14                                | 4.85                                 | 0.20             | 5.05                                               | 27.74                    | Pass   |


NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|----------------------------------------------------|--------------------------|--------|
| 155     | 5775            | -1.93                                | 5.06                                 | 0.20             | 5.27                                               | 27.74                    | Pass   |

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------|--------|
| 155     | 5775            | 10.16                                | 27.74                    | Pass   |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|----------------------------------------------------|--------------------------|--------|
| 149     | 5745            | 2.58                                 | 9.57                                 | 0.23             | 9.80                                               | 27.74                    | Pass   |
| 157     | 5785            | 2.42                                 | 9.41                                 | 0.23             | 9.64                                               | 27.74                    | Pass   |
| 165     | 5825            | 2.36                                 | 9.35                                 | 0.23             | 9.58                                               | 27.74                    | Pass   |


NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 27.OCT.2025 19:09:11



Date: 27.OCT.2025 19:10:19




Date: 27.OCT.2025 19:11:44

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|----------------------------------------------------|--------------------------|--------|
| 149     | 5745            | 2.78                                 | 9.77                                 | 0.23             | 10.00                                              | 27.74                    | Pass   |
| 157     | 5785            | 2.31                                 | 9.30                                 | 0.23             | 9.53                                               | 27.74                    | Pass   |
| 165     | 5825            | 2.27                                 | 9.26                                 | 0.23             | 9.49                                               | 27.74                    | Pass   |


NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 27.OCT.2025 19:09:27



Date: 27.OCT.2025 19:10:41






Date: 27.OCT.2025 19:12:12

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT20) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|----------------------------------------------------|--------------------------|--------|
| 149     | 5745            | 3.25                                 | 10.24                                | 0.23             | 10.46                                              | 27.74                    | Pass   |
| 157     | 5785            | 2.83                                 | 9.82                                 | 0.23             | 10.05                                              | 27.74                    | Pass   |
| 165     | 5825            | 2.75                                 | 9.74                                 | 0.23             | 9.97                                               | 27.74                    | Pass   |

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX BE(EHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------|--------|
| 149     | 5745            | 14.87                                | 27.74                    | Pass   |
| 157     | 5785            | 14.52                                | 27.74                    | Pass   |
| 165     | 5825            | 14.46                                | 27.74                    | Pass   |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|----------------------------------------------------|--------------------------|--------|
| 151     | 5755            | 0.10                                 | 7.09                                 | 0.32             | 7.41                                               | 27.74                    | Pass   |
| 159     | 5795            | 0.37                                 | 7.36                                 | 0.32             | 7.68                                               | 27.74                    | Pass   |

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 29.OCT.2025 16:38:54




Date: 29.OCT.2025 16:40:41


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|----------------------------------------------------|--------------------------|--------|
| 151     | 5755            | 0.16                                 | 7.15                                 | 0.32             | 7.47                                               | 27.74                    | Pass   |
| 159     | 5795            | 0.05                                 | 7.04                                 | 0.32             | 7.36                                               | 27.74                    | Pass   |

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 29.OCT.2025 16:39:19




Date: 29.OCT.2025 16:41:09


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|----------------------------------------------------|--------------------------|--------|
| 151     | 5755            | 0.39                                 | 7.38                                 | 0.32             | 7.70                                               | 27.74                    | Pass   |
| 159     | 5795            | 0.72                                 | 7.70                                 | 0.32             | 8.02                                               | 27.74                    | Pass   |

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 29.OCT.2025 16:39:53



Date: 29.OCT.2025 16:41:37


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX BE(EHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------|--------|
| 151     | 5755            | 12.30                                | 27.74                    | Pass   |
| 159     | 5795            | 12.47                                | 27.74                    | Pass   |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|----------------------------------------------------|--------------------------|--------|
| 155     | 5775            | -2.66                                | 4.33                                 | 0.33             | 4.66                                               | 27.74                    | Pass   |


NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|----------------------------------------------------|--------------------------|--------|
| 155     | 5775            | -2.81                                | 4.18                                 | 0.33             | 4.51                                               | 27.74                    | Pass   |


NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX BE(EHT80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/100 kHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor (dB) | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------------------|------------------|----------------------------------------------------|--------------------------|--------|
| 155     | 5775            | -2.10                                | 4.89                                 | 0.33             | 5.22                                               | 27.74                    | Pass   |

NOTE:  $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX BE(EHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result |
|---------|-----------------|--------------------------------------|--------------------------|--------|
| 155     | 5775            | 9.58                                 | 27.74                    | Pass   |

## APPENDIX H - FREQUENCY STABILITY

|           |        |
|-----------|--------|
| Test Mode | UNII-1 |
|-----------|--------|

#### Voltage vs. Frequency Stability

| Voltage (V)             | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5180.0000                   |
| 138.00                  | 5179.9864                   |
| 120.00                  | 5179.9884                   |
| 102.00                  | 5179.9856                   |
| Maximum Deviation (MHz) | -0.0144                     |
| Maximum Deviation (ppm) | -2.7799                     |

#### Temperature vs. Frequency Stability

| Temperature (°C)        | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5180.0000                   |
| 0.00                    | 5179.9820                   |
| 10.00                   | 5179.9864                   |
| 20.00                   | 5179.9884                   |
| 30.00                   | 5179.9900                   |
| 40.00                   | 5179.9872                   |
| Maximum Deviation (MHz) | -0.0180                     |
| Maximum Deviation (ppm) | -3.4749                     |

|           |         |
|-----------|---------|
| Test Mode | UNII-2A |
|-----------|---------|

#### Voltage vs. Frequency Stability

| Voltage (V)             | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5260.0000                   |
| 138.00                  | 5259.9836                   |
| 120.00                  | 5259.9844                   |
| 102.00                  | 5259.9920                   |
| Maximum Deviation (MHz) | -0.0164                     |
| Maximum Deviation (ppm) | -3.1179                     |

#### Temperature vs. Frequency Stability

| Temperature (°C)        | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5260.0000                   |
| 0.00                    | 5259.9844                   |
| 10.00                   | 5259.9864                   |
| 20.00                   | 5259.9844                   |
| 30.00                   | 5259.9828                   |
| 40.00                   | 5259.9840                   |
| Maximum Deviation (MHz) | -0.0172                     |
| Maximum Deviation (ppm) | -3.2700                     |

|           |         |
|-----------|---------|
| Test Mode | UNII-2C |
|-----------|---------|

### Voltage vs. Frequency Stability

| Voltage (V)             | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5500.0000                   |
| 138.00                  | 5499.9800                   |
| 120.00                  | 5499.9844                   |
| 102.00                  | 5499.9888                   |
| Maximum Deviation (MHz) | -0.0200                     |
| Maximum Deviation (ppm) | -3.6364                     |

### Temperature vs. Frequency Stability

| Temperature (°C)        | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5500.0000                   |
| 0.00                    | 5499.9848                   |
| 10.00                   | 5499.9880                   |
| 20.00                   | 5499.9844                   |
| 30.00                   | 5499.9836                   |
| 40.00                   | 5499.9828                   |
| Maximum Deviation (MHz) | -0.0172                     |
| Maximum Deviation (ppm) | -3.1273                     |

|           |        |
|-----------|--------|
| Test Mode | UNII-3 |
|-----------|--------|

#### Voltage vs. Frequency Stability

| Voltage (V)             | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5745.0000                   |
| 138.00                  | 5744.9832                   |
| 120.00                  | 5744.9844                   |
| 102.00                  | 5744.9872                   |
| Maximum Deviation (MHz) | -0.0168                     |
| Maximum Deviation (ppm) | -2.9243                     |

#### Temperature vs. Frequency Stability

| Temperature (°C)        | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| Center Frequency        | 5745.0000                   |
| 0.00                    | 5744.9884                   |
| 10.00                   | 5744.9884                   |
| 20.00                   | 5744.9844                   |
| 30.00                   | 5744.9844                   |
| 40.00                   | 5744.9840                   |
| Maximum Deviation (MHz) | -0.0160                     |
| Maximum Deviation (ppm) | -2.7850                     |

End of Test Report