

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED



Dongguan Jinzan Intelligent Technology Co., Ltd

PRODUCT SPECIFICATION

CUSTOMER:	Shenzhen Beiliqi Technology Co., Ltd
CUST P/N:	3-122DX01010AA-126
K C P/N:	J30-000530-001
D E S E :	16.5*40*0.08*105P*11TS*32MM
D A T E :	2025.02.12
VERSION :	A.0

ACCEPTANCE STAMP

PREPARED BY	MERCHANDISER	ENGINEER CHECKED BY	APPROVED BY
Yanhuilin			

Address: No. 2 Xisha Road, Shijie Town, Dongguan City
Tel: 86-076986018114 Fax: 86-076986015646

[Http://www.jzcoil.com](http://www.jzcoil.com)

文件编号 FilNo: KC-JZ-09-008

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED

Version Change History

CUST P/N:	3-122DX01010AA-126
KC DESE:	16. 5*40*0. 08*105P*11TS*30MM

Rev.	Before Change	DESCRIPTION(Content Or Reason ForChanged)	Date	Revisor
A. 0	—	Initial Release	2025/02/12	Yanhuilin

PREPARED BY	ENGINEER CHECKED BY
Yanhuilin	Lijin

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED

Specification


CUST P/N:

3-122DX01010AA-126

KC DESE:

16.5*40*0.08*105P*11TS*30MM

1. OVERALL DIMENSIONS OF PRODUCTS:



Unit:mm

A	B	C	D	E	F	G	H	I
5.3±0.5	16.5±0.5	40±1	44+0/-1	3±1	32±1	10±2	1.2±0.05	2.8MAX

PS:1. (F) For magnetic external lead length; 2. (H) Excluding incoming lines; (I) Excluding release paper.

Turns	Wire Dia.	Wdg. Type Spred/Close	Wdg. Direction	Intersect Yes/Not	Coil Positive/Anti Paste
11TS	0.08*105P Silk-Covered Wire	Close	Anticlockwise	Yes	Anti/-Paste

All materials must comply with ROHS standards

2. ELECTRICAL CHARACTERISTICS:

PREPARED BY	ENGINEER CHECKED BY
Yanhuilin	Lijin

Address: No. 2 Xisha Road, Shijie Town, Dongguan City
Tel: 86-076986018114 Fax: 86-076986015646

Http://www.jzcoil.com

文件编号 FilNo: KC-JZ-09-008

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED

Specification

CUST P/N:

3-122DX01010AA-126

KC DESE:

16.5*40*0.08*105P*11TS*30MM

TEMPERATURE: $25 \pm 10^{\circ}\text{C}$, RELATIVE HUMIDITY: $65 \pm 10\%$

NO.	ITEM	TERMINAL	SPECIFICATION	TEST FREQUENCY	TEST EQUIPMENTS
1	IND	S-F	inductance: $6.25 \mu\text{H} \pm 10\%$	100kHz/1V	LCZ METER 1062

3. BILL OF MATERIAIS:

NO.	Material name	Description	Material Code	Vendor code
1	wire rod	0.08*105 Silk-Covered Wire	SBX-2U-F-0011	ZY
2	ferrite	G44+0-1*5.3*0.8H with holes, double slot L slot	GCP-T-0084	HBC
3	double-sided tape	42*5.3*0.12H With holes, tear by hand	SMJ-3M-00041	MYS
4	adhesive tape	8mm	8MM	JRM
5	glue	JS-E7202 White glue	E7202W	HZY
6	tin	tin	tin	XC

PREPARED BY

ENGINEER CHECKED BY

Yanhuilin

Lijin

Address: No. 2 Xisha Road, Shijie Town, Dongguan City
 Tel: 86-076986018114 Fax: 86-076986015646

[Http://www.jzcoil.com](http://www.jzcoil.com)

文件编号 FilNo: KC-JZ-09-008