

Guangdong Dingzhi Electronic Technology Co., Ltd.

Carry
Recognize
Book

Customer Name: Shenzhen Beiliqi Technology Co., Ltd.

Customer code: BLQ

Material Number: 3-122DX01010AA-154

Product Name: Apple Samsung compatible model

Specification Description: Inductance 7.8UH $\pm$ 5%, lead wire 11mm,
magnet 6*2, hollow back glue application, zinc-plated N52

Date: 2025-11-07

Dingzhi admits to taking responsibility

<u>Approval</u>	<u>Confirm</u>	Handling
Li Pinghui	Ma Xiangping	

Customer acceptance

--	--	--

Company Address: 1231 Yinge Avenue, First Floor, Longmen County, Huizhou City, Guangdong Province

Phone: 13147097490

Fax:

Email:: 812769004@qq.com



SPECIFICATIONS SHEET

CUSTOMER :

Beileqi

DESCRIPTION :

Inductance $7.8\text{UH}\pm 5\%$, lead wire 11mm, magnet 6*2,
hollow back glue application, zinc-plated N52

CUSTOMER P/N :

PART NUMBER :

3-122DX01010AA-154

DATE OF APPLICATION :

2025-11-7

CLASSIFICATION OF SPEC . PRESENTATION. (Tick the relevant box "√")

- ☐ New application
- ☒ New part is added to accepted specification
- ☐ Revision of accepted specification

ACCEPTANCE STAMP

APPROVAL BY	CHECK BY	PREPARE BY
Ma Xiangping		Li Pinghui

ADDRESS : 3rd Floor, No. 181, Mingyue 2nd Road, Shiwan Town, Boluo County, Huizhou city
TELEPHONE : 13 14 70 97 49 0
E-MAIL : 812769004@qq.com


History For Revised Specification		CUSTOMER P/N :			
		PART NUMBER :			
Item	DESCRIPTION (Content Or Reason For Changed)	Rev.	Cust Rev.	Date	Revisor
1	Initial Release	A0		2025-11-7	lipinghui
APPROVED BY		CHECKED BY	PREPARED BY	DATE	PAGE
Ma Xiangping			lipinghui	2025-11-7	1 of 3

Specification

CUSTOMER P/N :

PART NUMBER :

1. DIMENSIONS () : (Unit: mm)
(Unit) : (mm)



A	B	C	D	E	F	G	
21Max	14.5±0.5	10±0.5	25±1	11 ±1	3±1	2.55±1	

1. S142 Soft Magnetic Dimensions: $\phi 25\text{mm} \times 2.6\text{mm} \times 10\text{mm}$ (Inner Diameter).
2. The product is attached with a hollow back glue with a diameter of $\phi 18\text{mm}$ and an inner hole of 10mm.
3. Magnet $\phi 6\text{mm} \times 2\text{mm}$, 3400GS.
4. Circular plastic tube $10\text{mm} \times 6\text{mm}$

APPROVED BY	CHECKED BY	PREPARED BY	DATE	PAGE
Ma Xiangping		lipinghui	2025-11-7	2 of 3

[illegible]