


A.4 Hopping Frequency Separation

Test Data

Mode	Frequency separation (MHz)	2/3 of the 20 dB Bandwidth (MHz)	Verdict
GFSK	1.000	0.753	Pass
8-DPSK	1.005	0.857	Pass

Test Plots

GFSK



8-DPSK




A.5 Average Time of Occupancy

Test Data


GFSK				
DH Packet	Pulse Width (ms)	Total of Dwell (ms)	Limit (sec)	Verdict
DH 1	0.37440	119.808	0.4	Pass
DH 3	1.62700	260.320	0.4	Pass
DH 5	2.87600	306.773	0.4	Pass
8-DPSK				
DH Packet	Pulse Width (ms)	Total of Dwell (ms)	Limit (sec)	Verdict
3DH 1	0.37920	121.344	0.4	Pass
3DH 3	1.62700	260.320	0.4	Pass
3DH 5	2.87600	306.773	0.4	Pass
AFH Mode				
DH Packet	Pulse Width (ms)	Total of Dwell (ms)	Limit (sec)	Verdict
DH 1	0.37280	59.648	0.4	Pass
DH 3	1.63400	130.720	0.4	Pass
DH 5	2.87600	153.387	0.4	Pass

Test Plots


GFSK DH1




GFSK DH3




GFSK DH5




8-DPSK 3DH1




8-DPSK 3DH3




8-DPSK 3DH5




AFH Mode DH1



AFH Mode DH3



AFH Mode DH5



A.6 Conducted Spurious Emissions & Authorized-band band-edge


Test Data

GFSK				
Channel	Measured Max. Out of Band Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-36.70	0.13	-19.87	Pass
Middle	-36.93	0.26	-19.74	Pass
High	-35.32	0.33	-19.67	Pass
8-DPSK				
Channel	Measured Max. Out of Band Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-35.08	0.38	-19.62	Pass
Middle	-34.56	0.61	-19.39	Pass
High	-35.49	0.48	-19.52	Pass


Hopping Mode				
Mode	Measured Max. Out of Band Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
GFSK	-34.73	0.33	-19.67	Pass
8-DPSK	-36.12	-3.74	-23.74	Pass

Test Plots


GFSK LOW CHANNEL, CARRIER LEVEL




GFSK LOW CHANNEL, BAND EDGE




GFSK LOW CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK LOW CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




GFSK MIDDLE CHANNEL, CARRIER LEVEL




GFSK MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK MIDDLE CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




GFSK HIGH CHANNEL, CARRIER LEVEL




GFSK HIGH CHANNEL, BAND EDGE




GFSK HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK HIGH CHANNEL, SPURIOUS 3 GHz ~ 25 GHz



8-DPSK LOW CHANNEL, CARRIER LEVEL




8-DPSK LOW CHANNEL, BAND EDGE




8-DPSK LOW CHANNEL, SPURIOUS

30 MHz ~ 3 GHz




8-DPSK LOW CHANNEL, SPURIOUS


3 GHz ~ 25 GHz




8-DPSK MIDDLE CHANNEL, CARRIER LEVEL




8-DPSK MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




8-DPSK MIDDLE CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




8-DPSK HIGH CHANNEL, CARRIER LEVEL




8-DPSK HIGH CHANNEL, BAND EDGE




8-DPSK HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




8-DPSK HIGH CHANNEL, SPURIOUS 3 GHz ~ 25 GHz






GFSK HOPPING, CARRIER LEVEL




GFSK HOPPING BAND EDGE (LOW)




GFSK HOPPING BAND EDGE (HIGH)

GFSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHzGFSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz



8-DPSK HOPPING, CARRIER LEVEL



8-DPSK Hopping BAND EDGE (LOW)



8-DPSK Hopping BAND EDGE (HIGH)

8-DPSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHz8-DPSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz

A.7 Conducted Emissions

Note: Not applicable.

A.8 Radiated Spurious Emission

Note¹: The symbol of “--” in the table which means not application.

Note²: For the test data above 1 GHz, according the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note³: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and DH5-Hopping mode is the worst.


Note⁴: Results (dBuV/m) = Original reading level of Spectrum Analyzer (dBuV/m) + Factor (dB)

The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Test Data and Plots

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15C_FCC Part 15C-30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	61.185	19.95	-27.36	40.0	20.05	Peak	145.00	200	Horizontal	Pass
2	143.732	16.71	-26.29	43.5	26.79	Peak	170.00	200	Horizontal	Pass
3	194.706	17.17	-28.51	43.5	26.33	Peak	95.00	100	Horizontal	Pass
4	329.342	24.41	-23.36	46.0	21.59	Peak	359.00	100	Horizontal	Pass
5	794.845	28.28	-12.08	46.0	17.72	Peak	60.00	200	Horizontal	Pass
6	973.907	30.55	-10.06	54.0	23.45	Peak	95.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15C_FCC Part 15C:30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	61.137	18.16	-27.36	40.0	21.84	Peak	239.00	100	Vertical	Pass
2	110.268	20.86	-28.83	43.5	22.64	Peak	211.00	100	Vertical	Pass
3	156.246	17.41	-25.63	43.5	26.09	Peak	105.00	100	Vertical	Pass
4	191.748	20.12	-28.31	43.5	23.38	Peak	353.00	100	Vertical	Pass
5	799.598	28.54	-11.78	46.0	17.46	Peak	158.00	200	Vertical	Pass
6	954.410	30.09	-9.97	46.0	15.91	Peak	65.00	200	Vertical	Pass

Note ¹: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note ²: The spurious from 18GHz-25GHz is noise only, do not show on the report.

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.218	44.65	74.0	29.35	Peak	37.00	200	Horizontal	Pass
1**	1335.218	29.20	54.0	24.80	AV	37.00	200	Horizontal	Pass
2	2973.573	53.96	74.0	20.04	Peak	41.00	400	Horizontal	Pass
2**	2973.573	38.01	54.0	15.99	AV	41.00	400	Horizontal	Pass
3	4913.280	49.26	74.0	24.74	Peak	330.00	200	Horizontal	Pass
3**	4913.280	40.01	54.0	13.99	AV	330.00	200	Horizontal	Pass
4	7626.779	51.66	74.0	22.34	Peak	234.00	200	Horizontal	Pass
4**	7626.779	43.33	54.0	10.67	AV	234.00	200	Horizontal	Pass
5	12472.168	54.54	74.0	19.46	Peak	354.00	200	Horizontal	Pass
5**	12472.168	46.96	54.0	7.04	AV	354.00	200	Horizontal	Pass
6	16858.088	56.97	74.0	17.03	Peak	280.00	200	Horizontal	Pass
6**	16858.088	47.89	54.0	6.11	AV	280.00	200	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1466.547	41.24	74.0	32.76	Peak	24.00	100	Vertical	Pass
1**	1466.547	29.69	54.0	24.31	AV	24.00	100	Vertical	Pass
2	2989.674	52.35	74.0	21.65	Peak	236.00	100	Vertical	Pass
2**	2989.674	43.43	54.0	10.57	AV	236.00	100	Vertical	Pass
3	4818.564	46.96	74.0	27.04	Peak	64.00	200	Vertical	Pass
3**	4818.564	42.47	54.0	11.53	AV	64.00	200	Vertical	Pass
4	7966.076	52.79	74.0	21.21	Peak	38.00	400	Vertical	Pass
4**	7966.076	46.09	54.0	7.91	AV	38.00	400	Vertical	Pass
5	12445.249	50.70	74.0	23.30	Peak	187.00	400	Vertical	Pass
5**	12445.249	47.46	54.0	6.54	AV	187.00	400	Vertical	Pass
6	17453.188	54.75	74.0	19.25	Peak	321.00	200	Vertical	Pass
6**	17453.188	48.13	54.0	5.87	AV	321.00	200	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1337.220	41.84	74.0	32.16	Peak	138.00	400	Horizontal	Pass
1**	1337.220	31.67	54.0	22.33	AV	138.00	400	Horizontal	Pass
2	2975.924	50.91	74.0	23.09	Peak	341.00	200	Horizontal	Pass
2**	2975.924	40.98	54.0	13.02	AV	341.00	200	Horizontal	Pass
3	4916.301	50.38	74.0	23.62	Peak	122.00	200	Horizontal	Pass
3**	4916.301	40.52	54.0	13.48	AV	122.00	200	Horizontal	Pass
4	7630.815	51.82	74.0	22.18	Peak	185.00	200	Horizontal	Pass
4**	7630.815	43.63	54.0	10.37	AV	185.00	200	Horizontal	Pass
5	12473.059	53.86	74.0	20.14	Peak	172.00	200	Horizontal	Pass
5**	12473.059	43.68	54.0	10.32	AV	172.00	200	Horizontal	Pass
6	16856.636	53.63	74.0	20.37	Peak	15.00	200	Horizontal	Pass
6**	16856.636	45.17	54.0	8.83	AV	15.00	200	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.828	39.30	74.0	34.70	Peak	322.00	100	Vertical	Pass
1**	1460.828	29.36	54.0	24.64	AV	322.00	100	Vertical	Pass
2	2992.266	50.32	74.0	23.68	Peak	196.00	300	Vertical	Pass
2**	2992.266	40.94	54.0	13.06	AV	196.00	300	Vertical	Pass
3	4818.010	52.35	74.0	21.65	Peak	195.00	200	Vertical	Pass
3**	4818.010	40.96	54.0	13.04	AV	195.00	200	Vertical	Pass
4	7966.473	52.99	74.0	21.01	Peak	68.00	200	Vertical	Pass
4**	7966.473	45.92	54.0	8.08	AV	68.00	200	Vertical	Pass
5	12445.531	51.91	74.0	22.09	Peak	16.00	100	Vertical	Pass
5**	12445.531	42.19	54.0	11.81	AV	16.00	100	Vertical	Pass
6	17452.196	56.09	74.0	17.91	Peak	206.00	400	Vertical	Pass
6**	17452.196	45.28	54.0	8.72	AV	206.00	400	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.259	40.64	74.0	33.36	Peak	184.00	300	Horizontal	Pass
1**	1333.259	29.65	54.0	24.35	AV	184.00	300	Horizontal	Pass
2	2973.793	50.71	74.0	23.29	Peak	66.00	100	Horizontal	Pass
2**	2973.793	43.62	54.0	10.38	AV	66.00	100	Horizontal	Pass
3	4913.588	50.62	74.0	23.38	Peak	303.00	200	Horizontal	Pass
3**	4913.588	37.60	54.0	16.40	AV	303.00	200	Horizontal	Pass
4	7624.591	51.33	74.0	22.67	Peak	104.00	300	Horizontal	Pass
4**	7624.591	45.58	54.0	8.42	AV	104.00	300	Horizontal	Pass
5	12472.250	52.44	74.0	21.56	Peak	359.00	300	Horizontal	Pass
5**	12472.250	46.26	54.0	7.74	AV	359.00	300	Horizontal	Pass
6	16863.738	52.36	74.0	21.64	Peak	102.00	400	Horizontal	Pass
6**	16863.738	43.18	54.0	10.82	AV	102.00	400	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.526	44.47	74.0	29.53	Peak	224.00	300	Vertical	Pass
1**	1459.526	31.25	54.0	22.75	AV	224.00	300	Vertical	Pass
2	2990.325	53.33	74.0	20.67	Peak	57.00	200	Vertical	Pass
2**	2990.325	42.88	54.0	11.12	AV	57.00	200	Vertical	Pass
3	4822.889	47.24	74.0	26.76	Peak	236.00	200	Vertical	Pass
3**	4822.889	41.77	54.0	12.23	AV	236.00	200	Vertical	Pass
4	7971.055	54.96	74.0	19.04	Peak	46.00	200	Vertical	Pass
4**	7971.055	44.47	54.0	9.53	AV	46.00	200	Vertical	Pass
5	12441.538	52.03	74.0	21.97	Peak	9.00	100	Vertical	Pass
5**	12441.538	42.85	54.0	11.15	AV	9.00	100	Vertical	Pass
6	17455.269	52.82	74.0	21.18	Peak	126.00	400	Vertical	Pass
6**	17455.269	45.11	54.0	8.89	AV	126.00	400	Vertical	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1286.554	40.01	74.0	33.99	Peak	216.00	200	Horizontal	Pass
1**	1286.554	35.56	54.0	18.44	AV	216.00	200	Horizontal	Pass
2	2771.550	51.36	74.0	22.64	Peak	9.00	300	Horizontal	Pass
2**	2771.550	45.66	54.0	8.34	AV	9.00	300	Horizontal	Pass
3	5166.544	49.61	74.0	24.39	Peak	314.00	200	Horizontal	Pass
3**	5166.544	42.11	54.0	11.89	AV	314.00	200	Horizontal	Pass
4	6808.655	52.56	74.0	21.44	Peak	307.00	100	Horizontal	Pass
4**	6808.655	46.62	54.0	7.38	AV	307.00	100	Horizontal	Pass
5	13467.041	54.70	74.0	19.30	Peak	43.00	300	Horizontal	Pass
5**	13467.041	44.97	54.0	9.03	AV	43.00	300	Horizontal	Pass
6	17467.540	58.55	74.0	15.45	Peak	291.00	400	Horizontal	Pass
6**	17467.540	45.23	54.0	8.77	AV	291.00	400	Horizontal	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1285.605	45.57	74.0	28.43	Peak	32.00	100	Vertical	Pass
1**	1285.605	34.27	54.0	19.73	AV	32.00	100	Vertical	Pass
2	2772.706	54.49	74.0	19.51	Peak	69.00	400	Vertical	Pass
2**	2772.706	46.31	54.0	7.69	AV	69.00	400	Vertical	Pass
3	5167.025	55.34	74.0	18.66	Peak	89.00	200	Vertical	Pass
3**	5167.025	40.99	54.0	13.01	AV	89.00	200	Vertical	Pass
4	6802.357	54.16	74.0	19.84	Peak	88.00	100	Vertical	Pass
4**	6802.357	48.06	54.0	5.94	AV	88.00	100	Vertical	Pass
5	13465.959	54.69	74.0	19.31	Peak	145.00	200	Vertical	Pass
5**	13465.959	40.53	54.0	13.47	AV	145.00	200	Vertical	Pass
6	17466.751	56.58	74.0	17.42	Peak	114.00	200	Vertical	Pass
6**	17466.751	48.86	54.0	5.14	AV	114.00	200	Vertical	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1284.579	43.94	74.0	30.06	Peak	89.00	100	Horizontal	Pass
1**	1284.579	30.76	54.0	23.24	AV	89.00	100	Horizontal	Pass
2	2770.092	50.81	74.0	23.19	Peak	5.00	200	Horizontal	Pass
2**	2770.092	41.21	54.0	12.79	AV	5.00	200	Horizontal	Pass
3	5167.202	54.50	74.0	19.50	Peak	78.00	200	Horizontal	Pass
3**	5167.202	43.40	54.0	10.60	AV	78.00	200	Horizontal	Pass
4	6802.935	51.93	74.0	22.07	Peak	63.00	100	Horizontal	Pass
4**	6802.935	44.38	54.0	9.62	AV	63.00	100	Horizontal	Pass
5	13464.212	55.74	74.0	18.26	Peak	15.00	100	Horizontal	Pass
5**	13464.212	43.92	54.0	10.08	AV	15.00	100	Horizontal	Pass
6	17464.911	56.72	74.0	17.28	Peak	5.00	200	Horizontal	Pass
6**	17464.911	45.18	54.0	8.82	AV	5.00	200	Horizontal	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1282.127	44.24	74.0	29.76	Peak	248.00	100	Vertical	Pass
1**	1282.127	34.40	54.0	19.60	AV	248.00	100	Vertical	Pass
2	2767.628	51.17	74.0	22.83	Peak	144.00	100	Vertical	Pass
2**	2767.628	46.33	54.0	7.67	AV	144.00	100	Vertical	Pass
3	5163.582	55.27	74.0	18.73	Peak	236.00	200	Vertical	Pass
3**	5163.582	41.14	54.0	12.86	AV	236.00	200	Vertical	Pass
4	6808.324	52.47	74.0	21.53	Peak	24.00	100	Vertical	Pass
4**	6808.324	48.41	54.0	5.59	AV	24.00	100	Vertical	Pass
5	13469.619	51.98	74.0	22.02	Peak	335.00	200	Vertical	Pass
5**	13469.619	44.13	54.0	9.87	AV	335.00	200	Vertical	Pass
6	17465.822	56.24	74.0	17.76	Peak	284.00	200	Vertical	Pass
6**	17465.822	47.87	54.0	6.13	AV	284.00	200	Vertical	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1286.429	43.83	74.0	30.17	Peak	14.00	100	Horizontal	Pass
1**	1286.429	31.59	54.0	22.41	AV	14.00	100	Horizontal	Pass
2	2768.775	53.68	74.0	20.32	Peak	310.00	300	Horizontal	Pass
2**	2768.775	44.91	54.0	9.09	AV	310.00	300	Horizontal	Pass
3	5165.793	53.12	74.0	20.88	Peak	343.00	200	Horizontal	Pass
3**	5165.793	41.62	54.0	12.38	AV	343.00	200	Horizontal	Pass
4	6809.797	55.67	74.0	18.33	Peak	183.00	100	Horizontal	Pass
4**	6809.797	45.28	54.0	8.72	AV	183.00	100	Horizontal	Pass
5	13465.585	57.63	74.0	16.37	Peak	75.00	200	Horizontal	Pass
5**	13465.585	46.86	54.0	7.14	AV	75.00	200	Horizontal	Pass
6	17467.089	57.30	74.0	16.70	Peak	40.00	200	Horizontal	Pass
6**	17467.089	46.16	54.0	7.84	AV	40.00	200	Horizontal	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1285.509	43.09	74.0	30.91	Peak	146.00	400	Vertical	Pass
1**	1285.509	35.79	54.0	18.21	AV	146.00	400	Vertical	Pass
2	2767.467	56.75	74.0	17.25	Peak	108.00	300	Vertical	Pass
2**	2767.467	46.24	54.0	7.76	AV	108.00	300	Vertical	Pass
3	5165.316	52.41	74.0	21.59	Peak	35.00	200	Vertical	Pass
3**	5165.316	44.08	54.0	9.92	AV	35.00	200	Vertical	Pass
4	6802.495	54.74	74.0	19.26	Peak	5.00	200	Vertical	Pass
4**	6802.495	45.97	54.0	8.03	AV	5.00	200	Vertical	Pass
5	13468.957	55.02	74.0	18.98	Peak	248.00	300	Vertical	Pass
5**	13468.957	44.54	54.0	9.46	AV	248.00	300	Vertical	Pass
6	17466.380	59.23	74.0	14.77	Peak	249.00	400	Vertical	Pass
6**	17466.380	45.18	54.0	8.82	AV	249.00	400	Vertical	Pass

A.9 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note ³: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ⁴: The Level (dBuV/m) has been corrected by factor.

Test Data and Plots

GFSK LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2363.807	57.56	74.0	16.44	Peak	307.00	100	Horizontal	Pass
1**	2363.807	44.26	54.0	9.74	AV	307.00	100	Horizontal	Pass
2	2390.000	56.98	74.0	17.02	Peak	191.00	100	Horizontal	Pass
2**	2390.000	47.11	54.0	6.89	AV	191.00	100	Horizontal	Pass

GFSK HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.68	74.0	18.32	Peak	23.00	100	Horizontal	Pass
1**	2483.500	47.32	54.0	6.68	AV	23.00	100	Horizontal	Pass
2	2485.017	56.67	74.0	17.33	Peak	271.00	100	Horizontal	Pass
2**	2485.017	44.81	54.0	9.19	AV	271.00	100	Horizontal	Pass

8-DPSK LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2361.440	57.56	74.0	16.44	Peak	155.00	300	Horizontal	Pass
1**	2361.440	46.08	54.0	7.92	AV	155.00	300	Horizontal	Pass
2	2390.000	57.05	74.0	16.95	Peak	62.00	200	Horizontal	Pass
2**	2390.000	49.2	54.0	4.80	AV	62.00	200	Horizontal	Pass

8-DPSK HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.73	74.0	19.27	Peak	359.00	300	Horizontal	Pass
1**	2483.500	45.44	54.0	8.56	AV	359.00	300	Horizontal	Pass
2	2486.926	59.74	74.0	14.26	Peak	81.00	100	Horizontal	Pass
2**	2486.926	47.48	54.0	6.52	AV	81.00	100	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2550469-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2550469-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2550469-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--