

TEST REPORT

Report No.: MTi250528001-0108E4

Mode1 / Polarization: Horizontal / CH: M

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector
1		11570.000	44.78	10.96	55.74	68.20	-12.46	peak
2		11570.000	38.61	10.96	49.57	54.00	-4.43	AVG
3		17355.000	45.85	14.11	59.96	68.20	-8.24	peak
4	*	17355.000	36.10	14.11	50.21	54.00	-3.79	AVG

Mode1 / Polarization: Vertical / CH: M

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector
1		11570.000	44.33	10.96	55.29	68.20	-12.91	peak
2	*	11570.000	39.62	10.96	50.58	54.00	-3.42	AVG
3		17355.000	45.52	14.11	59.63	68.20	-8.57	peak
4		17355.000	36.18	14.11	50.29	54.00	-3.71	AVG

TEST REPORT

Report No.: MTi250528001-0108E4

Mode1 / Polarization: Horizontal / CH: H

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector
1		11650.000	45.20	10.89	56.09	68.20	-12.11	peak
2	*	11650.000	39.36	10.89	50.25	54.00	-3.75	AVG
3		17475.000	48.44	14.40	62.84	68.20	-5.36	peak
4		17475.000	35.27	14.40	49.67	54.00	-4.33	AVG

Mode1 / Polarization: Vertical / CH: H

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector
1		11650.000	45.42	10.89	56.31	68.20	-11.89	peak
2	*	11650.000	39.80	10.89	50.69	54.00	-3.31	AVG
3		17475.000	46.38	14.40	60.78	68.20	-7.42	peak
4		17475.000	35.84	14.40	50.24	54.00	-3.76	AVG

TEST REPORT

Report No.: MTi250528001-0108E4

ANT2:
U-NII-1:

Mode1 / Polarization: Horizontal / CH: L

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector
1		10360.000	45.01	10.33	55.34	74.00	-18.66	peak
2		10360.000	35.06	10.33	45.39	54.00	-8.61	AVG
3		15540.000	46.10	12.23	58.33	74.00	-15.67	peak
4	*	15540.000	36.01	12.23	48.24	54.00	-5.76	AVG

Mode1 / Polarization: Vertical / CH: L

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector
1		10360.000	44.31	10.33	54.64	74.00	-19.36	peak
2		10360.000	34.03	10.33	44.36	54.00	-9.64	AVG
3		15540.000	47.78	12.23	60.01	74.00	-13.99	peak
4	*	15540.000	38.24	12.23	50.47	54.00	-3.53	AVG

TEST REPORT

Report No.: MTi250528001-0108E4

Mode1 / Polarization: Horizontal / CH: M

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector
1		10400.000	43.81	10.38	54.19	74.00	-19.81	peak
2		10400.000	33.83	10.38	44.21	54.00	-9.79	AVG
3		15600.000	45.68	12.37	58.05	74.00	-15.95	peak
4	*	15600.000	36.00	12.37	48.37	54.00	-5.63	AVG

Mode1 / Polarization: Vertical / CH: M

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector
1		10400.000	43.89	10.38	54.27	74.00	-19.73	peak
2		10400.000	33.94	10.38	44.32	54.00	-9.68	AVG
3		15600.000	46.58	12.37	58.95	74.00	-15.05	peak
4	*	15600.000	36.32	12.37	48.69	54.00	-5.31	AVG

TEST REPORT

Report No.: MTi250528001-0108E4

Mode1 / Polarization: Horizontal / CH: H

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	
1		10480.000	44.11	10.24	54.35	74.00	-19.65	peak
2		10480.000	34.08	10.24	44.32	54.00	-9.68	AVG
3		15720.000	46.83	12.26	59.09	74.00	-14.91	peak
4	*	15720.000	37.42	12.26	49.68	54.00	-4.32	AVG

Mode1 / Polarization: Vertical / CH: H

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	
1		10480.000	44.09	10.24	54.33	74.00	-19.67	peak
2		10480.000	34.02	10.24	44.26	54.00	-9.74	AVG
3		15720.000	47.15	12.26	59.41	74.00	-14.59	peak
4	*	15720.000	37.42	12.26	49.68	54.00	-4.32	AVG

TEST REPORT

Report No.: MTi250528001-0108E4

U-NII-3:

Mode1 / Polarization: Horizontal / CH: L

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector
1		11490.000	45.20	11.12	56.32	68.20	-11.88	peak
2		11490.000	35.20	11.12	46.32	54.00	-7.68	AVG
3		17235.000	45.34	13.79	59.13	68.20	-9.07	peak
4	*	17235.000	35.78	13.79	49.57	54.00	-4.43	AVG

Mode1 / Polarization: Vertical / CH: L

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector
1		11490.000	45.00	11.12	56.12	68.20	-12.08	peak
2		11490.000	35.42	11.12	46.54	54.00	-7.46	AVG
3		17235.000	46.86	13.79	60.65	68.20	-7.55	peak
4	*	17235.000	36.38	13.79	50.17	54.00	-3.83	AVG

TEST REPORT

Report No.: MTi250528001-0108E4

Mode1 / Polarization: Horizontal / CH: M

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	
1		11570.000	46.23	10.72	56.95	68.20	-11.25	peak
2		11570.000	35.85	10.72	46.57	54.00	-7.43	AVG
3		17355.000	46.00	14.10	60.10	68.20	-8.10	peak
4	*	17355.000	36.37	14.10	50.47	54.00	-3.53	AVG

Mode1 / Polarization: Vertical / CH: M

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	
1		11570.000	44.49	10.72	55.21	68.20	-12.99	peak
2		11570.000	34.49	10.72	45.21	54.00	-8.79	AVG
3		17355.000	45.70	14.10	59.80	68.20	-8.40	peak
4	*	17355.000	35.22	14.10	49.32	54.00	-4.68	AVG

TEST REPORT

Report No.: MTi250528001-0108E4

Mode1 / Polarization: Horizontal / CH: H

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	
1		11650.000	45.42	10.60	56.02	68.20	-12.18	peak
2		11650.000	35.75	10.60	46.35	54.00	-7.65	AVG
3		17475.000	46.03	14.40	60.43	68.20	-7.77	peak
4	*	17475.000	36.09	14.40	50.49	54.00	-3.51	AVG

Mode1 / Polarization: Vertical / CH: H

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	
1		11650.000	45.02	10.60	55.62	68.20	-12.58	peak
2		11650.000	34.72	10.60	45.32	54.00	-8.68	AVG
3		17475.000	46.97	14.40	61.37	68.20	-6.83	peak
4	*	17475.000	36.46	14.40	50.86	54.00	-3.14	AVG

TEST REPORT

Report No.: MTi250528001-0108E4

Photographs of the test setup

Refer to Appendix - Test Setup Photos

TEST REPORT

Report No.: MTi250528001-0108E4

Photographs of the EUT

Refer to Appendix - EUT Photos

Appendix

TEST REPORT

Report No.: MTi250528001-0108E4

Appendix A1: Emission bandwidth (26dB bandwidth)

Test Result

Test Mode	Antenna	Frequency [MHz]	26db EBW [MHz]
11A	Ant1	5180	19.720
		5200	20.000
		5240	19.680
11N20SISO	Ant1	5180	20.920
		5200	21.200
		5240	21.400
11N40SISO	Ant1	5190	39.600
		5230	39.280
11AC20SISO	Ant1	5180	20.680
		5200	21.040
		5240	20.840
11AX20SISO	Ant1	5180	20.560
		5200	20.640
		5240	20.640

TEST REPORT


Report No.: MTI250528001-0108E4

Test Graphs



TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTI250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTI250528001-0108E4



TEST REPORT

Report No.: MTi250528001-0108E4



TEST REPORT

Report No.: MTi250528001-0108E4

Appendix A2: Occupied channel bandwidth


Test Result

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	16.812	5171.6393	5188.4513	---	---
		5200	16.803	5191.6874	5208.4904	---	---
		5240	16.799	5231.6538	5248.4528	---	---
		5745	17.535	5736.3440	5753.8790	---	---
		5785	17.500	5776.3580	5793.8580	---	---
		5825	17.909	5816.2885	5834.1975	---	---
11N20SISO	Ant1	5180	17.802	5171.1390	5188.9410	---	---
		5200	17.755	5191.1975	5208.9525	---	---
		5240	17.789	5231.1460	5248.9350	---	---
		5745	18.391	5735.8704	5754.2614	---	---
		5785	18.199	5775.9431	5794.1421	---	---
		5825	18.425	5815.8898	5834.3148	---	---
11N40SISO	Ant1	5190	35.291	5172.4211	5207.7121	---	---
		5230	35.160	5212.4440	5247.6040	---	---
		5755	36.389	5737.1242	5773.5132	---	---
		5795	36.345	5777.1597	5813.5047	---	---
11AC20SISO	Ant1	5180	17.759	5171.1283	5188.8873	---	---
		5200	17.763	5191.1845	5208.9475	---	---
		5240	17.747	5231.1488	5248.8958	---	---
		5745	17.917	5736.0999	5754.0169	---	---
		5785	17.778	5776.1468	5793.9248	---	---
		5825	17.840	5816.1587	5833.9987	---	---
11AX20SISO	Ant1	5180	18.825	5170.6061	5189.4311	---	---
		5200	18.833	5190.6587	5209.4917	---	---
		5240	18.842	5230.6220	5249.4640	---	---
		5745	19.053	5735.5219	5754.5749	---	---
		5785	18.962	5775.5676	5794.5296	---	---
		5825	19.035	5815.5582	5834.5932	---	---

TEST REPORT


Report No.: MTI250528001-0108E4

Test Graphs




TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4



TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4



TEST REPORT

Report No.: MTI250528001-0108E4



TEST REPORT

Report No.: MTi250528001-0108E4



TEST REPORT

Report No.: MTi250528001-0108E4

Appendix A3: Min emission bandwidth


Test Result B4

TestMode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	15.600	5737.280	5752.880	0.5	PASS
		5785	15.520	5777.280	5792.800	0.5	PASS
		5825	16.280	5816.880	5833.160	0.5	PASS
11N20SISO	Ant1	5745	16.040	5737.120	5753.160	0.5	PASS
		5785	15.360	5777.560	5792.920	0.5	PASS
		5825	16.080	5817.080	5833.160	0.5	PASS
11N40SISO	Ant1	5755	30.080	5739.960	5770.040	0.5	PASS
		5795	28.720	5780.040	5808.760	0.5	PASS
11AC20SISO	Ant1	5745	16.040	5737.160	5753.200	0.5	PASS
		5785	15.720	5777.120	5792.840	0.5	PASS
		5825	17.040	5816.520	5833.560	0.5	PASS
11AX20SISO	Ant1	5745	16.520	5736.880	5753.400	0.5	PASS
		5785	16.120	5777.200	5793.320	0.5	PASS
		5825	17.600	5816.720	5834.320	0.5	PASS

TEST REPORT


Report No.: MTI250528001-0108E4

Test Graphs B4




TEST REPORT

Report No.: MTI250528001-0108E4




TEST REPORT

Report No.: MTI250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTI250528001-0108E4



TEST REPORT

Report No.: MTi250528001-0108E4



TEST REPORT

Report No.: MTi250528001-0108E4

Appendix B: Duty Cycle


Test Result

Test Mode	Antenna	Frequency [MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11A	Ant1	5180	5.48	5.51	99.46
		5200	5.49	5.51	99.64
		5240	5.48	5.51	99.46
		5745	5.48	5.51	99.46
		5785	5.48	5.51	99.46
		5825	5.48	5.51	99.46
11N20SISO	Ant1	5180	5.08	5.10	99.61
		5200	5.08	5.11	99.41
		5240	5.08	5.11	99.41
		5745	5.08	5.10	99.61
		5785	5.08	5.11	99.41
		5825	5.08	5.11	99.41
11N40SISO	Ant1	5190	2.47	2.49	99.20
		5230	2.47	2.49	99.20
		5755	2.47	2.50	98.80
		5795	2.47	2.50	98.80
11AC20SISO	Ant1	5180	5.09	5.12	99.41
		5200	5.09	5.12	99.41
		5240	5.10	5.12	99.61
		5745	5.09	5.11	99.61
		5785	5.09	5.12	99.41
		5825	5.09	5.11	99.61
11AX20SISO	Ant1	5180	3.87	3.89	99.49
		5200	3.87	3.90	99.23
		5240	3.87	3.89	99.49
		5745	3.87	3.90	99.23
		5785	3.87	3.89	99.49
		5825	3.87	3.90	99.23

TEST REPORT


Report No.: MTI250528001-0108E4

Test Graphs




TEST REPORT

Report No.: MTI250528001-0108E4




TEST REPORT

Report No.: MTI250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTI250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTI250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTI250528001-0108E4



TEST REPORT


Report No.: MTI250528001-0108E4





TEST REPORT

Report No.: MTi250528001-0108E4



TEST REPORT

Report No.: MTi250528001-0108E4

Appendix C: Maximum conducted output power

Test Result Channel Power


Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	EIRP [dBm]	Verdict
11A	Ant1	5180	10.64	99.46	0.02	10.66	≤23.98	10.69	PASS
		5200	10.61	99.64	0.02	10.63	≤23.98	10.66	PASS
		5240	10.20	99.46	0.02	10.22	≤23.98	10.25	PASS
		5745	6.15	99.46	0.02	6.17	≤30.00	4.07	PASS
		5785	7.30	99.46	0.02	7.32	≤30.00	5.22	PASS
		5825	8.47	99.46	0.02	8.49	≤30.00	6.39	PASS
11N20SISO	Ant1	5180	10.74	99.61	0.02	10.76	≤23.98	10.79	PASS
		5200	10.58	99.41	0.03	10.61	≤23.98	10.64	PASS
		5240	10.22	99.41	0.03	10.25	≤23.98	10.28	PASS
		5745	6.06	99.61	0.02	6.08	≤30.00	3.98	PASS
		5785	7.20	99.41	0.03	7.23	≤30.00	5.13	PASS
		5825	8.33	99.41	0.03	8.36	≤30.00	6.26	PASS
11N40SISO	Ant1	5190	10.06	99.20	0.03	10.09	≤23.98	10.12	PASS
		5230	9.94	99.20	0.03	9.97	≤23.98	10.00	PASS
		5755	6.10	98.80	0.05	6.15	≤30.00	4.05	PASS
		5795	6.78	98.80	0.05	6.83	≤30.00	4.73	PASS
11AC20SISO	Ant1	5180	9.11	99.41	0.03	9.14	≤23.98	9.17	PASS
		5200	9.22	99.41	0.03	9.25	≤23.98	9.28	PASS
		5240	8.93	99.61	0.02	8.95	≤23.98	8.98	PASS
		5745	3.65	99.61	0.02	3.67	≤30.00	1.57	PASS
		5785	4.00	99.41	0.03	4.03	≤30.00	1.93	PASS
		5825	5.57	99.61	0.02	5.59	≤30.00	3.49	PASS
11AX20SISO	Ant1	5180	10.69	99.49	0.02	10.71	≤23.98	10.74	PASS
		5200	10.43	99.23	0.03	10.46	≤23.98	10.49	PASS
		5240	9.98	99.49	0.02	10.00	≤23.98	10.03	PASS
		5745	6.05	99.23	0.03	6.08	≤30.00	3.98	PASS
		5785	7.08	99.49	0.02	7.10	≤30.00	5.00	PASS
		5825	8.33	99.23	0.03	8.36	≤30.00	6.26	PASS

Note: The Duty Cycle Factor is compensated in the graph.

TEST REPORT

Report No.: MTI250528001-0108E4

Test Graphs




TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4



TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4



TEST REPORT

Report No.: MTi250528001-0108E4



TEST REPORT

Report No.: MTi250528001-0108E4

Appendix D: Maximum power spectral density

Test Result

Test Mode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant1	5180	-0.34	≤11.00	PASS
		5200	-0.27	≤11.00	PASS
		5240	-1.00	≤11.00	PASS
		5745	-5.00	≤30.00	PASS
		5785	-4.39	≤30.00	PASS
		5825	-2.81	≤30.00	PASS
11N20SISO	Ant1	5180	-0.54	≤11.00	PASS
		5200	-0.76	≤11.00	PASS
		5240	-0.93	≤11.00	PASS
		5745	-5.19	≤30.00	PASS
		5785	-4.66	≤30.00	PASS
		5825	-3.14	≤30.00	PASS
11N40SISO	Ant1	5190	-3.54	≤11.00	PASS
		5230	-3.63	≤11.00	PASS
		5755	-8.11	≤30.00	PASS
		5795	-7.68	≤30.00	PASS
11AC20SISO	Ant1	5180	-1.99	≤11.00	PASS
		5200	-1.97	≤11.00	PASS
		5240	-2.3	≤11.00	PASS
		5745	-10.58	≤30.00	PASS
		5785	-10.2	≤30.00	PASS
		5825	-8.51	≤30.00	PASS
11AX20SISO	Ant1	5180	-0.48	≤11.00	PASS
		5200	-0.75	≤11.00	PASS
		5240	-1.36	≤11.00	PASS
		5745	-5.76	≤30.00	PASS
		5785	-7.27	≤30.00	PASS
		5825	-5.84	≤30.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

TEST REPORT

Report No.: MTi250528001-0108E4

Test Graphs



TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4



TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4



TEST REPORT

Report No.: MTi250528001-0108E4



TEST REPORT

Report No.: MTi250528001-0108E4



TEST REPORT

Report No.: MTi250528001-0108E4




TEST REPORT

Report No.: MTi250528001-0108E4



TEST REPORT

Report No.: MTi250528001-0108E4



TEST REPORT

Report No.: MTi250528001-0108E4



TEST REPORT

Report No.: MTi250528001-0108E4



TEST REPORT

Report No.: MTi250528001-0108E4

Appendix G: Frequency Stability

Test Mode	Antenna	Frequency [MHz]	Voltage				Limit (ppm)	Verdict
			Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)		
11A	Ant1	5180	NV	NT	20000.00	3.861004	Within the band	PASS
			LV	NT	20000.00	3.861004		PASS
			HV	NT	20000.00	3.861004		PASS
		5200	NV	NT	0.00	0.000000		PASS
			LV	NT	20000.00	3.846154		PASS
			HV	NT	40000.00	7.692308		PASS
		5240	NV	NT	20000.00	3.816794		PASS
			LV	NT	20000.00	3.816794		PASS
			HV	NT	0.00	0.000000		PASS
		5745	NV	NT	20000.00	3.481288		PASS
			LV	NT	20000.00	3.481288		PASS
			HV	NT	20000.00	3.481288		PASS
		5785	NV	NT	20000.00	3.457217		PASS
			LV	NT	20000.00	3.457217		PASS
			HV	NT	40000.00	6.914434		PASS
		5825	NV	NT	0.00	0.000000		PASS
			LV	NT	20000.00	3.433476		PASS
			HV	NT	20000.00	3.433476		PASS
11N20SISO	Ant1	5180	NV	NT	0.00	0.000000	Within the band	PASS
			LV	NT	20000.00	3.861004		PASS
			HV	NT	0.00	0.000000		PASS
		5200	NV	NT	0.00	0.000000		PASS
			LV	NT	20000.00	3.846154		PASS
			HV	NT	20000.00	3.846154		PASS
		5240	NV	NT	20000.00	3.816794		PASS
			LV	NT	20000.00	3.816794		PASS
			HV	NT	20000.00	3.816794		PASS
		5745	NV	NT	20000.00	3.481288		PASS
			LV	NT	20000.00	3.481288		PASS
			HV	NT	20000.00	3.481288		PASS
		5785	NV	NT	20000.00	3.457217		PASS
			LV	NT	20000.00	3.457217		PASS
			HV	NT	20000.00	3.457217		PASS
		5825	NV	NT	20000.00	3.433476		PASS
			LV	NT	20000.00	3.433476		PASS
			HV	NT	0.00	0.000000		PASS
11N40SISO	Ant1	5190	NV	NT	40000.00	7.707129	Within the band	PASS
			LV	NT	0.00	0.000000		PASS
			HV	NT	0.00	0.000000		PASS
		5230	NV	NT	40000.00	7.648184		PASS
			LV	NT	40000.00	7.648184		PASS
			HV	NT	0.00	0.000000		PASS
		5755	NV	NT	40000.00	6.950478		PASS
			LV	NT	0.00	0.000000		PASS
			HV	NT	40000.00	6.950478		PASS
		5795	NV	NT	0.00	0.000000		PASS
			LV	NT	40000.00	6.902502		PASS
			HV	NT	0.00	0.000000		PASS

Test Result

TEST REPORT

Report No.: MTi250528001-0108E4

11AC20SISO	Ant1	5180	NV	NT	0.00	0.000000	Within the band	PASS
			LV	NT	0.00	0.000000		PASS
			HV	NT	20000.00	3.861004		PASS
		5200	NV	NT	0.00	0.000000		PASS
			LV	NT	0.00	0.000000		PASS
			HV	NT	20000.00	3.846154		PASS
		5240	NV	NT	20000.00	3.816794		PASS
			LV	NT	20000.00	3.816794		PASS
			HV	NT	20000.00	3.816794		PASS
		5745	NV	NT	20000.00	3.481288		PASS
			LV	NT	20000.00	3.481288		PASS
			HV	NT	20000.00	3.481288		PASS
		5785	NV	NT	20000.00	3.457217		PASS
			LV	NT	20000.00	3.457217		PASS
			HV	NT	20000.00	3.457217		PASS
		5825	NV	NT	0.00	0.000000		PASS
			LV	NT	0.00	0.000000		PASS
			HV	NT	20000.00	3.433476		PASS
11AX20SISO	Ant1	5180	NV	NT	20000.00	3.861004		PASS
			LV	NT	0.00	0.000000		PASS
			HV	NT	0.00	0.000000		PASS
		5200	NV	NT	0.00	0.000000		PASS
			LV	NT	0.00	0.000000		PASS
			HV	NT	0.00	0.000000		PASS
		5240	NV	NT	0.00	0.000000		PASS
			LV	NT	0.00	0.000000		PASS
			HV	NT	20000.00	3.816794		PASS
		5745	NV	NT	20000.00	3.481288		PASS
			LV	NT	20000.00	3.481288		PASS
			HV	NT	20000.00	3.481288		PASS
		5785	NV	NT	0.00	0.000000		PASS
			LV	NT	0.00	0.000000		PASS
			HV	NT	0.00	0.000000		PASS
		5825	NV	NT	0.00	0.000000		PASS
			LV	NT	0.00	0.000000		PASS
			HV	NT	20000.00	3.433476		PASS

TEST REPORT

Report No.: MTi250528001-0108E4

Photographs of the Test Setup

See the Appendix – Test Setup Photos.

TEST REPORT

Report No.: MTi250528001-0108E4

Photographs of the EUT

See the Appendix - EUT Photos.

----End of Report----

TEST REPORT

Report No.: MTi250528001-0108E4

Statement

1. This report is invalid without the seal and signature of the laboratory.
2. The test results of this report are only responsible for the samples submitted. Client shall be responsible for representativeness of the sample and authenticity of the material.
3. The report shall not be partially reproduced without the written consent of the Laboratory.
4. This report is invalid if transferred, altered or tampered with in any form without authorization.
5. The observations or tests with special mark fall outside the scope of accreditation, and are only used for purpose of commission, research, training, internal quality control etc.
6. Any objection to this report shall be submitted to the laboratory within 15 days from the date of receipt of the report.

***** END OF REPORT *****