

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED



Dongguan jinzan intelligent technology co., ltd

PRODUCT SPECIFICATION

Shenzhen beiliqi technology co., ltd

CUSTOMER: _____

3-122DX01010AA-120

CUST P/N: _____

J30-000475-001

K C P/N: _____

20.5*39.5*0.08*80P*11TS*7MM

D E S E : _____

2025.7.2

D A T E : _____

A.0

VERSION : _____

ACCEPTANCE STAMP

PREPARED BY	MERCHANDISER	ENGINEER CHECKED BY	APPROVED BY
HuYaoYao			

Address: No.2, Xisha Road, Shijie Town, Dongguan City Tel: 86-076986018114 Fax: 86-076986015646

[Http://www.jzcoil.com](http://www.jzcoil.com)

File No: KC-JZ-09-008

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED

Version Change History	CUST P/N	3-122DX01010AA-120
	KC DESE	20. 5*39. 5*0. 08*80P*11TS*7MM

[illegible]

PREPARED BY	ENGINEER CHECKED BY
HuYaoYao	LiJin

Address: No.2, Xisha Road, Shijie Town, Dongguan City Tel: 86-076986018114 Fax: 86-076986015646

[Http://www.jzcoil.com](http://www.jzcoil.com)

FilNo: KC-JZ-09-008

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED

Specification


CUST P/N

3-122DX01010AA-120

KC DESE

20.5*39.5*0.08*80P*11TS*7MM

1. OVERALL DIMENSIONS OF PRODUCTS:



Unit:mm

A	B	C	D	E	F	G	H	I
20 ± 0.5	20.5 ± 0.5	39.5 ± 0.5	42.9 ± 0.5	3 ± 1	7 ± 1	0.95 ± 0.05	2.2 ± 0.2	4 ± 1

PS:1. (F) is the length of the magnetic outer lead; 2. (H) Including incoming wire, excluding release paper; 3. Incoming and outgoing lines are fixed with glue; 4. Don't press the line.

Turns	Wire Dia.	Wdg. Type Spred/Close	Wdg. Direction	Intersect Yes/Not	Coil Positive/Anti Paste
11TS	0.08*80P Hot air stranded wire	Close	Anticlockwise	Yes	Anti/Paste

All materials shall meet ROHS standards.

PREPARED BY	ENGINEER CHECKED BY
HuYaoYao	LiJin

Address: No.2, Xisha Road, Shijie Town, Dongguan City
86-076986015646

Tel: 86-076986018114 Fax:

Http://www.jzcoil.com

File No: KC-JZ-09-008

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED

Specification

CUST P/N

3-122DX01010AA-120

KC DESE

20.5*39.5*0.08*80P*11TS*7MM

2. ELECTRICAL CHARACTERISTICS):

TEMPERATURE: $25 \pm 10^{\circ}\text{C}$,RELATIVE HUMIDITY: $65 \pm 10\%$

NO.	ITEM	TERMINAL	SPECIFICATION	TEST FREQUENCY	TEST EQUIPMENTS
1	IND	S-F	Coil plus magnetic sheet: $8.1\mu\text{H} \pm 5\%$	100kHz/1V	LCZ METER 1062
2	DCR	S-F	DCR: $60\text{m}\Omega$ MAX	/	LCZ METER 1062
3	Q value	S-F	Q value: 80MIN	100kHz/1V	LCZ METER 1062

3. BILL OF MATERIAIS:

NO.	Material name	Description	Material Code	Vendor code
1	wire rod	0.08*80P hot air stranded wire	JX-2U-F-0025	CX
2	Large magnetic sheet	$G42.9 \pm 0.5 * 5.2 \pm 0.5 * 1.0\text{H}$ (Perforated and grooved)	GCP-T-00292	KL
3	Small magnetic disk	Hard magnetic circular $20 * 1.0\text{H}$ without holes and slots.	GCP-T-00264	LX
4	3M double-sided adhesive	Round double-sided adhesive tape $41 * 0.12\text{H}$ 9448A without holes and grooves with hand tear.	SMJ-3M-00077	HWD
5	Small double-sided adhesive	Ordinary double-sided tape circular $15 * 0.08\text{H}$ with hand tear.	SMJ-T-0056	HWD
6	glue	JS-E7202 (thickening) white glue	E7202W	HZY
7	tin bar	Environmental protection lead-free solder bar	tin bar	XC

PREPARED BY

ENGINEER CHECKED BY

HuYaoYao

LiJin

Address: No.2, Xisha Road, Shijie Town, Dongguan City
86-076986015646

Tel: 86-076986018114 Fax:

Http://www.jzcoil.com

FilNo: KC-JZ-09-008

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED

Specification

CUST P/N


3-122DX01010AA-120

KC DESE

20.5*39.5*0.08*80P*11TS*7MM

4. PACKING:

4.1 PACKING PICTURES:



4.2 PACKING QUANTITY:

Item	Quantity	Material
Box	280 Pcs	40style 38*27*6.2 cm
Big Carton	840 Pcs	39.5*28*21 cm

PREPARED BY

ENGINEER CHECKED BY

HuYaoYao

LiJin

Address: No.2, Xisha Road, Shijie Town, Dongguan City
86-076986015646

Tel: 86-076986018114 Fax:

[Http://www.jzcoil.com](http://www.jzcoil.com)

File No: KC-JZ-09-008