User manual

Connection installation

1. Clean up installation surface, ensuring that the installation surface is clean, flat, and dry. Attach the colored outdoor eaves light to the installation area and press it tightly;
2. Connect the controller of the outdoor colored eaves light to the outdoor colored eaves light in an arrow to arrow manner. If not connected, it will not work. The controller can be fixed with adhesive tape;
3. Connect the power supply and controller, and plug in the power supply;
4. Control the outdoor colored eaves light by APP or remote control.

Please note: (The remote control requires 2×3V AAA batteries. The batteries are not included in the package.)



Attentions

Outdoor colored eaves light take complete control of your lighting with smartphone, before you use the App to control the Lights, Please search for and install the application in Google play or Apple store or scan the QR code in manual or controller to install. APP name is " **FancyLand** "

Scan the QR code on the Controller to download App

Scan the QR code in manual to download App

Contact us

Dear Customer,
Thank you so much for your order in our home store, we sincerely hope that you would be satisfied with our items and services. We always want to provide good customer service and shopping experience to our customers. If you receive a different product or have any problems about using, please feel free to contact us at frist time. And we will reply your email within 24 hours.

Email: **bunacetled@163.com**

RF Remote Control

(1) PAIRING: Within 5 seconds after the power supply in, press and hold on the ON button until the light strip flashes, then the PAIRING completed
(2)UNPAIRING: Within 5 seconds after the power supply in, press and hold on the OFF button until the light strip flashes, the UNPAIRING completed.



B/S+ Press this button to increase the brightness when the color is static (Level 8);
Press this button to accelerate when the lighting is in dynamic mode (Level 8).

B/S- Press this button to dim the brightness when the color is static (Level 8);
Press this button to lower speed when the lighting is in dynamic mode (Level 8).

M+ **M-** Total 7 modes:

1. Red/Green/Blue color Jump to change
2. Seven colors jump to change
3. Red/Green/Blue color fade to change
4. Seven colors fade to change
5. Red/Green color fade to change
6. Green/Blue color fade to change
7. Blue/Red color fade to change

① App connection operation

Step1: Please download APP“**FancyLand**” and make sure your phone is Bluetooth enabled

Step2: Then outdoor eaves light automatically connect to the APP

Step3: If the outdoor eaves light is not displayed on the app, it means that it is not connected, you can close the app and reopen it to see if it is displayed: if it is not displayed, turn off the phone and restart it, and perform the above 2-3 steps again (turn on Bluetooth--open the app--See if it shows)



②【Freely Adjust Colors/ Brlghtness】

1.16 million colors and adjustable brightness, make your party more wonderful, creating romance, relaxation, comfortable ambiance. You can adjust the light brightness from 1% to 100%.

2. Please note: CCT and DIMMER functions are not available



③【Freely adjust style / brightnes/ speed】

29 light modes to choose from, you can adjust the brightness and flashing speed.





④【Music Page】

The software comes with several pieces of music. When you play music then you will see the light change color with music beats.

⑤【Mic Page】

(1) Phone MIC

(2) Device MIC: Classic, Soft, Dynamic, Disco 4 styles, you can adjust the sensitivity. The controller is equipped with a built-in microphone, and the light strip effect can respond in real-time based on external sound



④



⑤



⑤

⑥【Timing Function】

1. Feel free to set the time in the according to your ideas, then the light strip autometically turns on or off.

2. Please note: When LED device power off, please reset



⑦【Setting Page】

1. FC_RGB Connected: Click the device to rename it and easy to identify your light strip

2. Memory function is available without the need for repeated settings



Rename the devices

please modify pin sequence If the light's color is not match with remote control. (there are 6 sequences to adjust) untill the displayed colors match the remote color. (Usually, the color of the light strip will be matched with the remote control and app before factory setting)



FCC WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-- Reorient or relocate the receiving antenna.

-- Increase the separation between the equipment and receiver.

-- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

-- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC’s RF Exposure guidelines, This equipment should be installed and operated with minimum distance between 20cm the radiator your body: Use only the supplied antenna.