


ANTENNA SPECIFICATION

Specifications

Summary


ITEM	SPEC.					
Model Name	2.4G-ANT					
Center Frequency	Horizontal			Vertical		
	2400MHz	2430MHz	2480MHz	2400MHz	2430MHz	2480MHz
	-1.66	-0.84	-0.61	-6.16	-3.65	-2.21
MAX. Gain	-0.61					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	31.4mm					

Antenna Photo & Length (mm)



Horizontal:


2400MHz 2430MHz 2480MHz



Frequency (MHz)	Gain(dBi)		
	Max.	Min.	Avg.
2400	-1.66179	-30.2813	-8.78713
2430	-0.84781	-38.7595	-7.87812
2480	-0.61559	-23.6329	-6.99139

Vertical:

2400MHz 2430MHz 2480MHz



Frequency (MHz)	Gain(dBi)		
	Max.	Min.	Avg.
2400	-6.1623	-23.1425	-12.5295
2430	-3.6534	-26.2866	-10.6699
2480	-2.2110	-29.4381	-9.58526

**Manufacturer: Shenzhen Jingda
Electronic Technology Co., Ltd.
Room 519M, Mintai Building, No.
241 Minzhi Avenue, Minxin
Community, Minzhi Street, Longhua
District, Shenzhen**