



Maximum location: X=-51.00, Y=-34.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.075894 |
| SAR 1g (W/Kg)  | 0.086632 |



## MEASUREMENT 79

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.99; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Right head                    |
| Device Position | Tilt                          |
| Band            | LTE Band 17_RMC               |
| Channels        | QPSK, 5MHz, Low               |
| Signal          | Duty Cycle 1:1                |


### B. SAR Measurement Results


|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 706.060000 |
| Relative Permittivity (real part) | 41.320574  |
| Conductivity (S/m)                | 0.862373   |
| Power Variation (%)               | 1.363232   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.3       |



Maximum location: X=-39.00, Y=-23.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.043341 |
| SAR 1g (W/Kg)  | 0.050003 |



| 3D screen shot                                                                      | Hot spot position                                                                     |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |

# MEASUREMENT 80

Date of measurement: 08/28/2015


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.99; Calibrated: 06/03/2015

### A. Experimental conditions

|                        |                               |
|------------------------|-------------------------------|
| <b>Area Scan</b>       | sam_direct_droit2_surf8mm.txt |
| <b>Phantom</b>         | Left head                     |
| <b>Device Position</b> | Cheek                         |
| <b>Band</b>            | LTE Band 17_RMC               |
| <b>Channels</b>        | QPSK, 5MHz, Low               |
| <b>Signal</b>          | Duty Cycle 1:1                |


## B. SAR Measurement Results



|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 706.060000 |
| Relative Permittivity (real part) | 41.320574  |
| Conductivity (S/m)                | 0.862373   |
| Power Variation (%)               | 1.945217   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.3       |



Maximum location: X=-56.00, Y=-32.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.069700 |
| SAR 1g (W/Kg)  | 0.076844 |



| 3D screen shot                                                                      | Hot spot position                                                                     |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |

# MEASUREMENT 81

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.99; Calibrated: 06/03/2015

## A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Left head                     |
| Device Position | Tilt                          |
| Band            | LTE Band 17_RMC               |
| Channels        | QPSK, 5MHz, Low               |
| Signal          | Duty Cycle 1:1                |


## B. SAR Measurement Results


|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 706.060000 |
| Relative Permittivity (real part) | 41.320574  |
| Conductivity (S/m)                | 0.862373   |
| Power Variation (%)               | 1.355883   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.3       |



Maximum location: X=-38.00, Y=-22.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.042092 |
| SAR 1g (W/Kg)  | 0.044749 |



| 3D screen shot                                                                      | Hot spot position                                                                     |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |

## MEASUREMENT 82

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.28; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | LTE Band 17_RMC               |
| Channels        | QPSK, 5MHz, Low               |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 706.060000 |
| Relative Permittivity (real part) | 54.964739  |
| Conductivity (S/m)                | 0.9310484  |
| Power Variation (%)               | 0.954431   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.3       |



Maximum location: X=-1.00, Y=45.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.128496 |
| SAR 1g (W/Kg)  | 0.156842 |



## MEASUREMENT 83

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.28; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Front                         |
| Band            | LTE Band 17_RMC               |
| Channels        | QPSK, 5MHz, Low               |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 707.280000 |
| Relative Permittivity (real part) | 54.964739  |
| Conductivity (S/m)                | 0.9310484  |
| Power Variation (%)               | 1.754322   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.3       |



Maximum location: X=-7.00, Y=43.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.105575 |
| SAR 1g (W/Kg)  | 0.128083 |



## MEASUREMENT 84

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.28; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Bottom                        |
| Band            | LTE Band 17_RMC               |
| Channels        | QPSK, 5MHz, Low               |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 707.280000 |
| Relative Permittivity (real part) | 54.964739  |
| Conductivity (S/m)                | 0.9310484  |
| Power Variation (%)               | 2.339113   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.3       |



Maximum location: X=-2.00, Y=11.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.026502 |
| SAR 1g (W/Kg)  | 0.039740 |



## MEASUREMENT 85

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.28; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Right side                    |
| Band            | LTE Band 17_RMC               |
| Channels        | QPSK, 5MHz, Low               |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 707.280000 |
| Relative Permittivity (real part) | 54.964739  |
| Conductivity (S/m)                | 0.9310484  |
| Power Variation (%)               | 2.384742   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.3       |



Maximum location: X=1.00, Y=-34.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.105535 |
| SAR 1g (W/Kg)  | 0.140508 |



## MEASUREMENT 86

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.28; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Left side                     |
| Band            | LTE Band 17_RMC               |
| Channels        | QPSK, 5MHz, Low               |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 707.280000 |
| Relative Permittivity (real part) | 54.964739  |
| Conductivity (S/m)                | 0.9310484  |
| Power Variation (%)               | 1.484431   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.3       |



Maximum location: X=7.00, Y=-31.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.046098 |
| SAR 1g (W/Kg)  | 0.061445 |



## MEASUREMENT 87

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds

E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.64; Calibrated: 06/03/2015


### A. Experimental conditions

|                        |                                      |
|------------------------|--------------------------------------|
| <b>Area Scan</b>       | sam_direct_droit2_surf8mm.txt        |
| <b>Phantom</b>         | Right head                           |
| <b>Device Position</b> | Cheek                                |
| <b>Band</b>            | LTE Band 7_RMC                       |
| <b>Channels</b>        | QPSK, 5MHz, Middle                   |
| <b>Signal</b>          | Duty Cycle: 1.00 (Crest factor: 1.0) |

### B. SAR Measurement Results



#### Middle Band SAR

|                                          |             |
|------------------------------------------|-------------|
| <b>Frequency (MHz)</b>                   | 2535.000000 |
| <b>Relative Permittivity (real part)</b> | 38.153660   |
| <b>Conductivity (S/m)</b>                | 1.740236    |
| <b>Power Variation (%)</b>               | 0.924535    |
| <b>Ambient Temperature</b>               | 21.1        |
| <b>Liquid Temperature</b>                | 21.2        |



Maximum location: X=-49.00, Y=-49.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.025687 |
| SAR 1g (W/Kg)  | 0.050451 |



# MEASUREMENT 88

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds

E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.64; Calibrated: 06/03/2015


## A. Experimental conditions

|                 |                                      |
|-----------------|--------------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt        |
| Phantom         | Right head                           |
| Device Position | Tilt                                 |
| Band            | LTE Band 7_RMC                       |
| Channels        | QPSK, 5MHz, Middle                   |
| Signal          | Duty Cycle: 1.00 (Crest factor: 1.0) |

## B. SAR Measurement Results

### Middle Band SAR (Channel 9750)


|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2535.000000 |
| Relative Permittivity (real part) | 38.153660   |
| Conductivity (S/m)                | 1.740236    |
| Power Variation (%)               | 1.665234    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |




Maximum location: X=-47.00, Y=-40.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.002334 |
| SAR 1g (W/Kg)  | 0.004538 |

|            |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 4.00   | 9.00   | 14.00  | 19.00  |
| SAR (W/Kg) | 0.0000 | 0.0033 | 0.0016 | 0.0009 | 0.0007 |



| 3D screen shot                                                                      | Hot spot position                                                                     |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |

# MEASUREMENT 89

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds

E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.64; Calibrated: 06/03/2015


## A. Experimental conditions

|                 |                                      |
|-----------------|--------------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt        |
| Phantom         | Left head                            |
| Device Position | Cheek                                |
| Band            | LTE Band 7_RMC                       |
| Channels        | QPSK, 5MHz, Middle                   |
| Signal          | Duty Cycle: 1.00 (Crest factor: 1.0) |

## B. SAR Measurement Results

### Middle Band SAR (Channel 9750)


|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2535.000000 |
| Relative Permittivity (real part) | 38.153660   |
| Conductivity (S/m)                | 1.740236    |
| Power Variation (%)               | 2.456256    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |





Maximum location: X=-48.00, Y=-3.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.015867 |
| SAR 1g (W/Kg)  | 0.032154 |

|            |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 4.00   | 9.00   | 14.00  | 19.00  |
| SAR (W/Kg) | 0.0000 | 0.0349 | 0.0188 | 0.0097 | 0.0049 |



|                                                                                     |                                                                                       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 3D screen shot                                                                      | Hot spot position                                                                     |
|  |  |

## MEASUREMENT 90

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds

E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.64; Calibrated: 06/03/2015


### A. Experimental conditions

|                 |                                      |
|-----------------|--------------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt        |
| Phantom         | Left head                            |
| Device Position | Tilt                                 |
| Band            | LTE Band 7_RMC                       |
| Channels        | QPSK, 5MHz, Middle                   |
| Signal          | Duty Cycle: 1.00 (Crest factor: 1.0) |

### B. SAR Measurement Results



#### Middle Band SAR (Channel 9750)

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2535.000000 |
| Relative Permittivity (real part) | 38.153660   |
| Conductivity (S/m)                | 1.740236    |
| Power Variation (%)               | 2.672243    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=-46.00, Y=-2.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.002705 |
| SAR 1g (W/Kg)  | 0.004673 |



# MEASUREMENT 91

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds

E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.80; Calibrated: 06/03/2015


## A. Experimental conditions

|                 |                                       |
|-----------------|---------------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt         |
| Phantom         | Flat Plane                            |
| Device Position | Back                                  |
| Band            | LTE Band 7_RMC                        |
| Channels        | QPSK, 5MHz, Middle                    |
| Signal          | Duty Cycle: 1.00 (Crest factor: 1.00) |

## B. SAR Measurement Results

### Middle Band SAR


|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2535.000000 |
| Relative Permittivity (real part) | 52.0102121  |
| Conductivity (S/m)                | 1.910255    |
| Power Variation (%)               | 3.672346    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |





Maximum location: X=25.00, Y=13.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.066534 |
| SAR 1g (W/Kg)  | 0.127264 |

|            |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 4.00   | 9.00   | 14.00  | 19.00  |
| SAR (W/Kg) | 0.0000 | 0.1377 | 0.0717 | 0.0369 | 0.0196 |



|                                                                                     |                                                                                       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 3D screen shot                                                                      | Hot spot position                                                                     |
|  |  |

## MEASUREMENT 92

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds

E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.80; Calibrated: 06/03/2015


### A. Experimental conditions

|                 |                                       |
|-----------------|---------------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt         |
| Phantom         | Flat Plane                            |
| Device Position | Front                                 |
| Band            | LTE Band 7_RMC                        |
| Channels        | QPSK, 5MHz, Middle                    |
| Signal          | Duty Cycle: 1.00 (Crest factor: 1.00) |

### B. SAR Measurement Results

#### Middle Band SAR


|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2535.000000 |
| Relative Permittivity (real part) | 52.0102121  |
| Conductivity (S/m)                | 1.910255    |
| Power Variation (%)               | 2.415762    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |





Maximum location: X=8.00, Y=7.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.042050 |
| SAR 1g (W/Kg)  | 0.080561 |

|            |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 4.00   | 9.00   | 14.00  | 19.00  |
| SAR (W/Kg) | 0.0000 | 0.0873 | 0.0460 | 0.0239 | 0.0126 |



|                                                                                     |                                                                                       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 3D screen shot                                                                      | Hot spot position                                                                     |
|  |  |

## MEASUREMENT 93

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds

E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.80; Calibrated: 06/03/2015


### A. Experimental conditions

|                 |                                       |
|-----------------|---------------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt         |
| Phantom         | Flat Plane                            |
| Device Position | Bottom                                |
| Band            | LTE Band 7_RMC                        |
| Channels        | QPSK, 5MHz, Middle                    |
| Signal          | Duty Cycle: 1.00 (Crest factor: 1.00) |

### B. SAR Measurement Results

#### Middle Band SAR


|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2535.000000 |
| Relative Permittivity (real part) | 52.0102121  |
| Conductivity (S/m)                | 1.910255    |
| Power Variation (%)               | 2.234155    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |





Maximum location: X=-24.00, Y=18.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.011445 |
| SAR 1g (W/Kg)  | 0.020755 |

|            |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 4.00   | 9.00   | 14.00  | 19.00  |
| SAR (W/Kg) | 0.0000 | 0.0216 | 0.0105 | 0.0060 | 0.0048 |



|                                                                                     |                                                                                      |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| 3D screen shot                                                                      | Hot spot position                                                                    |
|  |  |

# MEASUREMENT 94

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds

E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.80; Calibrated: 06/03/2015


## A. Experimental conditions

|                 |                                       |
|-----------------|---------------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt         |
| Phantom         | Flat Plane                            |
| Device Position | Right                                 |
| Band            | LTE Band 7_RMC                        |
| Channels        | QPSK, 5MHz, Middle                    |
| Signal          | Duty Cycle: 1.00 (Crest factor: 1.00) |

## B. SAR Measurement Results

### Middle Band SAR


|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2535.000000 |
| Relative Permittivity (real part) | 52.0102121  |
| Conductivity (S/m)                | 1.910255    |
| Power Variation (%)               | 4.004322    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |




Maximum location: X=16.00, Y=1.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.001455 |
| SAR 1g (W/Kg)  | 0.002627 |

|            |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 4.00   | 9.00   | 14.00  | 19.00  |
| SAR (W/Kg) | 0.0000 | 0.0021 | 0.0009 | 0.0005 | 0.0005 |



|                                                                                     |                                                                                       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 3D screen shot                                                                      | Hot spot position                                                                     |
|  |  |

## MEASUREMENT 95

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds

E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.80; Calibrated: 06/03/2015


### A. Experimental conditions

|                 |                                       |
|-----------------|---------------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt         |
| Phantom         | Flat Plane                            |
| Device Position | Left Side                             |
| Band            | LTE Band 7_RMC                        |
| Channels        | QPSK, 5MHz, Middle                    |
| Signal          | Duty Cycle: 1.00 (Crest factor: 1.00) |

### B. SAR Measurement Results

#### Middle Band SAR


|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2535.000000 |
| Relative Permittivity (real part) | 52.0102121  |
| Conductivity (S/m)                | 1.910255    |
| Power Variation (%)               | 2.124672    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |




Maximum location: X=9.00, Y=-10.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.023198 |
| SAR 1g (W/Kg)  | 0.043485 |

|            |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 4.00   | 9.00   | 14.00  | 19.00  |
| SAR (W/Kg) | 0.0000 | 0.0462 | 0.0235 | 0.0114 | 0.0055 |



|                                                                                     |                                                                                       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 3D screen shot                                                                      | Hot spot position                                                                     |
|  |  |

## MEASUREMENT 96

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds

E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.64; Calibrated: 06/03/2015


### A. Experimental conditions

|                 |                                       |
|-----------------|---------------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt         |
| Phantom         | Right head                            |
| Device Position | Cheek                                 |
| Band            | WiFi_802.11b                          |
| Channels        | Middle                                |
| Signal          | Duty Cycle: 1.00 (Crest factor: 1.00) |

### B. SAR Measurement Results



#### Middle Band SAR (Channel 06)

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2437.000000 |
| Relative Permittivity (real part) | 38.153660   |
| Conductivity (S/m)                | 1.740236    |
| Power Variation (%)               | 3.234772    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=-15.00, Y=15.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.136582 |
| SAR 1g (W/Kg)  | 0.294496 |



## MEASUREMENT 97

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds

E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.64; Calibrated: 06/03/2015


### A. Experimental conditions

|                 |                                       |
|-----------------|---------------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt         |
| Phantom         | Right head                            |
| Device Position | Tilt                                  |
| Band            | WiFi_802.11b                          |
| Channels        | Middle                                |
| Signal          | Duty Cycle: 1.00 (Crest factor: 1.00) |

### B. SAR Measurement Results



#### Middle Band SAR (Channel 06)

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2437.000000 |
| Relative Permittivity (real part) | 38.153660   |
| Conductivity (S/m)                | 1.740236    |
| Power Variation (%)               | 0.241434    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=-15.00, Y=19.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.082981 |
| SAR 1g (W/Kg)  | 0.171120 |



# MEASUREMENT 98

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds

E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.64; Calibrated: 06/03/2015


## A. Experimental conditions

|                 |                                       |
|-----------------|---------------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt         |
| Phantom         | Left head                             |
| Device Position | Cheek                                 |
| Band            | WiFi_802.11b                          |
| Channels        | Middle                                |
| Signal          | Duty Cycle: 1.00 (Crest factor: 1.00) |

## B. SAR Measurement Results



### Middle Band SAR (Channel 06)

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2437.000000 |
| Relative Permittivity (real part) | 38.153660   |
| Conductivity (S/m)                | 1.740236    |
| Power Variation (%)               | 0.384732    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=-10.00, Y=5.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.055229 |
| SAR 1g (W/Kg)  | 0.105371 |



## MEASUREMENT 99

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds

E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.64; Calibrated: 06/03/2015


### A. Experimental conditions

|                 |                                       |
|-----------------|---------------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt         |
| Phantom         | Left head                             |
| Device Position | Tilt                                  |
| Band            | WiFi_802.11b                          |
| Channels        | Middle                                |
| Signal          | Duty Cycle: 1.00 (Crest factor: 1.00) |

### B. SAR Measurement Results



#### Middle Band SAR (Channel 06)

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2437.000000 |
| Relative Permittivity (real part) | 38.153660   |
| Conductivity (S/m)                | 1.740236    |
| Power Variation (%)               | 1.422243    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=-7.00, Y=0.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.030172 |
| SAR 1g (W/Kg)  | 0.054454 |



# MEASUREMENT 100

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds

E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.80; Calibrated: 06/03/2015


## A. Experimental conditions

|                 |                                       |
|-----------------|---------------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt         |
| Phantom         | Flat Plane                            |
| Device Position | Back                                  |
| Band            | WiFi_802.11b                          |
| Channels        | Middle                                |
| Signal          | Duty Cycle: 1.00 (Crest factor: 1.00) |

## B. SAR Measurement Results



### Middle Band SAR (Channel 06)

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2437.000000 |
| Relative Permittivity (real part) | 52.0102121  |
| Conductivity (S/m)                | 1.910255    |
| Power Variation (%)               | 2.492743    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=-23.00, Y=8.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.046339 |
| SAR 1g (W/Kg)  | 0.094780 |



# MEASUREMENT 101

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds

E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.80; Calibrated: 06/03/2015


## A. Experimental conditions

|                 |                                       |
|-----------------|---------------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt         |
| Phantom         | Flat Plane                            |
| Device Position | Front                                 |
| Band            | WiFi_802.11b                          |
| Channels        | Middle                                |
| Signal          | Duty Cycle: 1.00 (Crest factor: 1.00) |

## B. SAR Measurement Results



### Middle Band SAR (Channel 06)

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2437.000000 |
| Relative Permittivity (real part) | 52.0102121  |
| Conductivity (S/m)                | 1.910255    |
| Power Variation (%)               | 2.521214    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=24.00, Y=8.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.043607 |
| SAR 1g (W/Kg)  | 0.085245 |



# MEASUREMENT 102

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds

E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.80; Calibrated: 06/03/2015


## A. Experimental conditions

|                 |                                       |
|-----------------|---------------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt         |
| Phantom         | Flat Plane                            |
| Device Position | Left Side                             |
| Band            | WiFi_802.11b                          |
| Channels        | Middle                                |
| Signal          | Duty Cycle: 1.00 (Crest factor: 1.00) |

## B. SAR Measurement Results


### Middle Band SAR (Channel 06)


|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2437.000000 |
| Relative Permittivity (real part) | 52.0102121  |
| Conductivity (S/m)                | 1.910255    |
| Power Variation (%)               | 2.498373    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=0.00, Y=-9.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.030091 |
| SAR 1g (W/Kg)  | 0.058523 |



| 3D screen shot                                                                      | Hot spot position                                                                     |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |

# MEASUREMENT 103

Type: Phone measurement (Complete)

Date of measurement: 08/28/2015

Measurement duration: 12 minutes 3 seconds

E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.80; Calibrated: 06/03/2015


## A. Experimental conditions

|                 |                                       |
|-----------------|---------------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt         |
| Phantom         | Flat Plane                            |
| Device Position | Top Side                              |
| Band            | WiFi_802.11b                          |
| Channels        | Middle                                |
| Signal          | Duty Cycle: 1.00 (Crest factor: 1.00) |

## B. SAR Measurement Results



### Middle Band SAR (Channel 06)

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2437.000000 |
| Relative Permittivity (real part) | 52.0102121  |
| Conductivity (S/m)                | 1.910255    |
| Power Variation (%)               | 3.244224    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=16.00, Y=16.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.024713 |
| SAR 1g (W/Kg)  | 0.051512 |



## Annex C. EUT Photos

### EUT View Front



### EUT View Back



## Antenna View



## Annex D. Test Setup Photos


---


### Test View 1 (Right Head)

**Cheek**



**Tilt**



**Test View 2 (Left Head)****Cheek****Tilt**


### Test View 3

#### Front Side



#### Back Side



**Right side****Left side**

**Top Side****Bottom Side**

## Annex E. Calibration Certificate

---

*Please refer to the exhibit for the calibration certificate*

\*\*\*\*\* END OF REPORT \*\*\*\*\*