

## MEASUREMENT 38

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.93; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Left head                     |
| Device Position | Tilt                          |
| Band            | WCDMA850_RMC                  |
| Channels        | Middle                        |
| Signal          | Duty Cycle 1:1                |


### B. SAR Measurement Results


|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 836.600000 |
| Relative Permittivity (real part) | 41.110245  |
| Conductivity (S/m)                | 0.871245   |
| Power Variation (%)               | 1.456843   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.3       |



Maximum location: X=-38.00, Y=-23.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.097313 |
| SAR 1g (W/Kg)  | 0.126017 |



| 3D screen shot                                                                      | Hot spot position                                                                     |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |

## MEASUREMENT 39

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | WCDMA850_RMC                  |
| Channels        | Middle                        |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 836.600000 |
| Relative Permittivity (real part) | 54.851214  |
| Conductivity (S/m)                | 0.951454   |
| Power Variation (%)               | 2.341234   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.3       |



Maximum location: X=-6.00, Y=-47.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.234700 |
| SAR 1g (W/Kg)  | 0.299091 |



## MEASUREMENT 40

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Front                         |
| Band            | WCDMA850_RMC                  |
| Channels        | Middle                        |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 836.600000 |
| Relative Permittivity (real part) | 54.851214  |
| Conductivity (S/m)                | 0.951454   |
| Power Variation (%)               | 2.341221   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.3       |



Maximum location: X=0.00, Y=-47.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.191837 |
| SAR 1g (W/Kg)  | 0.244064 |



# MEASUREMENT 41

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

## A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Bottom                        |
| Band            | WCDMA850_RMC                  |
| Channels        | Middle                        |
| Signal          | Duty Cycle 1:1                |

## B. SAR Measurement Results


|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 836.600000 |
| Relative Permittivity (real part) | 54.851214  |
| Conductivity (S/m)                | 0.951454   |
| Power Variation (%)               | 1.452233   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.3       |




Maximum location: X=-3.00, Y=7.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.102307 |
| SAR 1g (W/Kg)  | 0.157240 |

|            |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 4.00   | 9.00   | 14.00  | 19.00  |
| SAR (W/Kg) | 0.0000 | 0.1679 | 0.1143 | 0.0793 | 0.0567 |



|                                                                                     |                                                                                       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 3D screen shot                                                                      | Hot spot position                                                                     |
|  |  |

## MEASUREMENT 42

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Right side                    |
| Band            | WCDMA850_RMC                  |
| Channels        | Middle                        |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 836.600000 |
| Relative Permittivity (real part) | 54.851214  |
| Conductivity (S/m)                | 0.951454   |
| Power Variation (%)               | 1.634634   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.3       |



Maximum location: X=0.00, Y=17.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.196634 |
| SAR 1g (W/Kg)  | 0.274469 |



## MEASUREMENT 43

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.84; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Right head                    |
| Device Position | Cheek                         |
| Band            | WCDMA1700_RMC                 |
| Channels        | Low                           |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1712.400000 |
| Relative Permittivity (real part) | 39.024890   |
| Conductivity (S/m)                | 1.371250    |
| Power Variation (%)               | 1.342427    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.3        |



Maximum location: X=-53.00, Y=-56.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.129383 |
| SAR 1g (W/Kg)  | 0.209341 |



## MEASUREMENT 44

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.84; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Right head                    |
| Device Position | Tilt                          |
| Band            | WCDMA1700_RMC                 |
| Channels        | Low                           |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1712.400000 |
| Relative Permittivity (real part) | 39.024890   |
| Conductivity (S/m)                | 1.371250    |
| Power Variation (%)               | 1.452324    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.3        |



Maximum location: X=-45.00, Y=-42.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.033527 |
| SAR 1g (W/Kg)  | 0.050346 |



## MEASUREMENT 45

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.84; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Left head                     |
| Device Position | Cheek                         |
| Band            | WCDMA1700_RMC                 |
| Channels        | Low                           |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1712.400000 |
| Relative Permittivity (real part) | 39.024890   |
| Conductivity (S/m)                | 1.371250    |
| Power Variation (%)               | 1.734324    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.3        |



Maximum location: X=-56.00, Y=-63.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.170763 |
| SAR 1g (W/Kg)  | 0.276931 |



## MEASUREMENT 46

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.84; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Left head                     |
| Device Position | Tilt                          |
| Band            | WCDMA1700_RMC                 |
| Channels        | Low                           |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1712.400000 |
| Relative Permittivity (real part) | 39.024890   |
| Conductivity (S/m)                | 1.371250    |
| Power Variation (%)               | 1.456843    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.3        |



Maximum location: X=-40.00, Y=-49.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.020144 |
| SAR 1g (W/Kg)  | 0.029661 |



# MEASUREMENT 47

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

## A. Experimental conditions

|                        |                               |
|------------------------|-------------------------------|
| <b>Area Scan</b>       | sam_direct_droit2_surf8mm.txt |
| <b>Phantom</b>         | Flat Plane                    |
| <b>Device Position</b> | Back                          |
| <b>Band</b>            | WCDMA1700_RMC                 |
| <b>Channels</b>        | Low                           |
| <b>Signal</b>          | Duty Cycle 1:1                |



## B. SAR Measurement Results

|                                          |             |
|------------------------------------------|-------------|
| <b>Frequency (MHz)</b>                   | 1712.400000 |
| <b>Relative Permittivity (real part)</b> | 51.224510   |
| <b>Conductivity (S/m)</b>                | 1.461261    |
| <b>Power Variation (%)</b>               | 2.341234    |
| <b>Ambient Temperature</b>               | 21.1        |
| <b>Liquid Temperature</b>                | 21.3        |



Maximum location: X=2.00, Y=6.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.475570 |
| SAR 1g (W/Kg)  | 0.762409 |



## MEASUREMENT 48

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Front                         |
| Band            | WCDMA1700_RMC                 |
| Channels        | Low                           |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1712.400000 |
| Relative Permittivity (real part) | 51.224510   |
| Conductivity (S/m)                | 1.461261    |
| Power Variation (%)               | 2.341221    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.3        |



Maximum location: X=16.00, Y=-16.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.532716 |
| SAR 1g (W/Kg)  | 0.986538 |



## MEASUREMENT 49

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Front                         |
| Band            | WCDMA1700_RMC                 |
| Channels        | Middle                        |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1732.600000 |
| Relative Permittivity (real part) | 51.224510   |
| Conductivity (S/m)                | 1.461261    |
| Power Variation (%)               | 2.312173    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.3        |



Maximum location: X=11.00, Y=-16.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.518638 |
| SAR 1g (W/Kg)  | 0.967257 |



## MEASUREMENT 50

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Front                         |
| Band            | WCDMA1700_RMC                 |
| Channels        | High                          |
| Signal          | Duty Cycle 1:1                |

### B. SAR Measurement Results


|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1752.600000 |
| Relative Permittivity (real part) | 51.224510   |
| Conductivity (S/m)                | 1.461261    |
| Power Variation (%)               | 2.034215    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.3        |





Maximum location: X=11.00, Y=-16.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.518859 |
| SAR 1g (W/Kg)  | 0.968640 |

|            |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 4.00   | 9.00   | 14.00  | 19.00  |
| SAR (W/Kg) | 0.0000 | 0.7890 | 0.4490 | 0.2583 | 0.1559 |



| 3D screen shot                                                                      | Hot spot position                                                                     |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |

# MEASUREMENT 51

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

## A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Bottom                        |
| Band            | WCDMA1700_RMC                 |
| Channels        | Low                           |
| Signal          | Duty Cycle 1:1                |

## B. SAR Measurement Results


|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1712.400000 |
| Relative Permittivity (real part) | 51.224510   |
| Conductivity (S/m)                | 1.461261    |
| Power Variation (%)               | 1.452233    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.3        |




Maximum location: X=-1.00, Y=14.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.615089 |
| SAR 1g (W/Kg)  | 1.162348 |

|            |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 4.00   | 9.00   | 14.00  | 19.00  |
| SAR (W/Kg) | 0.0000 | 0.9121 | 0.5180 | 0.2982 | 0.1809 |



|                                                                                     |                                                                                       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 3D screen shot                                                                      | Hot spot position                                                                     |
|  |  |

## MEASUREMENT 52

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Bottom                        |
| Band            | WCDMA1700_RMC                 |
| Channels        | Middle                        |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1732.600000 |
| Relative Permittivity (real part) | 51.224510   |
| Conductivity (S/m)                | 1.461261    |
| Power Variation (%)               | 1.452233    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.3        |



Maximum location: X=-2.00, Y=14.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.592420 |
| SAR 1g (W/Kg)  | 1.123683 |



## MEASUREMENT 53

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Bottom                        |
| Band            | WCDMA1700_RMC                 |
| Channels        | High                          |
| Signal          | Duty Cycle 1:1                |

### B. SAR Measurement Results


|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1752.600000 |
| Relative Permittivity (real part) | 51.224510   |
| Conductivity (S/m)                | 1.461261    |
| Power Variation (%)               | 1.452233    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.3        |




Maximum location: X=-2.00, Y=14.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.588829 |
| SAR 1g (W/Kg)  | 1.118709 |

|            |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 4.00   | 9.00   | 14.00  | 19.00  |
| SAR (W/Kg) | 0.0000 | 0.9164 | 0.5139 | 0.2917 | 0.1746 |



|                                                                                     |                                                                                       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 3D screen shot                                                                      | Hot spot position                                                                     |
|  |  |

## MEASUREMENT 54

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Right side                    |
| Band            | WCDMA1700_RMC                 |
| Channels        | Low                           |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1712.400000 |
| Relative Permittivity (real part) | 51.224510   |
| Conductivity (S/m)                | 1.461261    |
| Power Variation (%)               | 1.634634    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.3        |



Maximum location: X=5.00, Y=-5.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.154281 |
| SAR 1g (W/Kg)  | 0.268789 |



## MEASUREMENT 55

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.35; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Right head                    |
| Device Position | Cheek                         |
| Band            | LTE Band 2_RMC                |
| Channels        | QPSK, 5MHz, Middle            |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1880.000000 |
| Relative Permittivity (real part) | 38.560124   |
| Conductivity (S/m)                | 1.380369    |
| Power Variation (%)               | 1.743564    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.3        |



Maximum location: X=-57.00, Y=-63.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.123178 |
| SAR 1g (W/Kg)  | 0.204044 |



# MEASUREMENT 56

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.35; Calibrated: 06/03/2015

## A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Right head                    |
| Device Position | Tilt                          |
| Band            | LTE Band 2_RMC                |
| Channels        | QPSK, 5MHz, Middle            |
| Signal          | Duty Cycle 1:1                |



## B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1880.000000 |
| Relative Permittivity (real part) | 38.560124   |
| Conductivity (S/m)                | 1.380369    |
| Power Variation (%)               | 1.034524    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.3        |



Maximum location: X=-1.00, Y=-3.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.022826 |
| SAR 1g (W/Kg)  | 0.040680 |



## MEASUREMENT 57

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.35; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Left head                     |
| Device Position | Cheek                         |
| Band            | LTE Band 2_RMC                |
| Channels        | QPSK, 5MHz, Middle            |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1880.000000 |
| Relative Permittivity (real part) | 38.560124   |
| Conductivity (S/m)                | 1.380369    |
| Power Variation (%)               | 2.325563    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.3        |



Maximum location: X=-56.00, Y=-56.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.103532 |
| SAR 1g (W/Kg)  | 0.176291 |



## MEASUREMENT 58

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.35; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Left head                     |
| Device Position | Tilt                          |
| Band            | LTE Band 2_RMC                |
| Channels        | QPSK, 5MHz, Middle            |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1880.000000 |
| Relative Permittivity (real part) | 38.560124   |
| Conductivity (S/m)                | 1.380369    |
| Power Variation (%)               | 1.734534    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.3        |



Maximum location: X=-8.00, Y=3.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.018401 |
| SAR 1g (W/Kg)  | 0.031842 |



## MEASUREMENT 59

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.55; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | LTE Band 2_RMC                |
| Channels        | QPSK, 5MHz, Middle            |
| Signal          | Duty Cycle 1:1                |


### B. SAR Measurement Results


|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1880.000000 |
| Relative Permittivity (real part) | 52.420415   |
| Conductivity (S/m)                | 1.501966    |
| Power Variation (%)               | 1.523573    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.3        |



Maximum location: X=-3.00, Y=-1.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.241351 |
| SAR 1g (W/Kg)  | 0.397368 |



| 3D screen shot                                                                      | Hot spot position                                                                     |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |

## MEASUREMENT 60

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.55; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Front                         |
| Band            | LTE Band 2_RMC                |
| Channels        | QPSK, 5MHz, Middle            |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1880.000000 |
| Relative Permittivity (real part) | 52.420415   |
| Conductivity (S/m)                | 1.501966    |
| Power Variation (%)               | 0.834515    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.3        |



Maximum location: X=-12.00, Y=16.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.359209 |
| SAR 1g (W/Kg)  | 0.695295 |



## MEASUREMENT 61

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.55; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Bottom                        |
| Band            | LTE Band 2_RMC                |
| Channels        | QPSK, 5MHz, Middle            |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1880.000000 |
| Relative Permittivity (real part) | 52.420415   |
| Conductivity (S/m)                | 1.501966    |
| Power Variation (%)               | 1.482632    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.3        |



Maximum location: X=-1.00, Y=11.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.347431 |
| SAR 1g (W/Kg)  | 0.654677 |



## MEASUREMENT 62

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.55; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Right side                    |
| Band            | LTE Band 2_RMC                |
| Channels        | QPSK, 5MHz, Middle            |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1880.000000 |
| Relative Permittivity (real part) | 52.420415   |
| Conductivity (S/m)                | 1.501966    |
| Power Variation (%)               | 1.443922    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.3        |



Maximum location: X=7.00, Y=-8.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.100960 |
| SAR 1g (W/Kg)  | 0.178305 |



## MEASUREMENT 63

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.84; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Right head                    |
| Device Position | Cheek                         |
| Band            | LTE Band 4_RMC                |
| Channels        | QPSK, 20MHz, Low              |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1720.000000 |
| Relative Permittivity (real part) | 39.024890   |
| Conductivity (S/m)                | 1.371250    |
| Power Variation (%)               | 1.374628    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=-56.00, Y=-57.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.185738 |
| SAR 1g (W/Kg)  | 0.313734 |



## MEASUREMENT 64

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.84; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Right head                    |
| Device Position | Tilt                          |
| Band            | LTE Band 4_RMC                |
| Channels        | QPSK, 20MHz, Low              |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1720.000000 |
| Relative Permittivity (real part) | 39.024890   |
| Conductivity (S/m)                | 1.371250    |
| Power Variation (%)               | 1.783475    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=-8.00, Y=0.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.018053 |
| SAR 1g (W/Kg)  | 0.030028 |



## MEASUREMENT 65

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.84; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Left head                     |
| Device Position | Cheek                         |
| Band            | LTE Band 4_RMC                |
| Channels        | QPSK, 20MHz, Low              |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1720.000000 |
| Relative Permittivity (real part) | 39.024890   |
| Conductivity (S/m)                | 1.371250    |
| Power Variation (%)               | 1.635879    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=-56.00, Y=-62.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.116369 |
| SAR 1g (W/Kg)  | 0.189182 |



## MEASUREMENT 66

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.84; Calibrated: 06/03/2015

### A. Experimental conditions

|                        |                               |
|------------------------|-------------------------------|
| <b>Area Scan</b>       | sam_direct_droit2_surf8mm.txt |
| <b>Phantom</b>         | Left head                     |
| <b>Device Position</b> | Tilt                          |
| <b>Band</b>            | LTE Band 4_RMC                |
| <b>Channels</b>        | QPSK, 20MHz, Low              |
| <b>Signal</b>          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                          |             |
|------------------------------------------|-------------|
| <b>Frequency (MHz)</b>                   | 1720.000000 |
| <b>Relative Permittivity (real part)</b> | 39.024890   |
| <b>Conductivity (S/m)</b>                | 1.371250    |
| <b>Power Variation (%)</b>               | 1.582648    |
| <b>Ambient Temperature</b>               | 21.1        |
| <b>Liquid Temperature</b>                | 21.2        |



Maximum location: X=-6.00, Y=0.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.015023 |
| SAR 1g (W/Kg)  | 0.024260 |



# MEASUREMENT 67

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

## A. Experimental conditions

|                        |                               |
|------------------------|-------------------------------|
| <b>Area Scan</b>       | sam_direct_droit2_surf8mm.txt |
| <b>Phantom</b>         | Flat Plane                    |
| <b>Device Position</b> | Back                          |
| <b>Band</b>            | LTE Band 4_RMC                |
| <b>Channels</b>        | QPSK, 20MHz, Low              |
| <b>Signal</b>          | Duty Cycle 1:1                |



## B. SAR Measurement Results

|                                          |             |
|------------------------------------------|-------------|
| <b>Frequency (MHz)</b>                   | 1720.000000 |
| <b>Relative Permittivity (real part)</b> | 51.224510   |
| <b>Conductivity (S/m)</b>                | 1.461261    |
| <b>Power Variation (%)</b>               | 0.858383    |
| <b>Ambient Temperature</b>               | 21.1        |
| <b>Liquid Temperature</b>                | 21.2        |



Maximum location: X=-6.00, Y=-14.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.359092 |
| SAR 1g (W/Kg)  | 0.576843 |



## MEASUREMENT 68

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Front                         |
| Band            | LTE Band 4_RMC                |
| Channels        | QPSK, 20MHz, Low              |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1720.000000 |
| Relative Permittivity (real part) | 51.224510   |
| Conductivity (S/m)                | 1.461261    |
| Power Variation (%)               | 0.858690    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=-17.00, Y=11.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.428562 |
| SAR 1g (W/Kg)  | 0.791782 |



## MEASUREMENT 69

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Bottom                        |
| Band            | LTE Band 4_RMC                |
| Channels        | QPSK, 20MHz, Low              |
| Signal          | Duty Cycle 1:1                |

### B. SAR Measurement Results


|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1720.000000 |
| Relative Permittivity (real part) | 51.224510   |
| Conductivity (S/m)                | 1.461261    |
| Power Variation (%)               | 0.693830    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |





Maximum location: X=16.00, Y=25.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.448659 |
| SAR 1g (W/Kg)  | 0.830451 |

|            |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 4.00   | 9.00   | 14.00  | 19.00  |
| SAR (W/Kg) | 0.0000 | 0.8451 | 0.4917 | 0.2899 | 0.1790 |



|                                                                                     |                                                                                       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 3D screen shot                                                                      | Hot spot position                                                                     |
|  |  |

## MEASUREMENT 70

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Bottom                        |
| Band            | LTE Band 4_RMC                |
| Channels        | QPSK, 20MHz, Middle           |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |              |
|-----------------------------------|--------------|
| Frequency (MHz)                   | 1732.5000000 |
| Relative Permittivity (real part) | 51.224510    |
| Conductivity (S/m)                | 1.461261     |
| Power Variation (%)               | 0.654562     |
| Ambient Temperature               | 21.1         |
| Liquid Temperature                | 21.2         |



Maximum location: X=16.00, Y=25.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.423561 |
| SAR 1g (W/Kg)  | 0.783970 |



# MEASUREMENT 71

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

## A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Bottom                        |
| Band            | LTE Band 4_RMC                |
| Channels        | QPSK, 20MHz, High             |
| Signal          | Duty Cycle 1:1                |



## B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 1745.000000 |
| Relative Permittivity (real part) | 51.224510   |
| Conductivity (S/m)                | 1.461261    |
| Power Variation (%)               | 0.696347    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=16.00, Y=25.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.463943 |
| SAR 1g (W/Kg)  | 0.860001 |



# MEASUREMENT 72

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

## A. Experimental conditions

|                        |                               |
|------------------------|-------------------------------|
| <b>Area Scan</b>       | sam_direct_droit2_surf8mm.txt |
| <b>Phantom</b>         | Flat Plane                    |
| <b>Device Position</b> | Right                         |
| <b>Band</b>            | LTE Band 4_RMC                |
| <b>Channels</b>        | QPSK, 20MHz, Low              |
| <b>Signal</b>          | Duty Cycle 1:1                |



## B. SAR Measurement Results

|                                          |              |
|------------------------------------------|--------------|
| <b>Frequency (MHz)</b>                   | 1720.0000000 |
| <b>Relative Permittivity (real part)</b> | 51.224510    |
| <b>Conductivity (S/m)</b>                | 1.461261     |
| <b>Power Variation (%)</b>               | 0.576823     |
| <b>Ambient Temperature</b>               | 21.1         |
| <b>Liquid Temperature</b>                | 21.2         |



Maximum location: X=2.00, Y=-6.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.105463 |
| SAR 1g (W/Kg)  | 0.181291 |



## MEASUREMENT 73

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.93; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Right head                    |
| Device Position | Cheek                         |
| Band            | LTE Band 5_RMC                |
| Channels        | QPSK, 10MHz,High              |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 844.000000 |
| Relative Permittivity (real part) | 41.110245  |
| Conductivity (S/m)                | 0.871245   |
| Power Variation (%)               | 1.422112   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.3       |



Maximum location: X=-51.00, Y=-34.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.075894 |
| SAR 1g (W/Kg)  | 0.086632 |



# MEASUREMENT 74

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.93; Calibrated: 06/03/2015

## A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Right head                    |
| Device Position | Tilt                          |
| Band            | LTE Band 5_RMC                |
| Channels        | QPSK, 10MHz,High              |
| Signal          | Duty Cycle 1:1                |



## B. SAR Measurement Results

|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 844.000000 |
| Relative Permittivity (real part) | 41.110245  |
| Conductivity (S/m)                | 0.871245   |
| Power Variation (%)               | 1.363232   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.3       |



Maximum location: X=-39.00, Y=-23.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.043341 |
| SAR 1g (W/Kg)  | 0.050003 |



## MEASUREMENT 75

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.93; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Left head                     |
| Device Position | Cheek                         |
| Band            | LTE Band 5_RMC                |
| Channels        | QPSK, 10MHz,High              |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 844.000000 |
| Relative Permittivity (real part) | 41.110245  |
| Conductivity (S/m)                | 0.871245   |
| Power Variation (%)               | 1.945217   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.3       |



Maximum location: X=-56.00, Y=-32.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.069700 |
| SAR 1g (W/Kg)  | 0.076844 |



## MEASUREMENT 76

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.93; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Left head                     |
| Device Position | Tilt                          |
| Band            | LTE Band 5_RMC                |
| Channels        | QPSK, 10MHz,High              |
| Signal          | Duty Cycle 1:1                |


### B. SAR Measurement Results


|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 844.000000 |
| Relative Permittivity (real part) | 41.110245  |
| Conductivity (S/m)                | 0.871245   |
| Power Variation (%)               | 1.355883   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.3       |



Maximum location: X=-38.00, Y=-22.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.042092 |
| SAR 1g (W/Kg)  | 0.044749 |



| 3D screen shot                                                                      | Hot spot position                                                                     |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |

## MEASUREMENT 77

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | LTE Band 5_RMC                |
| Channels        | QPSK, 10MHz,High              |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 844.000000 |
| Relative Permittivity (real part) | 54.851214  |
| Conductivity (S/m)                | 0.951454   |
| Power Variation (%)               | 0.954431   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.3       |



Maximum location: X=-1.00, Y=45.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.128496 |
| SAR 1g (W/Kg)  | 0.156842 |



## MEASUREMENT 78

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Front                         |
| Band            | LTE Band 5_RMC                |
| Channels        | QPSK, 10MHz,High              |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 844.000000 |
| Relative Permittivity (real part) | 54.851214  |
| Conductivity (S/m)                | 0.951454   |
| Power Variation (%)               | 1.754322   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.3       |



Maximum location: X=-7.00, Y=43.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.105575 |
| SAR 1g (W/Kg)  | 0.128083 |



## MEASUREMENT 79

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Bottom                        |
| Band            | LTE Band 5_RMC                |
| Channels        | QPSK, 10MHz,High              |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 844.000000 |
| Relative Permittivity (real part) | 54.851214  |
| Conductivity (S/m)                | 0.951454   |
| Power Variation (%)               | 2.339113   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.3       |



Maximum location: X=-2.00, Y=11.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.026502 |
| SAR 1g (W/Kg)  | 0.039740 |



## MEASUREMENT 80

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Right side                    |
| Band            | LTE Band 5_RMC                |
| Channels        | QPSK, 10MHz,High              |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |            |
|-----------------------------------|------------|
| Frequency (MHz)                   | 844.000000 |
| Relative Permittivity (real part) | 54.851214  |
| Conductivity (S/m)                | 0.951454   |
| Power Variation (%)               | 2.384742   |
| Ambient Temperature               | 21.1       |
| Liquid Temperature                | 21.3       |



Maximum location: X=1.00, Y=-34.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.105535 |
| SAR 1g (W/Kg)  | 0.140508 |



# MEASUREMENT 81

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.64; Calibrated: 06/03/2015

## A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Right head                    |
| Device Position | Cheek                         |
| Band            | WiFi_802.11b                  |
| Channels        | Low                           |
| Signal          | Duty Cycle 1:1                |

## B. SAR Measurement Results


|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2412.000000 |
| Relative Permittivity (real part) | 38.153660   |
| Conductivity (S/m)                | 1.740236    |
| Power Variation (%)               | 3.234772    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |





Maximum location: X=-15.00, Y=15.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.136582 |
| SAR 1g (W/Kg)  | 0.294496 |

|            |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 4.00   | 9.00   | 14.00  | 19.00  |
| SAR (W/Kg) | 0.0000 | 0.3269 | 0.1551 | 0.0718 | 0.0348 |



|                                                                                     |                                                                                       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 3D screen shot                                                                      | Hot spot position                                                                     |
|  |  |

## MEASUREMENT 82

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.64; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Right head                    |
| Device Position | Tilt                          |
| Band            | WiFi_802.11b                  |
| Channels        | Low                           |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2412.000000 |
| Relative Permittivity (real part) | 38.153660   |
| Conductivity (S/m)                | 1.740236    |
| Power Variation (%)               | 0.241434    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=-15.00, Y=19.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.082981 |
| SAR 1g (W/Kg)  | 0.171120 |



# MEASUREMENT 83

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.64; Calibrated: 06/03/2015

## A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Left head                     |
| Device Position | Cheek                         |
| Band            | WiFi_802.11b                  |
| Channels        | Low                           |
| Signal          | Duty Cycle 1:1                |



## B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2412.000000 |
| Relative Permittivity (real part) | 38.153660   |
| Conductivity (S/m)                | 1.740236    |
| Power Variation (%)               | 0.384732    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=-10.00, Y=5.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.055229 |
| SAR 1g (W/Kg)  | 0.105371 |



## MEASUREMENT 84

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.64; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Left head                     |
| Device Position | Tilt                          |
| Band            | WiFi_802.11b                  |
| Channels        | Low                           |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2412.000000 |
| Relative Permittivity (real part) | 38.153660   |
| Conductivity (S/m)                | 1.740236    |
| Power Variation (%)               | 1.422243    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=-7.00, Y=0.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.030172 |
| SAR 1g (W/Kg)  | 0.054454 |



## MEASUREMENT 85

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.80; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Back                          |
| Band            | WiFi_802.11b                  |
| Channels        | Low                           |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2412.000000 |
| Relative Permittivity (real part) | 52.0102121  |
| Conductivity (S/m)                | 1.910255    |
| Power Variation (%)               | 2.492743    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=-23.00, Y=8.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.046339 |
| SAR 1g (W/Kg)  | 0.094780 |



## MEASUREMENT 86

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.80; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Front                         |
| Band            | WiFi_802.11b                  |
| Channels        | Low                           |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2412.000000 |
| Relative Permittivity (real part) | 52.0102121  |
| Conductivity (S/m)                | 1.910255    |
| Power Variation (%)               | 2.521214    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=24.00, Y=8.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.043607 |
| SAR 1g (W/Kg)  | 0.085245 |



## MEASUREMENT 87

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.80; Calibrated: 06/03/2015

### A. Experimental conditions

|                 |                               |
|-----------------|-------------------------------|
| Area Scan       | sam_direct_droit2_surf8mm.txt |
| Phantom         | Flat Plane                    |
| Device Position | Top Side                      |
| Band            | WiFi_802.11b                  |
| Channels        | Low                           |
| Signal          | Duty Cycle 1:1                |



### B. SAR Measurement Results

|                                   |             |
|-----------------------------------|-------------|
| Frequency (MHz)                   | 2412.000000 |
| Relative Permittivity (real part) | 52.010212   |
| Conductivity (S/m)                | 1.910255    |
| Power Variation (%)               | 3.244224    |
| Ambient Temperature               | 21.1        |
| Liquid Temperature                | 21.2        |



Maximum location: X=16.00, Y=16.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.024713 |
| SAR 1g (W/Kg)  | 0.051512 |



## MEASUREMENT 88

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.80; Calibrated: 06/03/2015

### A. Experimental conditions

|                        |                               |
|------------------------|-------------------------------|
| <b>Area Scan</b>       | sam_direct_droit2_surf8mm.txt |
| <b>Phantom</b>         | Flat Plane                    |
| <b>Device Position</b> | Right Side                    |
| <b>Band</b>            | WiFi_802.11b                  |
| <b>Channels</b>        | Low                           |
| <b>Signal</b>          | Duty Cycle 1:1                |

### B. SAR Measurement Results


|                                          |             |
|------------------------------------------|-------------|
| <b>Frequency (MHz)</b>                   | 2412.000000 |
| <b>Relative Permittivity (real part)</b> | 52.010212   |
| <b>Conductivity (S/m)</b>                | 1.910255    |
| <b>Power Variation (%)</b>               | 3.053461    |
| <b>Ambient Temperature</b>               | 21.1        |
| <b>Liquid Temperature</b>                | 21.2        |





Maximum location: X=15.00, Y=15.00

|                |          |
|----------------|----------|
| SAR 10g (W/Kg) | 0.022241 |
| SAR 1g (W/Kg)  | 0.054266 |

|            |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|
| Z (mm)     | 0.00   | 4.00   | 9.00   | 14.00  | 19.00  |
| SAR (W/Kg) | 0.0000 | 0.0580 | 0.0176 | 0.0048 | 0.0019 |



|                                                                                     |                                                                                       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 3D screen shot                                                                      | Hot spot position                                                                     |
|  |  |

## Annex C. EUT Photos

---


### EUT View Front



### EUT View Back



## Antenna View



## Annex D. Test Setup Photos

---

### Test View 1 (Right Head)

**Cheek**



**Tilt**




**Test View 2 (Left Head)****Cheek****Tilt**

### Test View 3


**Front Side**



**Back Side**



**Right side****Top Side**

**Bottom Side**

## Annex E. Calibration Certificate

---

*Please refer to the exhibit for the calibration certificate*

\*\*\*\*\* END OF REPORT \*\*\*\*\*