




WCDMA Band V (RMC 12.2Kbps)


Lowest Channel



Date: 13.AUG.2018 12:31:15


WCDMA Band II (RMC 12.2Kbps)

Lowest Channel




Date: 13.AUG.2018 11:50:34

Middle Channel




Date: 13.AUG.2018 12:31:49

Middle Channel




Date: 13.AUG.2018 11:51:06

Highest Channel



Date: 13.AUG.2018 12:32:19

Highest Channel




Date: 13.AUG.2018 11:51:39




WCDMA Band IV (RMC 12.2Kbps)

Lowest Channel




Date: 13 AUG 2018 12:12:28

Middle Channel




Date: 13 AUG 2018 12:13:02

Highest Channel




Date: 13 AUG 2018 12:13:40

**Conducted Band Edge**




GSM1900 (GSM)

Lowest Band Edge




Highest Band Edge




GSM1900 (EDGE class 8)

Lowest Band Edge




Highest Band Edge





WCDMA Band V (RMC 12.2Kbps)

Lowest Band Edge




Highest Band Edge




WCDMA Band II (RMC 12.2Kbps)

Lowest Band Edge




Highest Band Edge






WCDMA Band IV (RMC 12.2Kbps)

Lowest Band Edge



Highest Band Edge






Conducted Spurious Emission

GSM850 (GSM)


Lowest Channel



Date: 13 AUG 2018 10:40:14


GSM850 (EDGE class 8)

Lowest Channel




Date: 13 AUG 2018 11:00:00

Middle Channel




Date: 13 AUG 2018 10:42:58

Middle Channel




Date: 13 AUG 2018 11:01:24

Highest Channel



Date: 13 AUG 2018 10:44:27

Highest Channel




Date: 13 AUG 2018 11:02:45



GSM1900 (GSM)


Lowest Channel



Date: 13 AUG 2018 11:16:55


GSM1900 (EDGE class 8)

Lowest Channel




Date: 13 AUG 2018 11:38:06

Middle Channel




Date: 13 AUG 2018 11:18:19




Date: 13 AUG 2018 11:39:26

Highest Channel



Date: 13 AUG 2018 11:19:47




Date: 13 AUG 2018 11:41:07




WCDMA Band V (RMC 12.2Kbps)

Lowest Channel




WCDMA Band II (RMC 12.2Kbps)


Lowest Channel




Middle Channel




Middle Channel



Highest Channel




Highest Channel






WCDMA Band IV (RMC 12.2Kbps)

Lowest Channel




Date: 13 AUG 2018 12:21:02

Middle Channel



Date: 13 AUG 2018 12:22:19

Highest Channel



Date: 13 AUG 2018 12:23:42

**Frequency Stability**

Test Conditions	Middle Channel	GSM850 (GSM)	GSM850 (EDGE class 8)	Limit 2.5ppm
Temperature (°C)	Voltage (Volt)	Deviation (ppm)		Result
50	Normal Voltage	0.0407	0.0418	PASS
40	Normal Voltage	0.0371	0.0191	
30	Normal Voltage	0.0502	0.0084	
20(Ref.)	Normal Voltage	0.0000	0.0000	
10	Normal Voltage	0.0060	0.0191	
0	Normal Voltage	0.0347	0.0299	
-10	Normal Voltage	0.0538	0.0407	
-20	Normal Voltage	0.0383	0.0395	
-30	Normal Voltage	0.0395	0.0323	
20	Maximum Voltage	0.0430	0.0371	
20	Normal Voltage	0.0000	0.0000	
20	Battery End Point	0.0323	0.0215	

Note: Normal Voltage = 3.85V. ; Battery End Point (BEP) =3.65V. ; Maximum Voltage =4.4 V



Test Conditions	Middle Channel	GSM1900 (GSM)	GSM1900 (EDGE class 8)	Limit Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)		Result
50	Normal Voltage	0.0239	0.0234	PASS
40	Normal Voltage	0.0207	0.0218	
30	Normal Voltage	0.0021	0.0101	
20(Ref.)	Normal Voltage	0.0000	0.0000	
10	Normal Voltage	0.0186	0.0021	
0	Normal Voltage	0.0197	0.0239	
-10	Normal Voltage	0.0059	0.0245	
-20	Normal Voltage	0.0218	0.0069	
-30	Normal Voltage	0.0064	0.0293	
20	Maximum Voltage	0.0074	0.0229	
20	Normal Voltage	0.0000	0.0000	
20	Battery End Point	0.0181	0.0234	

Note:

1. Normal Voltage = 3.85V. ; Battery End Point (BEP) =3.65V. ; Maximum Voltage =4.4 V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



Test Conditions	Middle Channel	WCDMA Band V (RMC 12.2Kbps)	Limit 2.5ppm
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0012	PASS
40	Normal Voltage	0.0191	
30	Normal Voltage	0.0179	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0060	
0	Normal Voltage	0.0239	
-10	Normal Voltage	0.0215	
-20	Normal Voltage	0.0036	
-30	Normal Voltage	0.0155	
20	Maximum Voltage	0.0048	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0143	

Note: Normal Voltage = 3.85 V. ; Battery End Point (BEP) =3.65V. ; Maximum Voltage =4.4V



Test Conditions	Middle Channel	WCDMA Band II (RMC 12.2Kbps)	Limit Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0048	PASS
40	Normal Voltage	0.0037	
30	Normal Voltage	0.0032	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0011	
0	Normal Voltage	0.0043	
-10	Normal Voltage	0.0021	
-20	Normal Voltage	0.0064	
-30	Normal Voltage	0.0027	
20	Maximum Voltage	0.0053	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0016	

Note:

1. Normal Voltage = 3.85 V. ; Battery End Point (BEP) =3.65V. ; Maximum Voltage =4.4V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



Test Conditions	Middle Channel	WCDMA Band IV (RMC 12.2Kbps)	Limit Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0121	PASS
40	Normal Voltage	0.0139	
30	Normal Voltage	0.0023	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0092	
0	Normal Voltage	0.0063	
-10	Normal Voltage	0.0029	
-20	Normal Voltage	0.0052	
-30	Normal Voltage	0.0017	
20	Maximum Voltage	0.0087	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0081	

Note:

1. Normal Voltage = 3.85 V. ; Battery End Point (BEP) =3.65 V. ; Maximum Voltage =4.4V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



Appendix B. Test Results of Conducted Test

Radiated Spurious Emission

Note: Antenna 1 is Bottom Antenna, Antenna 2 is Top Antenna, the Antenna 2 verify worse case of Antenna 1.

GSM850 (GSM) for Antenna 1								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672	-53.48	-13	-40.48	-55.39	1.14	5.20	H
	2510	-34.48	-13	-21.48	-37.11	1.12	5.90	H
	3345	-59.89	-13	-46.89	-63.10	1.34	6.70	H
	4182	-47.21	-13	-34.21	-50.67	1.59	7.20	H
	1672	-61.98	-13	-48.98	-63.89	1.14	5.20	V
	2510	-38.80	-13	-25.80	-41.43	1.12	5.90	V
	3345	-59.49	-13	-46.49	-62.70	1.34	6.70	V
	4182	-53.68	-13	-40.68	-57.14	1.59	7.20	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

GSM850 (EDGE class 8) for Antenna 1								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672	-55.38	-13	-42.38	-57.29	1.14	5.20	H
	2508	-55.32	-13	-42.32	-57.95	1.12	5.90	H
	3345	-59.48	-13	-46.48	-62.69	1.34	6.70	H
	1672	-62.05	-13	-49.05	-63.96	1.14	5.20	V
	2510	-54.69	-13	-41.69	-57.32	1.12	5.90	V
	3345	-59.49	-13	-46.49	-62.70	1.34	6.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



GSM1900 (GSM) for Antenna 1								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3759	-28.86	-13	-15.86	-30.58	5.08	6.80	H
	5640	-53.88	-13	-40.88	-55.55	8.03	9.70	H
	7521	-50.26	-13	-37.26	-52.64	9.43	11.81	H
	3759	-34.09	-13	-21.09	-35.81	5.08	6.80	V
	5640	-50.54	-13	-37.54	-52.21	8.03	9.70	V
	7521	-50.10	-13	-37.10	-52.48	9.43	11.81	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

GSM1900 (EDGE class 8) for Antenna 1								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3759	-33.09	-13	-20.09	-34.81	5.08	6.80	H
	5640	-48.41	-13	-35.41	-50.08	8.03	9.70	H
	7521	-50.00	-13	-37.00	-52.38	9.43	11.81	H
	3759	-38.40	-13	-25.40	-40.12	5.08	6.80	V
	5640	-52.31	-13	-39.31	-53.98	8.03	9.70	V
	7521	-50.18	-13	-37.18	-52.56	9.43	11.81	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



WCDMA Band V(RMC 12.2Kbps) for Antenna 1								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672	-64.86	-13	-51.86	-66.77	1.14	5.20	H
	2510	-60.44	-13	-47.44	-63.07	1.12	5.90	H
	3345	-58.20	-13	-45.20	-61.41	1.34	6.70	H
	1672	-63.56	-13	-50.56	-65.47	1.14	5.20	V
	2510	-60.06	-13	-47.06	-62.69	1.12	5.90	V
	3345	-59.00	-13	-46.00	-62.21	1.34	6.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line

WCDMA Band II(RMC 12.2Kbps) for Antenna 1								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3762	-39.35	-13	-26.35	-41.07	5.08	6.80	H
	5643	-49.99	-13	-36.99	-51.66	8.03	9.70	H
	7521	-50.34	-13	-37.34	-52.72	9.43	11.81	H
	3762	-43.16	-13	-30.16	-44.88	5.08	6.80	V
	5643	-52.22	-13	-39.22	-53.89	8.03	9.70	V
	7521	-50.20	-13	-37.20	-52.58	9.43	11.81	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

WCDMA Band IV(RMC 12.2Kbps) for Antenna 1								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3465	-59.03	-13	-46.03	-63.00	4.87	8.84	H
	5199	-46.89	-13	-33.89	-48.33	7.70	9.14	H
	6930	-51.86	-13	-38.86	-53.55	8.98	10.66	H
	3462	-58.30	-13	-45.30	-62.27	4.87	8.84	V
	5199	-50.51	-13	-37.51	-51.95	7.70	9.14	V
	6930	-51.96	-13	-38.96	-53.65	8.98	10.66	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



GSM850 (GSM) for Antenna 2								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672	-48.96	-13	-35.96	-50.87	1.14	5.20	H
	2510	-53.36	-13	-40.36	-55.99	1.12	5.90	H
	3345	-59.55	-13	-46.55	-62.76	1.34	6.70	H
	1672	-49.00	-13	-36.00	-50.91	1.14	5.20	V
	2510	-53.83	-13	-40.83	-56.46	1.12	5.90	V
	3345	-59.33	-13	-46.33	-62.54	1.34	6.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

GSM1900 (GSM) for Antenna 2								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3759	-26.89	-13	-13.89	-28.61	5.08	6.80	H
	5640	-53.25	-13	-40.25	-54.92	8.03	9.70	H
	7521	-49.94	-13	-36.94	-52.32	9.43	11.81	H
	3759	-33.17	-13	-20.17	-34.89	5.08	6.80	V
	5640	-51.31	-13	-38.31	-52.98	8.03	9.70	V
	7521	-50.29	-13	-37.29	-52.67	9.43	11.81	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

WCDMA Band IV(RMC 12.2Kbps) for Antenna 2								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3465	-58.36	-13	-45.36	-62.33	4.87	8.84	H
	5198	-56.55	-13	-43.55	-57.99	7.70	9.14	H
	6930	-52.10	-13	-39.10	-53.79	8.98	10.66	H
	3465	-58.46	-13	-45.46	-62.43	4.87	8.84	V
	5198	-56.22	-13	-43.22	-57.66	7.70	9.14	V
	6930	-51.98	-13	-38.98	-53.67	8.98	10.66	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.