



# FCC RADIO TEST REPORT

**FCC ID** : 2AFZZ119DG  
**Equipment** : Mobile Phone  
**Brand Name** : XIAOMI  
**Model Name** : 2109119DG  
**Applicant** : Xiaomi Communications Co., Ltd.  
#019, 9th Floor, Building 6, 33 Xi'erqi  
Middle Road, Haidian District, Beijing,  
China, 100085  
**Manufacturer** : Xiaomi Communications Co., Ltd.  
#019, 9th Floor, Building 6, 33 Xi'erqi  
Middle Road, Haidian District, Beijing,  
China, 100085  
**Standard** : FCC Part 15 Subpart E §15.407

The product was received on Jun. 30, 2021 and testing was started from Jul. 03, 2021 and completed on Jul. 29, 2021. We, Sporton International Inc. Wensan Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. Wensan Laboratory, the test report shall not be reproduced except in full.

Louis Wu

Approved by: Louis Wu

**Sporton International Inc. Wensan Laboratory**

No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C.)



## Table of Contents

|                                                               |           |
|---------------------------------------------------------------|-----------|
| <b>History of this test report.....</b>                       | <b>3</b>  |
| <b>Summary of Test Result.....</b>                            | <b>4</b>  |
| <b>1 General Description .....</b>                            | <b>5</b>  |
| 1.1 Product Feature of Equipment Under Test.....              | 5         |
| 1.2 Modification of EUT .....                                 | 5         |
| 1.3 Testing Location .....                                    | 6         |
| 1.4 Applicable Standards.....                                 | 6         |
| <b>2 Test Configuration of Equipment Under Test .....</b>     | <b>7</b>  |
| 2.1 Carrier Frequency and Channel .....                       | 7         |
| 2.2 Test Mode.....                                            | 8         |
| 2.3 Connection Diagram of Test System.....                    | 9         |
| 2.4 Support Unit used in test configuration and system .....  | 9         |
| 2.5 EUT Operation Test Setup .....                            | 10        |
| 2.6 Measurement Results Explanation Example.....              | 10        |
| <b>3 Test Result .....</b>                                    | <b>11</b> |
| 3.1 6dB and 26dB and 99% Occupied Bandwidth Measurement ..... | 11        |
| 3.2 Maximum Conducted Output Power Measurement .....          | 16        |
| 3.3 Power Spectral Density Measurement .....                  | 17        |
| 3.4 Unwanted Emissions Measurement.....                       | 21        |
| 3.5 AC Conducted Emission Measurement.....                    | 26        |
| 3.6 Antenna Requirements.....                                 | 28        |
| <b>4 List of Measuring Equipment.....</b>                     | <b>29</b> |
| <b>5 Uncertainty of Evaluation .....</b>                      | <b>31</b> |
| <b>Appendix A. Conducted Test Results</b>                     |           |
| <b>Appendix B. AC Conducted Emission Test Result</b>          |           |
| <b>Appendix C. Radiated Spurious Emission</b>                 |           |
| <b>Appendix D. Radiated Spurious Emission Plots</b>           |           |
| <b>Appendix E. Duty Cycle Plots</b>                           |           |
| <b>Appendix F. Setup Photographs</b>                          |           |



## History of this test report

| Report No. | Version | Description             | Issued Date   |
|------------|---------|-------------------------|---------------|
| FR162425F  | 01      | Initial issue of report | Aug. 02, 2021 |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |
|            |         |                         |               |

## Summary of Test Result

| Report Clause | Ref Std. Clause     | Test Items                     | Result (PASS/FAIL) | Remark                                     |
|---------------|---------------------|--------------------------------|--------------------|--------------------------------------------|
| 3.1           | 15.403(i)           | 6dB & 26dB Bandwidth           | Pass               | -                                          |
| 3.1           | 2.1049              | 99% Occupied Bandwidth         | Reporting only     | -                                          |
| 3.2           | 15.407(a)           | Maximum Conducted Output Power | Pass               | -                                          |
| 3.3           | 15.407(a)           | Power Spectral Density         | Pass               | -                                          |
| 3.4           | 15.407(b)           | Unwanted Emissions             | Pass               | Under limit<br>4.01 dB at<br>17978.000 MHz |
| 3.5           | 15.207              | AC Conducted Emission          | Pass               | Under limit<br>12.41 dB at<br>7.202 MHz    |
| 3.6           | 15.203<br>15.407(a) | Antenna Requirement            | Pass               | -                                          |

**Declaration of Conformity:**

The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

**Comments and Explanations:**

The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.

**Reviewed by: Danny Lee**

**Report Producer: Amy Chen**



# 1 General Description

## 1.1 Product Feature of Equipment Under Test

GSM/WCDMA/LTE/5G NR, Bluetooth, Wi-Fi 2.4GHz 802.11b/g/n/ax, Wi-Fi 5GHz 802.11a/n/ac/ax, NFC and GNSS

| Product Specification subjective to this standard |                                                                                                                                         |                                    |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|
| Sample 1                                          | 6G+128GB with Battery 1                                                                                                                 |                                    |
| Sample 2                                          | 8G+128GB with Battery 1                                                                                                                 |                                    |
| Sample 3                                          | 8G+256GB with Battery 1                                                                                                                 |                                    |
| Sample 4                                          | 6G+128GB with Battery 2                                                                                                                 |                                    |
| Antenna Type                                      | WWAN: PIFA Antenna<br>WLAN: PIFA Antenna<br>Bluetooth: PIFA Antenna<br>GPS / Glonass / BDS / Galileo: PIFA Antenna<br>NFC: Coil Antenna |                                    |
| Antenna information                               |                                                                                                                                         |                                    |
| 5725 MHz ~ 5850 MHz                               | Peak Gain (dBi)                                                                                                                         | <Ant. 7>: -1.42<br><Ant. 9>: -2.12 |

**Remark:** The above EUT's information was declared by manufacturer. Please refer to Comments and Explanations in report summary.

## 1.2 Modification of EUT

No modifications are made to the EUT during all test items.



### 1.3 Testing Location

|                           |                                                                                                                                                  |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Test Site</b>          | Sporton International Inc. Wensan Laboratory                                                                                                     |
| <b>Test Site Location</b> | No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist.,<br>Taoyuan City 333010, Taiwan (R.O.C.)<br>TEL: +886-3-327-0868<br>FAX: +886-3-327-0855 |
| <b>Test Site No.</b>      | <b>Sporton Site No.</b>                                                                                                                          |
|                           | TH05-HY, 03CH15-HY, CO07-HY                                                                                                                      |

**Note:** The test site complies with ANSI C63.4 2014 requirement.

FCC designation No.: TW3786

### 1.4 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ FCC Part 15 Subpart E
- ♦ FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01.
- ♦ FCC KDB 414788 D01 Radiated Test Site v01r01.
- ♦ FCC KDB 662911 D01 Multiple Transmitter Output v02r01.
- ♦ ANSI C63.10-2013

**Remark:**

1. All test items were verified and recorded according to the standards and without any deviation during the test.
2. The TAF code is not including all the FCC KDB listed without accreditation.

## 2 Test Configuration of Equipment Under Test

- a. The EUT has been associated with peripherals and configuration operated in a manner tended to maximize its emission characteristics in a typical application. Frequency range investigated: conduction emission (150 kHz to 30 MHz), radiation emission (9 kHz to the 10th harmonic of the highest fundamental frequency or to 40 GHz, whichever is lower). For radiated measurement, the measured emission level of the EUT was maximized by rotating the EUT on a turntable, adjusting the orientation of the EUT and EUT antenna in three orthogonal axis (X: flat, Y: portrait, Z: landscape), and adjusting the measurement antenna orientation, following C63.10 exploratory test procedures and find X plane as worst plane
- b. AC power line Conducted Emission was tested under maximum output power.

### 2.1 Carrier Frequency and Channel

| Frequency Band                       | Channel          | Freq. (MHz) | Channel | Freq. (MHz) |
|--------------------------------------|------------------|-------------|---------|-------------|
| 5725-5850 MHz<br>Band 4<br>(U-NII-3) | 149              | 5745        | 157     | 5785        |
|                                      | 151*             | 5755        | 159*    | 5795        |
|                                      | 153              | 5765        | 161     | 5805        |
|                                      | 155 <sup>#</sup> | 5775        | 165     | 5825        |

**Note:**

1. The above Frequency and Channel in "\*" were 802.11n HT40 and 802.11ac VHT40 and 802.11ax HE40.
2. The above Frequency and Channel in "<sup>#</sup>" were 802.11ac VHT80 and 802.11ax HE80.

## 2.2 Test Mode

Final test modes are considering the modulation and worse data rates as below table.

### MIMO Mode


| Modulation                       | Data Rate |
|----------------------------------|-----------|
| 802.11a                          | 6 Mbps    |
| 802.11n HT20 (Covered by HE20)   | MCS0      |
| 802.11n HT40 (Covered by HE40)   | MCS0      |
| 802.11ac VHT20 (Covered by HE20) | MCS0      |
| 802.11ac VHT40 (Covered by HE40) | MCS0      |
| 802.11ac VHT80 (Covered by HE80) | MCS0      |
| 802.11ax HE20                    | MCS0      |
| 802.11ax HE40                    | MCS0      |
| 802.11ax HE80                    | MCS0      |

| Test Cases                                                                                      |                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>AC Conducted Emission</b>                                                                    | Mode 1 : GSM 850 Idle (Middle Channel) + Bluetooth Link + WLAN (5GHz) Link + Camera (Rear) + USB Cable 1 (Charging from Adapter) + SIM 1 for Sample 3 |
| <b>Remark:</b> For Radiated Test Cases, the tests were performed with USB Cable 2 and Sample 1. |                                                                                                                                                       |

| Ch. # |        | Band IV : 5725-5850 MHz |               |               |
|-------|--------|-------------------------|---------------|---------------|
|       |        | 802.11a                 | 802.11ax HE40 | 802.11ax HE80 |
| L     | Low    | 149                     | 151           | -             |
| M     | Middle | 157                     | -             | 155           |
| H     | High   | 165                     | 159           | -             |

**Remark:** For radiation spurious emission, the final modulation and the worst data rate was reference the max RF conducted power.

## 2.3 Connection Diagram of Test System



## 2.4 Support Unit used in test configuration and system

| Item | Equipment          | Brand Name    | Model Name    | FCC ID      | Data Cable | Power Cord                                                 |
|------|--------------------|---------------|---------------|-------------|------------|------------------------------------------------------------|
| 1.   | System Simulator   | Anritsu       | MT8820C       | N/A         | N/A        | Unshielded, 1.8 m                                          |
| 2.   | Bluetooth Earphone | Sony Ericsson | MW600         | PY7DDA-2029 | N/A        | N/A                                                        |
| 3.   | WLAN AP            | ASUS          | RT-AC66U      | MSQ-RTAC66U | N/A        | Unshielded, 1.8 m                                          |
| 4.   | Notebook           | Dell          | Latitude 3400 | FCC DoC     | N/A        | AC I/P:<br>Unshielded, 1.2 m<br>DC O/P:<br>Shielded, 1.8 m |
| 5.   | SD Card            | SanDisk       | MicroSD HC    | FCC DoC     | N/A        | N/A                                                        |



## 2.5 EUT Operation Test Setup

The RF test items, make the EUT (SW: MIUI 12.5 Global 21.6.11) get into the engineering modes to provide channel selection, power level, data rate and the application type and for continuous transmitting signals.

## 2.6 Measurement Results Explanation Example

**For all conducted test items:**

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuator factor between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

Example :

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

*Offset = RF cable loss + attenuator factor.*

Following shows an offset computation example with cable loss 4.2 dB and 10 dB attenuator.

$$\begin{aligned}\text{Offset(dB)} &= \text{RF cable loss(dB)} + \text{attenuator factor(dB)} \\ &= 4.2 + 10 = 14.2 \text{ (dB)}\end{aligned}$$

### 3 Test Result

#### 3.1 6dB and 26dB and 99% Occupied Bandwidth Measurement

##### 3.1.1 Description of 6dB and 26dB and 99% Occupied Bandwidth

The minimum 6 dB bandwidth shall be at least 500 kHz.

26dB and 99% Occupied bandwidth are reporting only.


##### 3.1.2 Measuring Instruments

See list of measuring equipment of this test report.

##### 3.1.3 Test Procedures


1. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01.  
Section C) Emission bandwidth for the band 5.725-5.85 GHz
2. Set RBW = 100 kHz.
3. Set the VBW  $\geq 3 \times$  RBW.
4. Detector = Peak.
5. Trace mode = max hold
6. Measure the maximum width of the emission that is 6 dB down from the peak of the emission.
7. Measure and record the results in the test report.

##### 3.1.4 Test Setup




##### 3.1.5 Test Result of 6dB and 26dB and 99% Occupied Bandwidth

Please refer to Appendix A.



Delta 2 [T1]  
 -0.37 dB  
 20.90000000 MHz  
 Ref 30 dBm Att 20 dB VBW 3 MHz SWT 20 ms  
 30 Offset 28.5 dB  
 Marker 1 [T1]  
 -11.86 dBm  
 5.774450000 GHz  
 P1 13.68 dBm  
 P2 -12.32 dBm  
 1 PRK  
 VIEW  
 Center 5.785 GHz Span 50 MHz  
 5 MHz/  
 3D



Date: 28.JUL.2021 18:32:35




**Note:** The occupied channel bandwidth is maintained within the band of operation for all of the modulations.



## &lt;802.11ax Mode&gt;





**Note:** The occupied channel bandwidth is maintained within the band of operation for all of the modulations.

## 3.2 Maximum Conducted Output Power Measurement

### 3.2.1 Limit of Maximum Conducted Output Power

For the band 5.725–5.85 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W.

If transmitting antennas of directional gain greater than 6 dBi are used, the peak output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### 3.2.2 Measuring Instruments

See list of measuring equipment of this test report.


### 3.2.3 Test Procedures

The testing follows Method PM-G of FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01.

Method PM-G (Measurement using a gated RF average power meter):

1. Measurement is performed using a wideband RF power meter.
2. The EUT is configured to transmit at its maximum power control level.
3. Measure the average power of the transmitter.
4. Since the measurement is made only during the ON time of the transmitter, no duty cycle correction factor is required.

### 3.2.4 Test Setup



### 3.2.5 Test Result of Maximum Conducted Output Power

Please refer to Appendix A.

### 3.3 Power Spectral Density Measurement

#### 3.3.1 Limit of Power Spectral Density

For the band 5.725–5.85 GHz, the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band.

If transmitting antennas of directional gain greater than 6 dBi are used, the peak output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

#### 3.3.2 Measuring Instruments

See list of measuring equipment of this test report.

#### 3.3.3 Test Procedures

The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01.  
Section F) Maximum power spectral density.

##### # Method SA-3 #

(power averaging (rms) detection with max hold):


- Set span to encompass the entire emission bandwidth (EBW) of the signal.
- Set RBW = 1 MHz.
- Set VBW  $\geq$  3 MHz.
- Number of points in sweep  $\geq$  2 Span / RBW.
- Sweep time  $\leq$  (number of points in sweep)  $\times$  T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.  
Detector = power averaging (rms).
- Trace mode = max hold.
- Allow max hold to run for at least 60 seconds, or longer as needed to allow the trace to stabilize.

1. The RF output of EUT was connected to the spectrum analyzer by a low loss cable.
2. Each plot has already offset with cable loss, and attenuator loss. Measure the PPSD and record it.
3. For MIMO mode, calculation method follows FCC KDB 662911 D01 Multiple Transmitter Output v02r01.

Method (c): Measure and add  $10 \log(N_{\text{ANT}})$  dB.

With this technique, spectrum measurements are performed at each output of the device, but rather than summing the spectra or the spectral peaks across the outputs, the quantity  $10 \log(N_{\text{ANT}})$  dB is added to each spectrum value before comparing to the emission limit. The addition of  $10 \log(N_{\text{ANT}})$  dB serves to apportion the emission limit among the  $N_{\text{ANT}}$  outputs so that each output is permitted to contribute no more than  $1/N_{\text{ANT}}^{\text{th}}$  of the PSD limit.



### 3.3.4 Test Setup







### 3.3.5 Test Result of Power Spectral Density

Please refer to Appendix A.



**<802.11ax Mode>**
**Worst Case Power Density (dBm/MHz) for MIMO Ant. 7**


Date: 28.JUL.2021 17:15:47

**Worst Case Power Density (dBm/MHz) for MIMO Ant. 9**


Date: 28.JUL.2021 17:22:16

### 3.4 Unwanted Emissions Measurement

This section is to measure unwanted emissions through radiated measurement for band edge spurious emissions and out of band emissions measurement.

#### 3.4.1 Limit of Unwanted Emissions

- (1) For transmitters operating in the 5.725-5.85 GHz band:

15.407(b)(4)(i) All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

- (2) Unwanted spurious emissions fallen in restricted bands shall comply with the general field strength limits as below table,

| Frequency<br>(MHz) | Field Strength<br>(microvolts/meter) | Measurement Distance<br>(meters) |
|--------------------|--------------------------------------|----------------------------------|
| 0.009 – 0.490      | 2400/F(kHz)                          | 300                              |
| 0.490 – 1.705      | 24000/F(kHz)                         | 30                               |
| 1.705 – 30.0       | 30                                   | 30                               |
| 30 – 88            | 100                                  | 3                                |
| 88 – 216           | 150                                  | 3                                |
| 216 - 960          | 200                                  | 3                                |
| Above 960          | 500                                  | 3                                |

**Note:** The following formula is used to convert the EIRP to field strength.

$$E = \frac{1000000\sqrt{30P}}{3} \text{ } \mu\text{V/m, where P is the eirp (Watts)}$$

| EIRP (dBm) | Field Strength at 3m (dBμV/m) |
|------------|-------------------------------|
| - 27       | 68.3                          |

- (3) KDB789033 D02 v02r01 G)2)c)

(i) Sections 15.407(b)(1-3) specifies the unwanted emissions limit for the U-NII-1 and U-NII-2 bands. As specified, emissions above 1000 MHz that are outside of the restricted bands are subject to a peak emission limit of -27 dBm/MHz.

(ii) Section 15.407(b)(4) specifies the unwanted emissions limit for the U-NII-3 band. A band emissions mask is specified in Section 15.407(b)(4)(i). The emission limits are based on the use of a peak detector.

### 3.4.2 Measuring Instruments

See list of measuring equipment of this test report.


### 3.4.3 Test Procedures

1. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01.  
Section G) Unwanted emissions measurement.  
(1) Procedure for Unwanted Emissions Measurements Below 1000 MHz
  - RBW = 120 kHz
  - VBW = 300 kHz
  - Detector = Peak
  - Trace mode = max hold  
(2) Procedure for Peak Unwanted Emissions Measurements Above 1000 MHz
  - RBW = 1 MHz
  - VBW  $\geq$  3 MHz
  - Detector = Peak
  - Sweep time = auto
  - Trace mode = max hold  
(3) Procedures for Average Unwanted Emissions Measurements Above 1000 MHz
  - RBW = 1 MHz
  - VBW = 10 Hz, when duty cycle is no less than 98 percent.
  - VBW  $\geq$  1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.
2. The EUT was placed on a turntable with 0.8 meter for frequency below 1 GHz and 1.5 meter for frequency above 1 GHz respectively above ground.
3. The EUT was set 3 meters from the interference receiving antenna which was mounted on the top of a variable height antenna tower.
4. The antenna is a broadband antenna and its height is adjusted between one meter and four meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
5. For each suspected emission, the EUT was arranged to its worst case and then adjust the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
6. For testing below 1 GHz, if the emission level of the EUT in peak mode was 3 dB lower than the limit specified, then peak values of EUT will be reported, otherwise, the emissions will be repeated one by one using the CISPR quasi-peak method and reported.


7. For testing above 1 GHz, the emission level of the EUT in peak mode was 20 dB lower than average limit (that means the emission level in average mode also complies with the limit in average mode), then peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.

### 3.4.4 Test Setup


**For radiated emissions below 30MHz**




**For radiated emissions from 30MHz to 1GHz**



For radiated test from 1GHz to 18GHz



For radiated test above 18GHz



**3.4.5 Test Results of Radiated Emissions (9 kHz ~ 30 MHz)**

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.

There is adequate comparison measurement of both open-field test site and alternative test site - semi-Anechoic chamber according to 414788 D01 Radiated Test Site v01r01, and the result came out very similar.

**3.4.6 Test Result of Radiated Band Edges**

Please refer to Appendix C and D.

**3.4.7 Duty Cycle**

Please refer to Appendix E.

**3.4.8 Test Result of Unwanted Radiated Emission (30MHz ~ 10th Harmonic)**

Please refer to Appendix C and D.

### 3.5 AC Conducted Emission Measurement

#### 3.5.1 Limit of AC Conducted Emission

For equipment that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies within the band 150 kHz to 30 MHz shall not exceed the limits in the following table.

| Frequency of emission (MHz) | Conducted limit (dB $\mu$ V) |           |
|-----------------------------|------------------------------|-----------|
|                             | Quasi-peak                   | Average   |
| 0.15-0.5                    | 66 to 56*                    | 56 to 46* |
| 0.5-5                       | 56                           | 46        |
| 5-30                        | 60                           | 50        |

\*Decreases with the logarithm of the frequency.


#### 3.5.2 Measuring Instruments

See list of measuring equipment of this test report.

#### 3.5.3 Test Procedures

1. The EUT was placed 0.4 meter from the conducting wall of the shielding room was kept at least 80 centimeters from any other grounded conducting surface.
2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
3. All the support units are connecting to the other LISN.
4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
5. The FCC states that a 50 ohm, 50 microhenry LISN shall be used.
6. Both sides of AC line were checked for maximum conducted interference.
7. The frequency range from 150 kHz to 30 MHz was searched.
8. Set the test-receiver system to Peak Detect Function and specified bandwidth with Maximum Hold Mode.

### 3.5.4 Test Setup



### 3.5.5 Test Result of AC Conducted Emission

Please refer to Appendix B.

### 3.6 Antenna Requirements

#### 3.6.1 Standard Applicable

If transmitting antenna directional gain is greater than 6 dBi, both the peak transmit power and the peak power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

#### 3.6.2 Antenna Anti-Replacement Construction

An embedded-in antenna design is used.

#### 3.6.3 Antenna Gain

<CDD Modes >

FCC KDB 662911 D01 Multiple Transmitter Output v02r01

For CDD transmissions, directional gain is calculated as

Directional gain = G<sub>ANT</sub> + Array Gain, where Array Gain is as follows.

For power spectral density (PSD) measurements on all devices,

Array Gain = 10 log(NANT/NSS=1) dB.

For power measurements on IEEE 802.11 devices,

Array Gain = 0 dB (i.e., no array gain) for NANT ≤ 4.

Directional gain may be calculated by using the formulas applicable to equal gain antennas with G<sub>ANT</sub> set equal to the gain of the antenna having the highest gain;

The EUT supports CDD mode.

For power, the directional gain G<sub>ANT</sub> is set equal to the antenna having the highest gain, i.e., F)2)f)i).

For PSD, the directional gain calculation is following F)2)f)ii) of KDB 662911 D01 v02r01.

The power and PSD limit should be modified if the directional gain of EUT is over 6 dBi,

The directional gain "DG" is calculated as following table.

| <CDD Modes> |        |        |       |       |           |           |
|-------------|--------|--------|-------|-------|-----------|-----------|
|             |        |        | DG    | DG    | Power     | PSD       |
|             |        |        | for   | for   | Limit     | Limit     |
|             | Ant. 7 | Ant. 9 | Power | PSD   | Reduction | Reduction |
|             | (dBi)  | (dBi)  | (dBi) | (dBi) | (dB)      | (dB)      |
| Band IV     | -1.42  | -2.12  | -1.42 | 1.25  | 0.00      | 0.00      |

*Power Limit Reduction = DG(Power) – 6dBi, ( min = 0 )*

*PSD Limit Reduction = DG(PSD) – 6dBi, ( min = 0 )*



## 4 List of Measuring Equipment

| Instrument              | Brand Name        | Model No.                            | Serial No.                             | Characteristics             | Calibration Date | Test Date                       | Due Date      | Remark                   |
|-------------------------|-------------------|--------------------------------------|----------------------------------------|-----------------------------|------------------|---------------------------------|---------------|--------------------------|
| Loop Antenna            | Rohde & Schwarz   | HFH2-Z2                              | 100315                                 | 9 kHz~30 MHz                | Jan. 04, 2021    | Jul. 17, 2021~<br>Jul. 22, 2021 | Jun. 03, 2022 | Radiation<br>(03CH15-HY) |
| Bilog Antenna           | TESEQ             | CBL 6111D &<br>00800N1D01<br>N-06    | 41912 & 05                             | 30MHz~1GHz                  | Feb. 08, 2021    | Jul. 17, 2021~<br>Jul. 22, 2021 | Feb. 07, 2022 | Radiation<br>(03CH15-HY) |
| Amplifier               | SONOMA            | 310N                                 | 363440                                 | 9kHz~1GHz                   | Dec. 28, 2020    | Jul. 17, 2021~<br>Jul. 22, 2021 | Dec. 27, 2021 | Radiation<br>(03CH15-HY) |
| Horn Antenna            | SCHWARZBE<br>CK   | BBHA 9120 D                          | 9120D-01620                            | 1GHz~18GHz                  | Nov. 03, 2020    | Jul. 17, 2021~<br>Jul. 22, 2021 | Nov. 02, 2021 | Radiation<br>(03CH15-HY) |
| SHF-EHF Horn<br>Antenna | SCHWARZBE<br>CK   | BBHA 9170                            | BBHA9170251                            | 18GHz~40GHz                 | Dec. 02, 2020    | Jul. 17, 2021~<br>Jul. 22, 2021 | Dec. 01, 2021 | Radiation<br>(03CH15-HY) |
| Preamplifier            | Jet-Power         | JPA0118-55-<br>303                   | 171000180005<br>5006                   | 1GHz~18GHz                  | May 06, 2021     | Jul. 17, 2021~<br>Jul. 22, 2021 | May 05, 2022  | Radiation<br>(03CH15-HY) |
| Preamplifier            | Keysight          | 83017A                               | MY53270195                             | 1GHz~26.5GHz                | Aug. 21, 2020    | Jul. 17, 2021~<br>Jul. 22, 2021 | Aug. 20, 2021 | Radiation<br>(03CH15-HY) |
| Preamplifier            | EMEC              | EM18G40G                             | 0600789                                | 18-40GHz                    | Oct. 27, 2020    | Jul. 17, 2021~<br>Jul. 22, 2021 | Oct. 26, 2021 | Radiation<br>(03CH15-HY) |
| EMI Test Receiver       | Keysight          | N9038A<br>(MXE)                      | MY54130085                             | 20MHz~8.4GHz                | Nov. 02, 2020    | Jul. 17, 2021~<br>Jul. 22, 2021 | Nov. 01, 2021 | Radiation<br>(03CH15-HY) |
| Spectrum<br>Analyzer    | Agilent           | E4446A                               | MY50180136                             | 3Hz~44GHz                   | May 07, 2021     | Jul. 17, 2021~<br>Jul. 22, 2021 | May 06, 2022  | Radiation<br>(03CH15-HY) |
| Antenna Mast            | ChainTek          | MBS-520-1                            | N/A                                    | 1m~4m                       | N/A              | Jul. 17, 2021~<br>Jul. 22, 2021 | N/A           | Radiation<br>(03CH15-HY) |
| Turn Table              | ChainTek          | T-200-S-1                            | N/A                                    | 0~360 Degree                | N/A              | Jul. 17, 2021~<br>Jul. 22, 2021 | N/A           | Radiation<br>(03CH15-HY) |
| Software                | Audix             | E3<br>6.2009-8-24<br>(k5)            | RK-000451                              | N/A                         | N/A              | Jul. 17, 2021~<br>Jul. 22, 2021 | N/A           | Radiation<br>(03CH15-HY) |
| RF Cable                | HUBER +<br>SUHNER | SUCOFLEX<br>104, 102E                | MY36980/4,<br>MY9838/4PE,5<br>08405/2E | 30MHz~18G                   | Nov. 16, 2020    | Jul. 17, 2021~<br>Jul. 22, 2021 | Nov. 15, 2021 | Radiation<br>(03CH15-HY) |
| RF Cable                | HUBER +<br>SUHNER | SUCOFLEX<br>102                      | 505134/2                               | 30MHz-40GHz                 | Feb. 22, 2021    | Jul. 17, 2021~<br>Jul. 22, 2021 | Feb. 21, 2022 | Radiation<br>(03CH15-HY) |
| RF Cable                | HUBER +<br>SUHNER | SUCOFLEX<br>102                      | 800740/2                               | 30MHz-40GHz                 | Feb. 22, 2021    | Jul. 17, 2021~<br>Jul. 22, 2021 | Feb. 21, 2022 | Radiation<br>(03CH15-HY) |
| RF Cable                | HUBER +<br>SUHNER | SUCOFLEX<br>104                      | MY9837/4PE                             | 9kHz~30MHz                  | Mar. 11, 2021    | Jul. 17, 2021~<br>Jul. 22, 2021 | Mar. 10, 2022 | Radiation<br>(03CH15-HY) |
| Filter                  | Wainwright        | WLJ4-1000-1<br>530-6000-40<br>ST     | SN4                                    | 1.53GHz Low<br>Pass Filter  | Jul. 02, 2021    | Jul. 17, 2021~<br>Jul. 22, 2021 | Jul. 01, 2022 | Radiation<br>(03CH15-HY) |
| Filter                  | Wainwright        | WHKX8-5872<br>.5-6750-1800<br>0-40ST | SN6                                    | 6.75GHz High<br>Pass Filter | Jun. 30, 2021    | Jul. 17, 2021~<br>Jul. 22, 2021 | Jun. 29, 2022 | Radiation<br>(03CH15-HY) |



| Instrument            | Brand Name      | Model No.    | Serial No.    | Characteristics | Calibration Date | Test Date                   | Due Date      | Remark               |
|-----------------------|-----------------|--------------|---------------|-----------------|------------------|-----------------------------|---------------|----------------------|
| AC Power Source       | ACPOWER         | AFC-11003G   | F317040033    | N/A             | N/A              | Jul. 15, 2021               | N/A           | Conduction (CO07-HY) |
| Software              | Rohde & Schwarz | EMC32 V10.30 | N/A           | N/A             | N/A              | Jul. 15, 2021               | N/A           | Conduction (CO07-HY) |
| Pulse Limiter         | SCHWARZBECK     | VTSD 9561-FN | 9561-FN00373  | 9kHz-200MHz     | Nov. 02, 2020    | Jul. 15, 2021               | Nov. 01, 2021 | Conduction (CO07-HY) |
| RF Cable              | HUBER + SUHNER  | RG 214/U     | 1358175       | 9kHz~30MHz      | N/A              | Jul. 15, 2021               | N/A           | Conduction (CO07-HY) |
| Two-Line V-Network    | TESEQ           | NNB 51       | 45051         | N/A             | Feb. 01, 2021    | Jul. 15, 2021               | Jan. 31, 2022 | Conduction (CO07-HY) |
| EMI Test Receiver     | Rohde & Schwarz | ESR3         | 102317        | 9kHz~3.6GHz     | Sep. 11, 2020    | Jul. 15, 2021               | Sep. 10, 2021 | Conduction (CO07-HY) |
| Power Sensor          | DARE            | RPR3006W     | 16I00054SNO10 | 10MHz~6GHz      | Dec. 16, 2020    | Jul. 03, 2021~Jul. 29, 2021 | Dec. 15, 2021 | Conducted (TH05-HY)  |
| Spectrum Analyzer     | Rohde & Schwarz | FSP40        | 100055        | 9kHz-40GHz      | Jan. 21, 2021    | Jul. 03, 2021~Jul. 29, 2021 | Jan. 20, 2022 | Conducted (TH05-HY)  |
| Switch Box & RF Cable | EM Electronics  | EMSW18SE     | SW200302      | N/A             | Mar. 17, 2021    | Jul. 03, 2021~Jul. 29, 2021 | Mar. 16, 2022 | Conducted (TH05-HY)  |

## 5 Uncertainty of Evaluation

### Uncertainty of Conducted Emission Measurement (150kHz ~ 30MHz)

|                                                                         |        |
|-------------------------------------------------------------------------|--------|
| Measuring Uncertainty for a Level of Confidence of 95% ( $U = 2Uc(y)$ ) | 2.2 dB |
|-------------------------------------------------------------------------|--------|

### Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

|                                                                         |        |
|-------------------------------------------------------------------------|--------|
| Measuring Uncertainty for a Level of Confidence of 95% ( $U = 2Uc(y)$ ) | 4.7 dB |
|-------------------------------------------------------------------------|--------|

### Uncertainty of Radiated Emission Measurement (1000 MHz ~ 18000 MHz)

|                                                                         |        |
|-------------------------------------------------------------------------|--------|
| Measuring Uncertainty for a Level of Confidence of 95% ( $U = 2Uc(y)$ ) | 5.3 dB |
|-------------------------------------------------------------------------|--------|

### Uncertainty of Radiated Emission Measurement (18000 MHz ~ 40000 MHz)

|                                                                         |        |
|-------------------------------------------------------------------------|--------|
| Measuring Uncertainty for a Level of Confidence of 95% ( $U = 2Uc(y)$ ) | 4.9 dB |
|-------------------------------------------------------------------------|--------|

**Appendix A. Test Result of Conducted Test Items**

|                |                     |                    |       |    |
|----------------|---------------------|--------------------|-------|----|
| Test Engineer: | Mina Liu            | Temperature:       | 21~25 | °C |
| Test Date:     | 2021/7/3~2021/07/29 | Relative Humidity: | 51~54 | %  |

**TEST RESULTS DATA**  
**6dB and 26dB EBW and 99% OBW**

| Band IV MIMO |           |     |     |             |                     |       |                      |       |                      |       |                                 |           |
|--------------|-----------|-----|-----|-------------|---------------------|-------|----------------------|-------|----------------------|-------|---------------------------------|-----------|
| Mod.         | Data Rate | NTX | CH. | Freq. (MHz) | 99% Bandwidth (MHz) |       | 26dB Bandwidth (MHz) |       | 6 dB Bandwidth (MHz) |       | 6 dB Bandwidth Min. Limit (MHz) | Pass/Fail |
|              |           |     |     |             | Ant 7               | Ant 9 | Ant 7                | Ant 9 | Ant 7                | Ant 9 |                                 |           |
| 11a          | 6Mbps     | 2   | 149 | 5745        | 16.95               | 16.80 | 20.65                | 20.65 | 15.00                | 15.10 | 0.5                             | Pass      |
| 11a          | 6Mbps     | 2   | 157 | 5785        | 17.00               | 16.85 | 20.90                | 20.60 | 14.95                | 15.05 | 0.5                             | Pass      |
| 11a          | 6Mbps     | 2   | 165 | 5825        | 17.00               | 16.85 | 20.80                | 20.35 | 15.05                | 15.00 | 0.5                             | Pass      |

**TEST RESULTS DATA**  
**Average Power Table**

| Band IV MIMO |           |     |     |             |                               |       |       |                                 |       |          |       |           |
|--------------|-----------|-----|-----|-------------|-------------------------------|-------|-------|---------------------------------|-------|----------|-------|-----------|
| Mod.         | Data Rate | NTX | CH. | Freq. (MHz) | Average Conducted Power (dBm) |       |       | FCC Conducted Power Limit (dBm) |       | DG (dBi) |       | Pass/Fail |
|              |           |     |     |             | Ant 7                         | Ant 9 | SUM   | Ant 7                           | Ant 9 | Ant 7    | Ant 9 |           |
| 11a          | 6Mbps     | 2   | 149 | 5745        | 15.70                         | 16.20 | 18.97 | 30.00                           |       | -1.42    |       | Pass      |
| 11a          | 6Mbps     | 2   | 157 | 5785        | 15.50                         | 15.90 | 18.71 | 30.00                           |       | -1.42    |       | Pass      |
| 11a          | 6Mbps     | 2   | 165 | 5825        | 15.40                         | 16.20 | 18.83 | 30.00                           |       | -1.42    |       | Pass      |
| HT20         | MCS0      | 2   | 149 | 5745        | 15.40                         | 16.20 | 18.83 | 30.00                           |       | -1.42    |       | Pass      |
| HT20         | MCS0      | 2   | 157 | 5785        | 15.20                         | 15.70 | 18.47 | 30.00                           |       | -1.42    |       | Pass      |
| HT20         | MCS0      | 2   | 165 | 5825        | 14.90                         | 16.10 | 18.55 | 30.00                           |       | -1.42    |       | Pass      |
| HT40         | MCS0      | 2   | 151 | 5755        | 15.50                         | 15.50 | 18.51 | 30.00                           |       | -1.42    |       | Pass      |
| HT40         | MCS0      | 2   | 159 | 5795        | 15.40                         | 15.60 | 18.51 | 30.00                           |       | -1.42    |       | Pass      |
| VHT20        | MCS0      | 2   | 149 | 5745        | 15.30                         | 16.10 | 18.73 | 30.00                           |       | -1.42    |       | Pass      |
| VHT20        | MCS0      | 2   | 157 | 5785        | 15.10                         | 15.60 | 18.37 | 30.00                           |       | -1.42    |       | Pass      |
| VHT20        | MCS0      | 2   | 165 | 5825        | 14.80                         | 16.00 | 18.45 | 30.00                           |       | -1.42    |       | Pass      |
| VHT40        | MCS0      | 2   | 151 | 5755        | 15.40                         | 15.40 | 18.41 | 30.00                           |       | -1.42    |       | Pass      |
| VHT40        | MCS0      | 2   | 159 | 5795        | 15.30                         | 15.50 | 18.41 | 30.00                           |       | -1.42    |       | Pass      |
| VHT80        | MCS0      | 2   | 155 | 5775        | 14.60                         | 14.50 | 17.56 | 30.00                           |       | -1.42    |       | Pass      |

**TEST RESULTS DATA**  
**Power Spectral Density**

| Band IV MIMO |           |     |     |             |                                 |       |                                    |       |      |                                |       |          |       |            |
|--------------|-----------|-----|-----|-------------|---------------------------------|-------|------------------------------------|-------|------|--------------------------------|-------|----------|-------|------------|
| Mod.         | Data Rate | NTx | CH. | Freq. (MHz) | 10log (500kHz /RBW) Factor (dB) |       | Average Power Density (dBm/500kHz) |       |      | Average PSD Limit (dBm/500kHz) |       | DG (dBi) |       | Pass /Fail |
|              |           |     |     |             | Ant 7                           | Ant 9 | Ant 7                              | Ant 9 | SUM  | Ant 7                          | Ant 9 | Ant 7    | Ant 9 |            |
| 11a          | 6Mbps     | 2   | 149 | 5745        | 2.22                            |       | 6.24                               | 6.31  | 9.32 | 30.00                          |       | 1.25     |       | Pass       |
| 11a          | 6Mbps     | 2   | 157 | 5785        | 2.22                            |       | 5.87                               | 6.07  | 9.08 | 30.00                          |       | 1.25     |       | Pass       |
| 11a          | 6Mbps     | 2   | 165 | 5825        | 2.22                            |       | 5.72                               | 5.92  | 8.93 | 30.00                          |       | 1.25     |       | Pass       |

Note: PSD Sum = Max PSD(Ant. 1, Ant. 2) + 10 log (n)

**TEST RESULTS DATA**  
**6dB and 26dB EBW and 99% OBW**

| Band IV MIMO |           |     |     |             |           |                     |       |                      |       |                      |       |                                 |           |
|--------------|-----------|-----|-----|-------------|-----------|---------------------|-------|----------------------|-------|----------------------|-------|---------------------------------|-----------|
| Mod.         | Data Rate | NTX | CH. | Freq. (MHz) | RU Config | 99% Bandwidth (MHz) |       | 26dB Bandwidth (MHz) |       | 6 dB Bandwidth (MHz) |       | 6 dB Bandwidth Min. Limit (MHz) | Pass/Fail |
|              |           |     |     |             |           | Ant 7               | Ant 9 | Ant 7                | Ant 9 | Ant 7                | Ant 9 |                                 |           |
| HE20         | MCS0      | 2   | 149 | 5745        | Full      | 19.35               | 19.40 | 22.45                | 22.55 | 14.95                | 15.75 | 0.5                             | Pass      |
| HE20         | MCS0      | 2   | 157 | 5785        | Full      | 19.40               | 19.35 | 22.65                | 22.80 | 14.80                | 15.00 | 0.5                             | Pass      |
| HE20         | MCS0      | 2   | 165 | 5825        | Full      | 19.35               | 19.40 | 22.40                | 22.80 | 17.90                | 16.35 | 0.5                             | Pass      |
| HE40         | MCS0      | 2   | 151 | 5755        | Full      | 38.00               | 37.80 | 41.94                | 41.76 | 33.66                | 36.36 | 0.5                             | Pass      |
| HE40         | MCS0      | 2   | 159 | 5795        | Full      | 37.80               | 37.90 | 41.85                | 41.76 | 35.91                | 32.58 | 0.5                             | Pass      |
| HE80         | MCS0      | 2   | 155 | 5775        | Full      | 76.68               | 76.80 | 81.76                | 81.92 | 67.52                | 52.64 | 0.5                             | Pass      |

**TEST RESULTS DATA**  
**Average Power Table**

| Band IV MIMO |           |     |     |             |           |                               |       |       |                                 |       |          |       |           |
|--------------|-----------|-----|-----|-------------|-----------|-------------------------------|-------|-------|---------------------------------|-------|----------|-------|-----------|
| Mod.         | Data Rate | NTX | CH. | Freq. (MHz) | RU Config | Average Conducted Power (dBm) |       |       | FCC Conducted Power Limit (dBm) |       | DG (dBi) |       | Pass/Fail |
|              |           |     |     |             |           | Ant 7                         | Ant 9 | SUM   | Ant 7                           | Ant 9 | Ant 7    | Ant 9 |           |
| HE20         | MCS0      | 2   | 149 | 5745        | Full      | 15.50                         | 16.30 | 18.93 | 30.00                           |       | -1.42    |       | Pass      |
| HE20         | MCS0      | 2   | 149 | 5745        | 26/0      | 7.80                          | 8.00  | 10.91 | 30.00                           |       | -1.42    |       | Pass      |
| HE20         | MCS0      | 2   | 149 | 5745        | 52/37     | 10.50                         | 11.00 | 13.77 | 30.00                           |       | -1.42    |       | Pass      |
| HE20         | MCS0      | 2   | 149 | 5745        | 106/53    | 10.60                         | 11.10 | 13.87 | 30.00                           |       | -1.42    |       | Pass      |
| HE20         | MCS0      | 2   | 157 | 5785        | Full      | 15.30                         | 15.80 | 18.57 | 30.00                           |       | -1.42    |       | Pass      |
| HE20         | MCS0      | 2   | 165 | 5825        | Full      | 15.00                         | 16.20 | 18.65 | 30.00                           |       | -1.42    |       | Pass      |
| HE20         | MCS0      | 2   | 165 | 5825        | 26/8      | 7.60                          | 8.20  | 10.92 | 30.00                           |       | -1.42    |       | Pass      |
| HE20         | MCS0      | 2   | 165 | 5825        | 52/40     | 10.50                         | 11.30 | 13.93 | 30.00                           |       | -1.42    |       | Pass      |
| HE20         | MCS0      | 2   | 165 | 5825        | 106/54    | 13.00                         | 13.50 | 16.27 | 30.00                           |       | -1.42    |       | Pass      |
| HE40         | MCS0      | 2   | 151 | 5755        | Full      | 15.60                         | 15.60 | 18.61 | 30.00                           |       | -1.42    |       | Pass      |
| HE40         | MCS0      | 2   | 151 | 5755        | 242/61    | 13.60                         | 14.00 | 16.81 | 30.00                           |       | -1.42    |       | Pass      |
| HE40         | MCS0      | 2   | 159 | 5795        | Full      | 15.50                         | 15.70 | 18.61 | 30.00                           |       | -1.42    |       | Pass      |
| HE40         | MCS0      | 2   | 159 | 5795        | 242/62    | 13.90                         | 14.40 | 17.17 | 30.00                           |       | -1.42    |       | Pass      |
| HE80         | MCS0      | 2   | 155 | 5775        | Full      | 14.70                         | 14.60 | 17.66 | 30.00                           |       | -1.42    |       | Pass      |
| HE80         | MCS0      | 2   | 155 | 5775        | 484/65    | 12.80                         | 13.40 | 16.12 | 30.00                           |       | -1.42    |       | Pass      |
| HE80         | MCS0      | 2   | 155 | 5775        | 484/66    | 12.90                         | 13.30 | 16.11 | 30.00                           |       | -1.42    |       | Pass      |

**TEST RESULTS DATA**  
**Power Spectral Density**

| Band IV MIMO |           |     |     |             |           |                                 |       |                                    |       |      |                                |       |          |       |            |
|--------------|-----------|-----|-----|-------------|-----------|---------------------------------|-------|------------------------------------|-------|------|--------------------------------|-------|----------|-------|------------|
| Mod.         | Data Rate | NTx | CH. | Freq. (MHz) | RU Config | 10log (500kHz /RBW) Factor (dB) |       | Average Power Density (dBm/500kHz) |       |      | Average PSD Limit (dBm/500kHz) |       | DG (dBi) |       | Pass /Fail |
|              |           |     |     |             |           | Ant 7                           | Ant 9 | Ant 7                              | Ant 9 | SUM  | Ant 7                          | Ant 9 | Ant 7    | Ant 9 |            |
| HE20         | MCS0      | 2   | 149 | 5745        | Full      | 2.22                            |       | 5.36                               | 6.04  | 9.05 | 30.00                          |       | 1.25     |       | Pass       |
| HE20         | MCS0      | 2   | 149 | 5745        | 26/0      | 2.22                            |       | 4.42                               | 5.37  | 8.38 | 30.00                          |       | 1.25     |       | Pass       |
| HE20         | MCS0      | 2   | 149 | 5745        | 52/37     | 2.22                            |       | 4.83                               | 5.40  | 8.41 | 30.00                          |       | 1.25     |       | Pass       |
| HE20         | MCS0      | 2   | 149 | 5745        | 106/53    | 2.22                            |       | 4.64                               | 5.24  | 8.25 | 30.00                          |       | 1.25     |       | Pass       |
| HE20         | MCS0      | 2   | 157 | 5785        | Full      | 2.22                            |       | 5.99                               | 5.64  | 9.00 | 30.00                          |       | 1.25     |       | Pass       |
| HE20         | MCS0      | 2   | 165 | 5825        | Full      | 2.22                            |       | 5.89                               | 6.00  | 9.01 | 30.00                          |       | 1.25     |       | Pass       |
| HE20         | MCS0      | 2   | 165 | 5825        | 26/8      | 2.22                            |       | 5.34                               | 5.22  | 8.35 | 30.00                          |       | 1.25     |       | Pass       |
| HE20         | MCS0      | 2   | 165 | 5825        | 52/40     | 2.22                            |       | 5.07                               | 5.06  | 8.08 | 30.00                          |       | 1.25     |       | Pass       |
| HE20         | MCS0      | 2   | 165 | 5825        | 106/54    | 2.22                            |       | 5.15                               | 5.13  | 8.16 | 30.00                          |       | 1.25     |       | Pass       |
| HE40         | MCS0      | 2   | 151 | 5755        | Full      | 2.22                            |       | 2.84                               | 2.50  | 5.85 | 30.00                          |       | 1.25     |       | Pass       |
| HE40         | MCS0      | 2   | 151 | 5755        | 242/61    | 2.22                            |       | 1.96                               | 1.92  | 4.97 | 30.00                          |       | 1.25     |       | Pass       |
| HE40         | MCS0      | 2   | 159 | 5795        | Full      | 2.22                            |       | 2.79                               | 3.26  | 6.27 | 30.00                          |       | 1.25     |       | Pass       |
| HE40         | MCS0      | 2   | 159 | 5795        | 242/62    | 2.22                            |       | 1.85                               | 2.68  | 5.69 | 30.00                          |       | 1.25     |       | Pass       |
| HE80         | MCS0      | 2   | 155 | 5775        | Full      | 2.22                            |       | -0.48                              | -0.45 | 2.56 | 30.00                          |       | 1.25     |       | Pass       |
| HE80         | MCS0      | 2   | 155 | 5775        | 484/65    | 2.22                            |       | -0.48                              | -1.19 | 2.53 | 30.00                          |       | 1.25     |       | Pass       |
| HE80         | MCS0      | 2   | 155 | 5775        | 484/66    | 2.22                            |       | -1.78                              | -1.16 | 1.85 | 30.00                          |       | 1.25     |       | Pass       |

Note: PSD Sum = Max PSD(Ant. 1, Ant. 2) + 10 log (n)




## Appendix B. AC Conducted Emission Test Results

|                 |         |                     |        |
|-----------------|---------|---------------------|--------|
| Test Engineer : | Tom Lee | Temperature :       | 23~26℃ |
|                 |         | Relative Humidity : | 40~50% |

## EUT Information

Report NO : 162425  
Test Mode : Mode 1  
Test Voltage : 120Vac/60Hz  
Phase : Line

Full Spectrum




## Final Result

| Frequency (MHz) | QuasiPeak (dBuV) | CAverage (dBuV) | Limit (dBuV) | Margin (dB) | Line | Filter | Corr. (dB) |
|-----------------|------------------|-----------------|--------------|-------------|------|--------|------------|
| 0.152250        | ---              | 28.56           | 55.88        | 27.32       | L1   | OFF    | 20.0       |
| 0.152250        | 41.93            | ---             | 65.88        | 23.94       | L1   | OFF    | 20.0       |
| 1.338000        | ---              | 23.30           | 46.00        | 22.70       | L1   | OFF    | 20.0       |
| 1.338000        | 28.34            | ---             | 56.00        | 27.66       | L1   | OFF    | 20.0       |
| 3.930000        | ---              | 29.01           | 46.00        | 16.99       | L1   | OFF    | 20.1       |
| 3.930000        | 34.38            | ---             | 56.00        | 21.62       | L1   | OFF    | 20.1       |
| 7.201500        | ---              | 37.59           | 50.00        | 12.41       | L1   | OFF    | 20.1       |
| 7.201500        | 43.21            | ---             | 60.00        | 16.79       | L1   | OFF    | 20.1       |
| 8.826000        | ---              | 36.56           | 50.00        | 13.44       | L1   | OFF    | 20.1       |
| 8.826000        | 42.00            | ---             | 60.00        | 18.00       | L1   | OFF    | 20.1       |
| 10.853250       | ---              | 37.31           | 50.00        | 12.69       | L1   | OFF    | 20.2       |
| 10.853250       | 42.49            | ---             | 60.00        | 17.51       | L1   | OFF    | 20.2       |

## EUT Information

Report NO : 162425  
Test Mode : Mode 1  
Test Voltage : 120Vac/60Hz  
Phase : Neutral

Full Spectrum



## Final Result

| Frequency (MHz) | QuasiPeak (dBuV) | CAverage (dBuV) | Limit (dBuV) | Margin (dB) | Line | Filter | Corr. (dB) |
|-----------------|------------------|-----------------|--------------|-------------|------|--------|------------|
| 0.152250        | 43.73            | ---             | 65.88        | 22.15       | N    | OFF    | 20.0       |
| 0.152250        | ---              | 28.92           | 55.88        | 26.96       | N    | OFF    | 20.0       |
| 0.183750        | 32.29            | ---             | 64.31        | 32.03       | N    | OFF    | 20.0       |
| 0.183750        | ---              | 20.46           | 54.31        | 33.85       | N    | OFF    | 20.0       |
| 1.335750        | 27.85            | ---             | 56.00        | 28.15       | N    | OFF    | 20.0       |
| 1.335750        | ---              | 23.09           | 46.00        | 22.91       | N    | OFF    | 20.0       |
| 3.869250        | 31.76            | ---             | 56.00        | 24.24       | N    | OFF    | 20.1       |
| 3.869250        | ---              | 25.93           | 46.00        | 20.07       | N    | OFF    | 20.1       |
| 7.433250        | 33.74            | ---             | 60.00        | 26.26       | N    | OFF    | 20.1       |
| 7.433250        | ---              | 28.70           | 50.00        | 21.30       | N    | OFF    | 20.1       |
| 11.379750       | 33.20            | ---             | 60.00        | 26.80       | N    | OFF    | 20.2       |
| 11.379750       | ---              | 28.42           | 50.00        | 21.58       | N    | OFF    | 20.2       |



## Appendix C. Radiated Spurious Emission

|                 |                                       |                     |             |
|-----------------|---------------------------------------|---------------------|-------------|
| Test Engineer : | Leo Lee, Mancy Chou, and Bigshow Wang | Temperature :       | 23.2~24.6°C |
|                 |                                       | Relative Humidity : | 42~56%      |

## Band 4 - 5725~5850MHz

## WIFI 802.11a (Band Edge @ 3m)

| WIFI                         | Note | Frequency | Level      | Over   | Limit      | Read     | Antenna  | Path   | Preamp | Ant    | Table   | Peak    | Pol.    |
|------------------------------|------|-----------|------------|--------|------------|----------|----------|--------|--------|--------|---------|---------|---------|
| Ant.                         |      |           |            | Limit  | Line       | Level    | Factor   | Loss   | Factor | Pos    | Pos     | Avg.    |         |
| 7+9                          |      | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | ( dBμV ) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | ( P/A ) | ( H/V ) |
| 802.11a<br>CH 149<br>5745MHz |      | 5645.2    | 52.51      | -15.69 | 68.2       | 40.48    | 31.69    | 10.43  | 30.09  | 100    | 297     | P       | H       |
|                              |      | 5698.2    | 52.81      | -51.06 | 103.87     | 40.75    | 31.7     | 10.49  | 30.13  | 100    | 297     | P       | H       |
|                              |      | 5719      | 60.21      | -50.31 | 110.52     | 48.11    | 31.74    | 10.51  | 30.15  | 100    | 297     | P       | H       |
|                              |      | 5725      | 65.63      | -56.57 | 122.2      | 53.51    | 31.75    | 10.52  | 30.15  | 100    | 297     | P       | H       |
|                              | *    | 5745      | 110.74     | -      | -          | 98.58    | 31.79    | 10.54  | 30.17  | 100    | 297     | P       | H       |
|                              | *    | 5745      | 103.49     | -      | -          | 91.33    | 31.79    | 10.54  | 30.17  | 100    | 297     | A       | H       |
|                              |      |           |            |        |            |          |          |        |        |        |         |         | H       |
|                              |      |           |            |        |            |          |          |        |        |        |         |         | H       |
|                              |      | 5611.6    | 52.34      | -15.86 | 68.2       | 40.4     | 31.62    | 10.39  | 30.07  | 400    | 215     | P       | V       |
|                              |      | 5664.8    | 51.86      | -27.33 | 79.19      | 39.82    | 31.7     | 10.45  | 30.11  | 400    | 215     | P       | V       |
|                              |      | 5713.2    | 54.22      | -54.68 | 108.9      | 42.13    | 31.73    | 10.5   | 30.14  | 400    | 215     | P       | V       |
|                              |      | 5724.6    | 59.16      | -62.13 | 121.29     | 47.04    | 31.75    | 10.52  | 30.15  | 400    | 215     | P       | V       |
|                              | *    | 5745      | 105.47     | -      | -          | 93.31    | 31.79    | 10.54  | 30.17  | 400    | 215     | P       | V       |
|                              | *    | 5745      | 98.31      | -      | -          | 86.15    | 31.79    | 10.54  | 30.17  | 400    | 215     | A       | V       |
|                              |      |           |            |        |            |          |          |        |        |        |         |         | V       |
|                              |      |           |            |        |            |          |          |        |        |        |         |         | V       |



| WIFI<br>Ant.<br>7+9          | Note | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Over<br>Limit<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|------------------------------|------|----------------------|---------------------|-------------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| 802.11a<br>CH 157<br>5785MHz |      | 5644                 | 51.89               | -16.31                  | 68.2                        | 39.86                     | 31.69                         | 10.43                  | 30.09                      | 100                  | 296                     | P                       | H               |
|                              |      | 5694                 | 51.72               | -49.06                  | 100.78                      | 39.67                     | 31.7                          | 10.48                  | 30.13                      | 100                  | 296                     | P                       | H               |
|                              |      | 5706.4               | 51.2                | -55.79                  | 106.99                      | 39.13                     | 31.71                         | 10.5                   | 30.14                      | 100                  | 296                     | P                       | H               |
|                              |      | 5721.8               | 51.88               | -63.02                  | 114.9                       | 39.78                     | 31.74                         | 10.51                  | 30.15                      | 100                  | 296                     | P                       | H               |
|                              | *    | 5785                 | 109.67              | -                       | -                           | 97.49                     | 31.8                          | 10.58                  | 30.2                       | 100                  | 296                     | P                       | H               |
|                              | *    | 5785                 | 102.4               | -                       | -                           | 90.22                     | 31.8                          | 10.58                  | 30.2                       | 100                  | 296                     | A                       | H               |
|                              |      | 5849.96              | 50.57               | -83.63                  | 134.2                       | 38.18                     | 32                            | 10.63                  | 30.24                      | 100                  | 296                     | P                       | H               |
|                              |      | 5863.08              | 51.82               | -56.72                  | 108.54                      | 39.4                      | 32.03                         | 10.64                  | 30.25                      | 100                  | 296                     | P                       | H               |
|                              |      | 5910.025             | 51.96               | -27.29                  | 79.25                       | 39.45                     | 32.12                         | 10.68                  | 30.29                      | 100                  | 296                     | P                       | H               |
|                              |      | 5929.91              | 51.62               | -16.58                  | 68.2                        | 39.07                     | 32.16                         | 10.69                  | 30.3                       | 100                  | 296                     | P                       | H               |
|                              |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                              |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                              |      | 5622                 | 52.73               | -15.47                  | 68.2                        | 40.77                     | 31.64                         | 10.4                   | 30.08                      | 358                  | 244                     | P                       | V               |
|                              |      | 5662.6               | 51.43               | -26.12                  | 77.55                       | 39.39                     | 31.7                          | 10.45                  | 30.11                      | 358                  | 244                     | P                       | V               |
|                              |      | 5720                 | 51.29               | -59.51                  | 110.8                       | 39.19                     | 31.74                         | 10.51                  | 30.15                      | 358                  | 244                     | P                       | V               |
|                              |      | 5720                 | 51.29               | -59.51                  | 110.8                       | 39.19                     | 31.74                         | 10.51                  | 30.15                      | 358                  | 244                     | P                       | V               |
|                              | *    | 5785                 | 103.95              | -                       | -                           | 91.77                     | 31.8                          | 10.58                  | 30.2                       | 358                  | 244                     | P                       | V               |
|                              | *    | 5785                 | 97.15               | -                       | -                           | 84.97                     | 31.8                          | 10.58                  | 30.2                       | 358                  | 244                     | A                       | V               |
|                              |      | 5855.085             | 52.28               | -58.5                   | 110.78                      | 39.88                     | 32.01                         | 10.64                  | 30.25                      | 358                  | 244                     | P                       | V               |
|                              |      | 5855.085             | 52.28               | -58.5                   | 110.78                      | 39.88                     | 32.01                         | 10.64                  | 30.25                      | 358                  | 244                     | P                       | V               |
|                              |      | 5915.56              | 53.29               | -21.87                  | 75.16                       | 40.77                     | 32.13                         | 10.68                  | 30.29                      | 358                  | 244                     | P                       | V               |
|                              |      | 5948.565             | 51.49               | -16.71                  | 68.2                        | 38.9                      | 32.2                          | 10.7                   | 30.31                      | 358                  | 244                     | P                       | V               |
|                              |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                              |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |



| WIFI<br>Ant.<br>7+9                   | Note                                                                                        | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Over<br>Limit<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|---------------------------------------|---------------------------------------------------------------------------------------------|----------------------|---------------------|-------------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| <b>802.11a<br/>CH 165<br/>5825MHz</b> | *                                                                                           | 5825                 | 109.12              | -                       | -                           | 96.82                     | 31.9                          | 10.62                  | 30.22                      | 100                  | 295                     | P                       | H               |
|                                       | *                                                                                           | 5825                 | 101.87              | -                       | -                           | 89.57                     | 31.9                          | 10.62                  | 30.22                      | 100                  | 295                     | A                       | H               |
|                                       |                                                                                             | 5850                 | 55.17               | -67.03                  | 122.2                       | 42.77                     | 32                            | 10.64                  | 30.24                      | 100                  | 295                     | P                       | H               |
|                                       |                                                                                             | 5857.6               | 52.97               | -57.1                   | 110.07                      | 40.56                     | 32.02                         | 10.64                  | 30.25                      | 100                  | 295                     | P                       | H               |
|                                       |                                                                                             | 5903                 | 52.68               | -31.76                  | 84.44                       | 40.18                     | 32.11                         | 10.67                  | 30.28                      | 100                  | 295                     | P                       | H               |
|                                       |                                                                                             | 5930.2               | 52.82               | -15.38                  | 68.2                        | 40.27                     | 32.16                         | 10.69                  | 30.3                       | 100                  | 295                     | P                       | H               |
|                                       |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                       |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                       | *                                                                                           | 5825                 | 104.42              | -                       | -                           | 92.12                     | 31.9                          | 10.62                  | 30.22                      | 354                  | 238                     | P                       | V               |
|                                       | *                                                                                           | 5825                 | 97.03               | -                       | -                           | 84.73                     | 31.9                          | 10.62                  | 30.22                      | 354                  | 238                     | A                       | V               |
|                                       |                                                                                             | 5850.8               | 52.46               | -67.92                  | 120.38                      | 40.06                     | 32                            | 10.64                  | 30.24                      | 354                  | 238                     | P                       | V               |
|                                       |                                                                                             | 5859.2               | 52.41               | -57.21                  | 109.62                      | 40                        | 32.02                         | 10.64                  | 30.25                      | 354                  | 238                     | P                       | V               |
|                                       |                                                                                             | 5896.4               | 52.29               | -37.04                  | 89.33                       | 39.81                     | 32.09                         | 10.67                  | 30.28                      | 354                  | 238                     | P                       | V               |
|                                       |                                                                                             | 5935.4               | 52.18               | -16.02                  | 68.2                        | 39.62                     | 32.17                         | 10.69                  | 30.3                       | 354                  | 238                     | P                       | V               |
|                                       |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                       |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                       |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                       |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
| <b>Remark</b>                         | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         |                 |



## Band 4 5725~5850MHz

## WIFI 802.11a (Harmonic @ 3m)

| WIFI<br>Ant.<br>7+9          | Note | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Over<br>Limit<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|------------------------------|------|----------------------|---------------------|-------------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| 802.11a<br>CH 149<br>5745MHz |      | 11490                | 48.54               | -25.46                  | 74                          | 54.2                      | 40.09                         | 15.12                  | 60.87                      | 100                  | 0                       | P                       | H               |
|                              |      | 17235                | 48.99               | -19.21                  | 68.2                        | 48.37                     | 40.87                         | 18.3                   | 58.55                      | 100                  | 0                       | P                       | H               |
|                              |      | 17978                | 59.44               | -14.56                  | 74                          | 49.2                      | 48.6                          | 18.93                  | 57.29                      | 300                  | 126                     | P                       | H               |
|                              |      | 17978                | 49.99               | -4.01                   | 54                          | 39.75                     | 48.6                          | 18.93                  | 57.29                      | 300                  | 126                     | A                       | H               |
|                              |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                              |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                              |      | 11490                | 47.76               | -26.24                  | 74                          | 53.42                     | 40.09                         | 15.12                  | 60.87                      | 100                  | 0                       | P                       | V               |
|                              |      | 17235                | 51.41               | -16.79                  | 68.2                        | 50.79                     | 40.87                         | 18.3                   | 58.55                      | 100                  | 0                       | P                       | V               |
|                              |      | 17989                | 59.12               | -14.88                  | 74                          | 48.66                     | 48.8                          | 18.93                  | 57.27                      | 100                  | 264                     | P                       | V               |
|                              |      | 17989                | 49.43               | -4.57                   | 54                          | 38.97                     | 48.8                          | 18.93                  | 57.27                      | 100                  | 264                     | A                       | V               |
|                              |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                              |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
| 802.11a<br>CH 157<br>5785MHz |      | 11570                | 49.47               | -24.53                  | 74                          | 55.22                     | 40.03                         | 15.16                  | 60.94                      | 100                  | 0                       | P                       | H               |
|                              |      | 17355                | 51.09               | -17.11                  | 68.2                        | 49.57                     | 41.6                          | 18.4                   | 58.48                      | 100                  | 0                       | P                       | H               |
|                              |      | 17989                | 59.45               | -14.55                  | 74                          | 48.99                     | 48.8                          | 18.93                  | 57.27                      | 300                  | 138                     | P                       | H               |
|                              |      | 17989                | 49.15               | -4.85                   | 54                          | 38.69                     | 48.8                          | 18.93                  | 57.27                      | 300                  | 138                     | A                       | H               |
|                              |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                              |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                              |      | 11570                | 49.85               | -24.15                  | 74                          | 55.6                      | 40.03                         | 15.16                  | 60.94                      | 100                  | 0                       | P                       | V               |
|                              |      | 17355                | 50.74               | -17.46                  | 68.2                        | 49.22                     | 41.6                          | 18.4                   | 58.48                      | 100                  | 0                       | P                       | V               |
|                              |      | 17978                | 59.11               | -14.89                  | 74                          | 48.87                     | 48.6                          | 18.93                  | 57.29                      | 100                  | 268                     | P                       | V               |
|                              |      | 17978                | 49.2                | -4.8                    | 54                          | 38.96                     | 48.6                          | 18.93                  | 57.29                      | 100                  | 268                     | A                       | V               |
|                              |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                              |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |



|                                                           |                                                                                             |         |       |        |      |       |       |       |       |     |     |   |   |
|-----------------------------------------------------------|---------------------------------------------------------------------------------------------|---------|-------|--------|------|-------|-------|-------|-------|-----|-----|---|---|
| <b>802.11a</b><br><br><b>CH 165</b><br><br><b>5825MHz</b> |                                                                                             | 11650   | 47.89 | -26.11 | 74   | 54.02 | 39.7  | 15.2  | 61.03 | 100 | 0   | P | H |
|                                                           |                                                                                             | 17475   | 51.48 | -16.72 | 68.2 | 48.61 | 42.78 | 18.5  | 58.41 | 100 | 0   | P | H |
|                                                           |                                                                                             | 17977.8 | 59.22 | -14.78 | 74   | 48.98 | 48.6  | 18.93 | 57.29 | 300 | 186 | P | H |
|                                                           |                                                                                             | 17977.8 | 48.92 | -5.08  | 54   | 38.68 | 48.6  | 18.93 | 57.29 | 300 | 186 | A | H |
|                                                           |                                                                                             |         |       |        |      |       |       |       |       |     |     |   | H |
|                                                           |                                                                                             |         |       |        |      |       |       |       |       |     |     |   | H |
|                                                           |                                                                                             | 11650   | 48.08 | -25.92 | 74   | 54.21 | 39.7  | 15.2  | 61.03 | 100 | 0   | P | V |
|                                                           |                                                                                             | 17475   | 51.34 | -16.86 | 68.2 | 48.47 | 42.78 | 18.5  | 58.41 | 100 | 0   | P | V |
|                                                           |                                                                                             | 17988.9 | 58.98 | -15.02 | 74   | 48.52 | 48.8  | 18.93 | 57.27 | 100 | 247 | P | V |
|                                                           |                                                                                             | 17988.9 | 49.09 | -4.91  | 54   | 38.63 | 48.8  | 18.93 | 57.27 | 100 | 247 | A | V |
|                                                           |                                                                                             |         |       |        |      |       |       |       |       |     |     |   | V |
|                                                           |                                                                                             |         |       |        |      |       |       |       |       |     |     |   | V |
| <b>Remark</b>                                             | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |         |       |        |      |       |       |       |       |     |     |   |   |



## Band 4 5725~5850MHz

## WIFI 802.11ax HE40\_Full (Band Edge @ 3m)

| WIFI<br>Ant.<br>7+9                        | Note | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Over<br>Limit<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|--------------------------------------------|------|----------------------|---------------------|-------------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| 802.11ax<br>HE40 Full<br>CH 151<br>5755MHz |      | 5620.6               | 51.88               | -16.32                  | 68.2                        | 39.92                     | 31.64                         | 10.4                   | 30.08                      | 100                  | 296                     | P                       | H               |
|                                            |      | 5700                 | 57.52               | -47.68                  | 105.2                       | 45.46                     | 31.7                          | 10.49                  | 30.13                      | 100                  | 296                     | P                       | H               |
|                                            |      | 5720                 | 65.68               | -45.12                  | 110.8                       | 53.58                     | 31.74                         | 10.51                  | 30.15                      | 100                  | 296                     | P                       | H               |
|                                            |      | 5724.4               | 67.07               | -53.76                  | 120.83                      | 54.95                     | 31.75                         | 10.52                  | 30.15                      | 100                  | 296                     | P                       | H               |
|                                            | *    | 5755                 | 107.06              | -                       | -                           | 94.88                     | 31.8                          | 10.55                  | 30.17                      | 100                  | 296                     | P                       | H               |
|                                            | *    | 5755                 | 97.87               | -                       | -                           | 85.69                     | 31.8                          | 10.55                  | 30.17                      | 100                  | 296                     | A                       | H               |
|                                            |      | 5853.24              | 50.36               | -64.45                  | 114.81                      | 37.95                     | 32.01                         | 10.64                  | 30.24                      | 100                  | 296                     | P                       | H               |
|                                            |      | 5871.075             | 51.54               | -54.76                  | 106.3                       | 39.11                     | 32.04                         | 10.65                  | 30.26                      | 100                  | 296                     | P                       | H               |
|                                            |      | 5885.835             | 51.47               | -45.69                  | 97.16                       | 39.01                     | 32.07                         | 10.66                  | 30.27                      | 100                  | 296                     | P                       | H               |
|                                            |      | 5925.605             | 50.75               | -17.45                  | 68.2                        | 38.21                     | 32.15                         | 10.69                  | 30.3                       | 100                  | 296                     | P                       | H               |
|                                            |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                            |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                            |      | 5604.6               | 51.4                | -16.8                   | 68.2                        | 39.47                     | 31.61                         | 10.39                  | 30.07                      | 325                  | 252                     | P                       | V               |
|                                            |      | 5699.8               | 52.6                | -52.45                  | 105.05                      | 40.54                     | 31.7                          | 10.49                  | 30.13                      | 325                  | 252                     | P                       | V               |
|                                            |      | 5716.8               | 59.44               | -50.47                  | 109.91                      | 47.35                     | 31.73                         | 10.51                  | 30.15                      | 325                  | 252                     | P                       | V               |
|                                            |      | 5723.8               | 62.52               | -56.94                  | 119.46                      | 50.4                      | 31.75                         | 10.52                  | 30.15                      | 325                  | 252                     | P                       | V               |
|                                            | *    | 5755                 | 100.75              | -                       | -                           | 88.57                     | 31.8                          | 10.55                  | 30.17                      | 325                  | 252                     | P                       | V               |
|                                            | *    | 5755                 | 91.51               | -                       | -                           | 79.33                     | 31.8                          | 10.55                  | 30.17                      | 325                  | 252                     | A                       | V               |
|                                            |      | 5850.37              | 50.62               | -70.74                  | 121.36                      | 38.22                     | 32                            | 10.64                  | 30.24                      | 325                  | 252                     | P                       | V               |
|                                            |      | 5855.29              | 51.42               | -59.3                   | 110.72                      | 39.02                     | 32.01                         | 10.64                  | 30.25                      | 325                  | 252                     | P                       | V               |
|                                            |      | 5896.29              | 51.42               | -37.99                  | 89.41                       | 38.94                     | 32.09                         | 10.67                  | 30.28                      | 325                  | 252                     | P                       | V               |
|                                            |      | 5930.32              | 50.91               | -17.29                  | 68.2                        | 38.36                     | 32.16                         | 10.69                  | 30.3                       | 325                  | 252                     | P                       | V               |
|                                            |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                            |      |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |



| WIFI<br>Ant.<br>7+9                        | Note                                                                                        | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Over<br>Limit<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>(P/A) | Pol.<br>(H/V) |
|--------------------------------------------|---------------------------------------------------------------------------------------------|----------------------|---------------------|-------------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-----------------------|---------------|
| 802.11ax<br>HE40 Full<br>CH 159<br>5795MHz |                                                                                             | 5644.2               | 52.22               | -15.98                  | 68.2                        | 40.19                     | 31.69                         | 10.43                  | 30.09                      | 100                  | 296                     | P                     | H             |
|                                            |                                                                                             | 5682.6               | 53.54               | -38.82                  | 92.36                       | 41.49                     | 31.7                          | 10.47                  | 30.12                      | 100                  | 296                     | P                     | H             |
|                                            |                                                                                             | 5718.8               | 53.82               | -56.64                  | 110.46                      | 41.72                     | 31.74                         | 10.51                  | 30.15                      | 100                  | 296                     | P                     | H             |
|                                            |                                                                                             | 5721                 | 54.76               | -58.32                  | 113.08                      | 42.66                     | 31.74                         | 10.51                  | 30.15                      | 100                  | 296                     | P                     | H             |
|                                            | *                                                                                           | 5795                 | 105.66              | -                       | -                           | 93.47                     | 31.8                          | 10.59                  | 30.2                       | 100                  | 296                     | P                     | H             |
|                                            | *                                                                                           | 5795                 | 96.42               | -                       | -                           | 84.23                     | 31.8                          | 10.59                  | 30.2                       | 100                  | 296                     | A                     | H             |
|                                            |                                                                                             | 5850.78              | 52.87               | -67.55                  | 120.42                      | 40.47                     | 32                            | 10.64                  | 30.24                      | 100                  | 296                     | P                     | H             |
|                                            |                                                                                             | 5855.495             | 52.22               | -58.44                  | 110.66                      | 39.82                     | 32.01                         | 10.64                  | 30.25                      | 100                  | 296                     | P                     | H             |
|                                            |                                                                                             | 5882.965             | 52.59               | -46.69                  | 99.28                       | 40.13                     | 32.07                         | 10.66                  | 30.27                      | 100                  | 296                     | P                     | H             |
|                                            |                                                                                             | 5947.335             | 51.15               | -17.05                  | 68.2                        | 38.57                     | 32.19                         | 10.7                   | 30.31                      | 100                  | 296                     | P                     | H             |
|                                            |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                       | H             |
|                                            |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                       | H             |
|                                            |                                                                                             | 5643.6               | 50.77               | -17.43                  | 68.2                        | 38.74                     | 31.69                         | 10.43                  | 30.09                      | 394                  | 217                     | P                     | V             |
|                                            |                                                                                             | 5695.4               | 51.19               | -50.62                  | 101.81                      | 39.14                     | 31.7                          | 10.48                  | 30.13                      | 394                  | 217                     | P                     | V             |
|                                            |                                                                                             | 5710.6               | 51.45               | -56.72                  | 108.17                      | 39.37                     | 31.72                         | 10.5                   | 30.14                      | 394                  | 217                     | P                     | V             |
|                                            |                                                                                             | 5722.2               | 51.24               | -64.58                  | 115.82                      | 39.14                     | 31.74                         | 10.51                  | 30.15                      | 394                  | 217                     | P                     | V             |
|                                            | *                                                                                           | 5795                 | 101.23              | -                       | -                           | 89.04                     | 31.8                          | 10.59                  | 30.2                       | 394                  | 217                     | P                     | V             |
|                                            | *                                                                                           | 5795                 | 92.18               | -                       | -                           | 79.99                     | 31.8                          | 10.59                  | 30.2                       | 394                  | 217                     | A                     | V             |
|                                            |                                                                                             | 5850.575             | 49.95               | -70.94                  | 120.89                      | 37.55                     | 32                            | 10.64                  | 30.24                      | 394                  | 217                     | P                     | V             |
|                                            |                                                                                             | 5857.955             | 50.17               | -59.8                   | 109.97                      | 37.76                     | 32.02                         | 10.64                  | 30.25                      | 394                  | 217                     | P                     | V             |
|                                            |                                                                                             | 5907.565             | 52.04               | -29.03                  | 81.07                       | 39.52                     | 32.12                         | 10.68                  | 30.28                      | 394                  | 217                     | P                     | V             |
|                                            |                                                                                             | 5925.195             | 51.15               | -17.05                  | 68.2                        | 38.61                     | 32.15                         | 10.69                  | 30.3                       | 394                  | 217                     | P                     | V             |
|                                            |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                       | V             |
|                                            |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                       | V             |
| Remark                                     | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                       |               |



**Band 4 5725~5850MHz**

**WIFI 802.11ax HE80\_Full (Band Edge @ 3m)**

| WIFI<br>Ant.<br>7+9                                  | Note                                                                                        | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Over<br>Limit<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|------------------------------------------------------|---------------------------------------------------------------------------------------------|----------------------|---------------------|-------------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| <b>802.11ax<br/>HE80 Full<br/>CH 155<br/>5775MHz</b> |                                                                                             | 5614.2               | 53.05               | -15.15                  | 68.2                        | 41.09                     | 31.63                         | 10.4                   | 30.07                      | 100                  | 297                     | P                       | H               |
|                                                      |                                                                                             | 5699.6               | 57.71               | -47.2                   | 104.91                      | 45.65                     | 31.7                          | 10.49                  | 30.13                      | 100                  | 297                     | P                       | H               |
|                                                      |                                                                                             | 5717.6               | 61.86               | -48.27                  | 110.13                      | 49.76                     | 31.74                         | 10.51                  | 30.15                      | 100                  | 297                     | P                       | H               |
|                                                      |                                                                                             | 5723.8               | 63.33               | -56.13                  | 119.46                      | 51.21                     | 31.75                         | 10.52                  | 30.15                      | 100                  | 297                     | P                       | H               |
|                                                      | *                                                                                           | 5775                 | 102.82              | -                       | -                           | 90.64                     | 31.8                          | 10.57                  | 30.19                      | 100                  | 297                     | P                       | H               |
|                                                      | *                                                                                           | 5775                 | 93.55               | -                       | -                           | 81.37                     | 31.8                          | 10.57                  | 30.19                      | 100                  | 297                     | A                       | H               |
|                                                      |                                                                                             | 5853.65              | 54.92               | -58.96                  | 113.88                      | 42.51                     | 32.01                         | 10.64                  | 30.24                      | 100                  | 297                     | P                       | H               |
|                                                      |                                                                                             | 5855.495             | 53.8                | -56.86                  | 110.66                      | 41.4                      | 32.01                         | 10.64                  | 30.25                      | 100                  | 297                     | P                       | H               |
|                                                      |                                                                                             | 5886.04              | 52.29               | -44.71                  | 97                          | 39.83                     | 32.07                         | 10.66                  | 30.27                      | 100                  | 297                     | P                       | H               |
|                                                      |                                                                                             | 5946.31              | 51.47               | -16.73                  | 68.2                        | 38.89                     | 32.19                         | 10.7                   | 30.31                      | 100                  | 297                     | P                       | H               |
|                                                      |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                                      |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                                      |                                                                                             | 5618.4               | 50.92               | -17.28                  | 68.2                        | 38.96                     | 31.64                         | 10.4                   | 30.08                      | 320                  | 278                     | P                       | V               |
|                                                      |                                                                                             | 5699.6               | 53.69               | -51.22                  | 104.91                      | 41.63                     | 31.7                          | 10.49                  | 30.13                      | 320                  | 278                     | P                       | V               |
|                                                      |                                                                                             | 5717.2               | 55.3                | -54.72                  | 110.02                      | 43.21                     | 31.73                         | 10.51                  | 30.15                      | 320                  | 278                     | P                       | V               |
|                                                      |                                                                                             | 5721.8               | 57.41               | -57.49                  | 114.9                       | 45.31                     | 31.74                         | 10.51                  | 30.15                      | 320                  | 278                     | P                       | V               |
|                                                      | *                                                                                           | 5775                 | 96.75               | -                       | -                           | 84.57                     | 31.8                          | 10.57                  | 30.19                      | 320                  | 278                     | P                       | V               |
|                                                      | *                                                                                           | 5775                 | 87.01               | -                       | -                           | 74.83                     | 31.8                          | 10.57                  | 30.19                      | 320                  | 278                     | A                       | V               |
|                                                      |                                                                                             | 5850.985             | 51.4                | -68.55                  | 119.95                      | 39                        | 32                            | 10.64                  | 30.24                      | 320                  | 278                     | P                       | V               |
|                                                      |                                                                                             | 5857.955             | 51.08               | -58.89                  | 109.97                      | 38.67                     | 32.02                         | 10.64                  | 30.25                      | 320                  | 278                     | P                       | V               |
|                                                      |                                                                                             | 5879.48              | 51.66               | -50.21                  | 101.87                      | 39.2                      | 32.06                         | 10.66                  | 30.26                      | 320                  | 278                     | P                       | V               |
|                                                      |                                                                                             | 5934.625             | 50.67               | -17.53                  | 68.2                        | 38.11                     | 32.17                         | 10.69                  | 30.3                       | 320                  | 278                     | P                       | V               |
|                                                      |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                                      |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
| <b>Remark</b>                                        | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         |                 |



## Band 4 5725~5850MHz

## WIFI 802.11ax HE80\_Partial 484 (Band Edge @ 3m)

| WIFI<br>Ant.<br>7+9                                        | Note                                                                                        | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Over<br>Limit<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|------------------------------------------------------------|---------------------------------------------------------------------------------------------|----------------------|---------------------|-------------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| 802.11ax<br>HE80<br>Partial<br>484/65<br>CH 155<br>5775MHz |                                                                                             | 5629                 | 59.28               | -8.92                   | 68.2                        | 47.29                     | 31.66                         | 10.41                  | 30.08                      | 100                  | 46                      | P                       | H               |
|                                                            |                                                                                             | 5689                 | 73.67               | -23.42                  | 97.09                       | 61.62                     | 31.7                          | 10.48                  | 30.13                      | 100                  | 46                      | P                       | H               |
|                                                            |                                                                                             | 5714.8               | 76.9                | -32.45                  | 109.35                      | 64.8                      | 31.73                         | 10.51                  | 30.14                      | 100                  | 46                      | P                       | H               |
|                                                            |                                                                                             | 5723.2               | 78.62               | -39.48                  | 118.1                       | 66.5                      | 31.75                         | 10.52                  | 30.15                      | 100                  | 46                      | P                       | H               |
|                                                            | *                                                                                           | 5775                 | 105.9               | -                       | -                           | 93.72                     | 31.8                          | 10.57                  | 30.19                      | 100                  | 46                      | P                       | H               |
|                                                            | *                                                                                           | 5775                 | 97.38               | -                       | -                           | 85.2                      | 31.8                          | 10.57                  | 30.19                      | 100                  | 46                      | A                       | H               |
|                                                            |                                                                                             | 5849.96              | 64.71               | -69.49                  | 134.2                       | 52.32                     | 32                            | 10.63                  | 30.24                      | 100                  | 46                      | P                       | H               |
|                                                            |                                                                                             | 5868.82              | 66.54               | -40.39                  | 106.93                      | 54.11                     | 32.04                         | 10.65                  | 30.26                      | 100                  | 46                      | P                       | H               |
|                                                            |                                                                                             | 5879.685             | 52.81               | -48.91                  | 101.72                      | 40.35                     | 32.06                         | 10.66                  | 30.26                      | 100                  | 46                      | P                       | H               |
|                                                            |                                                                                             | 5929.91              | 51.96               | -16.24                  | 68.2                        | 39.41                     | 32.16                         | 10.69                  | 30.3                       | 100                  | 46                      | P                       | H               |
|                                                            |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                                            |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                                            |                                                                                             | 5630.6               | 52.9                | -15.3                   | 68.2                        | 40.91                     | 31.66                         | 10.41                  | 30.08                      | 326                  | 250                     | P                       | V               |
|                                                            |                                                                                             | 5690.8               | 65.51               | -32.91                  | 98.42                       | 53.46                     | 31.7                          | 10.48                  | 30.13                      | 326                  | 250                     | P                       | V               |
|                                                            |                                                                                             | 5716.6               | 71.6                | -38.25                  | 109.85                      | 59.51                     | 31.73                         | 10.51                  | 30.15                      | 326                  | 250                     | P                       | V               |
|                                                            |                                                                                             | 5725                 | 71.98               | -50.22                  | 122.2                       | 59.86                     | 31.75                         | 10.52                  | 30.15                      | 326                  | 250                     | P                       | V               |
|                                                            | *                                                                                           | 5775                 | 101.25              | -                       | -                           | 89.07                     | 31.8                          | 10.57                  | 30.19                      | 326                  | 250                     | P                       | V               |
|                                                            | *                                                                                           | 5775                 | 92.53               | -                       | -                           | 80.35                     | 31.8                          | 10.57                  | 30.19                      | 326                  | 250                     | A                       | V               |
|                                                            |                                                                                             | 5850.575             | 61.11               | -59.78                  | 120.89                      | 48.71                     | 32                            | 10.64                  | 30.24                      | 326                  | 250                     | P                       | V               |
|                                                            |                                                                                             | 5863.9               | 60.3                | -48.01                  | 108.31                      | 47.88                     | 32.03                         | 10.64                  | 30.25                      | 326                  | 250                     | P                       | V               |
|                                                            |                                                                                             | 5879.48              | 52.3                | -49.57                  | 101.87                      | 39.84                     | 32.06                         | 10.66                  | 30.26                      | 326                  | 250                     | P                       | V               |
|                                                            |                                                                                             | 5925.4               | 51.28               | -16.92                  | 68.2                        | 38.74                     | 32.15                         | 10.69                  | 30.3                       | 326                  | 250                     | P                       | V               |
|                                                            |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                                            |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
| Remark                                                     | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         |                 |



| WIFI<br>Ant.<br>7+9                                        | Note                                                                                        | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Over<br>Limit<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|------------------------------------------------------------|---------------------------------------------------------------------------------------------|----------------------|---------------------|-------------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| 802.11ax<br>HE80<br>Partial<br>484/66<br>CH 155<br>5775MHz |                                                                                             | 5624                 | 57.23               | -10.97                  | 68.2                        | 45.25                     | 31.65                         | 10.41                  | 30.08                      | 100                  | 47                      | P                       | H               |
|                                                            |                                                                                             | 5684                 | 72.12               | -21.28                  | 93.4                        | 60.07                     | 31.7                          | 10.47                  | 30.12                      | 100                  | 47                      | P                       | H               |
|                                                            |                                                                                             | 5719.2               | 74.11               | -36.47                  | 110.58                      | 62.01                     | 31.74                         | 10.51                  | 30.15                      | 100                  | 47                      | P                       | H               |
|                                                            |                                                                                             | 5724.2               | 74.55               | -45.83                  | 120.38                      | 62.43                     | 31.75                         | 10.52                  | 30.15                      | 100                  | 47                      | P                       | H               |
|                                                            | *                                                                                           | 5775                 | 103.68              | -                       | -                           | 91.5                      | 31.8                          | 10.57                  | 30.19                      | 100                  | 47                      | P                       | H               |
|                                                            | *                                                                                           | 5775                 | 95.32               | -                       | -                           | 83.14                     | 31.8                          | 10.57                  | 30.19                      | 100                  | 47                      | A                       | H               |
|                                                            |                                                                                             | 5850.165             | 63.53               | -58.29                  | 121.82                      | 51.13                     | 32                            | 10.64                  | 30.24                      | 100                  | 47                      | P                       | H               |
|                                                            |                                                                                             | 5868.82              | 66.61               | -40.32                  | 106.93                      | 54.18                     | 32.04                         | 10.65                  | 30.26                      | 100                  | 47                      | P                       | H               |
|                                                            |                                                                                             | 5876.2               | 53.27               | -51.04                  | 104.31                      | 40.83                     | 32.05                         | 10.65                  | 30.26                      | 100                  | 47                      | P                       | H               |
|                                                            |                                                                                             | 5933.395             | 52.1                | -16.1                   | 68.2                        | 39.54                     | 32.17                         | 10.69                  | 30.3                       | 100                  | 47                      | P                       | H               |
|                                                            |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                                            |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                                            |                                                                                             | 5630                 | 52.73               | -15.47                  | 68.2                        | 40.74                     | 31.66                         | 10.41                  | 30.08                      | 320                  | 248                     | P                       | V               |
|                                                            |                                                                                             | 5680                 | 66.07               | -24.37                  | 90.44                       | 54.02                     | 31.7                          | 10.47                  | 30.12                      | 320                  | 248                     | P                       | V               |
|                                                            |                                                                                             | 5720                 | 66.54               | -44.26                  | 110.8                       | 54.44                     | 31.74                         | 10.51                  | 30.15                      | 320                  | 248                     | P                       | V               |
|                                                            |                                                                                             | 5720                 | 66.54               | -44.26                  | 110.8                       | 54.44                     | 31.74                         | 10.51                  | 30.15                      | 320                  | 248                     | P                       | V               |
|                                                            | *                                                                                           | 5775                 | 99.44               | -                       | -                           | 87.26                     | 31.8                          | 10.57                  | 30.19                      | 320                  | 248                     | P                       | V               |
|                                                            | *                                                                                           | 5775                 | 90.14               | -                       | -                           | 77.96                     | 31.8                          | 10.57                  | 30.19                      | 320                  | 248                     | A                       | V               |
|                                                            |                                                                                             | 5850.575             | 61.11               | -59.78                  | 120.89                      | 48.71                     | 32                            | 10.64                  | 30.24                      | 320                  | 248                     | P                       | V               |
|                                                            |                                                                                             | 5859.8               | 60.26               | -49.19                  | 109.45                      | 47.85                     | 32.02                         | 10.64                  | 30.25                      | 320                  | 248                     | P                       | V               |
|                                                            |                                                                                             | 5881.53              | 51.95               | -48.4                   | 100.35                      | 39.49                     | 32.06                         | 10.66                  | 30.26                      | 320                  | 248                     | P                       | V               |
|                                                            |                                                                                             | 5943.235             | 51.75               | -16.45                  | 68.2                        | 39.17                     | 32.19                         | 10.7                   | 30.31                      | 320                  | 248                     | P                       | V               |
|                                                            |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                                            |                                                                                             |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         | V               |
| Remark                                                     | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |                      |                     |                         |                             |                           |                               |                        |                            |                      |                         |                         |                 |



## Emission above 18GHz

## 5GHz WIFI 802.11a (SHF @ 1m)

| WIFI           | Note                                        | Frequency | Level      | Over   | Limit      | Read   | Antenna  | Path   | Preamp | Ant    | Table   | Peak  | Pol.  |
|----------------|---------------------------------------------|-----------|------------|--------|------------|--------|----------|--------|--------|--------|---------|-------|-------|
| Ant.           |                                             |           |            | Limit  | Line       | Level  | Factor   | Loss   | Factor | Pos    | Pos     | Avg.  |       |
| 7+9            |                                             | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | (dBμV) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | (P/A) | (H/V) |
| 802.11a<br>SHF |                                             | 21240     | 39.4       | -34.6  | 74         | 59.02  | 38.38    | -3.3   | 54.7   | 150    | 0       | P     | H     |
|                |                                             | 34974     | 42         | -26.2  | 68.2       | 59.1   | 42.83    | -1.44  | 58.49  | 150    | 0       | P     | H     |
|                |                                             |           |            |        |            |        |          |        |        |        |         |       | H     |
|                |                                             |           |            |        |            |        |          |        |        |        |         |       | H     |
|                |                                             |           |            |        |            |        |          |        |        |        |         |       | H     |
|                |                                             |           |            |        |            |        |          |        |        |        |         |       | H     |
|                |                                             |           |            |        |            |        |          |        |        |        |         |       | H     |
|                |                                             |           |            |        |            |        |          |        |        |        |         |       | H     |
|                |                                             |           |            |        |            |        |          |        |        |        |         |       | H     |
|                |                                             |           |            |        |            |        |          |        |        |        |         |       | H     |
|                |                                             |           |            |        |            |        |          |        |        |        |         |       | H     |
|                |                                             |           |            |        |            |        |          |        |        |        |         |       | H     |
|                |                                             |           |            |        |            |        |          |        |        |        |         |       | H     |
|                |                                             | 21384     | 38.61      | -35.39 | 74         | 58.18  | 38.4     | -3.27  | 54.7   | 150    | 0       | P     | V     |
|                |                                             | 37564     | 42.95      | -25.25 | 68.2       | 58.41  | 43.17    | -1.04  | 57.59  | 150    | 0       | P     | V     |
|                |                                             |           |            |        |            |        |          |        |        |        |         |       | V     |
|                |                                             |           |            |        |            |        |          |        |        |        |         |       | V     |
|                |                                             |           |            |        |            |        |          |        |        |        |         |       | V     |
|                |                                             |           |            |        |            |        |          |        |        |        |         |       | V     |
|                |                                             |           |            |        |            |        |          |        |        |        |         |       | V     |
|                |                                             |           |            |        |            |        |          |        |        |        |         |       | V     |
| Remark         | 1. No other spurious found.                 |           |            |        |            |        |          |        |        |        |         |       |       |
|                | 2. All results are PASS against limit line. |           |            |        |            |        |          |        |        |        |         |       |       |



## Emission below 1GHz

## 5GHz WIFI 802.11a (LF @ 3m)

| WIFI          | Note                                                                       | Frequency | Level      | Over   | Limit      | Read     | Antenna  | Path   | Preamp | Ant    | Table   | Peak    | Pol.    |
|---------------|----------------------------------------------------------------------------|-----------|------------|--------|------------|----------|----------|--------|--------|--------|---------|---------|---------|
| Ant.          |                                                                            |           |            | Limit  | Line       | Level    | Factor   | Loss   | Factor | Pos    | Pos     | Avg.    |         |
| 7+9           |                                                                            | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | ( dBμV ) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | ( P/A ) | ( H/V ) |
| 802.11a<br>LF |                                                                            | 56.19     | 24.54      | -15.46 | 40         | 43.88    | 12.24    | 0.98   | 32.56  | -      | -       | P       | H       |
|               |                                                                            | 97.9      | 27.89      | -15.61 | 43.5       | 43.51    | 15.57    | 1.3    | 32.49  | -      | -       | P       | H       |
|               |                                                                            | 174.53    | 24.58      | -18.92 | 43.5       | 40.01    | 15.24    | 1.82   | 32.49  | -      | -       | P       | H       |
|               |                                                                            | 209.45    | 23.82      | -19.68 | 43.5       | 39.12    | 15.13    | 2      | 32.43  | -      | -       | P       | H       |
|               |                                                                            | 289.96    | 26.4       | -19.6  | 46         | 37.61    | 18.92    | 2.34   | 32.47  | -      | -       | P       | H       |
|               |                                                                            | 956.35    | 33.51      | -12.49 | 46         | 29.55    | 30.91    | 4.28   | 31.23  | 100    | 0       | P       | H       |
|               |                                                                            |           |            |        |            |          |          |        |        |        |         |         | H       |
|               |                                                                            |           |            |        |            |          |          |        |        |        |         |         | H       |
|               |                                                                            |           |            |        |            |          |          |        |        |        |         |         | H       |
|               |                                                                            |           |            |        |            |          |          |        |        |        |         |         | H       |
|               |                                                                            |           |            |        |            |          |          |        |        |        |         |         | H       |
|               |                                                                            |           |            |        |            |          |          |        |        |        |         |         | H       |
|               |                                                                            | 52.31     | 32.12      | -7.88  | 40         | 50.44    | 13.33    | 0.93   | 32.58  | 100    | 0       | P       | V       |
|               |                                                                            | 99.84     | 26.09      | -17.41 | 43.5       | 41.36    | 15.91    | 1.32   | 32.5   | -      | -       | P       | V       |
|               |                                                                            | 165.8     | 22.77      | -20.73 | 43.5       | 37.42    | 16.02    | 1.82   | 32.49  | -      | -       | P       | V       |
|               |                                                                            | 297.72    | 23.29      | -22.71 | 46         | 34.36    | 19.06    | 2.36   | 32.49  | -      | -       | P       | V       |
|               |                                                                            | 664.38    | 30.64      | -15.36 | 46         | 33.36    | 26.2     | 3.47   | 32.39  | -      | -       | P       | V       |
|               |                                                                            | 955.38    | 33.03      | -12.97 | 46         | 29.11    | 30.88    | 4.28   | 31.24  | -      | -       | P       | V       |
|               |                                                                            |           |            |        |            |          |          |        |        |        |         |         | V       |
|               |                                                                            |           |            |        |            |          |          |        |        |        |         |         | V       |
|               |                                                                            |           |            |        |            |          |          |        |        |        |         |         | V       |
|               |                                                                            |           |            |        |            |          |          |        |        |        |         |         | V       |
|               |                                                                            |           |            |        |            |          |          |        |        |        |         |         | V       |
|               |                                                                            |           |            |        |            |          |          |        |        |        |         |         | V       |
|               |                                                                            |           |            |        |            |          |          |        |        |        |         |         | V       |
|               |                                                                            |           |            |        |            |          |          |        |        |        |         |         | V       |
| Remark        | 1. No other spurious found.<br>2. All results are PASS against limit line. |           |            |        |            |          |          |        |        |        |         |         |         |



**Note symbol**

|     |                                                                                                                                                          |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| *   | <b>Fundamental Frequency</b> which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency. |
| !   | Test result is <b>over limit</b> line.                                                                                                                   |
| P/A | <b>P</b> eak or <b>A</b> verage                                                                                                                          |
| H/V | <b>H</b> orizontal or <b>V</b> ertical                                                                                                                   |

**A calculation example for radiated spurious emission is shown as below:**

| WIFI    | Note | Frequency | Level      | Over   | Limit      | Read     | Antenna  | Path   | Preamp | Ant    | Table   | Peak    | Pol.    |
|---------|------|-----------|------------|--------|------------|----------|----------|--------|--------|--------|---------|---------|---------|
| Ant.    |      |           |            | Limit  | Line       | Level    | Factor   | Loss   | Factor | Pos    | Pos     | Avg.    |         |
| 7+9     |      | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | ( dBμV ) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | ( P/A ) | ( H/V ) |
| 802.11b |      | 2390      | 55.45      | -18.55 | 74         | 54.51    | 32.22    | 4.58   | 35.86  | 103    | 308     | P       | H       |
| CH 01   |      |           |            |        |            |          |          |        |        |        |         |         |         |
| 2412MHz |      | 2390      | 43.54      | -10.46 | 54         | 42.6     | 32.22    | 4.58   | 35.86  | 103    | 308     | A       | H       |

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Over Limit(dB) = Level(dBμV/m) – Limit Line(dBμV/m)

**For Peak Limit @ 2390MHz:**

1. Level(dBμV/m)  
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)  
 = 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)  
 = 55.45 (dBμV/m)
2. Over Limit(dB)  
 = Level(dBμV/m) – Limit Line(dBμV/m)  
 = 55.45(dBμV/m) – 74(dBμV/m)  
 = -18.55(dB)

**For Average Limit @ 2390MHz:**

1. Level(dBμV/m)  
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)  
 = 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)  
 = 43.54 (dBμV/m)
2. Over Limit(dB) = Level(dBμV/m) – Limit Line(dBμV/m)  
 = 43.54(dBμV/m) – 54(dBμV/m)  
 = -10.46(dB)

**Both peak and average measured complies with the limit line, so test result is “PASS”.**



## Appendix D. Radiated Spurious Emission Plots



|                 |                                       |                     |             |
|-----------------|---------------------------------------|---------------------|-------------|
| Test Engineer : | Leo Lee, Mancy Chou, and Bigshow Wang | Temperature :       | 23.2~24.6°C |
|                 |                                       | Relative Humidity : | 42~56%      |

### Note symbol



|    |                       |
|----|-----------------------|
| -L | Low channel location  |
| -R | High channel location |






**Band 4 - 5725~5850MHz**  
**WIFI 802.11a (Band Edge @ 3m)**

| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                   |                                                                                                                                                                                                                |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11a CH149 5745MHz                                                                                                                                                                                                |                                                                                                                                                                                                                |
| 7+9  | Horizontal                                                                                                                                                                                                           | Fundamental                                                                                                                                                                                                    |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_96[94]_16-24 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> |  <p>Site : 03CH15-HY<br/>Condition : PEAK[UNIT] 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> |






|      |                                                                                                                                                                                                                              |                                                                                                                                                                                                                        |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                           |                                                                                                                                                                                                                        |
| ANT  | 802.11a CH149 5745MHz                                                                                                                                                                                                        |                                                                                                                                                                                                                        |
| 7+9  | Vertical                                                                                                                                                                                                                     | Fundamental                                                                                                                                                                                                            |
| Peak | <div><p>Site : 03CH15-HY<br/>Condition : PEAK_BE(B4)_15-24 3m 91200_15_1620 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> | <div><p>Site : 03CH15-HY<br/>Condition : PEAK(FUNB) 3m 91200_15_1620 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> |





|      |                                                                                                                                                                                                                                  |                                                                                                                                                                                                                              |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                               |                                                                                                                                                                                                                              |
| ANT  | 802.11a CH157 5785MHz                                                                                                                                                                                                            |                                                                                                                                                                                                                              |
| 7+9  | Horizontal                                                                                                                                                                                                                       | Fundamental                                                                                                                                                                                                                  |
| Peak | <div><p>Site : 03CH15-HY<br/>Condition : PEAK_BE(B4)_16-24 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div>   | <div><p>Site : 03CH15-HY<br/>Condition : PEAK(B4)_16-24 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> |
| Peak | <div><p>Site : 03CH15-HY<br/>Condition : PEAK_BE(B4)_16-24 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> | Left blank                                                                                                                                                                                                                   |





| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                   |                                                                                                                                                                                                                     |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11a CH157 5785MHz                                                                                                                                                                                                |                                                                                                                                                                                                                     |
| 7+9  | Vertical                                                                                                                                                                                                             | Fundamental                                                                                                                                                                                                         |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(B4)_16-24 3m 91200_15_1620 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>   |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(B4)_16-24 3m 91200_15_1620 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> |
|      |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(B4)_16-24 3m 91200_15_1620 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> | Left blank                                                                                                                                                                                                          |



|      |                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                  |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                              |                                                                                                                                                                                                                                  |
| ANT  | 802.11a CH165 5825MHz                                                                                                                                                                                                           |                                                                                                                                                                                                                                  |
| 7+9  | Horizontal                                                                                                                                                                                                                      | Fundamental                                                                                                                                                                                                                      |
| Peak | <div><p>Site : 03CH15-HY<br/>Condition : PEAK_802.11a_16-24 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> | <div><p>Site : 03CH15-HY<br/>Condition : PEAK_802.11a_16-24 3m 91200_15_1620 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> |






|      |                                                                                                                                                                                                                               |                                                                                                                                                                                                                                |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                            |                                                                                                                                                                                                                                |
| ANT  | 802.11a CH165 5825MHz                                                                                                                                                                                                         |                                                                                                                                                                                                                                |
| 7+9  | Vertical                                                                                                                                                                                                                      | Fundamental                                                                                                                                                                                                                    |
| Peak | <div><p>Site : 03CH15-HY<br/>Condition : PEAK_802.11a_16-24 3m 91200_15_1620 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> | <div><p>Site : 03CH15-HY<br/>Condition : PEAK_802.11a_16-24 3m 91200_15_1620 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> |



**Band 4 5725~5850MHz**  
**WIFI 802.11ax HE40 Full (Band Edge @ 3m)**

| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                   |                                                                                                                              |
|------|--------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ax HE40 Full CH151 5755MHz                                                                                                     |                                                                                                                              |
| 7+9  | Horizontal                                                                                                                           | Fundamental                                                                                                                  |
| Peak | <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(84)_16-24 3m 91200_15_1620 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> | <p>Site : 03CH15-HY<br/>Condition : PEAK(UNB) 3m 91200_15_1620 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> |
| Peak | <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(84)_16-24 3m 91200_15_1620 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> | Left blank                                                                                                                   |






| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                   |                                                                                                                                                                                                               |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ax HE40 Full CH151 5755MHz                                                                                                                                                                                     |                                                                                                                                                                                                               |
| 7+9  | Vertical                                                                                                                                                                                                             | Fundamental                                                                                                                                                                                                   |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(B4)_16-24 3m 91200_15_1620 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>   |  <p>Site : 03CH15-HY<br/>Condition : PEAK(LINE1) 3m 91200_15_1620 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> |
|      |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(B4)_16-24 3m 91200_15_1620 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> | Left blank                                                                                                                                                                                                    |






| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                   |                                                                                                                                     |
|------|--------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ax HE40 Full HT40 CH159 5795MHz                                                                                                |                                                                                                                                     |
| 7+9  | Horizontal                                                                                                                           | Fundamental                                                                                                                         |
| Peak | <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(B4)_16-24 3m 91200_15_1620 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> | <p>Site : 03CH15-HY<br/>Condition : PEAK(FUNB)_16-24 3m 91200_15_1620 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> |
|      | <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(B4)_16-24 3m 91200_15_1620 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> | Left blank                                                                                                                          |






| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                     |                                                                                                                                                                                                                 |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ax HE40 Full CH159 5795MHz                                                                                                                                                                                       |                                                                                                                                                                                                                 |
| 7+9  | Vertical                                                                                                                                                                                                               | Fundamental                                                                                                                                                                                                     |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(B4)_16-24 3m 91200_15_1620 VERTICAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>   |  <p>Site : 03CH15-HY<br/>Condition : PEAK(LINE1) 3m 91200_15_1620 VERTICAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> |
|      |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(B4)_16-24 3m 91200_15_1620 VERTICAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> | Left blank                                                                                                                                                                                                      |



**Band 4 5725~5850MHz**  
**WIFI 802.11ax HE80 Full (Band Edge @ 3m)**




| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                       |                                                                                                                                                                                                                  |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ax HE80 Full CH155 5775MHz                                                                                                                                                                                         |                                                                                                                                                                                                                  |
| 7+9  | Horizontal                                                                                                                                                                                                               | Fundamental                                                                                                                                                                                                      |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(84)_16-24 3m 91200_15_1620 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>   |  <p>Site : 03CH15-HY<br/>Condition : PEAK(UNIT) 3m 91200_15_1620 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(84)_16-24 3m 91200_15_1620 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> | Left blank                                                                                                                                                                                                       |






| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                     |                                                                                                                                                                                                                 |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ax HE80 Full CH155 5775MHz                                                                                                                                                                                       |                                                                                                                                                                                                                 |
| 7+9  | Vertical                                                                                                                                                                                                               | Fundamental                                                                                                                                                                                                     |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(B4)_16-24 3m 91200_15_1620 VERTICAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>   |  <p>Site : 03CH15-HY<br/>Condition : PEAK(LINE1) 3m 91200_15_1620 VERTICAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> |
|      |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(B4)_16-24 3m 91200_15_1620 VERTICAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> | Left blank                                                                                                                                                                                                      |






**Band 4 5725~5850MHz**  
**WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)**

| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                       |                                                                                                                                                                                                                 |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ax HE80 Partial 484/65 CH155 5775MHz                                                                                                                                                                               |                                                                                                                                                                                                                 |
| 7+9  | Horizontal                                                                                                                                                                                                               | Fundamental                                                                                                                                                                                                     |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(84)_16-24 3m 91200_15_1620 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>   |  <p>Site : 03CH15-HY<br/>Condition : PEAK(UNB) 3m 91200_15_1620 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(84)_16-24 3m 91200_15_1620 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> | Left blank                                                                                                                                                                                                      |






| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                     |                                                                                                                                                                                                                 |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ax HE80 Partial 484/65 CH155 5775MHz                                                                                                                                                                             |                                                                                                                                                                                                                 |
| 7+9  | Vertical                                                                                                                                                                                                               | Fundamental                                                                                                                                                                                                     |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(B4)_16-24 3m 91200_15_1620 VERTICAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>   |  <p>Site : 03CH15-HY<br/>Condition : PEAK_LIN(B) 3m 91200_15_1620 VERTICAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> |
|      |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(B4)_16-24 3m 91200_15_1620 VERTICAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> | Left blank                                                                                                                                                                                                      |





| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                       |                                                                                                                                                                                                                           |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ax HE80 Partial 484/66 CH155 5775MHz                                                                                                                                                                               |                                                                                                                                                                                                                           |
| 7+9  | Horizontal                                                                                                                                                                                                               | Fundamental                                                                                                                                                                                                               |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(B4)_16-24 3m 91200_15_1620 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>   |  <p>Site : 03CH15-HY<br/>Condition : PEAK_FUND(B4)_16-24 3m 91200_15_1620 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> |
|      |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(B4)_16-24 3m 91200_15_1620 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> | Left blank                                                                                                                                                                                                                |





| WIFI | Band 4 5725~5850MHz Band Edge @ 3m                                                                                                                                                                                   |                                                                                                                                                                                                                     |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | 802.11ax HE80 Partial 484/66 CH155 5775MHz                                                                                                                                                                           |                                                                                                                                                                                                                     |
| 7+9  | Vertical                                                                                                                                                                                                             | Fundamental                                                                                                                                                                                                         |
| Peak |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(84)_16-24 3m 91200_15_1620 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p>   |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(84)_16-24 3m 91200_15_1620 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> |
|      |  <p>Site : 03CH15-HY<br/>Condition : PEAK_BE(84)_16-24 3m 91200_15_1620 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> | Left blank                                                                                                                                                                                                          |





**Band 4 - 5725~5850MHz**  
**WIFI 802.11a (Harmonic @ 3m)**

| WIFI         | Band 4 5725~5850MHz Harmonic @ 3m                                                                                                                                |                                                                                                                                                                 |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT          | 802.11a CH149 5745MHz                                                                                                                                            |                                                                                                                                                                 |
| 7+9          | Horizontal                                                                                                                                                       | Vertical                                                                                                                                                        |
| Peak<br>Avg. |  <p>Site : 03CH15-HY<br/>Condition : PEAK(UNIT) 3m 91200_15_1620 HORIZONTAL</p> |  <p>Site : 03CH15-HY<br/>Condition : PEAK(UNIT) 3m 91200_15_1620 VERTICAL</p> |
|              |                                                                                                                                                                  |                                                                                                                                                                 |





| WIFI         | Band 4 5725~5850MHz Harmonic @ 3m                                                                                                                                |                                                                                                                                                                 |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT          | 802.11a CH157 5785MHz                                                                                                                                            |                                                                                                                                                                 |
| 7+9          | Horizontal                                                                                                                                                       | Vertical                                                                                                                                                        |
| Peak<br>Avg. |  <p>Site : 03CH15-HY<br/>Condition : PEAK(UNIT) 3m 91200_15_1620 HORIZONTAL</p> |  <p>Site : 03CH15-HY<br/>Condition : PEAK(UNIT) 3m 91200_15_1620 VERTICAL</p> |
|              |                                                                                                                                                                  |                                                                                                                                                                 |





| WIFI         | Band 4 5725~5850MHz Harmonic @ 3m                                                                                                                                |                                                                                                                                                                 |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT          | 802.11a CH165 5825MHz                                                                                                                                            |                                                                                                                                                                 |
| 7+9          | Horizontal                                                                                                                                                       | Vertical                                                                                                                                                        |
| Peak<br>Avg. |  <p>Site : 03CH15-HY<br/>Condition : PEAK(UNIT) 3m 91200_15_1620 HORIZONTAL</p> |  <p>Site : 03CH15-HY<br/>Condition : PEAK(UNIT) 3m 91200_15_1620 VERTICAL</p> |
|              |                                                                                                                                                                  |                                                                                                                                                                 |

**Emission above 18GHz**  
**5GHz WIFI 802.11a (SHF @1m)**

| WIFI                           | 5GHz WIFI                                                                                                                                                              |                                                                                                                                                                       |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT                            | 802.11a SHF                                                                                                                                                            |                                                                                                                                                                       |
| 7+9                            | Horizontal                                                                                                                                                             | Vertical                                                                                                                                                              |
| <b>Peak</b><br><br><b>Avg.</b> |  <p>Site : 03CH15-HY<br/> Condition : PEAK(UNIT) 1m SHF ANT_9170_00993 HORIZONTAL</p> |  <p>Site : 03CH15-HY<br/> Condition : PEAK(UNIT) 1m SHF ANT_9170_00993 VERTICAL</p> |

**Emission below 1GHz**  
**5GHz WIFI 802.11a (LF @ 3m)**

| WIFI                 | 5GHz WIFI                                                                                                                                                        |                                                                                                                                                                 |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT                  | 802.11a LF                                                                                                                                                       |                                                                                                                                                                 |
| 7+9                  | Horizontal                                                                                                                                                       | Vertical                                                                                                                                                        |
| <b>QP /<br/>Peak</b> |  <p>Site : 03CH15-HY<br/> Condition : QP 3m BIL06_41912_20210208 HORIZONTAL</p> |  <p>Site : 03CH15-HY<br/> Condition : QP 3m BIL06_41912_20210208 VERTICAL</p> |
|                      |                                                                                                                                                                  |                                                                                                                                                                 |



## Appendix E. Duty Cycle Plots

| Antenna | Band                       | Duty Cycle(%) | T(us) | 1/T(kHz) | VBW Setting |
|---------|----------------------------|---------------|-------|----------|-------------|
| 7+9     | 802.11a                    | 85.37         | 2100  | 0.48     | 1kHz        |
| 7+9     | 5GHz 802.11ax HE40 Full RU | 97.40         | 3750  | 0.27     | 300Hz       |
| 7+9     | 5GHz 802.11ax HE80 Full RU | 95.56         | 2800  | 0.36     | 1kHz        |
| 7+9     | 5GHz 802.11ax HE80 484 RU  | 96.13         | 1365  | 0.73     | 1kHz        |

## MIMO &lt;Ant. 7+9&gt;

