U-NII 7 – Straddle Channel

WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI	UNII-7-8 6525-7125MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH185 6875MHz	
17+18	Horizontal	Vertical
Peak Avg.		

U-NII 7 – Straddle Channel

WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI	UNII-7-8 6525-7125MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH187 6885MHz	
17+18	Horizontal	Vertical
Peak Avg.		

U-NII 7 - Straddle Channel

WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI	UNII-7-8 6525-7125MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH183 6865MHz	
17+18	Horizontal	Vertical
Peak Avg.		

U-NII 7 – Straddle Channel

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI	UNII-7-8 6525-7125MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH175 6825MHz	
17+18	Horizontal	Vertical
Peak Avg.		

U-NII 7 – Straddle Channel

WIFI 802.11be EHT320 Full (Harmonic @ 3m)

WIFI	UNII-7-8 6525-7125MHz Harmonic @ 3m	
ANT	802.11be EHT320 Full CH159 6745MHz	
17+18	Horizontal	Vertical
Peak Avg.	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 57 Plane : Y : Full-directivity IMEI : #36 Powersetting : 12 : 6 1 13488.00 44.19 -44.11 88.30 50.79 38.90 16.28 61.78 300 0 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 57 Plane : Y : Full-directivity IMEI : #36 Powersetting : 12 : 6 1 13488.00 44.70 -43.60 88.30 51.30 38.90 16.28 61.78 100 0 Peak

WIFI	UNII-7-8 6525-7125MHz Harmonic @ 3m	
ANT	802.11be EHT320 Full CH191 6905MHz	
17+18	Horizontal	Vertical
Peak Avg.		

U-NII 8 - 6875-7125MHzMHz

WIFI 802.11a (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11a CH229 7095MHz	
17+18	Horizontal	Fundamental
Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 12 Plane : Y : Full-directivity IMEI : #36 Powersetting : 18 : -12.75 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7214.92 55.38 -32.92 88.30 40.87 35.70 11.66 32.85 117 49 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 12 Plane : Y : Full-directivity IMEI : #36 Powersetting : 18 : -12.75 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7102.00 106.33 18.03 88.30 91.83 35.70 11.57 32.77 117 49 Peak
Avg.	 Site : 03CH06-KS Condition : WIFI 6E(AV6) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 12 Plane : Y : Full-directivity IMEI : #36 Powersetting : 18 : -12.75 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7125.16 49.21 -19.09 68.30 34.72 35.70 11.58 32.79 117 49 Average	 Site : 03CH06-KS Condition : WIFI 6E(AV6) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 12 Plane : Y : Full-directivity IMEI : #36 Powersetting : 18 : -12.75 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7102.00 98.82 30.52 68.30 84.32 35.70 11.57 32.77 117 49 Average

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11a CH229 7095MHz	
17+18	Vertical	Fundamental
Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 12 Plane : Y : Full-directivity IMEI : #36 Powersetting : 18 : -12.75 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7237.00 54.70 -33.60 88.30 40.20 35.70 11.66 32.86 300 31 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 12 Plane : Y : Full-directivity IMEI : #36 Powersetting : 18 : -12.75 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7093.00 104.10 15.80 88.30 89.61 35.70 11.56 32.77 300 31 Peak
Avg.	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 12 Plane : Y : Full-directivity IMEI : #36 Powersetting : 18 : -12.75 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7125.96 48.22 -20.08 68.30 33.73 35.70 11.58 32.79 300 31 Average	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 12 Plane : Y : Full-directivity IMEI : #36 Powersetting : 18 : -12.75 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7084.00 97.02 28.72 68.30 82.53 35.70 11.56 32.77 300 31 Average

U-NII 8 - 6875-7125MHzMHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH229 7095MHz	
17+18	Horizontal	Fundamental
Peak		
Avg.		

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH229 7095MHz	
17+18	Vertical	Fundamental
Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : {FR}292001 Mode : 24 Plane : Y : Full-directivity IMEI : #36 Powersetting : 18 : -12.25 1 7126.12 57.48 -30.82 88.30 42.99 35.70 11.58 32.79 262 34 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : {FR}292001 Mode : 24 Plane : Y : Full-directivity IMEI : #36 Powersetting : 18 : -12.25 1 7102.00 103.66 15.36 88.30 89.16 35.70 11.57 32.77 262 34 Peak
Avg.	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : {FR}292001 Mode : 24 Plane : Y : Full-directivity IMEI : #36 Powersetting : 18 : -12.25 1 7125.00 49.42 -18.88 68.30 34.93 35.70 11.58 32.79 262 34 Average	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : {FR}292001 Mode : 24 Plane : Y : Full-directivity IMEI : #36 Powersetting : 18 : -12.25 1 7102.00 95.76 27.46 68.30 81.26 35.70 11.57 32.77 262 34 Average

U-NII 8 - 6875-7125MHzMHz

WIFI 802.11be EHT20 Single Partial RU 52/40 (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 Single partial RU 52/40 CH229 7095MHz	
17+18	Horizontal	Fundamental
Peak		
Avg.		Left blank

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 S *SingleRU 52/40* CH229 7095MHz	
17+18	Vertical	Fundamental
Peak		
Avg.		Left blank

U-NII 8 - 6875-7125MHzMHz

WIFI 802.11be EHT20 Small RU_Index 54+4 (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 Small RU_Index 54+4 CH229 7095MHz	
17+18	Horizontal	Fundamental
Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 66 Plane : Y : Full-directivity IMEI : #36 Powersetting : 2 : 0.25 1 7190.28 54.72 -33.58 88.30 40.21 35.70 11.64 32.83 100 54 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 66 Plane : Y : Full-directivity IMEI : #36 Powersetting : 2 : 0.25 1 7102.00 97.74 9.44 88.30 83.24 35.70 11.57 32.77 100 54 Peak
Avg.	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 66 Plane : Y : Full-directivity IMEI : #36 Powersetting : 2 : 0.25 1 7168.52 44.82 -23.48 68.30 30.32 35.70 11.62 32.82 100 54 Average	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 66 Plane : Y : Full-directivity IMEI : #36 Powersetting : 2 : 0.25 1 7102.00 87.61 19.31 68.30 73.11 35.70 11.57 32.77 100 54 Average

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 Small RU_Index 54+4 CH229 7095MHz	
17+18	Vertical	Fundamental
Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : {FR}292001 Mode : 66 Plane : Y : Full-directivity IMEI : #36 Powersetting : 2 : 0.25 1 7202.44 55.06 -33.24 88.30 40.54 35.70 11.65 32.83 313 18 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : {FR}292001 Mode : 66 Plane : Y : Full-directivity IMEI : #36 Powersetting : 2 : 0.25 1 7102.00 93.71 5.41 88.30 79.21 35.70 11.57 32.77 313 18 Peak
Avg.	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : {FR}292001 Mode : 66 Plane : Y : Full-directivity IMEI : #36 Powersetting : 2 : 0.25 1 7143.40 44.85 -23.45 68.30 30.35 35.70 11.60 32.80 313 18 Average	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : {FR}292001 Mode : 66 Plane : Y : Full-directivity IMEI : #36 Powersetting : 2 : 0.25 1 7102.00 85.48 17.18 68.30 70.98 35.70 11.57 32.77 313 18 Average

U-NII 8 - 6875-7125MHzMHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH227 7085MHz	
17+18	Horizontal	Fundamental
Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 35 Plane : Y : Full-directivity IMEI : #36 Powersetting : 17 : -8.25 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7128.18 62.85 -25.45 88.30 48.36 35.70 11.58 32.79 114 48 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 35 Plane : Y : Full-directivity IMEI : #36 Powersetting : 17 : -8.25 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7075.00 104.81 16.51 88.30 90.33 35.70 11.54 32.76 114 48 Peak
Avg.	 Site : 03CH06-KS Condition : WIFI 6E(AV6) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 35 Plane : Y : Full-directivity IMEI : #36 Powersetting : 17 : -8.25 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7126.20 55.10 -13.20 68.30 40.61 35.70 11.58 32.79 114 48 Average	 Site : 03CH06-KS Condition : WIFI 6E(AV6) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 35 Plane : Y : Full-directivity IMEI : #36 Powersetting : 17 : -8.25 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7075.00 94.75 26.45 68.30 80.27 35.70 11.54 32.76 114 48 Average

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full H227 7085MHz	
17+18	Vertical	Fundamental
Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : {FR}292001 Mode : 35 Plane : Y : Full-directivity IMEI : #36 Powersetting : 17 : -8.25 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7131.24 58.96 -29.34 88.30 44.45 35.70 11.60 32.79 282 31 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : {FR}292001 Mode : 35 Plane : Y : Full-directivity IMEI : #36 Powersetting : 17 : -8.25 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7075.00 103.34 15.04 88.30 88.86 35.70 11.54 32.76 282 31 Peak
Avg.	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : {FR}292001 Mode : 35 Plane : Y : Full-directivity IMEI : #36 Powersetting : 17 : -8.25 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7129.98 51.93 -16.37 68.30 37.42 35.70 11.60 32.79 282 31 Average	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : {FR}292001 Mode : 35 Plane : Y : Full-directivity IMEI : #36 Powersetting : 17 : -8.25 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7075.00 92.82 24.52 68.30 78.34 35.70 11.54 32.76 282 31 Average

U-NII 8 - 6875-7125MHzMHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH215 7025MHz	
17+18	Horizontal	Fundamental
Peak		
Avg.		

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH215 7025MHz	
17+18	Vertical	Fundamental
Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : {FR}292001 Mode : 44 Plane : Y : Full-directivity IMEI : #36 Powersetting : 16 : -4 1 7130.44 54.45 -33.85 88.30 39.94 35.70 11.60 32.79 144 19 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : {FR}292001 Mode : 44 Plane : Y : Full-directivity IMEI : #36 Powersetting : 16 : -4 1 6985.00 98.07 9.77 88.30 83.63 35.68 11.47 32.71 144 19 Peak
Avg.	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : {FR}292001 Mode : 44 Plane : Y : Full-directivity IMEI : #36 Powersetting : 16 : -4 1 7137.48 47.71 -20.59 68.30 33.21 35.70 11.60 32.80 144 19 Average	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : {FR}292001 Mode : 44 Plane : Y : Full-directivity IMEI : #36 Powersetting : 16 : -4 1 6985.00 89.10 20.80 68.30 74.66 35.68 11.47 32.71 144 19 Average

U-NII 8 - 6875-7125MHzMHz

WIFI 802.11be EHT80 Puncturing 20M_ ❸ (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT80 Puncturing 20M_ ❸ CH215 7025MHz	
17+18	Horizontal	Fundamental
Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 69 Plane : Y : Full-directivity IMEI : #36 Powersetting : 9.5 : 0.25 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7132.36 55.05 -33.25 88.30 40.54 35.70 11.60 32.79 100 48 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 69 Plane : Y : Full-directivity IMEI : #36 Powersetting : 9.5 : 0.25 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7048.00 97.70 9.40 88.30 83.21 35.70 11.53 32.74 100 48 Peak
Avg.	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 69 Plane : Y : Full-directivity IMEI : #36 Powersetting : 9.5 : 0.25 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7126.60 46.15 -22.15 68.30 31.66 35.70 11.58 32.79 100 48 Average	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 69 Plane : Y : Full-directivity IMEI : #36 Powersetting : 9.5 : 0.25 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7048.00 88.24 19.94 68.30 73.75 35.70 11.53 32.74 100 48 Average

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT80 Puncturing 20M_ ❸ CH215 7025MHz	
17+18	Vertical	Fundamental
Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 69 Plane : Y : Full-directivity IMEI : #36 Powersetting : 9.5 : 0.25 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7138.44 54.24 -34.06 88.30 39.74 35.70 11.60 32.80 102 15 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 69 Plane : Y : Full-directivity IMEI : #36 Powersetting : 9.5 : 0.25 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7003.00 93.70 5.40 88.30 79.22 35.70 11.49 32.71 102 15 Peak
Avg.	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 69 Plane : Y : Full-directivity IMEI : #36 Powersetting : 9.5 : 0.25 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7127.56 45.05 -23.25 68.30 30.56 35.70 11.58 32.79 102 15 Average	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 69 Plane : Y : Full-directivity IMEI : #36 Powersetting : 9.5 : 0.25 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7003.00 84.92 16.62 68.30 70.44 35.70 11.49 32.71 102 15 Average

U-NII 8 - 6875-7125MHzMHz

WIFI 802.11be EHT80 Large RU 484+242_ ❷ (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	*802.11be EHT80* Large RU 484+242_ ❷ CH215 7025MHz	
17+18	Horizontal	Fundamental
Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 81 Plane : Y : Full-directivity IMEI : #36 Powersetting : 8 : 0.5 1 7142.44 55.67 -32.63 88.30 41.17 35.70 11.60 32.80 154 52 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 81 Plane : Y : Full-directivity IMEI : #36 Powersetting : 8 : 0.5 1 7048.00 97.87 9.57 88.30 83.38 35.70 11.53 32.74 154 52 Peak
Avg.	 Site : 03CH06-KS Condition : WIFI 6E(AV6) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 81 Plane : Y : Full-directivity IMEI : #36 Powersetting : 8 : 0.5 1 7139.88 45.82 -22.48 68.30 31.32 35.70 11.60 32.80 154 52 Average	 Site : 03CH06-KS Condition : WIFI 6E(AV6) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 81 Plane : Y : Full-directivity IMEI : #36 Powersetting : 8 : 0.5 1 6994.00 87.96 19.66 68.30 73.48 35.70 11.49 32.71 154 52 Average

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	*802.11be EHT80* Large RU 484+242_ ❷ CH215 7025MHz	
17+18	Vertical	Fundamental
Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 81 Plane : Y : Full-directivity IMEI : #36 Powersetting : 8 : 0.5 1 7129.16 55.35 -32.95 88.30 40.84 35.70 11.60 32.79 108 0 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 81 Plane : Y : Full-directivity IMEI : #36 Powersetting : 8 : 0.5 1 7003.00 94.91 6.61 88.30 80.43 35.70 11.49 32.71 108 0 Peak
Avg.	 Site : 03CH06-KS Condition : WIFI 6E(AV6) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 81 Plane : Y : Full-directivity IMEI : #36 Powersetting : 8 : 0.5 1 7127.08 45.63 -22.67 68.30 31.14 35.70 11.58 32.79 108 0 Average	 Site : 03CH06-KS Condition : WIFI 6E(AV6) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 81 Plane : Y : Full-directivity IMEI : #36 Powersetting : 8 : 0.5 1 7003.00 86.01 17.71 68.30 71.53 35.70 11.49 32.71 108 0 Average

U-NII 8 - 6875-7125MHzMHz

WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT160 Full CH207 6985MHz	
17+18	Horizontal	Fundamental
Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 49 Plane : Y : Full-directivity IMEI : #36 Powersetting : 15 : 0 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7167.08 57.53 -30.77 88.30 43.03 35.70 11.62 32.82 234 342 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 49 Plane : Y : Full-directivity IMEI : #36 Powersetting : 15 : 0 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7048.00 94.94 6.64 88.30 80.45 35.70 11.53 32.74 234 342 Peak
Avg.	 Site : 03CH06-KS Condition : WIFI 6E(AV6) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 49 Plane : Y : Full-directivity IMEI : #36 Powersetting : 15 : 0 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7142.44 49.76 -18.54 68.30 35.26 35.70 11.60 32.80 234 342 Average	 Site : 03CH06-KS Condition : WIFI 6E(AV6) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 49 Plane : Y : Full-directivity IMEI : #36 Powersetting : 15 : 0 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7039.00 86.37 18.07 68.30 71.89 35.70 11.52 32.74 234 342 Average

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT160 Full CH207 6985MHz	
17+18	Vertical	Fundamental
Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 49 Plane : Y : Full-directivity IMEI : #36 Powersetting : 15 : 0 1 7174.12 56.17 -32.13 88.30 41.67 35.70 11.62 32.82 293 33 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 49 Plane : Y : Full-directivity IMEI : #36 Powersetting : 15 : 0 1 6913.00 93.39 5.09 88.30 79.04 35.62 11.41 32.68 293 33 Peak
Avg.	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 49 Plane : Y : Full-directivity IMEI : #36 Powersetting : 15 : 0 1 7155.24 48.88 -19.42 68.30 34.37 35.70 11.61 32.80 293 33 Average	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 49 Plane : Y : Full-directivity IMEI : #36 Powersetting : 15 : 0 1 6913.00 85.34 17.04 68.30 70.99 35.62 11.41 32.68 293 33 Average

U-NII 8 - 6875-7125MHzMHz

WIFI 802.11be EHT160 Puncturing 40M _❸ (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT160 Puncturing 40M _❸ CH207 6985MHz	
17+18	Horizontal	Fundamental
Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 71 Plane : Y : Full-directivity IMEI : #36 Powersetting : 12 : 2 1 7136.04 58.62 -29.68 88.30 44.12 35.70 11.60 32.80 111 338 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 71 Plane : Y : Full-directivity IMEI : #36 Powersetting : 12 : 2 1 7039.00 94.67 6.37 88.30 80.19 35.70 11.52 32.74 111 338 Peak
Avg.	 Site : 03CH06-KS Condition : WIFI 6E(AV6) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 71 Plane : Y : Full-directivity IMEI : #36 Powersetting : 12 : 2 1 7161.00 45.85 -22.45 68.30 31.36 35.70 11.61 32.82 111 338 Average	 Site : 03CH06-KS Condition : WIFI 6E(AV6) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 71 Plane : Y : Full-directivity IMEI : #36 Powersetting : 12 : 2 1 6976.00 84.89 16.59 68.30 70.44 35.68 11.47 32.70 111 338 Average

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT160 Puncturing 40M _ ❸ CH207 6985MHz	
17+18	Vertical	Fundamental
Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 71 Plane : Y : Full-directivity IMEI : #36 Powersetting : 12 : 2 1 7190.76 55.34 -32.96 88.30 40.83 35.70 11.64 32.83 100 3 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 71 Plane : Y : Full-directivity IMEI : #36 Powersetting : 12 : 2 1 6976.00 93.62 5.32 88.30 79.17 35.68 11.47 32.70 100 3 Peak
Avg.	 Site : 03CH06-KS Condition : WIFI 6E(AV6) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 71 Plane : Y : Full-directivity IMEI : #36 Powersetting : 12 : 2 1 7166.12 45.13 -23.17 68.30 30.63 35.70 11.62 32.82 100 3 Peak	 Site : 03CH06-KS Condition : WIFI 6E(AV6) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 71 Plane : Y : Full-directivity IMEI : #36 Powersetting : 12 : 2 1 6913.00 84.72 16.42 68.30 70.37 35.62 11.41 32.68 100 3 Average

U-NII 8 - 6875-7125MHzMHz

WIFI 802.11be EHT160 Puncturing 20M_ ❷ (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT160 Puncturing 20M_ ❷ CH207 6985MHz	
17+18	Horizontal	Fundamental
Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 73 Plane : Y : Full-directivity IMEI : #36 Powersetting : 12.5 : 1.5 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7141.16 60.60 -27.70 88.30 46.10 35.70 11.60 32.80 118 52 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 73 Plane : Y : Full-directivity IMEI : #36 Powersetting : 12.5 : 1.5 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7012.00 98.21 9.91 88.30 83.74 35.70 11.50 32.73 118 52 Peak
Avg.	 Site : 03CH06-KS Condition : WIFI 6E(AV6) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 73 Plane : Y : Full-directivity IMEI : #36 Powersetting : 12.5 : 1.5 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7142.44 49.92 -18.38 68.30 35.42 35.70 11.60 32.80 118 52 Average	 Site : 03CH06-KS Condition : WIFI 6E(AV6) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 73 Plane : Y : Full-directivity IMEI : #36 Powersetting : 12.5 : 1.5 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 6967.00 88.33 20.03 68.30 73.90 35.67 11.46 32.70 118 52 Average

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT160 Puncturing 20M_ ❷ CH207 6985MHz	
17+18	Vertical	Fundamental
Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : {FR}292001 Mode : 73 Plane : Y : Full-directivity IMEI : #36 Powersetting : 12.5 : 1.5 1 7213.80 55.37 -32.93 88.30 40.86 35.70 11.66 32.85 109 0 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : {FR}292001 Mode : 73 Plane : Y : Full-directivity IMEI : #36 Powersetting : 12.5 : 1.5 1 6922.00 92.64 4.34 88.30 78.29 35.62 11.41 32.68 109 0 Peak
Avg.	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : {FR}292001 Mode : 73 Plane : Y : Full-directivity IMEI : #36 Powersetting : 12.5 : 1.5 1 7125.48 45.24 -23.06 68.30 30.75 35.70 11.58 32.79 109 0 Average	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : {FR}292001 Mode : 73 Plane : Y : Full-directivity IMEI : #36 Powersetting : 12.5 : 1.5 1 6922.00 84.08 15.78 68.30 69.73 35.62 11.41 32.68 109 0 Average

U-NII 8 - 6875-7125MHzMHz

WIFI 802.11be EHT160 Large RU 996+484_ ❸ (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT160 Large RU 996+484_ ❸ CH207 6985MHz	
17+18	Horizontal	Fundamental
Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 83 Plane : Y : Full-directivity IMEI : #36 Powersetting : 10.5 : 1.25 1 7152.04 55.90 -32.40 88.30 41.39 35.70 11.61 32.80 100 52 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 83 Plane : Y : Full-directivity IMEI : #36 Powersetting : 10.5 : 1.25 1 6949.00 97.59 9.29 88.30 83.19 35.65 11.44 32.69 100 52 Peak
Avg.	 Site : 03CH06-KS Condition : WIFI 6E(AV6) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 83 Plane : Y : Full-directivity IMEI : #36 Powersetting : 10.5 : 1.25 1 7153.00 47.21 -21.09 68.30 32.70 35.70 11.61 32.80 100 52 Average	 Site : 03CH06-KS Condition : WIFI 6E(AV6) 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 83 Plane : Y : Full-directivity IMEI : #36 Powersetting : 10.5 : 1.25 1 6949.00 86.97 18.67 68.30 72.57 35.65 11.44 32.69 100 52 Average

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT160 Large RU 996+484_ ③ CH207 6985MHz	
17+18	Vertical	Fundamental
Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 83 Plane : Y : Full-directivity IMEI : #36 Powersetting : 10.5 : 1.25 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7168.36 56.24 -32.06 88.30 41.74 35.70 11.62 32.82 122 360 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 83 Plane : Y : Full-directivity IMEI : #36 Powersetting : 10.5 : 1.25 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 6922.00 96.17 7.87 88.30 81.82 35.62 11.41 32.68 122 360 Peak
Avg.	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 83 Plane : Y : Full-directivity IMEI : #36 Powersetting : 10.5 : 1.25 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 7148.52 46.37 -21.93 68.30 31.86 35.70 11.61 32.80 122 360 Average	 Site : 03CH06-KS Condition : WIFI 6E(AVG) 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 83 Plane : Y : Full-directivity IMEI : #36 Powersetting : 10.5 : 1.25 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 6922.00 86.08 17.78 68.30 71.73 35.62 11.41 32.68 122 360 Average

U-NII 8 - 6875-7125MHzMHz

WIFI 802.11a (Harmonic @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m	
ANT	802.11a CH189 6895MHz	
17+18	Horizontal	Vertical
Peak Avg.		

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m	
ANT	802.11a CH209 6995 MHz	
17+18	Horizontal	Vertical
Peak Avg.	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 11 Plane : Y : Full-directivity IMEI : #36 Powersetting : 18 : -12.75 1 13992.00 43.47 -44.83 88.30 49.82 38.80 16.51 61.66 300 0 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 11 Plane : Y : Full-directivity IMEI : #36 Powersetting : 18 : -12.75 1 13992.00 43.34 -44.96 88.30 49.69 38.80 16.51 61.66 100 0 Peak

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m	
ANT	802.11a CH229 7095 MHz	
17+18	Horizontal	Vertical
Peak Avg.	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 12 Plane : Y : Full-directivity IMEI : #36 Powersetting : 18 : -12.75 1 14192.00 44.12 -44.18 88.30 50.00 39.07 16.65 61.60 300 0 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 12 Plane : Y : Full-directivity IMEI : #36 Powersetting : 18 : -12.75 1 14192.00 44.01 -44.29 88.30 49.89 39.07 16.65 61.60 100 0 Peak

U-NII 8 - 6875-7125MHz

WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH189 6895MHz	
17+18	Horizontal	Vertical
Peak Avg.		

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH209 6995 MHz	
17+18	Horizontal	Vertical
Peak Avg.	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 23 Plane : Y : Full-directivity IMEI : #36 Powersetting : 18 : -12.25 1 13992.00 43.39 -44.91 88.30 49.74 38.80 16.51 61.66 300 0 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 23 Plane : Y : Full-directivity IMEI : #36 Powersetting : 18 : -12.25 1 13992.00 42.45 -45.85 88.30 48.80 38.80 16.51 61.66 100 0 Peak

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH229 7095 MHz	
17+18	Horizontal	Vertical
Peak Avg.	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 24 Plane : Y : Full-directivity IMEI : #36 Powersetting : 18 : -12.25 1 14192.00 44.49 -43.81 88.30 50.37 39.07 16.65 61.60 300 0 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 24 Plane : Y : Full-directivity IMEI : #36 Powersetting : 18 : -12.25 1 14192.00 43.47 -44.83 88.30 49.35 39.07 16.65 61.60 100 0 Peak

U-NII 8 - 6875-7125MHz

WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH195 6925MHz	
17+18	Horizontal	Vertical
Peak Avg.	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 33 Plane : Y : Full-directivity IMEI : #36 Powersetting : 17 : -8.25 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 13848.00 44.82 -43.48 88.30 51.24 38.83 16.45 61.70 300 0 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 33 Plane : Y : Full-directivity IMEI : #36 Powersetting : 17 : -8.25 Freq Level Over Limit Limit Line ReadAntenna Level Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 13848.00 44.36 -43.94 88.30 50.78 38.83 16.45 61.70 100 0 Peak

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH203 6965MHz	
17+18	Horizontal	Vertical
Peak Avg.	 No. 1098, Pengxi North Road,Kunshan Economic & Technical Development Zone,JiangSu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Data: 1 Level (dBuV/m) 117 102.4 87.8 73.1 58.5 43.9 29.3 14.6 0 10000 11000. 12000. 13000. 14000. 15000. 16000. 17000. 18000 Frequency (MHz) WIFI 6E PEAK 54dB WIFI 6E(AVG) 54dB Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : (FR)292001 Mode : 34 Plane : Y IMEI : Full-directivity Powersetting : #36 : 17 : -8.25 Freq Level Limit Line Over Limit Level ReadAntenna Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13928.00 43.47 88.30 -44.83 49.85 38.82 16.48 61.68 300 0 Peak	 No. 1098, Pengxi North Road,Kunshan Economic & Technical Development Zone,JiangSu,China tel:+86-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Data: 2 Level (dBuV/m) 117 102.4 87.8 73.1 58.5 43.9 29.3 14.6 0 10000 11000. 12000. 13000. 14000. 15000. 16000. 17000. 18000 Frequency (MHz) WIFI 6E PEAK 54dB WIFI 6E(AVG) 54dB Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : (FR)292001 Mode : 34 Plane : Y IMEI : Full-directivity Powersetting : #36 : 17 : -8.25 Freq Level Limit Line Over Limit Level ReadAntenna Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13928.00 43.30 88.30 -45.00 49.68 38.82 16.48 61.68 100 0 Peak

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH227 7085MHz	
17+18	Horizontal	Vertical
Peak Avg.	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 35 Plane : Y : Full-directivity IMEI : #36 Powersetting : 17 : -8.25 1 14168.00 44.37 -43.93 88.30 50.29 39.04 16.64 61.60 300 0 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 35 Plane : Y : Full-directivity IMEI : #36 Powersetting : 17 : -8.25 1 14168.00 44.63 -43.67 88.30 50.55 39.04 16.64 61.60 100 0 Peak

U-NII 8 - 6875-7125MHz

WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH199 6945MHz	
17+18	Horizontal	Vertical
Peak Avg.	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 43 Plane : Y : Full-directivity IMEI : #36 Powersetting : 16 : -4 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 13888.00 42.76 -45.54 88.30 49.17 38.82 16.46 61.69 300 0 Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 43 Plane : Y : Full-directivity IMEI : #36 Powersetting : 16 : -4 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 13888.00 43.60 -44.70 88.30 50.01 38.82 16.46 61.69 100 0 Peak

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH215 7025MHz	
17+18	Horizontal	Vertical
Peak Avg.	 No. 1098, Pengxi North Road,Kunshan Economic & Technical Development Zone,JiangSu,China tel:+886-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Data: 9 Level (dBuV/m) WIFI 6E PEAK WIFI 6E(AVG) Frequency (MHz) Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL Project : (FR)292001 Mode : 44 Plane : Y : Full-directivity IMEI : #36 Powersetting : 16 : -4 1 14048.00 42.76 -45.54 88.30 48.97 38.87 16.56 61.64 300 0 Peak	 No. 1098, Pengxi North Road,Kunshan Economic & Technical Development Zone,JiangSu,China tel:+886-512-57900158 fax:+86-512-57900958 http://www.sporton.com.cn Data: 10 Level (dBuV/m) WIFI 6E PEAK WIFI 6E(AVG) Frequency (MHz) Site : 03CH06-KS Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL Project : (FR)292001 Mode : 44 Plane : Y : Full-directivity IMEI : #36 Powersetting : 16 : -4 1 14048.00 44.03 -44.27 88.30 50.24 38.87 16.56 61.64 100 0 Peak

U-NII 8 - 6875-7125MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH207 6985MHz	
17+18	Horizontal	Vertical
Peak Avg.		

U-NII 8 - 6875-7125MHzMHz

WIFI 802.11be EHT20 Single Partial RU 52/40 (Harmonic @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11be EHT20 Single partial RU 52/40 CH229 7095MHz	
17+18	Horizontal	Vertical
Peak		

Site : 03CH06-KS
Condition : WIFI 6E PEAK 3m 3117 SN 00218652- HORIZONTAL
Project : (FR)292001
Mode : 64
Plane : Y
: Full-directivity
IMEI : #36
Powersetting : -2.5
: 1.5

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Factor	Cable Loss	Preamp Factor	A/Pos	T/Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	14192.00	44.03	-44.27	88.30	49.91	39.07	16.65	61.60	300	0	Peak

Site : 03CH06-KS
Condition : WIFI 6E PEAK 3m 3117 SN 00218652- VERTICAL
Project : (FR)292001
Mode : 64
Plane : Y
: Full-directivity
IMEI : #36
Powersetting : -2.5
: 1.5

	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Factor	Cable Loss	Preamp Factor	A/Pos	T/Pos	Remark
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	14192.00	43.33	-44.97	88.30	49.21	39.07	16.65	61.60	100	0	Peak

Emission below 1GHz

WIFI 802.11be EHT40 Full (LF)

WIFI	WIFI	
ANT	802.11be EHT40 Full LF	
17+18	Horizontal	Vertical
QP / Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m LF 6111D SN444883 HORIZONTAL : RBW:100.000KHz VBW:300.000KHz SWT:Auto Project : 292001 Mode : 35 : Y : Full-directivity : #36 Freq Level Limit Line Over Limit Limit Line ReadAntenna Level Factor Cable Loss Factor Preamp Factor A/Pos cm T/Pos deg Remark 1 30.97 22.90 40.00 -17.10 29.77 24.57 0.76 32.20 --- --- Peak 2 154.16 28.62 43.50 -14.88 42.04 16.86 1.82 32.10 --- --- Peak 3 220.12 22.99 46.00 -23.01 37.74 15.30 2.09 32.14 --- --- Peak 4 250.19 22.38 46.00 -23.62 33.46 19.02 2.10 32.20 --- --- Peak 5 689.60 28.62 46.00 -17.38 30.25 26.66 3.91 32.20 --- --- Peak 6 904.94 33.41 46.00 -12.59 31.83 29.29 4.49 32.20 --- --- Peak	 Site : 03CH06-KS Condition : WIFI 6E PEAK 3m LF 6111D SN444883 VERTICAL : RBW:100.000KHz VBW:300.000KHz SWT:Auto Project : 292001 Mode : 35 : Y : Full-directivity : #36 Freq Level Limit Line Over Limit Limit Line ReadAntenna Level Factor Cable Loss Factor Preamp Factor A/Pos cm T/Pos deg Remark 1 30.97 24.59 40.00 -15.41 31.46 24.57 0.76 32.20 --- --- Peak 2 154.16 29.76 43.50 -13.74 43.18 16.86 1.82 32.10 --- --- Peak 3 169.68 28.80 43.50 -14.70 43.30 15.70 1.90 32.10 --- --- Peak 4 262.80 24.02 46.00 -21.98 33.78 20.20 2.21 32.17 --- --- Peak 5 341.37 24.39 46.00 -21.61 33.62 20.23 2.72 32.18 --- --- Peak 6 454.86 27.62 46.00 -18.38 33.51 23.19 3.14 32.22 --- --- Peak

Emission above 18GHz

WIFI 802.11be EHT40 Full

WIFI	WIFI	
ANT	802.11be EHT40 Full	
17+18	Horizontal	Vertical
Peak /AVG		

Note: For 18GHz to 40GHz, only wore case is verified in this report.

CO-location:

LTE B48 TX + WLAN 6G 802.11be EHT40 CH227 TX + WLAN 2.4G 802.11be EHT40 CH03 Tx

WLAN 6G 802.11be EHT40 CH227 TX (Band Edge @ 3m)

WIFI	Band Edge @ 3m	
ANT	802.11be EHT40 Full CH227 7085MHz	
17+18	Horizontal	Fundamental
Peak		
Avg.		

WIFI	Band Edge @ 3m	
ANT	802.11be EHT40 Full H227 7085MHz	
17+18	Vertical	Fundamental
Peak		
Avg.		

WLAN 2.4G 802.11be EHT40 CH03 Tx (Band Edge @ 3m)

WIFI	Band Edge @ 3m	
ANT	802.11be EHT40 Full CH03 2422MHz - L	
15+18	Horizontal	Fundamental
Peak		
Avg.		

WIFI	Band Edge @ 3m	
ANT	802.11be EHT40 Full CH03 2422MHz - R	
15+18	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	Band Edge @ 3m	
ANT	802.11be EHT40 Full CH03 2422MHz - L	
15+18	Vertical	Fundamental
Peak		
Avg.		

WIFI	Band Edge @ 3m	
ANT	802.11be EHT40 Full CH03 2422MHz - R	
15+18	Vertical	Fundamental
Peak		Left blank
Avg.		Left blank

WLAN 6G 802.11be EHT40 CH227 TX (Harmonic @ 3m)

WIFI	Harmonic @ 3m	
ANT	802.11be EHT40 Full CH227 7085MHz	
17+18	Horizontal	Vertical
Peak Avg.		

WLAN 2.4G 802.11be EHT40 CH03 Tx (Harmonic @ 3m)

WIFI	Harmonic @ 3m	
ANT	802.11 be EHT40 Full CH03 2422MHz	
15+18	Horizontal	Vertical
Peak Avg.		

LTE B48 TX + WLAN 6G 802.11be EHT40 CH227 TX + BLE 2Mbps CH39TX + WLAN 5G 802.11be EHT160 CH50 Tx

WLAN 6G 802.11be EHT40 CH227 TX (Band Edge @ 3m)

WIFI	Band Edge @ 3m	
ANT	802.11be EHT40 Full CH227 7085MHz	
17+18	Horizontal	Fundamental
Peak		
Avg.		

WIFI	Band Edge @ 3m	
ANT	802.11be EHT40 Full H227 7085MHz	
17+18	Vertical	Fundamental
Peak		
Avg.		

WLAN 5G 802.11be EHT160 CH50 Tx (Band Edge @ 3m)

WIFI	Band Edge @ 3m	
ANT	802.11be EHT160 Full CH50 5250MHz - L	
15+18	Horizontal	Fundamental
Peak		
Avg.		Left blank

WIFI	Band Edge @ 3m	
ANT	802.11be EHT160 Full CH50 5250MHz - R	
15+18	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	Band Edge @ 3m	
ANT	802.11be EHT160 Full CH50 5250MHz - L	
15+18	Vertical	Fundamental
Peak		
Avg.		Left blank

WIFI	Band Edge @ 3m	
ANT	802.11be EHT160 Full CH50 5250MHz - R	
15+18	Vertical	Fundamental
Peak		Left blank
Avg.		Left blank

BLE 2Mbps CH39TX (Band Edge @ 3m)

BLE	Band Edge @ 3m	
ANT	BLE CH39 2480MHz	
18	Horizontal	Fundamental
Peak		
Avg.		

BLE	Band Edge @ 3m	
ANT	BLE CH39 2480MHz	
18	Vertical	Fundamental
Peak		
Avg.		

WLAN 6G 802.11be EHT40 CH227 TX (Harmonic @ 3m)

WIFI	Harmonic @ 3m	
ANT	802.11be EHT40 Full CH227 7085MHz	
17+18	Horizontal	Vertical
Peak Avg.		

WLAN 5G 802.11be EHT160 CH50 Tx (Harmonic @ 3m)

WIFI	Harmonic @ 3m	
ANT	WIFI 802.11be EHT160 Full CH50 5250MHz	
15+18	Horizontal	Vertical
Peak Avg.		

BLE 2Mbps CH39TX (Harmonic @ 3m)

BLE	Harmonic @ 3m	
ANT	BLE CH39 2480MHz	
18	Horizontal	Vertical
Peak			

Appendix E. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1+2	802.11a	98.97	-	-	10Hz
1+2	802.11be EHT20	100	-	-	10Hz
1+2	802.11be EHT40	100	-	-	10Hz
1+2	802.11be EHT80	100	-	-	10Hz
1+2	802.11be EHT160	100	-	-	10Hz
1+2	802.11be EHT320	100	-	-	10Hz
1+2	802.11be EHT20-Single RU26	95.65	5.101	0.196	0.22kHz
1+2	802.11be EHT20-Single RU52	95.63	5.073	0.197	0.22kHz
1+2	802.11be EHT20-Single RU106	95.35	4.754	0.210	0.22kHz
1+2	802.11be EHT20-Small RU52+26	95.00	4.544	0.220	0.24kHz
1+2	802.11be EHT20-Small RU106+26	96.11	4.304	0.232	0.24kHz
1+2	802.11be EHT80 Puncturing 20M	100	-	-	10Hz
1+2	802.11be EHT160 Puncturing 40M	100	-	-	10Hz
1+2	802.11be EHT160 Puncturing 20M	100	-	-	10Hz
1+2	802.11be EHT320 Puncturing 80M + 40M	100	-	-	10Hz
1+2	802.11be EHT320 Puncturing 80M	100	-	-	10Hz
1+2	802.11be EHT320 Puncturing 40M	100	-	-	10Hz
1+2	802.11be EHT80-Large RU484+242	96.84	1.109	0.902	1kHz
1+2	802.11be EHT160-Large RU996+484	94.82	0.928	1.078	1.1kHz
1+2	802.11be EHT320-Large RU 996*2+484	94.66	0.579	1.726	1.8kHz
1+2	802.11be EHT320-Large RU 996*3	93.37	0.490	2.041	2.2kHz
1+2	802.11be EHT320-Large RU 996*3+484	91.49	0.374	2.674	2.7kHz

802.11a



802.11be EHT20



802.11be EHT40



802.11be EHT80



802.11be EHT160



802.11be EHT320



802.11be EHT20-Single RU26



802.11be EHT20-Single RU52



802.11be EHT20-Single RU106



802.11be EHT20-Small RU52+26



802.11be EHT20-Small RU106+26



802.11be EHT80 Puncturing 20M



802.11be EHT160 Puncturing 40M



802.11be EHT160 Puncturing 20M



802.11be EHT320 Puncturing 80M + 40M



802.11be EHT320 Puncturing 80M



802.11be EHT320 Puncturing 40M



802.11be EHT80- Large RU484+242