





11BE160MIMO_Ant1_5570_Puncturing 40M_3




11BE160MIMO_Ant1_5570_Puncturing 20M_8






11BE160MIMO_Ant2_5570_Puncturing 40M_3




11BE160MIMO_Ant2_5570_Puncturing 20M_8






Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-NEUTRAL NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.158	50.66	-14.90	65.56	40.20	0.03	10.43	QP
2	0.158	31.66	-33.90	65.56	21.20	0.03	10.43	Average
3	0.174	42.97	-21.80	64.77	32.51	0.04	10.42	QP
4	0.174	25.97	-38.80	64.77	15.51	0.04	10.42	Average
5	0.200	40.97	-22.65	63.62	30.50	0.05	10.42	QP
6	0.200	27.07	-36.55	63.62	16.60	0.05	10.42	Average
7	0.238	37.20	-24.97	62.17	26.80	0.01	10.39	QP
8	0.238	23.20	-38.97	62.17	12.80	0.01	10.39	Average
9	0.310	38.79	-21.18	59.97	28.50	-0.05	10.34	QP
10	0.310	21.89	-38.08	59.97	11.60	-0.05	10.34	Average
11	0.415	32.82	-24.73	57.55	22.61	-0.07	10.28	QP
12	0.415	23.52	-34.03	57.55	13.31	-0.07	10.28	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Carry Xu	Temperature :	22~23°C
		Relative Humidity :	41~42%



<UNII-1, 2A, 2C>

UNII-1 - 5150~5250MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 36 5180MHz		5147.2	53.78	-20.22	74	45.69	34.22	10.6	36.73	101	240	P	H
		5147.2	43.15	-10.85	54	35.06	34.22	10.6	36.73	101	240	A	H
	*	5176	107.5	-	-	99.28	34.27	10.64	36.69	101	240	P	H
		5176	100.44	-----	-----	92.22	34.27	10.64	36.69	101	240	A	H
		5150	54.62	-19.38	74	46.53	34.22	10.6	36.73	351	275	P	V
		5150	42.26	-11.74	54	34.17	34.22	10.6	36.73	351	275	A	V
	*	5182	105.89	-	-	97.67	34.27	10.64	36.69	351	275	P	V
		5182	98.92	-----	-----	90.7	34.27	10.64	36.69	351	275	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 36 5180MHz		10355	45.16	-23.14	68.3	59.3	37.45	15.44	67.03	300	0	P	H
		10355	45.62	-22.68	68.3	59.76	37.45	15.44	67.03	100	0	P	V
802.11a CH 44 5220MHz		10443	45.6	-22.7	68.3	59.55	37.51	15.53	66.99	300	0	P	H
		10443	44.88	-23.42	68.3	58.83	37.51	15.53	66.99	100	0	P	V
802.11a CH 48 5240MHz		10476	45.97	-22.33	68.3	59.85	37.53	15.56	66.97	300	0	P	H
		10476	45.33	-22.97	68.3	59.21	37.53	15.56	66.97	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 36 5180MHz		5147.04	58.81	-15.19	74	50.72	34.22	10.6	36.73	103	116	P	H
		5149.12	47.36	-6.64	54	39.27	34.22	10.6	36.73	103	116	A	H
	*	5170	107.94	-	-	99.78	34.25	10.62	36.71	103	116	P	H
		5170	100.38	-----	-----	92.22	34.25	10.62	36.71	103	116	A	H
		5148	57.68	-16.32	74	49.59	34.22	10.6	36.73	101	94	P	V
		5150	46.14	-7.86	54	38.05	34.22	10.6	36.73	101	94	A	V
	*	5188	106.76	-	-	98.54	34.27	10.64	36.69	101	94	P	V
		5188	99.66	-----	-----	91.44	34.27	10.64	36.69	101	94	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz

WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full		10355	44.25	-24.05	68.3	58.39	37.45	15.44	67.03	300	0	P	H
CH 36 5180MHz		10355	44.79	-23.51	68.3	58.93	37.45	15.44	67.03	100	0	P	V
802.11be EHT20 Full		10443	44.85	-23.45	68.3	58.92	37.51	15.53	67.11	300	0	P	H
CH 44 5220MHz		10443	44.59	-23.71	68.3	58.66	37.51	15.53	67.11	100	0	P	V
802.11be EHT20 Full		10476	44.48	-23.82	68.3	58.49	37.53	15.56	67.1	300	0	P	H
CH 48 5240MHz		10476	44.87	-23.43	68.3	58.88	37.53	15.56	67.1	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz

WIFI 802.11be EHT20 Partial 52/37 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Partial 52/37 CH 36 5180MHz		5123.68	53.7	-20.3	74	41.62	34.1	9.77	31.79	100	123	P	H
		5125.12	43.06	-10.94	54	30.98	34.1	9.77	31.79	100	123	A	H
		5170	107.7	-	-	95.62	34.1	9.8	31.82	100	123	P	H
		5170	100.69	-----	-----	88.61	34.1	9.8	31.82	100	123	A	H
		5132.16	52.41	-21.59	74	40.33	34.1	9.77	31.79	327	88	P	V
		5104.8	42.11	-11.89	54	30.05	34.1	9.74	31.78	327	88	A	V
		5170	103.1	-	-	91.02	34.1	9.8	31.82	327	88	P	V
		5170	96.02	-----	-----	83.94	34.1	9.8	31.82	327	88	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz

WIFI 802.11be EHT20_Small RU Index 53+4 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Small RU Index 53+4 CH 36 5180MHz		5128.96	53.67	-20.33	74	41.59	34.1	9.77	31.79	100	124	P	H
		5149.6	43.48	-10.52	54	31.41	34.1	9.78	31.81	100	124	A	H
		5170	109.17	-	-	97.09	34.1	9.8	31.82	100	124	P	H
		5170	100.15	-----	-----	88.07	34.1	9.8	31.82	100	124	A	H
		5119.2	52.8	-21.2	74	40.73	34.1	9.76	31.79	309	83	P	V
		5149.28	42.87	-11.13	54	30.8	34.1	9.78	31.81	309	83	A	V
		5170	106.63	-	-	94.55	34.1	9.8	31.82	309	83	P	V
		5170	98.82	-----	-----	86.74	34.1	9.8	31.82	309	83	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 38 5190MHz		5137.76	59.77	-14.23	74	51.71	34.2	10.6	36.74	104	114	P	H
		5150	49.38	-4.62	54	41.29	34.22	10.6	36.73	104	114	A	H
	*	5200	105.3	-	-	97.02	34.3	10.66	36.68	104	114	P	H
		5200	97.91	-----	-----	89.63	34.3	10.66	36.68	104	114	A	H
		5353.38	48.03	-25.97	74	39.28	34.52	10.75	36.52	104	114	P	H
		5350.86	37.94	-16.06	54	29.19	34.52	10.75	36.52	104	114	A	H
		5145.92	58.41	-15.59	74	50.32	34.22	10.6	36.73	100	94	P	V
		5150	48.22	-5.78	54	40.13	34.22	10.6	36.73	100	94	A	V
	*	5176	105.57	-	-	97.35	34.27	10.64	36.69	100	94	P	V
		5176	95.77	-----	-----	87.55	34.27	10.64	36.69	100	94	A	V
		5392.08	47.32	-26.68	74	38.47	34.57	10.77	36.49	100	94	P	V
		5352.84	37.48	-16.52	54	28.73	34.52	10.75	36.52	100	94	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz

WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full		10377	44.32	-23.98	68.3	58.39	37.47	15.47	67.01	300	0	P	H
CH 38 5190MHz		10377	44.91	-23.39	68.3	58.98	37.47	15.47	67.01	100	0	P	V
802.11be EHT40 Full		10465	44.8	-23.5	68.3	54.59	37.69	14.2	61.68	300	0	P	H
CH 46 5230MHz		10465	45.17	-23.13	68.3	54.96	37.69	14.2	61.68	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 42 5210MHz		5133.76	61.83	-12.17	74	53.77	34.2	10.6	36.74	104	117	P	H
		5136.48	50.51	-3.49	54	42.45	34.2	10.6	36.74	104	117	A	H
	*	5218	102.77	-	-	94.43	34.33	10.67	36.66	104	117	P	H
		5218	93.84	-----	-----	85.5	34.33	10.67	36.66	104	117	A	H
		5355	49.29	-24.71	74	40.54	34.52	10.75	36.52	104	117	P	H
		5357.7	39.82	-14.18	54	31.07	34.52	10.75	36.52	104	117	A	H
		5138.24	58.71	-15.29	74	50.65	34.2	10.6	36.74	101	95	P	V
		5138.72	48.16	-5.84	54	40.1	34.2	10.6	36.74	101	95	A	V
	*	5176	100.53	-	-	92.31	34.27	10.64	36.69	101	95	P	V
		5176	92.01	-----	-----	83.79	34.27	10.64	36.69	101	95	A	V
		5376.78	49.4	-24.6	74	40.6	34.55	10.76	36.51	101	95	P	V
		5357.16	38.9	-15.1	54	30.15	34.52	10.75	36.52	101	95	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz
WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full		10421	44.03	-24.27	68.3	58.01	37.5	15.51	66.99	300	0	P	H
CH 42 5210MHz		10421	44.71	-23.59	68.3	58.69	37.5	15.51	66.99	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz

WIFI 802.11be EHT80_ Puncturing 20M- ③ (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Puncturing 20M CH 42 5210MHz		5134.88	61.65	-12.35	74	49.57	34.1	9.77	31.79	100	108	P	H
		5137.28	50.37	-3.63	54	38.29	34.1	9.77	31.79	100	108	A	H
		5200	102.51	-	-	90.42	34.1	9.83	31.84	100	108	P	H
		5200	94.24	-----	-----	82.15	34.1	9.83	31.84	100	108	A	H
		5135.84	57.88	-16.12	74	45.8	34.1	9.77	31.79	307	57	P	V
		5137.6	48.06	-5.94	54	35.98	34.1	9.77	31.79	307	57	A	V
		5236	100.54	-	-	88.31	34.23	9.85	31.85	307	57	P	V
		5236	92.27	-----	-----	80.04	34.23	9.85	31.85	307	57	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz

WIFI 802.11be EHT80_ Large RU 484+242- ④ (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Large RU 484+242 CH 42 5210MHz		5135.52	60.68	-13.32	74	48.6	34.1	9.77	31.79	100	122	P	H
		5137.28	50.09	-3.91	54	38.01	34.1	9.77	31.79	100	122	A	H
		5176	102.73	-	-	90.64	34.1	9.81	31.82	100	122	P	H
		5176	94.23	-----	-----	82.14	34.1	9.81	31.82	100	122	A	H
		5377.68	51.68	-22.32	74	38.95	34.75	9.93	31.95	100	122	P	H
		5392.08	43.42	-10.58	54	30.69	34.75	9.93	31.95	100	122	A	H
		5135.2	58.68	-15.32	74	46.6	34.1	9.77	31.79	308	87	P	V
		5138.24	48.55	-5.45	54	36.47	34.1	9.77	31.79	308	87	A	V
		5218	100.55	-	-	88.38	34.17	9.84	31.84	308	87	P	V
		5218	92.05	-----	-----	79.88	34.17	9.84	31.84	308	87	A	V
		5354.1	52.04	-21.96	74	39.41	34.65	9.91	31.93	308	87	P	V
		5386.14	42.96	-11.04	54	30.23	34.75	9.93	31.95	308	87	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz

WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 50 5250MHz		5117.28	60.28	-13.72	74	48.2	34.1	9.76	31.78	100	121	P	H
		5142.08	50.7	-3.3	54	38.61	34.1	9.78	31.79	100	121	A	H
	*	5326	100.48	-	-	87.95	34.55	9.89	31.91	100	121	P	H
		5326	92.28	-----	-----	79.75	34.55	9.89	31.91	100	121	A	H
		5351.8	61.79	-12.21	74	49.16	34.65	9.91	31.93	100	121	P	H
		5350	50.53	-3.47	54	37.9	34.65	9.91	31.93	100	121	A	H
		5148.32	60.73	-13.27	74	48.66	34.1	9.78	31.81	327	79	P	V
		5143.36	48.06	-5.94	54	35.97	34.1	9.78	31.79	327	79	A	V
	*	5320	98.92	-	-	86.38	34.55	9.89	31.9	327	79	P	V
		5320	90.58	-----	-----	78.04	34.55	9.89	31.9	327	79	A	V
		5355.1	59.68	-14.32	74	47.05	34.65	9.91	31.93	327	79	P	V
		5350	46.69	-7.31	54	34.06	34.65	9.91	31.93	327	79	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**UNII-1 5150~5250MHz****WIFI 802.11be EHT160 Full (Harmonic @ 3m)**

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 50 5250MHz		10498	44.98	-23.32	68.3	54.67	37.7	14.23	61.62	300	0	P	H
		10498	44.13	-24.17	68.3	53.82	37.7	14.23	61.62	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz

WIFI 802.11be EHT160 Puncturing 40M- ② (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Puncturing 40M CH 50 5250MHz		5140.48	60.51	-13.49	74	48.42	34.1	9.78	31.79	103	123	P	H
		5143.2	48.29	-5.71	54	36.2	34.1	9.78	31.79	103	123	A	H
	*	5176	99.4	-	-	87.31	34.1	9.81	31.82	103	123	P	H
		5176	90.49	-----	-----	78.4	34.1	9.81	31.82	103	123	A	H
		5384.34	61.6	-12.4	74	48.87	34.75	9.93	31.95	103	123	P	H
		5384.88	50.12	-3.88	54	37.39	34.75	9.93	31.95	103	123	A	H
		5115.36	58.69	-15.31	74	46.61	34.1	9.76	31.78	324	79	P	V
		5143.68	46.31	-7.69	54	34.22	34.1	9.78	31.79	324	79	A	V
	*	5320	97.26	-	-	84.72	34.55	9.89	31.9	324	79	P	V
		5320	88.23	-----	-----	75.69	34.55	9.89	31.9	324	79	A	V
		5378.04	57.27	-16.73	74	44.54	34.75	9.93	31.95	324	79	P	V
		5383.08	47.19	-6.81	54	34.46	34.75	9.93	31.95	324	79	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz

WIFI 802.11be EHT160 Puncturing 40M- ③ (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Puncturing 40M CH 50 5250MHz		5128.8	57.87	-16.13	74	45.79	34.1	9.77	31.79	108	230	P	H
		5117.44	48.05	-5.95	54	35.97	34.1	9.76	31.78	108	230	A	H
	*	5302	95.97	-	-	83.48	34.5	9.89	31.9	108	230	P	H
		5302	88.44	-----	-----	75.95	34.5	9.89	31.9	108	230	A	H
		5394.7	60.48	-13.52	74	47.69	34.8	9.94	31.95	108	230	P	H
		5381.5	48.39	-5.61	54	35.66	34.75	9.93	31.95	108	230	A	H
		5120.96	58.15	-15.85	74	46.08	34.1	9.76	31.79	324	83	P	V
		5117.6	47.74	-6.26	54	35.66	34.1	9.76	31.78	324	83	A	V
	*	5200	96.2	-	-	84.11	34.1	9.83	31.84	324	83	P	V
		5200	87.88	-----	-----	75.79	34.1	9.83	31.84	324	83	A	V
		5354.7	59.73	-14.27	74	47.1	34.65	9.91	31.93	324	83	P	V
		5357.6	48.58	-5.42	54	35.95	34.65	9.91	31.93	324	83	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz

WIFI 802.11be EHT160 Puncturing 20M- ① (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Puncturing 20M CH 50 5250MHz		5140.32	58.89	-15.11	74	46.8	34.1	9.78	31.79	100	122	P	H
		5137.44	48.46	-5.54	54	36.38	34.1	9.77	31.79	100	122	A	H
	*	5284	98.69	-	-	86.26	34.43	9.88	31.88	100	122	P	H
		5284	90.08	-----	-----	77.65	34.43	9.88	31.88	100	122	A	H
		5391.9	64.97	-9.03	74	52.24	34.75	9.93	31.95	100	122	P	H
		5356.08	50.52	-3.48	54	37.89	34.65	9.91	31.93	100	122	A	H
		5119.36	56.34	-17.66	74	44.27	34.1	9.76	31.79	283	85	P	V
		5137.44	45.98	-8.02	54	33.9	34.1	9.77	31.79	283	85	A	V
	*	5278	96.49	-	-	84.06	34.43	9.88	31.88	283	85	P	V
		5278	87.44	-----	-----	75.01	34.43	9.88	31.88	283	85	A	V
		5392.26	58.2	-15.8	74	45.47	34.75	9.93	31.95	283	85	P	V
		5378.76	47.16	-6.84	54	34.43	34.75	9.93	31.95	283	85	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz

WIFI 802.11be EHT160 Puncturing 20M- 8 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Puncturing 20M CH 50 5250MHz		5136.32	60.76	-13.24	74	48.68	34.1	9.77	31.79	100	124	P	H
		5136.96	49.21	-4.79	54	37.13	34.1	9.77	31.79	100	124	A	H
	*	5260	99.9	-	-	87.53	34.37	9.87	31.87	100	124	P	H
		5260	90.44	-----	-----	78.07	34.37	9.87	31.87	100	124	A	H
		5371.92	61.98	-12.02	74	49.29	34.7	9.92	31.93	100	124	P	H
		5358.42	50.2	-3.8	54	37.57	34.65	9.91	31.93	100	124	A	H
		5136	57.69	-16.31	74	45.61	34.1	9.77	31.79	282	88	P	V
		5137.44	47.36	-6.64	54	35.28	34.1	9.77	31.79	282	88	A	V
	*	5302	96.15	-	-	83.66	34.5	9.89	31.9	282	88	P	V
		5302	88.12	-----	-----	75.63	34.5	9.89	31.9	282	88	A	V
		5382.72	58.31	-15.69	74	45.58	34.75	9.93	31.95	282	88	P	V
		5378.4	46.79	-7.21	54	34.06	34.75	9.93	31.95	282	88	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz

WIFI 802.11be EHT160 Large RU 996+484- ③ (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Large RU 996+484 CH 50 5250MHz		5146.56	61.84	-12.16	74	49.77	34.1	9.78	31.81	100	121	P	H
		5138.08	50.17	-3.83	54	38.09	34.1	9.77	31.79	100	121	A	H
	*	5224	99.92	-	-	87.76	34.17	9.84	31.85	100	121	P	H
		5224	90.08	-----	-----	77.92	34.17	9.84	31.85	100	121	A	H
		5354.64	61.49	-12.51	74	48.86	34.65	9.91	31.93	100	121	P	H
		5358.42	49.89	-4.11	54	37.26	34.65	9.91	31.93	100	121	A	H
		5146.08	60.45	-13.55	74	48.38	34.1	9.78	31.81	322	79	P	V
		5137.92	48.9	-5.1	54	36.82	34.1	9.77	31.79	322	79	A	V
	*	5242	97.3	-	-	84.99	34.3	9.86	31.85	322	79	P	V
		5242	88.45	-----	-----	76.14	34.3	9.86	31.85	322	79	A	V
		5356.08	59.47	-14.53	74	46.84	34.65	9.91	31.93	322	79	P	V
		5358.78	47.94	-6.06	54	35.31	34.65	9.91	31.93	322	79	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz

WIFI 802.11be EHT160 Large RU 996*2- ⑨ (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Large RU 996*2 CH 50 5250MHz		5134.72	61.72	-12.28	74	49.64	34.1	9.77	31.79	100	119	P	H
		5138.08	49.17	-4.83	54	37.09	34.1	9.77	31.79	100	119	A	H
	*	5278	98.28	-	-	85.85	34.43	9.88	31.88	100	119	P	H
		5278	88.83	-----	-----	76.4	34.43	9.88	31.88	100	119	A	H
		5396.94	62.67	-11.33	74	49.88	34.8	9.94	31.95	100	119	P	H
		5358.78	50.2	-3.8	54	37.57	34.65	9.91	31.93	100	119	A	H
		5138.56	57.28	-16.72	74	45.2	34.1	9.77	31.79	321	77	P	V
		5140	48	-6	54	35.91	34.1	9.78	31.79	321	77	A	V
	*	5176	94.89	-	-	82.8	34.1	9.81	31.82	321	77	P	V
		5176	86.52	-----	-----	74.43	34.1	9.81	31.82	321	77	A	V
		5392.8	58.99	-15.01	74	46.26	34.75	9.93	31.95	321	77	P	V
		5378.76	47.98	-6.02	54	35.25	34.75	9.93	31.95	321	77	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2A - 5250~5350MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 64 5320MHz	*	5320	108.02	-	-	99.38	34.47	10.73	36.56	101	242	P	H
		5320	101.16	-----	-----	92.52	34.47	10.73	36.56	101	242	A	H
		5351.7	52.66	-21.34	74	43.91	34.52	10.75	36.52	101	242	P	H
		5352.5	43.14	-10.86	54	34.39	34.52	10.75	36.52	101	242	A	H
	*	5326	106.28	-	-	97.63	34.47	10.74	36.56	163	360	P	V
		5326	99.26	-----	-----	90.61	34.47	10.74	36.56	163	360	A	V
		5350.3	51.35	-22.65	74	42.6	34.52	10.75	36.52	163	360	P	V
		5353.2	41.96	-12.04	54	33.21	34.52	10.75	36.52	163	360	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2A 5250~5350MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 52 5260MHz		10520	44.63	-23.67	68.3	58.39	37.57	15.6	66.93	300	0	P	H
		10520	45.14	-23.16	68.3	58.9	37.57	15.6	66.93	100	0	P	V
802.11a CH 60 5300MHz		10600.01	43.91	-30.09	74	57.46	37.63	15.67	66.85	300	0	P	H
		10600.01	43.83	-30.17	74	57.38	37.63	15.67	66.85	100	0	P	V
802.11a CH 64 5320MHz		10641	44.16	-29.84	74	57.63	37.65	15.7	66.82	300	0	P	H
		10641	44.26	-29.74	74	57.73	37.65	15.7	66.82	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2A 5250~5350MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 64 5320MHz	*	5326	108.5	-	-	99.85	34.47	10.74	36.56	100	114	P	H
		5326	101.17	-----	-----	92.52	34.47	10.74	36.56	100	114	A	H
		5350.5	54.71	-19.29	74	45.96	34.52	10.75	36.52	100	114	P	H
		5350	46.17	-7.83	54	37.42	34.52	10.75	36.52	100	114	A	H
	*	5326	107.12	-	-	98.47	34.47	10.74	36.56	111	81	P	V
		5326	98.25	-----	-----	89.6	34.47	10.74	36.56	111	81	A	V
		5358.2	52.28	-21.72	74	43.53	34.52	10.75	36.52	111	81	P	V
		5350	43.32	-10.68	54	34.57	34.52	10.75	36.52	111	81	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2A 5250~5350MHz

WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full		10520	46.2	-22.1	68.3	55.87	37.71	14.24	61.62	300	0	P	H
CH 52 5260MHz		10520	46.61	-21.69	68.3	56.28	37.71	14.24	61.62	100	0	P	V
802.11be EHT20 Full		10600.01	46.46	-27.54	74	56.05	37.76	14.29	61.64	300	0	P	H
CH 60 5300MHz		10600.01	46.64	-27.36	74	56.23	37.76	14.29	61.64	100	0	P	V
802.11be EHT20 Full		10641	44.58	-29.42	74	58.05	37.65	15.7	66.82	300	0	P	H
CH 64 5320MHz		10641	44.34	-29.66	74	57.81	37.65	15.7	66.82	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												


UNII-2A 5250~5350MHz
WIFI 802.11be EHT20 Partial 26/8 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Partial 26/8 CH 64 5320MHz		5390.46	53.07	-20.93	74	40.34	34.75	9.93	31.95	100	129	P	H
		5373.54	42.67	-11.33	54	30	34.7	9.92	31.95	100	129	A	H
		5326	109.95	-	-	97.42	34.55	9.89	31.91	100	129	P	H
		5326	102.78	-----	-----	90.25	34.55	9.89	31.91	100	129	A	H
		5389.56	50.92	-23.08	74	38.19	34.75	9.93	31.95	291	85	P	V
		5395.86	41.8	-12.2	54	29.01	34.8	9.94	31.95	291	85	A	V
		5326	106.6	-	-	94.07	34.55	9.89	31.91	291	85	P	V
		5326	99.18	-----	-----	86.65	34.55	9.89	31.91	291	85	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2A 5250~5350MHz

WIFI 802.11be EHT20 Small RU Index 54+4 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Small RU Index 54+4 CH 64 5320MHz		5357.6	53.29	-20.71	74	40.66	34.65	9.91	31.93	100	121	P	H
		5350.4	43.17	-10.83	54	30.54	34.65	9.91	31.93	100	121	A	H
		5332	107.61	-	-	95.02	34.6	9.9	31.91	100	121	P	H
		5332	100.6	-----	-----	88.01	34.6	9.9	31.91	100	121	A	H
		5397	51.82	-22.18	74	39.03	34.8	9.94	31.95	327	81	P	V
		5350	42.54	-11.46	54	29.91	34.65	9.91	31.93	327	81	A	V
		5326	109.06	-	-	96.53	34.55	9.89	31.91	327	81	P	V
Remark		5326	99.43	-----	-----	86.9	34.55	9.89	31.91	327	81	A	V
	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2A 5250~5350MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 62 5310MHz		5129.6	53.7	-20.3	74	41.62	34.1	9.77	31.79	100	122	P	H
		5140.96	43.09	-10.91	54	31	34.1	9.78	31.79	100	122	A	H
	*	5326	106.36	-	-	93.83	34.55	9.89	31.91	100	122	P	H
		5326	97.34	-----	-----	84.81	34.55	9.89	31.91	100	122	A	H
		5351.3	59.99	-14.01	74	47.36	34.65	9.91	31.93	100	122	P	H
		5350	47.64	-6.36	54	35.01	34.65	9.91	31.93	100	122	A	H
		5143.2	53.43	-20.57	74	41.34	34.1	9.78	31.79	331	84	P	V
		5120.48	42.81	-11.19	54	30.74	34.1	9.76	31.79	331	84	A	V
	*	5302	102.44	-	-	89.95	34.5	9.89	31.9	331	84	P	V
		5302	94.29	-----	-----	81.8	34.5	9.89	31.9	331	84	A	V
		5350.3	53.92	-20.08	74	41.29	34.65	9.91	31.93	331	84	P	V
		5350	44.18	-9.82	54	31.55	34.65	9.91	31.93	331	84	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2A 5250~5350MHz

WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full		10542	45.99	-22.31	68.3	55.64	37.72	14.25	61.62	300	0	P	H
CH 54 5270MHz		10542	45.87	-22.43	68.3	55.52	37.72	14.25	61.62	100	0	P	V
802.11be EHT40 Full		10619	45.21	-28.79	74	54.77	37.77	14.31	61.64	300	0	P	H
CH 62 5310MHz		10619	44.8	-29.2	74	54.36	37.77	14.31	61.64	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2A 5250~5350MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 58 5290MHz		5143.36	53.95	-20.05	74	41.86	34.1	9.78	31.79	100	121	P	H
		5142.72	43.76	-10.24	54	31.67	34.1	9.78	31.79	100	121	A	H
	*	5284	102.71	-	-	90.28	34.43	9.88	31.88	100	121	P	H
		5284	93.9	-----	-----	81.47	34.43	9.88	31.88	100	121	A	H
		5358.6	58.44	-15.56	74	45.81	34.65	9.91	31.93	100	121	P	H
		5350.3	48.08	-5.92	54	35.45	34.65	9.91	31.93	100	121	A	H
		5122.72	55.04	-18.96	74	42.96	34.1	9.77	31.79	317	83	P	V
		5140.96	43.02	-10.98	54	30.93	34.1	9.78	31.79	317	83	A	V
	*	5260	99.43	-	-	87.06	34.37	9.87	31.87	317	83	P	V
		5260	91.03	-----	-----	78.66	34.37	9.87	31.87	317	83	A	V
		5360.7	54.48	-19.52	74	41.79	34.7	9.92	31.93	317	83	P	V
		5350.3	44.99	-9.01	54	32.36	34.65	9.91	31.93	317	83	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**UNII-2A 5250~5350MHz****WIFI 802.11be EHT80 Full (Harmonic @ 3m)**

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full		10575	44.1	-24.2	68.3	53.72	37.74	14.27	61.63	300	0	P	H
CH 58 5290MHz		10575	44.56	-23.74	68.3	54.18	37.74	14.27	61.63	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2A 5250~5350MHz

WIFI 802.11be EHT80 Puncturing 20M- ② (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Puncturing 20M CH 58 5290MHz		5130.4	54.99	-19.01	74	42.91	34.1	9.77	31.79	100	123	P	H
		5140.48	43.58	-10.42	54	31.49	34.1	9.78	31.79	100	123	A	H
		5302	101.85	-	-	89.36	34.5	9.89	31.9	100	123	P	H
		5302	93.1	-----	-----	80.61	34.5	9.89	31.9	100	123	A	H
		5360.3	61.28	-12.72	74	48.65	34.65	9.91	31.93	100	123	P	H
		5357.9	50.54	-3.46	54	37.91	34.65	9.91	31.93	100	123	A	H
		5137.12	53.66	-20.34	74	41.58	34.1	9.77	31.79	293	86	P	V
		5138.72	42.92	-11.08	54	30.84	34.1	9.77	31.79	293	86	A	V
		5302	100.81	-	-	88.32	34.5	9.89	31.9	293	86	P	V
		5302	91.74	-----	-----	79.25	34.5	9.89	31.9	293	86	A	V
		5357.6	57.38	-16.62	74	44.75	34.65	9.91	31.93	293	86	P	V
		5356.3	47.32	-6.68	54	34.69	34.65	9.91	31.93	293	86	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2A 5250~5350MHz

WIFI 802.11be EHT80 Large RU 484+242- ② (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Large RU 484+242 CH 58 5290MHz		5116	54.2	-19.8	74	42.12	34.1	9.76	31.78	100	119	P	H
		5135.52	44.04	-9.96	54	31.96	34.1	9.77	31.79	100	119	A	H
		5296	101.56	-	-	89.05	34.5	9.89	31.88	100	119	P	H
		5296	92.96	-----	-----	80.45	34.5	9.89	31.88	100	119	A	H
		5358.1	59.85	-14.15	74	47.22	34.65	9.91	31.93	100	119	P	H
		5358.1	50.59	-3.41	54	37.96	34.65	9.91	31.93	100	119	A	H
		5119.2	53.07	-20.93	74	41	34.1	9.76	31.79	310	79	P	V
		5136.32	43.46	-10.54	54	31.38	34.1	9.77	31.79	310	79	A	V
		5320	99.02	-	-	86.48	34.55	9.89	31.9	310	79	P	V
		5320	91.21	-----	-----	78.67	34.55	9.89	31.9	310	79	A	V
		5361.4	57.33	-16.67	74	44.64	34.7	9.92	31.93	310	79	P	V
		5358.1	48.05	-5.95	54	35.42	34.65	9.91	31.93	310	79	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C - 5470~5725MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 100 5500MHz		5457.36	49.95	-24.05	74	40.94	34.58	10.85	36.42	239	301	P	H
		5469.52	55.66	-12.64	68.3	46.64	34.57	10.85	36.4	239	301	P	H
		5460	40.91	-13.09	54	31.9	34.58	10.85	36.42	239	301	A	H
	*	5506	108.48	-	-	99.4	34.56	10.89	36.37	239	301	P	H
		5506	101.75	-----	-----	92.67	34.56	10.89	36.37	239	301	A	H
		5458.32	48.88	-25.12	74	39.87	34.58	10.85	36.42	121	0	P	V
		5469.84	53.23	-15.07	68.3	44.21	34.57	10.85	36.4	121	0	P	V
		5458.64	39.96	-14.04	54	30.95	34.58	10.85	36.42	121	0	A	V
	*	5500	107.73	-	-	98.65	34.56	10.89	36.37	121	0	P	V
		5500	100.18	-----	-----	91.1	34.56	10.89	36.37	121	0	A	V
802.11a CH 140 5700MHz	*	5704	104.05	-	-	94.83	34.64	11.16	36.58	107	355	P	H
		5704	97.79	-----	-----	88.57	34.64	11.16	36.58	107	355	A	H
		5727.8	53.3	-15	68.3	44.04	34.68	11.18	36.6	107	355	P	H
	*	5710	106.24	-	-	97.02	34.64	11.16	36.58	296	289	P	V
		5710	99.31	-----	-----	90.09	34.64	11.16	36.58	296	289	A	V
		5727.08	56.19	-12.11	68.3	46.93	34.68	11.18	36.6	296	289	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C - 5470~5725MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 100 5500MHz		11004	45.07	-28.93	74	57.61	37.9	16.05	66.49	300	0	P	H
		11004	45.68	-28.32	74	58.22	37.9	16.05	66.49	100	0	P	V
802.11a CH 116 5580MHz		11158	45.23	-28.77	74	57.53	38.04	16.15	66.49	300	0	P	H
		11158	45.5	-28.5	74	57.8	38.04	16.15	66.49	100	0	P	V
802.11a CH 140 5700MHz		11400	45.5	-28.5	74	57.46	38.23	16.29	66.48	300	0	P	H
		11400	44.54	-29.46	74	56.5	38.23	16.29	66.48	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C - 5470~5725MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 100 5500MHz		5436.56	49.85	-24.15	74	40.88	34.59	10.82	36.44	100	114	P	H
		5468.72	55.48	-12.82	68.3	46.46	34.57	10.85	36.4	100	114	P	H
		5452.56	40.54	-13.46	54	31.56	34.58	10.82	36.42	100	114	A	H
	*	5506	109.76	-	-	100.68	34.56	10.89	36.37	100	114	P	H
		5506	101.45	-----	-----	92.37	34.56	10.89	36.37	100	114	A	H
		5455.44	49.65	-24.35	74	40.67	34.58	10.82	36.42	105	2	P	V
		5470	53.33	-14.97	68.3	44.31	34.57	10.85	36.4	105	2	P	V
		5455.6	40.39	-13.61	54	31.38	34.58	10.85	36.42	105	2	A	V
	*	5494	108.56	-	-	99.49	34.57	10.89	36.39	105	2	P	V
		5494	100.39	-----	-----	91.32	34.57	10.89	36.39	105	2	A	V
802.11be EHT20 Full CH 140 5700MHz	*	5710	108.5	-	-	99.28	34.64	11.16	36.58	100	112	P	H
		5710	100.18	-----	-----	90.96	34.64	11.16	36.58	100	112	A	H
		5725.24	65.27	-3.03	68.3	57.04	34.68	11.18	37.63	100	112	P	H
	*	5692	106.65	-	-	97.49	34.59	11.13	36.56	100	16	P	V
		5692	98.41	-----	-----	89.25	34.59	11.13	36.56	100	16	A	V
		5725	58.49	-9.81	68.3	49.23	34.68	11.18	36.6	100	16	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT20 (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full		11004	45.23	-28.77	74	57.77	37.9	16.05	66.49	300	0	P	H
CH 100 5500MHz		11004	44.67	-29.33	74	57.21	37.9	16.05	66.49	100	0	P	V
802.11be EHT20 Full		11158	45.92	-28.08	74	54.79	38.1	14.68	61.65	300	0	P	H
CH 116 5580MHz		11158	46.34	-27.66	74	55.21	38.1	14.68	61.65	100	0	P	V
802.11be EHT20 Full		11400	45.95	-28.05	74	57.91	38.23	16.29	66.48	300	0	P	H
CH 140 5700MHz		11400	45.17	-28.83	74	57.13	38.23	16.29	66.48	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												


UNII-2C 5470~5725MHz
WIFI 802.11be EHT20 Partial 26/8 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Partial 26/8 CH 140 5700MHz		5763.24	54.25	-14.05	68.3	41.3	34.57	10.37	31.99	100	120	P	H
		5710	108.31	-	-	95.5	34.52	10.33	32.04	100	120	P	H
		5710	100.69	-----	-----	87.88	34.52	10.33	32.04	100	120	A	H
		5738.44	53.51	-14.79	68.3	40.61	34.55	10.36	32.01	300	80	P	V
		5710	104.04	-	-	91.23	34.52	10.33	32.04	300	80	P	V
		5710	96.34	-----	-----	83.53	34.52	10.33	32.04	300	80	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT20 Partial 52/37 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Partial 52/37 CH 100 5500MHz		5384.24	52.25	-21.75	74	39.52	34.75	9.93	31.95	100	123	P	H
		5469.68	52.57	-15.73	68.3	39.72	34.8	10.04	31.99	100	123	P	H
		5457.2	42.92	-11.08	54	30.09	34.8	10.02	31.99	100	123	A	H
		5488	109.83	-	-	96.97	34.8	10.07	32.01	100	123	P	H
		5488	101.94	-----	-----	89.08	34.8	10.07	32.01	100	123	A	H
		5364.72	52.35	-21.65	74	39.66	34.7	9.92	31.93	102	121	P	V
		5460.4	52.25	-16.05	68.3	39.42	34.8	10.02	31.99	102	121	P	V
		5452.56	42.72	-11.28	54	29.89	34.8	10.02	31.99	102	121	A	V
		5494	97.23	-	-	84.37	34.8	10.07	32.01	102	121	P	V
		5494	89.32	-----	-----	76.46	34.8	10.07	32.01	102	121	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT20 Small RU- Index 37+2 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Small RU- Index 37+2 CH 100 5500MHz		5453.36	52.39	-21.61	74	39.56	34.8	10.02	31.99	100	121	P	H
		5465.04	52.16	-16.14	68.3	39.31	34.8	10.04	31.99	100	121	P	H
		5456.72	43.07	-10.93	54	30.24	34.8	10.02	31.99	100	121	A	H
		5494	110.68	-	-	97.82	34.8	10.07	32.01	100	121	P	H
		5494	102.61	-----	-----	89.75	34.8	10.07	32.01	100	121	A	H
		5384.24	52.4	-21.6	74	39.67	34.75	9.93	31.95	307	80	P	V
		5466	51.74	-16.56	68.3	38.89	34.8	10.04	31.99	307	80	P	V
		5450	42.75	-11.25	54	29.92	34.8	10.02	31.99	307	80	A	V
		5494	108.59	-	-	95.73	34.8	10.07	32.01	307	80	P	V
		5494	100.15	-----	-----	87.29	34.8	10.07	32.01	307	80	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												


UNII-2C 5470~5725MHz
WIFI 802.11be EHT20 Small RU- Index 53+4 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		5750.76	53.51	-14.79	68.3	40.61	34.55	10.36	32.01	100	118	P	H
EHT20		5710	108.91	-	-	96.1	34.52	10.33	32.04	100	118	P	H
Small RU-		5710	99.47	-----	-----	86.66	34.52	10.33	32.04	100	118	A	H
Index 53+4		5762.76	53.43	-14.87	68.3	40.48	34.57	10.37	31.99	324	109	P	V
CH 140		5710	105.64	-	-	92.83	34.52	10.33	32.04	324	109	P	V
5700MHz		5710	97.53	-----	-----	84.72	34.52	10.33	32.04	324	109	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 102 5510MHz		5458	57.83	-16.17	74	48.82	34.58	10.85	36.42	100	112	P	H
		5469.52	57.87	-10.43	68.3	48.85	34.57	10.85	36.4	100	112	P	H
		5460	47.69	-6.31	54	38.68	34.58	10.85	36.42	100	112	A	H
	*	5500	106.67	-	-	97.59	34.56	10.89	36.37	100	112	P	H
		5500	97.98	-----	-----	88.9	34.56	10.89	36.37	100	112	A	H
		5748.36	48.63	-19.67	68.3	39.31	34.73	11.21	36.62	100	112	P	H
		5459.76	55.89	-18.11	74	46.88	34.58	10.85	36.42	135	350	P	V
		5461.52	58.66	-9.64	68.3	49.65	34.58	10.85	36.42	135	350	P	V
		5460	46.22	-7.78	54	37.21	34.58	10.85	36.42	135	350	A	V
	*	5530	103.06	-	-	93.99	34.55	10.91	36.39	135	350	P	V
		5530	95.77	-----	-----	86.7	34.55	10.91	36.39	135	350	A	V
		5761.72	48.29	-20.01	68.3	38.91	34.77	11.24	36.63	135	350	P	V
802.11be EHT40 Full CH 134 5670MHz		5402.48	47.59	-26.41	74	38.68	34.6	10.78	36.47	100	119	P	H
		5467.12	46.6	-21.7	68.3	37.58	34.57	10.85	36.4	100	119	P	H
		5460	37.5	-16.5	54	28.49	34.58	10.85	36.42	100	119	A	H
	*	5662	105.23	-	-	96.18	34.5	11.08	36.53	100	119	P	H
		5662	97.25	-----	-----	88.2	34.5	11.08	36.53	100	119	A	H
		5725.56	55.93	-12.37	68.3	46.67	34.68	11.18	36.6	100	119	P	H
		5447.12	46.94	-27.06	74	37.96	34.58	10.82	36.42	100	17	P	V
		5460.08	46.21	-22.09	68.3	37.2	34.58	10.85	36.42	100	17	P	V
		5459.92	37.18	-16.82	54	28.17	34.58	10.85	36.42	100	17	A	V
	*	5668	102.92	-	-	93.81	34.55	11.11	36.55	100	17	P	V
		5668	94.7	-----	-----	85.59	34.55	11.11	36.55	100	17	A	V
		5726.04	51.86	-16.44	68.3	42.6	34.68	11.18	36.6	100	17	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full		11015	44.54	-29.46	74	57.07	37.91	16.05	66.49	300	0	P	H
CH 102 5510MHz		11015	44.09	-29.91	74	56.62	37.91	16.05	66.49	100	0	P	V
802.11be EHT40 Full		11103	44.98	-29.02	74	53.96	38.06	14.63	61.67	300	0	P	H
CH 110 5550MHz		11103	45.37	-28.63	74	54.35	38.06	14.63	61.67	100	0	P	V
802.11be EHT40 Full		11345	44.61	-29.39	74	56.65	38.18	16.26	66.48	300	0	P	H
CH 134 5670MHz		11345	44.32	-29.68	74	56.36	38.18	16.26	66.48	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 106 5530MHz		5459.76	60.37	-13.63	74	47.54	34.8	10.02	31.99	100	120	P	H
		5462.96	59.64	-8.66	68.3	46.79	34.8	10.04	31.99	100	120	P	H
		5459.6	50.51	-3.49	54	37.68	34.8	10.02	31.99	100	120	A	H
	*	5506	104.29	-	-	91.42	34.8	10.09	32.02	100	120	P	H
		5506	94.91	-----	-----	82.04	34.8	10.09	32.02	100	120	A	H
		5725.08	54.64	-13.66	68.3	41.8	34.53	10.35	32.04	100	120	P	H
		5457.04	57.68	-16.32	74	44.85	34.8	10.02	31.99	306	83	P	V
		5460.24	58.06	-10.24	68.3	45.23	34.8	10.02	31.99	306	83	P	V
		5460	47.99	-6.01	54	35.16	34.8	10.02	31.99	306	83	A	V
	*	5500	101.03	-	-	88.15	34.8	10.09	32.01	306	83	P	V
		5500	92.28	-----	-----	79.4	34.8	10.09	32.01	306	83	A	V
		5750.92	54.35	-13.95	68.3	41.45	34.55	10.36	32.01	306	83	P	V
802.11be EHT80 Full CH 122 5610MHz		5459.92	50.73	-23.27	74	41.72	34.58	10.85	36.42	100	118	P	H
		5461.68	48.26	-20.04	68.3	39.25	34.58	10.85	36.42	100	118	P	H
		5458.48	40.33	-13.67	54	31.32	34.58	10.85	36.42	100	118	A	H
	*	5644	104.22	-	-	95.17	34.51	11.05	36.51	100	118	P	H
		5644	93.92	-----	-----	84.87	34.51	11.05	36.51	100	118	A	H
		5725.48	51.81	-16.49	68.3	42.55	34.68	11.18	36.6	100	118	P	H
		5446.32	48.78	-25.22	74	39.8	34.58	10.82	36.42	113	1	P	V
		5462	48.94	-19.36	68.3	39.93	34.58	10.85	36.42	113	1	P	V
		5459.92	39.39	-14.61	54	30.38	34.58	10.85	36.42	113	1	A	V
	*	5602	101.51	-	-	92.47	34.52	11	36.48	113	1	P	V
		5602	91.91	-----	-----	82.87	34.52	11	36.48	113	1	A	V
		5758.68	48.98	-19.32	68.3	39.63	34.77	11.21	36.63	113	1	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 106 5530MHz		8848	48.1	-20.2	68.3	60.84	36.2	12.98	61.92	300	0	P	H
		11059	45.5	-28.5	74	54.54	38.04	14.61	61.69	300	0	P	H
		8848	48.67	-19.63	68.3	61.41	36.2	12.98	61.92	100	0	P	V
		11059	44.59	-29.41	74	53.63	38.04	14.61	61.69	100	0	P	V
802.11be EHT80 Full CH 122 5610MHz		11224	45.04	-28.96	74	57.27	38.08	16.18	66.49	300	0	P	H
		11224	45.24	-28.76	74	57.47	38.08	16.18	66.49	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT80 Puncturing 20M- ③ (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Puncturing 20M CH 106 5530MHz		5459.6	59.43	-14.57	74	46.6	34.8	10.02	31.99	109	122	P	H
		5462.48	59.9	-8.4	68.3	47.07	34.8	10.02	31.99	109	122	P	H
		5459.28	50.86	-3.14	54	38.03	34.8	10.02	31.99	109	122	A	H
		5560	103.63	-	-	90.81	34.7	10.17	32.05	109	122	P	H
		5560	94.38	-----	-----	81.56	34.7	10.17	32.05	109	122	A	H
		5737.48	53.42	-14.88	68.3	40.52	34.55	10.36	32.01	109	122	P	H
		5448.4	58.56	-15.44	74	45.72	34.8	10.02	31.98	100	125	P	V
		5468.88	57.57	-10.73	68.3	44.72	34.8	10.04	31.99	100	125	P	V
		5451.92	47.99	-6.01	54	35.16	34.8	10.02	31.99	100	125	A	V
		5494	101.83	-	-	88.97	34.8	10.07	32.01	100	125	P	V
		5494	91.64	-----	-----	78.78	34.8	10.07	32.01	100	125	A	V
		5762.6	53.83	-14.47	68.3	40.88	34.57	10.37	31.99	100	125	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT80 Large RU 484+242- ④ (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Large RU 484+242 CH 106 5530MHz		5459.12	61.02	-12.98	74	48.19	34.8	10.02	31.99	100	116	P	H
		5461.84	58.54	-9.76	68.3	45.71	34.8	10.02	31.99	100	116	P	H
		5459.6	49.94	-4.06	54	37.11	34.8	10.02	31.99	100	116	A	H
		5524	103.67	-	-	90.8	34.77	10.12	32.02	100	116	P	H
		5524	94.37	-----	-----	81.5	34.77	10.12	32.02	100	116	A	H
		5740.76	53.84	-14.46	68.3	40.94	34.55	10.36	32.01	100	116	P	H
		5449.68	54.17	-19.83	74	41.33	34.8	10.02	31.98	108	124	P	V
		5465.04	55.95	-12.35	68.3	43.1	34.8	10.04	31.99	108	124	P	V
		5450.96	46.01	-7.99	54	33.18	34.8	10.02	31.99	108	124	A	V
		5512	99.15	-	-	86.28	34.8	10.09	32.02	108	124	P	V
		5512	91.02	-----	-----	78.15	34.8	10.09	32.02	108	124	A	V
		5731.48	53.02	-15.28	68.3	40.15	34.53	10.35	32.01	108	124	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 114 5570MHz		5459.76	59.17	-14.83	74	46.34	34.8	10.02	31.99	100	119	P	H
		5462.64	59.79	-8.51	68.3	46.94	34.8	10.04	31.99	100	119	P	H
		5460	49.12	-4.88	54	36.29	34.8	10.02	31.99	100	119	A	H
	*	5524	100.55	-	-	87.68	34.77	10.12	32.02	100	119	P	H
		5524	91.17	-----	-----	78.3	34.77	10.12	32.02	100	119	A	H
		5728.36	63.94	-4.36	68.3	51.1	34.53	10.35	32.04	100	119	P	H
		5458.8	56.99	-17.01	74	44.16	34.8	10.02	31.99	308	80	P	V
		5463.6	56.13	-12.17	68.3	43.28	34.8	10.04	31.99	308	80	P	V
		5459.92	47.04	-6.96	54	34.21	34.8	10.02	31.99	308	80	A	V
	*	5500	96.57	-	-	83.69	34.8	10.09	32.01	308	80	P	V
		5500	88.99	-----	-----	76.11	34.8	10.09	32.01	308	80	A	V
		5757.32	56.99	-11.31	68.3	44.04	34.57	10.37	31.99	308	80	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		8914	48.21	-20.09	68.3	60.92	36.2	13.01	61.92	300	0	P	H
EHT160		11136	45.51	-28.49	74	54.43	38.08	14.66	61.66	300	0	P	H
Full		8914	47.17	-21.13	68.3	59.88	36.2	13.01	61.92	100	0	P	V
CH 114		11136	44.56	-29.44	74	53.48	38.08	14.66	61.66	100	0	P	V
5570MHz													
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT160 Puncturing 40M - ③ (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Puncturing 40M CH 114 5570MHz		5452.56	59.78	-14.22	74	46.95	34.8	10.02	31.99	100	120	P	H
		5460.88	58.57	-9.73	68.3	45.74	34.8	10.02	31.99	100	120	P	H
		5457.36	48.94	-5.06	54	36.11	34.8	10.02	31.99	100	120	A	H
	*	5542	100.31	-	-	87.47	34.73	10.15	32.04	100	120	P	H
		5542	91.78	-----	-----	78.94	34.73	10.15	32.04	100	120	A	H
		5760.36	62.05	-6.25	68.3	49.1	34.57	10.37	31.99	100	120	P	H
		5402.16	56.53	-17.47	74	43.75	34.8	9.94	31.96	299	88	P	V
		5465.52	56.1	-12.2	68.3	43.25	34.8	10.04	31.99	299	88	P	V
		5417.68	46.26	-7.74	54	33.45	34.8	9.97	31.96	299	88	A	V
	*	5542	96.45	-	-	83.61	34.73	10.15	32.04	299	88	P	V
		5542	88.05	-----	-----	75.21	34.73	10.15	32.04	299	88	A	V
		5760.92	56.66	-11.64	68.3	43.71	34.57	10.37	31.99	299	88	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT160 Puncturing 20M- 8 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Puncturing 20M CH 114 5570MHz		5458.16	59.36	-14.64	74	46.53	34.8	10.02	31.99	100	122	P	H
		5467.6	62.03	-6.27	68.3	49.18	34.8	10.04	31.99	100	122	P	H
		5456.88	49.91	-4.09	54	37.08	34.8	10.02	31.99	100	122	A	H
	*	5518	100.61	-	-	87.74	34.77	10.12	32.02	100	122	P	H
		5518	91.19	-----	-----	78.32	34.77	10.12	32.02	100	122	A	H
		5738.28	60.86	-7.44	68.3	47.96	34.55	10.36	32.01	100	122	P	H
		5459.12	56.1	-17.9	74	43.27	34.8	10.02	31.99	302	88	P	V
		5469.68	54.42	-13.88	68.3	41.57	34.8	10.04	31.99	302	88	P	V
		5456.56	45.92	-8.08	54	33.09	34.8	10.02	31.99	302	88	A	V
	*	5542	97.04	-	-	84.2	34.73	10.15	32.04	302	88	P	V
		5542	88.19	-----	-----	75.35	34.73	10.15	32.04	302	88	A	V
		5733.08	54.31	-13.99	68.3	41.44	34.53	10.35	32.01	302	88	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT160 Large RU 996+484- ③ (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Large RU 996+484 CH 114 5570MHz		5446.8	58.66	-15.34	74	45.82	34.8	10.02	31.98	100	116	P	H
		5461.84	58.93	-9.37	68.3	46.1	34.8	10.02	31.99	100	116	P	H
		5458	49.36	-4.64	54	36.53	34.8	10.02	31.99	100	116	A	H
	*	5560	101.76	-	-	88.94	34.7	10.17	32.05	100	116	P	H
		5560	93.07	-----	-----	80.25	34.7	10.17	32.05	100	116	A	H
		5742.04	62.12	-6.18	68.3	49.22	34.55	10.36	32.01	100	116	P	H
		5426.8	56.39	-17.61	74	43.6	34.8	9.97	31.98	300	85	P	V
		5468.56	58.24	-10.06	68.3	45.39	34.8	10.04	31.99	300	85	P	V
		5417.52	46.37	-7.63	54	33.56	34.8	9.97	31.96	300	85	A	V
	*	5500	96.28	-	-	83.4	34.8	10.09	32.01	300	85	P	V
		5500	86.96	-----	-----	74.08	34.8	10.09	32.01	300	85	A	V
		5760.2	55.68	-12.62	68.3	42.73	34.57	10.37	31.99	300	85	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT160 Large RU 996*2- ⑨ (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Large RU 996*2 CH 114 5570MHz		5436.72	61.95	-12.05	74	49.14	34.8	9.99	31.98	100	119	P	H
		5467.12	61.8	-6.5	68.3	48.95	34.8	10.04	31.99	100	119	P	H
		5459.92	49.93	-4.07	54	37.1	34.8	10.02	31.99	100	119	A	H
	*	5500	101.22	-	-	88.34	34.8	10.09	32.01	100	119	P	H
		5500	90.26	-----	-----	77.38	34.8	10.09	32.01	100	119	A	H
		5727.24	61.51	-6.79	68.3	48.67	34.53	10.35	32.04	100	119	P	H
		5456.56	56.34	-17.66	74	43.51	34.8	10.02	31.99	299	82	P	V
		5460.56	53.65	-14.65	68.3	40.82	34.8	10.02	31.99	299	82	P	V
		5436.24	46.82	-7.18	54	34.01	34.8	9.99	31.98	299	82	A	V
	*	5518	95.56	-	-	82.69	34.77	10.12	32.02	299	82	P	V
		5518	86.46	-----	-----	73.59	34.77	10.12	32.02	299	82	A	V
		5733.32	55.94	-12.36	68.3	43.07	34.53	10.35	32.01	299	82	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C - Straddle Channel

WIFI 802.11a (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 144 5720MHz	*	5716	104.2	-	-	94.98	34.64	11.16	36.58	400	0	P	H
		5716	95.4	-----	-----	86.18	34.64	11.16	36.58	400	0	A	H
	*	5710	105.73	-	-	96.51	34.64	11.16	36.58	100	0	P	V
		5710	97.95	-----	-----	88.73	34.64	11.16	36.58	100	0	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

UNII-2C - Straddle Channel

WIFI 802.11a (Harmonic @ 3m)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 144 5720MHz		11444	45.23	-28.77	74	57.13	38.25	16.33	66.48	300	0	P	H
		11444	45.9	-28.1	74	57.8	38.25	16.33	66.48	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C - Straddle Channel

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be	*	5710	105.68	-	-	96.46	34.64	11.16	36.58	400	0	P	H
EHT20 Full		5710	97.73	-----	-----	88.51	34.64	11.16	36.58	400	0	A	H
CH 144	*	5710	107.84	-	-	98.62	34.64	11.16	36.58	100	0	P	V
5720MHz		5710	99.33	-----	-----	90.11	34.64	11.16	36.58	100	0	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

UNII-2C - Straddle Channel

WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		11444	44.51	-29.49	74	56.41	38.25	16.33	66.48	300	0	P	H
EHT20 Full													
CH 144		11444	45.05	-28.95	74	56.95	38.25	16.33	66.48	100	0	P	V
5720MHz													
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C - Straddle Channel

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be	*	5722	103.15	-	-	93.89	34.68	11.18	36.6	400	0	P	H
EHT40 Full		5722	95.79	-----	-----	86.53	34.68	11.18	36.6	400	0	A	H
CH 142	*	5704	104.19	-	-	94.97	34.64	11.16	36.58	100	0	P	V
5710MHz		5704	95.46	-----	-----	86.24	34.64	11.16	36.58	100	0	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

UNII-2C - Straddle Channel

WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		11422	44.46	-29.54	74	56.38	38.24	16.32	66.48	300	0	P	H
EHT40 Full													
CH 142		11422	44.81	-29.19	74	56.73	38.24	16.32	66.48	100	0	P	V
5710MHz													
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C Straddle Channel

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be	*	5656	100.55	-----	-----	91.50	34.50	11.08	36.53	400	0	P	H
EHT80 Full		5656	92.26	-----	-----	83.21	34.50	11.08	36.53	400	0	A	H
CH 138	*	5656	103.20	-----	-----	94.15	34.50	11.08	36.53	100	0	P	V
5690MHz		5656	95.78	-----	-----	86.73	34.50	11.08	36.53	100	0	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

UNII-2C - Straddle Channel

WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		11378	45.15	-28.85	74	57.15	38.2	16.28	66.48	300	0	P	H
EHT80 Full													
CH 138		11378	44.96	-29.04	74	56.96	38.2	16.28	66.48	100	0	P	V
5690MHz													
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Emission below 1GHz

WIFI 802.11be EHT20 Full- (LF @ 3m)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT20 Full LF		31.94	21.32	-18.68	40	28.72	24.04	0.76	32.2	-	-	P	H
		168.71	28.75	-14.75	43.5	43.18	15.78	1.89	32.1	-	-	P	H
		325.85	20.5	-25.5	46	30.22	19.77	2.66	32.15	-	-	P	H
		538.28	24.42	-21.58	46	28.49	25.07	3.18	32.32	-	-	P	H
		630.43	26.3	-19.7	46	28.62	26.23	3.69	32.24	-	-	P	H
		758.47	29.29	-16.71	46	29.29	28.2	4.1	32.3	-	-	P	H
		30	21.87	-18.13	40	28.21	25.1	0.76	32.2	-	-	P	V
		94.99	15.49	-28.01	43.5	30.87	15.45	1.37	32.2	-	-	P	V
		143.49	28.53	-14.97	43.5	41.53	17.35	1.76	32.11	-	-	P	V
		171.62	28.99	-14.51	43.5	43.59	15.59	1.91	32.1	-	-	P	V
		250.19	19.99	-26.01	46	31.07	19.02	2.1	32.2	-	-	P	V
		353.01	19.83	-26.17	46	28.68	20.59	2.77	32.21	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against limit line.												



<UNII-3>

UNII-3 - 5725~5850MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 149 5745MHz		5640.8	48.59	-19.71	68.3	39.54	34.51	11.05	36.51	112	2	P	H
		5683.2	50.08	-42.82	92.9	40.97	34.55	11.11	36.55	112	2	P	H
		5712.8	53.57	-55.32	108.89	44.35	34.64	11.16	36.58	112	2	P	H
		5723.6	65.8	-53.31	119.11	56.54	34.68	11.18	36.6	112	2	P	H
		5740	106.42	-----	-----	97.13	34.73	11.18	36.62	112	2	P	H
		5740	99.88	-----	-----	90.59	34.73	11.18	36.62	112	2	A	H
		5614	49.01	-19.29	68.3	39.94	34.52	11.03	36.48	303	268	P	V
		5679.2	50.81	-39.14	89.95	41.7	34.55	11.11	36.55	303	268	P	V
		5717.2	56	-54.12	110.12	46.78	34.64	11.16	36.58	303	268	P	V
		5722.8	69.29	-47.99	117.28	60.03	34.68	11.18	36.6	303	268	P	V
		5740	107.21	-----	-----	97.92	34.73	11.18	36.62	303	268	P	V
		5740	100.05	-----	-----	90.76	34.73	11.18	36.62	303	268	A	V



802.11a CH 165 5825MHz		5824	106.28	-----	-----	96.72	34.95	11.31	36.7	115	2	P	H
		5824	100.33	-----	-----	90.77	34.95	11.31	36.7	115	2	A	H
		5854	54.45	-58.73	113.18	44.83	35.03	11.33	36.74	115	2	P	H
		5859.2	51.97	-57.75	109.72	42.34	35.03	11.34	36.74	115	2	P	H
		5877.2	51.27	-52.4	103.67	41.61	35.06	11.36	36.76	115	2	P	H
		5935.2	48.95	-19.35	68.3	39.2	35.14	11.42	36.81	115	2	P	H
		5818	108.63	-----	-----	99.1	34.91	11.31	36.69	303	268	P	V
		5818	101.29	-----	-----	91.76	34.91	11.31	36.69	303	268	A	V
		5852.4	56.68	-60.15	116.83	47.07	35	11.33	36.72	303	268	P	V
		5857.2	52.72	-57.56	110.28	43.09	35.03	11.34	36.74	303	268	P	V
		5908.8	50.53	-29.72	80.25	40.83	35.11	11.38	36.79	303	268	P	V
		5939.6	49.52	-18.78	68.3	39.76	35.17	11.42	36.83	303	268	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-3 5725~5850MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 149 5745MHz		11488	44.93	-29.07	74	57.03	38.29	16.35	66.74	300	0	P	H
		11488	44.57	-29.43	74	56.67	38.29	16.35	66.74	100	0	P	V
802.11a CH 157 5785MHz		11565	44.85	-29.15	74	56.53	38.35	16.4	66.43	300	0	P	H
		11565	44.95	-29.05	74	56.63	38.35	16.4	66.43	100	0	P	V
802.11a CH 165 5825MHz		11653	45.04	-28.96	74	56.7	38.43	16.46	66.55	300	0	P	H
		11653	44.63	-29.37	74	56.29	38.43	16.46	66.55	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-3 5725~5850MHz

WIFI 802.11be EHT20_Partial 26/0 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Partial 26/0 CH 149 5745MHz		5604	52.69	-15.61	68.3	39.92	34.6	10.25	32.08	100	117	P	H
		5687.6	53.61	-42.54	96.15	40.85	34.5	10.32	32.06	100	117	P	H
		5707.6	53.78	-53.65	107.43	40.97	34.52	10.33	32.04	100	117	P	H
		5723.2	53.64	-64.56	118.2	40.8	34.53	10.35	32.04	100	117	P	H
		5734	111.02	-----	-----	98.15	34.53	10.35	32.01	100	117	P	H
		5734	103.24	-----	-----	90.37	34.53	10.35	32.01	100	117	A	H
		5628	52.99	-15.31	68.3	40.23	34.58	10.26	32.08	305	92	P	V
		5692.4	52.26	-47.44	99.7	39.5	34.5	10.32	32.06	305	92	P	V
		5700.4	52.71	-52.7	105.41	39.95	34.5	10.32	32.06	305	92	P	V
		5724.4	52.94	-67.99	120.93	40.1	34.53	10.35	32.04	305	92	P	V
		5734	106.23	-----	-----	93.36	34.53	10.35	32.01	305	92	P	V
		5734	99.56	-----	-----	86.69	34.53	10.35	32.01	305	92	A	V



802.11be EHT20 Partial 26/8 CH 165 5825MHz		5853.6	52.1	-61.99	114.09	38.7	34.87	10.46	31.93	102	116	P	H
		5874.4	53.49	-51.98	105.47	40.04	34.93	10.47	31.95	102	116	P	H
		5904.4	53.59	-29.92	83.51	40.07	35	10.49	31.97	102	116	P	H
		5936.8	54.36	-13.94	68.3	40.72	35.13	10.52	32.01	102	116	P	H
		5836	110.24	-----	-----	97.01	34.73	10.43	31.93	102	116	P	H
		5836	102.79	-----	-----	89.56	34.73	10.43	31.93	102	116	A	H
		5851.6	52.91	-65.74	118.65	39.6	34.8	10.44	31.93	300	85	P	V
		5874.4	53.71	-51.76	105.47	40.26	34.93	10.47	31.95	300	85	P	V
		5884.4	53.6	-44.72	98.32	40.17	34.93	10.47	31.97	300	85	P	V
		5966.8	54	-14.3	68.3	40.21	35.27	10.55	32.03	300	85	P	V
		5836	106.38	-----	-----	93.15	34.73	10.43	31.93	300	85	P	V
		5836	97.79	-----	-----	84.56	34.73	10.43	31.93	300	85	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-3 5725~5850MHz

WIFI 802.11be EHT20_Small RU Index 53+4 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Small RU Index 53+4 CH 149 5745MHz		5624	52.14	-16.16	68.3	39.38	34.58	10.26	32.08	102	124	P	H
		5674.4	53.68	-32.72	86.4	40.94	34.52	10.3	32.08	102	124	P	H
		5715.6	54.41	-55.26	109.67	41.6	34.52	10.33	32.04	102	124	P	H
		5724.8	62.39	-59.45	121.84	49.55	34.53	10.35	32.04	102	124	P	H
		5734	110.31	-----	-----	97.44	34.53	10.35	32.01	102	124	P	H
		5734	101.84	-----	-----	88.97	34.53	10.35	32.01	102	124	A	H
		5626.4	51.54	-16.76	68.3	38.78	34.58	10.26	32.08	326	99	P	V
		5660	52.97	-22.76	75.73	40.22	34.54	10.29	32.08	326	99	P	V
		5712	52.2	-56.46	108.66	39.39	34.52	10.33	32.04	326	99	P	V
		5722.4	53.38	-62.99	116.37	40.54	34.53	10.35	32.04	326	99	P	V
		5740	106.08	-----	-----	93.18	34.55	10.36	32.01	326	99	P	V
		5740	98.42	-----	-----	85.52	34.55	10.36	32.01	326	99	A	V



UNII-3 5725~5850MHz

WIFI 802.11be EHT20_Small RU Index 53+4 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Small RU Index 53+4 CH 165 5825MHz		5851.6	53.67	-64.98	118.65	40.36	34.8	10.44	31.93	102	115	P	H
		5855.6	54.78	-55.95	110.73	41.38	34.87	10.46	31.93	102	115	P	H
		5909.2	53.61	-26.35	79.96	40.02	35.07	10.51	31.99	102	115	P	H
		5934.8	53.35	-14.95	68.3	39.71	35.13	10.52	32.01	102	115	P	H
		5836	108.82	-----	-----	95.59	34.73	10.43	31.93	102	115	P	H
		5836	100.87	-----	-----	87.64	34.73	10.43	31.93	102	115	A	H
		5850.8	51.98	-68.5	120.48	38.67	34.8	10.44	31.93	325	110	P	V
		5870.8	53.08	-53.39	106.47	39.63	34.93	10.47	31.95	325	110	P	V
		5886	53.68	-43.45	97.13	40.25	34.93	10.47	31.97	325	110	P	V
		5926.4	53.76	-14.54	68.3	40.1	35.13	10.52	31.99	325	110	P	V
		5836	104.55	-----	-----	91.32	34.73	10.43	31.93	325	110	P	V
		5836	97.04	-----	-----	83.81	34.73	10.43	31.93	325	110	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-3 5725~5850MHz

WIFI 802.11be EHT40_Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 151 5755MHz		5645.6	49.85	-18.45	68.3	40.77	34.51	11.08	36.51	234	356	P	H
		5699.6	51.89	-53.12	105.01	42.73	34.59	11.13	36.56	234	356	P	H
		5718.8	68.54	-42.02	110.56	59.3	34.68	11.16	36.6	234	356	P	H
		5722.4	70.55	-45.82	116.37	61.29	34.68	11.18	36.6	234	356	P	H
		5764	106.03	-----	-----	96.65	34.77	11.24	36.63	234	356	P	H
		5764	96.69	-----	-----	87.31	34.77	11.24	36.63	234	356	A	H
		5852	50.69	-67.05	117.74	41.08	35	11.33	36.72	234	356	P	H
		5864.4	50.58	-57.69	108.27	40.95	35.03	11.34	36.74	234	356	P	H
		5905.2	50.33	-32.58	82.91	40.63	35.11	11.38	36.79	234	356	P	H
		5952	49.15	-19.15	68.3	39.38	35.17	11.43	36.83	234	356	P	H
		5644	50.48	-17.82	68.3	41.43	34.51	11.05	36.51	272	286	P	V
		5700	56.07	-49.23	105.3	46.91	34.59	11.13	36.56	272	286	P	V
		5720	71.39	-39.51	110.9	62.15	34.68	11.16	36.6	272	286	P	V
		5721.2	72.99	-40.65	113.64	63.75	34.68	11.16	36.6	272	286	P	V
		5746	106.48	-----	-----	97.16	34.73	11.21	36.62	272	286	P	V
		5746	96.87	-----	-----	87.55	34.73	11.21	36.62	272	286	A	V
		5852.8	50.18	-65.74	115.92	40.57	35	11.33	36.72	272	286	P	V
		5857.2	51.16	-59.12	110.28	41.53	35.03	11.34	36.74	272	286	P	V
		5904.8	50.96	-32.25	83.21	41.26	35.11	11.38	36.79	272	286	P	V
		5973.6	50.6	-17.7	68.3	40.78	35.23	11.45	36.86	272	286	P	V



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 159 5795MHz		5630.4	48.88	-19.42	68.3	39.81	34.51	11.05	36.49	205	357	P	H
		5677.2	49.64	-38.83	88.47	40.53	34.55	11.11	36.55	205	357	P	H
		5702.8	50.03	-56.06	106.09	40.81	34.64	11.16	36.58	205	357	P	H
		5724.4	52.54	-68.39	120.93	43.28	34.68	11.18	36.6	205	357	P	H
		5806	106.23	-----	-----	96.72	34.91	11.29	36.69	205	357	P	H
		5806	97.22	-----	-----	87.71	34.91	11.29	36.69	205	357	A	H
		5850.4	55.63	-65.76	121.39	46.02	35	11.33	36.72	205	357	P	H
		5866.8	53.67	-53.92	107.59	44.04	35.03	11.34	36.74	205	357	P	H
		5884.4	51.29	-47.03	98.32	41.63	35.06	11.36	36.76	205	357	P	H
		5930.8	50.18	-18.12	68.3	40.43	35.14	11.42	36.81	205	357	P	H
		5632	50.24	-18.06	68.3	41.17	34.51	11.05	36.49	272	286	P	V
		5700	50.69	-54.61	105.3	41.53	34.59	11.13	36.56	272	286	P	V
		5713.2	51.49	-57.51	109	42.27	34.64	11.16	36.58	272	286	P	V
		5724.4	53.24	-67.69	120.93	43.98	34.68	11.18	36.6	272	286	P	V
		5782	106.82	-----	-----	97.39	34.82	11.26	36.65	272	286	P	V
		5782	97.62	-----	-----	88.19	34.82	11.26	36.65	272	286	A	V
		5850.8	57.43	-63.05	120.48	47.82	35	11.33	36.72	272	286	P	V
		5859.2	53.76	-55.96	109.72	44.13	35.03	11.34	36.74	272	286	P	V
		5906	53.04	-29.28	82.32	43.34	35.11	11.38	36.79	272	286	P	V
		5925.6	50.47	-17.83	68.3	40.74	35.14	11.4	36.81	272	286	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-3 5725~5850MHz

WIFI 802.11be EHT40_Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full		11510	45.43	-28.57	74	57.23	38.31	16.37	66.48	300	0	P	H
CH 151 5755MHz		11510	45.32	-28.68	74	57.12	38.31	16.37	66.48	100	0	P	V
802.11be EHT40 Full		11587	45.16	-28.84	74	56.78	38.37	16.41	66.4	300	0	P	H
CH 159 5795MHz		11587	44.53	-29.47	74	56.15	38.37	16.41	66.4	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-3 5725~5850MHz

WIFI 802.11be EHT80_Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 155 5775MHz		5629.2	51.13	-17.17	68.3	42.06	34.51	11.05	36.49	185	21	P	H
		5684.8	60.31	-33.78	94.09	51.15	34.59	11.13	36.56	185	21	P	H
		5705.6	62.63	-44.24	106.87	53.41	34.64	11.16	36.58	185	21	P	H
		5724.4	64.56	-56.37	120.93	55.3	34.68	11.18	36.6	185	21	P	H
		5788	102.84	-----	-----	93.39	34.86	11.26	36.67	185	21	P	H
		5788	93.31	-----	-----	83.86	34.86	11.26	36.67	185	21	A	H
		5850.4	68.26	-53.13	121.39	58.65	35	11.33	36.72	185	21	P	H
		5867.2	65.27	-42.21	107.48	55.64	35.03	11.34	36.74	185	21	P	H
		5875.2	60.69	-44.46	105.15	51.03	35.06	11.36	36.76	185	21	P	H
		5952	50.67	-17.63	68.3	40.9	35.17	11.43	36.83	185	21	P	H
		5648	52.57	-15.73	68.3	43.49	34.51	11.08	36.51	310	288	P	V
		5698.8	64.23	-40.19	104.42	55.07	34.59	11.13	36.56	310	288	P	V
		5719.6	67.67	-43.12	110.79	58.43	34.68	11.16	36.6	310	288	P	V
		5723.6	69.39	-49.72	119.11	60.13	34.68	11.18	36.6	310	288	P	V
		5740	103.21	-----	-----	93.92	34.73	11.18	36.62	310	288	P	V
		5740	93.3	-----	-----	84.01	34.73	11.18	36.62	310	288	A	V
		5852	65.03	-52.71	117.74	55.42	35	11.33	36.72	310	288	P	V
		5862.8	68.2	-40.51	108.71	58.57	35.03	11.34	36.74	310	288	P	V
		5879.2	60.45	-41.73	102.18	50.79	35.06	11.36	36.76	310	288	P	V
		5974	50.13	-18.17	68.3	40.31	35.23	11.45	36.86	310	288	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**UNII-3 5725~5850MHz****WIFI 802.11be EHT80_Full (Harmonic @ 3m)**

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full		11554	44.82	-29.18	74	56.51	38.35	16.39	66.43	300	0	P	H
CH 155 5775MHz		11554	44.62	-29.38	74	56.31	38.35	16.39	66.43	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-3 5725~5850MHz

WIFI 802.11be EHT80_ Puncturing 20M- ③ (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Puncturing 20M CH 155 5775MHz		5646.8	54.65	-13.65	68.3	41.91	34.56	10.28	32.1	100	121	P	H
		5697.2	62.92	-40.32	103.24	50.16	34.5	10.32	32.06	100	121	P	H
		5707.2	65.2	-42.12	107.32	52.39	34.52	10.33	32.04	100	121	P	H
		5724.8	65.7	-56.14	121.84	52.86	34.53	10.35	32.04	100	121	P	H
		5854.4	65.71	-46.56	112.27	52.31	34.87	10.46	31.93	100	121	P	H
		5868.4	66.78	-40.37	107.15	53.4	34.87	10.46	31.95	100	121	P	H
		5881.6	61.99	-38.41	100.4	48.54	34.93	10.47	31.95	100	121	P	H
		5926.8	53.67	-14.63	68.3	40.01	35.13	10.52	31.99	100	121	P	H
		5746	103.6	-----	-----	90.7	34.55	10.36	32.01	100	121	P	H
		5746	94.1	-----	-----	81.2	34.55	10.36	32.01	100	121	A	H
		5612.8	53.3	-15	68.3	40.53	34.6	10.25	32.08	367	101	P	V
		5686.8	58.69	-36.87	95.56	45.93	34.5	10.32	32.06	367	101	P	V
		5707.2	60.57	-46.75	107.32	47.76	34.52	10.33	32.04	367	101	P	V
		5723.6	59.33	-59.78	119.11	46.49	34.53	10.35	32.04	367	101	P	V
		5852.4	59.73	-57.1	116.83	46.42	34.8	10.44	31.93	367	101	P	V
		5864	60.47	-47.91	108.38	47.09	34.87	10.46	31.95	367	101	P	V
		5875.6	57.77	-47.08	104.85	44.32	34.93	10.47	31.95	367	101	P	V
		5956.8	54.41	-13.89	68.3	40.6	35.27	10.55	32.01	367	101	P	V
		5806	99.89	-----	-----	86.78	34.67	10.41	31.97	367	101	P	V
		5806	91.15	-----	-----	78.04	34.67	10.41	31.97	367	101	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-3 5725~5850MHz

WIFI 802.11be EHT80_ Large RU 484+242- ④ (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Large RU 484+242 CH 155 5775MHz		5640.4	53.82	-14.48	68.3	41.08	34.56	10.28	32.1	100	110	P	H
		5697.6	59.63	-43.9	103.53	46.87	34.5	10.32	32.06	100	110	P	H
		5714.8	65.01	-44.44	109.45	52.2	34.52	10.33	32.04	100	110	P	H
		5724	66.95	-53.07	120.02	54.11	34.53	10.35	32.04	100	110	P	H
		5850	55.01	-67.29	122.3	41.7	34.8	10.44	31.93	100	110	P	H
		5865.2	54.17	-53.87	108.04	40.79	34.87	10.46	31.95	100	110	P	H
		5876.8	54.94	-49.02	103.96	41.49	34.93	10.47	31.95	100	110	P	H
		5947.6	54.94	-13.36	68.3	41.22	35.2	10.53	32.01	100	110	P	H
		5746	103.36	-----	-----	90.46	34.55	10.36	32.01	100	110	P	H
		5746	94.32	-----	-----	81.42	34.55	10.36	32.01	100	110	A	H
		5610.8	52.16	-16.14	68.3	39.39	34.6	10.25	32.08	318	91	P	V
		5699.2	55.68	-49.03	104.71	42.92	34.5	10.32	32.06	318	91	P	V
		5716.8	59.51	-50.5	110.01	46.7	34.52	10.33	32.04	318	91	P	V
		5724	59.88	-60.14	120.02	47.04	34.53	10.35	32.04	318	91	P	V
		5850	55.16	-67.14	122.3	41.85	34.8	10.44	31.93	318	91	P	V
		5867.2	53.24	-54.24	107.48	39.86	34.87	10.46	31.95	318	91	P	V
		5913.2	53.28	-23.72	77	39.69	35.07	10.51	31.99	318	91	P	V
		5982	53.97	-14.33	68.3	40.11	35.33	10.56	32.03	318	91	P	V
		5788	100.21	-----	-----	87.18	34.6	10.4	31.97	318	91	P	V
		5788	91.25	-----	-----	78.22	34.6	10.4	31.97	318	91	A	V
Remark	3. No other spurious found. 4. All results are PASS against Peak and Average limit line.												



<CO-Location >

WLAN 5G 802.11be EHT160 CH50 Tx + WLAN 5G 802.11be EHT20 CH140 Tx + BLE(2Mbps)

Ch39 Tx + LTE Band 48 Link (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT160 Full CH 50 5250MHz	*	5145.28	61.49	-12.51	74	49.42	34.1	9.78	31.81	100	118	P	H
	*	5142.08	50.94	-3.06	54	38.85	34.1	9.78	31.79	100	118	A	H
		5692	107.16	-----	-----	94.4	34.5	10.32	32.06	100	118	P	H
		5692	98.7	-----	-----	85.94	34.5	10.32	32.06	100	118	A	H
		5355.5	63.43	-10.57	74	50.8	34.65	9.91	31.93	100	118	P	H
		5350.1	51	-3	54	38.37	34.65	9.91	31.93	100	118	A	H
	*	5124.8	58.66	-15.34	74	46.58	34.1	9.77	31.79	307	84	P	V
	*	5122.24	44.87	-9.13	54	32.8	34.1	9.76	31.79	307	84	A	V
		5692	101.87	-----	-----	89.11	34.5	10.32	32.06	307	84	P	V
		5692	92.68	-----	-----	79.92	34.5	10.32	32.06	307	84	A	V
		5358.9	57.05	-16.95	74	44.42	34.65	9.91	31.93	307	84	P	V
		5361.6	44.46	-9.54	54	31.77	34.7	9.92	31.93	307	84	A	V
802.11be EHT20 Full CH 140 5700MHz	*	5692	105.54	-----	-----	92.78	34.5	10.32	32.06	100	118	P	H
	*	5692	97.9	-----	-----	85.14	34.5	10.32	32.06	100	118	A	H
		5726.04	60.78	-7.52	68.3	47.94	34.53	10.35	32.04	100	118	P	H
	*	5698	101.14	-----	-----	88.38	34.5	10.32	32.06	307	84	P	V
	*	5698	93.13	-----	-----	80.37	34.5	10.32	32.06	307	84	A	V
		5725.8	59.05	-9.25	68.3	46.21	34.53	10.35	32.04	307	84	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI 802.11 be EHT20 & WIFI 802.11 be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		7979	47.82	-20.48	68.3	61.46	35.88	12.41	61.93	300	0	P	H
EHT160		10498	44.49	-23.81	68.3	54.18	37.7	14.23	61.62	300	0	P	H
Full		7979	49.31	-18.99	68.3	62.95	35.88	12.41	61.93	100	0	P	V
CH 50		10498	43.88	-24.42	68.3	53.57	37.7	14.23	61.62	100	0	P	V
5250MHz		7979	47.31	-20.99	68.3	60.95	35.88	12.41	61.93	300	0	P	H
802.11be		11400	45.84	-28.16	74	54.3	38.24	14.85	61.55	300	0	P	H
EHT20 Full		7979	47.68	-20.62	68.3	61.32	35.88	12.41	61.93	100	0	P	V
CH 140		11400	46.21	-27.79	74	54.67	38.24	14.85	61.55	100	0	P	V
5700MHz													
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



BLE 2Mbps (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE 2M CH39 2480MHZ	*	2483.5	55.86	-18.14	74	49.34	32.43	6.73	32.64	100	118	P	H
	*	2495.08	45.45	-8.55	54	38.77	32.5	6.75	32.57	100	118	A	H
		2480	94.86	-	-	88.34	32.43	6.73	32.64	100	118	P	H
		2480	93.01	-	-	86.49	32.43	6.73	32.64	100	118	A	H
	*	2498.5	55.15	-18.85	74	48.47	32.5	6.75	32.57	307	84	P	V
	*	2491.66	45.41	-8.59	54	38.8	32.5	6.75	32.64	307	84	A	V
		2480	89.31	-	-	82.79	32.43	6.73	32.64	307	84	P	V
		2480	87.43	-	-	80.91	32.43	6.73	32.64	307	84	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

BLE 2Mbps (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE 2M CH39 2480MHZ		4965	40.96	-33.04	74	58.96	34.1	9.61	61.71	300	0	P	H
		7440	43.83	-30.17	74	58.42	35.7	11.78	62.07	300	0	P	H
		4965	41.14	-32.86	74	59.14	34.1	9.61	61.71	300	360	P	V
		7440	44.04	-29.96	74	58.63	35.7	11.78	62.07	300	360	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



<CO-Location>

WLAN 5G 802.11be EHT20 CH140 Tx + WLAN 2.4G 802.11be EHT40 Ch03 Tx + LTE Band 48

Link (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT40 Full CH 03 2422MHz	*	2389.43	66.39	-7.61	74	60.36	32.3	6.61	32.88	100	303	P	H
	*	2389.95	50.98	-3.02	54	44.91	32.3	6.61	32.84	100	303	A	H
		2487.16	55.36	-18.64	74	48.84	32.43	6.73	32.64	100	303	P	H
		2483.5	44.17	-9.83	54	37.65	32.43	6.73	32.64	100	303	A	H
		2412	108.02	-----	-----	101.93	32.3	6.63	32.84	100	303	P	H
		2412	97.72	-----	-----	91.63	32.3	6.63	32.84	100	303	A	H
	*	2385.92	62.92	-11.08	74	56.89	32.3	6.61	32.88	395	96	P	V
	*	2385.79	48.75	-5.25	54	42.72	32.3	6.61	32.88	395	96	A	V
		2483.62	55.28	-18.72	74	48.76	32.43	6.73	32.64	395	96	P	V
		2483.5	44.82	-9.18	54	38.3	32.43	6.73	32.64	395	96	A	V
		2420	105.72	-----	-----	99.53	32.3	6.66	32.77	395	96	P	V
		2420	96.07	-----	-----	89.88	32.3	6.66	32.77	395	96	A	V
802.11be EHT20 Full CH 140 5700MHz	*	5725.32	64.64	-3.66	68.3	51.8	34.53	10.35	32.04	102	120	P	H
	*	5692	111.26	-----	-----	98.5	34.5	10.32	32.06	102	120	P	H
		5692	103.07	-----	-----	90.31	34.5	10.32	32.06	102	120	A	H
	*	5726.76	59.27	-9.03	68.3	46.43	34.53	10.35	32.04	104	74	P	V
	*	5704	106.44	-----	-----	93.65	34.52	10.33	32.06	104	74	P	V
		5704	98.21	-----	-----	85.42	34.52	10.33	32.06	104	74	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI 802.11 be EHT20 & WIFI 802.11 be EHT40 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 03 2422MHz		4845	41.98	-32.02	74	60.06	34.22	9.49	61.79	300	0	P	H
		7260	43.75	-30.25	74	58.43	35.7	11.67	62.05	300	0	P	H
		4845	41.46	-32.54	74	59.54	34.22	9.49	61.79	100	0	P	V
		7260	42.95	-31.05	74	57.63	35.7	11.67	62.05	100	0	P	V
802.11be EHT20 Full CH 140 5700MHz		11400	45.67	-28.33	74	54.13	38.24	14.85	61.55	300	0	P	H
		11400	45.85	-28.15	74	54.31	38.24	14.85	61.55	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Note symbol

*	Fundamental Frequency which can be ignored. However, tEHT level of any unwanted emissions shall not exceed tEHT level of tEHT fundamental frequency.
!	Test result is over limit line.
P/A	P eak or A verage
H/V	H orizontal or V ertical

A calculation example for radiated spurious emission is shown as below:

Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
		Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Over Limit(dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 2390MHz:

1. Level(dBμV/m)
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
 = 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
 = 55.45 (dBμV/m)
2. Over Limit(dB)
 = Level(dBμV/m) – Limit Line(dBμV/m)
 = 55.45(dBμV/m) – 74(dBμV/m)
 = -18.55(dB)

For Average Limit @ 2390MHz:


1. Level(dBμV/m)
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
 = 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
 = 43.54 (dBμV/m)
2. Over Limit(dB) = Level(dBμV/m) – Limit Line(dBμV/m)
 = 43.54(dBμV/m) – 54(dBμV/m)
 = -10.46(dB)

Both peak and average measured complies with tEHT limit line, so test result is “PASS”.


Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1+2	802.11a	98.97	-	-	10Hz
1+2	802.11be EHT20	100	-	-	10Hz
1+2	802.11be EHT20- Single RU26	96.17	5.1014	0.1960	0.2kHz
1+2	802.11be EHT20- Single RU52	96.17	5.1014	0.1960	0.2kHz
1+2	802.11be EHT20- Single RU106	95.35	4.7536	0.2104	0.22kHz
1+2	802.11be EHT20- Small RU52+26	95.15	4.5507	0.2197	0.22kHz
1+2	802.11be EHT20- Small RU106+26	96.77	4.3478	0.2300	0.24kHz
1+2	802.11be EHT40	100	-	-	10Hz
1+2	802.11be EHT80	100	-	-	10Hz
1+2	802.11be EHT80- Large RU484+242	96.84	1.1087	0.9020	1kHz
1+2	802.11be EHT80 Puncturing 20M	100	-	-	10Hz
1+2	802.11be EHT160	100	-	-	10Hz
1+2	802.11be EHT160- Large RU996+484	94.12	0.9275	1.0781	1.1kHz
1+2	802.11be EHT160- Large RU996+996	95.51	2.1594	0.4631	0.51kHz
1+2	802.11be EHT160 Puncturing 40M	100	-	-	10Hz


802.11a




802.11be EHT20




802.11be EHT20-Single RU26




802.11be EHT20-Single RU52




802.11be EHT20-Single RU106




802.11be EHT20-Small RU52+26




802.11be EHT20-Small RU106+26




802.11be EHT40



802.11be EHT80




802.11be EHT80-Large RU484+242







802.11be EHT80-Puncturing 20M




802.11be EHT160



802.11be EHT160-Large RU996+484



802.11be EHT160-Large RU996+996



802.11be EHT160-Puncturing 40M

