







		85									
Mode	Band Edge										
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3_6105MHz										
ANT	CDD 17+18										
Pol.	Horizontal										
Peak	Fundamental										
	Fundamental										
Avg	Fundamental										
	Fundamental										





Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5838.60</td><td>56.74</td><td>88.20</td><td>-31.46</td><td>41.88</td><td>34.86</td><td>11.48</td><td>31.48</td><td>0.00</td><td>145</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5838.60	56.74	88.20	-31.46	41.88	34.86	11.48	31.48	0.00	145	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5838.60	56.74	88.20	-31.46	41.88	34.86	11.48	31.48	0.00	145	0 PEAK																																												

Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>88.63</td><td>-----</td><td>-----</td><td>73.58</td><td>34.97</td><td>11.59</td><td>31.51</td><td>0.00</td><td>145</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	88.63	-----	-----	73.58	34.97	11.59	31.51	0.00	145	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6105.00	88.63	-----	-----	73.58	34.97	11.59	31.51	0.00	145	0 PEAK																																												





Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5885.40</td><td>47.87</td><td>68.20</td><td>-20.33</td><td>32.94</td><td>34.90</td><td>11.52</td><td>31.49</td><td>0.00</td><td>145</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5885.40	47.87	68.20	-20.33	32.94	34.90	11.52	31.49	0.00	145	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5885.40	47.87	68.20	-20.33	32.94	34.90	11.52	31.49	0.00	145	0 AVERAGE																																												

Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>80.06</td><td>-----</td><td>-----</td><td>64.92</td><td>35.10</td><td>11.70</td><td>31.66</td><td>0.00</td><td>145</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	80.06	-----	-----	64.92	35.10	11.70	31.66	0.00	145	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6105.00	80.06	-----	-----	64.92	35.10	11.70	31.66	0.00	145	0 AVERAGE																																												







Mode	85																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3_6105MHz																																																																																																
ANT	CDD 17+18																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.12</td><td>57.47</td><td>88.20</td><td>-30.73</td><td>42.51</td><td>34.92</td><td>11.54</td><td>31.50</td><td>0.00</td><td>315</td><td>251 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.12	57.47	88.20	-30.73	42.51	34.92	11.54	31.50	0.00	315	251 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>88.91</td><td>-----</td><td>-----</td><td>73.78</td><td>35.10</td><td>11.70</td><td>31.67</td><td>0.00</td><td>315</td><td>251 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	88.91	-----	-----	73.78	35.10	11.70	31.67	0.00	315
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5917.12	57.47	88.20	-30.73	42.51	34.92	11.54	31.50	0.00	315	251 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6105.00	88.91	-----	-----	73.78	35.10	11.70	31.67	0.00	315	251 PEAK																																																																																						
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.00</td><td>47.35</td><td>68.20</td><td>-20.85</td><td>32.39</td><td>34.92</td><td>11.54</td><td>31.50</td><td>0.00</td><td>315</td><td>251 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.00	47.35	68.20	-20.85	32.39	34.92	11.54	31.50	0.00	315	251 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>79.87</td><td>-----</td><td>-----</td><td>64.74</td><td>35.10</td><td>11.70</td><td>31.67</td><td>0.00</td><td>315</td><td>251 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	79.87	-----	-----	64.74	35.10	11.70	31.67	0.00	315
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5914.00	47.35	68.20	-20.85	32.39	34.92	11.54	31.50	0.00	315	251 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6105.00	79.87	-----	-----	64.74	35.10	11.70	31.67	0.00	315	251 AVERAGE																																																																																						







		86																																																						
Mode	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3+484_6105MHz																																																							
ANT	CDD 17+18																																																							
Pol.	Horizontal																																																							
Peak																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5817.80</td><td>57.74</td><td>88.20</td><td>-30.46</td><td>42.91</td><td>34.84</td><td>11.46</td><td>31.47</td><td>0.00</td><td>100</td><td>63 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5817.80	57.74	88.20	-30.46	42.91	34.84	11.46	31.47	0.00	100	63 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5817.80	57.74	88.20	-30.46	42.91	34.84	11.46	31.47	0.00	100	63 PEAK																																													
Fundamental																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>90.46</td><td>-----</td><td>-----</td><td>75.35</td><td>35.06</td><td>11.67</td><td>31.62</td><td>0.00</td><td>100</td><td>63 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6105.00	90.46	-----	-----	75.35	35.06	11.67	31.62	0.00	100	63 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	6105.00	90.46	-----	-----	75.35	35.06	11.67	31.62	0.00	100	63 PEAK																																													
Avg																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5920.24</td><td>47.59</td><td>68.20</td><td>-20.61</td><td>32.61</td><td>34.93</td><td>11.55</td><td>31.50</td><td>0.00</td><td>100</td><td>63 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5920.24	47.59	68.20	-20.61	32.61	34.93	11.55	31.50	0.00	100	63 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5920.24	47.59	68.20	-20.61	32.61	34.93	11.55	31.50	0.00	100	63 AVERAGE																																													
Fundamental																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>81.40</td><td>-----</td><td>-----</td><td>66.24</td><td>35.12</td><td>11.73</td><td>31.69</td><td>0.00</td><td>100</td><td>63 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6105.00	81.40	-----	-----	66.24	35.12	11.73	31.69	0.00	100	63 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	6105.00	81.40	-----	-----	66.24	35.12	11.73	31.69	0.00	100	63 AVERAGE																																													







Mode	86																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3+484_6105MHz																																																																																																														
ANT	CDD 17+18																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5821.44</td><td>56.73</td><td>88.20</td><td>-31.47</td><td>41.88</td><td>34.85</td><td>11.47</td><td>31.47</td><td>0.00</td><td>383</td><td>27</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5821.44	56.73	88.20	-31.47	41.88	34.85	11.47	31.47	0.00	383	27	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>83.76</td><td>-----</td><td>-----</td><td>68.60</td><td>35.12</td><td>11.73</td><td>31.69</td><td>0.00</td><td>383</td><td>27</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	83.76	-----	-----	68.60	35.12	11.73	31.69	0.00	383	27
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5821.44	56.73	88.20	-31.47	41.88	34.85	11.47	31.47	0.00	383	27	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6105.00	83.76	-----	-----	68.60	35.12	11.73	31.69	0.00	383	27	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.76</td><td>46.85</td><td>68.20</td><td>-21.35</td><td>31.87</td><td>34.93</td><td>11.55</td><td>31.50</td><td>0.00</td><td>383</td><td>27</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.76	46.85	68.20	-21.35	31.87	34.93	11.55	31.50	0.00	383	27	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>75.58</td><td>-----</td><td>-----</td><td>60.44</td><td>35.11</td><td>11.71</td><td>31.68</td><td>0.00</td><td>383</td><td>27</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	75.58	-----	-----	60.44	35.11	11.71	31.68	0.00	383	27
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5920.76	46.85	68.20	-21.35	31.87	34.93	11.55	31.50	0.00	383	27	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6105.00	75.58	-----	-----	60.44	35.11	11.71	31.68	0.00	383	27	AVERAGE																																																																																																			





Mode	88																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																														
ANT	CDD 17+18																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5892.40</td><td>64.70</td><td>88.20</td><td>-23.50</td><td>49.77</td><td>34.90</td><td>11.52</td><td>31.49</td><td>0.00</td><td>100</td><td>36</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5892.40	64.70	88.20	-23.50	49.77	34.90	11.52	31.49	0.00	100	36	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>100.15</td><td>88.20</td><td>11.95</td><td>93.73</td><td>32.03</td><td>7.22</td><td>32.83</td><td>0.00</td><td>100</td><td>36</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	100.15	88.20	11.95	93.73	32.03	7.22	32.83	0.00	100	36
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5892.40	64.70	88.20	-23.50	49.77	34.90	11.52	31.49	0.00	100	36	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6025.00	100.15	88.20	11.95	93.73	32.03	7.22	32.83	0.00	100	36	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5915.20</td><td>55.43</td><td>68.20</td><td>-12.77</td><td>40.47</td><td>34.92</td><td>11.54</td><td>31.50</td><td>0.00</td><td>100</td><td>36</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.20	55.43	68.20	-12.77	40.47	34.92	11.54	31.50	0.00	100	36	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>92.28</td><td>68.20</td><td>24.08</td><td>85.86</td><td>32.03</td><td>7.22</td><td>32.83</td><td>0.00</td><td>100</td><td>36</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	92.28	68.20	24.08	85.86	32.03	7.22	32.83	0.00	100	36
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5915.20	55.43	68.20	-12.77	40.47	34.92	11.54	31.50	0.00	100	36	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6025.00	92.28	68.20	24.08	85.86	32.03	7.22	32.83	0.00	100	36	AVERAGE																																																																																																			



Mode	88																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																		
ANT	CDD 17+18																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5894.40</td><td>62.74</td><td>88.20</td><td>-25.46</td><td>47.79</td><td>34.91</td><td>11.53</td><td>31.49</td><td>0.00</td><td>343</td><td>276</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5894.40	62.74	88.20	-25.46	47.79	34.91	11.53	31.49	0.00	343	276	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>95.16</td><td>88.20</td><td>6.96</td><td>80.04</td><td>35.05</td><td>11.66</td><td>31.59</td><td>0.00</td><td>343</td><td>276</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	95.16	88.20	6.96	80.04	35.05	11.66	31.59	0.00	343	276
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5894.40	62.74	88.20	-25.46	47.79	34.91	11.53	31.49	0.00	343	276	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	95.16	88.20	6.96	80.04	35.05	11.66	31.59	0.00	343	276	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.60</td><td>52.52</td><td>68.20</td><td>-15.68</td><td>37.56</td><td>34.92</td><td>11.54</td><td>31.50</td><td>0.00</td><td>343</td><td>276</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.60	52.52	68.20	-15.68	37.56	34.92	11.54	31.50	0.00	343	276	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>87.47</td><td>68.20</td><td>19.27</td><td>81.05</td><td>32.03</td><td>7.22</td><td>32.83</td><td>0.00</td><td>343</td><td>276</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	87.47	68.20	19.27	81.05	32.03	7.22	32.83	0.00	343	276
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5914.60	52.52	68.20	-15.68	37.56	34.92	11.54	31.50	0.00	343	276	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	87.47	68.20	19.27	81.05	32.03	7.22	32.83	0.00	343	276	AVERAGE																																																																																							



Mode	88																																																																																													
	Harmonic																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																													
ANT	CDD 17+18																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12050.00</td><td>44.28</td><td>74.00</td><td>-29.72</td><td>54.33</td><td>38.56</td><td>16.53</td><td>65.14</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12050.00	44.28	74.00	-29.72	54.33	38.56	16.53	65.14	0.00	100	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12050.00</td><td>43.90</td><td>74.00</td><td>-30.10</td><td>53.95</td><td>38.56</td><td>16.53</td><td>65.14</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12050.00	43.90	74.00	-30.10	53.95	38.56	16.53	65.14	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 12050.00	44.28	74.00	-29.72	54.33	38.56	16.53	65.14	0.00	100	0 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 12050.00	43.90	74.00	-30.10	53.95	38.56	16.53	65.14	0.00	300	0 PEAK																																																																																				

Mode

88

Band Edge

802.11g_CH01_Full RU_2412MHz

ANT

CDD 17+18

Pol.

Horizontal

Fundamental

Peak

Level (dBuV/m)

117

102.4

87.8

73.1

58.5

43.9

29.3

14.6

0

2310

2336

2362

2388

2414

2440

117

102.4

87.8

73.1

58.5

43.9

29.3

14.6

0

1000

1400

1800

2200

2600

3000

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

2389.56

60.11

74.00

-13.89

47.83

31.97

7.16

32.85

6.00

100

22

PEAK

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

2412.00

99.97

87.60

32.01

7.20

32.84

6.00

100

22

PEAK

Avg

Level (dBuV/m)

117

102.4

87.8

73.1

58.5

43.9

29.3

14.6

0

2310

2336

2362

2388

2414

2440

117

102.4

87.8

73.1

58.5

43.9

29.3

14.6

0

1000

1400

1800

2200

2600

3000

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

2389.95

50.48

54.00

-3.52

38.20

31.97

7.16

32.85

6.00

100

22

AVERAGE

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

2412.00

92.44

80.07

32.01

7.20

32.84





6.00

100



22

AVERAGE







		88																																									
Mode		Band Edge																																									
		802.11g_CH01_Full RU_2412MHz																																									
ANT		CDD 17+18																																									
Pol.		Vertical					Fundamental																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal peak at 2389.82 MHz. The FCC PART 15C limit is indicated at 73.1 dBuV/m.																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.82</td><td>60.86</td><td>74.00</td><td>-13.14</td><td>48.58</td><td>31.97</td><td>7.16</td><td>32.85</td><td>6.00</td><td>295 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg	1	2389.82	60.86	74.00	-13.14	48.58	31.97	7.16	32.85	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg																																	
1	2389.82	60.86	74.00	-13.14	48.58	31.97	7.16	32.85	6.00	295 PEAK																																	
Peak	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal peak at 2412.00 MHz. The FCC PART 15C limit is indicated at 73.1 dBuV/m.																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>102.86</td><td>-----</td><td>-----</td><td>90.46</td><td>32.02</td><td>7.21</td><td>32.83</td><td>6.00</td><td>295 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg	1	2412.00	102.86	-----	-----	90.46	32.02	7.21	32.83	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg																																	
1	2412.00	102.86	-----	-----	90.46	32.02	7.21	32.83	6.00	295 PEAK																																	
Avg	 Vertical Avg Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal peak at 2389.95 MHz. The FCC PART 15C (AVG) limit is indicated at 54.00 dBuV/m.																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>50.25</td><td>54.00</td><td>-3.75</td><td>37.97</td><td>31.97</td><td>7.16</td><td>32.85</td><td>6.00</td><td>295 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg	1	2389.95	50.25	54.00	-3.75	37.97	31.97	7.16	32.85	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg																																	
1	2389.95	50.25	54.00	-3.75	37.97	31.97	7.16	32.85	6.00	295 AVERAGE																																	
Avg	 Fundamental Avg Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal peak at 2412.00 MHz. The FCC PART 15C (AVG) limit is indicated at 54.00 dBuV/m.																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>94.69</td><td>-----</td><td>-----</td><td>82.29</td><td>32.02</td><td>7.21</td><td>32.83</td><td>6.00</td><td>295 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg	1	2412.00	94.69	-----	-----	82.29	32.02	7.21	32.83	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg																																	
1	2412.00	94.69	-----	-----	82.29	32.02	7.21	32.83	6.00	295 AVERAGE																																	







Mode	88																																																																																														
	Harmonic																																																																																														
	802.11g_CH01_Full RU_2412MHz																																																																																														
ANT	CDD 17+18																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>39.06</td><td>74.00</td><td>-34.94</td><td>59.94</td><td>34.09</td><td>10.29</td><td>65.26</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4824.00	39.06	74.00	-34.94	59.94	34.09	10.29	65.26	0.00	300	360	PEAK	<table><tr><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>38.37</td><td>74.00</td><td>-35.63</td><td>59.25</td><td>34.09</td><td>10.29</td><td>65.26</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>						Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	38.37	74.00	-35.63	59.25	34.09	10.29	65.26	0.00	100	360
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																				
1	4824.00	39.06	74.00	-34.94	59.94	34.09	10.29	65.26	0.00	300	360	PEAK																																																																																			
Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	4824.00	38.37	74.00	-35.63	59.25	34.09	10.29	65.26	0.00	100	360	PEAK																																																																																			





Mode	89																																																																																								
	Band Edge																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																								
ANT	CDD 17+18																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5913.20</td><td>60.76</td><td>88.20</td><td>-27.44</td><td>45.80</td><td>34.92</td><td>11.54</td><td>31.50</td><td>0.00</td><td>100 36 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5913.20	60.76	88.20	-27.44	45.80	34.92	11.54	31.50	0.00	100 36 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>93.26</td><td>88.20</td><td>5.06</td><td>78.18</td><td>34.99</td><td>11.61</td><td>31.52</td><td>0.00</td><td>100 36 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6025.00	93.26	88.20	5.06	78.18	34.99	11.61	31.52	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 5913.20	60.76	88.20	-27.44	45.80	34.92	11.54	31.50	0.00	100 36 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 6025.00	93.26	88.20	5.06	78.18	34.99	11.61	31.52	0.00	100 36 PEAK																																																																																
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5914.20</td><td>50.77</td><td>68.20</td><td>-17.43</td><td>35.81</td><td>34.92</td><td>11.54</td><td>31.50</td><td>0.00</td><td>100 36 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5914.20	50.77	68.20	-17.43	35.81	34.92	11.54	31.50	0.00	100 36 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>84.16</td><td>68.20</td><td>15.96</td><td>69.07</td><td>35.01</td><td>11.63</td><td>31.55</td><td>0.00</td><td>100 36 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6025.00	84.16	68.20	15.96	69.07	35.01	11.63	31.55	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 5914.20	50.77	68.20	-17.43	35.81	34.92	11.54	31.50	0.00	100 36 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 6025.00	84.16	68.20	15.96	69.07	35.01	11.63	31.55	0.00	100 36 AVERAGE																																																																																







	89																																																																																													
Mode	Band Edge																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																													
ANT	CDD 17+18																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5909.80</td><td>57.82</td><td>88.20</td><td>-30.38</td><td>42.85</td><td>34.92</td><td>11.54</td><td>31.49</td><td>0.00</td><td>300</td><td>275 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5909.80	57.82	88.20	-30.38	42.85	34.92	11.54	31.49	0.00	300	275 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>88.05</td><td>88.20</td><td>-0.15</td><td>72.95</td><td>35.02</td><td>11.64</td><td>31.56</td><td>0.00</td><td>300</td><td>275 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6025.00	88.05	88.20	-0.15	72.95	35.02	11.64	31.56	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5909.80	57.82	88.20	-30.38	42.85	34.92	11.54	31.49	0.00	300	275 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 6025.00	88.05	88.20	-0.15	72.95	35.02	11.64	31.56	0.00	300	275 PEAK																																																																																				
Avg																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5892.20</td><td>49.84</td><td>88.20</td><td>-38.36</td><td>34.91</td><td>34.90</td><td>11.52</td><td>31.49</td><td>0.00</td><td>300</td><td>275 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5892.20	49.84	88.20	-38.36	34.91	34.90	11.52	31.49	0.00	300	275 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>81.86</td><td>84.00</td><td>27.86</td><td>75.18</td><td>32.16</td><td>7.33</td><td>32.81</td><td>0.00</td><td>300</td><td>275 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6025.00	81.86	84.00	27.86	75.18	32.16	7.33	32.81	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5892.20	49.84	88.20	-38.36	34.91	34.90	11.52	31.49	0.00	300	275 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 6025.00	81.86	84.00	27.86	75.18	32.16	7.33	32.81	0.00	300	275 AVERAGE																																																																																				



Mode	89																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																		
ANT	CDD 17+18																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12858.00</td><td>45.32</td><td>74.00</td><td>-28.68</td><td>55.37</td><td>38.56</td><td>16.53</td><td>65.14</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	12858.00	45.32	74.00	-28.68	55.37	38.56	16.53	65.14	0.00	100	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12858.00</td><td>44.29</td><td>74.00</td><td>-29.71</td><td>54.34</td><td>38.56</td><td>16.53</td><td>65.14</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	12858.00	44.29	74.00	-29.71	54.34	38.56	16.53	65.14	0.00	300	0
	Limit	Read	Ant	Cable	Preamp	Aux	Apos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																									
1	12858.00	45.32	74.00	-28.68	55.37	38.56	16.53	65.14	0.00	100	0	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	Apos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																									
1	12858.00	44.29	74.00	-29.71	54.34	38.56	16.53	65.14	0.00	300	0	PEAK																																																																																							





		89																																																			
Mode	Band Edge																																																				
	Bluetooth-LE_GSKF_Ch39_Full RU_2480MHz																																																				
ANT	CDD 17+18																																																				
Pol.	Horizontal																																																				
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.72</td><td>57.58</td><td>74.00</td><td>-16.42</td><td>44.91</td><td>32.16</td><td>7.33</td><td>32.82</td><td>6.00</td><td>100</td><td>116 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.72	57.58	74.00	-16.42	44.91	32.16	7.33	32.82	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2483.72	57.58	74.00	-16.42	44.91	32.16	7.33	32.82	6.00	100	116 PEAK																																										
Fundamental																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>95.20</td><td>-----</td><td>-----</td><td>82.54</td><td>32.15</td><td>7.33</td><td>32.82</td><td>6.00</td><td>100</td><td>116 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.20	-----	-----	82.54	32.15	7.33	32.82	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2480.00	95.20	-----	-----	82.54	32.15	7.33	32.82	6.00	100	116 PEAK																																										
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>46.58</td><td>54.00</td><td>-7.42</td><td>33.91</td><td>32.16</td><td>7.33</td><td>32.82</td><td>6.00</td><td>100</td><td>116 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	46.58	54.00	-7.42	33.91	32.16	7.33	32.82	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2483.50	46.58	54.00	-7.42	33.91	32.16	7.33	32.82	6.00	100	116 AVERAGE																																										
AVERAGE																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>92.25</td><td>-----</td><td>-----</td><td>79.60</td><td>32.15</td><td>7.32</td><td>32.82</td><td>6.00</td><td>100</td><td>116 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	92.25	-----	-----	79.60	32.15	7.32	32.82	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2480.00	92.25	-----	-----	79.60	32.15	7.32	32.82	6.00	100	116 AVERAGE																																										



Mode	89																																																																																																			
	Band Edge																																																																																																			
	Bluetooth-LE_GSKF_Ch39_Full RU_2480MHz																																																																																																			
ANT	CDD 17+18																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.88</td><td>57.75</td><td>74.00</td><td>-16.25</td><td>45.08</td><td>32.16</td><td>7.33</td><td>32.82</td><td>6.00</td><td>385</td><td>296</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.88	57.75	74.00	-16.25	45.08	32.16	7.33	32.82	6.00	385	296	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>95.67</td><td>-----</td><td>-----</td><td>83.01</td><td>32.15</td><td>7.33</td><td>32.82</td><td>6.00</td><td>385</td><td>296</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.67	-----	-----	83.01	32.15	7.33	32.82	6.00	385	296	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.88	57.75	74.00	-16.25	45.08	32.16	7.33	32.82	6.00	385	296	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	95.67	-----	-----	83.01	32.15	7.33	32.82	6.00	385	296	PEAK																																																																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>46.54</td><td>54.00</td><td>-7.46</td><td>33.87</td><td>32.16</td><td>7.33</td><td>32.82</td><td>6.00</td><td>385</td><td>296</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	46.54	54.00	-7.46	33.87	32.16	7.33	32.82	6.00	385	296	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>92.41</td><td>-----</td><td>-----</td><td>79.76</td><td>32.15</td><td>7.32</td><td>32.82</td><td>6.00</td><td>385</td><td>296</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	92.41	-----	-----	79.76	32.15	7.32	32.82	6.00	385	296	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.50	46.54	54.00	-7.46	33.87	32.16	7.33	32.82	6.00	385	296	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	92.41	-----	-----	79.76	32.15	7.32	32.82	6.00	385	296	AVERAGE																																																																																								





Mode	89																																																																																																																																	
	Harmonic																																																																																																																																	
	Bluetooth-LE_GSKF_Ch39_Full RU_2480MHz																																																																																																																																	
ANT	CDD 17+18																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4956.00</td><td>42.72</td><td>74.00</td><td>-31.28</td><td>63.35</td><td>34.20</td><td>10.44</td><td>65.27</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>43.51</td><td>74.00</td><td>-30.49</td><td>60.85</td><td>35.42</td><td>12.93</td><td>65.69</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4956.00	42.72	74.00	-31.28	63.35	34.20	10.44	65.27	0.00	300	360	PEAK	2	7434.00	43.51	74.00	-30.49	60.85	35.42	12.93	65.69	0.00	300	360	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4956.00</td><td>41.99</td><td>74.00</td><td>-32.01</td><td>62.62</td><td>34.20</td><td>10.44</td><td>65.27</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>43.22</td><td>74.00</td><td>-30.78</td><td>60.56</td><td>35.42</td><td>12.93</td><td>65.69</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4956.00	41.99	74.00	-32.01	62.62	34.20	10.44	65.27	0.00	100	360	PEAK	2	7434.00	43.22	74.00	-30.78	60.56	35.42	12.93	65.69	0.00	100	360	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	4956.00	42.72	74.00	-31.28	63.35	34.20	10.44	65.27	0.00	300	360	PEAK																																																																																																																						
2	7434.00	43.51	74.00	-30.49	60.85	35.42	12.93	65.69	0.00	300	360	PEAK																																																																																																																						
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	4956.00	41.99	74.00	-32.01	62.62	34.20	10.44	65.27	0.00	100	360	PEAK																																																																																																																						
2	7434.00	43.22	74.00	-30.78	60.56	35.42	12.93	65.69	0.00	100	360	PEAK																																																																																																																						



Mode	75	
	Emission above 18GHz	
	U-NII-7-8_6.525-7.125_802.11be EHT320_CH191_Puncturing 80M+40M_6905MHz	
ANT	CDD 17+18	
Pol.	Horizontal	Vertical
Peak Avg		

Note: For 18GHz to 40GHz, only wore case is verified in this report.




Mode	87																																																																																																																																																																																
	Emission below 1GHz																																																																																																																																																																																
	U-NII-7-8_6.525-7.125_802.11be EHT320_CH191_Puncturing 80M+40M_6905MHz																																																																																																																																																																																
ANT	CDD 17+18																																																																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																																																																															
Peak QP	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>21.04</td><td>40.00</td><td>-18.96</td><td>27.66</td><td>25.08</td><td>0.50</td><td>32.20</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>229.82</td><td>27.64</td><td>46.00</td><td>-18.36</td><td>41.58</td><td>16.01</td><td>2.21</td><td>32.16</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>283.17</td><td>34.09</td><td>46.00</td><td>-11.91</td><td>44.92</td><td>18.84</td><td>2.46</td><td>32.13</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>305.48</td><td>30.51</td><td>46.00</td><td>-15.49</td><td>40.78</td><td>19.28</td><td>2.56</td><td>32.11</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>366.59</td><td>25.77</td><td>46.00</td><td>-20.23</td><td>34.45</td><td>20.76</td><td>2.79</td><td>32.23</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>821.52</td><td>29.43</td><td>46.00</td><td>-16.57</td><td>29.09</td><td>28.51</td><td>4.17</td><td>32.34</td><td>0.00</td><td>--- Peak</td></tr></table> <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39.70</td><td>28.66</td><td>40.00</td><td>-11.34</td><td>40.48</td><td>19.68</td><td>0.62</td><td>32.12</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>66.86</td><td>26.34</td><td>40.00</td><td>-13.66</td><td>45.30</td><td>12.17</td><td>1.01</td><td>32.14</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>214.30</td><td>19.42</td><td>43.50</td><td>-24.08</td><td>34.36</td><td>15.05</td><td>2.14</td><td>32.13</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>282.20</td><td>24.46</td><td>46.00</td><td>-21.54</td><td>35.34</td><td>18.80</td><td>2.46</td><td>32.14</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>347.19</td><td>27.88</td><td>46.00</td><td>-18.12</td><td>37.13</td><td>20.22</td><td>2.72</td><td>32.19</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>502.39</td><td>27.91</td><td>46.00</td><td>-18.09</td><td>33.13</td><td>23.91</td><td>3.27</td><td>32.40</td><td>0.00</td><td>--- Peak</td></tr></table>	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	21.04	40.00	-18.96	27.66	25.08	0.50	32.20	0.00	--- Peak	2	229.82	27.64	46.00	-18.36	41.58	16.01	2.21	32.16	0.00	--- Peak	3	283.17	34.09	46.00	-11.91	44.92	18.84	2.46	32.13	0.00	--- Peak	4	305.48	30.51	46.00	-15.49	40.78	19.28	2.56	32.11	0.00	--- Peak	5	366.59	25.77	46.00	-20.23	34.45	20.76	2.79	32.23	0.00	--- Peak	6	821.52	29.43	46.00	-16.57	29.09	28.51	4.17	32.34	0.00	--- Peak	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	39.70	28.66	40.00	-11.34	40.48	19.68	0.62	32.12	0.00	--- Peak	2	66.86	26.34	40.00	-13.66	45.30	12.17	1.01	32.14	0.00	--- Peak	3	214.30	19.42	43.50	-24.08	34.36	15.05	2.14	32.13	0.00	--- Peak	4	282.20	24.46	46.00	-21.54	35.34	18.80	2.46	32.14	0.00	--- Peak	5	347.19	27.88	46.00	-18.12	37.13	20.22	2.72	32.19	0.00	--- Peak	6	502.39	27.91	46.00	-18.09	33.13	23.91	3.27	32.40	0.00	--- Peak
Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																							
1	30.00	21.04	40.00	-18.96	27.66	25.08	0.50	32.20	0.00	--- Peak																																																																																																																																																																							
2	229.82	27.64	46.00	-18.36	41.58	16.01	2.21	32.16	0.00	--- Peak																																																																																																																																																																							
3	283.17	34.09	46.00	-11.91	44.92	18.84	2.46	32.13	0.00	--- Peak																																																																																																																																																																							
4	305.48	30.51	46.00	-15.49	40.78	19.28	2.56	32.11	0.00	--- Peak																																																																																																																																																																							
5	366.59	25.77	46.00	-20.23	34.45	20.76	2.79	32.23	0.00	--- Peak																																																																																																																																																																							
6	821.52	29.43	46.00	-16.57	29.09	28.51	4.17	32.34	0.00	--- Peak																																																																																																																																																																							
Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																							
1	39.70	28.66	40.00	-11.34	40.48	19.68	0.62	32.12	0.00	--- Peak																																																																																																																																																																							
2	66.86	26.34	40.00	-13.66	45.30	12.17	1.01	32.14	0.00	--- Peak																																																																																																																																																																							
3	214.30	19.42	43.50	-24.08	34.36	15.05	2.14	32.13	0.00	--- Peak																																																																																																																																																																							
4	282.20	24.46	46.00	-21.54	35.34	18.80	2.46	32.14	0.00	--- Peak																																																																																																																																																																							
5	347.19	27.88	46.00	-18.12	37.13	20.22	2.72	32.19	0.00	--- Peak																																																																																																																																																																							
6	502.39	27.91	46.00	-18.09	33.13	23.91	3.27	32.40	0.00	--- Peak																																																																																																																																																																							

Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1+2	802.11a	99.05	-	-	10Hz
1+2	802.11be EHT20	100	-	-	10Hz
1+2	802.11be EHT40	100	-	-	10Hz
1+2	802.11be EHT80	100	-	-	10Hz
1+2	802.11be EHT160	100	-	-	10Hz
1+2	802.11be EHT320	100	-	-	10Hz
1+2	802.11be EHT20-Single RU26	95.65	5.101	0.196	0.22kHz
1+2	802.11be EHT20-Single RU52	95.63	5.073	0.197	0.22kHz
1+2	802.11be EHT20-Single RU106	95.93	4.783	0.209	0.22kHz
1+2	802.11be EHT20-Small RU52+26	95.15	4.551	0.220	0.24kHz
1+2	802.11be EHT20-Small RU106+26	96.77	4.35	0.23	0.24kHz
1+2	802.11be EHT80 Puncturing 20M	100	-	-	10Hz
1+2	802.11be EHT160 Puncturing 40M	100	-	-	10Hz
1+2	802.11be EHT160 Puncturing 20M	100	-	-	10Hz
1+2	802.11be EHT320 Puncturing 80M + 40M	100	-	-	10Hz
1+2	802.11be EHT320 Puncturing 80M	100	-	-	10Hz
1+2	802.11be EHT320 Puncturing 40M	100	-	-	10Hz
1+2	802.11be EHT80-Large RU484+242	96.84	1.109	0.912	1kHz
1+2	802.11be EHT160-Large RU996+484	94.82	0.928	1.078	1.1kHz
1+2	802.11be EHT320-Large RU 996*2+484	94.34	0.580	1.725	1.8 kHz
1+2	802.11be EHT320-Large RU 996*3	93.33	0.487	2.054	2.2kHz
1+2	802.11be EHT320-Large RU 996*3+484	91.49	0.374	2.674	2.7kHz



802.11a




802.11be EHT20






802.11be EHT40




802.11be EHT80






802.11be EHT160




802.11be EHT320






802.11be EHT20-Single RU26




802.11be EHT20-Single RU52






802.11be EHT20-Single RU106




802.11be EHT20-Small RU52+26







802.11be EHT20-Small RU106+26




802.11be EHT80 Puncturing 20M



802.11be EHT160 Puncturing 40M




802.11be EHT160 Puncturing 20M






802.11be EHT320 Puncturing 80M + 40M




802.11be EHT320 Puncturing 80M






802.11be EHT320 Puncturing 40M




802.11be EHT80- Large RU484+242






802.11be EHT160- Large RU996+484




802.11be EHT320- Large RU 996*2+484





802.11be EHT320- Large RU 996*3



802.11be EHT320- Large RU 996*3+484

