





DH5_Ant14_High_2480





Date: 13.OCT.2025 19:00:06

DH5_Ant7_High_2480




Date: 13.OCT.2025 20:34:08








2DH1_Ant14_Low_2402



Date: 13.OCT.2025 19:01:35


2DH1_Ant7_Low_2402



Date: 13.OCT.2025 20:35:23




2DH1_Ant14_High_2480



Date: 13.OCT.2025 19:05:15


2DH1_Ant7_High_2480



Date: 13.OCT.2025 20:37:44




2DH1_Ant14_Low_Hop_2402



Date: 13.OCT.2025 19:11:28


2DH1_Ant7_Low_Hop_2402



Date: 13.OCT.2025 20:43:09




2DH1_Ant14_High_Hop_2480



Date: 13.OCT.2025 19:11:42


2DH1_Ant7_High_Hop_2480



Date: 13.OCT.2025 20:43:23




3DH1_Ant14_Low_2402



Date: 13.OCT.2025 19:06:36


3DH1_Ant7_Low_2402



Date: 13.OCT.2025 20:39:01




3DH1_Ant14_High_2480



Date: 13.OCT.2025 19:09:17


3DH1_Ant7_High_2480



Date: 13.OCT.2025 20:41:23




3DH1_Ant14_Low_Hop_2402



Date: 13.OCT.2025 19:12:04


3DH1_Ant7_Low_Hop_2402



Date: 13.OCT.2025 20:43:39




3DH1_Ant14_High_Hop_2480



Date: 13.OCT.2025 19:12:19

3DH1_Ant7_High_Hop_2480



Date: 13.OCT.2025 20:43:54



Conducted Spurious Emission

Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant14	2402	Reference	11.80	11.80	---	PASS
			30~1000	11.80	-50.09	≤-8.2	PASS
			1000~26500	11.80	-40.84	≤-8.2	PASS
	Ant7	2402	Reference	10.62	10.62	---	PASS
			30~1000	10.62	-50.37	≤-9.38	PASS
			1000~26500	10.62	-41.37	≤-9.38	PASS
	Ant14	2441	Reference	10.89	10.89	---	PASS
			30~1000	10.89	-49.57	≤-9.11	PASS
			1000~26500	10.89	-40.81	≤-9.11	PASS
	Ant7	2441	Reference	10.89	10.89	---	PASS
			30~1000	10.89	-50.1	≤-9.11	PASS
			1000~26500	10.89	-40.86	≤-9.11	PASS
	Ant14	2480	Reference	11.72	11.72	---	PASS
			30~1000	11.72	-50.99	≤-8.28	PASS
			1000~26500	11.72	-41.17	≤-8.28	PASS
	Ant7	2480	Reference	11.69	11.69	---	PASS
			30~1000	11.69	-50.33	≤-8.31	PASS
			1000~26500	11.69	-41.73	≤-8.31	PASS
2DH1	Ant14	2402	Reference	8.31	8.31	---	PASS
			30~1000	8.31	-50.07	≤-11.69	PASS
			1000~26500	8.31	-41.55	≤-11.69	PASS
	Ant7	2402	Reference	6.85	6.85	---	PASS
			30~1000	6.85	-50.83	≤-13.15	PASS
			1000~26500	6.85	-40.82	≤-13.15	PASS
	Ant14	2441	Reference	7.26	7.26	---	PASS
			30~1000	7.26	-49.56	≤-12.74	PASS
			1000~26500	7.26	-41.88	≤-12.74	PASS
	Ant7	2441	Reference	7.71	7.71	---	PASS
			30~1000	7.71	-50.26	≤-12.29	PASS
			1000~26500	7.71	-40.74	≤-12.29	PASS
	Ant14	2480	Reference	8.91	8.91	---	PASS
			30~1000	8.91	-50.44	≤-11.09	PASS
			1000~26500	8.91	-41.94	≤-11.09	PASS
	Ant7	2480	Reference	8.88	8.88	---	PASS
			30~1000	8.88	-50.09	≤-11.12	PASS
			1000~26500	8.88	-41.17	≤-11.12	PASS





3DH1	Ant14	2402	Reference	8.49	8.49	---	PASS
			30~1000	8.49	-51.02	≤ -11.51	PASS
			1000~26500	8.49	-40.77	≤ -11.51	PASS
	Ant7	2402	Reference	6.99	6.99	---	PASS
			30~1000	6.99	-50.25	≤ -13.01	PASS
			1000~26500	6.99	-42.03	≤ -13.01	PASS
	Ant14	2441	Reference	7.43	7.43	---	PASS
			30~1000	7.43	-50.51	≤ -12.57	PASS
			1000~26500	7.43	-41.02	≤ -12.57	PASS
	Ant7	2441	Reference	7.82	7.82	---	PASS
			30~1000	7.82	-50.24	≤ -12.18	PASS
			1000~26500	7.82	-41.08	≤ -12.18	PASS
	Ant14	2480	Reference	9.05	9.05	---	PASS
			30~1000	9.05	-49.98	≤ -10.95	PASS
			1000~26500	9.05	-42.08	≤ -10.95	PASS
	Ant7	2480	Reference	9.05	9.05	---	PASS
			30~1000	9.05	-49.46	≤ -10.95	PASS
			1000~26500	9.05	-42.12	≤ -10.95	PASS





Test Graphs
















































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Xuruibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO02-SZ
Condition : FCC 15C_QP LISN_2025-L LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.16	38.46	-17.01	55.47	18.60	9.67	10.19	Average
2 *	0.16	56.26	-9.21	65.47	36.40	9.67	10.19	QP
3	0.22	34.40	-18.61	53.01	14.51	9.71	10.18	Average
4	0.22	51.60	-11.41	63.01	31.71	9.71	10.18	QP
5	0.26	25.83	-25.46	51.29	5.90	9.73	10.20	Average
6	0.26	42.53	-18.76	61.29	22.60	9.73	10.20	QP
7	0.35	25.55	-23.50	49.05	5.60	9.73	10.22	Average
8	0.35	38.65	-20.40	59.05	18.70	9.73	10.22	QP
9	0.63	33.70	-12.30	46.00	13.79	9.67	10.24	Average
10	0.63	42.40	-13.60	56.00	22.49	9.67	10.24	QP
11	5.06	18.72	-31.28	50.00	-1.20	9.65	10.27	Average
12	5.06	27.32	-32.68	60.00	7.40	9.65	10.27	QP



Test Engineer :	Xuruibin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ
Condition : FCC 15C_QP LISN_2025-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.16	37.34	-18.13	55.47	17.49	9.66	10.19	Average
2 *	0.16	53.24	-12.23	65.47	33.39	9.66	10.19	QP
3	0.18	36.86	-17.82	54.68	16.91	9.77	10.18	Average
4	0.18	50.36	-14.32	64.68	30.41	9.77	10.18	QP
5	0.22	30.58	-22.12	52.70	10.70	9.69	10.19	Average
6	0.22	45.78	-16.92	62.70	25.90	9.69	10.19	QP
7	0.30	26.57	-23.80	50.37	6.49	9.87	10.21	Average
8	0.30	38.27	-22.10	60.37	18.19	9.87	10.21	QP
9	0.64	33.91	-12.09	46.00	14.00	9.67	10.24	Average
10	0.64	42.81	-13.19	56.00	22.90	9.67	10.24	QP
11	4.70	21.46	-24.54	46.00	1.50	9.69	10.27	Average
12	4.70	31.36	-24.64	56.00	11.40	9.69	10.27	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Koi Ji	Relative Humidity :	46 ~ 48 %
		Temperature :	26.2 ~ 27.5 °C

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	14	Bluetooth EDR_8-DPSK	0	2402	3Mbps	-	-
Mode 2	2400-2483.5	14	Bluetooth EDR_8-DPSK	39	2441	3Mbps	-	-
Mode 3	2400-2483.5	14	Bluetooth EDR_8-DPSK	78	2480	3Mbps	-	-
Mode 10	2400-2483.5	7	Bluetooth EDR_8-DPSK	0	2402	3Mbps	-	-
Mode 11	2400-2483.5	7	Bluetooth EDR_8-DPSK	39	2441	3Mbps	-	-
Mode 12	2400-2483.5	7	Bluetooth EDR_8-DPSK	78	2480	3Mbps	-	-
Mode 19	2400-2483.5	BF 14+7	Bluetooth EDR_8-DPSK	0	2402	3Mbps	-	-
Mode 20	2400-2483.5	BF 14+7	Bluetooth EDR_8-DPSK	39	2441	3Mbps	-	-
Mode 21	2400-2483.5	BF 14+7	Bluetooth EDR_8-DPSK	78	2480	3Mbps	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth EDR_8-DPSK	0	2354.72	55.39	74.00	-18.61	H	PEAK	Pass	Band Edge
1	Bluetooth EDR_8-DPSK	0	4804.00	38.97	74.00	-35.03	V	PEAK	Pass	Harmonic
2	Bluetooth EDR_8-DPSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth EDR_8-DPSK	39	7323.00	42.03	74.00	-31.97	H	PEAK	Pass	Harmonic
3	Bluetooth EDR_8-DPSK	78	2491.09	55.79	74.00	-18.21	H	PEAK	Pass	Band Edge
3	Bluetooth EDR_8-DPSK	78	7440.00	42.49	74.00	-31.51	V	PEAK	Pass	Harmonic
10	Bluetooth EDR_8-DPSK	0	2375.65	54.71	74.00	-19.29	V	PEAK	Pass	Band Edge
10	Bluetooth EDR_8-DPSK	0	4804.00	41.37	74.00	-32.63	H	PEAK	Pass	Harmonic
11	Bluetooth EDR_8-DPSK	39	-	-	-	-	-	-	-	Band Edge
11	Bluetooth EDR_8-DPSK	39	7323.00	42.28	74.00	-31.72	V	PEAK	Pass	Harmonic
12	Bluetooth EDR_8-DPSK	78	2483.66	55.90	74.00	-18.10	V	PEAK	Pass	Band Edge
12	Bluetooth EDR_8-DPSK	78	7440.00	42.50	74.00	-31.50	V	PEAK	Pass	Harmonic
19	Bluetooth EDR_8-DPSK	0	2361.22	55.13	74.00	-18.87	H	PEAK	Pass	Band Edge
19	Bluetooth	0	4804.00	38.71	74.00	-35.29	V	PEAK	Pass	Harmonic



	EDR_8-DPSK									
20	Bluetooth EDR_8-DPSK	39	-	-	-	-	-	-	-	Band Edge
20	Bluetooth EDR_8-DPSK	39	7323.00	41.17	74.00	-32.83	H	PEAK	Pass	Harmonic
21	Bluetooth EDR_8-DPSK	78	2496.46	56.85	74.00	-17.15	V	PEAK	Pass	Band Edge
21	Bluetooth EDR_8-DPSK	78	7440.00	40.91	74.00	-33.09	V	PEAK	Pass	Harmonic





Mode	1																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth EDR_8-DPSK_CH0_2402MHz																																																																																																																												
ANT	14																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2354.72</td><td>55.39</td><td>74.00</td><td>-18.61</td><td>43.07</td><td>32.12</td><td>6.64</td><td>32.44</td><td>6.00</td><td>133</td><td>296 PEAK</td></tr><tr><td>2</td><td>2354.72</td><td>30.60</td><td>54.00</td><td>-23.40</td><td>18.28</td><td>32.12</td><td>6.64</td><td>32.44</td><td>6.00</td><td>133</td><td>296 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2354.72	55.39	74.00	-18.61	43.07	32.12	6.64	32.44	6.00	133	296 PEAK	2	2354.72	30.60	54.00	-23.40	18.28	32.12	6.64	32.44	6.00	133	296 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>110.05</td><td>-----</td><td>-----</td><td>97.46</td><td>32.31</td><td>6.70</td><td>32.42</td><td>6.00</td><td>133</td><td>296 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>85.26</td><td>-----</td><td>-----</td><td>72.67</td><td>32.31</td><td>6.70</td><td>32.42</td><td>6.00</td><td>133</td><td>296 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	110.05	-----	-----	97.46	32.31	6.70	32.42	6.00	133	296 PEAK	2	2402.00	85.26	-----	-----	72.67	32.31	6.70	32.42	6.00	133	296 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2354.72	55.39	74.00	-18.61	43.07	32.12	6.64	32.44	6.00	133	296 PEAK																																																																																																																		
2	2354.72	30.60	54.00	-23.40	18.28	32.12	6.64	32.44	6.00	133	296 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2402.00	110.05	-----	-----	97.46	32.31	6.70	32.42	6.00	133	296 PEAK																																																																																																																		
2	2402.00	85.26	-----	-----	72.67	32.31	6.70	32.42	6.00	133	296 AVERAGE																																																																																																																		





		1																																																																						
Mode	Band Edge																																																																							
	2400-2483.5_Bluetooth EDR_8-DPSK_CH0_2402MHz																																																																							
ANT	14																																																																							
Pol.	Vertical						Fundamental																																																																	
Peak																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2324.82</td><td>55.26</td><td>74.00</td><td>-18.74</td><td>43.31</td><td>31.00</td><td>6.60</td><td>32.45</td><td>6.00</td><td>300</td><td>52 PEAK</td></tr><tr><td>2</td><td>2324.82</td><td>30.47</td><td>54.00</td><td>-23.53</td><td>18.52</td><td>31.00</td><td>6.60</td><td>32.45</td><td>6.00</td><td>300</td><td>52 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2324.82	55.26	74.00	-18.74	43.31	31.00	6.60	32.45	6.00	300	52 PEAK	2	2324.82	30.47	54.00	-23.53	18.52	31.00	6.60	32.45	6.00	300	52 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	2324.82	55.26	74.00	-18.74	43.31	31.00	6.60	32.45	6.00	300	52 PEAK																																																													
2	2324.82	30.47	54.00	-23.53	18.52	31.00	6.60	32.45	6.00	300	52 AVERAGE																																																													
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>103.27</td><td>-----</td><td>-----</td><td>90.68</td><td>32.31</td><td>6.70</td><td>32.42</td><td>6.00</td><td>300</td><td>52 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>78.48</td><td>-----</td><td>-----</td><td>65.89</td><td>32.31</td><td>6.70</td><td>32.42</td><td>6.00</td><td>300</td><td>52 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2402.00	103.27	-----	-----	90.68	32.31	6.70	32.42	6.00	300	52 PEAK	2	2402.00	78.48	-----	-----	65.89	32.31	6.70	32.42	6.00	300	52 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	2402.00	103.27	-----	-----	90.68	32.31	6.70	32.42	6.00	300	52 PEAK																																																													
2	2402.00	78.48	-----	-----	65.89	32.31	6.70	32.42	6.00	300	52 AVERAGE																																																													





Mode	1																																																																																																							
	Harmonic																																																																																																							
	2400-2483.5_Bluetooth EDR_8-DPSK_CH0_2402MHz																																																																																																							
ANT	14																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>38.60</td><td>74.00</td><td>-35.40</td><td>61.04</td><td>34.10</td><td>9.62</td><td>66.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	38.60	74.00	-35.40	61.04	34.10	9.62	66.16	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>38.97</td><td>74.00</td><td>-35.03</td><td>61.41</td><td>34.10</td><td>9.62</td><td>66.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	38.97	74.00	-35.03	61.41	34.10	9.62	66.16	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	4804.00	38.60	74.00	-35.40	61.04	34.10	9.62	66.16	0.00	---	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	4804.00	38.97	74.00	-35.03	61.41	34.10	9.62	66.16	0.00	---	---	PEAK																																																																																												



Mode	2																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth EDR_8-DPSK_CH39_2441MHz																																																																																																																									
ANT	14																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.09</td><td>74.00</td><td>-33.91</td><td>58.45</td><td>34.40</td><td>11.56</td><td>64.32</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.03</td><td>74.00</td><td>-31.97</td><td>56.00</td><td>35.85</td><td>14.20</td><td>64.02</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.09	74.00	-33.91	58.45	34.40	11.56	64.32	0.00	--	PEAK	2	7323.00	42.03	74.00	-31.97	56.00	35.85	14.20	64.02	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.44</td><td>74.00</td><td>-33.56</td><td>58.80</td><td>34.40</td><td>11.56</td><td>64.32</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.00</td><td>74.00</td><td>-32.00</td><td>55.97</td><td>35.85</td><td>14.20</td><td>64.02</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.44	74.00	-33.56	58.80	34.40	11.56	64.32	0.00	--	PEAK	2	7323.00	42.00	74.00	-32.00	55.97	35.85	14.20	64.02	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4882.00	40.09	74.00	-33.91	58.45	34.40	11.56	64.32	0.00	--	PEAK																																																																																																															
2	7323.00	42.03	74.00	-31.97	56.00	35.85	14.20	64.02	0.00	--	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4882.00	40.44	74.00	-33.56	58.80	34.40	11.56	64.32	0.00	--	PEAK																																																																																																															
2	7323.00	42.00	74.00	-32.00	55.97	35.85	14.20	64.02	0.00	--	PEAK																																																																																																															



Mode	3																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																																													
ANT	14																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.09</td><td>55.79</td><td>74.00</td><td>-18.21</td><td>42.87</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>125</td><td>288</td><td>PEAK</td></tr><tr><td>2</td><td>2491.09</td><td>31.00</td><td>54.00</td><td>-23.00</td><td>18.08</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>125</td><td>288</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.09	55.79	74.00	-18.21	42.87	32.50	6.83	32.41	6.00	125	288	PEAK	2	2491.09	31.00	54.00	-23.00	18.08	32.50	6.83	32.41	6.00	125	288	AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>107.70</td><td>-----</td><td>-----</td><td>94.79</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>125</td><td>288</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>82.91</td><td>-----</td><td>-----</td><td>70.00</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>125</td><td>288</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	107.70	-----	-----	94.79	32.50	6.82	32.41	6.00	125	288	PEAK	2	2480.00	82.91	-----	-----	70.00	32.50	6.82	32.41	6.00	125	288	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2491.09	55.79	74.00	-18.21	42.87	32.50	6.83	32.41	6.00	125	288	PEAK																																																																																																																		
2	2491.09	31.00	54.00	-23.00	18.08	32.50	6.83	32.41	6.00	125	288	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2480.00	107.70	-----	-----	94.79	32.50	6.82	32.41	6.00	125	288	PEAK																																																																																																																		
2	2480.00	82.91	-----	-----	70.00	32.50	6.82	32.41	6.00	125	288	AVERAGE																																																																																																																		





Mode	3																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																			
ANT	14																																																																			
Pol.	Vertical						Fundamental																																																													
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>2488.61</td><td>55.65</td><td>74.00</td><td>-18.35</td><td>42.73</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>356</td><td>131 PEAK</td></tr><tr><td>2</td><td>2488.61</td><td>30.86</td><td>54.00</td><td>-23.14</td><td>17.94</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>356</td><td>131 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.61	55.65	74.00	-18.35	42.73	32.50	6.83	32.41	6.00	356	131 PEAK	2	2488.61	30.86	54.00	-23.14	17.94	32.50	6.83	32.41	6.00	356	131 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2488.61	55.65	74.00	-18.35	42.73	32.50	6.83	32.41	6.00	356	131 PEAK																																																									
2	2488.61	30.86	54.00	-23.14	17.94	32.50	6.83	32.41	6.00	356	131 AVERAGE																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>2480.00</td><td>104.31</td><td>-----</td><td>-----</td><td>91.40</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>356</td><td>131 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>79.52</td><td>-----</td><td>-----</td><td>66.61</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>356</td><td>131 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.31	-----	-----	91.40	32.50	6.82	32.41	6.00	356	131 PEAK	2	2480.00	79.52	-----	-----	66.61	32.50	6.82	32.41	6.00	356	131 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2480.00	104.31	-----	-----	91.40	32.50	6.82	32.41	6.00	356	131 PEAK																																																									
2	2480.00	79.52	-----	-----	66.61	32.50	6.82	32.41	6.00	356	131 AVERAGE																																																									



Mode	3																																																																												
	Harmonic																																																																												
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																												
ANT	14																																																																												
Pol.	Horizontal												Vertical																																																																
Peak Avg																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.88</td><td>74.00</td><td>-33.12</td><td>59.11</td><td>34.38</td><td>11.72</td><td>64.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.62</td><td>74.00</td><td>-32.38</td><td>55.74</td><td>35.62</td><td>14.32</td><td>64.06</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	40.88	74.00	-33.12	59.11	34.38	11.72	64.33	0.00	--	--	PEAK	2	7440.00	41.62	74.00	-32.38	55.74	35.62	14.32	64.06	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	4960.00	40.88	74.00	-33.12	59.11	34.38	11.72	64.33	0.00	--	--	PEAK																																																																	
2	7440.00	41.62	74.00	-32.38	55.74	35.62	14.32	64.06	0.00	--	--	PEAK																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.69</td><td>74.00</td><td>-33.31</td><td>58.92</td><td>34.38</td><td>11.72</td><td>64.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.49</td><td>74.00</td><td>-31.51</td><td>56.61</td><td>35.62</td><td>14.32</td><td>64.06</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	40.69	74.00	-33.31	58.92	34.38	11.72	64.33	0.00	--	--	PEAK	2	7440.00	42.49	74.00	-31.51	56.61	35.62	14.32	64.06	0.00	--	--	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	4960.00	40.69	74.00	-33.31	58.92	34.38	11.72	64.33	0.00	--	--	PEAK																																																																	
2	7440.00	42.49	74.00	-31.51	56.61	35.62	14.32	64.06	0.00	--	--	PEAK																																																																	





Mode	10																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth EDR_8-DPSK_CH0_2402MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2365.25</td><td>54.30</td><td>74.00</td><td>-19.70</td><td>41.92</td><td>32.16</td><td>6.65</td><td>32.43</td><td>6.00</td><td>221</td><td>136</td><td>PEAK</td></tr><tr><td>2</td><td>2365.25</td><td>29.51</td><td>54.00</td><td>-24.49</td><td>17.13</td><td>32.16</td><td>6.65</td><td>32.43</td><td>6.00</td><td>221</td><td>136</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2365.25	54.30	74.00	-19.70	41.92	32.16	6.65	32.43	6.00	221	136	PEAK	2	2365.25	29.51	54.00	-24.49	17.13	32.16	6.65	32.43	6.00	221	136	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>110.59</td><td>-----</td><td>-----</td><td>98.00</td><td>32.31</td><td>6.70</td><td>32.42</td><td>6.00</td><td>221</td><td>136</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>85.80</td><td>54.00</td><td>31.80</td><td>73.21</td><td>32.31</td><td>6.70</td><td>32.42</td><td>6.00</td><td>221</td><td>136</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	110.59	-----	-----	98.00	32.31	6.70	32.42	6.00	221	136	PEAK	2	2402.00	85.80	54.00	31.80	73.21	32.31	6.70	32.42	6.00	221	136	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2365.25	54.30	74.00	-19.70	41.92	32.16	6.65	32.43	6.00	221	136	PEAK																																																																																																																		
2	2365.25	29.51	54.00	-24.49	17.13	32.16	6.65	32.43	6.00	221	136	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2402.00	110.59	-----	-----	98.00	32.31	6.70	32.42	6.00	221	136	PEAK																																																																																																																		
2	2402.00	85.80	54.00	31.80	73.21	32.31	6.70	32.42	6.00	221	136	AVERAGE																																																																																																																		





		10																																																																
Mode	Band Edge																																																																	
	2400-2483.5_Bluetooth EDR_8-DPSK_CH0_2402MHz																																																																	
ANT	7																																																																	
Pol.	Vertical						Fundamental																																																											
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2375.65</td><td>54.71</td><td>74.00</td><td>-19.29</td><td>42.27</td><td>32.20</td><td>6.67</td><td>32.43</td><td>6.00</td><td>381 61 PEAK</td></tr><tr><td>2</td><td>2375.65</td><td>29.92</td><td>54.00</td><td>-24.08</td><td>17.48</td><td>32.20</td><td>6.67</td><td>32.43</td><td>6.00</td><td>381 61 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2375.65	54.71	74.00	-19.29	42.27	32.20	6.67	32.43	6.00	381 61 PEAK	2	2375.65	29.92	54.00	-24.08	17.48	32.20	6.67	32.43	6.00	381 61 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2375.65	54.71	74.00	-19.29	42.27	32.20	6.67	32.43	6.00	381 61 PEAK																																																								
2	2375.65	29.92	54.00	-24.08	17.48	32.20	6.67	32.43	6.00	381 61 AVERAGE																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>108.74</td><td>-----</td><td>-----</td><td>96.15</td><td>32.31</td><td>6.70</td><td>32.42</td><td>6.00</td><td>381 61 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>83.95</td><td>54.00</td><td>29.95</td><td>71.36</td><td>32.31</td><td>6.70</td><td>32.42</td><td>6.00</td><td>381 61 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	108.74	-----	-----	96.15	32.31	6.70	32.42	6.00	381 61 PEAK	2	2402.00	83.95	54.00	29.95	71.36	32.31	6.70	32.42	6.00	381 61 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2402.00	108.74	-----	-----	96.15	32.31	6.70	32.42	6.00	381 61 PEAK																																																								
2	2402.00	83.95	54.00	29.95	71.36	32.31	6.70	32.42	6.00	381 61 AVERAGE																																																								





Mode	10																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5_Bluetooth EDR_8-DPSK_CH0_2402MHz																																																																																																			
ANT	7																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.37</td><td>74.00</td><td>-32.63</td><td>59.63</td><td>34.40</td><td>11.39</td><td>64.05</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	41.37	74.00	-32.63	59.63	34.40	11.39	64.05	0.00	--	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.83</td><td>74.00</td><td>-33.17</td><td>59.09</td><td>34.40</td><td>11.39</td><td>64.05</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	40.83	74.00	-33.17	59.09	34.40	11.39	64.05	0.00	--	PEAK
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	4804.00	41.37	74.00	-32.63	59.63	34.40	11.39	64.05	0.00	--	PEAK																																																																																									
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	4804.00	40.83	74.00	-33.17	59.09	34.40	11.39	64.05	0.00	--	PEAK																																																																																									





Mode	11																																																																												
	Harmonic																																																																												
	2400-2483.5_Bluetooth EDR_8-DPSK_CH39_2441MHz																																																																												
ANT	7																																																																												
Pol.	Horizontal												Vertical																																																																
Peak Avg																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>40.18</td><td>74.00</td><td>-33.82</td><td>58.54</td><td>34.40</td><td>11.56</td><td>64.32</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.98</td><td>74.00</td><td>-32.02</td><td>55.95</td><td>35.85</td><td>14.20</td><td>64.02</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	40.18	74.00	-33.82	58.54	34.40	11.56	64.32	0.00	--	--	PEAK	2	7323.00	41.98	74.00	-32.02	55.95	35.85	14.20	64.02	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	4882.00	40.18	74.00	-33.82	58.54	34.40	11.56	64.32	0.00	--	--	PEAK																																																																	
2	7323.00	41.98	74.00	-32.02	55.95	35.85	14.20	64.02	0.00	--	--	PEAK																																																																	
																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>40.42</td><td>74.00</td><td>-33.58</td><td>58.78</td><td>34.40</td><td>11.56</td><td>64.32</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.28</td><td>74.00</td><td>-31.72</td><td>56.25</td><td>35.85</td><td>14.20</td><td>64.02</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	40.42	74.00	-33.58	58.78	34.40	11.56	64.32	0.00	--	--	PEAK	2	7323.00	42.28	74.00	-31.72	56.25	35.85	14.20	64.02	0.00	--	--	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	4882.00	40.42	74.00	-33.58	58.78	34.40	11.56	64.32	0.00	--	--	PEAK																																																																	
2	7323.00	42.28	74.00	-31.72	56.25	35.85	14.20	64.02	0.00	--	--	PEAK																																																																	




Mode	12																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.16</td><td>55.42</td><td>74.00</td><td>-18.58</td><td>42.49</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>137</td><td>135 PEAK</td></tr><tr><td>2</td><td>2495.16</td><td>30.60</td><td>54.00</td><td>-23.40</td><td>17.67</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>137</td><td>135 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.16	55.42	74.00	-18.58	42.49	32.50	6.84	32.41	6.00	137	135 PEAK	2	2495.16	30.60	54.00	-23.40	17.67	32.50	6.84	32.41	6.00	137	135 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>110.31</td><td>-----</td><td>-----</td><td>97.40</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>137</td><td>135 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>85.49</td><td>-----</td><td>-----</td><td>72.58</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>137</td><td>135 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	110.31	-----	-----	97.40	32.50	6.82	32.41	6.00	137	135 PEAK	2	2480.00	85.49	-----	-----	72.58	32.50	6.82	32.41	6.00	137	135 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2495.16	55.42	74.00	-18.58	42.49	32.50	6.84	32.41	6.00	137	135 PEAK																																																																																																																		
2	2495.16	30.60	54.00	-23.40	17.67	32.50	6.84	32.41	6.00	137	135 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2480.00	110.31	-----	-----	97.40	32.50	6.82	32.41	6.00	137	135 PEAK																																																																																																																		
2	2480.00	85.49	-----	-----	72.58	32.50	6.82	32.41	6.00	137	135 AVERAGE																																																																																																																		



Mode	12																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.66</td><td>55.90</td><td>74.00</td><td>-18.10</td><td>42.99</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>364</td><td>51 PEAK</td></tr><tr><td>2</td><td>2483.66</td><td>31.08</td><td>54.00</td><td>-22.92</td><td>18.17</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>364</td><td>51 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.66	55.90	74.00	-18.10	42.99	32.50	6.82	32.41	6.00	364	51 PEAK	2	2483.66	31.08	54.00	-22.92	18.17	32.50	6.82	32.41	6.00	364	51 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>108.23</td><td>-----</td><td>-----</td><td>95.32</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>364</td><td>51 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>83.41</td><td>-----</td><td>-----</td><td>70.50</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>364</td><td>51 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	108.23	-----	-----	95.32	32.50	6.82	32.41	6.00	364	51 PEAK	2	2480.00	83.41	-----	-----	70.50	32.50	6.82	32.41	6.00	364	51 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2483.66	55.90	74.00	-18.10	42.99	32.50	6.82	32.41	6.00	364	51 PEAK																																																																																																																			
2	2483.66	31.08	54.00	-22.92	18.17	32.50	6.82	32.41	6.00	364	51 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2480.00	108.23	-----	-----	95.32	32.50	6.82	32.41	6.00	364	51 PEAK																																																																																																																			
2	2480.00	83.41	-----	-----	70.50	32.50	6.82	32.41	6.00	364	51 AVERAGE																																																																																																																			



Mode	12																																																																		
	Harmonic																																																																		
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																		
ANT	7																																																																		
Pol.	Horizontal						Vertical																																																												
Peak Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.61</td><td>74.00</td><td>-33.39</td><td>58.84</td><td>34.38</td><td>11.72</td><td>64.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.89</td><td>74.00</td><td>-32.11</td><td>56.01</td><td>35.62</td><td>14.32</td><td>64.06</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.61	74.00	-33.39	58.84	34.38	11.72	64.33	0.00	--	PEAK	2	7440.00	41.89	74.00	-32.11	56.01	35.62	14.32	64.06	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	4960.00	40.61	74.00	-33.39	58.84	34.38	11.72	64.33	0.00	--	PEAK																																																								
2	7440.00	41.89	74.00	-32.11	56.01	35.62	14.32	64.06	0.00	--	PEAK																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.24</td><td>74.00</td><td>-33.76</td><td>58.47</td><td>34.38</td><td>11.72</td><td>64.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.50</td><td>74.00</td><td>-31.50</td><td>56.62</td><td>35.62</td><td>14.32</td><td>64.06</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.24	74.00	-33.76	58.47	34.38	11.72	64.33	0.00	--	PEAK	2	7440.00	42.50	74.00	-31.50	56.62	35.62	14.32	64.06	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	4960.00	40.24	74.00	-33.76	58.47	34.38	11.72	64.33	0.00	--	PEAK																																																								
2	7440.00	42.50	74.00	-31.50	56.62	35.62	14.32	64.06	0.00	--	PEAK																																																								





		19																																																																								
Mode		Band Edge																																																																								
		2400-2483.5_Bluetooth EDR_8-DPSK_CH0_2402MHz																																																																								
ANT		BF 14+7																																																																								
Pol.		Horizontal																																																																								
Peak		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2361.22</td><td>55.13</td><td>74.00</td><td>-18.87</td><td>42.78</td><td>32.14</td><td>6.65</td><td>32.44</td><td>6.00</td><td>222</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>2361.22</td><td>30.34</td><td>54.00</td><td>-23.66</td><td>17.99</td><td>32.14</td><td>6.65</td><td>32.44</td><td>6.00</td><td>222</td><td>133</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2361.22	55.13	74.00	-18.87	42.78	32.14	6.65	32.44	6.00	222	133	PEAK	2	2361.22	30.34	54.00	-23.66	17.99	32.14	6.65	32.44	6.00	222	133	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	2361.22	55.13	74.00	-18.87	42.78	32.14	6.65	32.44	6.00	222	133	PEAK																																																														
2	2361.22	30.34	54.00	-23.66	17.99	32.14	6.65	32.44	6.00	222	133	AVERAGE																																																														
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>110.76</td><td>-----</td><td>98.17</td><td>32.31</td><td>6.70</td><td>32.42</td><td>6.00</td><td>222</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>85.97</td><td>-----</td><td>73.38</td><td>32.31</td><td>6.70</td><td>32.42</td><td>6.00</td><td>222</td><td>133</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	110.76	-----	98.17	32.31	6.70	32.42	6.00	222	133	PEAK	2	2402.00	85.97	-----	73.38	32.31	6.70	32.42	6.00	222	133	AVERAGE		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	2402.00	110.76	-----	98.17	32.31	6.70	32.42	6.00	222	133	PEAK																																																															
2	2402.00	85.97	-----	73.38	32.31	6.70	32.42	6.00	222	133	AVERAGE																																																															



		19																																																																			
Mode	Band Edge																																																																				
	2400-2483.5_Bluetooth EDR_8-DPSK_CH0_2402MHz																																																																				
ANT	BF 14+7																																																																				
Pol.	Vertical						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2353.68</td><td>54.98</td><td>74.00</td><td>-19.02</td><td>42.67</td><td>32.11</td><td>6.64</td><td>32.44</td><td>6.00</td><td>380</td><td>62 PEAK</td></tr><tr><td>2</td><td>2353.68</td><td>30.19</td><td>54.00</td><td>-23.81</td><td>17.88</td><td>32.11</td><td>6.64</td><td>32.44</td><td>6.00</td><td>380</td><td>62 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2353.68	54.98	74.00	-19.02	42.67	32.11	6.64	32.44	6.00	380	62 PEAK	2	2353.68	30.19	54.00	-23.81	17.88	32.11	6.64	32.44	6.00	380	62 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2353.68	54.98	74.00	-19.02	42.67	32.11	6.64	32.44	6.00	380	62 PEAK																																																										
2	2353.68	30.19	54.00	-23.81	17.88	32.11	6.64	32.44	6.00	380	62 AVERAGE																																																										
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>108.58</td><td>-----</td><td>-----</td><td>95.99</td><td>32.31</td><td>6.70</td><td>32.42</td><td>6.00</td><td>380</td><td>62 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>83.79</td><td>-----</td><td>-----</td><td>71.20</td><td>32.31</td><td>6.70</td><td>32.42</td><td>6.00</td><td>380</td><td>62 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	108.58	-----	-----	95.99	32.31	6.70	32.42	6.00	380	62 PEAK	2	2402.00	83.79	-----	-----	71.20	32.31	6.70	32.42	6.00	380	62 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2402.00	108.58	-----	-----	95.99	32.31	6.70	32.42	6.00	380	62 PEAK																																																										
2	2402.00	83.79	-----	-----	71.20	32.31	6.70	32.42	6.00	380	62 AVERAGE																																																										





		19																																																																																																																								
Mode		Harmonic																																																																																																																								
		2400-2483.5_Bluetooth EDR_8-DPSK_CH0_2402MHz																																																																																																																								
ANT		BF 14+7																																																																																																																								
Pol.		Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>38.04</td><td>74.00</td><td>-35.96</td><td>60.48</td><td>34.10</td><td>9.62</td><td>66.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	38.04	74.00	-35.96	60.48	34.10	9.62	66.16	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>38.71</td><td>74.00</td><td>-35.29</td><td>61.15</td><td>34.10</td><td>9.62</td><td>66.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	38.71	74.00	-35.29	61.15	34.10	9.62	66.16	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	4804.00	38.04	74.00	-35.96	60.48	34.10	9.62	66.16	0.00	---	---	PEAK																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	4804.00	38.71	74.00	-35.29	61.15	34.10	9.62	66.16	0.00	---	---	PEAK																																																																																																														





Mode	20																																																																																																																															
	Harmonic																																																																																																																															
	2400-2483.5_Bluetooth EDR_8-DPSK_CH39_2441MHz																																																																																																																															
ANT	BF 14+7																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.23</td><td>74.00</td><td>-34.77</td><td>61.62</td><td>34.10</td><td>9.69</td><td>66.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.17</td><td>74.00</td><td>-32.83</td><td>60.26</td><td>35.65</td><td>11.95</td><td>66.69</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	39.23	74.00	-34.77	61.62	34.10	9.69	66.18	0.00	---	PEAK	2	7323.00	41.17	74.00	-32.83	60.26	35.65	11.95	66.69	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.20</td><td>74.00</td><td>-34.80</td><td>61.59</td><td>34.10</td><td>9.69</td><td>66.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>40.42</td><td>74.00</td><td>-33.58</td><td>59.51</td><td>35.65</td><td>11.95</td><td>66.69</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	39.20	74.00	-34.80	61.59	34.10	9.69	66.18	0.00	---	PEAK	2	7323.00	40.42	74.00	-33.58	59.51	35.65	11.95	66.69	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	4882.00	39.23	74.00	-34.77	61.62	34.10	9.69	66.18	0.00	---	PEAK																																																																																																																					
2	7323.00	41.17	74.00	-32.83	60.26	35.65	11.95	66.69	0.00	---	PEAK																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	4882.00	39.20	74.00	-34.80	61.59	34.10	9.69	66.18	0.00	---	PEAK																																																																																																																					
2	7323.00	40.42	74.00	-33.58	59.51	35.65	11.95	66.69	0.00	---	PEAK																																																																																																																					




Mode	21																																																																																																																																	
	Band Edge																																																																																																																																	
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																																																	
ANT	BF 14+7																																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																																											
Peak																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.93</td><td>55.80</td><td>74.00</td><td>-18.20</td><td>42.87</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>137</td><td>135 PEAK</td></tr><tr><td>2</td><td>2496.93</td><td>31.01</td><td>54.00</td><td>-22.99</td><td>18.00</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>137</td><td>135 AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2496.93	55.80	74.00	-18.20	42.87	32.50	6.84	32.41	6.00	137	135 PEAK	2	2496.93	31.01	54.00	-22.99	18.00	32.50	6.84	32.41	6.00	137	135 AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>110.15</td><td>-----</td><td>-----</td><td>97.24</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>137</td><td>135 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>85.36</td><td>54.00</td><td>31.36</td><td>72.45</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>137</td><td>135 AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	110.15	-----	-----	97.24	32.50	6.82	32.41	6.00	137	135 PEAK	2	2480.00	85.36	54.00	31.36	72.45	32.50	6.82	32.41	6.00	137	135 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	2496.93	55.80	74.00	-18.20	42.87	32.50	6.84	32.41	6.00	137	135 PEAK																																																																																																																							
2	2496.93	31.01	54.00	-22.99	18.00	32.50	6.84	32.41	6.00	137	135 AVERAGE																																																																																																																							
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	2480.00	110.15	-----	-----	97.24	32.50	6.82	32.41	6.00	137	135 PEAK																																																																																																																							
2	2480.00	85.36	54.00	31.36	72.45	32.50	6.82	32.41	6.00	137	135 AVERAGE																																																																																																																							



Mode	21																																																																	
	Band Edge																																																																	
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																	
ANT	BF 14+7																																																																	
Pol.	Vertical						Fundamental																																																											
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.46</td><td>56.85</td><td>74.00</td><td>-17.15</td><td>43.92</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>362</td><td>50 PEAK</td></tr><tr><td>2</td><td>2496.46</td><td>32.06</td><td>54.00</td><td>-21.94</td><td>19.13</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>362</td><td>50 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.46	56.85	74.00	-17.15	43.92	32.50	6.84	32.41	6.00	362	50 PEAK	2	2496.46	32.06	54.00	-21.94	19.13	32.50	6.84	32.41	6.00	362	50 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2496.46	56.85	74.00	-17.15	43.92	32.50	6.84	32.41	6.00	362	50 PEAK																																																							
2	2496.46	32.06	54.00	-21.94	19.13	32.50	6.84	32.41	6.00	362	50 AVERAGE																																																							
																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>108.01</td><td>-----</td><td>-----</td><td>95.10</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>362</td><td>50 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>83.22</td><td>54.00</td><td>29.22</td><td>70.31</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>362</td><td>50 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	108.01	-----	-----	95.10	32.50	6.82	32.41	6.00	362	50 PEAK	2	2480.00	83.22	54.00	29.22	70.31	32.50	6.82	32.41	6.00	362	50 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2480.00	108.01	-----	-----	95.10	32.50	6.82	32.41	6.00	362	50 PEAK																																																							
2	2480.00	83.22	54.00	29.22	70.31	32.50	6.82	32.41	6.00	362	50 AVERAGE																																																							




Mode	21																																																																																																																																			
	Harmonic																																																																																																																																			
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																																																			
ANT	BF 14+7																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.02</td><td>74.00</td><td>-34.98</td><td>61.41</td><td>34.04</td><td>9.76</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>40.11</td><td>74.00</td><td>-33.89</td><td>59.00</td><td>35.78</td><td>12.03</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.02	74.00	-34.98	61.41	34.04	9.76	66.19	0.00	---	---	PEAK	2	7440.00	40.11	74.00	-33.89	59.00	35.78	12.03	66.70	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.65</td><td>74.00</td><td>-34.35</td><td>62.04</td><td>34.04</td><td>9.76</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>40.91</td><td>74.00</td><td>-33.09</td><td>59.00</td><td>35.78</td><td>12.03</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.65	74.00	-34.35	62.04	34.04	9.76	66.19	0.00	---	---	PEAK	2	7440.00	40.91	74.00	-33.09	59.00	35.78	12.03	66.70	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	4960.00	39.02	74.00	-34.98	61.41	34.04	9.76	66.19	0.00	---	---	PEAK																																																																																																																								
2	7440.00	40.11	74.00	-33.89	59.00	35.78	12.03	66.70	0.00	---	---	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	4960.00	39.65	74.00	-34.35	62.04	34.04	9.76	66.19	0.00	---	---	PEAK																																																																																																																								
2	7440.00	40.91	74.00	-33.09	59.00	35.78	12.03	66.70	0.00	---	---	PEAK																																																																																																																								




Appendix D. Duty Cycle Plots

ANT 14:

3DH5 on time (One Pulse) Plot on Channel 0



3DH5 on time (Count Pulses) Plot on Channel 0




Note:


1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.

ANT 7:

3DH5 on time (One Pulse) Plot on Channel 0



3DH5 on time (Count Pulses) Plot on Channel 0




Note:


1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.87 / 100 = 5.74 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.82 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.

ANT 14+7:

3DH5 on time (One Pulse) Plot on Channel 0



3DH5 on time (Count Pulses) Plot on Channel 0



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.