







2DH5-Ant1-2480-30~1000-PASS




2DH5-Ant1-2480-1000~25000-PASS




3DH5-Ant1-2402-30~1000-PASS




3DH5-Ant1-2402-1000~25000-PASS




3DH5-Ant1-2441-30~1000-PASS



3DH5-Ant1-2441-1000~25000-PASS



3DH5-Ant1-2480-30~1000-PASS





3DH5-Ant1-2480-1000~25000-PASS

Duty Cycle Test Result


TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
DH5	Ant1	2402	2.91	3.75	77.60	1.10
DH5	Ant1	2441	2.91	3.75	77.60	1.10
DH5	Ant1	2480	2.91	3.75	77.60	1.10
2DH5	Ant1	2402	2.89	3.75	77.07	1.13
2DH5	Ant1	2441	2.90	3.75	77.33	1.12
2DH5	Ant1	2480	2.90	3.75	77.33	1.12
3DH5	Ant1	2402	2.90	3.75	77.33	1.12
3DH5	Ant1	2441	2.90	3.75	77.33	1.12
3DH5	Ant1	2480	2.90	3.75	77.33	1.12

Test Graphs







NTNV-DH5-Ant1-2480




NTNV-2DH5-Ant1-2402




NTNV-2DH5-Ant1-2441




NTNV-2DH5-Ant1-2480



NTNV-3DH5-Ant1-2402



NTNV-3DH5-Ant1-2441




NTNV-3DH5-Ant1-2480

Band edge measurements

Transmit at 2402MHz by DH5


Test Graph

**Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2389.61	43.00	42.98	-0.05	74.00	31.02	PK	Horizo	PASS
	2389.61	-	18.19	-	54.00	35.81	AV	Horizo	PASS
2	2390.00	39.50	39.45	-0.05	74.00	34.55	PK	Horizo	PASS
	2390.00	-	14.66	-	54.00	39.34	AV	Horizo	PASS

Transmit at 2402MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2379.03	41.60	41.53	-0.08	74.00	32.47	PK	Vertic	PASS
	2379.03	-	16.74	-	54.00	37.26	AV	Vertic	PASS
2	2390.00	41.00	40.97	-0.05	74.00	33.03	PK	Vertic	PASS
	2390.00	-	16.18	-	54.00	37.82	AV	Vertic	PASS

Transmit at 2480MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	55.70	55.92	0.27	74.00	18.08	PK	Horizo	PASS
	2483.50	-	31.13	-	54.00	22.87	AV	Horizo	PASS
2	2483.75	67.70	67.96	0.27	74.00	6.04	PK	Horizo	PASS
	2483.75	-	43.17	-	54.00	10.83	AV	Horizo	PASS

Transmit at 2480MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	41.00	41.29	0.27	74.00	32.71	PK	Vertic	PASS
	2483.50	-	16.50	-	54.00	37.50	AV	Vertic	PASS
2	2483.76	51.80	52.06	0.27	74.00	21.94	PK	Vertic	PASS
	2483.76	-	27.27	-	54.00	26.73	AV	Vertic	PASS

Transmit at 2402MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2389.48	50.70	50.63	-0.05	74.00	23.37	PK	Horizo	PASS
	2389.48	-	25.84	-	54.00	28.16	AV	Horizo	PASS
2	2390.00	40.50	40.45	-0.05	74.00	33.55	PK	Horizo	PASS
	2390.00	-	15.66	-	54.00	38.34	AV	Horizo	PASS

Transmit at 2402MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2381.06	41.80	41.69	-0.08	74.00	32.31	PK	Vertic	PASS
	2381.06	-	16.90	-	54.00	37.10	AV	Vertic	PASS
2	2390.00	40.00	39.98	-0.05	74.00	34.02	PK	Vertic	PASS
	2390.00	-	15.19	-	54.00	38.81	AV	Vertic	PASS

Transmit at 2480MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	51.30	51.59	0.27	74.00	22.41	PK	Horizo	PASS
	2483.50	-	26.80	-	54.00	27.20	AV	Horizo	PASS
2	2483.58	59.80	60.02	0.27	74.00	13.98	PK	Horizo	PASS
	2483.58	-	35.23	-	54.00	18.77	AV	Horizo	PASS

Transmit at 2480MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	40.80	41.03	0.27	74.00	32.97	PK	Vertic	PASS
	2483.50	-	16.24	-	54.00	37.76	AV	Vertic	PASS
2	2483.57	48.80	49.05	0.27	74.00	24.95	PK	Vertic	PASS
	2483.57	-	24.26	-	54.00	29.74	AV	Vertic	PASS

Transmit at 2402MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2374.16	42.00	41.86	-0.09	74.00	32.14	PK	Horizo	PASS
	2374.16	-	17.07	-	54.00	36.93	AV	Horizo	PASS
2	2390.00	39.90	39.80	-0.05	74.00	34.20	PK	Horizo	PASS
	2390.00	-	15.01	-	54.00	38.99	AV	Horizo	PASS

Transmit at 2402MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2383.12	41.40	41.34	-0.07	74.00	32.66	PK	Vertic	PASS
	2383.12	-	16.55	-	54.00	37.45	AV	Vertic	PASS
2	2390.00	39.90	39.87	-0.05	74.00	34.13	PK	Vertic	PASS
	2390.00	-	15.08	-	54.00	38.92	AV	Vertic	PASS

Transmit at 2480MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	63.50	63.75	0.27	74.00	10.25	PK	Horizo	PASS
	2483.50	-	38.96	-	54.00	15.04	AV	Horizo	PASS
2	2483.58	64.30	64.53	0.27	74.00	9.47	PK	Horizo	PASS
	2483.58	-	39.74	-	54.00	14.26	AV	Horizo	PASS

Transmit at 2480MHz by 3DH5

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	2483.50	41.00	41.28	0.27	74.00	32.72	PK	Vertic	PASS
	2483.50	-	16.49	-	54.00	37.51	AV	Vertic	PASS
2	2483.53	52.30	52.61	0.27	74.00	21.39	PK	Vertic	PASS
	2483.53	-	27.82	-	54.00	26.18	AV	Vertic	PASS

Note: Level = Reading + Factor

Emissions in Restricted Bands

Transmit at 2402MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	49.50	41.03	-8.48	74.00	32.97	PK	Horizo	PASS
	4804.00	-	16.24	-	54.00	37.76	AV	Horizo	PASS
2	7206.00	44.60	42.97	-1.62	74.00	31.03	PK	Horizo	PASS
	7206.00	-	18.18	-	54.00	35.82	AV	Horizo	PASS
3	9608.00	43.90	45.27	1.38	74.00	28.73	PK	Horizo	PASS
	9608.00	-	20.48	-	54.00	33.52	AV	Horizo	PASS

Transmit at 2402MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	47.70	39.20	-8.48	74.00	34.80	PK	Vertic	PASS
	4804.00	-	14.41	-	54.00	39.59	AV	Vertic	PASS
2	7206.00	44.40	42.82	-1.62	74.00	31.18	PK	Vertic	PASS
	7206.00	-	18.03	-	54.00	35.97	AV	Vertic	PASS
3	9608.00	42.60	44.01	1.38	74.00	29.99	PK	Vertic	PASS
	9608.00	-	19.22	-	54.00	34.78	AV	Vertic	PASS

Transmit at 2441MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4882.00	48.80	40.62	-8.15	74.00	33.38	PK	Horizo	PASS
	4882.00	-	15.83	-	54.00	38.17	AV	Horizo	PASS
2	7323.00	44.10	42.69	-1.42	74.00	31.31	PK	Horizo	PASS
	7323.00	-	17.90	-	54.00	36.10	AV	Horizo	PASS
3	9764.00	42.00	43.43	1.46	74.00	30.57	PK	Horizo	PASS
	9764.00	-	18.64	-	54.00	35.36	AV	Horizo	PASS

Transmit at 2441MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4882.00	47.40	39.21	-8.15	74.00	34.79	PK	Vertic	PASS
	4882.00	-	14.42	-	54.00	39.58	AV	Vertic	PASS
2	7323.00	44.40	43.01	-1.42	74.00	30.99	PK	Vertic	PASS
	7323.00	-	18.22	-	54.00	35.78	AV	Vertic	PASS
3	9764.00	41.80	43.25	1.46	74.00	30.75	PK	Vertic	PASS
	9764.00	-	18.46	-	54.00	35.54	AV	Vertic	PASS

Transmit at 2480MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	47.90	40.02	-7.83	74.00	33.98	PK	Horizo	PASS
	4960.00	-	15.23	-	54.00	38.77	AV	Horizo	PASS
2	7440.00	43.90	42.60	-1.30	74.00	31.40	PK	Horizo	PASS
	7440.00	-	17.81	-	54.00	36.19	AV	Horizo	PASS
3	9920.00	42.00	44.37	2.35	74.00	29.63	PK	Horizo	PASS
	9920.00	-	19.58	-	54.00	34.42	AV	Horizo	PASS

Transmit at 2480MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	47.00	39.15	-7.83	74.00	34.85	PK	Vertic	PASS
	4960.00	-	14.36	-	54.00	39.64	AV	Vertic	PASS
2	7440.00	44.40	43.07	-1.30	74.00	30.93	PK	Vertic	PASS
	7440.00	-	18.28	-	54.00	35.72	AV	Vertic	PASS
3	9920.00	42.10	44.49	2.35	74.00	29.51	PK	Vertic	PASS
	9920.00	-	19.70	-	54.00	34.30	AV	Vertic	PASS

Transmit at 2402MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	47.70	39.26	-8.48	74.00	34.74	PK	Horizo	PASS
	4804.00	-	14.47	-	54.00	39.53	AV	Horizo	PASS
2	7206.00	43.80	42.17	-1.62	74.00	31.83	PK	Horizo	PASS
	7206.00	-	17.38	-	54.00	36.62	AV	Horizo	PASS
3	9608.00	43.20	44.60	1.38	74.00	29.40	PK	Horizo	PASS
	9608.00	-	19.81	-	54.00	34.19	AV	Horizo	PASS

Transmit at 2402MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	47.20	38.70	-8.48	74.00	35.30	PK	Vertic	PASS
	4804.00	-	13.91	-	54.00	40.09	AV	Vertic	PASS
2	7206.00	44.10	42.46	-1.62	74.00	31.54	PK	Vertic	PASS
	7206.00	-	17.67	-	54.00	36.33	AV	Vertic	PASS
3	9608.00	44.80	46.18	1.38	74.00	27.82	PK	Vertic	PASS
	9608.00	-	21.39	-	54.00	32.61	AV	Vertic	PASS

Transmit at 2441MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4882.00	46.90	38.76	-8.15	74.00	35.24	PK	Horizo	PASS
	4882.00	-	13.97	-	54.00	40.03	AV	Horizo	PASS
2	7323.00	44.30	42.88	-1.42	74.00	31.12	PK	Horizo	PASS
	7323.00	-	18.09	-	54.00	35.91	AV	Horizo	PASS
3	9764.00	41.90	43.39	1.46	74.00	30.61	PK	Horizo	PASS
	9764.00	-	18.60	-	54.00	35.40	AV	Horizo	PASS

Transmit at 2441MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4882.00	46.90	38.72	-8.15	74.00	35.28	PK	Vertic	PASS
	4882.00	-	13.93	-	54.00	40.07	AV	Vertic	PASS
2	7323.00	44.40	43.02	-1.42	74.00	30.98	PK	Vertic	PASS
	7323.00	-	18.23	-	54.00	35.77	AV	Vertic	PASS
3	9764.00	42.10	43.60	1.46	74.00	30.40	PK	Vertic	PASS
	9764.00	-	18.81	-	54.00	35.19	AV	Vertic	PASS

Transmit at 2480MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	47.90	40.09	-7.83	74.00	33.91	PK	Horizo	PASS
	4960.00	-	15.30	-	54.00	38.70	AV	Horizo	PASS
2	7440.00	43.70	42.36	-1.30	74.00	31.64	PK	Horizo	PASS
	7440.00	-	17.57	-	54.00	36.43	AV	Horizo	PASS
3	9920.00	42.40	44.75	2.35	74.00	29.25	PK	Horizo	PASS
	9920.00	-	19.96	-	54.00	34.04	AV	Horizo	PASS

Transmit at 2480MHz by 2DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	46.10	38.24	-7.83	74.00	35.76	PK	Vertic	PASS
	4960.00	-	13.45	-	54.00	40.55	AV	Vertic	PASS
2	7440.00	43.50	42.24	-1.30	74.00	31.76	PK	Vertic	PASS
	7440.00	-	17.45	-	54.00	36.55	AV	Vertic	PASS
3	9920.00	42.00	44.34	2.35	74.00	29.66	PK	Vertic	PASS
	9920.00	-	19.55	-	54.00	34.45	AV	Vertic	PASS

Transmit at 2402MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	48.90	40.41	-8.48	74.00	33.59	PK	Horizo	PASS
	4804.00	-	15.62	-	54.00	38.38	AV	Horizo	PASS
2	7206.00	44.10	42.44	-1.62	74.00	31.56	PK	Horizo	PASS
	7206.00	-	17.65	-	54.00	36.35	AV	Horizo	PASS
3	9608.00	43.30	44.66	1.38	74.00	29.34	PK	Horizo	PASS
	9608.00	-	19.87	-	54.00	34.13	AV	Horizo	PASS

Transmit at 2402MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	47.70	39.24	-8.48	74.00	34.76	PK	Vertic	PASS
	4804.00	-	14.45	-	54.00	39.55	AV	Vertic	PASS
2	7206.00	45.60	43.94	-1.62	74.00	30.06	PK	Vertic	PASS
	7206.00	-	19.15	-	54.00	34.85	AV	Vertic	PASS
3	9608.00	42.80	44.21	1.38	74.00	29.79	PK	Vertic	PASS
	9608.00	-	19.42	-	54.00	34.58	AV	Vertic	PASS

Transmit at 2441MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4882.00	47.80	39.67	-8.15	74.00	34.33	PK	Horizo	PASS
	4882.00	-	14.88	-	54.00	39.12	AV	Horizo	PASS
2	7323.00	45.00	43.54	-1.42	74.00	30.46	PK	Horizo	PASS
	7323.00	-	18.75	-	54.00	35.25	AV	Horizo	PASS
3	9764.00	42.10	43.54	1.46	74.00	30.46	PK	Horizo	PASS
	9764.00	-	18.75	-	54.00	35.25	AV	Horizo	PASS

Transmit at 2441MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4882.00	49.30	41.18	-8.15	74.00	32.82	PK	Vertic	PASS
	4882.00	-	16.39	-	54.00	37.61	AV	Vertic	PASS
2	7323.00	44.10	42.69	-1.42	74.00	31.31	PK	Vertic	PASS
	7323.00	-	17.90	-	54.00	36.10	AV	Vertic	PASS
3	9764.00	42.90	44.34	1.46	74.00	29.66	PK	Vertic	PASS
	9764.00	-	19.55	-	54.00	34.45	AV	Vertic	PASS

Transmit at 2480MHz by 3DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	47.60	39.72	-7.83	74.00	34.28	PK	Horizo	PASS
	4960.00	-	14.93	-	54.00	39.07	AV	Horizo	PASS
2	7440.00	44.00	42.67	-1.30	74.00	31.33	PK	Horizo	PASS
	7440.00	-	17.88	-	54.00	36.12	AV	Horizo	PASS
3	9920.00	42.10	44.46	2.35	74.00	29.54	PK	Horizo	PASS
	9920.00	-	19.67	-	54.00	34.33	AV	Horizo	PASS

Transmit at 2480MHz by 3DH5

Test Graph




Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	47.00	39.13	-7.83	74.00	34.87	PK	Vertic	PASS
	4960.00	-	14.34	-	54.00	39.66	AV	Vertic	PASS
2	7440.00	45.40	44.05	-1.30	74.00	29.95	PK	Vertic	PASS
	7440.00	-	19.26	-	54.00	34.74	AV	Vertic	PASS
3	9920.00	42.50	44.84	2.35	74.00	29.16	PK	Vertic	PASS
	9920.00	-	20.05	-	54.00	33.95	AV	Vertic	PASS

Worse mode Transmit at 2402MHz by DH5

Test Graph




Worse mode Transmit at 2402MHz by DH5



Transmit at 2402MHz by DH5

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	38.00	13.8	27.43	13.600	40.00	12.57	PK	Horizo	PASS
2	76.56	13.9	23.90	9.960	40.00	16.10	PK	Horizo	PASS
3	134.28	14.3	23.86	9.550	43.50	19.64	PK	Horizo	PASS
4	259.65	14.4	27.92	13.480	46.00	18.08	PK	Horizo	PASS
5	506.27	15.2	32.95	17.800	46.00	13.05	PK	Horizo	PASS
6	807.70	16.2	37.95	21.760	46.00	8.05	PK	Horizo	PASS

Transmit at 2402MHz by DH5

Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	34.61	13.6	26.70	13.150	40.00	13.30	PK	Vertic	PASS
2	64.92	13.4	24.95	11.550	40.00	15.05	PK	Vertic	PASS
3	107.36	14.1	26.45	12.350	43.50	17.05	PK	Vertic	PASS
4	174.29	15.2	25.49	10.260	43.50	18.01	PK	Vertic	PASS
5	308.63	14.6	28.88	14.270	46.00	17.12	PK	Vertic	PASS
6	616.12	16.3	36.22	19.940	46.00	9.78	PK	Vertic	PASS


Note: Level = Reading + Factor

Note: In the report, below 1G, only the verification test is carried out for the worst channel of 1~18G worst mode.

Note: All test data above 18GHz are noise base, so no data shown in this report.


AC Power Line Conducted Emission

Limit: FCC_Part 15.107_CE_AC Power_Class B	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Line
EUT: Mobile Phone	Power: AC 120V/60Hz
Note: Transmit at 2402MHz by DH5	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.158	38.449	28.781	-27.119	65.568	9.668	QP
2		0.210	34.194	24.537	-29.011	63.205	9.657	QP
3		0.266	31.220	21.555	-30.022	61.242	9.665	QP
4		0.318	29.238	19.565	-30.520	59.759	9.673	QP
5		0.426	28.141	18.450	-29.189	57.330	9.692	QP
6		0.530	28.238	18.541	-27.762	56.000	9.696	QP
7		1.674	28.361	18.617	-27.639	56.000	9.744	QP
8	*	15.970	46.969	36.756	-13.031	60.000	10.213	QP

Limit: FCC_Part 15.107_CE_AC Power_Class B	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Neutral
EUT: Mobile Phone	Power: AC 120V/60Hz
Note: Transmit at 2402MHz by DH5	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.158	34.961	25.270	-30.608	65.568	9.691	QP
2		0.214	31.354	21.711	-31.695	63.049	9.643	QP
3		0.266	29.325	19.693	-31.917	61.242	9.633	QP
4		0.318	28.582	18.959	-31.176	59.759	9.623	QP
5		0.426	26.563	16.958	-30.767	57.330	9.606	QP
6		0.526	27.375	17.774	-28.625	56.000	9.601	QP
7		1.678	29.870	20.180	-26.130	56.000	9.690	QP
8	*	19.250	41.729	31.371	-18.271	60.000	10.358	QP

Note: Level = Reading + Factor

The End