



Transmit at 5510MHz by 802.11ac(40MHz)



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	40.7	49.67	8.990	68.30	18.63	PK	Horizo	PASS
2	5469.76	55.3	64.26	8.970	68.30	4.04	PK	Horizo	PASS




Transmit at 5510MHz by 802.11ac(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5452.44	29.1	38.11	8.990	54.00	15.89	AV	Horizo	PASS
2	5460.00	30.1	39.08	8.990	54.00	14.92	AV	Horizo	PASS

Transmit at 5510MHz by 802.11ac(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.3	46.32	8.990	68.30	21.98	PK	Vertic	PASS
2	5468.98	49.4	58.34	8.970	68.30	9.96	PK	Vertic	PASS

Transmit at 5510MHz by 802.11ac(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5442.79	27.1	36.09	9.010	54.00	17.91	AV	Vertic	PASS
2	5460.00	27.1	36.08	8.990	54.00	17.92	AV	Vertic	PASS

Transmit at 5670MHz by 802.11ac(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.0	47.93	10.970	68.30	20.37	PK	Horizo	PASS
2	5725.00	42.6	54.27	11.650	68.30	14.03	PK	Horizo	PASS

Transmit at 5670MHz by 802.11ac(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5447.21	26.7	35.69	9.000	54.00	18.31	AV	Horizo	PASS
2	5460.00	25.7	34.73	8.990	54.00	19.27	AV	Horizo	PASS

Transmit at 5670MHz by 802.11ac(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.2	48.21	10.970	68.30	20.09	PK	Vertic	PASS
2	5725.00	37.1	48.73	11.650	68.30	19.57	PK	Vertic	PASS

Transmit at 5670MHz by 802.11ac(40MHz)



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5407.53	26.5	35.58	9.040	54.00	18.42	AV	Vertic	PASS
2	5460.00	25.9	34.84	8.990	54.00	19.16	AV	Vertic	PASS

Transmit at 5210MHz by 802.11ac(80MHz)




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5143.50	48.6	58.46	9.880	74.00	15.54	PK	Horizo	PASS
2	5150.00	48.0	57.92	9.880	74.00	16.08	PK	Horizo	PASS




Transmit at 5210MHz by 802.11ac(80MHz)



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5139.09	39.1	46.95	7.870	54.00	7.05	AV	Horizo	PASS
2	5150.00	38.2	46.08	7.880	54.00	7.92	AV	Horizo	PASS

Transmit at 5210MHz by 802.11ac(80MHz)




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5145.28	44.5	54.35	9.880	74.00	19.65	PK	Vertic	PASS
2	5150.00	41.8	51.66	9.880	74.00	22.34	PK	Vertic	PASS




Transmit at 5210MHz by 802.11ac(80MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5145.19	33.2	41.04	7.880	54.00	12.96	AV	Vertic	PASS
2	5150.00	33.6	41.45	7.880	54.00	12.55	AV	Vertic	PASS

Transmit at 5290MHz by 802.11ac(80MHz)



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	46.9	57.57	10.710	74.00	16.43	PK	Horizo	PASS
2	5367.47	49.9	60.67	10.820	74.00	13.33	PK	Horizo	PASS


Transmit at 5290MHz by 802.11ac(80MHz)



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	37.5	46.17	8.710	54.00	7.83	AV	Horizo	PASS
2	5351.43	37.6	46.33	8.710	54.00	7.67	AV	Horizo	PASS


Transmit at 5290MHz by 802.11ac(80MHz)



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	41.9	52.64	10.710	74.00	21.36	PK	Vertic	PASS
2	5350.77	44.1	54.82	10.710	74.00	19.18	PK	Vertic	PASS

Transmit at 5290MHz by 802.11ac(80MHz)



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	31.2	39.88	8.710	54.00	14.12	AV	Vertic	PASS
2	5351.77	32.2	40.95	8.710	54.00	13.05	AV	Vertic	PASS


Transmit at 5530MHz by 802.11ac(80MHz)



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	48.8	57.81	8.990	68.30	10.49	PK	Horizo	PASS
2	5468.43	55.3	64.31	8.970	68.30	3.99	PK	Horizo	PASS


Transmit at 5530MHz by 802.11ac(80MHz)



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5454.86	41.0	50.02	8.990	54.00	3.98	AV	Horizo	PASS
2	5460.00	39.3	48.26	8.990	54.00	5.74	AV	Horizo	PASS


Transmit at 5530MHz by 802.11ac(80MHz)



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	42.1	51.13	8.990	68.30	17.17	PK	Vertic	PASS
2	5466.01	45.9	54.86	8.980	68.30	13.44	PK	Vertic	PASS

Transmit at 5530MHz by 802.11ac(80MHz)



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5442.62	34.9	43.93	9.010	54.00	10.07	AV	Vertic	PASS
2	5460.00	32.5	41.52	8.990	54.00	12.48	AV	Vertic	PASS


Transmit at 5610MHz by 802.11ac(80MHz)



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	38.0	48.95	10.970	68.30	19.35	PK	Horizo	PASS
2	5725.00	39.6	51.28	11.650	68.30	17.02	PK	Horizo	PASS

Transmit at 5610MHz by 802.11ac(80MHz)



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5440.11	27.6	36.59	9.000	54.00	17.41	AV	Horizo	PASS
2	5460.00	28.0	37.01	8.990	54.00	16.99	AV	Horizo	PASS

Transmit at 5610MHz by 802.11ac(80MHz)




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	36.7	47.70	10.970	68.30	20.60	PK	Vertic	PASS
2	5725.00	37.0	48.64	11.650	68.30	19.66	PK	Vertic	PASS




Transmit at 5610MHz by 802.11ac(80MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5388.75	26.4	35.37	8.970	54.00	18.63	AV	Vertic	PASS
2	5460.00	26.7	35.73	8.990	54.00	18.27	AV	Vertic	PASS

Transmit at 5745MHz by 802.11a




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.51	38.1	49.33	11.250	68.30	18.97	PK	Horizo	PASS
2	5662.70	38.4	49.74	11.360	77.73	27.99	PK	Horizo	PASS
3	5710.64	52.9	64.47	11.580	108.28	43.81	PK	Horizo	PASS
4	5724.29	68.2	79.81	11.650	120.68	40.87	PK	Horizo	PASS
5	5853.31	37.5	49.59	12.070	114.75	65.16	PK	Horizo	PASS
6	5863.06	37.4	49.45	12.070	108.64	59.19	PK	Horizo	PASS
7	5901.90	37.7	49.80	12.100	85.36	35.56	PK	Horizo	PASS
8	5937.98	37.9	50.11	12.230	68.30	18.19	PK	Horizo	PASS

Transmit at 5745MHz by 802.11a




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.40	38.0	49.25	11.240	68.30	19.05	PK	Vertic	PASS
2	5667.41	38.0	49.41	11.370	81.22	31.81	PK	Vertic	PASS
3	5706.25	41.1	52.63	11.550	107.05	54.42	PK	Vertic	PASS
4	5723.31	60.8	72.41	11.640	118.45	46.04	PK	Vertic	PASS
5	5852.66	37.2	49.29	12.070	116.23	66.94	PK	Vertic	PASS
6	5869.08	37.5	49.59	12.070	106.96	57.37	PK	Vertic	PASS
7	5904.99	37.6	49.70	12.110	83.07	33.37	PK	Vertic	PASS
8	5938.79	38.0	50.21	12.230	68.30	18.09	PK	Vertic	PASS


Transmit at 5825MHz by 802.11a




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.38	37.7	48.95	11.240	68.30	19.35	PK	Horizo	PASS
2	5672.78	38.0	49.35	11.400	85.19	35.84	PK	Horizo	PASS
3	5709.66	38.3	49.88	11.570	108.01	58.13	PK	Horizo	PASS
4	5724.29	38.5	50.13	11.650	120.68	70.55	PK	Horizo	PASS
5	5850.88	51.9	64.01	12.070	120.30	56.29	PK	Horizo	PASS
6	5867.78	43.7	55.74	12.070	107.32	51.58	PK	Horizo	PASS
7	5904.83	38.3	50.36	12.100	83.19	32.83	PK	Horizo	PASS
8	5943.50	38.0	50.24	12.240	68.30	18.06	PK	Horizo	PASS

Transmit at 5825MHz by 802.11a**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.19	36.5	47.73	11.240	68.30	20.57	PK	Vertic	PASS
2	5662.38	37.0	48.38	11.350	77.49	29.11	PK	Vertic	PASS
3	5711.29	36.6	48.13	11.580	108.46	60.33	PK	Vertic	PASS
4	5722.01	36.8	48.44	11.640	115.49	67.05	PK	Vertic	PASS
5	5851.36	42.6	54.67	12.070	119.19	64.52	PK	Vertic	PASS
6	5863.88	36.3	48.37	12.070	108.41	60.04	PK	Vertic	PASS
7	5906.94	37.4	49.54	12.110	81.63	32.09	PK	Vertic	PASS
8	5937.65	36.5	48.73	12.230	68.30	19.57	PK	Vertic	PASS


Transmit at 5745MHz by 802.11ac(20MHz)**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.89	38.7	49.92	11.240	68.30	18.38	PK	Horizo	PASS
2	5669.20	39.3	50.65	11.390	82.55	31.90	PK	Horizo	PASS
3	5711.78	54.5	66.12	11.580	108.60	42.48	PK	Horizo	PASS
4	5723.15	70.5	82.11	11.640	118.08	35.97	PK	Horizo	PASS
5	5851.69	37.8	49.89	12.070	118.45	68.56	PK	Horizo	PASS
6	5864.20	37.2	49.28	12.070	108.32	59.04	PK	Horizo	PASS
7	5900.28	37.1	49.21	12.090	86.56	37.35	PK	Horizo	PASS
8	5939.60	37.8	50.02	12.230	68.30	18.28	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ac(20MHz)**Test Graph****Data List**


NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5637.19	37.7	48.90	11.240	68.30	19.40	PK	Vertic	PASS
2	5670.50	38.3	49.67	11.390	83.51	33.84	PK	Vertic	PASS
3	5713.89	48.0	59.57	11.590	109.19	49.62	PK	Vertic	PASS
4	5724.45	63.0	74.63	11.650	121.05	46.42	PK	Vertic	PASS
5	5852.99	36.7	48.78	12.070	115.49	66.71	PK	Vertic	PASS
6	5869.08	37.8	49.85	12.070	106.96	57.11	PK	Vertic	PASS
7	5901.58	37.7	49.77	12.090	85.60	35.83	PK	Vertic	PASS
8	5947.73	37.7	49.98	12.260	68.30	18.32	PK	Vertic	PASS

Transmit at 5825MHz by 802.11ac(20MHz)




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.51	37.4	48.66	11.250	68.30	19.64	PK	Horizo	PASS
2	5677.98	38.1	49.55	11.420	89.04	39.49	PK	Horizo	PASS
3	5715.03	37.7	49.30	11.590	109.51	60.21	PK	Horizo	PASS
4	5720.88	38.5	50.13	11.630	112.90	62.77	PK	Horizo	PASS
5	5851.20	50.6	62.70	12.070	119.56	56.86	PK	Horizo	PASS
6	5861.76	45.4	57.47	12.070	109.00	51.53	PK	Horizo	PASS
7	5896.21	38.4	50.52	12.090	89.56	39.04	PK	Horizo	PASS
8	5937.81	37.9	50.15	12.230	68.30	18.15	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ac(20MHz)**Test Graph****Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.76	37.9	49.11	11.260	68.30	19.19	PK	Vertic	PASS
2	5686.75	39.3	50.77	11.460	95.53	44.76	PK	Vertic	PASS
3	5711.45	37.8	49.35	11.580	108.51	59.16	PK	Vertic	PASS
4	5724.13	37.7	49.37	11.650	120.31	70.94	PK	Vertic	PASS
5	5850.55	43.2	55.27	12.070	121.05	65.78	PK	Vertic	PASS
6	5865.34	37.9	49.95	12.070	108.00	58.05	PK	Vertic	PASS
7	5902.71	37.8	49.94	12.100	84.75	34.81	PK	Vertic	PASS
8	5937.65	37.8	50.05	12.230	68.30	18.25	PK	Vertic	PASS

Transmit at 5755MHz by 802.11ac(40MHz)




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5646.78	38.7	49.94	11.290	68.30	18.36	PK	Horizo	PASS
2	5683.01	42.4	53.87	11.450	92.77	38.90	PK	Horizo	PASS
3	5713.40	62.2	73.79	11.590	109.05	35.26	PK	Horizo	PASS
4	5721.04	66.1	77.69	11.630	113.27	35.58	PK	Horizo	PASS
5	5852.83	37.7	49.81	12.070	115.86	66.05	PK	Horizo	PASS
6	5862.25	37.7	49.74	12.070	108.87	59.13	PK	Horizo	PASS
7	5900.93	38.4	50.52	12.090	86.08	35.56	PK	Horizo	PASS
8	5944.31	37.7	49.97	12.250	68.30	18.33	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ac(40MHz)**Test Graph****Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5634.10	37.6	48.82	11.230	68.30	19.48	PK	Vertic	PASS
2	5664.49	37.7	49.08	11.360	79.05	29.97	PK	Vertic	PASS
3	5709.18	51.0	62.53	11.560	107.87	45.34	PK	Vertic	PASS
4	5723.96	58.3	69.93	11.650	119.94	50.01	PK	Vertic	PASS
5	5853.48	37.6	49.63	12.070	114.38	64.75	PK	Vertic	PASS
6	5863.06	37.8	49.87	12.070	108.64	58.77	PK	Vertic	PASS
7	5905.31	38.0	50.15	12.110	82.83	32.68	PK	Vertic	PASS
8	5939.93	37.6	49.83	12.230	68.30	18.47	PK	Vertic	PASS

Transmit at 5795MHz by 802.11ac(40MHz)**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5634.43	38.3	49.54	11.230	68.30	18.76	PK	Horizo	PASS
2	5677.98	38.7	50.07	11.420	89.04	38.97	PK	Horizo	PASS
3	5709.01	39.1	50.61	11.560	107.83	57.22	PK	Horizo	PASS
4	5722.99	40.8	52.48	11.640	117.71	65.23	PK	Horizo	PASS
5	5850.71	45.0	57.05	12.070	120.67	63.62	PK	Horizo	PASS
6	5861.60	41.0	53.10	12.070	109.05	55.95	PK	Horizo	PASS
7	5893.94	37.6	49.64	12.090	91.25	41.61	PK	Horizo	PASS
8	5931.48	38.1	50.26	12.210	68.30	18.04	PK	Horizo	PASS




Transmit at 5795MHz by 802.11ac(40MHz)



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.70	38.1	49.32	11.240	68.30	18.98	PK	Vertic	PASS
2	5679.60	38.0	49.39	11.430	90.24	40.85	PK	Vertic	PASS
3	5711.78	38.3	49.90	11.580	108.60	58.70	PK	Vertic	PASS
4	5723.15	38.5	50.13	11.640	118.08	67.95	PK	Vertic	PASS
5	5851.69	39.6	51.65	12.070	118.45	66.80	PK	Vertic	PASS
6	5865.18	39.5	51.53	12.070	108.05	56.52	PK	Vertic	PASS
7	5909.21	38.6	50.74	12.120	79.95	29.21	PK	Vertic	PASS
8	5940.90	38.2	50.41	12.240	68.30	17.89	PK	Vertic	PASS

Transmit at 5775MHz by 802.11ac(80MHz)




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5637.19	40.1	51.30	11.240	68.30	17.00	PK	Horizo	PASS
2	5675.86	51.4	62.84	11.410	87.48	24.64	PK	Horizo	PASS
3	5704.79	55.6	67.15	11.550	106.64	39.49	PK	Horizo	PASS
4	5724.45	62.8	74.40	11.650	121.05	46.65	PK	Horizo	PASS
5	5852.18	58.2	70.23	12.070	117.34	47.11	PK	Horizo	PASS
6	5867.13	52.7	64.80	12.070	107.50	42.70	PK	Horizo	PASS
7	5899.14	39.0	51.13	12.090	87.40	36.27	PK	Horizo	PASS
8	5932.29	37.8	49.98	12.210	68.30	18.32	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ac(80MHz)

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.00	37.8	49.04	11.250	68.30	19.26	PK	Vertic	PASS
2	5687.24	47.1	58.60	11.460	95.89	37.29	PK	Vertic	PASS
3	5712.43	50.2	61.74	11.580	108.78	47.04	PK	Vertic	PASS
4	5723.64	55.1	66.73	11.650	119.19	52.46	PK	Vertic	PASS
5	5852.50	49.2	61.25	12.070	116.60	55.35	PK	Vertic	PASS
6	5868.59	43.5	55.58	12.070	107.09	51.51	PK	Vertic	PASS
7	5899.14	38.0	50.09	12.090	87.40	37.31	PK	Vertic	PASS
8	5934.56	37.6	49.84	12.220	68.30	18.46	PK	Vertic	PASS

Note: Level = Reading + Factor


AC Power Line Conducted Emission

Limit: FCC_Part 15.107_CE_AC Power_Class B	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Line
EUT: Mobile Phone	Power: AC 120V/60Hz
Note: Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.158	40.517	30.849	-25.051	65.568	9.668	QP
2		0.210	35.950	26.293	-27.255	63.205	9.657	QP
3		0.266	32.046	22.381	-29.196	61.242	9.665	QP
4		0.314	30.886	21.213	-28.978	59.864	9.673	QP
5		0.426	28.705	19.014	-28.625	57.330	9.692	QP
6		0.690	27.077	17.415	-28.923	56.000	9.662	QP
7		1.682	27.142	17.397	-28.858	56.000	9.745	QP
8	*	15.938	46.736	36.526	-13.264	60.000	10.210	QP

Limit: FCC_Part 15.107_CE_AC Power_Class B	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Neutral
EUT: Mobile Phone	Power: AC 120V/60Hz
Note: Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.150	27.130	17.442	-38.870	66.000	9.688	QP
2		0.194	29.292	19.639	-34.571	63.864	9.653	QP
3		0.246	26.912	17.277	-34.979	61.891	9.636	QP
4		0.294	28.367	18.740	-32.043	60.411	9.627	QP
5		0.538	26.078	16.474	-29.922	56.000	9.604	QP
6		0.686	26.808	17.162	-29.192	56.000	9.647	QP
7		1.566	29.115	19.426	-26.885	56.000	9.689	QP
8	*	15.594	39.915	29.699	-20.085	60.000	10.216	QP

Note: Level = Reading + Factor


Dynamic Frequency Selection

DFS Detection Thresholds

Test Result

TestMode	Frequency[dbm]	Radar Type	Result	Limit[dbm]	Verdict
11AC80SISO	5290	Type0	-62.16	-62.00	PASS
11AC80SISO	5530	Type0	-62.06	-62.00	PASS


Test Graphs




Channel Move Time and Channel Closing Transmission Time Test Result

TestMode	Frequency[MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11AC80SISO	5290	200+9.1	200+60	475.5	10000	PASS
11AC80SISO	5530	200+7.8	200+60	541.8	10000	PASS

Test Graphs



11AC80ISO-5290-Type0-PASS



11AC80ISO-5530-Type0-PASS




Non-Occupancy Period

Test Result


TestMode	Frequency[MHz]	Result	Limit[s]	Verdict
11AC80SISO	5290	see test graph	≥1800	PASS
11AC80SISO	5530	see test graph	≥1800	PASS



Test Graphs



11AC80ISO-5290-Type0-PASS



11AC80ISO-5530-Type0-PASS