11A-Ant1-5240-PASS

11A-Ant1-5260-PASS



11A-Ant1-5280-PASS

11A-Ant1-5320-PASS



11A-Ant1-5500-PASS

11A-Ant1-5580-PASS



11A-Ant1-5700-PASS

11A-Ant1-5745-PASS



11A-Ant1-5785-PASS

11A-Ant1-5825-PASS



11N20SISO-Ant1-5180-PASS

11N20SISO-Ant1-5200-PASS

11N20SISO-Ant1-5240-PASS



11N20SISO-Ant1-5260-PASS



11N20SISO-Ant1-5280-PASS

11N20SISO-Ant1-5320-PASS



11N20SISO-Ant1-5500-PASS

11N20SISO-Ant1-5580-PASS



11N20SISO-Ant1-5700-PASS



11N20SISO-Ant1-5745-PASS



11N20SISO-Ant1-5785-PASS

11N20SISO-Ant1-5825-PASS



11N40SISO-Ant1-5190-PASS

11N40SISO-Ant1-5230-PASS



11N40SISO-Ant1-5270-PASS

11N40SISO-Ant1-5310-PASS



11N40SISO-Ant1-5510-PASS



11N40SISO-Ant1-5590-PASS



11N40SISO-Ant1-5670-PASS



11N40SISO-Ant1-5755-PASS



11N40SISO-Ant1-5795-PASS



11AC20SISO-Ant1-5180-PASS



11AC20SISO-Ant1-5200-PASS

11AC20SISO-Ant1-5240-PASS



11AC20SISO-Ant1-5260-PASS

11AC20SISO-Ant1-5280-PASS



11AC20SISO-Ant1-5320-PASS

11AC20SISO-Ant1-5500-PASS



11AC20SISO-Ant1-5580-PASS



11AC20SISO-Ant1-5700-PASS



11AC20SISO-Ant1-5745-PASS



11AC20SISO-Ant1-5785-PASS



11AC20SISO-Ant1-5825-PASS

11AC40SISO-Ant1-5190-PASS



11AC40SISO-Ant1-5230-PASS



11AC40SISO-Ant1-5270-PASS



11AC40SISO-Ant1-5310-PASS

11AC40SISO-Ant1-5510-PASS



11AC40SISO-Ant1-5590-PASS



11AC40SISO-Ant1-5670-PASS



11AC40SISO-Ant1-5755-PASS



11AC40SISO-Ant1-5795-PASS



11AC80SISO-Ant1-5210-PASS

11AC80SISO-Ant1-5290-PASS



11AC80SISO-Ant1-5530-PASS



11AC80SISO-Ant1-5610-PASS



11AC80SISO-Ant1-5775-PASS

Radiated Emission

Transmit at 5180MHz by 802.11a

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	42.7	44.94	2.200	68.30	23.36	PK	Horizo	PASS
2	15540.00	29.2	39.15	10.000	54.00	14.85	AV	Horizo	PASS
3	15540.00	37.6	47.64	10.000	74.00	26.36	PK	Horizo	PASS

Transmit at 5180MHz by 802.11a

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	42.1	44.26	2.200	68.30	24.04	PK	Vertic	PASS
2	15540.00	37.7	47.69	10.000	74.00	26.31	PK	Vertic	PASS
3	15540.00	28.7	38.65	10.000	54.00	15.35	AV	Vertic	PASS

Transmit at 5200MHz by 802.11a

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10400.00	42.7	44.87	2.140	68.30	23.43	PK	Horizo	PASS
2	15600.00	37.4	47.59	10.200	74.00	26.41	PK	Horizo	PASS
3	15600.00	28.1	38.26	10.200	54.00	15.74	AV	Horizo	PASS

Transmit at 5200MHz by 802.11a

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10400.00	41.9	44.08	2.140	68.30	24.22	PK	Vertic	PASS
2	15600.00	37.2	47.35	10.200	74.00	26.65	PK	Vertic	PASS
3	15600.00	28.0	38.23	10.200	54.00	15.77	AV	Vertic	PASS

Transmit at 5240MHz by 802.11a

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10480.00	41.9	44.16	2.300	68.30	24.14	PK	Horizo	PASS
2	15720.00	37.5	47.90	10.450	74.00	26.10	PK	Horizo	PASS
3	15720.00	28.0	38.45	10.450	54.00	15.55	AV	Horizo	PASS

Transmit at 5240MHz by 802.11a

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10480.00	42.5	44.77	2.300	68.30	23.53	PK	Vertic	PASS
2	15720.00	37.5	47.91	10.450	74.00	26.09	PK	Vertic	PASS
3	15720.00	28.1	38.57	10.450	54.00	15.43	AV	Vertic	PASS

Transmit at 5260MHz by 802.11a

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	41.8	44.10	2.310	68.30	24.20	PK	Horizo	PASS
2	15780.00	37.3	47.56	10.280	74.00	26.44	PK	Horizo	PASS
3	15780.00	28.5	38.76	10.280	54.00	15.24	AV	Horizo	PASS

Transmit at 5260MHz by 802.11a

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	41.5	43.83	2.310	68.30	24.47	PK	Vertic	PASS
2	15780.00	37.2	47.48	10.280	74.00	26.52	PK	Vertic	PASS
3	15780.00	29.4	39.70	10.280	54.00	14.30	AV	Vertic	PASS

Transmit at 5280MHz by 802.11a

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10560.00	42.4	44.68	2.240	68.30	23.62	PK	Horizo	PASS
2	15840.00	37.7	47.89	10.210	74.00	26.11	PK	Horizo	PASS
3	15840.00	29.0	39.18	10.210	54.00	14.82	AV	Horizo	PASS

Transmit at 5280MHz by 802.11a

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10560.00	41.9	44.15	2.240	68.30	24.15	PK	Vertic	PASS
2	15840.00	38.4	48.57	10.210	74.00	25.43	PK	Vertic	PASS
3	15840.00	28.7	38.95	10.210	54.00	15.05	AV	Vertic	PASS

Transmit at 5320MHz by 802.11a

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10640.00	32.6	35.05	2.420	54.00	18.95	AV	Horizo	PASS
2	10640.00	41.3	43.69	2.420	74.00	30.31	PK	Horizo	PASS
3	15960.00	27.9	38.30	10.410	54.00	15.70	AV	Horizo	PASS
4	15960.00	37.6	47.97	10.410	74.00	26.03	PK	Horizo	PASS

Transmit at 5320MHz by 802.11a

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	10640.00	33.0	35.39	2.420	54.00	18.61	AV	Vertic	PASS
2	10640.00	42.5	44.93	2.420	74.00	29.07	PK	Vertic	PASS
3	15960.00	28.1	38.53	10.410	54.00	15.47	AV	Vertic	PASS
4	15960.00	36.5	46.93	10.410	74.00	27.07	PK	Vertic	PASS

Transmit at 5500MHz by 802.11a

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	41.6	44.22	2.630	74.00	29.78	PK	Horizo	PASS
2	11000.00	32.0	34.64	2.630	54.00	19.36	AV	Horizo	PASS
3	16500.00	37.7	47.88	10.200	68.30	20.42	PK	Horizo	PASS

Transmit at 5500MHz by 802.11a

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	41.7	44.37	2.630	74.00	29.63	PK	Vertic	PASS
2	11000.00	33.2	35.81	2.630	54.00	18.19	AV	Vertic	PASS
3	16500.00	36.6	46.81	10.200	68.30	21.49	PK	Vertic	PASS

Transmit at 5580MHz by 802.11a

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11160.00	41.0	45.37	4.380	74.00	28.63	PK	Horizo	PASS
2	11160.00	31.2	35.61	4.380	54.00	18.39	AV	Horizo	PASS
3	16740.00	37.5	47.93	10.440	68.30	20.37	PK	Horizo	PASS

Transmit at 5580MHz by 802.11a

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11160.00	40.5	44.84	4.380	74.00	29.16	PK	Vertic	PASS
2	11160.00	31.7	36.08	4.380	54.00	17.92	AV	Vertic	PASS
3	16740.00	37.0	47.42	10.440	68.30	20.88	PK	Vertic	PASS

Transmit at 5700MHz by 802.11a

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11400.00	40.6	45.33	4.690	74.00	28.67	PK	Horizo	PASS
2	11400.00	31.9	36.58	4.690	54.00	17.42	AV	Horizo	PASS
3	17100.00	36.4	46.95	10.570	68.30	21.35	PK	Horizo	PASS

Transmit at 5700MHz by 802.11a

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11400.00	40.2	44.89	4.690	74.00	29.11	PK	Vertic	PASS
2	11400.00	31.5	36.22	4.690	54.00	17.78	AV	Vertic	PASS
3	17100.00	36.5	47.03	10.570	68.30	21.27	PK	Vertic	PASS

Transmit at 5745MHz by 802.11a

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	41.4	46.27	4.870	74.00	27.73	PK	Horizo	PASS
2	11490.00	31.9	36.73	4.870	54.00	17.27	AV	Horizo	PASS
3	17235.00	36.7	47.86	11.200	68.30	20.44	PK	Horizo	PASS

Transmit at 5745MHz by 802.11a

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	40.3	45.12	4.870	74.00	28.88	PK	Vertic	PASS
2	11490.00	31.9	36.72	4.870	54.00	17.28	AV	Vertic	PASS
3	17235.00	36.6	47.76	11.200	68.30	20.54	PK	Vertic	PASS

Transmit at 5785MHz by 802.11a

Test Graph



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11570.00	40.7	45.77	5.110	74.00	28.23	PK	Horizo	PASS
2	11570.00	31.5	36.65	5.110	54.00	17.35	AV	Horizo	PASS
3	17355.00	37.1	48.49	11.390	68.30	19.81	PK	Horizo	PASS