




24.23. Peak to Average Ratio for SA(NTNV)(Channel:636000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




24.24. Peak to Average Ratio for SA(NTNV)(Channel:636000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




24.25. Peak to Average Ratio for SA(NTNV)(Channel:636000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




24.26. Peak to Average Ratio for SA(NTNV)(Channel:636000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




24.27. Peak to Average Ratio for SA(NTNV)(Channel:636000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




24.28. Peak to Average Ratio for SA(NTNV)(Channel:636000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)



24.29. Peak to Average Ratio for SA(NTNV)(Channel:636000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




24.30. Peak to Average Ratio for SA(NTNV)(Channel:636000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




25. n77_(3700-3980MHz)


25.1. Peak to Average Ratio for SA(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




25.2. Peak to Average Ratio for SA(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




25.3. Peak to Average Ratio for SA(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




25.4. Peak to Average Ratio for SA(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




25.5. Peak to Average Ratio for SA(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




25.6. Peak to Average Ratio for SA(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




25.7. Peak to Average Ratio for SA(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




25.8. Peak to Average Ratio for SA(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




25.9. Peak to Average Ratio for SA(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




25.10. Peak to Average Ratio for SA(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




25.11. Peak to Average Ratio for SA(NTNV)(Channel:656000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




25.12. Peak to Average Ratio for SA(NTNV)(Channel:656000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




25.13. Peak to Average Ratio for SA(NTNV)(Channel:656000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




25.14. Peak to Average Ratio for SA(NTNV)(Channel:656000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




25.15. Peak to Average Ratio for SA(NTNV)(Channel:656000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




25.16. Peak to Average Ratio for SA(NTNV)(Channel:656000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




25.17. Peak to Average Ratio for SA(NTNV)(Channel:656000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




25.18. Peak to Average Ratio for SA(NTNV)(Channel:656000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




25.19. Peak to Average Ratio for SA(NTNV)(Channel:656000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




25.20. Peak to Average Ratio for SA(NTNV)(Channel:656000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




25.21. Peak to Average Ratio for SA(NTNV)(Channel:664666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




25.22. Peak to Average Ratio for SA(NTNV)(Channel:664666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




25.23. Peak to Average Ratio for SA(NTNV)(Channel:664666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




25.24. Peak to Average Ratio for SA(NTNV)(Channel:664666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




25.25. Peak to Average Ratio for SA(NTNV)(Channel:664666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




25.26. Peak to Average Ratio for SA(NTNV)(Channel:664666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




25.27. Peak to Average Ratio for SA(NTNV)(Channel:664666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




25.28. Peak to Average Ratio for SA(NTNV)(Channel:664666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)



25.29. Peak to Average Ratio for SA(NTNV)(Channel:664666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




25.30. Peak to Average Ratio for SA(NTNV)(Channel:664666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




26. n78_(3700-3800MHz)


26.1. Peak to Average Ratio for SA(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




26.2. Peak to Average Ratio for SA(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




26.3. Peak to Average Ratio for SA(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




26.4. Peak to Average Ratio for SA(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




26.5. Peak to Average Ratio for SA(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




26.6. Peak to Average Ratio for SA(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




26.7. Peak to Average Ratio for SA(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




26.8. Peak to Average Ratio for SA(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




26.9. Peak to Average Ratio for SA(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




26.10. Peak to Average Ratio for SA(NTNV)(Channel:647334, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




26.11. Peak to Average Ratio for SA(NTNV)(Channel:650000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




26.12. Peak to Average Ratio for SA(NTNV)(Channel:650000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




26.13. Peak to Average Ratio for SA(NTNV)(Channel:650000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




26.14. Peak to Average Ratio for SA(NTNV)(Channel:650000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




26.15. Peak to Average Ratio for SA(NTNV)(Channel:650000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




26.16. Peak to Average Ratio for SA(NTNV)(Channel:650000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




26.17. Peak to Average Ratio for SA(NTNV)(Channel:650000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




26.18. Peak to Average Ratio for SA(NTNV)(Channel:650000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




26.19. Peak to Average Ratio for SA(NTNV)(Channel:650000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




26.20. Peak to Average Ratio for SA(NTNV)(Channel:650000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




26.21. Peak to Average Ratio for SA(NTNV)(Channel:652666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




26.22. Peak to Average Ratio for SA(NTNV)(Channel:652666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




26.23. Peak to Average Ratio for SA(NTNV)(Channel:652666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




26.24. Peak to Average Ratio for SA(NTNV)(Channel:652666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




26.25. Peak to Average Ratio for SA(NTNV)(Channel:652666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




26.26. Peak to Average Ratio for SA(NTNV)(Channel:652666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




26.27. Peak to Average Ratio for SA(NTNV)(Channel:652666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




26.28. Peak to Average Ratio for SA(NTNV)(Channel:652666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)



26.29. Peak to Average Ratio for SA(NTNV)(Channel:652666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)



26.30. Peak to Average Ratio for SA(NTNV)(Channel:652666, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)



--BLANK BELOW--