Mode	16	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full_6025MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12050.00 46.59 74.00 -27.41 55.36 38.95 16.53 64.25 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12050.00 46.95 74.00 -27.05 55.72 38.95 16.53 64.25 0.00 -- -- PEAK

Mode	17	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full_6185MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12370.00 46.95 74.00 -27.05 54.99 38.93 16.79 63.76 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12370.00 46.18 74.00 -27.82 54.22 38.93 16.79 63.76 0.00 -- -- PEAK

Mode	18	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full_6345MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12690.00 46.80 74.00 -27.20 53.92 39.19 17.04 63.35 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12690.00 47.67 74.00 -26.33 54.79 39.19 17.04 63.35 0.00 -- -- PEAK

Mode	19	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH97_Full_6435MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12870.00 48.41 88.20 -39.79 55.24 39.13 17.19 63.15 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12870.00 47.48 88.20 -40.72 54.31 39.13 17.19 63.15 0.00 -- -- PEAK

Mode	20	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH105_Full_6475MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12950.00 47.38 88.20 -40.82 54.09 39.10 17.25 63.06 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12950.00 46.39 88.20 -41.81 53.10 39.10 17.25 63.06 0.00 -- -- PEAK

Mode	21	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH113_Full_6515MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13030.00 47.34 88.20 -40.86 53.95 39.10 17.31 63.02 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13030.00 47.49 88.20 -40.71 54.10 39.10 17.31 63.02 0.00 -- -- PEAK

Mode	22	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH97_Full_6435MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12870.00 47.67 88.20 -40.53 54.50 39.13 17.19 63.15 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12870.00 47.34 88.20 -40.86 54.17 39.13 17.19 63.15 0.00 -- -- PEAK

Mode	23	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_Full_6475MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12950.00 46.60 88.20 -41.60 53.31 39.10 17.25 63.06 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12950.00 46.87 88.20 -41.33 53.58 39.10 17.25 63.06 0.00 -- -- PEAK

Mode	24	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full_6515MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13030.00 47.29 88.20 -40.91 53.90 39.10 17.31 63.02 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13030.00 48.01 88.20 -40.19 54.62 39.10 17.31 63.02 0.00 -- -- PEAK

Mode	25	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full_6445MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12890.00 47.13 88.20 -41.07 53.95 39.11 17.20 63.13 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12890.00 46.91 88.20 -41.29 53.73 39.11 17.20 63.13 0.00 -- -- PEAK

Mode	26	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full_6485MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12970.00 47.47 88.20 -40.73 54.14 39.10 17.27 63.04 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12970.00 48.62 88.20 -39.58 55.29 39.10 17.27 63.04 0.00 -- -- PEAK

Mode	27	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH115_Full_6525MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13050.00 47.53 88.20 -40.67 54.13 39.10 17.32 63.02 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13050.00 46.67 88.20 -41.53 53.27 39.10 17.32 63.02 0.00 -- -- PEAK

Mode	28	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE80_CH103_Full_6465MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12930.00 47.29 88.20 -40.91 54.05 39.10 17.23 63.09 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12930.00 46.73 88.20 -41.47 53.49 39.10 17.23 63.09 0.00 -- -- PEAK

Mode	29	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE80_CH119_Full_6545MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13090.00 46.91 88.20 -41.29 53.49 39.10 17.35 63.03 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13090.00 46.92 88.20 -41.28 53.50 39.10 17.35 63.03 0.00 -- -- PEAK

Mode	30	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE160_CH111_Full_6505MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13010.00 46.86 88.20 -41.34 53.47 39.10 17.30 63.01 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13010.00 46.84 88.20 -41.36 53.45 39.10 17.30 63.01 0.00 -- -- PEAK

Mode	31	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_Full_6535MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13070.00 46.03 88.20 -42.17 52.63 39.10 17.33 63.03 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13070.00 46.43 88.20 -41.77 53.03 39.10 17.33 63.03 0.00 -- -- PEAK

Mode	32	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_Full_6695MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13390.00 46.94 74.00 -27.06 53.03 39.48 17.53 63.10 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13390.00 46.39 74.00 -27.61 52.48 39.48 17.53 63.10 0.00 -- -- PEAK

Mode	33	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH181_Full_6855MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13710.00 45.65 88.20 -42.55 52.62 38.91 17.73 63.61 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13710.00 45.79 88.20 -42.41 52.76 38.91 17.73 63.61 0.00 -- -- PEAK

Mode	34	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH185_Full_6875MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13750.00 46.28 88.20 -41.92 53.29 38.95 17.75 63.71 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13750.00 46.66 88.20 -41.54 53.67 38.95 17.75 63.71 0.00 -- -- PEAK

Mode	35	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full_6535MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13070.00 46.54 88.20 -41.66 53.14 39.10 17.33 63.03 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13070.00 46.54 88.20 -41.66 53.14 39.10 17.33 63.03 0.00 -- -- PEAK

Mode	36	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full_6695MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13390.00 46.37 74.00 -27.63 52.46 39.48 17.53 63.10 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13390.00 46.01 74.00 -27.99 52.10 39.48 17.53 63.10 0.00 -- -- PEAK

Mode	37	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_Full_6855MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13710.00 46.23 88.20 -41.97 53.20 38.91 17.73 63.61 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13710.00 47.11 88.20 -41.09 54.08 38.91 17.73 63.61 0.00 -- -- PEAK

Mode	38	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH185_Full_6875MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13750.00 46.57 88.20 -41.63 53.58 38.95 17.75 63.71 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13750.00 46.72 88.20 -41.48 53.73 38.95 17.75 63.71 0.00 -- -- PEAK

Mode	39	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full_6565MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13130.00 47.30 88.20 -40.90 53.90 39.07 17.37 63.04 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13130.00 47.33 88.20 -40.87 53.93 39.07 17.37 63.04 0.00 -- -- PEAK

Mode	40	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full_6685MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13370.00 45.84 74.00 -28.16 51.98 39.44 17.52 63.10 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13370.00 46.14 74.00 -27.86 52.28 39.44 17.52 63.10 0.00 -- -- PEAK

Mode	41	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_Full_6845MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13690.00 45.59 88.20 -42.61 52.51 38.93 17.72 63.57 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13690.00 45.85 88.20 -42.35 52.77 38.93 17.72 63.57 0.00 -- -- PEAK

Mode	42	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH187_Full_6885MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13770.00 45.93 88.20 -42.27 52.94 38.97 17.77 63.75 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13770.00 45.68 88.20 -42.52 52.69 38.97 17.77 63.75 0.00 -- -- PEAK

Mode	43	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full_6625MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13250.00 47.06 74.00 -26.94 53.54 39.15 17.44 63.07 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13250.00 46.89 74.00 -27.11 53.37 39.15 17.44 63.07 0.00 -- -- PEAK

Mode	44	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full_6705MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13410.00 47.08 88.20 -41.12 53.16 39.49 17.54 63.11 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13410.00 47.30 88.20 -40.90 53.38 39.49 17.54 63.11 0.00 -- -- PEAK

Mode	45	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_Full_6785MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13570.00 46.84 88.20 -41.36 53.23 39.26 17.64 63.29 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13570.00 47.01 88.20 -41.19 53.40 39.26 17.64 63.29 0.00 -- -- PEAK

Mode	46	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH183_Full_6865MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13730.00 45.53 88.20 -42.67 52.52 38.93 17.74 63.66 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13730.00 45.65 88.20 -42.55 52.64 38.93 17.74 63.66 0.00 -- -- PEAK

Mode	47	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full_6665MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13330.00 47.09 74.00 -26.91 53.33 39.36 17.49 63.09 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13330.00 47.32 74.00 -26.68 53.56 39.36 17.49 63.09 0.00 -- -- PEAK

Mode	48	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_Full_6825MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13650.00 46.73 88.20 -41.47 53.46 39.05 17.69 63.47 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13650.00 46.09 88.20 -42.11 52.82 39.05 17.69 63.47 0.00 -- -- PEAK

Mode	49	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH189_Full_6895MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13790.00 45.83 88.20 -42.37 52.86 38.99 17.78 63.80 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13790.00 45.16 88.20 -43.04 52.19 38.99 17.78 63.80 0.00 -- -- PEAK

Mode	50	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH209_Full_6995MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13990.00 44.79 88.20 -43.41 51.98 39.17 17.90 64.26 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13990.00 44.73 88.20 -43.47 51.92 39.17 17.90 64.26 0.00 -- -- PEAK

Mode	51	
	Band Edge	
	U-NII-8_6.875-7.125_802.11a_CH229_Full_7095MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7126.44 61.28 88.20 -26.92 50.15 35.59 12.56 37.02 0.00 292 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 106.57 ------ ------ 95.32 35.71 12.55 37.01 0.00 292 0 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.80 50.35 68.20 -17.85 39.21 35.60 12.56 37.02 0.00 292 0 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 97.58 ------ ------ 86.33 35.71 12.55 37.01 0.00 292 0 AVERAGE

Mode	51	
	Band Edge	
	U-NII-8_6.875-7.125_802.11a_CH229_Full_7095MHz	
ANT	CDD 0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7126.76 59.26 88.20 -28.94 48.13 35.59 12.56 37.02 0.00 373 342 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 104.67 ------ ------ 93.42 35.71 12.55 37.01 0.00 373 342 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 50.01 68.20 -18.19 38.86 35.60 12.56 37.01 0.00 373 342 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 95.95 ------ ------ 84.70 35.71 12.55 37.01 0.00 373 342 AVERAGE

Mode	51	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH229_Full_7095MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14190.00 46.23 88.20 -41.97 53.44 39.38 18.05 64.64 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14190.00 45.44 88.20 -42.76 52.65 39.38 18.05 64.64 0.00 -- -- PEAK

Mode	52	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full_6895MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13790.00 45.28 88.20 -42.92 52.31 38.99 17.78 63.80 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13790.00 45.62 88.20 -42.58 52.65 38.99 17.78 63.80 0.00 -- -- PEAK

Mode	53	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full_6995MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13990.00 45.52 88.20 -42.68 52.71 39.17 17.90 64.26 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13990.00 46.03 88.20 -42.17 53.22 39.17 17.90 64.26 0.00 -- -- PEAK

Mode	54	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full_7095MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7131.08 52.30 88.20 -35.90 41.17 35.58 12.57 37.02 0.00 100 191 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 105.69 ------ ------ 94.44 35.71 12.55 37.01 0.00 100 191 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 41.59 68.20 -26.61 30.44 35.60 12.56 37.01 0.00 100 191 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 96.04 ------ ------ 84.79 35.71 12.55 37.01 0.00 100 191 AVERAGE

Mode	54	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full_7095MHz	
ANT	CDD 0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 57.15 88.20 -31.05 46.00 35.60 12.56 37.01 0.00 370 345 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 103.08 ------ ------ 91.83 35.71 12.55 37.01 0.00 370 345 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 43.31 68.20 -24.89 32.16 35.60 12.56 37.01 0.00 370 345 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 93.81 ------ ------ 82.56 35.71 12.55 37.01 0.00 370 345 AVERAGE

Mode	54	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full_7095MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14190.00 46.89 88.20 -41.31 54.10 39.38 18.05 64.64 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14190.00 46.21 88.20 -41.99 53.42 39.38 18.05 64.64 0.00 -- -- PEAK

Mode	55	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH187_Full_6885MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13770.00 46.04 88.20 -42.16 53.05 38.97 17.77 63.75 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13770.00 47.29 88.20 -40.91 54.30 38.97 17.77 63.75 0.00 -- -- PEAK

Mode	56	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH203_Full_6965MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13930.00 45.65 88.20 -42.55 52.91 38.99 17.87 64.12 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13930.00 45.92 88.20 -42.28 53.18 38.99 17.87 64.12 0.00 -- -- PEAK

Mode	57	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full_7085MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7127.56 56.26 88.20 -31.94 45.13 35.59 12.56 37.02 0.00 192 114 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7085.00 103.55 ------ ------ 92.29 35.73 12.54 37.01 0.00 192 114 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.16 45.87 68.20 -22.33 34.73 35.60 12.56 37.02 0.00 192 114 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7085.00 95.05 ------ ------ 83.79 35.73 12.54 37.01 0.00 192 114 AVERAGE

Mode	57	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full_7085MHz	
ANT	CDD 0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.48 58.60 88.20 -29.60 47.46 35.60 12.56 37.02 0.00 377 338 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7085.00 100.80 ------ ------ 89.54 35.73 12.54 37.01 0.00 377 338 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 45.48 68.20 -22.72 34.33 35.60 12.56 37.01 0.00 377 338 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7085.00 91.60 ------ ------ 80.34 35.73 12.54 37.01 0.00 377 338 AVERAGE

Mode	57	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full_7085MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14170.00 45.93 88.20 -42.27 53.15 39.34 18.04 64.60 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14170.00 46.02 88.20 -42.18 53.24 39.34 18.04 64.60 0.00 -- -- PEAK

Mode	58	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full_6945MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13890.00 46.60 88.20 -41.60 53.88 38.91 17.84 64.03 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13890.00 45.64 88.20 -42.56 52.92 38.91 17.84 64.03 0.00 -- -- PEAK

Mode	59	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full_7025MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7242.58 51.93 88.20 -36.27 40.48 35.81 12.67 37.03 0.00 298 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7025.00 100.25 ------ ------ 88.95 35.80 12.50 37.00 0.00 298 0 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7128.18 40.58 68.20 -27.62 29.45 35.59 12.56 37.02 0.00 298 0 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7025.00 90.63 ------ ------ 79.33 35.80 12.50 37.00 0.00 298 0 AVERAGE

Mode	59	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full_7025MHz	
ANT	CDD 0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7187.58 51.58 88.20 -36.62 40.21 35.80 12.59 37.02 0.00 383 355 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7025.00 98.06 ------ ------ 86.76 35.80 12.50 37.00 0.00 383 355 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.32 40.46 68.20 -27.74 29.32 35.60 12.56 37.02 0.00 383 355 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7025.00 88.71 ------ ------ 77.40 35.80 12.51 37.00 0.00 383 355 AVERAGE

Mode	59	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full_7025MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14050.00 45.68 88.20 -42.52 52.90 39.20 17.95 64.37 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14050.00 46.19 88.20 -42.01 53.41 39.20 17.95 64.37 0.00 -- -- PEAK

Mode	60	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full_6985MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7126.60 54.26 88.20 -33.94 43.13 35.59 12.56 37.02 0.00 300 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6985.00 98.01 ------ ------ 86.73 35.80 12.48 37.00 0.00 300 0 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7131.16 43.47 68.20 -24.73 32.34 35.58 12.57 37.02 0.00 300 0 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6985.00 87.07 ------ ------ 75.79 35.80 12.48 37.00 0.00 300 0 AVERAGE

Mode	60	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full_6985MHz	
ANT	CDD 0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7134.52 52.82 88.20 -35.38 41.71 35.56 12.57 37.02 0.00 321 338 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6985.00 93.33 ------ ------ 82.04 35.80 12.49 37.00 0.00 321 338 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7129.48 42.75 68.20 -25.45 31.63 35.58 12.56 37.02 0.00 321 338 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6985.00 84.59 ------ ------ 73.32 35.80 12.47 37.00 0.00 321 338 AVERAGE

Mode	60	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full_6985MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13970.00 46.55 88.20 -41.65 53.76 39.11 17.89 64.21 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13970.00 46.50 88.20 -41.70 53.71 39.11 17.89 64.21 0.00 -- -- PEAK

Mode	61	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_RU26/0_7095MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7140.36 66.09 88.20 -22.11 55.00 35.54 12.57 37.02 0.00 129 113 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 113.16 ------ ------ 101.93 35.69 12.55 37.01 0.00 129 113 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7137.00 48.90 68.20 -19.30 37.80 35.55 12.57 37.02 0.00 129 113 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 104.45 ------ ------ 93.22 35.69 12.55 37.01 0.00 129 113 AVERAGE

Mode	61	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_RU26/0_7095MHz	
ANT	CDD 0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 7127.24 65.83 88.20 -22.37 54.70 35.59 12.56 37.02 0.00 294 339 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 110.78 ------ ------ 99.55 35.69 12.55 37.01 0.00 294 339 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7137.32 49.72 68.20 -18.48 38.62 35.55 12.57 37.02 0.00 294 339 Average	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 101.20 ------ ------ 89.97 35.69 12.55 37.01 0.00 294 339 AVERAGE

Mode	62	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_RU52/37_7095MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7132.04 66.49 88.20 -21.71 55.37 35.57 12.57 37.02 0.00 303 0 Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 108.63 ------ ------ 97.40 35.69 12.55 37.01 0.00 303 0 PEAK
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7133.64 50.03 68.20 -18.17 38.91 35.57 12.57 37.02 0.00 303 0 Average	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 100.47 ------ ------ 89.24 35.69 12.55 37.01 0.00 303 0 AVERAGE

Mode	62	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_RU52/37_7095MHz	
ANT	CDD 0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7133.16 69.84 88.20 -18.36 58.72 35.57 12.57 37.02 0.00 337 331 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 106.60 ------ ------ 95.37 35.69 12.55 37.01 0.00 337 331 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7136.84 47.20 68.20 -21.00 36.10 35.55 12.57 37.02 0.00 337 331 Average	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 98.37 ------ ------ 87.14 35.69 12.55 37.01 0.00 337 331 AVERAGE

Mode	63	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_RU106/53_7095MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7128.36 60.37 88.20 -27.83 49.24 35.59 12.56 37.02 0.00 195 156 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 106.12 ------ ------ 94.87 35.71 12.55 37.01 0.00 195 156 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 41.54 68.20 -26.66 30.39 35.60 12.56 37.01 0.00 195 156 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 96.75 ------ ------ 85.50 35.71 12.55 37.01 0.00 195 156 AVERAGE

Mode	63	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_RU106/53_7095MHz	
ANT	CDD 0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7129.80 63.56 88.20 -24.64 52.44 35.58 12.56 37.02 0.00 330 337 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 104.17 ------ ------ 92.92 35.71 12.55 37.01 0.00 330 337 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 42.24 68.20 -25.96 31.09 35.60 12.56 37.01 0.00 330 337 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 94.57 ------ ------ 83.32 35.71 12.55 37.01 0.00 330 337 AVERAGE

Mode	51	
	18G-40G	
	U-NII-8_6.875-7.125_802.11a_CH229_Full_7095MHz	
ANT	CDD0+1	
Pol.	Horizontal	Vertical
Peak Avg		

Mode	51	
	LF	
	U-NII-8_6.875-7.125_802.11a_CH229_Full_7095MHz	
ANT	CDD0+1	
Pol.	Horizontal	Vertical
QP	 Freq Level Over Limit Limit Line Read Level Pol/Phase MHz dBuV/m dB dBuV/m dBuV 1 43.58 31.94 -8.06 40.00 47.08 VERTICAL 2 73.65 20.85 -19.15 40.00 40.23 VERTICAL 3 152.22 21.86 -21.64 43.50 36.03 VERTICAL 4 426.73 22.59 -23.41 46.00 29.99 VERTICAL 5 774.96 28.73 -17.27 46.00 29.31 VERTICAL 6 848.68 30.68 -15.32 46.00 30.24 VERTICAL	 Freq Level Over Limit Limit Line Read Level Pol/Phase MHz dBuV/m dB dBuV/m dBuV 1 30.00 21.85 -18.15 40.00 29.62 HORIZONTAL 2 151.25 24.36 -19.14 43.50 38.49 HORIZONTAL 3 343.31 24.53 -21.47 46.00 34.55 HORIZONTAL 4 665.35 27.47 -18.53 46.00 30.16 HORIZONTAL 5 865.17 30.33 -15.67 46.00 29.77 HORIZONTAL 6 968.96 32.17 -21.83 54.00 29.63 HORIZONTAL

Co-location

Mode	65	
	Band Edge	
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH38_Full_2478MHz	
ANT	0	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2488.90 43.91 74.00 -30.09 40.82 32.60 7.34 36.85 0.00 300 47 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2478.00 92.47 ------ ------ 89.40 32.60 7.32 36.85 0.00 300 47 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2497.60 34.05 54.00 -19.95 30.94 32.60 7.36 36.85 0.00 300 47 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2478.00 90.18 ------ ------ 87.11 32.60 7.32 36.85 0.00 300 47 AVERAGE

Mode	65	
	Band Edge	
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH38_Full_2478MHz	
ANT	0	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2486.86 44.73 74.00 -29.27 41.64 32.60 7.34 36.85 0.00 240 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2478.00 88.07 ------ ------ 85.00 32.60 7.32 36.85 0.00 240 360 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.74 33.84 54.00 -20.16 30.76 32.60 7.33 36.85 0.00 240 360 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2478.00 85.84 ------ ------ 82.77 32.60 7.32 36.85 0.00 240 360 AVERAGE

Mode	65	
	Harmonic	
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH38_Full_2478MHz	
ANT	0	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4956.00 41.97 74.00 -32.03 62.60 34.56 10.44 65.63 0.00 -- -- PEAK 2 7095.00 46.85 74.00 -27.15 65.53 35.71 12.55 66.94 0.00 -- -- Peak 3 7434.00 41.68 74.00 -32.32 59.93 35.70 12.93 66.88 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4956.00 40.10 74.00 -33.90 60.73 34.56 10.44 65.63 0.00 -- -- PEAK 2 7095.00 45.66 74.00 -28.34 64.34 35.71 12.55 66.94 0.00 -- -- Peak 3 7434.00 41.57 74.00 -32.43 59.82 35.70 12.93 66.88 0.00 -- -- PEAK

Mode	65	
	Band Edge	
	U-NII-8_6.875-7.125_802.11a_CH229_Full_7095MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.96 57.44 88.20 -30.76 46.30 35.60 12.56 37.02 0.00 100 183 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2476.00 91.38 ------ ------ 88.31 32.60 7.32 36.85 0.00 100 183 Peak 2 7095.00 104.46 ------ ------ 93.21 35.71 12.55 37.01 0.00 100 183 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 47.17 68.20 -21.03 36.02 35.60 12.56 37.01 0.00 100 183 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2476.00 87.62 ------ ------ 84.55 32.60 7.32 36.85 0.00 100 183 Average 2 7095.00 97.29 ------ ------ 86.04 35.71 12.55 37.01 0.00 100 183 AVERAGE

Mode	65	
	Band Edge	
	U-NII-8_6.875-7.125_802.11a_CH229_Full_7095MHz	
ANT	CDD 0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.16 63.49 88.20 -24.71 52.35 35.60 12.56 37.02 0.00 339 336 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2476.00 86.27 ------ ------ 83.20 32.60 7.32 36.85 0.00 339 336 Peak 2 7095.00 103.30 ------ ------ 92.05 35.71 12.55 37.01 0.00 339 336 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 51.01 68.20 -17.19 39.86 35.60 12.56 37.01 0.00 339 336 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2476.00 82.43 ------ ------ 79.36 32.60 7.32 36.85 0.00 339 336 Average 2 7095.00 95.57 ------ ------ 84.32 35.71 12.55 37.01 0.00 339 336 AVERAGE

Mode	65	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH229_Full_7095MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14190.00 45.86 88.20 -42.34 53.07 39.38 18.05 64.64 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14190.00 46.37 88.20 -41.83 53.58 39.38 18.05 64.64 0.00 -- -- PEAK

Mode	66	
	Band Edge	
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH38_Full_2478MHz	
ANT	2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2492.68 44.30 74.00 -29.70 41.20 32.60 7.35 36.85 0.00 201 342 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2478.00 91.80 ------ ------ 88.73 32.60 7.32 36.85 0.00 201 342 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.50 33.88 54.00 -20.12 30.80 32.60 7.33 36.85 0.00 201 342 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2478.00 89.46 ------ ------ 86.39 32.60 7.32 36.85 0.00 201 342 AVERAGE

Mode	66	
	Band Edge	
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH38_Full_2478MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2498.20 44.15 74.00 -29.85 41.04 32.60 7.36 36.85 0.00 262 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2478.00 88.04 ------ ------ 84.97 32.60 7.32 36.85 0.00 262 0 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2487.52 33.93 54.00 -20.07 30.84 32.60 7.34 36.85 0.00 262 0 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2478.00 85.67 ------ ------ 82.60 32.60 7.32 36.85 0.00 262 0 AVERAGE

Mode	66	
	Harmonic	
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH38_Full_2478MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4956.00 40.35 74.00 -33.65 60.98 34.56 10.44 65.63 0.00 -- -- PEAK 2 7434.00 42.07 74.00 -31.93 60.32 35.70 12.93 66.88 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4956.00 40.48 74.00 -33.52 61.11 34.56 10.44 65.63 0.00 -- -- PEAK 2 7434.00 42.41 74.00 -31.59 60.66 35.70 12.93 66.88 0.00 -- -- PEAK

Mode	66	
	Band Edge	
	U-NII-8_6.875-7.125_802.11a_CH229_Full_7095MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.64 57.80 88.20 -30.40 46.66 35.60 12.56 37.02 0.00 114 182 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2476.00 91.10 ------ ------ 88.03 32.60 7.32 36.85 0.00 114 182 Peak 2 7095.00 105.82 ------ ------ 94.57 35.71 12.55 37.01 0.00 114 182 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 47.41 68.20 -20.79 36.26 35.60 12.56 37.01 0.00 114 182 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2476.00 87.17 ------ ------ 84.10 32.60 7.32 36.85 0.00 114 182 Average 2 7095.00 98.49 ------ ------ 87.24 35.71 12.55 37.01 0.00 114 182 AVERAGE

Mode	66
	Band Edge
	U-NII-8_6.875-7.125_802.11a_CH229_Full_7095MHz
ANT	CDD 0+1

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 62.58 88.20 -25.62 51.43 35.60 12.56 37.01 0.00 340 336 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2476.00 86.31 ------ ------ 83.24 32.60 7.32 36.85 0.00 340 336 Peak 2 7095.00 102.92 ------ ------ 91.67 35.71 12.55 37.01 0.00 340 336 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.00 51.14 68.20 -17.06 39.99 35.60 12.56 37.01 0.00 340 336 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2476.00 82.51 ------ ------ 79.44 32.60 7.32 36.85 0.00 340 336 Average 2 7095.00 94.88 ------ ------ 83.63 35.71 12.55 37.01 0.00 340 336 AVERAGE

Mode	66	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH229_Full_7095MHz	
ANT	CDD 0+1	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14190.00 46.21 88.20 -41.99 53.42 39.38 18.05 64.64 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14190.00 46.21 88.20 -41.99 53.42 39.38 18.05 64.64 0.00 -- -- PEAK

Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.32	-	-	10Hz
802.11ax HE20	100	-	-	10Hz
802.11ax HE40	100	-	-	10Hz
802.11ax HE80	100	-	-	10Hz
802.11ax HE160	100	-	-	10Hz
802.11ax HE20 RU26	100	-	-	10Hz
802.11ax HE20 RU52	100	-	-	10Hz
802.11ax HE20 RU106	100	-	-	10Hz

802.11a



802.11ax HE20



802.11ax HE40



802.11ax HE80



802.11ax HE160



802.11ax HE20 RU26



802.11ax HE20 RU52



802.11ax HE20 RU106