


11ax_40M_TX_CH_38_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5190 Band edge

: 5G Wi-Fi 11ax40

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.708	10.13	32.39	30.55	50.07	62.04	74.00	-11.96	peak
2	5149.980	10.14	32.40	30.55	49.90	61.89	74.00	-12.11	peak
3	5190.000	10.29	32.48	30.56	92.77	104.98	68.20	36.78	peak


11ax_40M_TX_CH_38_Vertical



Condition: 3m VERTICAL
Job No : 04261WM
Mode : 5190 Band edge
: 5G Wi-Fi 11ax40

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.982	10.14	32.40	30.55	35.58	47.57	54.00	-6.43	Average
2 pp	5149.980	10.14	32.40	30.55	35.87	47.86	54.00	-6.14	Average
3	5190.000	10.29	32.48	30.56	79.96	92.17	-----	-----	Average

11ax_80M_TX_CH_42_Horizontal




Condition: 3m HORIZONTAL

Job No : 04261WM

Mode : 5210 Band edge
: 5G Wi-Fi 11ax80

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.947	10.14	32.40	30.55	50.86	62.85	74.00	-11.15	peak
2 pp	5210.000	10.32	32.52	30.57	93.34	105.61	68.20	37.41	peak
3	5358.667	10.48	32.80	30.61	47.07	59.74	74.00	-14.26	peak

11ax_80M_TX_CH_42_Horizontal




Condition: 3m HORIZONTAL

Job No : 04261WM

Mode : 5210 Band edge
: 5G Wi-Fi 11ax80

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5149.947	10.14	32.40	30.55	38.87	50.86	54.00	-3.14	Average
2	5210.000	10.32	32.52	30.57	80.09	92.36	-----	-----	Average
3	5358.667	10.48	32.80	30.61	35.05	47.72	54.00	-6.28	Average

11ax_80M_TX_CH_42_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5210 Band edge

: 5G Wi-Fi 11ax80

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.363	10.13	32.39	30.55	45.90	57.87	74.00	-16.13	peak
2 pp	5210.000	10.32	32.52	30.57	83.75	96.02	68.20	27.82	peak
3	5353.341	10.46	32.80	30.61	46.67	59.32	74.00	-14.68	peak

11ax_80M_TX_CH_42_Vertical




Condition: 3m VERTICAL

Job No : 04261WM

Mode : 5210 Band edge
: 5G Wi-Fi 11ax80

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.178	10.14	32.40	30.55	33.93	45.92	54.00	-8.08	Average
2	5210.000	10.32	32.52	30.57	71.53	83.80	-----	-----	Average
3 pp	5357.069	10.47	32.80	30.61	34.81	47.47	54.00	-6.53	Average

11ax_20M_Partial_RU26_TX_CH_36_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5180 Band edge

: 5G Wi-Fi 11ax20 RU26

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5137.771	10.09	32.38	30.54	58.88	70.81	74.00	-3.19	peak
2	5149.980	10.14	32.40	30.55	48.04	60.03	74.00	-13.97	peak
3	5180.000	10.25	32.46	30.56	110.45	122.60	68.20	54.40	peak

11ax_20M_Partial_RU26_TX_CH_36_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5180 Band edge

: 5G Wi-Fi 11ax20 RU26

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5139.168	10.10	32.38	30.55	33.39	45.32	54.00	-8.68	Average
2 pp	5149.980	10.14	32.40	30.55	33.33	45.32	54.00	-8.68	Average
3	5180.000	10.25	32.46	30.56	98.15	110.30	-----	-----	Average

11ax_20M_Partial_RU26_TX_CH_36_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5180 Band edge

: 5G Wi-Fi 11ax20 RU26

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5137.373	10.09	32.37	30.54	46.72	58.64	74.00	-15.36	peak
2	5149.980	10.14	32.40	30.55	44.78	56.77	74.00	-17.23	peak
3 pp	5180.000	10.25	32.46	30.56	99.04	111.19	68.20	42.99	peak


11ax_20M_Partial_RU26_TX_CH_36_Vertical



Condition: 3m VERTICAL
Job No : 04261WM
Mode : 5180 Band edge
: 5G Wi-Fi 11ax20 RU26

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5146.458	10.13	32.39	30.55	32.38	44.35	54.00	-9.65	Average
2	5149.980	10.14	32.40	30.55	32.32	44.31	54.00	-9.69	Average
3	5180.000	10.25	32.46	30.56	86.54	98.69	-----	-----	Average

11ax_20M_Partial_RU52_TX_CH_36_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5180 Band edge

: 5G Wi-Fi 11ax20 RU52

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5145.359	10.12	32.39	30.55	57.61	69.57	74.00	-4.43	peak
2	5149.980	10.14	32.40	30.55	50.36	62.35	74.00	-11.65	peak
3	5180.000	10.25	32.46	30.56	106.97	119.12	68.20	50.92	peak

11ax_20M_Partial_RU52_TX_CH_36_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5180 Band edge

: 5G Wi-Fi 11ax20 RU52

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5146.858	10.13	32.39	30.55	33.15	45.12	54.00	-8.88	Average
2	5149.980	10.14	32.40	30.55	33.13	45.12	54.00	-8.88	Average
3	5180.000	10.25	32.46	30.56	93.84	105.99	-----	-----	Average

11ax_20M_Partial_RU52_TX_CH_36_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5180 Band edge

: 5G Wi-Fi 11ax20 RU52

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5143.561	10.12	32.39	30.55	52.54	64.50	74.00	-9.50	peak
2	5149.980	10.14	32.40	30.55	44.94	56.93	74.00	-17.07	peak
3 pp	5180.000	10.25	32.46	30.56	98.38	110.53	68.20	42.33	peak

11ax_20M_Partial_RU52_TX_CH_36_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5180 Band edge

: 5G Wi-Fi 11ax20 RU52

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5146.059	10.13	32.39	30.55	32.49	44.46	54.00	-9.54	Average
2	5149.980	10.14	32.40	30.55	32.26	44.25	54.00	-9.75	Average
3	5180.000	10.25	32.46	30.56	85.32	97.47	-----	-----	Average


11ax_20M_Partial_RU106_TX_CH_36_Horizontal



Condition: 3m HORIZONTAL
Job No : 04261WM
Mode : 5180 Band edge
: 5G Wi-Fi 11ax20 RU106

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.358	10.13	32.39	30.55	57.67	69.64	74.00	-4.36	peak
2	5149.980	10.14	32.40	30.55	57.22	69.21	74.00	-4.79	peak
3 pp	5180.000	10.25	32.46	30.56	106.36	118.51	68.20	50.31	peak

11ax_20M_Partial_RU106_TX_CH_36_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5180 Band edge

: 5G Wi-Fi 11ax20 RU106

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5148.757	10.14	32.40	30.55	33.69	45.68	54.00	-8.32	Average
2	5149.980	10.14	32.40	30.55	33.62	45.61	54.00	-8.39	Average
3	5180.000	10.25	32.46	30.56	92.75	104.90	-----	-----	Average

11ax_20M_Partial_RU106_TX_CH_36_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5180 Band edge

: 5G Wi-Fi 11ax20 RU106

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.357	10.14	32.40	30.55	49.49	61.48	74.00	-12.52	peak
2	5149.980	10.14	32.40	30.55	49.48	61.47	74.00	-12.53	peak
3	5180.000	10.25	32.46	30.56	97.59	109.74	68.20	41.54	peak


11ax_20M_Partial_RU106_TX_CH_36_Vertical



Condition: 3m VERTICAL
 Job No : 04261WM
 Mode : 5180 Band edge
 : 5G Wi-Fi 11ax20 RU106

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp	5148.558	10.14	32.40	30.55	32.49	44.48	54.00	-9.52 Average
2		5149.980	10.14	32.40	30.55	32.45	44.44	54.00	-9.56 Average
3		5180.000	10.25	32.46	30.56	83.98	96.13	-----	----- Average


11ax_40M_Partial_RU242_TX_CH_38_Horizontal



Condition: 3m HORIZONTAL
Job No : 04261WM
Mode : 5190 Band edge
: 5G Wi-Fi 11ax40 RU242

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5148.623	10.14	32.40	30.55	57.29	69.28	74.00	-4.72	peak
2	5149.980	10.14	32.40	30.55	58.71	70.70	74.00	-3.30	peak
3	5190.000	10.29	32.48	30.56	102.39	114.60	68.20	46.40	peak

11ax_40M_Partial_RU242_TX_CH_38_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5190 Band edge

: 5G Wi-Fi 11ax40 RU242

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp 5149.102	10.14	32.40	30.55	36.81	48.80	54.00	-5.20 Average
2	5149.980	10.14	32.40	30.55	35.80	47.79	54.00	-6.21 Average
3	5190.000	10.29	32.48	30.56	88.51	100.72	-----	----- Average

11ax_40M_Partial_RU242_TX_CH_38_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5190 Band edge

: 5G Wi-Fi 11ax40 RU242

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5145.750	10.12	32.39	30.55	52.70	64.66	74.00	-9.34	peak
2	5149.980	10.14	32.40	30.55	46.36	58.35	74.00	-15.65	peak
3	5190.000	10.29	32.48	30.56	94.19	106.40	68.20	38.20	peak

11ax_40M_Partial_RU242_TX_CH_38_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5190 Band edge

: 5G Wi-Fi 11ax40 RU242

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	5148.503	10.14	32.40	30.55	33.31	45.30	54.00	-8.70 Average
2	5149.980	10.14	32.40	30.55	33.25	45.24	54.00	-8.76 Average
3	5190.000	10.29	32.48	30.56	80.66	92.87	-----	----- Average

11ax_80M_Partial_RU484_TX_CH_42_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5210 Band edge

: 5G Wi-Fi 11ax80 RU484

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.947	10.14	32.40	30.55	58.36	70.35	74.00	-3.65	peak
2 pp	5210.000	10.32	32.52	30.57	96.95	109.22	68.20	41.02	peak
3	5359.467	10.48	32.80	30.61	47.36	60.03	74.00	-13.97	peak

11ax_80M_Partial_RU484_TX_CH_42_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5210 Band edge

: 5G Wi-Fi 11ax80 RU484

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5149.178	10.14	32.40	30.55	38.56	50.55	54.00	-3.45	Average
2	5210.000	10.32	32.52	30.57	84.32	96.59	-----	-----	Average
3	5358.135	10.48	32.80	30.61	34.34	47.01	54.00	-6.99	Average

11ax_80M_Partial_RU484_TX_CH_42_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5210 Band edge

: 5G Wi-Fi 11ax80 RU484

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5147.386	10.13	32.39	30.55	51.73	63.70	74.00	-10.30	peak
2 pp	5210.000	10.32	32.52	30.57	89.35	101.62	68.20	33.42	peak
3	5358.401	10.48	32.80	30.61	47.03	59.70	74.00	-14.30	peak

11ax_80M_Partial_RU484_TX_CH_42_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5210 Band edge

: 5G Wi-Fi 11ax80 RU484

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5148.667	10.14	32.40	30.55	35.03	47.02	54.00	-6.98	Average
2	5210.000	10.32	32.52	30.57	76.44	88.71	-----	-----	Average
3	5350.148	10.45	32.80	30.61	33.89	46.53	54.00	-7.47	Average

11a_TX_CH_64_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5320 Band edge

: 5G Wi-Fi 11a

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5320.000	10.35	32.74	30.60	101.88	114.37	68.20	46.17	peak
2	5350.020	10.45	32.80	30.61	46.99	59.63	74.00	-14.37	peak
3	5352.667	10.46	32.80	30.61	47.87	60.52	74.00	-13.48	peak

11a_TX_CH_64_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5320 Band edge

: 5G Wi-Fi 11a

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	10.35	32.74	30.60	91.07	103.56	-----	-----	Average
2	5350.020	10.45	32.80	30.61	33.59	46.23	54.00	-7.77	Average
3 pp	5351.167	10.45	32.80	30.61	33.94	46.58	54.00	-7.42	Average

11a_TX_CH_64_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5320 Band edge

: 5G Wi-Fi 11a

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5320.000	10.35	32.74	30.60	90.45	102.94	68.20	34.74	peak
2	5350.020	10.45	32.80	30.61	44.83	57.47	74.00	-16.53	peak
3	5371.410	10.52	32.80	30.62	46.39	59.09	74.00	-14.91	peak

11a_TX_CH_64_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5320 Band edge

: 5G Wi-Fi 11a

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	10.35	32.74	30.60	80.59	93.08	-----	-----	Average
2	5350.020	10.45	32.80	30.61	32.47	45.11	54.00	-8.89	Average
3	5388.707	10.58	32.80	30.62	32.53	45.29	54.00	-8.71	Average

11ac_VHT(20M)_TX_CH_64_Horizontal




Condition: 3m HORIZONTAL

Job No : 04261WM

Mode : 5320 Band edge
: 5G Wi-Fi 11ac20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5320.000	10.35	32.74	30.60	101.76	114.25	68.20	46.05	peak
2	5350.020	10.45	32.80	30.61	49.47	62.11	74.00	-11.89	peak
3	5351.066	10.45	32.80	30.61	48.60	61.24	74.00	-12.76	peak


11ac_VHT(20M)_TX_CH_64_Horizontal



Condition: 3m HORIZONTAL
Job No : 04261WM
Mode : 5320 Band edge
: 5G Wi-Fi 11ac20

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	10.35	32.74	30.60	91.07	103.56	-----	-----	Average
2 pp	5350.020	10.45	32.80	30.61	34.91	47.55	54.00	-6.45	Average
3	5350.767	10.45	32.80	30.61	34.77	47.41	54.00	-6.59	Average

11ac_VHT(20M)_TX_CH_64_Vertical




Condition: 3m VERTICAL

Job No : 04261WM

Mode : 5320 Band edge
: 5G Wi-Fi 11ac20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5320.000	10.35	32.74	30.60	95.32	107.81	68.20	39.61	peak
2	5350.020	10.45	32.80	30.61	45.73	58.37	74.00	-15.63	peak
3	5353.468	10.46	32.80	30.61	47.51	60.16	74.00	-13.84	peak


11ac_VHT(20M)_TX_CH_64_Vertical



Condition: 3m VERTICAL
Job No : 04261WM
Mode : 5320 Band edge
: 5G Wi-Fi 11ac20

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	10.35	32.74	30.60	85.14	97.63	-----	-----	Average
2	5350.020	10.45	32.80	30.61	32.76	45.40	54.00	-8.60	Average
3	5350.966	10.45	32.80	30.61	32.98	45.62	54.00	-8.38	Average

11ac_VHT(40M)_TX_CH_62_Horizontal




Condition: 3m HORIZONTAL

Job No : 04261WM

Mode : 5310 Band edge
: 5G Wi-Fi 11ac40

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 pp	5310.000	10.31	32.72	30.60	98.34	110.77	68.20	42.57	peak
2	5350.020	10.45	32.80	30.61	51.98	64.62	74.00	-9.38	peak
3	5353.120	10.46	32.80	30.61	51.33	63.98	74.00	-10.02	peak

11ac_VHT(40M)_TX_CH_62_Horizontal




Condition: 3m HORIZONTAL

Job No : 04261WM

Mode : 5310 Band edge
: 5G Wi-Fi 11ac40

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5310.000	10.31	32.72	30.60	87.94	100.37	-----	-----	Average
2	5350.020	10.45	32.80	30.61	36.58	49.22	54.00	-4.78	Average
3	pp 5350.834	10.45	32.80	30.61	36.77	49.41	54.00	-4.59	Average

11ac_VHT(40M)_TX_CH_62_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5310 Band edge

: 5G Wi-Fi 11ac40

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5310.000	10.31	32.72	30.60	89.38	101.81	68.20	33.61	peak
2	5350.020	10.45	32.80	30.61	45.67	58.31	74.00	-15.69	peak
3	5353.721	10.46	32.80	30.61	46.23	58.88	74.00	-15.12	peak


11ac_VHT(40M)_TX_CH_62_Vertical



Condition: 3m VERTICAL
Job No : 04261WM
Mode : 5310 Band edge
: 5G Wi-Fi 11ac40

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5310.000	10.31	32.72	30.60	79.31	91.74	-----	-----	Average
2	5350.020	10.45	32.80	30.61	32.99	45.63	54.00	-8.37	Average
3 pp	5391.270	10.59	32.80	30.62	33.11	45.88	54.00	-8.12	Average

11ac_VHT(80M)_TX_CH_58_Horizontal




Condition: 3m HORIZONTAL

Job No : 04261WM

Mode : 5290 Band edge
: 5G Wi-Fi 11ac80

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.561	10.13	32.39	30.55	45.93	57.90	74.00	-16.10	peak
2 pp	5290.000	10.28	32.68	30.59	90.21	102.58	68.20	34.38	peak
3	5354.206	10.47	32.80	30.61	50.27	62.93	74.00	-11.07	peak

11ac_VHT(80M)_TX_CH_58_Horizontal




Condition: 3m HORIZONTAL

Job No : 04261WM

Mode : 5290 Band edge
: 5G Wi-Fi 11ac80

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5140.975	10.11	32.38	30.55	34.02	45.96	54.00	-8.04	Average
2	5290.000	10.28	32.68	30.59	80.24	92.61	-----	-----	Average
3 pp	5350.840	10.45	32.80	30.61	38.14	50.78	54.00	-3.22	Average


11ac_VHT(80M)_TX_CH_58_Vertical



Condition: 3m VERTICAL
Job No : 04261WM
Mode : 5290 Band edge
: 5G Wi-Fi 11ac80

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5137.450	10.09	32.37	30.54	46.55	58.47	74.00	-15.53	peak
2 pp	5290.000	10.28	32.68	30.59	84.43	96.80	68.20	28.60	peak
3	5358.186	10.48	32.80	30.61	46.81	59.48	74.00	-14.52	peak


11ac_VHT(80M)_TX_CH_58_Vertical



Condition: 3m VERTICAL
Job No : 04261WM
Mode : 5290 Band edge
: 5G Wi-Fi 11ac80

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5139.212	10.10	32.38	30.55	33.72	45.65	54.00	-8.35	Average
2	5290.000	10.28	32.68	30.59	74.77	87.14	-----	-----	Average
3 pp	5350.840	10.45	32.80	30.61	35.91	48.55	54.00	-5.45	Average

11ac_VHT(160M)_TX_CH_50_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5250 Band edge

: 5G Wi-Fi 11ac160

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5144.062	10.12	32.39	30.55	48.44	60.40	74.00	-13.60	peak
2	5149.980	10.14	32.40	30.55	46.26	58.25	74.00	-15.75	peak
3 pp	5250.000	10.30	32.60	30.58	85.16	97.48	68.20	29.28	peak
4	5350.200	10.45	32.80	30.61	47.35	59.99	74.00	-14.01	peak
5	5438.453	10.60	32.88	30.64	48.79	61.63	74.00	-12.37	peak
6	5459.980	10.60	32.90	30.64	46.68	59.54	74.00	-14.46	peak

11ac_VHT(160M)_TX_CH_50_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5250 Band edge

: 5G Wi-Fi 11ac160

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5144.761	10.12	32.39	30.55	38.99	50.95	54.00	-3.05	Average
2	5150.000	10.14	32.40	30.55	36.18	48.17	54.00	-5.83	Average
3	5250.000	10.30	32.60	30.58	78.77	91.09	-----	-----	Average
4	5350.000	10.45	32.80	30.61	35.61	48.25	54.00	-5.75	Average
5	5354.846	10.47	32.80	30.61	37.65	50.31	54.00	-3.69	Average
6	5460.000	10.60	32.90	30.64	33.21	46.07	54.00	-7.93	Average

11ac_VHT(160M)_TX_CH_50_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5250 Band edge

: 5G Wi-Fi 11ac160

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5140.917	10.11	32.38	30.55	46.15	58.09	74.00	-15.91	peak
2	5149.980	10.14	32.40	30.55	45.17	57.16	74.00	-16.84	peak
3 pp	5250.000	10.30	32.60	30.58	77.66	89.98	68.20	21.78	peak
4	5350.200	10.45	32.80	30.61	46.10	58.74	74.00	-15.26	peak
5	5390.624	10.59	32.80	30.62	48.06	60.83	74.00	-13.17	peak
6	5459.980	10.60	32.90	30.64	46.32	59.18	74.00	-14.82	peak

11ac_VHT(160M)_TX_CH_50_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5250 Band edge

: 5G Wi-Fi 11ac160

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5144.761	10.12	32.39	30.55	33.12	45.08	54.00	-8.92	Average
2	5150.000	10.14	32.40	30.55	31.85	43.84	54.00	-10.16	Average
3	5250.000	10.30	32.60	30.58	70.16	82.48	-----	-----	Average
4	5350.000	10.45	32.80	30.61	32.93	45.57	54.00	-8.43	Average
5 pp	5354.482	10.47	32.80	30.61	34.20	46.86	54.00	-7.14	Average
6	5460.000	10.60	32.90	30.64	32.77	45.63	54.00	-8.37	Average


11ax_20M_TX_CH_64_Horizontal



Condition: 3m HORIZONTAL
Job No : 04261WM
Mode : 5320 Band edge
: 5G Wi-Fi 11ax20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5320.000	10.35	32.74	30.60	103.82	116.31	68.20	48.11	peak
2	5350.020	10.45	32.80	30.61	46.71	59.35	74.00	-14.65	peak
3	5354.668	10.47	32.80	30.61	47.95	60.61	74.00	-13.39	peak

11ax_20M_TX_CH_64_Horizontal




Condition: 3m HORIZONTAL

Job No : 04261WM

Mode : 5320 Band edge
: 5G Wi-Fi 11ax20

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	10.35	32.74	30.60	90.37	102.86	-----	-----	Average
2 pp	5350.020	10.45	32.80	30.61	33.93	46.57	54.00	-7.43	Average
3	5355.770	10.47	32.80	30.61	33.91	46.57	54.00	-7.43	Average

11ax_20M_TX_CH_64_Verical




Condition: 3m VERTICAL

Job No : 04261WM

Mode : 5320 Band edge
: 5G Wi-Fi 11ax20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5320.000	10.35	32.74	30.60	98.52	111.01	68.20	42.81	peak
2	5350.020	10.45	32.80	30.61	46.44	59.08	74.00	-14.92	peak
3	5357.472	10.48	32.80	30.61	46.81	59.48	74.00	-14.52	peak

11ax_20M_TX_CH_64_Vertical




Condition: 3m VERTICAL

Job No : 04261WM

Mode : 5320 Band edge
: 5G Wi-Fi 11ax20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5320.000	10.35	32.74	30.60	85.22	97.71	-----	-----	Average
2	5350.020	10.45	32.80	30.61	32.73	45.37	54.00	-8.63	Average
3	5398.184	10.61	32.80	30.63	32.68	45.46	54.00	-8.54	Average

11ax_40M_TX_CH_62_Horizontal




Condition: 3m HORIZONTAL

Job No : 04261WM

Mode : 5310 Band edge
: 5G Wi-Fi 11ax40

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5310.000	10.31	32.72	30.60	98.25	110.68	68.20	42.48	peak
2	5350.020	10.45	32.80	30.61	48.11	60.75	74.00	-13.25	peak
3	5353.120	10.46	32.80	30.61	48.53	61.18	74.00	-12.82	peak

11ax_40M_TX_CH_62_Horizontal




Condition: 3m HORIZONTAL

Job No : 04261WM

Mode : 5310 Band edge
: 5G Wi-Fi 11ax40

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5310.000	10.31	32.72	30.60	85.16	97.59	-----	-----	Average
2	5350.020	10.45	32.80	30.61	35.74	48.38	54.00	-5.62	Average
3	5350.594	10.45	32.80	30.61	36.13	48.77	54.00	-5.23	Average

11ax_40M_TX_CH_62_Vertical



Condition: 3m VERTICAL


Job No : 04261WM

Mode : 5310 Band edge

: 5G Wi-Fi 11ax40

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 5310.000	10.31	32.72	30.60	96.10	108.53	68.20	40.33	peak
2	5350.020	10.45	32.80	30.61	47.14	59.78	74.00	-14.22	peak
3	5352.518	10.46	32.80	30.61	48.11	60.76	74.00	-13.24	peak

11ax_40M_TX_CH_62_Vertical




Condition: 3m VERTICAL

Job No : 04261WM

Mode : 5310 Band edge
: 5G Wi-Fi 11ax40

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5310.000	10.31	32.72	30.60	83.82	96.25	-----	-----	Average
2	5350.020	10.45	32.80	30.61	34.80	47.44	54.00	-6.56	Average
3 pp	5351.556	10.46	32.80	30.61	35.29	47.94	54.00	-6.06	Average

11ax_80M_TX_CH_58_Horizontal




Condition: 3m HORIZONTAL

Job No : 04261WM

Mode : 5290 Band edge
: 5G Wi-Fi 11ax80

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5127.476	10.06	32.35	30.54	46.44	58.31	74.00	-15.69	peak
2 pp	5290.000	10.28	32.68	30.59	92.13	104.50	68.20	36.30	peak
3	5354.206	10.47	32.80	30.61	49.74	62.40	74.00	-11.60	peak

11ax_80M_TX_CH_58_Horizontal




Condition: 3m HORIZONTAL

Job No : 04261WM

Mode : 5290 Band edge
: 5G Wi-Fi 11ax80

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5136.569	10.09	32.37	30.54	33.91	45.83	54.00	-8.17	Average
2	5290.000	10.28	32.68	30.59	80.45	92.82	-----	-----	Average
3 pp	5350.229	10.45	32.80	30.61	38.30	50.94	54.00	-3.06	Average

11ax_80M_TX_CH_58_Vertical




Condition: 3m VERTICAL

Job No : 04261WM

Mode : 5290 Band edge
: 5G Wi-Fi 11ax80

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5122.789	10.04	32.35	30.54	46.15	58.00	74.00	-16.00	peak
2 pp	5290.000	10.28	32.68	30.59	83.20	95.57	68.20	27.37	peak
3	5350.229	10.45	32.80	30.61	47.26	59.90	74.00	-14.10	peak


11ax_80M_TX_CH_58_Vertical



Condition: 3m VERTICAL
Job No : 04261WM
Mode : 5290 Band edge
: 5G Wi-Fi 11ax80

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5143.914	10.12	32.39	30.55	33.50	45.46	54.00	-8.54	Average
2	5290.000	10.28	32.68	30.59	71.87	84.24	-----	-----	Average
3 pp	5350.229	10.45	32.80	30.61	35.39	48.03	54.00	-5.97	Average

11ax_160M_TX_CH_50_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5250 Band edge

: 5G Wi-Fi 11ax160

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5127.311	10.05	32.35	30.54	47.86	59.72	74.00	-14.28	peak
2	5149.980	10.14	32.40	30.55	44.75	56.74	74.00	-17.26	peak
3 pp	5250.000	10.30	32.60	30.58	86.74	99.06	68.20	30.86	peak
4	5350.200	10.45	32.80	30.61	45.87	58.51	74.00	-15.49	peak
5	5407.132	10.62	32.81	30.63	48.15	60.95	74.00	-13.05	peak
6	5459.980	10.60	32.90	30.64	46.90	59.76	74.00	-14.24	peak

11ax_160M_TX_CH_50_Horizontal



Condition: 3m HORIZONTAL


Job No : 04261WM

Mode : 5250 Band edge

: 5G Wi-Fi 11ax160

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5127.660	10.06	32.36	30.54	37.62	49.50	54.00	-4.50	Average
2	5150.000	10.14	32.40	30.55	32.87	44.86	54.00	-9.14	Average
3	5250.000	10.30	32.60	30.58	76.81	89.13	-----	-----	Average
4	5350.000	10.45	32.80	30.61	34.23	46.87	54.00	-7.13	Average
5 pp	5387.694	10.58	32.80	30.62	37.72	50.48	54.00	-3.52	Average
6	5460.000	10.60	32.90	30.64	32.64	45.50	54.00	-8.50	Average

11ax_160M_TX_CH_50_Vertical



Condition: 3m VERTICAL

Job No : 04261WM

Mode : 5250 Band edge

: 5G Wi-Fi 11ax160

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5145.111	10.12	32.39	30.55	45.24	57.20	74.00	-16.80	peak
2	5149.980	10.14	32.40	30.55	44.33	56.32	74.00	-17.68	peak
3 pp	5250.000	10.30	32.60	30.58	80.91	93.23	68.20	25.03	peak
4	5350.200	10.45	32.80	30.61	45.54	58.18	74.00	-15.82	peak
5	5406.397	10.62	32.81	30.63	47.94	60.74	74.00	-13.26	peak
6	5459.980	10.60	32.90	30.64	46.38	59.24	74.00	-14.76	peak