

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.93	-1.00	22.93	<=33.01	Pass
			2	24.67	-1.00	23.67	<=33.01	Pass
			5	23.87	-1.00	22.87	<=33.01	Pass
		3	0	24.57	-1.00	23.57	<=33.01	Pass
			2	24.53	-1.00	23.53	<=33.01	Pass
			3	24.55	-1.00	23.55	<=33.01	Pass
		6	0	23.79	-1.00	22.79	<=33.01	Pass
	1880	1	0	23.58	-1.00	22.58	<=33.01	Pass
			2	24.40	-1.00	23.40	<=33.01	Pass
			5	23.50	-1.00	22.50	<=33.01	Pass
		3	0	24.41	-1.00	23.41	<=33.01	Pass
			2	24.45	-1.00	23.45	<=33.01	Pass
			3	24.47	-1.00	23.47	<=33.01	Pass
		6	0	23.44	-1.00	22.44	<=33.01	Pass
	1909.3	1	0	23.73	-1.00	22.73	<=33.01	Pass
			2	24.47	-1.00	23.47	<=33.01	Pass
			5	23.73	-1.00	22.73	<=33.01	Pass
		3	0	24.50	-1.00	23.50	<=33.01	Pass
			2	24.51	-1.00	23.51	<=33.01	Pass
			3	24.56	-1.00	23.56	<=33.01	Pass
		6	0	23.81	-1.00	22.81	<=33.01	Pass
16QAM	1850.7	1	0	22.91	-1.00	21.91	<=33.01	Pass
			2	23.83	-1.00	22.83	<=33.01	Pass
			5	22.84	-1.00	21.84	<=33.01	Pass
		3	0	23.75	-1.00	22.75	<=33.01	Pass
			2	23.72	-1.00	22.72	<=33.01	Pass
			3	23.70	-1.00	22.70	<=33.01	Pass
		6	0	22.79	-1.00	21.79	<=33.01	Pass
	1880	1	0	22.85	-1.00	21.85	<=33.01	Pass
			2	23.70	-1.00	22.70	<=33.01	Pass
			5	22.76	-1.00	21.76	<=33.01	Pass
		3	0	23.45	-1.00	22.45	<=33.01	Pass
			2	23.47	-1.00	22.47	<=33.01	Pass
			3	23.53	-1.00	22.53	<=33.01	Pass
		6	0	22.43	-1.00	21.43	<=33.01	Pass
	1909.3	1	0	22.84	-1.00	21.84	<=33.01	Pass
			2	23.76	-1.00	22.76	<=33.01	Pass
			5	22.86	-1.00	21.86	<=33.01	Pass
		3	0	23.89	-1.00	22.89	<=33.01	Pass
			2	23.86	-1.00	22.86	<=33.01	Pass
			3	23.90	-1.00	22.90	<=33.01	Pass
		6	0	22.86	-1.00	21.86	<=33.01	Pass
64QAM	1850.7	1	0	22.17	-1.00	21.17	<=33.01	Pass
			2	23.10	-1.00	22.10	<=33.01	Pass
			5	22.10	-1.00	21.10	<=33.01	Pass
		3	0	22.84	-1.00	21.84	<=33.01	Pass
			2	22.83	-1.00	21.83	<=33.01	Pass
			3	22.93	-1.00	21.93	<=33.01	Pass
		6	0	21.86	-1.00	20.86	<=33.01	Pass
	1880	1	0	21.52	-1.00	20.52	<=33.01	Pass
			2	22.49	-1.00	21.49	<=33.01	Pass
			5	21.56	-1.00	20.56	<=33.01	Pass
		3	0	22.36	-1.00	21.36	<=33.01	Pass
			2	22.36	-1.00	21.36	<=33.01	Pass

			3	22.37	-1.00	21.37	<=33.01	Pass
		6	0	21.44	-1.00	20.44	<=33.01	Pass
	1909.3	1	0	22.28	-1.00	21.28	<=33.01	Pass
			2	23.49	-1.00	22.49	<=33.01	Pass
			5	22.28	-1.00	21.28	<=33.01	Pass
		3	0	23.04	-1.00	22.04	<=33.01	Pass
			2	23.14	-1.00	22.14	<=33.01	Pass
			3	23.20	-1.00	22.20	<=33.01	Pass
		6	0	21.86	-1.00	20.86	<=33.01	Pass
256QAM	1850.7	1	0	18.81	-1.00	17.81	<=33.01	Pass
			2	19.80	-1.00	18.80	<=33.01	Pass
			5	18.72	-1.00	17.72	<=33.01	Pass
		3	0	19.92	-1.00	18.92	<=33.01	Pass
			2	19.90	-1.00	18.90	<=33.01	Pass
			3	19.91	-1.00	18.91	<=33.01	Pass
		6	0	19.84	-1.00	18.84	<=33.01	Pass
	1880	1	0	18.73	-1.00	17.73	<=33.01	Pass
			2	19.74	-1.00	18.74	<=33.01	Pass
			5	18.74	-1.00	17.74	<=33.01	Pass
		3	0	19.32	-1.00	18.32	<=33.01	Pass
			2	19.33	-1.00	18.33	<=33.01	Pass
			3	19.37	-1.00	18.37	<=33.01	Pass
		6	0	19.50	-1.00	18.50	<=33.01	Pass
	1909.3	1	0	18.85	-1.00	17.85	<=33.01	Pass
			2	19.82	-1.00	18.82	<=33.01	Pass
			5	18.84	-1.00	17.84	<=33.01	Pass
		3	0	20.07	-1.00	19.07	<=33.01	Pass
			2	20.04	-1.00	19.04	<=33.01	Pass
			3	20.07	-1.00	19.07	<=33.01	Pass
		6	0	19.86	-1.00	18.86	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	24.70	-1.00	23.70	<=33.01	Pass
			7	24.69	-1.00	23.69	<=33.01	Pass
			14	24.60	-1.00	23.60	<=33.01	Pass
		8	0	23.73	-1.00	22.73	<=33.01	Pass
			4	23.70	-1.00	22.70	<=33.01	Pass
			7	23.68	-1.00	22.68	<=33.01	Pass
		15	0	22.28	-1.00	21.28	<=33.01	Pass
	1880	1	0	24.40	-1.00	23.40	<=33.01	Pass
			7	24.41	-1.00	23.41	<=33.01	Pass
			14	24.45	-1.00	23.45	<=33.01	Pass
		8	0	23.45	-1.00	22.45	<=33.01	Pass
			4	23.44	-1.00	22.44	<=33.01	Pass
			7	23.44	-1.00	22.44	<=33.01	Pass
		15	0	21.90	-1.00	20.90	<=33.01	Pass
	1908.5	1	0	24.64	-1.00	23.64	<=33.01	Pass
			7	24.66	-1.00	23.66	<=33.01	Pass
			14	24.72	-1.00	23.72	<=33.01	Pass
		8	0	23.81	-1.00	22.81	<=33.01	Pass
			4	23.84	-1.00	22.84	<=33.01	Pass
			7	23.81	-1.00	22.81	<=33.01	Pass
		15	0	22.31	-1.00	21.31	<=33.01	Pass
16QAM	1851.5	1	0	22.93	-1.00	22.93	<=33.01	Pass
			7	23.84	-1.00	22.84	<=33.01	Pass
			14	23.78	-1.00	22.78	<=33.01	Pass
		8	0	22.78	-1.00	21.78	<=33.01	Pass

		15	4	22.75	-1.00	21.75	<=33.01	Pass
			7	22.73	-1.00	21.73	<=33.01	Pass
			0	21.35	-1.00	20.35	<=33.01	Pass
	1880	1	0	23.81	-1.00	22.81	<=33.01	Pass
			7	23.83	-1.00	22.83	<=33.01	Pass
			14	23.75	-1.00	22.75	<=33.01	Pass
		8	0	22.50	-1.00	21.50	<=33.01	Pass
			4	22.52	-1.00	21.52	<=33.01	Pass
			7	22.50	-1.00	21.50	<=33.01	Pass
		15	0	20.98	-1.00	19.98	<=33.01	Pass
	1908.5	1	0	23.77	-1.00	22.77	<=33.01	Pass
			7	23.83	-1.00	22.83	<=33.01	Pass
			14	23.87	-1.00	22.87	<=33.01	Pass
		8	0	22.78	-1.00	21.78	<=33.01	Pass
			4	22.79	-1.00	21.79	<=33.01	Pass
			7	22.82	-1.00	21.82	<=33.01	Pass
		15	0	21.29	-1.00	20.29	<=33.01	Pass
64QAM	1851.5	1	0	23.16	-1.00	22.16	<=33.01	Pass
			7	23.07	-1.00	22.07	<=33.01	Pass
			14	23.01	-1.00	22.01	<=33.01	Pass
		8	0	21.84	-1.00	20.84	<=33.01	Pass
			4	21.79	-1.00	20.79	<=33.01	Pass
			7	21.78	-1.00	20.78	<=33.01	Pass
		15	0	20.25	-1.00	19.25	<=33.01	Pass
	1880	1	0	22.52	-1.00	21.52	<=33.01	Pass
			7	22.52	-1.00	21.52	<=33.01	Pass
			14	22.57	-1.00	21.57	<=33.01	Pass
		8	0	21.34	-1.00	20.34	<=33.01	Pass
			4	21.36	-1.00	20.36	<=33.01	Pass
			7	21.37	-1.00	20.37	<=33.01	Pass
		15	0	19.88	-1.00	18.88	<=33.01	Pass
	1908.5	1	0	22.71	-1.00	21.71	<=33.01	Pass
			7	22.80	-1.00	21.80	<=33.01	Pass
			14	22.82	-1.00	21.82	<=33.01	Pass
		8	0	21.72	-1.00	20.72	<=33.01	Pass
			4	21.74	-1.00	20.74	<=33.01	Pass
			7	21.83	-1.00	20.83	<=33.01	Pass
		15	0	20.23	-1.00	19.23	<=33.01	Pass
256QAM	1851.5	1	0	19.79	-1.00	18.79	<=33.01	Pass
			7	19.69	-1.00	18.69	<=33.01	Pass
			14	19.63	-1.00	18.63	<=33.01	Pass
		8	0	19.92	-1.00	18.92	<=33.01	Pass
			4	19.85	-1.00	18.85	<=33.01	Pass
			7	19.81	-1.00	18.81	<=33.01	Pass
		15	0	18.33	-1.00	17.33	<=33.01	Pass
	1880	1	0	19.69	-1.00	18.69	<=33.01	Pass
			7	19.69	-1.00	18.69	<=33.01	Pass
			14	19.71	-1.00	18.71	<=33.01	Pass
		8	0	19.54	-1.00	18.54	<=33.01	Pass
			4	19.52	-1.00	18.52	<=33.01	Pass
			7	19.54	-1.00	18.54	<=33.01	Pass
		15	0	17.97	-1.00	16.97	<=33.01	Pass
	1908.5	1	0	19.88	-1.00	18.88	<=33.01	Pass
			7	19.94	-1.00	18.94	<=33.01	Pass
			14	19.97	-1.00	18.97	<=33.01	Pass
		8	0	19.71	-1.00	18.71	<=33.01	Pass
			4	19.74	-1.00	18.74	<=33.01	Pass
			7	19.73	-1.00	18.73	<=33.01	Pass
		15	0	18.32	-1.00	17.32	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	24.83	-1.00	23.83	<=33.01	Pass
			13	24.69	-1.00	23.69	<=33.01	Pass
			24	24.59	-1.00	23.59	<=33.01	Pass
		12	0	23.84	-1.00	22.84	<=33.01	Pass
			6	23.76	-1.00	22.76	<=33.01	Pass
			13	23.67	-1.00	22.67	<=33.01	Pass
		25	0	22.28	-1.00	21.28	<=33.01	Pass
	1880	1	0	24.45	-1.00	23.45	<=33.01	Pass
			13	24.48	-1.00	23.48	<=33.01	Pass
			24	24.56	-1.00	23.56	<=33.01	Pass
		12	0	23.44	-1.00	22.44	<=33.01	Pass
			6	23.45	-1.00	22.45	<=33.01	Pass
			13	23.47	-1.00	22.47	<=33.01	Pass
		25	0	22.00	-1.00	21.00	<=33.01	Pass
	1907.5	1	0	24.58	-1.00	23.58	<=33.01	Pass
			13	24.57	-1.00	23.57	<=33.01	Pass
			24	24.64	-1.00	23.64	<=33.01	Pass
		12	0	23.79	-1.00	22.79	<=33.01	Pass
			6	23.80	-1.00	22.80	<=33.01	Pass
			13	23.84	-1.00	22.84	<=33.01	Pass
		25	0	22.33	-1.00	21.33	<=33.01	Pass
16QAM	1852.5	1	0	23.91	-1.00	22.91	<=33.01	Pass
			13	23.75	-1.00	22.75	<=33.01	Pass
			24	23.63	-1.00	22.63	<=33.01	Pass
		12	0	22.86	-1.00	21.86	<=33.01	Pass
			6	22.77	-1.00	21.77	<=33.01	Pass
			13	22.69	-1.00	21.69	<=33.01	Pass
		25	0	21.22	-1.00	20.22	<=33.01	Pass
	1880	1	0	23.78	-1.00	22.78	<=33.01	Pass
			13	23.83	-1.00	22.83	<=33.01	Pass
			24	23.84	-1.00	22.84	<=33.01	Pass
		12	0	22.46	-1.00	21.46	<=33.01	Pass
			6	22.45	-1.00	21.45	<=33.01	Pass
			13	22.50	-1.00	21.50	<=33.01	Pass
		25	0	20.95	-1.00	19.95	<=33.01	Pass
	1907.5	1	0	23.74	-1.00	22.74	<=33.01	Pass
			13	23.78	-1.00	22.78	<=33.01	Pass
			24	23.85	-1.00	22.85	<=33.01	Pass
		12	0	22.91	-1.00	21.91	<=33.01	Pass
			6	22.88	-1.00	21.88	<=33.01	Pass
			13	22.93	-1.00	21.93	<=33.01	Pass
		25	0	21.39	-1.00	20.39	<=33.01	Pass
64QAM	1852.5	1	0	22.83	-1.00	21.83	<=33.01	Pass
			13	22.68	-1.00	21.68	<=33.01	Pass
			24	22.58	-1.00	21.58	<=33.01	Pass
		12	0	21.87	-1.00	20.87	<=33.01	Pass
			6	21.79	-1.00	20.79	<=33.01	Pass
			13	21.71	-1.00	20.71	<=33.01	Pass
		25	0	20.32	-1.00	19.32	<=33.01	Pass
	1880	1	0	22.52	-1.00	21.52	<=33.01	Pass
			13	22.53	-1.00	21.53	<=33.01	Pass
			24	22.58	-1.00	21.58	<=33.01	Pass
		12	0	21.38	-1.00	20.38	<=33.01	Pass
			6	21.39	-1.00	20.39	<=33.01	Pass
			13	21.42	-1.00	20.42	<=33.01	Pass
		25	0	19.89	-1.00	18.89	<=33.01	Pass
	1907.5	1	0	22.93	-1.00	21.93	<=33.01	Pass
			13	23.02	-1.00	22.02	<=33.01	Pass
			24	23.13	-1.00	22.13	<=33.01	Pass
		12	0	21.84	-1.00	20.84	<=33.01	Pass
			6	21.85	-1.00	20.85	<=33.01	Pass
			13	21.85	-1.00	20.85	<=33.01	Pass

			13	21.87	-1.00	20.87	<=33.01	Pass		
		25	0	20.37	-1.00	19.37	<=33.01	Pass		
256QAM	1852.5	1	0	19.73	-1.00	18.73	<=33.01	Pass		
			13	19.57	-1.00	18.57	<=33.01	Pass		
			24	19.50	-1.00	18.50	<=33.01	Pass		
		12	0	19.82	-1.00	18.82	<=33.01	Pass		
			6	19.74	-1.00	18.74	<=33.01	Pass		
			13	19.65	-1.00	18.65	<=33.01	Pass		
		25	0	18.29	-1.00	17.29	<=33.01	Pass		
		1880	1	0	19.59	-1.00	18.59	<=33.01	Pass	
				13	19.54	-1.00	18.54	<=33.01	Pass	
	24			19.59	-1.00	18.59	<=33.01	Pass		
	12		0	19.47	-1.00	18.47	<=33.01	Pass		
			6	19.50	-1.00	18.50	<=33.01	Pass		
			13	19.55	-1.00	18.55	<=33.01	Pass		
	25		0	17.95	-1.00	16.95	<=33.01	Pass		
	1907.5		1	0	19.91	-1.00	18.91	<=33.01	Pass	
				13	19.93	-1.00	18.93	<=33.01	Pass	
		24		19.99	-1.00	18.99	<=33.01	Pass		
		12	0	19.78	-1.00	18.78	<=33.01	Pass		
			6	19.80	-1.00	18.80	<=33.01	Pass		
			13	19.83	-1.00	18.83	<=33.01	Pass		
		25	0	18.30	-1.00	17.30	<=33.01	Pass		
		Note1: EIRP=Conducted Power+Antenna Gain								

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTN/V								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	24.83	-1.00	23.83	<=33.01	Pass
			25	24.60	-1.00	23.60	<=33.01	Pass
			49	24.50	-1.00	23.50	<=33.01	Pass
		25	0	23.74	-1.00	22.74	<=33.01	Pass
			13	23.65	-1.00	22.65	<=33.01	Pass
			25	23.58	-1.00	22.58	<=33.01	Pass
		50	0	23.68	-1.00	22.68	<=33.01	Pass
	1880	1	0	24.58	-1.00	23.58	<=33.01	Pass
			25	24.56	-1.00	23.56	<=33.01	Pass
			49	24.72	-1.00	23.72	<=33.01	Pass
		25	0	23.45	-1.00	22.45	<=33.01	Pass
			13	23.45	-1.00	22.45	<=33.01	Pass
			25	23.51	-1.00	22.51	<=33.01	Pass
		50	0	23.49	-1.00	22.49	<=33.01	Pass
	1905	1	0	24.71	-1.00	23.71	<=33.01	Pass
			25	24.57	-1.00	23.57	<=33.01	Pass
			49	24.62	-1.00	23.62	<=33.01	Pass
		25	0	23.77	-1.00	22.77	<=33.01	Pass
			13	23.76	-1.00	22.76	<=33.01	Pass
			25	23.81	-1.00	22.81	<=33.01	Pass
		50	0	23.79	-1.00	22.79	<=33.01	Pass
16QAM	1855	1	0	23.81	-1.00	22.81	<=33.01	Pass
			25	23.48	-1.00	22.48	<=33.01	Pass
			49	23.54	-1.00	22.54	<=33.01	Pass
		25	0	22.75	-1.00	21.75	<=33.01	Pass
			13	22.64	-1.00	21.64	<=33.01	Pass
			25	22.55	-1.00	21.55	<=33.01	Pass
		50	0	22.63	-1.00	21.63	<=33.01	Pass
	1880	1	0	23.40	-1.00	22.40	<=33.01	Pass
			25	23.33	-1.00	22.33	<=33.01	Pass
			49	23.51	-1.00	22.51	<=33.01	Pass
		25	0	22.48	-1.00	21.48	<=33.01	Pass

		50	13	22.49	-1.00	21.49	<=33.01	Pass
			25	22.54	-1.00	21.54	<=33.01	Pass
			0	22.46	-1.00	21.46	<=33.01	Pass
	1905	1	0	24.26	-1.00	23.26	<=33.01	Pass
			25	24.14	-1.00	23.14	<=33.01	Pass
			49	24.31	-1.00	23.31	<=33.01	Pass
		25	0	22.79	-1.00	21.79	<=33.01	Pass
			13	22.78	-1.00	21.78	<=33.01	Pass
			25	22.81	-1.00	21.81	<=33.01	Pass
		50	0	22.78	-1.00	21.78	<=33.01	Pass
64QAM	1855	1	0	23.06	-1.00	22.06	<=33.01	Pass
			25	22.68	-1.00	21.68	<=33.01	Pass
			49	22.67	-1.00	21.67	<=33.01	Pass
		25	0	21.68	-1.00	20.68	<=33.01	Pass
			13	21.56	-1.00	20.56	<=33.01	Pass
			25	21.49	-1.00	20.49	<=33.01	Pass
		50	0	21.64	-1.00	20.64	<=33.01	Pass
	1880	1	0	22.82	-1.00	21.82	<=33.01	Pass
			25	22.69	-1.00	21.69	<=33.01	Pass
			49	22.87	-1.00	21.87	<=33.01	Pass
		25	0	21.43	-1.00	20.43	<=33.01	Pass
			13	21.46	-1.00	20.46	<=33.01	Pass
			25	21.53	-1.00	20.53	<=33.01	Pass
		50	0	21.43	-1.00	20.43	<=33.01	Pass
	1905	1	0	22.89	-1.00	21.89	<=33.01	Pass
			25	22.78	-1.00	21.78	<=33.01	Pass
			49	22.89	-1.00	21.89	<=33.01	Pass
		25	0	21.80	-1.00	20.80	<=33.01	Pass
			13	21.78	-1.00	20.78	<=33.01	Pass
			25	21.81	-1.00	20.81	<=33.01	Pass
		50	0	21.74	-1.00	20.74	<=33.01	Pass
256QAM	1855	1	0	20.04	-1.00	19.04	<=33.01	Pass
			25	19.70	-1.00	18.70	<=33.01	Pass
			49	19.68	-1.00	18.68	<=33.01	Pass
		25	0	19.69	-1.00	18.69	<=33.01	Pass
			13	19.59	-1.00	18.59	<=33.01	Pass
			25	19.52	-1.00	18.52	<=33.01	Pass
		50	0	19.62	-1.00	18.62	<=33.01	Pass
	1880	1	0	19.45	-1.00	18.45	<=33.01	Pass
			25	19.35	-1.00	18.35	<=33.01	Pass
			49	19.54	-1.00	18.54	<=33.01	Pass
		25	0	19.42	-1.00	18.42	<=33.01	Pass
			13	19.42	-1.00	18.42	<=33.01	Pass
			25	19.50	-1.00	18.50	<=33.01	Pass
		50	0	19.45	-1.00	18.45	<=33.01	Pass
	1905	1	0	20.06	-1.00	19.06	<=33.01	Pass
			25	19.99	-1.00	18.99	<=33.01	Pass
			49	20.15	-1.00	19.15	<=33.01	Pass
		25	0	19.78	-1.00	18.78	<=33.01	Pass
			13	19.76	-1.00	18.76	<=33.01	Pass
			25	19.79	-1.00	18.79	<=33.01	Pass
		50	0	19.78	-1.00	18.78	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	24.79	-1.00	23.79	<=33.01	Pass
			38	24.52	-1.00	23.52	<=33.01	Pass
			74	24.61	-1.00	23.61	<=33.01	Pass

		36	0	23.65	-1.00	22.65	<=33.01	Pass
			18	23.57	-1.00	22.57	<=33.01	Pass
			39	23.54	-1.00	22.54	<=33.01	Pass
		75	0	23.64	-1.00	22.64	<=33.01	Pass
		1880	1	0	24.62	-1.00	23.62	<=33.01
				38	24.56	-1.00	23.56	<=33.01
				74	24.75	-1.00	23.75	<=33.01
			36	0	23.44	-1.00	22.44	<=33.01
				18	23.46	-1.00	22.46	<=33.01
				39	23.56	-1.00	22.56	<=33.01
		75	0	23.52	-1.00	22.52	<=33.01	Pass
	1902.5	1	0	24.87	-1.00	23.87	<=33.01	Pass
			38	24.73	-1.00	23.73	<=33.01	Pass
			74	24.71	-1.00	23.71	<=33.01	Pass
		36	0	23.83	-1.00	22.83	<=33.01	Pass
			18	23.78	-1.00	22.78	<=33.01	Pass
			39	23.80	-1.00	22.80	<=33.01	Pass
		75	0	23.86	-1.00	22.86	<=33.01	Pass
16QAM	1857.5	1	0	23.95	-1.00	22.95	<=33.01	Pass
			38	23.60	-1.00	22.60	<=33.01	Pass
			74	23.64	-1.00	22.64	<=33.01	Pass
		36	0	22.68	-1.00	21.68	<=33.01	Pass
			18	22.58	-1.00	21.58	<=33.01	Pass
			39	22.55	-1.00	21.55	<=33.01	Pass
		75	0	22.64	-1.00	21.64	<=33.01	Pass
	1880	1	0	23.50	-1.00	22.50	<=33.01	Pass
			38	23.41	-1.00	22.41	<=33.01	Pass
			74	23.62	-1.00	22.62	<=33.01	Pass
		36	0	22.47	-1.00	21.47	<=33.01	Pass
			18	22.48	-1.00	21.48	<=33.01	Pass
			39	22.59	-1.00	21.59	<=33.01	Pass
		75	0	22.53	-1.00	21.53	<=33.01	Pass
	1902.5	1	0	23.86	-1.00	22.86	<=33.01	Pass
			38	23.73	-1.00	22.73	<=33.01	Pass
			74	23.86	-1.00	22.86	<=33.01	Pass
		36	0	22.89	-1.00	21.89	<=33.01	Pass
			18	22.83	-1.00	21.83	<=33.01	Pass
			39	22.85	-1.00	21.85	<=33.01	Pass
		75	0	22.86	-1.00	21.86	<=33.01	Pass
64QAM	1857.5	1	0	22.88	-1.00	21.88	<=33.01	Pass
			38	22.51	-1.00	21.51	<=33.01	Pass
			74	22.61	-1.00	21.61	<=33.01	Pass
		36	0	21.67	-1.00	20.67	<=33.01	Pass
			18	21.56	-1.00	20.56	<=33.01	Pass
			39	21.53	-1.00	20.53	<=33.01	Pass
		75	0	21.63	-1.00	20.63	<=33.01	Pass
	1880	1	0	22.85	-1.00	21.85	<=33.01	Pass
			38	22.74	-1.00	21.74	<=33.01	Pass
			74	22.96	-1.00	21.96	<=33.01	Pass
		36	0	21.45	-1.00	20.45	<=33.01	Pass
			18	21.46	-1.00	20.46	<=33.01	Pass
			39	21.58	-1.00	20.58	<=33.01	Pass
		75	0	21.51	-1.00	20.51	<=33.01	Pass
	1902.5	1	0	23.13	-1.00	22.13	<=33.01	Pass
			38	22.99	-1.00	21.99	<=33.01	Pass
			74	23.12	-1.00	22.12	<=33.01	Pass
		36	0	21.86	-1.00	20.86	<=33.01	Pass
			18	21.81	-1.00	20.81	<=33.01	Pass
			39	21.84	-1.00	20.84	<=33.01	Pass
		75	0	21.83	-1.00	20.83	<=33.01	Pass
256QAM	1857.5	1	0	20.03	-1.00	19.03	<=33.01	Pass
			38	19.71	-1.00	18.71	<=33.01	Pass
			74	19.71	-1.00	18.71	<=33.01	Pass
		36	0	19.66	-1.00	18.66	<=33.01	Pass
			0	19.66	-1.00	18.66	<=33.01	Pass

			18	19.55	-1.00	18.55	<=33.01	Pass
			39	19.54	-1.00	18.54	<=33.01	Pass
		75	0	19.60	-1.00	18.60	<=33.01	Pass
	1880	1	0	19.50	-1.00	18.50	<=33.01	Pass
			38	19.44	-1.00	18.44	<=33.01	Pass
			74	19.67	-1.00	18.67	<=33.01	Pass
		36	0	19.46	-1.00	18.46	<=33.01	Pass
			18	19.48	-1.00	18.48	<=33.01	Pass
			39	19.58	-1.00	18.58	<=33.01	Pass
		75	0	19.52	-1.00	18.52	<=33.01	Pass
		1902.5	1	0	19.92	-1.00	18.92	<=33.01
	38			19.79	-1.00	18.79	<=33.01	Pass
	74			19.88	-1.00	18.88	<=33.01	Pass
	36		0	19.80	-1.00	18.80	<=33.01	Pass
			18	19.79	-1.00	18.79	<=33.01	Pass
			39	19.79	-1.00	18.79	<=33.01	Pass
	75		0	19.83	-1.00	18.83	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	24.63	-1.00	23.63	<=33.01	Pass
			50	24.50	-1.00	23.50	<=33.01	Pass
			99	24.65	-1.00	23.65	<=33.01	Pass
		50	0	23.69	-1.00	22.69	<=33.01	Pass
			25	23.61	-1.00	22.61	<=33.01	Pass
			50	23.63	-1.00	22.63	<=33.01	Pass
		100	0	23.65	-1.00	22.65	<=33.01	Pass
	1880	1	0	24.50	-1.00	23.50	<=33.01	Pass
			50	24.40	-1.00	23.40	<=33.01	Pass
			99	24.71	-1.00	23.71	<=33.01	Pass
		50	0	23.51	-1.00	22.51	<=33.01	Pass
			25	23.54	-1.00	22.54	<=33.01	Pass
			50	23.68	-1.00	22.68	<=33.01	Pass
		100	0	23.59	-1.00	22.59	<=33.01	Pass
	1900	1	0	24.77	-1.00	23.77	<=33.01	Pass
			50	24.68	-1.00	23.68	<=33.01	Pass
			99	24.60	-1.00	23.60	<=33.01	Pass
		50	0	23.93	-1.00	22.93	<=33.01	Pass
			25	23.86	-1.00	22.86	<=33.01	Pass
			50	23.82	-1.00	22.82	<=33.01	Pass
		100	0	23.89	-1.00	22.89	<=33.01	Pass
16QAM	1860	1	0	24.29	-1.00	23.29	<=33.01	Pass
			50	24.00	-1.00	23.00	<=33.01	Pass
			99	24.14	-1.00	23.14	<=33.01	Pass
		50	0	22.72	-1.00	21.72	<=33.01	Pass
			25	22.60	-1.00	21.60	<=33.01	Pass
			50	22.64	-1.00	21.64	<=33.01	Pass
		100	0	22.65	-1.00	21.65	<=33.01	Pass
	1880	1	0	23.63	-1.00	22.63	<=33.01	Pass
			50	23.51	-1.00	22.51	<=33.01	Pass
			99	23.90	-1.00	22.90	<=33.01	Pass
		50	0	22.49	-1.00	21.49	<=33.01	Pass
			25	22.53	-1.00	21.53	<=33.01	Pass
			50	22.65	-1.00	21.65	<=33.01	Pass
		100	0	22.61	-1.00	21.61	<=33.01	Pass
	1900	1	0	23.88	-1.00	22.88	<=33.01	Pass
			50	24.03	-1.00	23.03	<=33.01	Pass
			99	24.20	-1.00	23.20	<=33.01	Pass

		50	0	22.92	-1.00	21.92	<=33.01	Pass	
			25	22.84	-1.00	21.84	<=33.01	Pass	
			50	22.81	-1.00	21.81	<=33.01	Pass	
		100	0	22.91	-1.00	21.91	<=33.01	Pass	
64QAM	1860	1	0	22.86	-1.00	21.86	<=33.01	Pass	
			50	22.63	-1.00	21.63	<=33.01	Pass	
			99	22.72	-1.00	21.72	<=33.01	Pass	
		50	0	21.65	-1.00	20.65	<=33.01	Pass	
			25	21.54	-1.00	20.54	<=33.01	Pass	
			50	21.56	-1.00	20.56	<=33.01	Pass	
		100	0	21.63	-1.00	20.63	<=33.01	Pass	
	1880	1	0	22.61	-1.00	21.61	<=33.01	Pass	
			50	22.46	-1.00	21.46	<=33.01	Pass	
			99	22.80	-1.00	21.80	<=33.01	Pass	
		50	0	21.55	-1.00	20.55	<=33.01	Pass	
			25	21.57	-1.00	20.57	<=33.01	Pass	
			50	21.69	-1.00	20.69	<=33.01	Pass	
		100	0	21.61	-1.00	20.61	<=33.01	Pass	
	1900	1	0	22.72	-1.00	21.72	<=33.01	Pass	
			50	22.68	-1.00	21.68	<=33.01	Pass	
			99	22.68	-1.00	21.68	<=33.01	Pass	
		50	0	21.98	-1.00	20.98	<=33.01	Pass	
			25	21.90	-1.00	20.90	<=33.01	Pass	
			50	21.86	-1.00	20.86	<=33.01	Pass	
		100	0	21.89	-1.00	20.89	<=33.01	Pass	
	256QAM	1860	1	0	20.00	-1.00	19.00	<=33.01	Pass
				50	19.72	-1.00	18.72	<=33.01	Pass
				99	19.90	-1.00	18.90	<=33.01	Pass
			50	0	19.67	-1.00	18.67	<=33.01	Pass
				25	19.57	-1.00	18.57	<=33.01	Pass
				50	19.59	-1.00	18.59	<=33.01	Pass
100			0	19.63	-1.00	18.63	<=33.01	Pass	
1880		1	0	19.75	-1.00	18.75	<=33.01	Pass	
			50	19.63	-1.00	18.63	<=33.01	Pass	
			99	19.96	-1.00	18.96	<=33.01	Pass	
		50	0	19.47	-1.00	18.47	<=33.01	Pass	
			25	19.52	-1.00	18.52	<=33.01	Pass	
			50	19.63	-1.00	18.63	<=33.01	Pass	
		100	0	19.54	-1.00	18.54	<=33.01	Pass	
1900		1	0	20.03	-1.00	19.03	<=33.01	Pass	
			50	19.94	-1.00	18.94	<=33.01	Pass	
			99	20.01	-1.00	19.01	<=33.01	Pass	
		50	0	19.95	-1.00	18.95	<=33.01	Pass	
			25	19.87	-1.00	18.87	<=33.01	Pass	
			50	19.83	-1.00	18.83	<=33.01	Pass	
		100	0	19.87	-1.00	18.87	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

2. Frequency Stability

2.1 Test Result

2.1.1 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1880	50	0	20	LV	-0.135	-0.0001	-2.5 to 2.5	Pass
					NV	0.318	0.0002	-2.5 to 2.5	Pass
					HV	4.669	0.0025	-2.5 to 2.5	Pass
				-30	NV	3.041	0.0016	-2.5 to 2.5	Pass

				-20	NV	-3.997	-0.0021	-2.5 to 2.5	Pass
				-10	NV	-2.998	-0.0016	-2.5 to 2.5	Pass
				0	NV	3.199	0.0017	-2.5 to 2.5	Pass
				10	NV	1.095	0.0006	-2.5 to 2.5	Pass
				30	NV	0.938	0.0005	-2.5 to 2.5	Pass
				40	NV	3.756	0.0020	-2.5 to 2.5	Pass
				50	NV	2.782	0.0015	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band2_OBW

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.104	/	Pass
	16QAM	1880	6	0	1.115	/	Pass
	64QAM	1880	6	0	1.099	/	Pass
	256QAM	1880	6	0	1.103	/	Pass
3	QPSK	1880	15	0	2.735	/	Pass
	16QAM	1880	15	0	2.737	/	Pass
	64QAM	1880	15	0	2.730	/	Pass
	256QAM	1880	15	0	2.736	/	Pass
5	QPSK	1880	25	0	4.563	/	Pass
	16QAM	1880	25	0	4.530	/	Pass
	64QAM	1880	25	0	4.558	/	Pass
	256QAM	1880	25	0	4.536	/	Pass
10	QPSK	1880	50	0	9.069	/	Pass
	16QAM	1880	50	0	9.051	/	Pass
	64QAM	1880	50	0	9.063	/	Pass
	256QAM	1880	50	0	9.053	/	Pass
15	QPSK	1880	75	0	13.586	/	Pass
	16QAM	1880	75	0	13.571	/	Pass
	64QAM	1880	75	0	13.589	/	Pass
	256QAM	1880	75	0	13.559	/	Pass
20	QPSK	1880	100	0	18.124	/	Pass
	16QAM	1880	100	0	18.070	/	Pass
	64QAM	1880	100	0	18.082	/	Pass
	256QAM	1880	100	0	18.109	/	Pass


3.1.2 Band2_XDB


Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.311	/	Pass
	16QAM	1880	6	0	1.323	/	Pass
	64QAM	1880	6	0	1.301	/	Pass
	256QAM	1880	6	0	1.306	/	Pass
3	QPSK	1880	15	0	3.015	/	Pass
	16QAM	1880	15	0	2.994	/	Pass
	64QAM	1880	15	0	3.006	/	Pass
	256QAM	1880	15	0	3.045	/	Pass
5	QPSK	1880	25	0	5.073	/	Pass
	16QAM	1880	25	0	5.085	/	Pass
	64QAM	1880	25	0	5.034	/	Pass
	256QAM	1880	25	0	5.058	/	Pass
10	QPSK	1880	50	0	10.045	/	Pass

	16QAM	1880	50	0	9.922	/	Pass
	64QAM	1880	50	0	10.339	/	Pass
	256QAM	1880	50	0	9.956	/	Pass
15	QPSK	1880	75	0	14.944	/	Pass
	16QAM	1880	75	0	14.905	/	Pass
	64QAM	1880	75	0	14.920	/	Pass
	256QAM	1880	75	0	14.856	/	Pass
20	QPSK	1880	100	0	19.756	/	Pass
	16QAM	1880	100	0	19.849	/	Pass
	64QAM	1880	100	0	19.748	/	Pass
	256QAM	1880	100	0	19.785	/	Pass


3.2 Test Graph

3.2.1 Band2_OBW







Band2 1.4MHz 256QAM MCH 1880MHz RB 6 0 NTN




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_256QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV







Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV







Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV







Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_64QAM_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_256QAM_MCH_1880MHz_RB_100_0_NTNV





3.2.2 Band2_XDB







Band2 1.4MHz 256QAM MCH 1880MHz RB 6 0 NTN









Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_256QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV





Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_256QAM_MCH_1880MHz_RB_50_0_NTNV









Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_64QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_256QAM_MCH_1880MHz_RB_100_0_NTNV



4. Peak-Average Ratio


4.1 Test Result


4.1.1 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	4.88	<=13	Pass
16QAM	1880	100	0	5.67	<=13	Pass
64QAM	1880	100	0	6.31	<=13	Pass
256QAM	1880	100	0	6.33	<=13	Pass


4.2 Test Graph

4.2.1 B2_20MHz





Band2 20MHz 256QAM MCH 1880MHz RB 100 0 NTN



5. Spurious Emission

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass


5.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass


5.2 Test Graph

5.2.1 B2_1.4MHz






Band2 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-20.77	-13	Pass
1849	1850	0.013	CHP	2	1849.995	-28.34	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV



Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-27.15	-13	Pass
1911	1913	1	CHP	2	1911.785	-36.34	-13	Pass

Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.013	CHP	/	/	/	/	/
1910	1911	0.013	CHP	1	1910.005	-28.45	-13	Pass
1911	1913	1	CHP	2	1911.500	-21.26	-13	Pass