



Appendix D

Photographs

1. SAR measurement System
2. Photographs of Tissue Simulate Liquid
3. Photographs of EUT test position
4. EUT Constructional Details

1. SAR measurement System



2. Photographs of Tissue Simulate Liquid

Photo 1: Tissue Simulant Liquid for HBBL600-10000MHz	NA
	NA

3. Photographs of EUT test position





Photo 2: Left cheek	Photo 3: Left tilted
	
Photo 4: Right cheek	Photo 5: Right tilted
	
Photo 6: Front side 15mm	Photo 7: Back side 15mm
	


Photo 8: Front side 10mm	Photo 9: Back side 10mm
	
Photo 10: Left side 10mm	Photo 11: Right side 10mm
	
Photo 12: Top side 10mm	Photo 13: Bottom side 10mm
	

Photo 14: Front side 0mm	Photo 15: Back side 0mm
	
Photo 16: Right side 0mm	Photo 17: Top side 0mm
	
Photo 18: Bottom side 0mm	Photo 19: Back side 17mm
	



Photo 20: Bottom side 15mm	NA
	NA

4. EUT Constructional Details

Photo 21: Front View	Photo 22: Back View
	
Photo 23: DUT Antenna Locations(Back View)	
 Top GPS/BT/Glonass/2.4G WIFI/5G WIFI 22.5mm GSM2/3/5/8, WCDMA1/2/4/5/8, LTE1/2/3/4/5/7/8/20/28/38/40/41 DIV ANT 49.5mm 10mm Right Left dpdt 72.5mm Bottom Main ANT 12mm GSM2/3/5/8, WCDMA1/2/4/5/8, LTE1/2/3/4/5/7/8/20/28/38/40/41 SAR Proximity sensor Note: 1) Main Ant: Ant1; DIV Ant: Ant2 2) SAR Proximity sensor location is same as main Ant(Ant1) 3) The test device is a smart phone. The overall diagonal dimension of this device is 174 mm. Per KDB 648474 D04, because the diagonal distance of this device is ≥ 160mm, so it is a phablet.	