



EUT EXTERNAL PHOTOS

Earphone

FRONT VIEW OF EUT



REAR VIEW OF EUT




LEFT VIEW OF EUT



RIGHT VIEW OF EUT



TOP VIEW OF EUT



BOTTOM VIEW OF EUT



Earphone charging case

FRONT VIEW OF EUT



REAR VIEW OF EUT



LEFT VIEW OF EUT



RIGHT VIEW OF EUT




TOP VIEW OF EUT




BOTTOM VIEW OF EUT



USB Cable 1 – M79



USB Cable 2 - SLS-A003A



Ancillary Equipment

Ancillary Equipment 1	Rechargeable Li-ion Cell (Charging case)	
	Brand Name	N/A
	Model No.	BW50
	Serial No.	N/A
	Capacitance	Rated: 480mAh
	Nominal Voltage	3.80 Vdc
	Limited Voltage	4.35 Vdc
	Manufacturer	Chongqing VDL Electronics Co.,Ltd.
Ancillary Equipment 2	Rechargeable Li-ion Cell (Earphone)	
	Brand Name	N/A
	Model No.	M1154S3
	Serial No.	N/A
	Nominal capacity	54mAh
	Nominal Voltage	3.85 Vdc
	Limited Voltage	4.40 Vdc
	Manufacturer	Guangdong Mic-power New Energy Co Ltd
Ancillary Equipment 3	USB Cable 1	
	Model No.	M79
	Length (Approx.)	0.5 m
Ancillary Equipment 4	USB Cable 2	
	Model No.	SLS-A003A
	Length (Approx.)	0.5 m
Note 1: Letter in () means plug type.		
Note 2: All USB Cable are tested, only the worst data of M79 shown in this report.		

--BLANK BELOW--