







		13																																																																											
Mode	Band Edge																																																																												
	2400-2483.5_802.11be EHT20_CH01_Single RU 106/53_2412MHz																																																																												
ANT	CDD 17+6																																																																												
Pol.	Horizontal						Fundamental																																																																						
Peak	Level (dBuV/m) Date: 2023-06-01 Site : 03CH04-SZ Condition: PEAK_BE_74 3m HF_ANT_3117(119436) HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz Mode : 35 Setting : MCS0 Powersetting 14.5 Plane : Z with Accessories 861585060047220/861585060047238 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2381.76</td><td>58.26</td><td>74.00</td><td>-15.74</td><td>53.50</td><td>33.29</td><td>5.35</td><td>33.88</td><td>200</td><td>336</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 2381.76	58.26	74.00	-15.74	53.50	33.29	5.35	33.88	200	336	PEAK	Level (dBuV/m) Date: 2023-06-01 Site : 03CH04-SZ Condition: PEAK_74 3m HF_ANT_3117(119436) HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz Mode : 35 Setting : MCS0 Powersetting 14.5 Plane : Z with Accessories 861585060047220/861585060047238 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2412.00</td><td>107.57</td><td>-----</td><td>-----</td><td>102.72</td><td>33.36</td><td>5.37</td><td>33.88</td><td>200</td><td>336</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 2412.00	107.57	-----	-----	102.72	33.36	5.37	33.88	200	336	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																				
1 2381.76	58.26	74.00	-15.74	53.50	33.29	5.35	33.88	200	336	PEAK																																																																			
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																				
1 2412.00	107.57	-----	-----	102.72	33.36	5.37	33.88	200	336	PEAK																																																																			
Avg	Level (dBuV/m) Date: 2023-06-01 Site : 03CH04-SZ Condition: AVG_BE_54 3m HF_ANT_3117(119436) HORIZONTAL RBW:1000.000kHz VBW:1.000kHz Mode : 35 Setting : MCS0 Powersetting 14.5 Plane : Z with Accessories 861585060047220/861585060047238 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2343.02</td><td>45.90</td><td>54.00</td><td>-8.10</td><td>41.26</td><td>33.19</td><td>5.32</td><td>33.87</td><td>200</td><td>336</td><td>AVERAGE</td></tr></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 2343.02	45.90	54.00	-8.10	41.26	33.19	5.32	33.87	200	336	AVERAGE	Level (dBuV/m) Date: 2023-06-01 Site : 03CH04-SZ Condition: AVG_54 3m HF_ANT_3117(119436) HORIZONTAL RBW:1000.000kHz VBW:1.000kHz Mode : 35 Setting : MCS0 Powersetting 14.5 Plane : Z with Accessories 861585060047220/861585060047238 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2412.00</td><td>98.25</td><td>-----</td><td>-----</td><td>93.41</td><td>33.35</td><td>5.37</td><td>33.88</td><td>200</td><td>336</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 2412.00	98.25	-----	-----	93.41	33.35	5.37	33.88	200	336	AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																				
1 2343.02	45.90	54.00	-8.10	41.26	33.19	5.32	33.87	200	336	AVERAGE																																																																			
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																				
1 2412.00	98.25	-----	-----	93.41	33.35	5.37	33.88	200	336	AVERAGE																																																																			







	13																																																																																		
Mode	Band Edge																																																																																		
	2400-2483.5_802.11be EHT20_CH01_Single RU 106/53_2412MHz																																																																																		
ANT	CDD 17+6																																																																																		
Pol.	Vertical						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2023-06-01  Site : 03CH04-SZ Condition: PEAK_BE_74 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 35 Setting : MCS0 Powersetting 14.5 Plane : Z with Accessories : 861585060047220/861585060047238 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2359.92</td><td>58.64</td><td>74.00</td><td>-15.36</td><td>53.94</td><td>33.24</td><td>5.33</td><td>33.87</td><td>200</td><td>360</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	2359.92	58.64	74.00	-15.36	53.94	33.24	5.33	33.87	200	360	PEAK	Level (dBuV/m) Date: 2023-06-01  Site : 03CH04-SZ Condition: PEAK_74 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 35 Setting : MCS0 Powersetting 14.5 Plane : Z with Accessories : 861585060047220/861585060047238 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>107.62</td><td>-----</td><td>-----</td><td>102.75</td><td>33.37</td><td>5.38</td><td>33.88</td><td>200</td><td>360</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	2412.00	107.62	-----	-----	102.75	33.37	5.38	33.88	200	360	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2359.92	58.64	74.00	-15.36	53.94	33.24	5.33	33.87	200	360	PEAK																																																																								
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	107.62	-----	-----	102.75	33.37	5.38	33.88	200	360	PEAK																																																																								
Avg	Level (dBuV/m) Date: 2023-06-01  Site : 03CH04-SZ Condition: AVG_BE_54 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 35 Setting : MCS0 Powersetting 14.5 Plane : Z with Accessories : 861585060047220/861585060047238 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2389.43</td><td>46.07</td><td>54.00</td><td>-7.93</td><td>41.28</td><td>33.31</td><td>5.36</td><td>33.88</td><td>200</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	2389.43	46.07	54.00	-7.93	41.28	33.31	5.36	33.88	200	360	AVERAGE	Level (dBuV/m) Date: 2023-06-01  Site : 03CH04-SZ Condition: AVG_54 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 35 Setting : MCS0 Powersetting 14.5 Plane : Z with Accessories : 861585060047220/861585060047238 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>99.00</td><td>-----</td><td>-----</td><td>94.16</td><td>33.35</td><td>5.37</td><td>33.88</td><td>200</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	2412.00	99.00	-----	-----	94.16	33.35	5.37	33.88	200	360	AVERAGE
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.43	46.07	54.00	-7.93	41.28	33.31	5.36	33.88	200	360	AVERAGE																																																																								
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	99.00	-----	-----	94.16	33.35	5.37	33.88	200	360	AVERAGE																																																																								



	14																																																																									
Mode	Band Edge																																																																									
	2400-2483.5_802.11be EHT20_CH11_Single RU 26+8_2462MHz																																																																									
ANT	CDD 17+6																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2023-06-01 Site : 03CH04-SZ Condition: PEAK_BE_74 3m HF_ANT_3117(119436) HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz Mode : 36 Setting : MCS0 Powersetting 9.5 Plane : Z with Accessories 861585060055041/861585060055058 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 2489.06</td><td>58.26</td><td>74.00</td><td>-15.74</td><td>53.12</td><td>33.57</td><td>5.47</td><td>33.90</td><td>138 300 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1 2489.06	58.26	74.00	-15.74	53.12	33.57	5.47	33.90	138 300 PEAK	Level (dBuV/m) Date: 2023-06-01 Site : 03CH04-SZ Condition: PEAK_74 3m HF_ANT_3117(119436) HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz Mode : 36 Setting : MCS0 Powersetting 9.5 Plane : Z with Accessories 861585060055041/861585060055058 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 2462.00</td><td>104.67</td><td>-----</td><td>-----</td><td>99.60</td><td>33.52</td><td>5.44</td><td>33.89</td><td>138 300 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1 2462.00	104.67	-----	-----	99.60	33.52	5.44	33.89	138 300 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																		
1 2489.06	58.26	74.00	-15.74	53.12	33.57	5.47	33.90	138 300 PEAK																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																		
1 2462.00	104.67	-----	-----	99.60	33.52	5.44	33.89	138 300 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2023-06-01 Site : 03CH04-SZ Condition: AVG_BE_54 3m HF_ANT_3117(119436) HORIZONTAL RBW:1000.000kHz VBW:1.000kHz Mode : 36 Setting : MCS0 Powersetting 9.5 Plane : Z with Accessories 861585060055041/861585060055058 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 2490.12</td><td>46.13</td><td>54.00</td><td>-7.87</td><td>40.99</td><td>33.57</td><td>5.47</td><td>33.90</td><td>138 300 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1 2490.12	46.13	54.00	-7.87	40.99	33.57	5.47	33.90	138 300 AVERAGE	Level (dBuV/m) Date: 2023-06-01 Site : 03CH04-SZ Condition: AVG_54 3m HF_ANT_3117(119436) HORIZONTAL RBW:1000.000kHz VBW:1.000kHz Mode : 36 Setting : MCS0 Powersetting 9.5 Plane : Z with Accessories 861585060055041/861585060055058 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 2462.00</td><td>96.25</td><td>-----</td><td>-----</td><td>91.18</td><td>33.52</td><td>5.44</td><td>33.89</td><td>138 300 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1 2462.00	96.25	-----	-----	91.18	33.52	5.44	33.89	138 300 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																		
1 2490.12	46.13	54.00	-7.87	40.99	33.57	5.47	33.90	138 300 AVERAGE																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																		
1 2462.00	96.25	-----	-----	91.18	33.52	5.44	33.89	138 300 AVERAGE																																																																		







Mode	14																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11be EHT20_CH11_Single RU 26+8_2462MHz																																																																																										
ANT	CDD 17+6																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2023-06-01  PEAK_BE_74 Frequency (MHz) Site : 03CH04-SZ Condition: PEAK_BE_74 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 36 Setting : MCS0 Powersetting 9.5 Plane : Z with Accessories : 861585060055041/861585060055058 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.74</td><td>58.34</td><td>74.00</td><td>-15.66</td><td>53.21</td><td>33.57</td><td>5.46</td><td>33.90</td><td>400</td><td>359</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2486.74	58.34	74.00	-15.66	53.21	33.57	5.46	33.90	400	359	PEAK	Level (dBuV/m) Date: 2023-06-01  PEAK_74 Frequency (MHz) Site : 03CH04-SZ Condition: PEAK_74 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 36 Setting : MCS0 Powersetting 9.5 Plane : Z with Accessories : 861585060055041/861585060055058 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>102.87</td><td>-----</td><td>-----</td><td>97.80</td><td>33.52</td><td>5.44</td><td>33.89</td><td>400</td><td>359</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	102.87	-----	-----	97.80	33.52	5.44	33.89	400	359	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2486.74	58.34	74.00	-15.66	53.21	33.57	5.46	33.90	400	359	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2462.00	102.87	-----	-----	97.80	33.52	5.44	33.89	400	359	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2023-06-01  AVG_BE_54 Frequency (MHz) Site : 03CH04-SZ Condition: AVG_BE_54 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 36 Setting : MCS0 Powersetting 9.5 Plane : Z with Accessories : 861585060055041/861585060055058 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.25</td><td>46.15</td><td>54.00</td><td>-7.85</td><td>40.99</td><td>33.59</td><td>5.47</td><td>33.90</td><td>400</td><td>359</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2495.25	46.15	54.00	-7.85	40.99	33.59	5.47	33.90	400	359	AVERAGE	Level (dBuV/m) Date: 2023-06-01  AVG_54 Frequency (MHz) Site : 03CH04-SZ Condition: AVG_54 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 36 Setting : MCS0 Powersetting 9.5 Plane : Z with Accessories : 861585060055041/861585060055058 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>95.23</td><td>-----</td><td>-----</td><td>90.16</td><td>33.52</td><td>5.44</td><td>33.89</td><td>400</td><td>359</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.23	-----	-----	90.16	33.52	5.44	33.89	400	359	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2495.25	46.15	54.00	-7.85	40.99	33.59	5.47	33.90	400	359	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2462.00	95.23	-----	-----	90.16	33.52	5.44	33.89	400	359	AVERAGE																																																																																



	15																																																																																		
Mode	Band Edge																																																																																		
	2400-2483.5_802.11be EHT20_CH01_Small RU 106+26_2412MHz																																																																																		
ANT	CDD 17+6																																																																																		
Pol.	Horizontal						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2023-06-01 Site : 03CH04-SZ Condition: PEAK_BE_74 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 37 Setting : MCS0 Powersetting 15 Plane : Z with Accessories : 861585060055041/861585060055058 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2388.52</td><td>58.89</td><td>74.00</td><td>-15.11</td><td>54.10</td><td>33.31</td><td>5.36</td><td>33.88</td><td>200</td><td></td><td>0 PEAK</td></tr></tbody></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	2388.52	58.89	74.00	-15.11	54.10	33.31	5.36	33.88	200		0 PEAK	Level (dBuV/m) Date: 2023-06-01 Site : 03CH04-SZ Condition: PEAK_74 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 37 Setting : MCS0 Powersetting 15 Plane : Z with Accessories : 861585060055041/861585060055058 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>108.27</td><td>-----</td><td>-----</td><td>103.40</td><td>33.37</td><td>5.38</td><td>33.88</td><td>200</td><td></td><td>0 PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	2412.00	108.27	-----	-----	103.40	33.37	5.38	33.88	200		0 PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2388.52	58.89	74.00	-15.11	54.10	33.31	5.36	33.88	200		0 PEAK																																																																								
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	108.27	-----	-----	103.40	33.37	5.38	33.88	200		0 PEAK																																																																								
Avg	Level (dBuV/m) Date: 2023-06-01 Site : 03CH04-SZ Condition: AVG_BE_54 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz Mode : 37 Setting : MCS0 Powersetting 15 Plane : Z with Accessories : 861585060055041/861585060055058 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2387.87</td><td>46.09</td><td>54.00</td><td>-7.91</td><td>41.30</td><td>33.31</td><td>5.36</td><td>33.88</td><td>200</td><td></td><td>0 AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	2387.87	46.09	54.00	-7.91	41.30	33.31	5.36	33.88	200		0 AVERAGE	Level (dBuV/m) Date: 2023-06-01 Site : 03CH04-SZ Condition: AVG_54 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz Mode : 37 Setting : MCS0 Powersetting 15 Plane : Z with Accessories : 861585060055041/861585060055058 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>98.66</td><td>-----</td><td>-----</td><td>93.79</td><td>33.37</td><td>5.38</td><td>33.88</td><td>200</td><td></td><td>0 AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	2412.00	98.66	-----	-----	93.79	33.37	5.38	33.88	200		0 AVERAGE
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2387.87	46.09	54.00	-7.91	41.30	33.31	5.36	33.88	200		0 AVERAGE																																																																								
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	98.66	-----	-----	93.79	33.37	5.38	33.88	200		0 AVERAGE																																																																								







	15																																																																																		
Mode	Band Edge																																																																																		
	2400-2483.5_802.11be EHT20_CH01_Small RU 106+26_2412MHz																																																																																		
ANT	CDD 17+6																																																																																		
Pol.	Vertical						Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2023-06-01  Frequency (MHz) Site : 03CH04-SZ Condition: PEAK_BE_74 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 37 Setting : MCS0 Powersetting 15 Plane : Z with Accessories : 861585060055041/861585060055058 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2389.69</td><td>62.52</td><td>74.00</td><td>-11.48</td><td>57.73</td><td>33.31</td><td>5.36</td><td>33.88</td><td>230</td><td>0</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	2389.69	62.52	74.00	-11.48	57.73	33.31	5.36	33.88	230	0	PEAK	Level (dBuV/m) Date: 2023-06-01  Frequency (MHz) Site : 03CH04-SZ Condition: PEAK_74 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 37 Setting : MCS0 Powersetting 15 Plane : Z with Accessories : 861585060055041/861585060055058 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>113.49</td><td>-----</td><td>-----</td><td>108.64</td><td>33.36</td><td>5.37</td><td>33.88</td><td>230</td><td>0</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	2412.00	113.49	-----	-----	108.64	33.36	5.37	33.88	230	0	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.69	62.52	74.00	-11.48	57.73	33.31	5.36	33.88	230	0	PEAK																																																																								
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	113.49	-----	-----	108.64	33.36	5.37	33.88	230	0	PEAK																																																																								
Avg	Level (dBuV/m) Date: 2023-06-01  Frequency (MHz) Site : 03CH04-SZ Condition: AVG_BE_54 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 37 Setting : MCS0 Powersetting 15 Plane : Z with Accessories : 861585060055041/861585060055058 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2389.43</td><td>46.92</td><td>54.00</td><td>-7.08</td><td>42.13</td><td>33.31</td><td>5.36</td><td>33.88</td><td>230</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	2389.43	46.92	54.00	-7.08	42.13	33.31	5.36	33.88	230	0	AVERAGE	Level (dBuV/m) Date: 2023-06-01  Frequency (MHz) Site : 03CH04-SZ Condition: AVG_54 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:1.000kHz Mode : 37 Setting : MCS0 Powersetting 15 Plane : Z with Accessories : 861585060055041/861585060055058 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>103.78</td><td>-----</td><td>-----</td><td>98.94</td><td>33.35</td><td>5.37</td><td>33.88</td><td>230</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	2412.00	103.78	-----	-----	98.94	33.35	5.37	33.88	230	0	AVERAGE
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.43	46.92	54.00	-7.08	42.13	33.31	5.36	33.88	230	0	AVERAGE																																																																								
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	103.78	-----	-----	98.94	33.35	5.37	33.88	230	0	AVERAGE																																																																								



Mode	16																																																																			
	Band Edge																																																																			
	2400-2483.5_802.11be EHT20_CH11_Small RU 52+26_2462MHz																																																																			
ANT	CDD 17+6																																																																			
Pol.	Horizontal	Fundamental																																																																		
Peak	Level (dBuV/m) Date: 2023-06-01 PEAK_BE_74 Site : 03CH04-SZ Condition: PEAK_BE_74 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 38 Setting : MCS0 Powersetting 13.5 Plane : Z with Accessories : 861585060055041/861585060055058 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2490.08</td><td>58.42</td><td>74.00</td><td>-15.58</td><td>53.28</td><td>33.57</td><td>5.47</td><td>33.90</td><td>172</td><td>360</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 2490.08	58.42	74.00	-15.58	53.28	33.57	5.47	33.90	172	360	PEAK	Level (dBuV/m) Date: 2023-06-01 PEAK_74 Site : 03CH04-SZ Condition: PEAK_74 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 38 Setting : MCS0 Powersetting 13.5 Plane : Z with Accessories : 861585060055041/861585060055058 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2462.00</td><td>109.26</td><td>-----</td><td>-----</td><td>104.19</td><td>33.52</td><td>5.44</td><td>33.89</td><td>172</td><td>360</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 2462.00	109.26	-----	-----	104.19	33.52	5.44	33.89	172	360	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																											
1 2490.08	58.42	74.00	-15.58	53.28	33.57	5.47	33.90	172	360	PEAK																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																											
1 2462.00	109.26	-----	-----	104.19	33.52	5.44	33.89	172	360	PEAK																																																										
Avg	Level (dBuV/m) Date: 2023-06-01 AVG_BE_54 Site : 03CH04-SZ Condition: AVG_BE_54 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz Mode : 38 Setting : MCS0 Powersetting 13.5 Plane : Z with Accessories : 861585060055041/861585060055058 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2485.26</td><td>46.29</td><td>54.00</td><td>-7.71</td><td>41.17</td><td>33.56</td><td>5.46</td><td>33.90</td><td>172</td><td>360</td><td>AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 2485.26	46.29	54.00	-7.71	41.17	33.56	5.46	33.90	172	360	AVERAGE	Level (dBuV/m) Date: 2023-06-01 AVG_54 Site : 03CH04-SZ Condition: AVG_54 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz Mode : 38 Setting : MCS0 Powersetting 13.5 Plane : Z with Accessories : 861585060055041/861585060055058 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2462.00</td><td>99.92</td><td>-----</td><td>-----</td><td>94.86</td><td>33.51</td><td>5.44</td><td>33.89</td><td>172</td><td>360</td><td>AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 2462.00	99.92	-----	-----	94.86	33.51	5.44	33.89	172	360	AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																											
1 2485.26	46.29	54.00	-7.71	41.17	33.56	5.46	33.90	172	360	AVERAGE																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																											
1 2462.00	99.92	-----	-----	94.86	33.51	5.44	33.89	172	360	AVERAGE																																																										



Mode	16																																																																			
	Band Edge																																																																			
	2400-2483.5_802.11be EHT20_CH11_Small RU 52+26_2462MHz																																																																			
ANT	CDD 17+6																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	Level (dBuV/m) Date: 2023-06-01  Site : 03CH04-SZ Condition: PEAK_BE_74 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 38 Setting : MCS0 Powersetting 13.5 Plane : Z with Accessories : 861585060055041/861585060055058 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2494.68</td><td>58.74</td><td>74.00</td><td>-15.26</td><td>53.58</td><td>33.59</td><td>5.47</td><td>33.90</td><td>200</td><td>190 PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	2494.68	58.74	74.00	-15.26	53.58	33.59	5.47	33.90	200	190 PEAK	Level (dBuV/m) Date: 2023-06-01  Site : 03CH04-SZ Condition: PEAK_74 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 38 Setting : MCS0 Powersetting 13.5 Plane : Z with Accessories : 861585060055041/861585060055058 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2462.00</td><td>106.26</td><td>74.00</td><td>32.26</td><td>101.20</td><td>33.51</td><td>5.44</td><td>33.89</td><td>200</td><td>190 PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	2462.00	106.26	74.00	32.26	101.20	33.51	5.44	33.89	200	190 PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																											
1	2494.68	58.74	74.00	-15.26	53.58	33.59	5.47	33.90	200	190 PEAK																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																											
1	2462.00	106.26	74.00	32.26	101.20	33.51	5.44	33.89	200	190 PEAK																																																										
Avg	Level (dBuV/m) Date: 2023-06-01  Site : 03CH04-SZ Condition: AVG_BE_54 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:0.010kHz Mode : 38 Setting : MCS0 Powersetting 13.5 Plane : Z with Accessories : 861585060055041/861585060055058 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2494.53</td><td>46.18</td><td>54.00</td><td>-7.82</td><td>41.06</td><td>33.56</td><td>5.46</td><td>33.90</td><td>200</td><td>190 AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	2494.53	46.18	54.00	-7.82	41.06	33.56	5.46	33.90	200	190 AVERAGE	Level (dBuV/m) Date: 2023-06-01  Site : 03CH04-SZ Condition: AVG_54 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBW:0.010kHz Mode : 38 Setting : MCS0 Powersetting 13.5 Plane : Z with Accessories : 861585060055041/861585060055058 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2462.00</td><td>96.23</td><td>54.00</td><td>42.23</td><td>91.17</td><td>33.51</td><td>5.44</td><td>33.89</td><td>200</td><td>190 AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	2462.00	96.23	54.00	42.23	91.17	33.51	5.44	33.89	200	190 AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																											
1	2494.53	46.18	54.00	-7.82	41.06	33.56	5.46	33.90	200	190 AVERAGE																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																											
1	2462.00	96.23	54.00	42.23	91.17	33.51	5.44	33.89	200	190 AVERAGE																																																										







Mode	17																																																																																																																																																																																							
	LF																																																																																																																																																																																							
	2400-2483.5_802.11g_Ch01_2412MHz																																																																																																																																																																																							
ANT	CDD 17+6																																																																																																																																																																																							
Pol.	Horizontal					Vertical																																																																																																																																																																																		
QPI Peak	Level (dBuV/m) Date: 2023-06-05 Site : 03CH04-SZ Condition: FCC CLASS-B 3m LF_ANT35408 HORIZONTAL Mode : 39 Setting : 6M Power setting 18.5 Plane : Y with Accessories Plane : 861585060047220/861585060047238 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>30.00</td><td>23.96</td><td>40.00</td><td>-16.04</td><td>30.43</td><td>24.90</td><td>0.53</td><td>31.90</td><td>--- Peak</td></tr><tr><td>2</td><td>120.21</td><td>17.33</td><td>43.50</td><td>-26.17</td><td>29.95</td><td>17.90</td><td>1.12</td><td>31.64</td><td>--- Peak</td></tr><tr><td>3</td><td>217.21</td><td>19.39</td><td>46.00</td><td>-26.61</td><td>33.52</td><td>15.63</td><td>1.51</td><td>31.27</td><td>--- Peak</td></tr><tr><td>4</td><td>293.84</td><td>25.28</td><td>46.00</td><td>-20.72</td><td>35.37</td><td>19.24</td><td>1.78</td><td>31.11</td><td>--- Peak</td></tr><tr><td>5</td><td>728.40</td><td>28.76</td><td>46.00</td><td>-17.24</td><td>31.38</td><td>25.47</td><td>2.81</td><td>30.90</td><td>--- Peak</td></tr><tr><td>6</td><td>927.25</td><td>29.92</td><td>46.00</td><td>-16.08</td><td>30.72</td><td>26.94</td><td>3.20</td><td>30.94</td><td>--- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	30.00	23.96	40.00	-16.04	30.43	24.90	0.53	31.90	--- Peak	2	120.21	17.33	43.50	-26.17	29.95	17.90	1.12	31.64	--- Peak	3	217.21	19.39	46.00	-26.61	33.52	15.63	1.51	31.27	--- Peak	4	293.84	25.28	46.00	-20.72	35.37	19.24	1.78	31.11	--- Peak	5	728.40	28.76	46.00	-17.24	31.38	25.47	2.81	30.90	--- Peak	6	927.25	29.92	46.00	-16.08	30.72	26.94	3.20	30.94	--- Peak	Level (dBuV/m) Date: 2023-06-05 Site : 03CH04-SZ Condition: FCC CLASS-B 3m LF_ANT35408 VERTICAL Mode : 39 Setting : 6M Power setting 18.5 Plane : Y with Accessories Plane : 861585060047220/861585060047238 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>30.00</td><td>24.05</td><td>40.00</td><td>-15.95</td><td>30.52</td><td>24.90</td><td>0.53</td><td>31.90</td><td>--- Peak</td></tr><tr><td>2</td><td>123.12</td><td>18.07</td><td>43.50</td><td>-25.43</td><td>30.71</td><td>17.85</td><td>1.13</td><td>31.62</td><td>--- Peak</td></tr><tr><td>3</td><td>294.81</td><td>23.02</td><td>46.00</td><td>-22.98</td><td>33.09</td><td>19.25</td><td>1.79</td><td>31.11</td><td>--- Peak</td></tr><tr><td>4</td><td>582.90</td><td>27.99</td><td>46.00</td><td>-18.01</td><td>31.80</td><td>24.63</td><td>2.53</td><td>30.97</td><td>--- Peak</td></tr><tr><td>5</td><td>764.29</td><td>28.38</td><td>46.00</td><td>-17.62</td><td>30.47</td><td>25.93</td><td>2.88</td><td>30.90</td><td>--- Peak</td></tr><tr><td>6</td><td>902.03</td><td>29.98</td><td>46.00</td><td>-16.02</td><td>31.19</td><td>26.72</td><td>3.16</td><td>31.09</td><td>--- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	30.00	24.05	40.00	-15.95	30.52	24.90	0.53	31.90	--- Peak	2	123.12	18.07	43.50	-25.43	30.71	17.85	1.13	31.62	--- Peak	3	294.81	23.02	46.00	-22.98	33.09	19.25	1.79	31.11	--- Peak	4	582.90	27.99	46.00	-18.01	31.80	24.63	2.53	30.97	--- Peak	5	764.29	28.38	46.00	-17.62	30.47	25.93	2.88	30.90	--- Peak	6	902.03	29.98	46.00	-16.02	31.19	26.72	3.16	31.09	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																																
1	30.00	23.96	40.00	-16.04	30.43	24.90	0.53	31.90	--- Peak																																																																																																																																																																															
2	120.21	17.33	43.50	-26.17	29.95	17.90	1.12	31.64	--- Peak																																																																																																																																																																															
3	217.21	19.39	46.00	-26.61	33.52	15.63	1.51	31.27	--- Peak																																																																																																																																																																															
4	293.84	25.28	46.00	-20.72	35.37	19.24	1.78	31.11	--- Peak																																																																																																																																																																															
5	728.40	28.76	46.00	-17.24	31.38	25.47	2.81	30.90	--- Peak																																																																																																																																																																															
6	927.25	29.92	46.00	-16.08	30.72	26.94	3.20	30.94	--- Peak																																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																																
1	30.00	24.05	40.00	-15.95	30.52	24.90	0.53	31.90	--- Peak																																																																																																																																																																															
2	123.12	18.07	43.50	-25.43	30.71	17.85	1.13	31.62	--- Peak																																																																																																																																																																															
3	294.81	23.02	46.00	-22.98	33.09	19.25	1.79	31.11	--- Peak																																																																																																																																																																															
4	582.90	27.99	46.00	-18.01	31.80	24.63	2.53	30.97	--- Peak																																																																																																																																																																															
5	764.29	28.38	46.00	-17.62	30.47	25.93	2.88	30.90	--- Peak																																																																																																																																																																															
6	902.03	29.98	46.00	-16.02	31.19	26.72	3.16	31.09	--- Peak																																																																																																																																																																															







<Co-location>

802.11g CH01 + BLE CH39 +LTE Band48 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz &BLE CH39 2480MHz&LTE Band48	
	Horizontal	Fundamental
Peak	 Site : 03CH04-S2 Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 42 IMEI : 861585060042809/861585060042817 Plane : Z with Accessories 15RB0 QPSK GM power setting 18.5 125K -ANTS	 Site : 03CH04-S2 Condition : PEAK_F4 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 42 IMEI : 861585060042809/861585060042817 Plane : Z with Accessories 15RB0 QPSK GM power setting 18.5 125K -ANTS
Avg.	 Site : 03CH04-S2 Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 42 IMEI : 861585060042809/861585060042817 Plane : Z with Accessories 15RB0 QPSK GM power setting 18.5 125K -ANTS	 Site : 03CH04-S2 Condition : AVG_F4 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 42 IMEI : 861585060042809/861585060042817 Plane : Z with Accessories 15RB0 QPSK GM power setting 18.5 125K -ANTS

Note: the highest signals over limit are WIFI 2.4G + BLE + WWAN co-location fundamental signals.



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz & BLE CH39 2480MHz&LTE Band48	
17+6	Vertical	Fundamental
Peak		
		

Note: the highest signals over limit are WIFI 2.4G + BLE + WWAN co-location fundamental signals.



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz & BLE CH39 2480MHz & LTE Band48	
	Horizontal	Fundamental
Peak	Site : 03CH04-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL REW 1000.000kHz VBW 3000.000kHz Project : 351205 Mode : Mode 42 MEI : 061585060042009/061585060042017 Plane : Y with Accessories T850 QPSK GM power setting 18.5 125K ANTS	Site : 03CH04-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL REW 1000.000kHz VBW 3000.000kHz Project : 351205 Mode : Mode 42 MEI : 061585060042009/061585060042017 Plane : Y with Accessories T850 QPSK GM power setting 18.5 125K ANTS
Avg.	Site : 03CH04-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL REW 1000.000kHz VBW 1.000kHz Project : 351205 Mode : Mode 42 MEI : 061585060042009/061585060042017 Plane : Y with Accessories T850 QPSK GM power setting 18.5 125K ANTS	Site : 03CH04-SZ Condition : AVG_54 3m HF_ANT_3117_0107 HORIZONTAL REW 1000.000kHz VBW 1.000kHz Project : 351205 Mode : Mode 42 MEI : 061585060042009/061585060042017 Plane : Y with Accessories T850 QPSK GM power setting 18.5 125K ANTS

Note: the highest signals over limit are WIFI 2.4G + BLE + WWAN co-location fundamental signals.





BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz & BLE CH39 2480MHz&LTE Band48	
	Vertical	Fundamental
Peak	Site : 03CH04-SZ Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL REBW 1000.000kHz VBW 3000.000kHz Project : 351205 Mode : Mode 42 IMEI : 861585060042809/861585060042817 Plane : Y with Accessories 1R80 QPSK GM power setting 18.5 125K -ANT5	Site : 03CH04-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL REBW 1000.000kHz VBW 3000.000kHz Project : 351205 Mode : Mode 42 IMEI : 861585060042809/861585060042817 Plane : Y with Accessories 1R80 QPSK GM power setting 18.5 125K -ANT5
Avg.	Site : 03CH04-SZ Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL REBW 1000.000kHz VBW 1.000kHz Project : 351205 Mode : Mode 42 IMEI : 861585060042809/861585060042817 Plane : Y with Accessories 1R80 QPSK GM power setting 18.5 125K -ANT5	Site : 03CH04-SZ Condition : AVG_54 3m HF_ANT_3117_0107 VERTICAL REBW 1000.000kHz VBW 1.000kHz Project : 351205 Mode : Mode 42 IMEI : 861585060042809/861585060042817 Plane : Y with Accessories 1R80 QPSK GM power setting 18.5 125K -ANT5

Note: the highest signals over limit are WIFI 2.4G + BLE + WWAN co-location fundamental signals.



802. 11g CH01 + BLE CH39 +LTE Band48 (Harmonic @ 3m)


EDR	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	11g CH01 2412MHz &BLE CH39 2480MHz & LTE Band48	
	Horizontal	Vertical
Peak Avg.	 Site : 03CH04-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 351205 Mode : Mode 42 IMEI : 861585060042809/861585060042817 Plane : Z with Accessories 19D0 QPSK OM power setting : 18.5 125K -ANTS	 Site : 03CH04-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 351205 Mode : Mode 42 IMEI : 861585060042809/861585060042817 Plane : Z with Accessories 19D0 QPSK OM power setting : 18.5 125K -ANTS

Note: the highest signals over limit are WIFI 2.4G + BLE + WWAN co-location fundamental signals.

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	98.36	-	-	10Hz
802.11g	96.53	1.390	0.719	1KHz
802.11be EHT20	95.37	1.030	0.971	1KHz
802.11be EHT40	90.00	0.540	1.852	3KHz
Small RU 52+26	98.37	-	-	10Hz
Small RU 106+26	97.22	1.958	0.511	1KHz

802.11b



Date: 20.MAY.2023 10:48:41


802.11g




Date: 20.MAY.2023 11:44:40




802.11 be EHT20



802.11 be EHT40



Small RU 52+26



Small RU 106+26

