










Mode	24																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>52.41</td><td>74.00</td><td>-21.59</td><td>64.29</td><td>37.89</td><td>15.83</td><td>65.60</td><td>0.00</td><td>100</td><td>233 PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>43.62</td><td>54.00</td><td>-10.38</td><td>55.50</td><td>37.89</td><td>15.83</td><td>65.60</td><td>0.00</td><td>100</td><td>233 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	52.41	74.00	-21.59	64.29	37.89	15.83	65.60	0.00	100	233 PEAK	2	11100.00	43.62	54.00	-10.38	55.50	37.89	15.83	65.60	0.00	100	233 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>51.71</td><td>74.00</td><td>-22.29</td><td>63.59</td><td>37.89</td><td>15.83</td><td>65.60</td><td>0.00</td><td>100</td><td>151 PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>43.22</td><td>54.00</td><td>-10.78</td><td>55.10</td><td>37.89</td><td>15.83</td><td>65.60</td><td>0.00</td><td>100</td><td>151 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	51.71	74.00	-22.29	63.59	37.89	15.83	65.60	0.00	100	151 PEAK	2	11100.00	43.22	54.00	-10.78	55.10	37.89	15.83	65.60	0.00	100	151 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11100.00	52.41	74.00	-21.59	64.29	37.89	15.83	65.60	0.00	100	233 PEAK																																																																																																																			
2	11100.00	43.62	54.00	-10.38	55.50	37.89	15.83	65.60	0.00	100	233 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11100.00	51.71	74.00	-22.29	63.59	37.89	15.83	65.60	0.00	100	151 PEAK																																																																																																																			
2	11100.00	43.22	54.00	-10.78	55.10	37.89	15.83	65.60	0.00	100	151 AVERAGE																																																																																																																			







Mode	25																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																	
ANT	7																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5393.04</td><td>46.34</td><td>74.00</td><td>-27.66</td><td>38.40</td><td>34.39</td><td>10.88</td><td>37.33</td><td>0.00</td><td>111</td><td>236 PEAK</td></tr><tr><td>2</td><td>5464.72</td><td>46.58</td><td>68.20</td><td>-21.62</td><td>38.57</td><td>34.34</td><td>10.97</td><td>37.30</td><td>0.00</td><td>111</td><td>236 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5393.04	46.34	74.00	-27.66	38.40	34.39	10.88	37.33	0.00	111	236 PEAK	2	5464.72	46.58	68.20	-21.62	38.57	34.34	10.97	37.30	0.00	111	236 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>106.67</td><td>-----</td><td>-----</td><td>98.36</td><td>34.38</td><td>11.24</td><td>37.31</td><td>0.00</td><td>111</td><td>236 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	106.67	-----	-----	98.36	34.38	11.24	37.31	0.00	111	236 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5393.04	46.34	74.00	-27.66	38.40	34.39	10.88	37.33	0.00	111	236 PEAK																																																																																																							
2	5464.72	46.58	68.20	-21.62	38.57	34.34	10.97	37.30	0.00	111	236 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5670.00	106.67	-----	-----	98.36	34.38	11.24	37.31	0.00	111	236 PEAK																																																																																																							
Avg																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.52</td><td>37.35</td><td>54.00</td><td>-16.65</td><td>29.35</td><td>34.34</td><td>10.96</td><td>37.30</td><td>0.00</td><td>111</td><td>236 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.52	37.35	54.00	-16.65	29.35	34.34	10.96	37.30	0.00	111	236 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>98.05</td><td>-----</td><td>-----</td><td>89.71</td><td>34.39</td><td>11.23</td><td>37.28</td><td>0.00</td><td>111</td><td>236 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	98.05	-----	-----	89.71	34.39	11.23	37.28	0.00	111	236 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5457.52	37.35	54.00	-16.65	29.35	34.34	10.96	37.30	0.00	111	236 AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5670.00	98.05	-----	-----	89.71	34.39	11.23	37.28	0.00	111	236 AVERAGE																																																																																																							



Mode	25																																																																										
	Band Edge - R																																																																										
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																										
ANT	7																																																																										
Pol.	Horizontal						Fundamental																																																																				
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5725.24</td><td>59.45</td><td>68.20</td><td>-8.75</td><td>51.24</td><td>34.43</td><td>11.33</td><td>37.55</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>111</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>236</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5725.24	59.45	68.20	-8.75	51.24	34.43	11.33	37.55								0.00	111									236									PEAK	Blank					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																			
1	5725.24	59.45	68.20	-8.75	51.24	34.43	11.33	37.55																																																																			
							0.00	111																																																																			
								236																																																																			
								PEAK																																																																			





Mode	25																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																												
ANT	7																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.92</td><td>46.69</td><td>74.00</td><td>-27.31</td><td>38.73</td><td>34.40</td><td>10.89</td><td>37.33</td><td>0.00</td><td>100</td><td>95 PEAK</td></tr><tr><td>2</td><td>5466.32</td><td>46.26</td><td>68.20</td><td>-21.94</td><td>38.25</td><td>34.33</td><td>10.98</td><td>37.30</td><td>0.00</td><td>100</td><td>95 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5395.92	46.69	74.00	-27.31	38.73	34.40	10.89	37.33	0.00	100	95 PEAK	2	5466.32	46.26	68.20	-21.94	38.25	34.33	10.98	37.30	0.00	100	95 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>103.77</td><td>-----</td><td>-----</td><td>95.43</td><td>34.39</td><td>11.23</td><td>37.28</td><td>0.00</td><td>100</td><td>95 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	103.77	-----	-----	95.43	34.39	11.23	37.28	0.00	100	95 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5395.92	46.69	74.00	-27.31	38.73	34.40	10.89	37.33	0.00	100	95 PEAK																																																																																																		
2	5466.32	46.26	68.20	-21.94	38.25	34.33	10.98	37.30	0.00	100	95 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5670.00	103.77	-----	-----	95.43	34.39	11.23	37.28	0.00	100	95 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>37.16</td><td>54.00</td><td>-16.84</td><td>29.15</td><td>34.34</td><td>10.97</td><td>37.30</td><td>0.00</td><td>100</td><td>95 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	37.16	54.00	-16.84	29.15	34.34	10.97	37.30	0.00	100	95 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>95.27</td><td>-----</td><td>-----</td><td>86.93</td><td>34.39</td><td>11.23</td><td>37.28</td><td>0.00</td><td>100</td><td>95 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	95.27	-----	-----	86.93	34.39	11.23	37.28	0.00	100	95 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5459.92	37.16	54.00	-16.84	29.15	34.34	10.97	37.30	0.00	100	95 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5670.00	95.27	-----	-----	86.93	34.39	11.23	37.28	0.00	100	95 AVERAGE																																																																																																		







Mode	25	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz	
ANT	7	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) <	





Mode	25																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>53.63</td><td>74.00</td><td>-20.37</td><td>64.19</td><td>38.11</td><td>16.01</td><td>64.68</td><td>0.00</td><td>100</td><td>251 PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>44.90</td><td>54.00</td><td>-9.10</td><td>55.46</td><td>38.11</td><td>16.01</td><td>64.68</td><td>0.00</td><td>100</td><td>251 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	53.63	74.00	-20.37	64.19	38.11	16.01	64.68	0.00	100	251 PEAK	2	11340.00	44.90	54.00	-9.10	55.46	38.11	16.01	64.68	0.00	100	251 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>52.91</td><td>74.00</td><td>-21.09</td><td>63.47</td><td>38.11</td><td>16.01</td><td>64.68</td><td>0.00</td><td>103</td><td>62 PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>45.11</td><td>54.00</td><td>-8.89</td><td>55.67</td><td>38.11</td><td>16.01</td><td>64.68</td><td>0.00</td><td>103</td><td>62 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	52.91	74.00	-21.09	63.47	38.11	16.01	64.68	0.00	103	62 PEAK	2	11340.00	45.11	54.00	-8.89	55.67	38.11	16.01	64.68	0.00	103	62 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11340.00	53.63	74.00	-20.37	64.19	38.11	16.01	64.68	0.00	100	251 PEAK																																																																																																																			
2	11340.00	44.90	54.00	-9.10	55.46	38.11	16.01	64.68	0.00	100	251 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11340.00	52.91	74.00	-21.09	63.47	38.11	16.01	64.68	0.00	103	62 PEAK																																																																																																																			
2	11340.00	45.11	54.00	-8.89	55.67	38.11	16.01	64.68	0.00	103	62 AVERAGE																																																																																																																			






Mode	26																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																						
ANT	7																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.76</td><td>60.55</td><td>74.00</td><td>-13.45</td><td>53.30</td><td>34.04</td><td>10.65</td><td>37.44</td><td>0.00</td><td>103</td><td>235</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.76	60.55	74.00	-13.45	53.30	34.04	10.65	37.44	0.00	103	235	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>97.86</td><td>-----</td><td>-----</td><td>90.31</td><td>34.22</td><td>10.73</td><td>37.40</td><td>0.00</td><td>103</td><td>235</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	97.86	-----	-----	90.31	34.22	10.73	37.40	0.00	103	235
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5145.76	60.55	74.00	-13.45	53.30	34.04	10.65	37.44	0.00	103	235	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5210.00	97.86	-----	-----	90.31	34.22	10.73	37.40	0.00	103	235	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.68</td><td>50.04</td><td>54.00</td><td>-3.16</td><td>43.59</td><td>34.04</td><td>10.65</td><td>37.44</td><td>0.00</td><td>103</td><td>235</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.68	50.04	54.00	-3.16	43.59	34.04	10.65	37.44	0.00	103	235	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>89.27</td><td>-----</td><td>-----</td><td>81.72</td><td>34.22</td><td>10.73</td><td>37.40</td><td>0.00</td><td>103</td><td>235</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	89.27	-----	-----	81.72	34.22	10.73	37.40	0.00	103	235
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5147.68	50.04	54.00	-3.16	43.59	34.04	10.65	37.44	0.00	103	235	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5210.00	89.27	-----	-----	81.72	34.22	10.73	37.40	0.00	103	235	AVERAGE																																																																																											





Mode	26																																																										
	Band Edge - R																																																										
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																										
ANT	7																																																										
Pol.	Horizontal						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5379.48</td><td>49.05</td><td>74.00</td><td>-24.95</td><td>41.13</td><td>34.38</td><td>10.87</td><td>37.33</td><td>0.00</td><td>103</td><td>235</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5379.48	49.05	74.00	-24.95	41.13	34.38	10.87	37.33	0.00	103	235	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5379.48	49.05	74.00	-24.95	41.13	34.38	10.87	37.33	0.00	103	235	PEAK																																															
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.40</td><td>39.42</td><td>54.00</td><td>-14.58</td><td>31.58</td><td>34.35</td><td>10.84</td><td>37.35</td><td>0.00</td><td>103</td><td>235</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5351.40	39.42	54.00	-14.58	31.58	34.35	10.84	37.35	0.00	103	235	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5351.40	39.42	54.00	-14.58	31.58	34.35	10.84	37.35	0.00	103	235	AVERAGE																																															





Mode	26																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																	
ANT	7																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.44</td><td>58.57</td><td>74.00</td><td>-15.43</td><td>51.32</td><td>34.04</td><td>10.65</td><td>37.44</td><td>0.00</td><td>121 148 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.44	58.57	74.00	-15.43	51.32	34.04	10.65	37.44	0.00	121 148 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>93.04</td><td>-----</td><td>-----</td><td>85.50</td><td>34.22</td><td>10.72</td><td>37.40</td><td>0.00</td><td>121 148 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	93.04	-----	-----	85.50	34.22	10.72	37.40	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5145.44	58.57	74.00	-15.43	51.32	34.04	10.65	37.44	0.00	121 148 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5210.00	93.04	-----	-----	85.50	34.22	10.72	37.40	0.00	121 148 PEAK																																																																																								
Avg							Blank																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>46.90</td><td>54.00</td><td>-7.10</td><td>39.63</td><td>34.05</td><td>10.65</td><td>37.43</td><td>0.00</td><td>121 148 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	46.90	54.00	-7.10	39.63	34.05	10.65	37.43	0.00	121 148 AVERAGE																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5149.92	46.90	54.00	-7.10	39.63	34.05	10.65	37.43	0.00	121 148 AVERAGE																																																																																								







Mode	26																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																						
ANT	7																																																						
Pol.	Vertical										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.68</td><td>46.39</td><td>74.00</td><td>-27.61</td><td>38.43</td><td>34.40</td><td>10.89</td><td>37.33</td><td>0.00</td><td>121 148 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5395.68	46.39	74.00	-27.61	38.43	34.40	10.89	37.33	0.00	121 148 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5395.68	46.39	74.00	-27.61	38.43	34.40	10.89	37.33	0.00	121 148 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>84.40</td><td>68.20</td><td>16.20</td><td>76.85</td><td>34.22</td><td>10.73</td><td>37.40</td><td>0.00</td><td>121 148 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	84.40	68.20	16.20	76.85	34.22	10.73	37.40	0.00	121 148 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5210.00	84.40	68.20	16.20	76.85	34.22	10.73	37.40	0.00	121 148 AVERAGE																																													





Mode	26																																																																																																								
	Harmonic																																																																																																								
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																								
ANT	7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>44.53</td><td>68.20</td><td>-23.67</td><td>58.36</td><td>37.39</td><td>15.33</td><td>66.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10420.00	44.53	68.20	-23.67	58.36	37.39	15.33	66.55	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>44.05</td><td>68.20</td><td>-24.15</td><td>57.88</td><td>37.39</td><td>15.33</td><td>66.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10420.00	44.05	68.20	-24.15	57.88	37.39	15.33	66.55	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10420.00	44.53	68.20	-23.67	58.36	37.39	15.33	66.55	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10420.00	44.05	68.20	-24.15	57.88	37.39	15.33	66.55	0.00	---	---	PEAK																																																																																													







Mode	27																																																																																												
	Band Edge - L																																																																																												
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																												
ANT	7																																																																																												
Pol.	Horizontal						Fundamental																																																																																						
Peak																																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.88	49.47	74.00	-24.53	42.22	34.04	10.65	37.44	0.00	107	249	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>97.50</td><td>-----</td><td>-----</td><td>89.75</td><td>34.31</td><td>10.80</td><td>37.36</td><td>0.00</td><td>107</td><td>249</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	97.50	-----	-----	89.75	34.31	10.80	37.36	0.00	107	249	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5146.88	49.47	74.00	-24.53	42.22	34.04	10.65	37.44	0.00	107	249	PEAK																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5290.00	97.50	-----	-----	89.75	34.31	10.80	37.36	0.00	107	249	PEAK																																																																																	
Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.72</td><td>40.09</td><td>54.00</td><td>-13.91</td><td>32.84</td><td>34.04</td><td>10.65</td><td>37.44</td><td>0.00</td><td>107</td><td>249</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.72	40.09	54.00	-13.91	32.84	34.04	10.65	37.44	0.00	107	249	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>89.12</td><td>-----</td><td>-----</td><td>81.37</td><td>34.31</td><td>10.80</td><td>37.36</td><td>0.00</td><td>107</td><td>249</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	89.12	-----	-----	81.37	34.31	10.80	37.36	0.00	107	249
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5146.72	40.09	54.00	-13.91	32.84	34.04	10.65	37.44	0.00	107	249	AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5290.00	89.12	-----	-----	81.37	34.31	10.80	37.36	0.00	107	249	AVERAGE																																																																																	



Mode	27																																																										
	Band Edge - R																																																										
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																										
ANT	7																																																										
Pol.	Horizontal						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.80</td><td>58.55</td><td>74.00</td><td>-15.45</td><td>50.71</td><td>34.35</td><td>10.84</td><td>37.35</td><td>0.00</td><td>107</td><td>249</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.80	58.55	74.00	-15.45	50.71	34.35	10.84	37.35	0.00	107	249	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5350.80	58.55	74.00	-15.45	50.71	34.35	10.84	37.35	0.00	107	249	PEAK																																															
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.90</td><td>48.37</td><td>54.00</td><td>-5.63</td><td>40.53</td><td>34.35</td><td>10.84</td><td>37.35</td><td>0.00</td><td>107</td><td>249</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.90	48.37	54.00	-5.63	40.53	34.35	10.84	37.35	0.00	107	249	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5350.90	48.37	54.00	-5.63	40.53	34.35	10.84	37.35	0.00	107	249	AVERAGE																																															





Mode	27																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																						
ANT	7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5116.96</td><td>48.46</td><td>74.00</td><td>-25.54</td><td>41.34</td><td>33.95</td><td>10.62</td><td>37.45</td><td>0.00</td><td>103</td><td>141</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5116.96	48.46	74.00	-25.54	41.34	33.95	10.62	37.45	0.00	103	141	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>94.44</td><td>-----</td><td>-----</td><td>86.69</td><td>34.31</td><td>10.80</td><td>37.36</td><td>0.00</td><td>103</td><td>141</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	94.44	-----	-----	86.69	34.31	10.80	37.36	0.00	103	141
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5116.96	48.46	74.00	-25.54	41.34	33.95	10.62	37.45	0.00	103	141	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5290.00	94.44	-----	-----	86.69	34.31	10.80	37.36	0.00	103	141	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5130.08</td><td>39.26</td><td>54.00</td><td>-14.74</td><td>32.08</td><td>33.99</td><td>10.63</td><td>37.44</td><td>0.00</td><td>103</td><td>141</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5130.08	39.26	54.00	-14.74	32.08	33.99	10.63	37.44	0.00	103	141	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>85.14</td><td>-----</td><td>-----</td><td>77.40</td><td>34.31</td><td>10.80</td><td>37.37</td><td>0.00</td><td>103</td><td>141</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	85.14	-----	-----	77.40	34.31	10.80	37.37	0.00	103	141
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5130.08	39.26	54.00	-14.74	32.08	33.99	10.63	37.44	0.00	103	141	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5290.00	85.14	-----	-----	77.40	34.31	10.80	37.37	0.00	103	141	AVERAGE																																																																																											







Mode	27																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																						
ANT	7																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.60</td><td>54.05</td><td>74.00</td><td>-19.95</td><td>46.21</td><td>34.35</td><td>10.84</td><td>37.35</td><td>0.00</td><td>103</td><td>141 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5351.60	54.05	74.00	-19.95	46.21	34.35	10.84	37.35	0.00	103	141 PEAK	Blank					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5351.60	54.05	74.00	-19.95	46.21	34.35	10.84	37.35	0.00	103	141 PEAK																																												
Avg	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.70</td><td>45.04</td><td>54.00</td><td>-8.96</td><td>37.20</td><td>34.35</td><td>10.84</td><td>37.35</td><td>0.00</td><td>103</td><td>141 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.70	45.04	54.00	-8.96	37.20	34.35	10.84	37.35	0.00	103	141 AVERAGE	Blank					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5350.70	45.04	54.00	-8.96	37.20	34.35	10.84	37.35	0.00	103	141 AVERAGE																																												




Mode	27																																																																																																								
	Harmonic																																																																																																								
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																								
ANT	7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>45.03</td><td>68.20</td><td>-23.17</td><td>58.49</td><td>37.52</td><td>15.47</td><td>66.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10580.00	45.03	68.20	-23.17	58.49	37.52	15.47	66.45	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>44.74</td><td>68.20</td><td>-23.46</td><td>58.22</td><td>37.51</td><td>15.47</td><td>66.46</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10580.00	44.74	68.20	-23.46	58.22	37.51	15.47	66.46	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10580.00	45.03	68.20	-23.17	58.49	37.52	15.47	66.45	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10580.00	44.74	68.20	-23.46	58.22	37.51	15.47	66.46	0.00	---	---	PEAK																																																																																													







		28																																																																																																														
Mode	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																															
ANT	7																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.12</td><td>56.85</td><td>74.00</td><td>-17.15</td><td>48.84</td><td>34.34</td><td>10.97</td><td>37.30</td><td>0.00</td><td>104</td><td>245</td><td>PEAK</td></tr><tr><td>2</td><td>5469.84</td><td>58.73</td><td>68.20</td><td>-9.47</td><td>50.71</td><td>34.33</td><td>10.98</td><td>37.29</td><td>0.00</td><td>104</td><td>245</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	56.85	74.00	-17.15	48.84	34.34	10.97	37.30	0.00	104	245	PEAK	2	5469.84	58.73	68.20	-9.47	50.71	34.33	10.98	37.29	0.00	104	245	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>99.73</td><td>-----</td><td>-----</td><td>91.67</td><td>34.31</td><td>11.03</td><td>37.28</td><td>0.00</td><td>104</td><td>245</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	99.73	-----	-----	91.67	34.31	11.03	37.28	0.00	104	245
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.12	56.85	74.00	-17.15	48.84	34.34	10.97	37.30	0.00	104	245	PEAK																																																																																																				
2	5469.84	58.73	68.20	-9.47	50.71	34.33	10.98	37.29	0.00	104	245	PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	99.73	-----	-----	91.67	34.31	11.03	37.28	0.00	104	245	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.64</td><td>47.46</td><td>54.00</td><td>-6.54</td><td>39.45</td><td>34.34</td><td>10.97</td><td>37.30</td><td>0.00</td><td>104</td><td>245</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	47.46	54.00	-6.54	39.45	34.34	10.97	37.30	0.00	104	245	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>90.93</td><td>-----</td><td>-----</td><td>82.69</td><td>34.41</td><td>11.09</td><td>37.26</td><td>0.00</td><td>104</td><td>245</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	90.93	-----	-----	82.69	34.41	11.09	37.26	0.00	104	245	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.64	47.46	54.00	-6.54	39.45	34.34	10.97	37.30	0.00	104	245	AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	90.93	-----	-----	82.69	34.41	11.09	37.26	0.00	104	245	AVERAGE																																																																																																				




Mode	28																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																								
ANT	7																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5763.16</td><td>49.32</td><td>68.20</td><td>-18.88</td><td>41.01</td><td>34.62</td><td>11.39</td><td>37.70</td><td>0.00</td><td>104</td><td>245</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5763.16	49.32	68.20	-18.88	41.01	34.62	11.39	37.70	0.00	104	245	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5763.16	49.32	68.20	-18.88	41.01	34.62	11.39	37.70	0.00	104	245																																														





Mode	28																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																
ANT	7																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>52.45</td><td>74.00</td><td>-21.55</td><td>44.44</td><td>34.34</td><td>10.97</td><td>37.30</td><td>0.00</td><td>100</td><td>277 PEAK</td></tr><tr><td>2</td><td>5467.76</td><td>56.83</td><td>68.20</td><td>-11.37</td><td>48.82</td><td>34.33</td><td>10.98</td><td>37.30</td><td>0.00</td><td>100</td><td>277 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	52.45	74.00	-21.55	44.44	34.34	10.97	37.30	0.00	100	277 PEAK	2	5467.76	56.83	68.20	-11.37	48.82	34.33	10.98	37.30	0.00	100	277 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>95.80</td><td>-----</td><td>-----</td><td>87.74</td><td>34.31</td><td>11.03</td><td>37.28</td><td>0.00</td><td>100</td><td>277 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	95.80	-----	-----	87.74	34.31	11.03	37.28	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.92	52.45	74.00	-21.55	44.44	34.34	10.97	37.30	0.00	100	277 PEAK																																																																																																						
2	5467.76	56.83	68.20	-11.37	48.82	34.33	10.98	37.30	0.00	100	277 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	95.80	-----	-----	87.74	34.31	11.03	37.28	0.00	100	277 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.60</td><td>44.61</td><td>54.00</td><td>-9.39</td><td>36.60</td><td>34.34</td><td>10.97</td><td>37.30</td><td>0.00</td><td>100</td><td>277 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	44.61	54.00	-9.39	36.60	34.34	10.97	37.30	0.00	100	277 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>87.68</td><td>-----</td><td>-----</td><td>79.60</td><td>34.32</td><td>11.04</td><td>37.28</td><td>0.00</td><td>100</td><td>277 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	87.68	-----	-----	79.60	34.32	11.04	37.28	0.00	100	277 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.60	44.61	54.00	-9.39	36.60	34.34	10.97	37.30	0.00	100	277 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	87.68	-----	-----	79.60	34.32	11.04	37.28	0.00	100	277 AVERAGE																																																																																																						







Mode	28																																																									
	Band Edge - R																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																									
ANT	7																																																									
Pol.	Vertical						Fundamental																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.08</td><td>48.67</td><td>68.20</td><td>-19.53</td><td>40.44</td><td>34.46</td><td>11.34</td><td>37.57</td><td>0.00</td><td>100</td><td>277</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.08	48.67	68.20	-19.53	40.44	34.46	11.34	37.57	0.00	100	277	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	5731.08	48.67	68.20	-19.53	40.44	34.46	11.34	37.57	0.00	100	277	PEAK																																														




Mode	28																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																									
ANT	7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11060.00</td><td>46.90</td><td>74.00</td><td>-27.10</td><td>59.01</td><td>37.85</td><td>15.80</td><td>65.76</td><td>0.00</td><td>300</td><td>360 PEAK</td></tr><tr><td>2 11060.00</td><td>38.03</td><td>54.00</td><td>-15.97</td><td>50.29</td><td>37.83</td><td>15.78</td><td>65.87</td><td>0.00</td><td>300</td><td>360 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11060.00	46.90	74.00	-27.10	59.01	37.85	15.80	65.76	0.00	300	360 PEAK	2 11060.00	38.03	54.00	-15.97	50.29	37.83	15.78	65.87	0.00	300	360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11060.00</td><td>47.05</td><td>74.00</td><td>-26.95</td><td>59.16</td><td>37.85</td><td>15.80</td><td>65.76</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>2 11060.00</td><td>38.01</td><td>54.00</td><td>-15.99</td><td>50.12</td><td>37.85</td><td>15.80</td><td>65.76</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11060.00	47.05	74.00	-26.95	59.16	37.85	15.80	65.76	0.00	100	360 PEAK	2 11060.00	38.01	54.00	-15.99	50.12	37.85	15.80	65.76	0.00	100	360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 11060.00	46.90	74.00	-27.10	59.01	37.85	15.80	65.76	0.00	300	360 PEAK																																																																																																																
2 11060.00	38.03	54.00	-15.97	50.29	37.83	15.78	65.87	0.00	300	360 AVERAGE																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 11060.00	47.05	74.00	-26.95	59.16	37.85	15.80	65.76	0.00	100	360 PEAK																																																																																																																
2 11060.00	38.01	54.00	-15.99	50.12	37.85	15.80	65.76	0.00	100	360 AVERAGE																																																																																																																







	29																																																																																																															
Mode	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																															
ANT	7																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.00</td><td>49.08</td><td>74.00</td><td>-24.92</td><td>41.07</td><td>34.34</td><td>10.97</td><td>37.30</td><td>0.00</td><td>101</td><td>236</td><td>PEAK</td></tr><tr><td>2</td><td>5465.36</td><td>49.43</td><td>68.20</td><td>-18.77</td><td>41.43</td><td>34.33</td><td>10.97</td><td>37.30</td><td>0.00</td><td>101</td><td>236</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	49.08	74.00	-24.92	41.07	34.34	10.97	37.30	0.00	101	236	PEAK	2	5465.36	49.43	68.20	-18.77	41.43	34.33	10.97	37.30	0.00	101	236	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>101.53</td><td>-----</td><td>-----</td><td>93.12</td><td>34.45</td><td>11.19</td><td>37.23</td><td>0.00</td><td>101</td><td>236</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	101.53	-----	-----	93.12	34.45	11.19	37.23	0.00	101	236
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.00	49.08	74.00	-24.92	41.07	34.34	10.97	37.30	0.00	101	236	PEAK																																																																																																				
2	5465.36	49.43	68.20	-18.77	41.43	34.33	10.97	37.30	0.00	101	236	PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	101.53	-----	-----	93.12	34.45	11.19	37.23	0.00	101	236	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.72</td><td>40.04</td><td>54.00</td><td>-13.96</td><td>32.04</td><td>34.34</td><td>10.96</td><td>37.30</td><td>0.00</td><td>101</td><td>236</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.72	40.04	54.00	-13.96	32.04	34.34	10.96	37.30	0.00	101	236	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>93.22</td><td>-----</td><td>-----</td><td>84.82</td><td>34.42</td><td>11.20</td><td>37.22</td><td>0.00</td><td>101</td><td>236</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	93.22	-----	-----	84.82	34.42	11.20	37.22	0.00	101	236	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.72	40.04	54.00	-13.96	32.04	34.34	10.96	37.30	0.00	101	236	AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	93.22	-----	-----	84.82	34.42	11.20	37.22	0.00	101	236	AVERAGE																																																																																																				




Mode	29																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																								
ANT	7																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5744.68</td><td>50.28</td><td>68.20</td><td>-17.92</td><td>42.03</td><td>34.52</td><td>11.36</td><td>37.63</td><td>0.00</td><td>101</td><td>236</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5744.68	50.28	68.20	-17.92	42.03	34.52	11.36	37.63	0.00	101	236	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5744.68	50.28	68.20	-17.92	42.03	34.52	11.36	37.63	0.00	101	236																																														





Mode	29																																																																																																									
	Band Edge - L																																																																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																									
ANT	7																																																																																																									
Pol.	Vertical						Fundamental																																																																																																			
Peak																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.56	47.95	74.00	-26.05	39.95	34.34	10.96	37.30	0.00	100	287 PEAK	2	5469.52	46.86	68.20	-21.34	38.84	34.33	10.98	37.29	0.00	100	287 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>98.53</td><td>-----</td><td>-----</td><td>90.12</td><td>34.44</td><td>11.19</td><td>37.22</td><td>0.00</td><td>100</td><td>287 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	98.53	-----	-----	90.12	34.44	11.19	37.22	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5456.56	47.95	74.00	-26.05	39.95	34.34	10.96	37.30	0.00	100	287 PEAK																																																																																															
2	5469.52	46.86	68.20	-21.34	38.84	34.33	10.98	37.29	0.00	100	287 PEAK																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5610.00	98.53	-----	-----	90.12	34.44	11.19	37.22	0.00	100	287 PEAK																																																																																															
Avg																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.96	38.37	54.00	-15.63	38.36	34.35	10.96	37.30	0.00	100	287 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>89.24</td><td>-----</td><td>-----</td><td>80.88</td><td>34.47</td><td>11.13</td><td>37.24</td><td>0.00</td><td>100</td><td>287 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	89.24	-----	-----	80.88	34.47	11.13	37.24	0.00	100	287 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5454.96	38.37	54.00	-15.63	38.36	34.35	10.96	37.30	0.00	100	287 AVERAGE																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5610.00	89.24	-----	-----	80.88	34.47	11.13	37.24	0.00	100	287 AVERAGE																																																																																															






Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																							
ANT	7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5751.08</td><td>48.93</td><td>68.20</td><td>-19.27</td><td>40.65</td><td>34.56</td><td>11.37</td><td>37.65</td><td>0.00</td><td>100</td><td>287 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5751.08	48.93	68.20	-19.27	40.65	34.56	11.37	37.65	0.00	100	287 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5751.08	48.93	68.20	-19.27	40.65	34.56	11.37	37.65	0.00	100	287 PEAK																																													






Mode	29																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																			
ANT	7																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11220.00</td><td>50.68</td><td>74.00</td><td>-23.32</td><td>61.90</td><td>38.00</td><td>15.92</td><td>65.14</td><td>0.00</td><td>100</td><td>253 PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>42.16</td><td>54.00</td><td>-11.84</td><td>53.38</td><td>38.00</td><td>15.92</td><td>65.14</td><td>0.00</td><td>100</td><td>253 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	50.68	74.00	-23.32	61.90	38.00	15.92	65.14	0.00	100	253 PEAK	2	11220.00	42.16	54.00	-11.84	53.38	38.00	15.92	65.14	0.00	100	253 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11220.00</td><td>45.41</td><td>74.00</td><td>-28.59</td><td>56.63</td><td>38.00</td><td>15.92</td><td>65.14</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11220.00	45.41	74.00	-28.59	56.63	38.00	15.92	65.14	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	11220.00	50.68	74.00	-23.32	61.90	38.00	15.92	65.14	0.00	100	253 PEAK																																																																																																									
2	11220.00	42.16	54.00	-11.84	53.38	38.00	15.92	65.14	0.00	100	253 AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	11220.00	45.41	74.00	-28.59	56.63	38.00	15.92	65.14	0.00	---	---	PEAK																																																																																																								





Mode	30																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																		
ANT	7																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak	 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5639.60</td><td>50.13</td><td>68.20</td><td>-18.07</td><td>41.72</td><td>34.42</td><td>11.21</td><td>37.22</td><td>0.00</td><td>105</td><td>246 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>47.20</td><td>68.20</td><td>-21.00</td><td>38.84</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>105</td><td>246 PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>63.17</td><td>110.79</td><td>-47.62</td><td>54.98</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>105</td><td>246 PEAK</td></tr><tr><td>4</td><td>5724.00</td><td>72.92</td><td>120.02</td><td>-47.10</td><td>64.72</td><td>34.42</td><td>11.33</td><td>37.55</td><td>0.00</td><td>105</td><td>246 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5639.60	50.13	68.20	-18.07	41.72	34.42	11.21	37.22	0.00	105	246 PEAK	2	5650.00	47.20	68.20	-21.00	38.84	34.40	11.22	37.26	0.00	105	246 PEAK	3	5719.60	63.17	110.79	-47.62	54.98	34.40	11.32	37.53	0.00	105	246 PEAK	4	5724.00	72.92	120.02	-47.10	64.72	34.42	11.33	37.55	0.00	105	246 PEAK	 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5745.00</td><td>109.34</td><td>-----</td><td>-----</td><td>101.10</td><td>34.50</td><td>11.35</td><td>37.61</td><td>0.00</td><td>105</td><td>246 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	109.34	-----	-----	101.10	34.50	11.35	37.61	0.00	105	246 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5639.60	50.13	68.20	-18.07	41.72	34.42	11.21	37.22	0.00	105	246 PEAK																																																																																																								
2	5650.00	47.20	68.20	-21.00	38.84	34.40	11.22	37.26	0.00	105	246 PEAK																																																																																																								
3	5719.60	63.17	110.79	-47.62	54.98	34.40	11.32	37.53	0.00	105	246 PEAK																																																																																																								
4	5724.00	72.92	120.02	-47.10	64.72	34.42	11.33	37.55	0.00	105	246 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5745.00	109.34	-----	-----	101.10	34.50	11.35	37.61	0.00	105	246 PEAK																																																																																																								
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5745.00</td><td>100.17</td><td>-----</td><td>-----</td><td>91.93</td><td>34.50</td><td>11.35</td><td>37.61</td><td>0.00</td><td>105</td><td>246 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	100.17	-----	-----	91.93	34.50	11.35	37.61	0.00	105	246 AVERAGE																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5745.00	100.17	-----	-----	91.93	34.50	11.35	37.61	0.00	105	246 AVERAGE																																																																																																								





Mode	30																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																		
ANT	7																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-3 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5637.60</td><td>48.43</td><td>68.20</td><td>-19.77</td><td>40.03</td><td>34.42</td><td>11.20</td><td>37.22</td><td>0.00</td><td>107</td><td>255 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>46.68</td><td>68.50</td><td>-21.82</td><td>38.32</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>107</td><td>255 PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>60.02</td><td>110.79</td><td>-50.77</td><td>51.83</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>107</td><td>255 PEAK</td></tr><tr><td>4</td><td>5724.80</td><td>72.42</td><td>121.84</td><td>-49.42</td><td>64.22</td><td>34.42</td><td>11.33</td><td>37.55</td><td>0.00</td><td>107</td><td>255 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5637.60	48.43	68.20	-19.77	40.03	34.42	11.20	37.22	0.00	107	255 PEAK	2	5650.40	46.68	68.50	-21.82	38.32	34.40	11.22	37.26	0.00	107	255 PEAK	3	5719.60	60.02	110.79	-50.77	51.83	34.40	11.32	37.53	0.00	107	255 PEAK	4	5724.80	72.42	121.84	-49.42	64.22	34.42	11.33	37.55	0.00	107	255 PEAK	 Level (dBuV/m) Frequency (MHz) U-NII-3 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.61</td><td>-----</td><td>-----</td><td>99.37</td><td>34.50</td><td>11.35</td><td>37.61</td><td>0.00</td><td>107</td><td>255 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	107.61	-----	-----	99.37	34.50	11.35	37.61	0.00	107	255 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5637.60	48.43	68.20	-19.77	40.03	34.42	11.20	37.22	0.00	107	255 PEAK																																																																																																								
2	5650.40	46.68	68.50	-21.82	38.32	34.40	11.22	37.26	0.00	107	255 PEAK																																																																																																								
3	5719.60	60.02	110.79	-50.77	51.83	34.40	11.32	37.53	0.00	107	255 PEAK																																																																																																								
4	5724.80	72.42	121.84	-49.42	64.22	34.42	11.33	37.55	0.00	107	255 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5745.00	107.61	-----	-----	99.37	34.50	11.35	37.61	0.00	107	255 PEAK																																																																																																								
Avg	Blank						 Level (dBuV/m) Frequency (MHz) U-NII-3(AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.04</td><td>-----</td><td>-----</td><td>89.00</td><td>34.50</td><td>11.35</td><td>37.61</td><td>0.00</td><td>107</td><td>255 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	98.04	-----	-----	89.00	34.50	11.35	37.61	0.00	107	255 AVERAGE																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5745.00	98.04	-----	-----	89.00	34.50	11.35	37.61	0.00	107	255 AVERAGE																																																																																																								





Mode	30																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>57.03</td><td>74.00</td><td>-16.97</td><td>66.77</td><td>38.24</td><td>16.12</td><td>64.10</td><td>0.00</td><td>100</td><td>250 PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>47.54</td><td>54.00</td><td>-6.46</td><td>57.28</td><td>38.24</td><td>16.12</td><td>64.10</td><td>0.00</td><td>100</td><td>250 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	57.03	74.00	-16.97	66.77	38.24	16.12	64.10	0.00	100	250 PEAK	2	11490.00	47.54	54.00	-6.46	57.28	38.24	16.12	64.10	0.00	100	250 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>56.09</td><td>74.00</td><td>-17.91</td><td>65.83</td><td>38.24</td><td>16.12</td><td>64.10</td><td>0.00</td><td>323</td><td>55 PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>46.04</td><td>54.00</td><td>-7.96</td><td>55.78</td><td>38.24</td><td>16.12</td><td>64.10</td><td>0.00</td><td>323</td><td>55 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	56.09	74.00	-17.91	65.83	38.24	16.12	64.10	0.00	323	55 PEAK	2	11490.00	46.04	54.00	-7.96	55.78	38.24	16.12	64.10	0.00	323	55 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11490.00	57.03	74.00	-16.97	66.77	38.24	16.12	64.10	0.00	100	250 PEAK																																																																																																																			
2	11490.00	47.54	54.00	-6.46	57.28	38.24	16.12	64.10	0.00	100	250 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11490.00	56.09	74.00	-17.91	65.83	38.24	16.12	64.10	0.00	323	55 PEAK																																																																																																																			
2	11490.00	46.04	54.00	-7.96	55.78	38.24	16.12	64.10	0.00	323	55 AVERAGE																																																																																																																			






Mode	31																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																			
ANT	7																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>64.30</td><td>38.31</td><td>16.18</td><td>64.10</td><td>0.00</td><td>105</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>44.86</td><td>54.00</td><td>-9.14</td><td>54.48</td><td>38.31</td><td>16.17</td><td>64.10</td><td>0.00</td><td>105</td><td>246</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	54.69	74.00	-19.31	64.30	38.31	16.18	64.10	0.00	105	246	PEAK	2	11570.00	44.86	54.00	-9.14	54.48	38.31	16.17	64.10	0.00	105	246	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>55.22</td><td>74.00</td><td>-18.78</td><td>64.83</td><td>38.31</td><td>16.18</td><td>64.10</td><td>0.00</td><td>112</td><td>146</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.89</td><td>54.00</td><td>-8.11</td><td>55.50</td><td>38.31</td><td>16.18</td><td>64.10</td><td>0.00</td><td>112</td><td>146</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	55.22	74.00	-18.78	64.83	38.31	16.18	64.10	0.00	112	146	PEAK	2	11570.00	45.89	54.00	-8.11	55.50	38.31	16.18	64.10	0.00	112	146	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11570.00	54.69	74.00	-19.31	64.30	38.31	16.18	64.10	0.00	105	246	PEAK																																																																																																																								
2	11570.00	44.86	54.00	-9.14	54.48	38.31	16.17	64.10	0.00	105	246	AVERAGE																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11570.00	55.22	74.00	-18.78	64.83	38.31	16.18	64.10	0.00	112	146	PEAK																																																																																																																								
2	11570.00	45.89	54.00	-8.11	55.50	38.31	16.18	64.10	0.00	112	146	AVERAGE																																																																																																																								





Mode	32																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																							
ANT	7																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.80</td><td>59.53</td><td>111.36</td><td>-51.83</td><td>50.95</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>100</td><td>235 PEAK</td></tr><tr><td>2 5860.40</td><td>62.67</td><td>109.39</td><td>-46.72</td><td>54.06</td><td>34.86</td><td>11.50</td><td>37.75</td><td>0.00</td><td>100</td><td>235 PEAK</td></tr><tr><td>3 5924.40</td><td>47.07</td><td>68.64</td><td>-21.57</td><td>38.21</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>100</td><td>235 PEAK</td></tr><tr><td>4 5938.80</td><td>48.72</td><td>68.20</td><td>-19.48</td><td>39.83</td><td>34.99</td><td>11.55</td><td>37.65</td><td>0.00</td><td>100</td><td>235 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.80	59.53	111.36	-51.83	50.95	34.85	11.49	37.76	0.00	100	235 PEAK	2 5860.40	62.67	109.39	-46.72	54.06	34.86	11.50	37.75	0.00	100	235 PEAK	3 5924.40	47.07	68.64	-21.57	38.21	34.97	11.55	37.66	0.00	100	235 PEAK	4 5938.80	48.72	68.20	-19.48	39.83	34.99	11.55	37.65	0.00	100	235 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.80	59.53	111.36	-51.83	50.95	34.85	11.49	37.76	0.00	100	235 PEAK																																																																														
2 5860.40	62.67	109.39	-46.72	54.06	34.86	11.50	37.75	0.00	100	235 PEAK																																																																														
3 5924.40	47.07	68.64	-21.57	38.21	34.97	11.55	37.66	0.00	100	235 PEAK																																																																														
4 5938.80	48.72	68.20	-19.48	39.83	34.99	11.55	37.65	0.00	100	235 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.31</td><td>-----</td><td>-----</td><td>91.84</td><td>34.82</td><td>11.46</td><td>37.81</td><td>0.00</td><td>100</td><td>235 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	100.31	-----	-----	91.84	34.82	11.46	37.81	0.00	100	235 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	100.31	-----	-----	91.84	34.82	11.46	37.81	0.00	100	235 AVERAGE																																																																														






Mode	32																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																	
ANT	7																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5853.20</td><td>62.83</td><td>115.00</td><td>-52.17</td><td>54.25</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>100</td><td>249 PEAK</td></tr><tr><td>2</td><td>5864.40</td><td>60.94</td><td>108.27</td><td>-47.33</td><td>52.33</td><td>34.86</td><td>11.50</td><td>37.75</td><td>0.00</td><td>100</td><td>249 PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>48.06</td><td>69.83</td><td>-21.77</td><td>39.20</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>100</td><td>249 PEAK</td></tr><tr><td>4</td><td>5968.40</td><td>49.15</td><td>68.20</td><td>-19.05</td><td>40.06</td><td>35.11</td><td>11.58</td><td>37.60</td><td>0.00</td><td>100</td><td>249 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5853.20	62.83	115.00	-52.17	54.25	34.85	11.49	37.76	0.00	100	249 PEAK	2	5864.40	60.94	108.27	-47.33	52.33	34.86	11.50	37.75	0.00	100	249 PEAK	3	5922.80	48.06	69.83	-21.77	39.20	34.97	11.55	37.66	0.00	100	249 PEAK	4	5968.40	49.15	68.20	-19.05	40.06	35.11	11.58	37.60	0.00	100	249 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.26</td><td>-----</td><td>-----</td><td>99.76</td><td>34.83</td><td>11.47</td><td>37.80</td><td>0.00</td><td>100</td><td>249 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5825.00	108.26	-----	-----	99.76	34.83	11.47	37.80	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5853.20	62.83	115.00	-52.17	54.25	34.85	11.49	37.76	0.00	100	249 PEAK																																																																																																							
2	5864.40	60.94	108.27	-47.33	52.33	34.86	11.50	37.75	0.00	100	249 PEAK																																																																																																							
3	5922.80	48.06	69.83	-21.77	39.20	34.97	11.55	37.66	0.00	100	249 PEAK																																																																																																							
4	5968.40	49.15	68.20	-19.05	40.06	35.11	11.58	37.60	0.00	100	249 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5825.00	108.26	-----	-----	99.76	34.83	11.47	37.80	0.00	100	249 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.10</td><td>-----</td><td>-----</td><td>90.62</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>100</td><td>249 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5825.00	99.10	-----	-----	90.62	34.82	11.47	37.81	0.00	100	249 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5825.00	99.10	-----	-----	90.62	34.82	11.47	37.81	0.00	100	249 AVERAGE																																																																																																							






Mode	32																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHZ																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>53.21</td><td>74.00</td><td>-20.79</td><td>62.73</td><td>38.39</td><td>16.23</td><td>64.14</td><td>0.00</td><td>100</td><td>251 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.43</td><td>54.00</td><td>-9.57</td><td>53.96</td><td>38.38</td><td>16.23</td><td>64.14</td><td>0.00</td><td>100</td><td>251 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	53.21	74.00	-20.79	62.73	38.39	16.23	64.14	0.00	100	251 PEAK	2	11650.00	44.43	54.00	-9.57	53.96	38.38	16.23	64.14	0.00	100	251 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>56.17</td><td>74.00</td><td>-17.83</td><td>65.69</td><td>38.39</td><td>16.23</td><td>64.14</td><td>0.00</td><td>101</td><td>123 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.82</td><td>54.00</td><td>-7.18</td><td>56.35</td><td>38.38</td><td>16.23</td><td>64.14</td><td>0.00</td><td>101</td><td>123 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	56.17	74.00	-17.83	65.69	38.39	16.23	64.14	0.00	101	123 PEAK	2	11650.00	46.82	54.00	-7.18	56.35	38.38	16.23	64.14	0.00	101	123 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11650.00	53.21	74.00	-20.79	62.73	38.39	16.23	64.14	0.00	100	251 PEAK																																																																																																																			
2	11650.00	44.43	54.00	-9.57	53.96	38.38	16.23	64.14	0.00	100	251 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11650.00	56.17	74.00	-17.83	65.69	38.39	16.23	64.14	0.00	101	123 PEAK																																																																																																																			
2	11650.00	46.82	54.00	-7.18	56.35	38.38	16.23	64.14	0.00	101	123 AVERAGE																																																																																																																			





Mode	33																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																		
ANT	7																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5648.40</td><td>49.89</td><td>68.20</td><td>-18.31</td><td>41.52</td><td>34.40</td><td>11.22</td><td>37.25</td><td>0.00</td><td>103</td><td>242 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>48.00</td><td>69.09</td><td>-21.09</td><td>39.64</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>103</td><td>242 PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>64.97</td><td>110.79</td><td>-45.82</td><td>56.78</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>103</td><td>242 PEAK</td></tr><tr><td>4</td><td>5724.80</td><td>79.79</td><td>121.84</td><td>-42.05</td><td>71.59</td><td>34.42</td><td>11.33</td><td>37.55</td><td>0.00</td><td>103</td><td>242 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5648.40	49.89	68.20	-18.31	41.52	34.40	11.22	37.25	0.00	103	242 PEAK	2	5651.20	48.00	69.09	-21.09	39.64	34.40	11.22	37.26	0.00	103	242 PEAK	3	5719.60	64.97	110.79	-45.82	56.78	34.40	11.32	37.53	0.00	103	242 PEAK	4	5724.80	79.79	121.84	-42.05	71.59	34.42	11.33	37.55	0.00	103	242 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.92</td><td>-----</td><td>-----</td><td>100.66</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>103</td><td>242 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	108.92	-----	-----	100.66	34.53	11.36	37.63	0.00	103	242 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5648.40	49.89	68.20	-18.31	41.52	34.40	11.22	37.25	0.00	103	242 PEAK																																																																																																								
2	5651.20	48.00	69.09	-21.09	39.64	34.40	11.22	37.26	0.00	103	242 PEAK																																																																																																								
3	5719.60	64.97	110.79	-45.82	56.78	34.40	11.32	37.53	0.00	103	242 PEAK																																																																																																								
4	5724.80	79.79	121.84	-42.05	71.59	34.42	11.33	37.55	0.00	103	242 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5745.00	108.92	-----	-----	100.66	34.53	11.36	37.63	0.00	103	242 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.66</td><td>-----</td><td>-----</td><td>91.42</td><td>34.50</td><td>11.35</td><td>37.61</td><td>0.00</td><td>103</td><td>242 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	99.66	-----	-----	91.42	34.50	11.35	37.61	0.00	103	242 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5745.00	99.66	-----	-----	91.42	34.50	11.35	37.61	0.00	103	242 AVERAGE																																																																																																								





Mode	33																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																							
ANT	7																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5636.80</td><td>48.29</td><td>68.20</td><td>-19.91</td><td>39.88</td><td>34.43</td><td>11.20</td><td>37.22</td><td>0.00</td><td>106</td><td>256 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>46.45</td><td>68.20</td><td>-21.75</td><td>38.09</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>106</td><td>256 PEAK</td></tr><tr><td>3</td><td>5714.00</td><td>59.06</td><td>109.22</td><td>-50.16</td><td>50.89</td><td>34.37</td><td>11.31</td><td>37.51</td><td>0.00</td><td>106</td><td>256 PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>71.30</td><td>113.64</td><td>-42.34</td><td>63.10</td><td>34.41</td><td>11.32</td><td>37.53</td><td>0.00</td><td>106</td><td>256 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5636.80	48.29	68.20	-19.91	39.88	34.43	11.20	37.22	0.00	106	256 PEAK	2	5650.00	46.45	68.20	-21.75	38.09	34.40	11.22	37.26	0.00	106	256 PEAK	3	5714.00	59.06	109.22	-50.16	50.89	34.37	11.31	37.51	0.00	106	256 PEAK	4	5721.20	71.30	113.64	-42.34	63.10	34.41	11.32	37.53	0.00	106	256 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.62</td><td>-----</td><td>-----</td><td>97.34</td><td>34.56</td><td>11.37</td><td>37.65</td><td>0.00</td><td>106</td><td>256 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5745.00	105.62	-----	-----	97.34	34.56	11.37	37.65	0.00	106	256 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																													
1	5636.80	48.29	68.20	-19.91	39.88	34.43	11.20	37.22	0.00	106	256 PEAK																																																																																																													
2	5650.00	46.45	68.20	-21.75	38.09	34.40	11.22	37.26	0.00	106	256 PEAK																																																																																																													
3	5714.00	59.06	109.22	-50.16	50.89	34.37	11.31	37.51	0.00	106	256 PEAK																																																																																																													
4	5721.20	71.30	113.64	-42.34	63.10	34.41	11.32	37.53	0.00	106	256 PEAK																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																													
1	5745.00	105.62	-----	-----	97.34	34.56	11.37	37.65	0.00	106	256 PEAK																																																																																																													
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.03</td><td>-----</td><td>-----</td><td>88.79</td><td>34.50</td><td>11.35</td><td>37.61</td><td>0.00</td><td>106</td><td>256 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5745.00	97.03	-----	-----	88.79	34.50	11.35	37.61	0.00	106	256 AVERAGE																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																													
1	5745.00	97.03	-----	-----	88.79	34.50	11.35	37.61	0.00	106	256 AVERAGE																																																																																																													






Mode	33																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>55.43</td><td>74.00</td><td>-18.57</td><td>65.17</td><td>38.24</td><td>16.12</td><td>64.10</td><td>0.00</td><td>100</td><td>254 PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>45.52</td><td>54.00</td><td>-8.48</td><td>55.26</td><td>38.24</td><td>16.12</td><td>64.10</td><td>0.00</td><td>100</td><td>254 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	55.43	74.00	-18.57	65.17	38.24	16.12	64.10	0.00	100	254 PEAK	2	11490.00	45.52	54.00	-8.48	55.26	38.24	16.12	64.10	0.00	100	254 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>53.04</td><td>74.00</td><td>-20.96</td><td>62.78</td><td>38.24</td><td>16.12</td><td>64.10</td><td>0.00</td><td>100</td><td>60 PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>44.31</td><td>54.00</td><td>-9.69</td><td>54.05</td><td>38.24</td><td>16.12</td><td>64.10</td><td>0.00</td><td>100</td><td>60 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	53.04	74.00	-20.96	62.78	38.24	16.12	64.10	0.00	100	60 PEAK	2	11490.00	44.31	54.00	-9.69	54.05	38.24	16.12	64.10	0.00	100	60 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11490.00	55.43	74.00	-18.57	65.17	38.24	16.12	64.10	0.00	100	254 PEAK																																																																																																																			
2	11490.00	45.52	54.00	-8.48	55.26	38.24	16.12	64.10	0.00	100	254 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11490.00	53.04	74.00	-20.96	62.78	38.24	16.12	64.10	0.00	100	60 PEAK																																																																																																																			
2	11490.00	44.31	54.00	-9.69	54.05	38.24	16.12	64.10	0.00	100	60 AVERAGE																																																																																																																			






Mode	34																																																																							
	Harmonic																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																							
ANT	7																																																																							
Pol.	Horizontal											Vertical																																																												
Peak Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>52.62</td><td>74.00</td><td>-21.38</td><td>62.23</td><td>38.31</td><td>16.18</td><td>64.10</td><td>0.00</td><td>100</td><td>245</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>43.49</td><td>54.00</td><td>-10.51</td><td>53.10</td><td>38.31</td><td>16.18</td><td>64.10</td><td>0.00</td><td>100</td><td>245</td><td>AVERAGE</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	52.62	74.00	-21.38	62.23	38.31	16.18	64.10	0.00	100	245	PEAK	2	11570.00	43.49	54.00	-10.51	53.10	38.31	16.18	64.10	0.00	100	245	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	11570.00	52.62	74.00	-21.38	62.23	38.31	16.18	64.10	0.00	100	245	PEAK																																																												
2	11570.00	43.49	54.00	-10.51	53.10	38.31	16.18	64.10	0.00	100	245	AVERAGE																																																												
																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>55.01</td><td>74.00</td><td>-18.99</td><td>64.62</td><td>38.31</td><td>16.18</td><td>64.10</td><td>0.00</td><td>101</td><td>144</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.50</td><td>54.00</td><td>-8.50</td><td>55.11</td><td>38.31</td><td>16.18</td><td>64.10</td><td>0.00</td><td>101</td><td>144</td><td>AVERAGE</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	55.01	74.00	-18.99	64.62	38.31	16.18	64.10	0.00	101	144	PEAK	2	11570.00	45.50	54.00	-8.50	55.11	38.31	16.18	64.10	0.00	101	144	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	11570.00	55.01	74.00	-18.99	64.62	38.31	16.18	64.10	0.00	101	144	PEAK																																																												
2	11570.00	45.50	54.00	-8.50	55.11	38.31	16.18	64.10	0.00	101	144	AVERAGE																																																												





Mode	35																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																							
ANT	7																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.80</td><td>62.87</td><td>111.36</td><td>-48.49</td><td>54.29</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>101</td><td>239 PEAK</td></tr><tr><td>2 5855.60</td><td>60.23</td><td>110.73</td><td>-50.50</td><td>51.64</td><td>34.86</td><td>11.49</td><td>37.76</td><td>0.00</td><td>101</td><td>239 PEAK</td></tr><tr><td>3 5924.40</td><td>47.88</td><td>68.64</td><td>-20.76</td><td>39.02</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>101</td><td>239 PEAK</td></tr><tr><td>4 5935.60</td><td>50.53</td><td>68.20</td><td>-17.67</td><td>41.60</td><td>35.01</td><td>11.56</td><td>37.64</td><td>0.00</td><td>101</td><td>239 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.80	62.87	111.36	-48.49	54.29	34.85	11.49	37.76	0.00	101	239 PEAK	2 5855.60	60.23	110.73	-50.50	51.64	34.86	11.49	37.76	0.00	101	239 PEAK	3 5924.40	47.88	68.64	-20.76	39.02	34.97	11.55	37.66	0.00	101	239 PEAK	4 5935.60	50.53	68.20	-17.67	41.60	35.01	11.56	37.64	0.00	101	239 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.80	62.87	111.36	-48.49	54.29	34.85	11.49	37.76	0.00	101	239 PEAK																																																																														
2 5855.60	60.23	110.73	-50.50	51.64	34.86	11.49	37.76	0.00	101	239 PEAK																																																																														
3 5924.40	47.88	68.64	-20.76	39.02	34.97	11.55	37.66	0.00	101	239 PEAK																																																																														
4 5935.60	50.53	68.20	-17.67	41.60	35.01	11.56	37.64	0.00	101	239 PEAK																																																																														
Fundamental																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>108.28</td><td>-----</td><td>-----</td><td>99.80</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>101</td><td>239 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	108.28	-----	-----	99.80	34.82	11.47	37.81	0.00	101	239 PEAK																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	108.28	-----	-----	99.80	34.82	11.47	37.81	0.00	101	239 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>99.47</td><td>-----</td><td>-----</td><td>91.00</td><td>34.82</td><td>11.46</td><td>37.81</td><td>0.00</td><td>101</td><td>239 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	99.47	-----	-----	91.00	34.82	11.46	37.81	0.00	101	239 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	99.47	-----	-----	91.00	34.82	11.46	37.81	0.00	101	239 AVERAGE																																																																														






Mode	35																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																							
ANT	7																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>59.40</td><td>113.18</td><td>-53.78</td><td>50.82</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>108</td><td>248</td><td>PEAK</td></tr><tr><td>2</td><td>5856.00</td><td>58.77</td><td>110.62</td><td>-51.85</td><td>50.18</td><td>34.86</td><td>11.49</td><td>37.76</td><td>0.00</td><td>108</td><td>248</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>47.93</td><td>68.64</td><td>-20.71</td><td>39.07</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>108</td><td>248</td><td>PEAK</td></tr><tr><td>4</td><td>5926.40</td><td>50.11</td><td>68.20</td><td>-18.09</td><td>41.24</td><td>34.98</td><td>11.55</td><td>37.66</td><td>0.00</td><td>108</td><td>248</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5854.00	59.40	113.18	-53.78	50.82	34.85	11.49	37.76	0.00	108	248	PEAK	2	5856.00	58.77	110.62	-51.85	50.18	34.86	11.49	37.76	0.00	108	248	PEAK	3	5924.40	47.93	68.64	-20.71	39.07	34.97	11.55	37.66	0.00	108	248	PEAK	4	5926.40	50.11	68.20	-18.09	41.24	34.98	11.55	37.66	0.00	108	248	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.24</td><td>-----</td><td>-----</td><td>98.74</td><td>34.83</td><td>11.47</td><td>37.80</td><td>0.00</td><td>108</td><td>248</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5825.00	107.24	-----	-----	98.74	34.83	11.47	37.80	0.00	108	248
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5854.00	59.40	113.18	-53.78	50.82	34.85	11.49	37.76	0.00	108	248	PEAK																																																																																																												
2	5856.00	58.77	110.62	-51.85	50.18	34.86	11.49	37.76	0.00	108	248	PEAK																																																																																																												
3	5924.40	47.93	68.64	-20.71	39.07	34.97	11.55	37.66	0.00	108	248	PEAK																																																																																																												
4	5926.40	50.11	68.20	-18.09	41.24	34.98	11.55	37.66	0.00	108	248	PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5825.00	107.24	-----	-----	98.74	34.83	11.47	37.80	0.00	108	248	PEAK																																																																																																												
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.93</td><td>-----</td><td>-----</td><td>89.43</td><td>34.83</td><td>11.47</td><td>37.80</td><td>0.00</td><td>108</td><td>248</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5825.00	97.93	-----	-----	89.43	34.83	11.47	37.80	0.00	108	248	AVERAGE																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5825.00	97.93	-----	-----	89.43	34.83	11.47	37.80	0.00	108	248	AVERAGE																																																																																																												




Mode	35																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>52.36</td><td>74.00</td><td>-21.64</td><td>61.88</td><td>38.39</td><td>16.23</td><td>64.14</td><td>0.00</td><td>100</td><td>250 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>43.21</td><td>54.00</td><td>-10.79</td><td>52.74</td><td>38.38</td><td>16.23</td><td>64.14</td><td>0.00</td><td>100</td><td>250 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	52.36	74.00	-21.64	61.88	38.39	16.23	64.14	0.00	100	250 PEAK	2	11650.00	43.21	54.00	-10.79	52.74	38.38	16.23	64.14	0.00	100	250 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>54.27</td><td>74.00</td><td>-19.73</td><td>63.79</td><td>38.39</td><td>16.23</td><td>64.14</td><td>0.00</td><td>100</td><td>124 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.05</td><td>54.00</td><td>-8.95</td><td>54.57</td><td>38.39</td><td>16.23</td><td>64.14</td><td>0.00</td><td>100</td><td>124 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	54.27	74.00	-19.73	63.79	38.39	16.23	64.14	0.00	100	124 PEAK	2	11650.00	45.05	54.00	-8.95	54.57	38.39	16.23	64.14	0.00	100	124 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11650.00	52.36	74.00	-21.64	61.88	38.39	16.23	64.14	0.00	100	250 PEAK																																																																																																																		
2	11650.00	43.21	54.00	-10.79	52.74	38.38	16.23	64.14	0.00	100	250 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11650.00	54.27	74.00	-19.73	63.79	38.39	16.23	64.14	0.00	100	124 PEAK																																																																																																																		
2	11650.00	45.05	54.00	-8.95	54.57	38.39	16.23	64.14	0.00	100	124 AVERAGE																																																																																																																		






Mode	36																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																			
ANT	7																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5640.92</td><td>49.41</td><td>68.20</td><td>-18.79</td><td>41.00</td><td>34.42</td><td>11.21</td><td>37.22</td><td>0.00</td><td>104</td><td>239 PEAK</td></tr><tr><td>2 5651.93</td><td>50.17</td><td>69.63</td><td>-19.46</td><td>41.82</td><td>34.40</td><td>11.22</td><td>37.27</td><td>0.00</td><td>104</td><td>239 PEAK</td></tr><tr><td>3 5719.35</td><td>80.15</td><td>110.72</td><td>-30.57</td><td>71.96</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>104</td><td>239 PEAK</td></tr><tr><td>4 5722.45</td><td>76.28</td><td>116.49</td><td>-40.21</td><td>68.08</td><td>34.41</td><td>11.33</td><td>37.54</td><td>0.00</td><td>104</td><td>239 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5640.92	49.41	68.20	-18.79	41.00	34.42	11.21	37.22	0.00	104	239 PEAK	2 5651.93	50.17	69.63	-19.46	41.82	34.40	11.22	37.27	0.00	104	239 PEAK	3 5719.35	80.15	110.72	-30.57	71.96	34.40	11.32	37.53	0.00	104	239 PEAK	4 5722.45	76.28	116.49	-40.21	68.08	34.41	11.33	37.54	0.00	104	239 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>103.20</td><td>-----</td><td>-----</td><td>94.94</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>104</td><td>239 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	103.20	-----	-----	94.94	34.53	11.36	37.63	0.00	104	239 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5640.92	49.41	68.20	-18.79	41.00	34.42	11.21	37.22	0.00	104	239 PEAK																																																																																																																										
2 5651.93	50.17	69.63	-19.46	41.82	34.40	11.22	37.27	0.00	104	239 PEAK																																																																																																																										
3 5719.35	80.15	110.72	-30.57	71.96	34.40	11.32	37.53	0.00	104	239 PEAK																																																																																																																										
4 5722.45	76.28	116.49	-40.21	68.08	34.41	11.33	37.54	0.00	104	239 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5755.00	103.20	-----	-----	94.94	34.53	11.36	37.63	0.00	104	239 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>94.94</td><td>-----</td><td>-----</td><td>86.70</td><td>34.50</td><td>11.35</td><td>37.61</td><td>0.00</td><td>104</td><td>239 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	94.94	-----	-----	86.70	34.50	11.35	37.61	0.00	104	239 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5755.00	94.94	-----	-----	86.70	34.50	11.35	37.61	0.00	104	239 AVERAGE																																																																																																																										




Mode	36																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																															
ANT	7																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.87</td><td>46.69</td><td>113.49</td><td>-66.80</td><td>38.11</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>104</td><td>239</td><td>PEAK</td></tr><tr><td>2</td><td>5871.61</td><td>48.42</td><td>106.25</td><td>-57.83</td><td>39.78</td><td>34.87</td><td>11.51</td><td>37.74</td><td>0.00</td><td>104</td><td>239</td><td>PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>47.91</td><td>68.31</td><td>-20.40</td><td>39.05</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>104</td><td>239</td><td>PEAK</td></tr><tr><td>4</td><td>5927.19</td><td>48.17</td><td>68.20</td><td>-20.03</td><td>39.30</td><td>34.98</td><td>11.55</td><td>37.66</td><td>0.00</td><td>104</td><td>239</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.87	46.69	113.49	-66.80	38.11	34.85	11.49	37.76	0.00	104	239	PEAK	2	5871.61	48.42	106.25	-57.83	39.78	34.87	11.51	37.74	0.00	104	239	PEAK	3	5924.85	47.91	68.31	-20.40	39.05	34.97	11.55	37.66	0.00	104	239	PEAK	4	5927.19	48.17	68.20	-20.03	39.30	34.98	11.55	37.66	0.00	104	239	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5853.87	46.69	113.49	-66.80	38.11	34.85	11.49	37.76	0.00	104	239	PEAK																																																																																				
2	5871.61	48.42	106.25	-57.83	39.78	34.87	11.51	37.74	0.00	104	239	PEAK																																																																																				
3	5924.85	47.91	68.31	-20.40	39.05	34.97	11.55	37.66	0.00	104	239	PEAK																																																																																				
4	5927.19	48.17	68.20	-20.03	39.30	34.98	11.55	37.66	0.00	104	239	PEAK																																																																																				





Mode	36																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																			
ANT	7																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5616.59</td><td>48.15</td><td>68.20</td><td>-20.05</td><td>39.74</td><td>34.47</td><td>11.17</td><td>37.23</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr><tr><td>2 5651.00</td><td>46.46</td><td>68.94</td><td>-22.48</td><td>38.10</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr><tr><td>3 5718.89</td><td>78.88</td><td>110.59</td><td>-31.71</td><td>70.70</td><td>34.39</td><td>11.32</td><td>37.53</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr><tr><td>4 5722.14</td><td>73.27</td><td>115.78</td><td>-42.51</td><td>65.07</td><td>34.41</td><td>11.33</td><td>37.54</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5616.59	48.15	68.20	-20.05	39.74	34.47	11.17	37.23	0.00	100	274 PEAK	2 5651.00	46.46	68.94	-22.48	38.10	34.40	11.22	37.26	0.00	100	274 PEAK	3 5718.89	78.88	110.59	-31.71	70.70	34.39	11.32	37.53	0.00	100	274 PEAK	4 5722.14	73.27	115.78	-42.51	65.07	34.41	11.33	37.54	0.00	100	274 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>102.10</td><td>-----</td><td>-----</td><td>93.77</td><td>34.65</td><td>11.40</td><td>37.72</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	102.10	-----	-----	93.77	34.65	11.40	37.72	0.00	100	274 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5616.59	48.15	68.20	-20.05	39.74	34.47	11.17	37.23	0.00	100	274 PEAK																																																																																																																										
2 5651.00	46.46	68.94	-22.48	38.10	34.40	11.22	37.26	0.00	100	274 PEAK																																																																																																																										
3 5718.89	78.88	110.59	-31.71	70.70	34.39	11.32	37.53	0.00	100	274 PEAK																																																																																																																										
4 5722.14	73.27	115.78	-42.51	65.07	34.41	11.33	37.54	0.00	100	274 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5755.00	102.10	-----	-----	93.77	34.65	11.40	37.72	0.00	100	274 PEAK																																																																																																																										
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>92.77</td><td>-----</td><td>-----</td><td>84.44</td><td>34.65</td><td>11.40</td><td>37.72</td><td>0.00</td><td>100</td><td>274 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	92.77	-----	-----	84.44	34.65	11.40	37.72	0.00	100	274 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5755.00	92.77	-----	-----	84.44	34.65	11.40	37.72	0.00	100	274 AVERAGE																																																																																																																										






Mode	36																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																											
ANT	7																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>46.22</td><td>111.26</td><td>-65.04</td><td>37.64</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>48.63</td><td>106.14</td><td>-57.51</td><td>39.99</td><td>34.87</td><td>11.51</td><td>37.74</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>46.75</td><td>68.60</td><td>-21.85</td><td>37.89</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr><tr><td>4</td><td>5947.08</td><td>48.24</td><td>68.20</td><td>-19.96</td><td>39.26</td><td>35.04</td><td>11.57</td><td>37.63</td><td>0.00</td><td>100</td><td>274 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	46.22	111.26	-65.04	37.64	34.85	11.49	37.76	0.00	100	274 PEAK	2	5872.00	48.63	106.14	-57.51	39.99	34.87	11.51	37.74	0.00	100	274 PEAK	3	5924.46	46.75	68.60	-21.85	37.89	34.97	11.55	37.66	0.00	100	274 PEAK	4	5947.08	48.24	68.20	-19.96	39.26	35.04	11.57	37.63	0.00	100	274 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.84	46.22	111.26	-65.04	37.64	34.85	11.49	37.76	0.00	100	274 PEAK																																																																																	
2	5872.00	48.63	106.14	-57.51	39.99	34.87	11.51	37.74	0.00	100	274 PEAK																																																																																	
3	5924.46	46.75	68.60	-21.85	37.89	34.97	11.55	37.66	0.00	100	274 PEAK																																																																																	
4	5947.08	48.24	68.20	-19.96	39.26	35.04	11.57	37.63	0.00	100	274 PEAK																																																																																	




Mode	36																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>49.48</td><td>74.00</td><td>-24.52</td><td>59.16</td><td>38.26</td><td>16.13</td><td>64.07</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>40.35</td><td>54.00</td><td>-13.65</td><td>50.03</td><td>38.26</td><td>16.13</td><td>64.07</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	49.48	74.00	-24.52	59.16	38.26	16.13	64.07	0.00	300	0 PEAK	2	11510.00	40.35	54.00	-13.65	50.03	38.26	16.13	64.07	0.00	300	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>48.59</td><td>74.00</td><td>-25.41</td><td>58.27</td><td>38.26</td><td>16.13</td><td>64.07</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>39.41</td><td>54.00</td><td>-14.59</td><td>49.09</td><td>38.26</td><td>16.13</td><td>64.07</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	48.59	74.00	-25.41	58.27	38.26	16.13	64.07	0.00	100	0 PEAK	2	11510.00	39.41	54.00	-14.59	49.09	38.26	16.13	64.07	0.00	100	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11510.00	49.48	74.00	-24.52	59.16	38.26	16.13	64.07	0.00	300	0 PEAK																																																																																																																			
2	11510.00	40.35	54.00	-13.65	50.03	38.26	16.13	64.07	0.00	300	0 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11510.00	48.59	74.00	-25.41	58.27	38.26	16.13	64.07	0.00	100	0 PEAK																																																																																																																			
2	11510.00	39.41	54.00	-14.59	49.09	38.26	16.13	64.07	0.00	100	0 AVERAGE																																																																																																																			






		37																																																																																																																																																															
Mode		Band Edge - L																																																																																																																																																															
		U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																																															
ANT		7																																																																																																																																																															
Pol.	Horizontal										Fundamental																																																																																																																																																						
Peak																																																																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5648.80</td><td>48.15</td><td>68.20</td><td>-20.05</td><td>39.78</td><td>34.40</td><td>11.22</td><td>37.25</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>2 5651.60</td><td>48.16</td><td>69.39</td><td>-21.23</td><td>39.80</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>3 5785.20</td><td>50.65</td><td>106.76</td><td>-56.11</td><td>42.49</td><td>34.33</td><td>11.30</td><td>37.47</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>4 5728.00</td><td>51.34</td><td>110.90</td><td>-59.56</td><td>43.15</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr></tbody></table>																					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5648.80	48.15	68.20	-20.05	39.78	34.40	11.22	37.25	0.00	100	241 PEAK	2 5651.60	48.16	69.39	-21.23	39.80	34.40	11.22	37.26	0.00	100	241 PEAK	3 5785.20	50.65	106.76	-56.11	42.49	34.33	11.30	37.47	0.00	100	241 PEAK	4 5728.00	51.34	110.90	-59.56	43.15	34.40	11.32	37.53	0.00	100	241 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>102.62</td><td>-----</td><td>-----</td><td>94.19</td><td>34.81</td><td>11.45</td><td>37.83</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr></tbody></table>																					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	102.62	-----	-----	94.19	34.81	11.45	37.83	0.00	100	241 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																						
1 5648.80	48.15	68.20	-20.05	39.78	34.40	11.22	37.25	0.00	100	241 PEAK																																																																																																																																																							
2 5651.60	48.16	69.39	-21.23	39.80	34.40	11.22	37.26	0.00	100	241 PEAK																																																																																																																																																							
3 5785.20	50.65	106.76	-56.11	42.49	34.33	11.30	37.47	0.00	100	241 PEAK																																																																																																																																																							
4 5728.00	51.34	110.90	-59.56	43.15	34.40	11.32	37.53	0.00	100	241 PEAK																																																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																							
1 5795.00	102.62	-----	-----	94.19	34.81	11.45	37.83	0.00	100	241 PEAK																																																																																																																																																							
Avg	Blank																																																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>94.04</td><td>-----</td><td>-----</td><td>85.70</td><td>34.68</td><td>11.41</td><td>37.75</td><td>0.00</td><td>100</td><td>241 AVERAGE</td></tr></tbody></table>																					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	94.04	-----	-----	85.70	34.68	11.41	37.75	0.00	100	241 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>94.04</td><td>-----</td><td>-----</td><td>85.70</td><td>34.68</td><td>11.41</td><td>37.75</td><td>0.00</td><td>100</td><td>241 AVERAGE</td></tr></tbody></table>																					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	94.04	-----	-----	85.70	34.68	11.41	37.75	0.00	100	241 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																							
1 5795.00	94.04	-----	-----	85.70	34.68	11.41	37.75	0.00	100	241 AVERAGE																																																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																							
1 5795.00	94.04	-----	-----	85.70	34.68	11.41	37.75	0.00	100	241 AVERAGE																																																																																																																																																							




Mode	37																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																						
ANT	7																																																																																						
Pol.	Horizontal	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>50.17</td><td>111.36</td><td>-61.19</td><td>41.59</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr><tr><td>2</td><td>5872.80</td><td>48.91</td><td>105.92</td><td>-57.01</td><td>40.26</td><td>34.87</td><td>11.51</td><td>37.73</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>47.76</td><td>68.35</td><td>-20.59</td><td>38.90</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr><tr><td>4</td><td>5953.60</td><td>48.58</td><td>68.20</td><td>-19.62</td><td>39.57</td><td>35.06</td><td>11.57</td><td>37.62</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	50.17	111.36	-61.19	41.59	34.85	11.49	37.76	0.00	100	241	PEAK	2	5872.80	48.91	105.92	-57.01	40.26	34.87	11.51	37.73	0.00	100	241	PEAK	3	5924.80	47.76	68.35	-20.59	38.90	34.97	11.55	37.66	0.00	100	241	PEAK	4	5953.60	48.58	68.20	-19.62	39.57	35.06	11.57	37.62	0.00	100	241	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.80	50.17	111.36	-61.19	41.59	34.85	11.49	37.76	0.00	100	241	PEAK																																																																											
2	5872.80	48.91	105.92	-57.01	40.26	34.87	11.51	37.73	0.00	100	241	PEAK																																																																											
3	5924.80	47.76	68.35	-20.59	38.90	34.97	11.55	37.66	0.00	100	241	PEAK																																																																											
4	5953.60	48.58	68.20	-19.62	39.57	35.06	11.57	37.62	0.00	100	241	PEAK																																																																											





Mode	37																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																							
ANT	7																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5642.00</td><td>49.87</td><td>68.20</td><td>-18.33</td><td>41.48</td><td>34.41</td><td>11.21</td><td>37.23</td><td>0.00</td><td>100</td><td>278 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>48.31</td><td>69.09</td><td>-20.78</td><td>39.95</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>100</td><td>278 PEAK</td></tr><tr><td>3</td><td>5718.00</td><td>54.95</td><td>110.56</td><td>-55.61</td><td>46.77</td><td>34.39</td><td>11.32</td><td>37.53</td><td>0.00</td><td>100</td><td>278 PEAK</td></tr><tr><td>4</td><td>5722.00</td><td>51.83</td><td>115.46</td><td>-63.63</td><td>43.63</td><td>34.41</td><td>11.33</td><td>37.54</td><td>0.00</td><td>100</td><td>278 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5642.00	49.87	68.20	-18.33	41.48	34.41	11.21	37.23	0.00	100	278 PEAK	2	5651.20	48.31	69.09	-20.78	39.95	34.40	11.22	37.26	0.00	100	278 PEAK	3	5718.00	54.95	110.56	-55.61	46.77	34.39	11.32	37.53	0.00	100	278 PEAK	4	5722.00	51.83	115.46	-63.63	43.63	34.41	11.33	37.54	0.00	100	278 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>102.15</td><td>-----</td><td>-----</td><td>93.79</td><td>34.71</td><td>11.42</td><td>37.77</td><td>0.00</td><td>100</td><td>278 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	102.15	-----	-----	93.79	34.71	11.42	37.77	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5642.00	49.87	68.20	-18.33	41.48	34.41	11.21	37.23	0.00	100	278 PEAK																																																																																																																													
2	5651.20	48.31	69.09	-20.78	39.95	34.40	11.22	37.26	0.00	100	278 PEAK																																																																																																																													
3	5718.00	54.95	110.56	-55.61	46.77	34.39	11.32	37.53	0.00	100	278 PEAK																																																																																																																													
4	5722.00	51.83	115.46	-63.63	43.63	34.41	11.33	37.54	0.00	100	278 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5795.00	102.15	-----	-----	93.79	34.71	11.42	37.77	0.00	100	278 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>93.46</td><td>-----</td><td>-----</td><td>85.01</td><td>34.81</td><td>11.46</td><td>37.82</td><td>0.00</td><td>100</td><td>278 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	93.46	-----	-----	85.01	34.81	11.46	37.82	0.00	100	278 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5795.00	93.46	-----	-----	85.01	34.81	11.46	37.82	0.00	100	278 AVERAGE																																																																																																																													






Mode	37																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																						
ANT	7																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>49.46</td><td>111.36</td><td>-61.90</td><td>40.88</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>100</td><td>278</td><td>PEAK</td></tr><tr><td>2</td><td>5872.80</td><td>49.19</td><td>105.92</td><td>-56.73</td><td>40.54</td><td>34.87</td><td>11.51</td><td>37.73</td><td>0.00</td><td>100</td><td>278</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>46.04</td><td>68.35</td><td>-22.31</td><td>37.18</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>100</td><td>278</td><td>PEAK</td></tr><tr><td>4</td><td>6000.00</td><td>48.68</td><td>68.20</td><td>-19.52</td><td>39.42</td><td>35.20</td><td>11.61</td><td>37.55</td><td>0.00</td><td>100</td><td>278</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	49.46	111.36	-61.90	40.88	34.85	11.49	37.76	0.00	100	278	PEAK	2	5872.80	49.19	105.92	-56.73	40.54	34.87	11.51	37.73	0.00	100	278	PEAK	3	5924.80	46.04	68.35	-22.31	37.18	34.97	11.55	37.66	0.00	100	278	PEAK	4	6000.00	48.68	68.20	-19.52	39.42	35.20	11.61	37.55	0.00	100	278	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5854.80	49.46	111.36	-61.90	40.88	34.85	11.49	37.76	0.00	100	278	PEAK																																																																											
2	5872.80	49.19	105.92	-56.73	40.54	34.87	11.51	37.73	0.00	100	278	PEAK																																																																											
3	5924.80	46.04	68.35	-22.31	37.18	34.97	11.55	37.66	0.00	100	278	PEAK																																																																											
4	6000.00	48.68	68.20	-19.52	39.42	35.20	11.61	37.55	0.00	100	278	PEAK																																																																											




Mode	37																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																	
ANT	7																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>49.23</td><td>74.00</td><td>-24.77</td><td>58.82</td><td>38.33</td><td>16.19</td><td>64.11</td><td>0.00</td><td>300</td><td>182</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>40.36</td><td>54.00</td><td>-13.64</td><td>49.95</td><td>38.33</td><td>16.19</td><td>64.11</td><td>0.00</td><td>300</td><td>182</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	49.23	74.00	-24.77	58.82	38.33	16.19	64.11	0.00	300	182	PEAK	2	11590.00	40.36	54.00	-13.64	49.95	38.33	16.19	64.11	0.00	300	182	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>47.57</td><td>74.00</td><td>-26.43</td><td>57.16</td><td>38.33</td><td>16.19</td><td>64.11</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>37.87</td><td>54.00</td><td>-16.13</td><td>47.46</td><td>38.33</td><td>16.19</td><td>64.11</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	47.57	74.00	-26.43	57.16	38.33	16.19	64.11	0.00	100	360	PEAK	2	11590.00	37.87	54.00	-16.13	47.46	38.33	16.19	64.11	0.00	100	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11590.00	49.23	74.00	-24.77	58.82	38.33	16.19	64.11	0.00	300	182	PEAK																																																																																																																						
2	11590.00	40.36	54.00	-13.64	49.95	38.33	16.19	64.11	0.00	300	182	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11590.00	47.57	74.00	-26.43	57.16	38.33	16.19	64.11	0.00	100	360	PEAK																																																																																																																						
2	11590.00	37.87	54.00	-16.13	47.46	38.33	16.19	64.11	0.00	100	360	AVERAGE																																																																																																																						






Mode	38																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																								
ANT	7																																																																																																																																								
Pol.	Horizontal										Fundamental																																																																																																																														
Peak	 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5633.20</td><td>51.97</td><td>68.20</td><td>-16.23</td><td>43.56</td><td>34.43</td><td>11.20</td><td>37.22</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>51.64</td><td>69.09</td><td>-17.45</td><td>43.28</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>3</td><td>5718.00</td><td>68.96</td><td>110.34</td><td>-41.38</td><td>60.77</td><td>34.39</td><td>11.32</td><td>37.52</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>67.08</td><td>110.90</td><td>-43.82</td><td>58.89</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5633.20	51.97	68.20	-16.23	43.56	34.43	11.20	37.22	0.00	100	241 PEAK	2	5651.20	51.64	69.09	-17.45	43.28	34.40	11.22	37.26	0.00	100	241 PEAK	3	5718.00	68.96	110.34	-41.38	60.77	34.39	11.32	37.52	0.00	100	241 PEAK	4	5720.00	67.08	110.90	-43.82	58.89	34.40	11.32	37.53	0.00	100	241 PEAK	 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>99.90</td><td>-----</td><td>-----</td><td>91.64</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	99.90	-----	-----	91.64	34.53	11.36	37.63	0.00	100	241 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5633.20	51.97	68.20	-16.23	43.56	34.43	11.20	37.22	0.00	100	241 PEAK																																																																																																																														
2	5651.20	51.64	69.09	-17.45	43.28	34.40	11.22	37.26	0.00	100	241 PEAK																																																																																																																														
3	5718.00	68.96	110.34	-41.38	60.77	34.39	11.32	37.52	0.00	100	241 PEAK																																																																																																																														
4	5720.00	67.08	110.90	-43.82	58.89	34.40	11.32	37.53	0.00	100	241 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	99.90	-----	-----	91.64	34.53	11.36	37.63	0.00	100	241 PEAK																																																																																																																														
Avg	Blank										 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>90.49</td><td>-----</td><td>-----</td><td>82.21</td><td>34.56</td><td>11.37</td><td>37.65</td><td>0.00</td><td>100</td><td>241 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	90.49	-----	-----	82.21	34.56	11.37	37.65	0.00	100	241 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	90.49	-----	-----	82.21	34.56	11.37	37.65	0.00	100	241 AVERAGE																																																																																																																														



Mode	38																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																		
ANT	7																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>48.64</td><td>111.36</td><td>-62.72</td><td>40.06</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>2</td><td>5869.60</td><td>51.86</td><td>106.81</td><td>-54.95</td><td>43.22</td><td>34.87</td><td>11.51</td><td>37.74</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>47.48</td><td>68.35</td><td>-20.87</td><td>38.62</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>4</td><td>5928.80</td><td>48.18</td><td>68.20</td><td>-20.02</td><td>39.29</td><td>34.99</td><td>11.55</td><td>37.65</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	48.64	111.36	-62.72	40.06	34.85	11.49	37.76	0.00	100	241 PEAK	2	5869.60	51.86	106.81	-54.95	43.22	34.87	11.51	37.74	0.00	100	241 PEAK	3	5924.80	47.48	68.35	-20.87	38.62	34.97	11.55	37.66	0.00	100	241 PEAK	4	5928.80	48.18	68.20	-20.02	39.29	34.99	11.55	37.65	0.00	100	241 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.80	48.64	111.36	-62.72	40.06	34.85	11.49	37.76	0.00	100	241 PEAK																																																																								
2	5869.60	51.86	106.81	-54.95	43.22	34.87	11.51	37.74	0.00	100	241 PEAK																																																																								
3	5924.80	47.48	68.35	-20.87	38.62	34.97	11.55	37.66	0.00	100	241 PEAK																																																																								
4	5928.80	48.18	68.20	-20.02	39.29	34.99	11.55	37.65	0.00	100	241 PEAK																																																																								





Mode	38																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																			
ANT	7																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot includes a red limit line and a blue trace with peaks at 5647.20, 5651.20, 5718.80, and 5721.20 MHz. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5647.20</td><td>49.95</td><td>68.20</td><td>-18.25</td><td>41.57</td><td>34.41</td><td>11.22</td><td>37.25</td><td>0.00</td><td>107</td><td>277 PEAK</td></tr><tr><td>2 5651.20</td><td>49.78</td><td>69.09</td><td>-19.31</td><td>41.42</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>107</td><td>277 PEAK</td></tr><tr><td>3 5718.80</td><td>68.87</td><td>110.56</td><td>-41.69</td><td>60.69</td><td>34.39</td><td>11.32</td><td>37.53</td><td>0.00</td><td>107</td><td>277 PEAK</td></tr><tr><td>4 5721.20</td><td>70.02</td><td>113.64</td><td>-43.62</td><td>61.82</td><td>34.41</td><td>11.32</td><td>37.53</td><td>0.00</td><td>107</td><td>277 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5647.20	49.95	68.20	-18.25	41.57	34.41	11.22	37.25	0.00	107	277 PEAK	2 5651.20	49.78	69.09	-19.31	41.42	34.40	11.22	37.26	0.00	107	277 PEAK	3 5718.80	68.87	110.56	-41.69	60.69	34.39	11.32	37.53	0.00	107	277 PEAK	4 5721.20	70.02	113.64	-43.62	61.82	34.41	11.32	37.53	0.00	107	277 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot includes a red limit line and a blue trace with a peak at 5775.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>97.53</td><td>-----</td><td>-----</td><td>89.22</td><td>34.62</td><td>11.39</td><td>37.70</td><td>0.00</td><td>107</td><td>277 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	97.53	-----	-----	89.22	34.62	11.39	37.70	0.00	107	277 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5647.20	49.95	68.20	-18.25	41.57	34.41	11.22	37.25	0.00	107	277 PEAK																																																																																																																										
2 5651.20	49.78	69.09	-19.31	41.42	34.40	11.22	37.26	0.00	107	277 PEAK																																																																																																																										
3 5718.80	68.87	110.56	-41.69	60.69	34.39	11.32	37.53	0.00	107	277 PEAK																																																																																																																										
4 5721.20	70.02	113.64	-43.62	61.82	34.41	11.32	37.53	0.00	107	277 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	97.53	-----	-----	89.22	34.62	11.39	37.70	0.00	107	277 PEAK																																																																																																																										
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot includes a red limit line and a blue trace with a peak at 5775.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>88.70</td><td>-----</td><td>-----</td><td>80.29</td><td>34.80</td><td>11.45</td><td>37.84</td><td>0.00</td><td>107</td><td>277 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	88.70	-----	-----	80.29	34.80	11.45	37.84	0.00	107	277 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	88.70	-----	-----	80.29	34.80	11.45	37.84	0.00	107	277 AVERAGE																																																																																																																										





Mode	38																																																																																																
	Band Edge - R																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																
ANT	7																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>47.85</td><td>111.36</td><td>-63.51</td><td>39.27</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>107</td><td>277</td><td>PEAK</td></tr><tr><td>2</td><td>5870.40</td><td>49.61</td><td>106.59</td><td>-56.98</td><td>40.97</td><td>34.87</td><td>11.51</td><td>37.74</td><td>0.00</td><td>107</td><td>277</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>45.54</td><td>68.35</td><td>-22.81</td><td>36.68</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>107</td><td>277</td><td>PEAK</td></tr><tr><td>4</td><td>5938.80</td><td>49.08</td><td>68.20</td><td>-19.12</td><td>40.19</td><td>34.99</td><td>11.55</td><td>37.65</td><td>0.00</td><td>107</td><td>277</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	47.85	111.36	-63.51	39.27	34.85	11.49	37.76	0.00	107	277	PEAK	2	5870.40	49.61	106.59	-56.98	40.97	34.87	11.51	37.74	0.00	107	277	PEAK	3	5924.80	45.54	68.35	-22.81	36.68	34.97	11.55	37.66	0.00	107	277	PEAK	4	5938.80	49.08	68.20	-19.12	40.19	34.99	11.55	37.65	0.00	107	277	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5854.80	47.85	111.36	-63.51	39.27	34.85	11.49	37.76	0.00	107	277	PEAK																																																																																					
2	5870.40	49.61	106.59	-56.98	40.97	34.87	11.51	37.74	0.00	107	277	PEAK																																																																																					
3	5924.80	45.54	68.35	-22.81	36.68	34.97	11.55	37.66	0.00	107	277	PEAK																																																																																					
4	5938.80	49.08	68.20	-19.12	40.19	34.99	11.55	37.65	0.00	107	277	PEAK																																																																																					





Mode	38																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																	
ANT	7																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>47.51</td><td>74.00</td><td>-26.49</td><td>57.15</td><td>38.29</td><td>16.16</td><td>64.09</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>39.06</td><td>54.00</td><td>-14.94</td><td>48.74</td><td>38.26</td><td>16.13</td><td>64.07</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	47.51	74.00	-26.49	57.15	38.29	16.16	64.09	0.00	300	360	PEAK	2	11550.00	39.06	54.00	-14.94	48.74	38.26	16.13	64.07	0.00	300	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>47.74</td><td>74.00</td><td>-26.26</td><td>57.38</td><td>38.29</td><td>16.16</td><td>64.09</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>38.63</td><td>54.00</td><td>-15.37</td><td>48.28</td><td>38.28</td><td>16.15</td><td>64.08</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	47.74	74.00	-26.26	57.38	38.29	16.16	64.09	0.00	100	360	PEAK	2	11550.00	38.63	54.00	-15.37	48.28	38.28	16.15	64.08	0.00	100	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11550.00	47.51	74.00	-26.49	57.15	38.29	16.16	64.09	0.00	300	360	PEAK																																																																																																																						
2	11550.00	39.06	54.00	-14.94	48.74	38.26	16.13	64.07	0.00	300	360	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11550.00	47.74	74.00	-26.26	57.38	38.29	16.16	64.09	0.00	100	360	PEAK																																																																																																																						
2	11550.00	38.63	54.00	-15.37	48.28	38.28	16.15	64.08	0.00	100	360	AVERAGE																																																																																																																						



Mode	26	
	18G-40G	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz	
ANT	7	
Pol.	Horizontal	Vertical
Peak		
Avg		





Mode	26																																																																																																																																																	
	LF																																																																																																																																																	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																																																																	
ANT	7																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																
QP	 <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>36.79</td><td>20.62</td><td>-19.38</td><td>40.00</td><td>30.77</td><td>21.46</td><td>0.58 32.19 --- --- Peak</td></tr><tr><td>2</td><td>83.35</td><td>18.80</td><td>-21.20</td><td>40.00</td><td>35.83</td><td>13.80</td><td>1.23 32.06 --- --- Peak</td></tr><tr><td>3</td><td>174.53</td><td>20.12</td><td>-23.38</td><td>43.50</td><td>35.08</td><td>15.24</td><td>1.92 32.12 --- --- Peak</td></tr><tr><td>4</td><td>211.39</td><td>24.30</td><td>-19.20</td><td>43.50</td><td>39.25</td><td>15.09</td><td>2.12 32.16 --- --- Peak</td></tr><tr><td>5</td><td>628.49</td><td>26.97</td><td>-19.03</td><td>46.00</td><td>29.12</td><td>26.50</td><td>3.66 32.31 --- --- Peak</td></tr><tr><td>6 p</td><td>883.60</td><td>30.69</td><td>-15.31</td><td>46.00</td><td>28.79</td><td>28.94</td><td>4.33 31.37 --- --- Peak</td></tr></table>		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos		Freq	Level	Limit	Line	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB		1	36.79	20.62	-19.38	40.00	30.77	21.46	0.58 32.19 --- --- Peak	2	83.35	18.80	-21.20	40.00	35.83	13.80	1.23 32.06 --- --- Peak	3	174.53	20.12	-23.38	43.50	35.08	15.24	1.92 32.12 --- --- Peak	4	211.39	24.30	-19.20	43.50	39.25	15.09	2.12 32.16 --- --- Peak	5	628.49	26.97	-19.03	46.00	29.12	26.50	3.66 32.31 --- --- Peak	6 p	883.60	30.69	-15.31	46.00	28.79	28.94	4.33 31.37 --- --- Peak	 <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1 p</td><td>47.46</td><td>30.47</td><td>-9.53</td><td>40.00</td><td>45.90</td><td>15.93</td><td>0.74 32.10 --- --- Peak</td></tr><tr><td>2</td><td>77.53</td><td>21.64</td><td>-18.36</td><td>40.00</td><td>39.41</td><td>13.16</td><td>1.14 32.07 --- --- Peak</td></tr><tr><td>3</td><td>173.56</td><td>26.46</td><td>-17.04</td><td>43.50</td><td>41.38</td><td>15.29</td><td>1.91 32.12 --- --- Peak</td></tr><tr><td>4</td><td>210.42</td><td>26.01</td><td>-17.49</td><td>43.50</td><td>40.91</td><td>15.14</td><td>2.12 32.16 --- --- Peak</td></tr><tr><td>5</td><td>622.67</td><td>26.66</td><td>-19.34</td><td>46.00</td><td>29.20</td><td>26.15</td><td>3.64 32.33 --- --- Peak</td></tr><tr><td>6</td><td>936.95</td><td>31.52</td><td>-14.48</td><td>46.00</td><td>27.75</td><td>30.36</td><td>4.45 31.04 --- --- Peak</td></tr></table>		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos		Freq	Level	Limit	Line	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB		1 p	47.46	30.47	-9.53	40.00	45.90	15.93	0.74 32.10 --- --- Peak	2	77.53	21.64	-18.36	40.00	39.41	13.16	1.14 32.07 --- --- Peak	3	173.56	26.46	-17.04	43.50	41.38	15.29	1.91 32.12 --- --- Peak	4	210.42	26.01	-17.49	43.50	40.91	15.14	2.12 32.16 --- --- Peak	5	622.67	26.66	-19.34	46.00	29.20	26.15	3.64 32.33 --- --- Peak	6	936.95	31.52	-14.48	46.00	27.75	30.36	4.45 31.04 --- --- Peak
		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos																																																																																																																																											
	Freq	Level	Limit	Line	Level Factor	Loss Factor		Remark																																																																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																																																																																																												
1	36.79	20.62	-19.38	40.00	30.77	21.46	0.58 32.19 --- --- Peak																																																																																																																																											
2	83.35	18.80	-21.20	40.00	35.83	13.80	1.23 32.06 --- --- Peak																																																																																																																																											
3	174.53	20.12	-23.38	43.50	35.08	15.24	1.92 32.12 --- --- Peak																																																																																																																																											
4	211.39	24.30	-19.20	43.50	39.25	15.09	2.12 32.16 --- --- Peak																																																																																																																																											
5	628.49	26.97	-19.03	46.00	29.12	26.50	3.66 32.31 --- --- Peak																																																																																																																																											
6 p	883.60	30.69	-15.31	46.00	28.79	28.94	4.33 31.37 --- --- Peak																																																																																																																																											
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos																																																																																																																																												
Freq	Level	Limit	Line	Level Factor	Loss Factor		Remark																																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																																																																																																												
1 p	47.46	30.47	-9.53	40.00	45.90	15.93	0.74 32.10 --- --- Peak																																																																																																																																											
2	77.53	21.64	-18.36	40.00	39.41	13.16	1.14 32.07 --- --- Peak																																																																																																																																											
3	173.56	26.46	-17.04	43.50	41.38	15.29	1.91 32.12 --- --- Peak																																																																																																																																											
4	210.42	26.01	-17.49	43.50	40.91	15.14	2.12 32.16 --- --- Peak																																																																																																																																											
5	622.67	26.66	-19.34	46.00	29.20	26.15	3.64 32.33 --- --- Peak																																																																																																																																											
6	936.95	31.52	-14.48	46.00	27.75	30.36	4.45 31.04 --- --- Peak																																																																																																																																											







Mode	30	
	18-40G	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	7	
Pol.	Horizontal	Vertical
Peak		
Avg		





Mode	30																																																																																																																																																															
	LF																																																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																															
ANT	7																																																																																																																																																															
Pol.	Horizontal								Vertical																																																																																																																																																							
QP																																																																																																																																																																
	<table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>31.94</td><td>21.98</td><td>-18.02</td><td>40.00</td><td>29.23</td><td>24.40</td><td>0.52 32.17</td></tr><tr><td>2</td><td>155.13</td><td>21.69</td><td>-21.81</td><td>43.50</td><td>35.20</td><td>16.76</td><td>1.00 32.07</td></tr><tr><td>3</td><td>210.42</td><td>26.80</td><td>-16.70</td><td>43.50</td><td>41.70</td><td>15.14</td><td>2.12 32.16</td></tr><tr><td>4</td><td>472.32</td><td>22.39</td><td>-23.61</td><td>46.00</td><td>27.78</td><td>23.62</td><td>3.17 32.18</td></tr><tr><td>5</td><td>748.77</td><td>28.59</td><td>-17.41</td><td>46.00</td><td>28.46</td><td>28.20</td><td>3.99 32.06</td></tr><tr><td>6 p</td><td>956.35</td><td>32.45</td><td>-13.55</td><td>46.00</td><td>27.56</td><td>31.29</td><td>4.50 30.90</td></tr></table>									Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos		Freq	Level	Limit	Line	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1	31.94	21.98	-18.02	40.00	29.23	24.40	0.52 32.17	2	155.13	21.69	-21.81	43.50	35.20	16.76	1.00 32.07	3	210.42	26.80	-16.70	43.50	41.70	15.14	2.12 32.16	4	472.32	22.39	-23.61	46.00	27.78	23.62	3.17 32.18	5	748.77	28.59	-17.41	46.00	28.46	28.20	3.99 32.06	6 p	956.35	32.45	-13.55	46.00	27.56	31.29	4.50 30.90	<table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr><tr><td>1 p</td><td>45.52</td><td>31.63</td><td>-8.37</td><td>40.00</td><td>46.56</td><td>16.47</td><td>0.71 32.11</td></tr><tr><td>2</td><td>110.51</td><td>24.88</td><td>-18.62</td><td>43.50</td><td>38.49</td><td>16.90</td><td>1.53 32.04</td></tr><tr><td>3</td><td>172.59</td><td>26.41</td><td>-17.09</td><td>43.50</td><td>41.27</td><td>15.35</td><td>1.91 32.12</td></tr><tr><td>4</td><td>210.42</td><td>27.11</td><td>-16.39</td><td>43.50</td><td>42.01</td><td>15.14</td><td>2.12 32.16</td></tr><tr><td>5</td><td>815.70</td><td>29.93</td><td>-16.07</td><td>46.00</td><td>28.81</td><td>28.76</td><td>4.15 31.79</td></tr><tr><td>6</td><td>952.47</td><td>32.41</td><td>-13.59</td><td>46.00</td><td>27.69</td><td>31.16</td><td>4.49 30.93</td></tr></table>									Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos		Freq	Level	Limit	Line	Level Factor	Loss Factor		Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1 p	45.52	31.63	-8.37	40.00	46.56	16.47	0.71 32.11	2	110.51	24.88	-18.62	43.50	38.49	16.90	1.53 32.04	3	172.59	26.41	-17.09	43.50	41.27	15.35	1.91 32.12	4	210.42	27.11	-16.39	43.50	42.01	15.14	2.12 32.16	5	815.70	29.93	-16.07	46.00	28.81	28.76	4.15 31.79	6	952.47	32.41	-13.59	46.00	27.69	31.16	4.49 30.93
		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos																																																																																																																																																									
	Freq	Level	Limit	Line	Level Factor	Loss Factor		Remark																																																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																																																																																																								
	1	31.94	21.98	-18.02	40.00	29.23	24.40	0.52 32.17																																																																																																																																																								
	2	155.13	21.69	-21.81	43.50	35.20	16.76	1.00 32.07																																																																																																																																																								
	3	210.42	26.80	-16.70	43.50	41.70	15.14	2.12 32.16																																																																																																																																																								
	4	472.32	22.39	-23.61	46.00	27.78	23.62	3.17 32.18																																																																																																																																																								
	5	748.77	28.59	-17.41	46.00	28.46	28.20	3.99 32.06																																																																																																																																																								
6 p	956.35	32.45	-13.55	46.00	27.56	31.29	4.50 30.90																																																																																																																																																									
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos																																																																																																																																																										
Freq	Level	Limit	Line	Level Factor	Loss Factor		Remark																																																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																																																																																																									
1 p	45.52	31.63	-8.37	40.00	46.56	16.47	0.71 32.11																																																																																																																																																									
2	110.51	24.88	-18.62	43.50	38.49	16.90	1.53 32.04																																																																																																																																																									
3	172.59	26.41	-17.09	43.50	41.27	15.35	1.91 32.12																																																																																																																																																									
4	210.42	27.11	-16.39	43.50	42.01	15.14	2.12 32.16																																																																																																																																																									
5	815.70	29.93	-16.07	46.00	28.81	28.76	4.15 31.79																																																																																																																																																									
6	952.47	32.41	-13.59	46.00	27.69	31.16	4.49 30.93																																																																																																																																																									






		39																																																																																																
Mode		Band Edge - L																																																																																																
		U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																																																																
ANT		SISO																																																																																																
Pol.		Horizontal																																																																																																
Peak																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.93</td><td>59.61</td><td>74.00</td><td>-14.39</td><td>43.31</td><td>34.14</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr></table>														Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB/m	dB	dB	dB	dB	dB	dB	cm	deg	1	5139.93	59.61	74.00	-14.39	43.31	34.14	12.03	29.87	0.00	100	238	PEAK																						
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																			
1	5139.93	59.61	74.00	-14.39	43.31	34.14	12.03	29.87	0.00	100	238	PEAK																																																																																						
Fundamental																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2479.20</td><td>98.44</td><td>-----</td><td>88.52</td><td>32.36</td><td>8.22</td><td>30.66</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr><tr><td>2</td><td>2581.20</td><td>110.58</td><td>-----</td><td>100.53</td><td>32.26</td><td>8.42</td><td>30.63</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>5233.20</td><td>98.95</td><td>-----</td><td>82.38</td><td>34.37</td><td>12.10</td><td>29.90</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB/m	dB	dB	dB	dB	dB	dB	cm	deg	1	2479.20	98.44	-----	88.52	32.36	8.22	30.66	0.00	100	238	PEAK	2	2581.20	110.58	-----	100.53	32.26	8.42	30.63	0.00	--	--	PEAK	3	5233.20	98.95	-----	82.38	34.37	12.10	29.90	0.00	--	--
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																			
1	2479.20	98.44	-----	88.52	32.36	8.22	30.66	0.00	100	238	PEAK																																																																																							
2	2581.20	110.58	-----	100.53	32.26	8.42	30.63	0.00	--	--	PEAK																																																																																							
3	5233.20	98.95	-----	82.38	34.37	12.10	29.90	0.00	--	--	PEAK																																																																																							
Avg																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5122.17</td><td>50.97</td><td>54.00</td><td>-3.03</td><td>34.60</td><td>34.21</td><td>12.02</td><td>29.86</td><td>0.00</td><td>100</td><td>238</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB/m	dB	dB	dB	dB	dB	dB	cm	deg	1	5122.17	50.97	54.00	-3.03	34.60	34.21	12.02	29.86	0.00	100	238	AVERAGE																						
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																			
1	5122.17	50.97	54.00	-3.03	34.60	34.21	12.02	29.86	0.00	100	238	AVERAGE																																																																																						
Fundamental																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2479.20</td><td>98.02</td><td>-----</td><td>88.10</td><td>32.36</td><td>8.22</td><td>30.66</td><td>0.00</td><td>--</td><td>--</td><td>AVERAGE</td></tr><tr><td>2</td><td>2581.20</td><td>109.35</td><td>-----</td><td>99.30</td><td>32.26</td><td>8.42</td><td>30.63</td><td>0.00</td><td>--</td><td>--</td><td>AVERAGE</td></tr><tr><td>3</td><td>5227.20</td><td>90.68</td><td>-----</td><td>74.14</td><td>34.35</td><td>12.09</td><td>29.90</td><td>0.00</td><td>100</td><td>238</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB/m	dB	dB	dB	dB	dB	dB	cm	deg	1	2479.20	98.02	-----	88.10	32.36	8.22	30.66	0.00	--	--	AVERAGE	2	2581.20	109.35	-----	99.30	32.26	8.42	30.63	0.00	--	--	AVERAGE	3	5227.20	90.68	-----	74.14	34.35	12.09	29.90	0.00	100	238
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																			
1	2479.20	98.02	-----	88.10	32.36	8.22	30.66	0.00	--	--	AVERAGE																																																																																							
2	2581.20	109.35	-----	99.30	32.26	8.42	30.63	0.00	--	--	AVERAGE																																																																																							
3	5227.20	90.68	-----	74.14	34.35	12.09	29.90	0.00	100	238	AVERAGE																																																																																							





Mode	39																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																						
ANT	SISO																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5361.76</td><td>54.52</td><td>74.00</td><td>-19.48</td><td>37.68</td><td>34.45</td><td>12.22</td><td>29.83</td><td>0.00</td><td>100 238 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5361.76	54.52	74.00	-19.48	37.68	34.45	12.22	29.83	0.00	100 238 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1	5361.76	54.52	74.00	-19.48	37.68	34.45	12.22	29.83	0.00	100 238 PEAK																																													
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5393.26</td><td>46.10</td><td>54.00</td><td>-7.90</td><td>29.08</td><td>34.57</td><td>12.24</td><td>29.79</td><td>0.00</td><td>100 238 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5393.26	46.10	54.00	-7.90	29.08	34.57	12.24	29.79	0.00	100 238 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1	5393.26	46.10	54.00	-7.90	29.08	34.57	12.24	29.79	0.00	100 238 AVERAGE																																													





Mode	39																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																																																																																											
ANT	SISO																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5119.45</td><td>58.08</td><td>74.00</td><td>-15.92</td><td>41.71</td><td>34.22</td><td>12.01</td><td>29.86</td><td>0.00</td><td>312</td><td>74</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5119.45	58.08	74.00	-15.92	41.71	34.22	12.01	29.86	0.00	312	74	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2479.20</td><td>98.63</td><td>-----</td><td>-----</td><td>88.71</td><td>32.36</td><td>8.22</td><td>30.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>2581.20</td><td>117.52</td><td>-----</td><td>-----</td><td>107.47</td><td>32.26</td><td>8.42</td><td>30.63</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>5221.20</td><td>93.36</td><td></td><td></td><td>76.82</td><td>34.34</td><td>12.09</td><td>29.89</td><td>0.00</td><td>312</td><td>74</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2479.20	98.63	-----	-----	88.71	32.36	8.22	30.66	0.00	--	--	PEAK	2	2581.20	117.52	-----	-----	107.47	32.26	8.42	30.63	0.00	--	--	PEAK	3	5221.20	93.36			76.82	34.34	12.09	29.89	0.00	312	74
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5119.45	58.08	74.00	-15.92	41.71	34.22	12.01	29.86	0.00	312	74	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	2479.20	98.63	-----	-----	88.71	32.36	8.22	30.66	0.00	--	--	PEAK																																																																																																																
2	2581.20	117.52	-----	-----	107.47	32.26	8.42	30.63	0.00	--	--	PEAK																																																																																																																
3	5221.20	93.36			76.82	34.34	12.09	29.89	0.00	312	74	AVERAGE																																																																																																																
Avg							Blank																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5131.77</td><td>48.62</td><td>54.00</td><td>-5.38</td><td>32.29</td><td>34.17</td><td>12.02</td><td>29.86</td><td>0.00</td><td>312</td><td>74</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5131.77	48.62	54.00	-5.38	32.29	34.17	12.02	29.86	0.00	312	74	AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5131.77	48.62	54.00	-5.38	32.29	34.17	12.02	29.86	0.00	312	74	AVERAGE																																																																																																																







Mode	39																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																					
ANT	SISO																																																					
Pol.	Vertical						Fundamental																																															
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5398.81</td><td>55.29</td><td>74.00</td><td>-18.71</td><td>38.22</td><td>34.60</td><td>12.25</td><td>29.78</td><td>0.00</td><td>312</td><td>74 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5398.81	55.29	74.00	-18.71	38.22	34.60	12.25	29.78	0.00	312	74 PEAK	Blank				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5398.81	55.29	74.00	-18.71	38.22	34.60	12.25	29.78	0.00	312	74 PEAK																																											
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5375.26</td><td>45.72</td><td>54.00</td><td>-8.28</td><td>28.80</td><td>34.50</td><td>12.23</td><td>29.81</td><td>0.00</td><td>312</td><td>74 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5375.26	45.72	54.00	-8.28	28.80	34.50	12.23	29.81	0.00	312	74 AVERAGE	Blank				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5375.26	45.72	54.00	-8.28	28.80	34.50	12.23	29.81	0.00	312	74 AVERAGE																																											






Mode	39																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																																																																																									
ANT	SISO																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7752.40</td><td>58.38</td><td>68.20</td><td>-9.82</td><td>74.82</td><td>35.80</td><td>14.91</td><td>67.15</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10420.00</td><td>46.32</td><td>68.20</td><td>-21.88</td><td>57.74</td><td>37.53</td><td>17.60</td><td>66.55</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7752.40	58.38	68.20	-9.82	74.82	35.80	14.91	67.15	0.00	--	PEAK	2	10420.00	46.32	68.20	-21.88	57.74	37.53	17.60	66.55	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7752.40</td><td>55.95</td><td>68.20</td><td>-12.25</td><td>72.39</td><td>35.80</td><td>14.91</td><td>67.15</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10420.00</td><td>46.32</td><td>68.20</td><td>-21.88</td><td>57.74</td><td>37.53</td><td>17.60</td><td>66.55</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7752.40	55.95	68.20	-12.25	72.39	35.80	14.91	67.15	0.00	--	PEAK	2	10420.00	46.32	68.20	-21.88	57.74	37.53	17.60	66.55	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	7752.40	58.38	68.20	-9.82	74.82	35.80	14.91	67.15	0.00	--	PEAK																																																																																																															
2	10420.00	46.32	68.20	-21.88	57.74	37.53	17.60	66.55	0.00	--	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	7752.40	55.95	68.20	-12.25	72.39	35.80	14.91	67.15	0.00	--	PEAK																																																																																																															
2	10420.00	46.32	68.20	-21.88	57.74	37.53	17.60	66.55	0.00	--	PEAK																																																																																																															



	39																																																																																																		
Mode	Band Edge																																																																																																		
	2400-2483.5 2400-2483.5 Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																		
ANT	SISO																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2483.80</td><td>62.01</td><td>74.00</td><td>-11.99</td><td>46.06</td><td>32.37</td><td>8.23</td><td>30.65</td><td>6.00</td><td>143 92 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.80	62.01	74.00	-11.99	46.06	32.37	8.23	30.65	6.00	143 92 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2480.00</td><td>107.39</td><td>-----</td><td>-----</td><td>91.46</td><td>32.36</td><td>8.23</td><td>30.66</td><td>6.00</td><td>143 92 PEAK</td></tr><tr><td>2 2584.00</td><td>118.72</td><td></td><td></td><td>102.64</td><td>32.27</td><td>8.43</td><td>30.62</td><td>6.00</td><td>-- -- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	107.39	-----	-----	91.46	32.36	8.23	30.66	6.00	143 92 PEAK	2 2584.00	118.72			102.64	32.27	8.43	30.62	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 2483.80	62.01	74.00	-11.99	46.06	32.37	8.23	30.65	6.00	143 92 PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 2480.00	107.39	-----	-----	91.46	32.36	8.23	30.66	6.00	143 92 PEAK																																																																																										
2 2584.00	118.72			102.64	32.27	8.43	30.62	6.00	-- -- PEAK																																																																																										
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2483.62</td><td>46.18</td><td>54.00</td><td>-7.82</td><td>30.23</td><td>32.37</td><td>8.23</td><td>30.65</td><td>6.00</td><td>143 92 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.62	46.18	54.00	-7.82	30.23	32.37	8.23	30.65	6.00	143 92 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2480.00</td><td>106.79</td><td>-----</td><td>-----</td><td>90.86</td><td>32.36</td><td>8.23</td><td>30.66</td><td>6.00</td><td>143 92 AVERAGE</td></tr><tr><td>2 2584.00</td><td>115.76</td><td></td><td></td><td>99.68</td><td>32.27</td><td>8.43</td><td>30.62</td><td>6.00</td><td>-- -- AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	106.79	-----	-----	90.86	32.36	8.23	30.66	6.00	143 92 AVERAGE	2 2584.00	115.76			99.68	32.27	8.43	30.62	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 2483.62	46.18	54.00	-7.82	30.23	32.37	8.23	30.65	6.00	143 92 AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 2480.00	106.79	-----	-----	90.86	32.36	8.23	30.66	6.00	143 92 AVERAGE																																																																																										
2 2584.00	115.76			99.68	32.27	8.43	30.62	6.00	-- -- AVERAGE																																																																																										



	39																																																																																																												
Mode	Band Edge																																																																																																												
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																												
ANT	SISO																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.56</td><td>58.57</td><td>74.00</td><td>-15.43</td><td>42.62</td><td>32.37</td><td>8.23</td><td>30.65</td><td>6.00</td><td>327 51 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	58.57	74.00	-15.43	42.62	32.37	8.23	30.65	6.00	327 51 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>103.07</td><td>-----</td><td>-----</td><td>87.14</td><td>32.36</td><td>8.23</td><td>30.66</td><td>6.00</td><td>327 51 PEAK</td></tr><tr><td>2</td><td>2584.00</td><td>114.42</td><td></td><td></td><td>98.34</td><td>32.27</td><td>8.43</td><td>30.62</td><td>6.00</td><td>-- -- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.07	-----	-----	87.14	32.36	8.23	30.66	6.00	327 51 PEAK	2	2584.00	114.42			98.34	32.27	8.43	30.62	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2483.56	58.57	74.00	-15.43	42.62	32.37	8.23	30.65	6.00	327 51 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2480.00	103.07	-----	-----	87.14	32.36	8.23	30.66	6.00	327 51 PEAK																																																																																																			
2	2584.00	114.42			98.34	32.27	8.43	30.62	6.00	-- -- PEAK																																																																																																			
Avg							Blank																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>44.56</td><td>54.00</td><td>-9.44</td><td>28.61</td><td>32.37</td><td>8.23</td><td>30.65</td><td>6.00</td><td>327 51 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	44.56	54.00	-9.44	28.61	32.37	8.23	30.65	6.00	327 51 AVERAGE																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2483.50	44.56	54.00	-9.44	28.61	32.37	8.23	30.65	6.00	327 51 AVERAGE																																																																																																			




Mode	39																																																																																																																								
	Harmonic																																																																																																																								
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																								
ANT	SISO																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.55</td><td>74.00</td><td>-34.45</td><td>59.41</td><td>33.94</td><td>11.85</td><td>65.65</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>5220.00</td><td>48.13</td><td>74.00</td><td>-25.87</td><td>67.40</td><td>34.34</td><td>12.09</td><td>65.70</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7752.00</td><td>49.59</td><td>74.00</td><td>-24.41</td><td>66.03</td><td>35.00</td><td>14.91</td><td>67.15</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.55	74.00	-34.45	59.41	33.94	11.85	65.65	0.00	--	PEAK	2	5220.00	48.13	74.00	-25.87	67.40	34.34	12.09	65.70	0.00	--	PEAK	3	7752.00	49.59	74.00	-24.41	66.03	35.00	14.91	67.15	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.49</td><td>74.00</td><td>-33.51</td><td>60.35</td><td>33.94</td><td>11.85</td><td>65.65</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.49	74.00	-33.51	60.35	33.94	11.85	65.65	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4960.00	39.55	74.00	-34.45	59.41	33.94	11.85	65.65	0.00	--	PEAK																																																																																																														
2	5220.00	48.13	74.00	-25.87	67.40	34.34	12.09	65.70	0.00	--	PEAK																																																																																																														
3	7752.00	49.59	74.00	-24.41	66.03	35.00	14.91	67.15	0.00	--	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4960.00	40.49	74.00	-33.51	60.35	33.94	11.85	65.65	0.00	--	PEAK																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.55</td><td>74.00</td><td>-34.45</td><td>59.41</td><td>33.94</td><td>11.85</td><td>65.65</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>5220.00</td><td>48.13</td><td>74.00</td><td>-25.87</td><td>67.40</td><td>34.34</td><td>12.09</td><td>65.70</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7752.00</td><td>49.59</td><td>74.00</td><td>-24.41</td><td>66.03</td><td>35.00</td><td>14.91</td><td>67.15</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.55	74.00	-34.45	59.41	33.94	11.85	65.65	0.00	--	PEAK	2	5220.00	48.13	74.00	-25.87	67.40	34.34	12.09	65.70	0.00	--	PEAK	3	7752.00	49.59	74.00	-24.41	66.03	35.00	14.91	67.15	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.49</td><td>74.00</td><td>-33.51</td><td>60.35</td><td>33.94</td><td>11.85</td><td>65.65</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.49	74.00	-33.51	60.35	33.94	11.85	65.65	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4960.00	39.55	74.00	-34.45	59.41	33.94	11.85	65.65	0.00	--	PEAK																																																																																																														
2	5220.00	48.13	74.00	-25.87	67.40	34.34	12.09	65.70	0.00	--	PEAK																																																																																																														
3	7752.00	49.59	74.00	-24.41	66.03	35.00	14.91	67.15	0.00	--	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4960.00	40.49	74.00	-33.51	60.35	33.94	11.85	65.65	0.00	--	PEAK																																																																																																														

Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
7	802.11a	90.14	1.391	0.719	0.75kHz
7	802.11ac VHT20	86.77	1.188	0.841	0.91kHz
7	802.11ac VHT40	79.33	0.590	1.695	1.8Hz
7	802.11ac VHT80	65.81	0.296	3.382	3.6Hz

802.11a






802.11ac VHT20



802.11ac VHT40





802.11ac VHT80

