


















Conducted Spurious Emission

Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant8	2402	Reference	15.98	15.98	---	PASS
			30~1000	15.98	-44.46	≤ -4.02	PASS
			1000~26500	15.98	-35.39	≤ -4.02	PASS
	Ant7	2402	Reference	15.89	15.89	---	PASS
			30~1000	15.89	-44.92	≤ -4.11	PASS
			1000~26500	15.89	-36.08	≤ -4.11	PASS
	Ant8	2441	Reference	16.65	16.65	---	PASS
			30~1000	16.65	-44.6	≤ -3.35	PASS
			1000~26500	16.65	-36.27	≤ -3.35	PASS
	Ant7	2441	Reference	16.15	16.15	---	PASS
			30~1000	16.15	-45.05	≤ -3.85	PASS
			1000~26500	16.15	-36.27	≤ -3.85	PASS
	Ant8	2480	Reference	14.50	14.50	---	PASS
			30~1000	14.50	-45.21	≤ -5.5	PASS
			1000~26500	14.50	-35.44	≤ -5.5	PASS
	Ant7	2480	Reference	14.97	14.97	---	PASS
			30~1000	14.97	-44.19	≤ -5.03	PASS
			1000~26500	14.97	-35.42	≤ -5.03	PASS
2DH1	Ant8	2402	Reference	10.77	10.77	---	PASS
			30~1000	10.77	-44.91	≤ -9.23	PASS
			1000~26500	10.77	-35.86	≤ -9.23	PASS
	Ant7	2402	Reference	10.96	10.96	---	PASS
			30~1000	10.96	-44.82	≤ -9.04	PASS
			1000~26500	10.96	-35	≤ -9.04	PASS
	Ant8	2441	Reference	11.76	11.76	---	PASS
			30~1000	11.76	-44.63	≤ -8.24	PASS
			1000~26500	11.76	-35.86	≤ -8.24	PASS
	Ant7	2441	Reference	11.73	11.73	---	PASS
			30~1000	11.73	-44.35	≤ -8.27	PASS
			1000~26500	11.73	-35.78	≤ -8.27	PASS
	Ant8	2480	Reference	10.07	10.07	---	PASS
			30~1000	10.07	-44.71	≤ -9.93	PASS
			1000~26500	10.07	-36.61	≤ -9.93	PASS
	Ant7	2480	Reference	9.89	9.89	---	PASS
			30~1000	9.89	-45.42	≤ -10.11	PASS
			1000~26500	9.89	-35.29	≤ -10.11	PASS
3DH1	Ant8	2402	Reference	10.75	10.75	---	PASS






			30~1000	10.75	-43.92	≤ -9.25	PASS
			1000~26500	10.75	-35.59	≤ -9.25	PASS
	Ant7	2402	Reference	11.11	11.11	---	PASS
			30~1000	11.11	-44.78	≤ -8.89	PASS
			1000~26500	11.11	-35.63	≤ -8.89	PASS
	Ant8	2441	Reference	11.69	11.69	---	PASS
			30~1000	11.69	-44.8	≤ -8.31	PASS
			1000~26500	11.69	-36.03	≤ -8.31	PASS
	Ant7	2441	Reference	11.86	11.86	---	PASS
			30~1000	11.86	-44.15	≤ -8.14	PASS
			1000~26500	11.86	-35.74	≤ -8.14	PASS
	Ant8	2480	Reference	10.07	10.07	---	PASS
			30~1000	10.07	-44.64	≤ -9.93	PASS
			1000~26500	10.07	-35.81	≤ -9.93	PASS
	Ant7	2480	Reference	10.11	10.11	---	PASS
			30~1000	10.11	-44.68	≤ -9.89	PASS
			1000~26500	10.11	-36.12	≤ -9.89	PASS





Test Graphs
















































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-L 24+80 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.150	45.18	-20.82	66.00	34.50	0.23	10.45	QP
2	0.150	29.18	-26.82	56.00	18.50	0.23	10.45	Average
3	0.189	42.91	-21.15	64.06	32.20	0.25	10.46	QP
4	0.189	30.31	-23.75	54.06	19.60	0.25	10.46	Average
5	0.203	45.21	-18.28	63.49	34.50	0.25	10.46	QP
6	0.203	29.61	-23.88	53.49	18.90	0.25	10.46	Average
7	0.224	40.93	-21.73	62.66	30.20	0.26	10.47	QP
8	0.224	27.63	-25.03	52.66	16.90	0.26	10.47	Average
9	0.634	35.03	-20.97	56.00	24.30	0.37	10.36	QP
10 *	0.634	29.73	-16.27	46.00	19.00	0.37	10.36	Average
11	4.746	33.91	-22.09	56.00	23.30	0.41	10.20	QP
12	4.746	24.21	-21.79	46.00	13.60	0.41	10.20	Average



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 24+80 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.156	47.59	-18.10	65.69	36.90	0.24	10.45	QP
2	0.156	33.19	-22.50	55.69	22.50	0.24	10.45	Average
3	0.177	46.20	-18.44	64.64	35.49	0.25	10.46	QP
4	0.177	29.50	-25.14	54.64	18.79	0.25	10.46	Average
5	0.211	42.81	-20.37	63.18	32.10	0.25	10.46	QP
6	0.211	27.61	-25.57	53.18	16.90	0.25	10.46	Average
7	0.233	42.93	-19.42	62.35	32.20	0.26	10.47	QP
8	0.233	28.93	-23.42	52.35	18.20	0.26	10.47	Average
9	0.579	34.33	-21.67	56.00	23.59	0.36	10.38	QP
10	0.579	27.43	-18.57	46.00	16.69	0.36	10.38	Average
11	4.952	32.10	-23.90	56.00	21.50	0.40	10.20	QP
12	4.952	22.80	-23.20	46.00	12.20	0.40	10.20	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Maven	Relative Humidity :	52~56%
		Temperature :	22~25°C



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	8	Bluetooth BR_GFSK	00	2402	1Mbps	-	-
Mode 2	2400-2483.5	8	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
Mode 3	2400-2483.5	8	Bluetooth BR_GFSK	78	2480	1Mbps	-	-
Mode 4	2400-2483.5	7	Bluetooth BR_GFSK	00	2402	1Mbps	-	-
Mode 5	2400-2483.5	7	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
Mode 6	2400-2483.5	7	Bluetooth BR_GFSK	78	2480	1Mbps	-	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	00	2388.00	57.27	74.00	-16.73	H	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	00	4804.00	41.26	74.00	-32.74	V	PEAK	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	4882.00	42.58	74.00	-31.42	V	PEAK	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2498.64	57.86	74.00	-16.14	V	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	41.23	74.00	-32.77	V	PEAK	Pass	Harmonic
4	Bluetooth BR_GFSK	00	2389.04	57.18	74.00	-16.82	V	PEAK	Pass	Band Edge
4	Bluetooth BR_GFSK	00	4804.00	40.56	74.00	-33.44	H	PEAK	Pass	Harmonic
5	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
5	Bluetooth BR_GFSK	39	7323.00	42.23	74.00	-31.77	H	PEAK	Pass	Harmonic
6	Bluetooth BR_GFSK	78	2483.89	57.71	74.00	-16.29	H	PEAK	Pass	Band Edge
6	Bluetooth BR_GFSK	78	7440.00	41.56	74.00	-32.44	H	PEAK	Pass	Harmonic





Mode	1																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																													
ANT	8																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.00</td><td>57.27</td><td>74.00</td><td>-16.73</td><td>48.81</td><td>31.90</td><td>7.16</td><td>36.60</td><td>6.00</td><td>148</td><td>17</td><td>PEAK</td></tr><tr><td>2</td><td>2388.00</td><td>32.45</td><td>54.00</td><td>-21.55</td><td>23.99</td><td>31.90</td><td>7.16</td><td>36.60</td><td>6.00</td><td>148</td><td>17</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.00	57.27	74.00	-16.73	48.81	31.90	7.16	36.60	6.00	148	17	PEAK	2	2388.00	32.45	54.00	-21.55	23.99	31.90	7.16	36.60	6.00	148	17	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>114.55</td><td>-----</td><td>-----</td><td>105.92</td><td>32.02</td><td>7.19</td><td>36.58</td><td>6.00</td><td>148</td><td>17</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>89.73</td><td>-----</td><td>-----</td><td>81.10</td><td>32.02</td><td>7.19</td><td>36.58</td><td>6.00</td><td>148</td><td>17</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	114.55	-----	-----	105.92	32.02	7.19	36.58	6.00	148	17	PEAK	2	2402.00	89.73	-----	-----	81.10	32.02	7.19	36.58	6.00	148	17	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2388.00	57.27	74.00	-16.73	48.81	31.90	7.16	36.60	6.00	148	17	PEAK																																																																																																																		
2	2388.00	32.45	54.00	-21.55	23.99	31.90	7.16	36.60	6.00	148	17	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2402.00	114.55	-----	-----	105.92	32.02	7.19	36.58	6.00	148	17	PEAK																																																																																																																		
2	2402.00	89.73	-----	-----	81.10	32.02	7.19	36.58	6.00	148	17	AVERAGE																																																																																																																		





Mode	1																																																																																																																								
	Band Edge																																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																								
ANT	8																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.05</td><td>56.76</td><td>74.00</td><td>-17.24</td><td>48.31</td><td>31.89</td><td>7.16</td><td>36.60</td><td>6.00</td><td>398</td><td>241 PEAK</td></tr><tr><td>2</td><td>2386.05</td><td>31.94</td><td>54.00</td><td>-22.06</td><td>23.49</td><td>31.89</td><td>7.16</td><td>36.60</td><td>6.00</td><td>398</td><td>241 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.05	56.76	74.00	-17.24	48.31	31.89	7.16	36.60	6.00	398	241 PEAK	2	2386.05	31.94	54.00	-22.06	23.49	31.89	7.16	36.60	6.00	398	241 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>112.29</td><td>-----</td><td>-----</td><td>103.66</td><td>32.02</td><td>7.19</td><td>36.58</td><td>6.00</td><td>398</td><td>241 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>87.47</td><td>-----</td><td>-----</td><td>78.84</td><td>32.02</td><td>7.19</td><td>36.58</td><td>6.00</td><td>398</td><td>241 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	112.29	-----	-----	103.66	32.02	7.19	36.58	6.00	398	241 PEAK	2	2402.00	87.47	-----	-----	78.84	32.02	7.19	36.58	6.00	398	241 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2386.05	56.76	74.00	-17.24	48.31	31.89	7.16	36.60	6.00	398	241 PEAK																																																																																																														
2	2386.05	31.94	54.00	-22.06	23.49	31.89	7.16	36.60	6.00	398	241 AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2402.00	112.29	-----	-----	103.66	32.02	7.19	36.58	6.00	398	241 PEAK																																																																																																														
2	2402.00	87.47	-----	-----	78.84	32.02	7.19	36.58	6.00	398	241 AVERAGE																																																																																																														





Mode	1																																																																																																								
	Harmonic																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																								
ANT	8																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>39.14</td><td>74.00</td><td>-34.86</td><td>61.06</td><td>33.80</td><td>10.27</td><td>65.99</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	39.14	74.00	-34.86	61.06	33.80	10.27	65.99	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>41.26</td><td>74.00</td><td>-32.74</td><td>63.18</td><td>33.80</td><td>10.27</td><td>65.99</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	41.26	74.00	-32.74	63.18	33.80	10.27	65.99	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	4804.00	39.14	74.00	-34.86	61.06	33.80	10.27	65.99	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	4804.00	41.26	74.00	-32.74	63.18	33.80	10.27	65.99	0.00	---	---	PEAK																																																																																													




Mode	2																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																													
ANT	8																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.32</td><td>74.00</td><td>-34.68</td><td>61.14</td><td>33.86</td><td>10.35</td><td>66.03</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.11</td><td>74.00</td><td>-31.89</td><td>61.33</td><td>35.55</td><td>12.79</td><td>67.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	39.32	74.00	-34.68	61.14	33.86	10.35	66.03	0.00	---	---	PEAK	2	7323.00	42.11	74.00	-31.89	61.33	35.55	12.79	67.56	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>42.58</td><td>74.00</td><td>-31.42</td><td>64.40</td><td>33.86</td><td>10.35</td><td>66.03</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.16</td><td>74.00</td><td>-32.84</td><td>60.38</td><td>35.55</td><td>12.79</td><td>67.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	42.58	74.00	-31.42	64.40	33.86	10.35	66.03	0.00	---	---	PEAK	2	7323.00	41.16	74.00	-32.84	60.38	35.55	12.79	67.56	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4882.00	39.32	74.00	-34.68	61.14	33.86	10.35	66.03	0.00	---	---	PEAK																																																																																																																		
2	7323.00	42.11	74.00	-31.89	61.33	35.55	12.79	67.56	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4882.00	42.58	74.00	-31.42	64.40	33.86	10.35	66.03	0.00	---	---	PEAK																																																																																																																		
2	7323.00	41.16	74.00	-32.84	60.38	35.55	12.79	67.56	0.00	---	---	PEAK																																																																																																																		





Mode	3																																																																																																																								
	Band Edge																																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																								
ANT	8																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																		
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.43</td><td>57.78</td><td>74.00</td><td>-16.22</td><td>48.74</td><td>32.27</td><td>7.34</td><td>36.57</td><td>6.00</td><td>145</td><td>0 PEAK</td></tr><tr><td>2</td><td>2487.43</td><td>32.96</td><td>54.00</td><td>-21.04</td><td>23.92</td><td>32.27</td><td>7.34</td><td>36.57</td><td>6.00</td><td>145</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.43	57.78	74.00	-16.22	48.74	32.27	7.34	36.57	6.00	145	0 PEAK	2	2487.43	32.96	54.00	-21.04	23.92	32.27	7.34	36.57	6.00	145	0 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>112.78</td><td>-----</td><td>-----</td><td>103.77</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>145</td><td>0 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>87.96</td><td>-----</td><td>-----</td><td>78.95</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>145</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	112.78	-----	-----	103.77	32.26	7.32	36.57	6.00	145	0 PEAK	2	2480.00	87.96	-----	-----	78.95	32.26	7.32	36.57	6.00	145	0 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2487.43	57.78	74.00	-16.22	48.74	32.27	7.34	36.57	6.00	145	0 PEAK																																																																																																														
2	2487.43	32.96	54.00	-21.04	23.92	32.27	7.34	36.57	6.00	145	0 AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2480.00	112.78	-----	-----	103.77	32.26	7.32	36.57	6.00	145	0 PEAK																																																																																																														
2	2480.00	87.96	-----	-----	78.95	32.26	7.32	36.57	6.00	145	0 AVERAGE																																																																																																														



Mode	3																																																											
	Band Edge																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																											
ANT	8																																																											
Pol.	Vertical						Fundamental																																																					
Peak																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>110.72</td><td>74.00</td><td>-16.14</td><td>48.77</td><td>32.30</td><td>7.36</td><td>36.57</td><td>6.00</td><td>371</td><td>253 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>85.90</td><td>54.00</td><td>-20.96</td><td>23.95</td><td>32.30</td><td>7.36</td><td>36.57</td><td>6.00</td><td>371</td><td>253 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	2480.00	110.72	74.00	-16.14	48.77	32.30	7.36	36.57	6.00	371	253 PEAK	2	2480.00	85.90	54.00	-20.96	23.95	32.30	7.36	36.57	6.00	371	253 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																	
1	2480.00	110.72	74.00	-16.14	48.77	32.30	7.36	36.57	6.00	371	253 PEAK																																																	
2	2480.00	85.90	54.00	-20.96	23.95	32.30	7.36	36.57	6.00	371	253 AVERAGE																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>110.72</td><td>74.00</td><td>-16.14</td><td>48.77</td><td>32.30</td><td>7.36</td><td>36.57</td><td>6.00</td><td>371</td><td>253 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>85.90</td><td>54.00</td><td>-20.96</td><td>23.95</td><td>32.30</td><td>7.36</td><td>36.57</td><td>6.00</td><td>371</td><td>253 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	2480.00	110.72	74.00	-16.14	48.77	32.30	7.36	36.57	6.00	371	253 PEAK	2	2480.00	85.90	54.00	-20.96	23.95	32.30	7.36	36.57	6.00	371	253 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																	
1	2480.00	110.72	74.00	-16.14	48.77	32.30	7.36	36.57	6.00	371	253 PEAK																																																	
2	2480.00	85.90	54.00	-20.96	23.95	32.30	7.36	36.57	6.00	371	253 AVERAGE																																																	





Mode	3																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																					
ANT	8																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4960.00</td><td>40.00</td><td>74.00</td><td>-34.00</td><td>61.70</td><td>33.90</td><td>10.44</td><td>66.04</td></tr><tr><td>2</td><td>7440.00</td><td>41.14</td><td>74.00</td><td>-32.86</td><td>60.26</td><td>35.60</td><td>12.93</td><td>67.65</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4960.00	40.00	74.00	-34.00	61.70	33.90	10.44	66.04	2	7440.00	41.14	74.00	-32.86	60.26	35.60	12.93	67.65	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4960.00</td><td>40.15</td><td>74.00</td><td>-33.85</td><td>61.85</td><td>33.90</td><td>10.44</td><td>66.04</td></tr><tr><td>2</td><td>7440.00</td><td>41.23</td><td>74.00</td><td>-32.77</td><td>60.35</td><td>35.60</td><td>12.93</td><td>67.65</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4960.00	40.15	74.00	-33.85	61.85	33.90	10.44	66.04	2	7440.00	41.23	74.00	-32.77	60.35	35.60	12.93	67.65
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																														
1	4960.00	40.00	74.00	-34.00	61.70	33.90	10.44	66.04																																																																																														
2	7440.00	41.14	74.00	-32.86	60.26	35.60	12.93	67.65																																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																														
1	4960.00	40.15	74.00	-33.85	61.85	33.90	10.44	66.04																																																																																														
2	7440.00	41.23	74.00	-32.77	60.35	35.60	12.93	67.65																																																																																														





Mode	4																																																																																																																											
	Band Edge																																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																											
ANT	7																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2347.57</td><td>57.14</td><td>74.00</td><td>-16.86</td><td>49.09</td><td>31.60</td><td>7.10</td><td>36.65</td><td>6.00</td><td>128</td><td>127</td><td>PEAK</td></tr><tr><td>2</td><td>2347.57</td><td>32.32</td><td>54.00</td><td>-21.68</td><td>24.27</td><td>31.60</td><td>7.10</td><td>36.65</td><td>6.00</td><td>128</td><td>127</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2347.57	57.14	74.00	-16.86	49.09	31.60	7.10	36.65	6.00	128	127	PEAK	2	2347.57	32.32	54.00	-21.68	24.27	31.60	7.10	36.65	6.00	128	127	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>113.43</td><td>-----</td><td>104.82</td><td>32.01</td><td>7.18</td><td>36.58</td><td>6.00</td><td>128</td><td>127</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>88.61</td><td>-----</td><td>80.00</td><td>32.01</td><td>7.18</td><td>36.58</td><td>6.00</td><td>128</td><td>127</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	113.43	-----	104.82	32.01	7.18	36.58	6.00	128	127	PEAK	2	2402.00	88.61	-----	80.00	32.01	7.18	36.58	6.00	128	127	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	2347.57	57.14	74.00	-16.86	49.09	31.60	7.10	36.65	6.00	128	127	PEAK																																																																																																																
2	2347.57	32.32	54.00	-21.68	24.27	31.60	7.10	36.65	6.00	128	127	AVERAGE																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	2402.00	113.43	-----	104.82	32.01	7.18	36.58	6.00	128	127	PEAK																																																																																																																	
2	2402.00	88.61	-----	80.00	32.01	7.18	36.58	6.00	128	127	AVERAGE																																																																																																																	



Mode	4																																																																																																																						
	Band Edge																																																																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																						
ANT	7																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.04</td><td>57.18</td><td>74.00</td><td>-16.82</td><td>48.71</td><td>31.91</td><td>7.16</td><td>36.60</td><td>6.00</td><td>357</td><td>234 PEAK</td></tr><tr><td>2</td><td>2389.04</td><td>32.36</td><td>54.00</td><td>-21.64</td><td>23.89</td><td>31.91</td><td>7.16</td><td>36.60</td><td>6.00</td><td>357</td><td>234 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.04	57.18	74.00	-16.82	48.71	31.91	7.16	36.60	6.00	357	234 PEAK	2	2389.04	32.36	54.00	-21.64	23.89	31.91	7.16	36.60	6.00	357	234 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>108.32</td><td>-----</td><td>99.71</td><td>32.01</td><td>7.18</td><td>36.58</td><td>6.00</td><td>357</td><td>234 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>83.50</td><td>-----</td><td>74.89</td><td>32.01</td><td>7.18</td><td>36.58</td><td>6.00</td><td>357</td><td>234 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	108.32	-----	99.71	32.01	7.18	36.58	6.00	357	234 PEAK	2	2402.00	83.50	-----	74.89	32.01	7.18	36.58	6.00	357	234 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2389.04	57.18	74.00	-16.82	48.71	31.91	7.16	36.60	6.00	357	234 PEAK																																																																																																												
2	2389.04	32.36	54.00	-21.64	23.89	31.91	7.16	36.60	6.00	357	234 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2402.00	108.32	-----	99.71	32.01	7.18	36.58	6.00	357	234 PEAK																																																																																																													
2	2402.00	83.50	-----	74.89	32.01	7.18	36.58	6.00	357	234 AVERAGE																																																																																																													





Mode	4																																																																																																								
	Harmonic																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																								
ANT	7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4004.00</td><td>40.56</td><td>74.00</td><td>-33.44</td><td>62.48</td><td>33.80</td><td>10.27</td><td>65.99</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4004.00	40.56	74.00	-33.44	62.48	33.80	10.27	65.99	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4004.00</td><td>39.16</td><td>74.00</td><td>-34.84</td><td>61.08</td><td>33.80</td><td>10.27</td><td>65.99</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4004.00	39.16	74.00	-34.84	61.08	33.80	10.27	65.99	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	4004.00	40.56	74.00	-33.44	62.48	33.80	10.27	65.99	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	4004.00	39.16	74.00	-34.84	61.08	33.80	10.27	65.99	0.00	---	---	PEAK																																																																																													



Mode	5																																																																																																																																							
	Harmonic																																																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																							
ANT	7																																																																																																																																							
Pol.	Horizontal												Vertical																																																																																																																											
Peak Avg																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>39.35</td><td>74.00</td><td>-34.65</td><td>61.17</td><td>33.86</td><td>10.35</td><td>66.03</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.23</td><td>74.00</td><td>-31.77</td><td>61.45</td><td>35.55</td><td>12.79</td><td>67.56</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	39.35	74.00	-34.65	61.17	33.86	10.35	66.03	0.00	---	--- PEAK	2	7323.00	42.23	74.00	-31.77	61.45	35.55	12.79	67.56	0.00	---	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>39.02</td><td>74.00</td><td>-34.98</td><td>60.84</td><td>33.86</td><td>10.35</td><td>66.03</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.63</td><td>74.00</td><td>-32.37</td><td>60.85</td><td>35.55</td><td>12.79</td><td>67.56</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4882.00	39.02	74.00	-34.98	60.84	33.86	10.35	66.03	0.00	---	--- PEAK	2	7323.00	41.63	74.00	-32.37	60.85	35.55	12.79	67.56	0.00	---	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	4882.00	39.35	74.00	-34.65	61.17	33.86	10.35	66.03	0.00	---	--- PEAK																																																																																																																													
2	7323.00	42.23	74.00	-31.77	61.45	35.55	12.79	67.56	0.00	---	--- PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	4882.00	39.02	74.00	-34.98	60.84	33.86	10.35	66.03	0.00	---	--- PEAK																																																																																																																													
2	7323.00	41.63	74.00	-32.37	60.85	35.55	12.79	67.56	0.00	---	--- PEAK																																																																																																																													





Mode	6																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.89</td><td>57.71</td><td>74.00</td><td>-16.29</td><td>48.68</td><td>32.27</td><td>7.33</td><td>36.57</td><td>6.00</td><td>164</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>2483.89</td><td>32.89</td><td>54.00</td><td>-21.11</td><td>23.86</td><td>32.27</td><td>7.33</td><td>36.57</td><td>6.00</td><td>164</td><td>133</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.89	57.71	74.00	-16.29	48.68	32.27	7.33	36.57	6.00	164	133	PEAK	2	2483.89	32.89	54.00	-21.11	23.86	32.27	7.33	36.57	6.00	164	133	AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>113.06</td><td>-----</td><td>-----</td><td>104.05</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>164</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>88.24</td><td>-----</td><td>-----</td><td>79.23</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>164</td><td>133</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	113.06	-----	-----	104.05	32.26	7.32	36.57	6.00	164	133	PEAK	2	2480.00	88.24	-----	-----	79.23	32.26	7.32	36.57	6.00	164	133	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2483.89	57.71	74.00	-16.29	48.68	32.27	7.33	36.57	6.00	164	133	PEAK																																																																																																																		
2	2483.89	32.89	54.00	-21.11	23.86	32.27	7.33	36.57	6.00	164	133	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2480.00	113.06	-----	-----	104.05	32.26	7.32	36.57	6.00	164	133	PEAK																																																																																																																		
2	2480.00	88.24	-----	-----	79.23	32.26	7.32	36.57	6.00	164	133	AVERAGE																																																																																																																		





Mode	6																																																																						
	Band Edge																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																						
ANT	7																																																																						
Pol.	Vertical						Fundamental																																																																
Peak																																																																							
<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2489.97</td><td>57.52</td><td>74.00</td><td>-16.48</td><td>48.47</td><td>32.28</td><td>7.34</td><td>36.57</td><td>6.00</td><td>339</td><td>217 PEAK</td></tr><tr><td>2</td><td>2489.97</td><td>32.70</td><td>54.00</td><td>-21.30</td><td>23.65</td><td>32.28</td><td>7.34</td><td>36.57</td><td>6.00</td><td>339</td><td>217 AVERAGE</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2489.97	57.52	74.00	-16.48	48.47	32.28	7.34	36.57	6.00	339	217 PEAK	2	2489.97	32.70	54.00	-21.30	23.65	32.28	7.34	36.57	6.00	339	217 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	2489.97	57.52	74.00	-16.48	48.47	32.28	7.34	36.57	6.00	339	217 PEAK																																																												
2	2489.97	32.70	54.00	-21.30	23.65	32.28	7.34	36.57	6.00	339	217 AVERAGE																																																												
<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>109.20</td><td>-----</td><td>-----</td><td>100.19</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>339</td><td>217 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>84.38</td><td>-----</td><td>-----</td><td>75.37</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>339</td><td>217 AVERAGE</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2480.00	109.20	-----	-----	100.19	32.26	7.32	36.57	6.00	339	217 PEAK	2	2480.00	84.38	-----	-----	75.37	32.26	7.32	36.57	6.00	339	217 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	2480.00	109.20	-----	-----	100.19	32.26	7.32	36.57	6.00	339	217 PEAK																																																												
2	2480.00	84.38	-----	-----	75.37	32.26	7.32	36.57	6.00	339	217 AVERAGE																																																												





Mode	6																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.29</td><td>74.00</td><td>-33.71</td><td>61.99</td><td>33.90</td><td>10.44</td><td>66.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.56</td><td>74.00</td><td>-32.44</td><td>60.68</td><td>35.60</td><td>12.93</td><td>67.65</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.29	74.00	-33.71	61.99	33.90	10.44	66.04	0.00	---	---	PEAK	2	7440.00	41.56	74.00	-32.44	60.68	35.60	12.93	67.65	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.18</td><td>74.00</td><td>-32.82</td><td>62.88</td><td>33.90</td><td>10.44</td><td>66.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.54</td><td>74.00</td><td>-32.46</td><td>60.66</td><td>35.60</td><td>12.93</td><td>67.65</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.18	74.00	-32.82	62.88	33.90	10.44	66.04	0.00	---	---	PEAK	2	7440.00	41.54	74.00	-32.46	60.66	35.60	12.93	67.65	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.29	74.00	-33.71	61.99	33.90	10.44	66.04	0.00	---	---	PEAK																																																																																																																		
2	7440.00	41.56	74.00	-32.44	60.68	35.60	12.93	67.65	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	41.18	74.00	-32.82	62.88	33.90	10.44	66.04	0.00	---	---	PEAK																																																																																																																		
2	7440.00	41.54	74.00	-32.46	60.66	35.60	12.93	67.65	0.00	---	---	PEAK																																																																																																																		




Mode	3	
	18-25G	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz	
ANT	8	
Pol.	Horizontal	Vertical
Peak Avg		




Mode	3																																																																																																											
	LF																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																											
ANT	8																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
QP																																																																																																												
	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>94.02</td><td>25.51</td><td>43.50</td><td>-17.99</td><td>40.99</td><td>15.24</td><td>1.34</td><td>32.06</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>206.54</td><td>21.89</td><td>43.50</td><td>-21.61</td><td>36.83</td><td>15.11</td><td>2.02</td><td>32.07</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>290.93</td><td>21.33</td><td>46.00</td><td>-24.67</td><td>31.75</td><td>19.25</td><td>2.40</td><td>32.07</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>343.31</td><td>25.08</td><td>46.00</td><td>-20.92</td><td>34.44</td><td>20.15</td><td>2.60</td><td>32.11</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>648.86</td><td>24.97</td><td>46.00</td><td>-21.03</td><td>26.95</td><td>26.69</td><td>3.59</td><td>32.26</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>947.62</td><td>31.02</td><td>46.00</td><td>-14.98</td><td>26.97</td><td>30.61</td><td>4.35</td><td>30.91</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	94.02	25.51	43.50	-17.99	40.99	15.24	1.34	32.06	0.00	---	Peak	2	206.54	21.89	43.50	-21.61	36.83	15.11	2.02	32.07	0.00	---	Peak	3	290.93	21.33	46.00	-24.67	31.75	19.25	2.40	32.07	0.00	---	Peak	4	343.31	25.08	46.00	-20.92	34.44	20.15	2.60	32.11	0.00	---	Peak	5	648.86	24.97	46.00	-21.03	26.95	26.69	3.59	32.26	0.00	---	Peak	6	947.62	31.02	46.00	-14.98	26.97	30.61	4.35	30.91	0.00	---	Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	94.02	25.51	43.50	-17.99	40.99	15.24	1.34	32.06	0.00	---	Peak																																																																																																	
2	206.54	21.89	43.50	-21.61	36.83	15.11	2.02	32.07	0.00	---	Peak																																																																																																	
3	290.93	21.33	46.00	-24.67	31.75	19.25	2.40	32.07	0.00	---	Peak																																																																																																	
4	343.31	25.08	46.00	-20.92	34.44	20.15	2.60	32.11	0.00	---	Peak																																																																																																	
5	648.86	24.97	46.00	-21.03	26.95	26.69	3.59	32.26	0.00	---	Peak																																																																																																	
6	947.62	31.02	46.00	-14.98	26.97	30.61	4.35	30.91	0.00	---	Peak																																																																																																	
<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>40.67</td><td>30.94</td><td>40.00</td><td>-9.06</td><td>43.06</td><td>19.33</td><td>0.62</td><td>32.07</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>93.05</td><td>23.38</td><td>43.50</td><td>-20.12</td><td>39.01</td><td>15.11</td><td>1.32</td><td>32.06</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>144.46</td><td>23.51</td><td>43.50</td><td>-19.99</td><td>36.58</td><td>17.29</td><td>1.67</td><td>32.03</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>190.05</td><td>20.58</td><td>43.50</td><td>-22.92</td><td>36.01</td><td>14.70</td><td>1.93</td><td>32.06</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>570.29</td><td>25.85</td><td>46.00</td><td>-20.15</td><td>28.67</td><td>26.12</td><td>3.36</td><td>32.30</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>913.67</td><td>30.38</td><td>46.00</td><td>-15.62</td><td>27.93</td><td>29.42</td><td>4.28</td><td>31.25</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	40.67	30.94	40.00	-9.06	43.06	19.33	0.62	32.07	0.00	---	Peak	2	93.05	23.38	43.50	-20.12	39.01	15.11	1.32	32.06	0.00	---	Peak	3	144.46	23.51	43.50	-19.99	36.58	17.29	1.67	32.03	0.00	---	Peak	4	190.05	20.58	43.50	-22.92	36.01	14.70	1.93	32.06	0.00	---	Peak	5	570.29	25.85	46.00	-20.15	28.67	26.12	3.36	32.30	0.00	---	Peak	6	913.67	30.38	46.00	-15.62	27.93	29.42	4.28	31.25	0.00	---	Peak	
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	40.67	30.94	40.00	-9.06	43.06	19.33	0.62	32.07	0.00	---	Peak																																																																																																	
2	93.05	23.38	43.50	-20.12	39.01	15.11	1.32	32.06	0.00	---	Peak																																																																																																	
3	144.46	23.51	43.50	-19.99	36.58	17.29	1.67	32.03	0.00	---	Peak																																																																																																	
4	190.05	20.58	43.50	-22.92	36.01	14.70	1.93	32.06	0.00	---	Peak																																																																																																	
5	570.29	25.85	46.00	-20.15	28.67	26.12	3.36	32.30	0.00	---	Peak																																																																																																	
6	913.67	30.38	46.00	-15.62	27.93	29.42	4.28	31.25	0.00	---	Peak																																																																																																	

Appendix D. Duty Cycle Plots

3DH5 on time (One Pulse) Plot on Channel 39



3DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.87 / 100 = 5.74 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.82 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.