











Test Graphs














































Small RU

Maximum power spectral density

Test Result


Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20MIMO	Ant6	5180	52Tone+26Tone	RU38	4.32	≤11.00	PASS
			106Tone+26Tone	RU53	5.09	≤11.00	PASS
	Ant7	5180	52Tone+26Tone	RU38	4.8	≤11.00	PASS
			106Tone+26Tone	RU53	5.55	≤11.00	PASS
	total	5180	52Tone+26Tone	RU38	7.58	≤11.00	PASS
			106Tone+26Tone	RU53	8.34	≤11.00	PASS
	Ant6	5320	52Tone+26Tone	RU39	6.68	≤11.00	PASS
			106Tone+26Tone	RU54	6.41	≤11.00	PASS
	Ant7	5320	52Tone+26Tone	RU39	7.9	≤11.00	PASS
			106Tone+26Tone	RU54	7.7	≤11.00	PASS
	total	5320	52Tone+26Tone	RU39	10.34	≤11.00	PASS
			106Tone+26Tone	RU54	10.11	≤11.00	PASS
	Ant6	5500	52Tone+26Tone	RU38	4.42	≤11.00	PASS
			106Tone+26Tone	RU53	4.98	≤11.00	PASS
	Ant7	5500	52Tone+26Tone	RU38	5.31	≤11.00	PASS
			106Tone+26Tone	RU53	5.79	≤11.00	PASS
	total	5500	52Tone+26Tone	RU38	7.90	≤11.00	PASS
			106Tone+26Tone	RU53	8.41	≤11.00	PASS
	Ant6	5700	52Tone+26Tone	RU39	3.33	≤11.00	PASS
			106Tone+26Tone	RU54	4.39	≤11.00	PASS
	Ant7	5700	52Tone+26Tone	RU39	4.16	≤11.00	PASS
			106Tone+26Tone	RU54	5.1	≤11.00	PASS
	total	5700	52Tone+26Tone	RU39	6.78	≤11.00	PASS
			106Tone+26Tone	RU54	7.77	≤11.00	PASS
	Ant6	5745	52Tone+26Tone	RU38	4.88	≤30.00	PASS
			106Tone+26Tone	RU53	4.47	≤30.00	PASS
	Ant7	5745	52Tone+26Tone	RU38	5.56	≤30.00	PASS
			106Tone+26Tone	RU53	5.51	≤30.00	PASS
	total	5745	52Tone+26Tone	RU38	8.24	≤30.00	PASS
			106Tone+26Tone	RU53	8.03	≤30.00	PASS
	Ant6	5825	52Tone+26Tone	RU39	4.1	≤30.00	PASS
			106Tone+26Tone	RU54	3.83	≤30.00	PASS
	Ant7	5825	52Tone+26Tone	RU39	4.87	≤30.00	PASS
			106Tone+26Tone	RU54	4.88	≤30.00	PASS
	total	5825	52Tone+26Tone	RU39	7.51	≤30.00	PASS
			106Tone+26Tone	RU54	7.40	≤30.00	PASS



Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and is compensated in the graph.





Test Graphs





































Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 24+80 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.239	30.93	-31.20	62.13	20.20	0.26	10.47	QP
2	0.239	21.73	-30.40	52.13	11.00	0.26	10.47	Average
3	0.630	32.73	-23.27	56.00	22.00	0.37	10.36	QP
4 *	0.630	27.63	-18.37	46.00	16.90	0.37	10.36	Average
5	2.978	32.12	-23.88	56.00	21.50	0.40	10.22	QP
6	2.978	22.82	-23.18	46.00	12.20	0.40	10.22	Average
7	3.642	30.81	-25.19	56.00	20.20	0.40	10.21	QP
8	3.642	20.81	-25.19	46.00	10.20	0.40	10.21	Average
9	4.647	31.91	-24.09	56.00	21.31	0.40	10.20	QP
10	4.647	24.81	-21.19	46.00	14.21	0.40	10.20	Average
11	16.140	31.40	-28.60	60.00	20.19	0.92	10.29	QP
12	16.140	22.70	-27.30	50.00	11.49	0.92	10.29	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Maven	Relative Humidity :	52~ 6%
		Temperature :	22~25°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 6+7	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 6+7	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 6+7	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 6+7	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 6+7	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 6+7	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 6+7	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 6+7	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 6+7	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	52	5260	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT40	46	5230	MCS0	-	-
Mode 21	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT40	110	5550	MCS0	-	-
Mode 25	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT40	134	5670	MCS0	-	-
Mode 26	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT80	42	5210	MCS0	-	-
Mode 27	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT80	58	5290	MCS0	-	-
Mode 28	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	106	5530	MCS0	-	-
Mode 29	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	122	5610	MCS0	-	-
Mode 30	U-NII-1	5.15-5.35	CDD 6+7	802.11be EHT160	50	5250	MCS0	-	-
Mode 31	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT160	114	5570	MCS0	-	-
Mode 32	U-NII-3	5.725-5.85	CDD 6+7	802.11a	149	5745	6Mbps	-	-
Mode 33	U-NII-3	5.725-5.85	CDD 6+7	802.11a	157	5785	6Mbps	-	-
Mode 34	U-NII-3	5.725-5.85	CDD 6+7	802.11a	165	5825	6Mbps	-	-
Mode 35	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	149	5745	MCS0	-	-
Mode 36	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	157	5785	MCS0	-	-



Mode 37	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	165	5825	MCS0	-	-
Mode 38	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT40	151	5755	MCS0	-	-
Mode 39	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT40	159	5795	MCS0	-	-
Mode 40	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	-	-
Mode 41	U-NII-2C	5.47-5.85	CDD 6+7	802.11a	144	5720	6Mbps	-	-
Mode 42	U-NII-2C	5.47-5.85	CDD 6+7	802.11be EHT20	144	5720	MCS0	-	-
Mode 43	U-NII-2C	5.47-5.85	CDD 6+7	802.11be EHT40	142	5710	MCS0	-	-
Mode 44	U-NII-2C	5.47-5.85	CDD 6+7	802.11be EHT80	138	5690	MCS0	-	-
Mode 45	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	36	5180	MCS0	RU 52/37	-
Mode 46	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	64	5320	MCS0	RU 106/54	-
Mode 47	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	100	5500	MCS0	RU 52/37	-
Mode 48	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	140	5700	MCS0	RU 52/40	-
Mode 49	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	149	5745	MCS0	RU 52/37	-
Mode 50	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	165	5825	MCS0	RU 52/40	-
Mode 51	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	36	5180	MCS0	Index 53+4	-
Mode 52	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	64	5320	MCS0	Index 39+7	-
Mode 53	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	100	5500	MCS0	Index 38+1	-
Mode 54	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	140	5700	MCS0	Index 54+4	-
Mode 55	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	149	5745	MCS0	Index 38+1	-
Mode 56	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	165	5825	MCS0	Index 39+7	-
Mode 57	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT80	42	5210	MCS0	Puncturing 20M④	-
Mode 58	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT80	58	5290	MCS0	Puncturing 20M①	-
Mode 59	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	106	5530	MCS0	Puncturing 20M④	-
Mode 60	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	122	5610	MCS0	Puncturing 20M①	-
Mode 61	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	Puncturing 20M④	-
Mode 62	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	Puncturing 20M①	-
Mode 63	U-NII-1	5.15-5.35	CDD 6+7	802.11be EHT160	50	5250	MCS0	Puncturing 20M①	-
Mode 64	U-NII-1	5.15-5.35	CDD 6+7	802.11be EHT160	50	5250	MCS0	Puncturing 20M⑧	-
Mode 65	U-NII-1	5.15-5.35	CDD 6+7	802.11be EHT160	50	5250	MCS0	Puncturing 40M①	-
Mode 66	U-NII-1	5.15-5.35	CDD 6+7	802.11be EHT160	50	5250	MCS0	Puncturing 40M④	-
Mode 67	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT160	114	5570	MCS0	Puncturing 20M①	-
Mode 68	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT160	114	5570	MCS0	Puncturing 20M⑧	-
Mode 69	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT160	114	5570	MCS0	Puncturing 40M①	-
Mode 70	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT160	114	5570	MCS0	Puncturing 40M④	-
Mode 71	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT80	42	5210	MCS0	Large RU 484+242④	-
Mode 72	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT80	58	5290	MCS0	Large RU 484+242②	-
Mode 73	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	106	5530	MCS0	Large RU 484+242④	-
Mode 74	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	122	5610	MCS0	Large RU 484+242②	-
Mode 75	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	Large RU 484+242④	-
Mode 76	U-NII-1	5.15-5.35	CDD 6+7	802.11be EHT160	50	5250	MCS0	Large RU 996+484④	-
Mode 77	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT160	114	5570	MCS0	Large RU 996+484④	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5150.00	50.87	54.00	-3.13	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	45.08	68.20	-23.12	H	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	47.04	68.20	-21.16	H	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	47.64	68.20	-20.56	H	PEAK	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	49.10	68.20	-19.10	H	PEAK	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	39.57	54.00	-14.43	H	AVERAGE	Pass	Harmonic
6	802.11a	64	5350.00	49.34	54.00	-4.66	H	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	38.22	54.00	-15.78	H	AVERAGE	Pass	Harmonic
7	802.11a	100	5458.64	47.52	54.00	-6.48	H	AVERAGE	Pass	Band Edge
7	802.11a	100	11000.00	37.09	54.00	-16.91	H	AVERAGE	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	45.05	74.00	-28.95	V	PEAK	Pass	Harmonic
9	802.11a	140	5727.80	62.29	68.20	-5.91	H	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	43.84	74.00	-30.16	V	PEAK	Pass	Harmonic
10	802.11be EHT20	36	5149.90	50.84	54.00	-3.16	H	AVERAGE	Pass	Band Edge
10	802.11be EHT20	36	10360.00	44.32	68.20	-23.88	H	PEAK	Pass	Harmonic
11	802.11be EHT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11be EHT20	44	10440.00	45.05	68.20	-23.15	H	PEAK	Pass	Harmonic
12	802.11be EHT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11be EHT20	48	10480.00	44.69	68.20	-23.51	V	PEAK	Pass	Harmonic
13	802.11be EHT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11be EHT20	52	10520.00	45.10	68.20	-23.10	V	PEAK	Pass	Harmonic
14	802.11be EHT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT20	60	10600.00	43.95	68.20	-24.25	V	PEAK	Pass	Harmonic
15	802.11be EHT20	64	5350.00	50.83	54.00	-3.17	H	AVERAGE	Pass	Band Edge
15	802.11be EHT20	64	10640.00	43.88	74.00	-30.12	V	PEAK	Pass	Harmonic
16	802.11be EHT20	100	5467.60	64.83	68.20	-3.37	H	PEAK	Pass	Band Edge
16	802.11be EHT20	100	11000.00	45.72	74.00	-28.28	V	PEAK	Pass	Harmonic
17	802.11be EHT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11be EHT20	116	11160.00	44.69	74.00	-29.31	H	PEAK	Pass	Harmonic
18	802.11be EHT20	140	5725.48	64.63	68.20	-3.57	V	PEAK	Pass	Band Edge
18	802.11be EHT20	140	11400.00	43.16	74.00	-30.84	V	PEAK	Pass	Harmonic
19	802.11be EHT40	38	5149.76	50.05	54.00	-3.95	H	AVERAGE	Pass	Band Edge
19	802.11be EHT40	38	10380.00	44.59	68.20	-23.61	V	PEAK	Pass	Harmonic
20	802.11be EHT40	46	5145.28	48.84	54.00	-5.16	V	AVERAGE	Pass	Band Edge
20	802.11be EHT40	46	10460.00	43.21	68.20	-24.99	V	PEAK	Pass	Harmonic
21	802.11be EHT40	54	5134.19	48.91	54.00	-5.09	V	AVERAGE	Pass	Band Edge
21	802.11be EHT40	54	10540.00	43.98	68.20	-24.22	V	PEAK	Pass	Harmonic
22	802.11be EHT40	62	5129.76	48.72	54.00	-5.28	H	AVERAGE	Pass	Band Edge



22	802.11be EHT40	62	10620.00	43.32	74.00	-30.68	V	PEAK	Pass	Harmonic
23	802.11be EHT40	102	5469.20	63.72	68.20	-4.48	V	PEAK	Pass	Band Edge
23	802.11be EHT40	102	11020.00	45.98	74.00	-28.02	H	PEAK	Pass	Harmonic
24	802.11be EHT40	110	5452.00	47.38	54.00	-6.62	H	AVERAGE	Pass	Band Edge
24	802.11be EHT40	110	11100.00	44.49	74.00	-29.51	H	PEAK	Pass	Harmonic
25	802.11be EHT40	134	5455.92	47.11	54.00	-6.89	H	AVERAGE	Pass	Band Edge
25	802.11be EHT40	134	11340.00	43.47	74.00	-30.53	H	PEAK	Pass	Harmonic
26	802.11be EHT80	42	5149.76	48.28	54.00	-5.72	H	AVERAGE	Pass	Band Edge
26	802.11be EHT80	42	10420.00	44.92	68.20	-23.28	V	PEAK	Pass	Harmonic
27	802.11be EHT80	58	5352.70	50.02	54.00	-3.98	H	AVERAGE	Pass	Band Edge
27	802.11be EHT80	58	10580.00	43.85	68.20	-24.35	H	PEAK	Pass	Harmonic
28	802.11be EHT80	106	5458.64	48.26	54.00	-5.74	H	AVERAGE	Pass	Band Edge
28	802.11be EHT80	106	11060.00	45.20	74.00	-28.80	H	PEAK	Pass	Harmonic
29	802.11be EHT80	122	5458.16	43.14	54.00	-10.86	H	AVERAGE	Pass	Band Edge
29	802.11be EHT80	122	11220.00	43.09	74.00	-30.91	V	PEAK	Pass	Harmonic
30	802.11be EHT160	50	5135.00	50.55	54.00	-3.45	H	AVERAGE	Pass	Band Edge
30	802.11be EHT160	50	10500.00	43.49	68.20	-24.71	H	PEAK	Pass	Harmonic
31	802.11be EHT160	114	5454.94	50.77	54.00	-3.23	H	AVERAGE	Pass	Band Edge
31	802.11be EHT160	114	11140.00	45.29	74.00	-28.71	V	PEAK	Pass	Harmonic
32	802.11a	149	5615.20	58.21	68.20	-9.99	H	PEAK	Pass	Band Edge
32	802.11a	149	11490.00	43.50	74.00	-30.50	H	PEAK	Pass	Harmonic
33	802.11a	157	-	-	-	-	-	-	-	Band Edge
33	802.11a	157	11570.00	45.48	74.00	-28.52	V	PEAK	Pass	Harmonic
34	802.11a	165	5936.40	58.62	68.20	-9.58	V	PEAK	Pass	Band Edge
34	802.11a	165	11650.00	44.86	74.00	-29.14	V	PEAK	Pass	Harmonic
35	802.11be EHT20	149	5620.00	49.87	68.20	-18.33	H	PEAK	Pass	Band Edge
35	802.11be EHT20	149	11490.00	44.72	74.00	-29.28	V	PEAK	Pass	Harmonic
36	802.11be EHT20	157	-	-	-	-	-	-	-	Band Edge
36	802.11be EHT20	157	11570.00	44.09	74.00	-29.91	H	PEAK	Pass	Harmonic
37	802.11be EHT20	165	5949.20	58.91	68.20	-9.29	H	PEAK	Pass	Band Edge
37	802.11be EHT20	165	11650.00	44.79	74.00	-29.21	V	PEAK	Pass	Harmonic
38	802.11be EHT40	151	5942.79	58.38	68.20	-9.82	H	PEAK	Pass	Band Edge
38	802.11be EHT40	151	11510.00	43.20	74.00	-30.80	V	PEAK	Pass	Harmonic
39	802.11be EHT40	159	5934.40	59.73	68.20	-8.47	H	PEAK	Pass	Band Edge
39	802.11be EHT40	159	11590.00	44.98	74.00	-29.02	H	PEAK	Pass	Harmonic
40	802.11be EHT80	155	5650.00	59.93	68.20	-8.27	H	PEAK	Pass	Band Edge
40	802.11be EHT80	155	11550.00	44.53	74.00	-29.47	V	PEAK	Pass	Harmonic
41	802.11a	144	-	-	-	-	-	-	-	Band Edge
41	802.11a	144	11440.00	44.29	74.00	-29.71	V	PEAK	Pass	Harmonic
42	802.11be EHT20	144	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT20	144	11440.00	44.57	74.00	-29.43	V	PEAK	Pass	Harmonic
43	802.11be EHT40	142	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT40	142	11420.00	44.65	74.00	-29.35	H	PEAK	Pass	Harmonic
44	802.11be EHT80	138	-	-	-	-	-	-	-	Band Edge
44	802.11be EHT80	138	11380.00	43.97	74.00	-30.03	H	PEAK	Pass	Harmonic



45	802.11be EHT20	36	5142.10	38.78	54.00	-15.22	H	AVERAGE	Pass	Band Edge
45	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
46	802.11be EHT20	64	5350.70	64.32	74.00	-9.68	V	PEAK	Pass	Band Edge
46	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
47	802.11be EHT20	100	5459.76	37.29	54.00	-16.71	H	AVERAGE	Pass	Band Edge
47	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
48	802.11be EHT20	140	5748.52	49.73	68.20	-18.47	V	PEAK	Pass	Band Edge
48	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
49	802.11be EHT20	149	5637.60	48.43	68.20	-19.77	H	PEAK	Pass	Band Edge
49	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
50	802.11be EHT20	165	5974.00	50.05	68.20	-18.15	H	PEAK	Pass	Band Edge
50	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
51	802.11be EHT20	36	5149.90	39.81	54.00	-14.19	H	AVERAGE	Pass	Band Edge
51	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
52	802.11be EHT20	64	5350.10	37.53	54.00	-16.47	H	AVERAGE	Pass	Band Edge
52	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
53	802.11be EHT20	100	5459.28	37.03	54.00	-16.97	H	AVERAGE	Pass	Band Edge
53	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
54	802.11be EHT20	140	5726.12	50.66	68.20	-17.54	H	PEAK	Pass	Band Edge
54	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
55	802.11be EHT20	149	5606.80	48.45	68.20	-19.75	V	PEAK	Pass	Band Edge
55	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT20	165	5956.80	50.41	68.20	-17.79	V	PEAK	Pass	Band Edge
56	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
57	802.11be EHT80	42	5148.00	44.72	54.00	-9.28	H	AVERAGE	Pass	Band Edge
57	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
58	802.11be EHT80	58	5350.30	42.42	54.00	-11.58	H	AVERAGE	Pass	Band Edge
58	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT80	106	5458.80	41.37	54.00	-12.63	H	AVERAGE	Pass	Band Edge
59	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
60	802.11be EHT80	122	5456.40	39.16	54.00	-14.84	H	AVERAGE	Pass	Band Edge
60	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT80	155	5933.20	49.30	68.20	-18.90	H	PEAK	Pass	Band Edge
61	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
62	802.11be EHT80	155	5648.00	50.30	68.20	-17.90	V	PEAK	Pass	Band Edge
62	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT160	50	5145.50	50.28	54.00	-3.72	H	AVERAGE	Pass	Band Edge
63	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
64	802.11be EHT160	50	5145.75	48.82	54.00	-5.18	H	AVERAGE	Pass	Band Edge
64	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT160	50	5145.00	47.90	54.00	-6.10	H	AVERAGE	Pass	Band Edge
65	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT160	50	5148.00	47.84	54.00	-6.16	H	AVERAGE	Pass	Band Edge
66	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT160	114	5453.62	46.45	54.00	-7.55	H	AVERAGE	Pass	Band Edge



67	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT160	114	5456.92	48.19	54.00	-5.81	H	AVERAGE	Pass	Band Edge
68	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT160	114	5458.24	46.52	54.00	-7.48	H	AVERAGE	Pass	Band Edge
69	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT160	114	5456.70	47.06	54.00	-6.94	H	AVERAGE	Pass	Band Edge
70	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT80	42	5148.00	49.61	54.00	-4.39	H	AVERAGE	Pass	Band Edge
71	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT80	58	5350.00	47.08	54.00	-6.92	H	AVERAGE	Pass	Band Edge
72	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT80	106	5459.12	46.45	54.00	-7.55	H	AVERAGE	Pass	Band Edge
73	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT80	122	5733.08	59.64	68.20	-8.56	H	PEAK	Pass	Band Edge
74	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT80	155	5642.40	52.95	68.20	-15.25	H	PEAK	Pass	Band Edge
75	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT160	50	5147.75	50.14	54.00	-3.86	H	AVERAGE	Pass	Band Edge
76	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
77	802.11be EHT160	114	5457.58	49.54	54.00	-4.46	H	AVERAGE	Pass	Band Edge
77	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic





**Co-location****Radiated Spurious Emission Test Modes**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 78	2400-2483.5	2400-2483.5	7	Bluetooth-LE_GSKF	38	2462	2Mbps	Full	-
	U-NII-1	5.15-5.25	CDD 6+7	802.11a	36	5180	6Mbps	-	-





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
78	802.11a	36	-	-	-	-	-	-	-	Band Edge
	802.11a	36	10360.50	42.18	68.20	-26.02	V	-	Pass	Harmonic



Mode	1																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																		
ANT	CDD 6+7																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.20</td><td>60.82</td><td>74.00</td><td>-13.18</td><td>53.01</td><td>34.60</td><td>10.65</td><td>37.44</td><td>0.00</td><td>122</td><td>300</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.20	60.82	74.00	-13.18	53.01	34.60	10.65	37.44	0.00	122	300	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>111.99</td><td>-----</td><td>-----</td><td>104.03</td><td>34.70</td><td>10.68</td><td>37.42</td><td>0.00</td><td>122</td><td>300</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.99	-----	-----	104.03	34.70	10.68	37.42	0.00	122	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5146.20	60.82	74.00	-13.18	53.01	34.60	10.65	37.44	0.00	122	300	PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5180.00	111.99	-----	-----	104.03	34.70	10.68	37.42	0.00	122	300	PEAK																																																																																																							
Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>50.87</td><td>54.00</td><td>-3.13</td><td>43.05</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>122</td><td>300</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	50.87	54.00	-3.13	43.05	34.60	10.65	37.43	0.00	122	300	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.38</td><td>-----</td><td>-----</td><td>97.38</td><td>34.73</td><td>10.69</td><td>37.42</td><td>0.00</td><td>122</td><td>300</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.38	-----	-----	97.38	34.73	10.69	37.42	0.00	122	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5150.00	50.87	54.00	-3.13	43.05	34.60	10.65	37.43	0.00	122	300	AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5180.00	105.38	-----	-----	97.38	34.73	10.69	37.42	0.00	122	300	AVERAGE																																																																																																							





Mode	1																																																																																																	
	Band Edge																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																	
ANT	CDD 6+7																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.40</td><td>59.31</td><td>74.00</td><td>-14.69</td><td>51.50</td><td>34.60</td><td>10.65</td><td>37.44</td><td>0.00</td><td>322 268 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.40	59.31	74.00	-14.69	51.50	34.60	10.65	37.44	0.00	322 268 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.96</td><td>-----</td><td>-----</td><td>100.93</td><td>34.75</td><td>10.70</td><td>37.42</td><td>0.00</td><td>322 268 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.96	-----	-----	100.93	34.75	10.70	37.42	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5142.40	59.31	74.00	-14.69	51.50	34.60	10.65	37.44	0.00	322 268 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	108.96	-----	-----	100.93	34.75	10.70	37.42	0.00	322 268 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.20</td><td>48.85</td><td>54.00</td><td>-5.15</td><td>41.03</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>322 268 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.20	48.85	54.00	-5.15	41.03	34.60	10.65	37.43	0.00	322 268 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>103.45</td><td>-----</td><td>-----</td><td>95.45</td><td>34.73</td><td>10.69</td><td>37.42</td><td>0.00</td><td>322 268 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.45	-----	-----	95.45	34.73	10.69	37.42	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5149.20	48.85	54.00	-5.15	41.03	34.60	10.65	37.43	0.00	322 268 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	103.45	-----	-----	95.45	34.73	10.69	37.42	0.00	322 268 AVERAGE																																																																																								





		1																																																									
Mode		Harmonic																																																									
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																									
ANT		CDD 6+7																																																									
Pol.		Horizontal																																																									
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.00</td><td>68.20</td><td>-23.12</td><td>59.82</td><td>37.36</td><td>15.30</td><td>67.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	45.00	68.20	-23.12	59.82	37.36	15.30	67.40	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	10360.00	45.00	68.20	-23.12	59.82	37.36	15.30	67.40	0.00	---	---	PEAK																																															
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.20</td><td>68.20</td><td>-24.00</td><td>58.94</td><td>37.36</td><td>15.30</td><td>67.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	44.20	68.20	-24.00	58.94	37.36	15.30	67.40	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	10360.00	44.20	68.20	-24.00	58.94	37.36	15.30	67.40	0.00	---	---	PEAK																																															





Mode	1	
	18G-40G	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz	
ANT	CDD 6+7	
Pol.	Horizontal	Vertical
Peak Avg		





		1																																																																																																																																																																																																																										
Mode	30M-1G																																																																																																																																																																																																																											
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																																																																																																											
ANT	CDD 6+7																																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																																					
Peak QP																																																																																																																																																																																																																												
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>97.90</td><td>25.33</td><td>43.50</td><td>-18.17</td><td>40.24</td><td>15.75</td><td>1.38</td><td>32.04</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>116.33</td><td>23.84</td><td>43.50</td><td>-19.66</td><td>36.96</td><td>17.41</td><td>1.50</td><td>32.03</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>219.15</td><td>22.63</td><td>46.00</td><td>-23.37</td><td>37.47</td><td>15.15</td><td>2.07</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>339.43</td><td>23.53</td><td>46.00</td><td>-22.47</td><td>33.04</td><td>20.01</td><td>2.59</td><td>32.11</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>476.20</td><td>24.15</td><td>46.00</td><td>-21.85</td><td>29.81</td><td>23.50</td><td>3.07</td><td>32.23</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>812.79</td><td>28.52</td><td>46.00</td><td>-17.48</td><td>28.49</td><td>27.90</td><td>4.02</td><td>31.89</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	97.90	25.33	43.50	-18.17	40.24	15.75	1.38	32.04	0.00	---	---	Peak	2	116.33	23.84	43.50	-19.66	36.96	17.41	1.50	32.03	0.00	---	---	Peak	3	219.15	22.63	46.00	-23.37	37.47	15.15	2.07	32.06	0.00	---	---	Peak	4	339.43	23.53	46.00	-22.47	33.04	20.01	2.59	32.11	0.00	---	---	Peak	5	476.20	24.15	46.00	-21.85	29.81	23.50	3.07	32.23	0.00	---	---	Peak	6	812.79	28.52	46.00	-17.48	28.49	27.90	4.02	31.89	0.00	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>40.67</td><td>32.02</td><td>40.00</td><td>-7.98</td><td>44.14</td><td>19.33</td><td>0.62</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>91.11</td><td>23.39</td><td>43.50</td><td>-20.11</td><td>39.32</td><td>14.84</td><td>1.30</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>201.69</td><td>20.59</td><td>43.50</td><td>-22.91</td><td>35.67</td><td>14.99</td><td>2.00</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>549.92</td><td>23.69</td><td>46.00</td><td>-22.31</td><td>27.24</td><td>25.47</td><td>3.30</td><td>32.32</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>731.31</td><td>26.71</td><td>46.00</td><td>-19.29</td><td>27.23</td><td>27.92</td><td>3.81</td><td>32.25</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>925.31</td><td>30.91</td><td>46.00</td><td>-15.09</td><td>28.01</td><td>29.72</td><td>4.31</td><td>31.13</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	40.67	32.02	40.00	-7.98	44.14	19.33	0.62	32.07	0.00	---	---	Peak	2	91.11	23.39	43.50	-20.11	39.32	14.84	1.30	32.07	0.00	---	---	Peak	3	201.69	20.59	43.50	-22.91	35.67	14.99	2.00	32.07	0.00	---	---	Peak	4	549.92	23.69	46.00	-22.31	27.24	25.47	3.30	32.32	0.00	---	---	Peak	5	731.31	26.71	46.00	-19.29	27.23	27.92	3.81	32.25	0.00	---	---	Peak	6	925.31	30.91	46.00	-15.09	28.01	29.72	4.31	31.13	0.00	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																
1	97.90	25.33	43.50	-18.17	40.24	15.75	1.38	32.04	0.00	---	---	Peak																																																																																																																																																																																																																
2	116.33	23.84	43.50	-19.66	36.96	17.41	1.50	32.03	0.00	---	---	Peak																																																																																																																																																																																																																
3	219.15	22.63	46.00	-23.37	37.47	15.15	2.07	32.06	0.00	---	---	Peak																																																																																																																																																																																																																
4	339.43	23.53	46.00	-22.47	33.04	20.01	2.59	32.11	0.00	---	---	Peak																																																																																																																																																																																																																
5	476.20	24.15	46.00	-21.85	29.81	23.50	3.07	32.23	0.00	---	---	Peak																																																																																																																																																																																																																
6	812.79	28.52	46.00	-17.48	28.49	27.90	4.02	31.89	0.00	---	---	Peak																																																																																																																																																																																																																
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																
1	40.67	32.02	40.00	-7.98	44.14	19.33	0.62	32.07	0.00	---	---	Peak																																																																																																																																																																																																																
2	91.11	23.39	43.50	-20.11	39.32	14.84	1.30	32.07	0.00	---	---	Peak																																																																																																																																																																																																																
3	201.69	20.59	43.50	-22.91	35.67	14.99	2.00	32.07	0.00	---	---	Peak																																																																																																																																																																																																																
4	549.92	23.69	46.00	-22.31	27.24	25.47	3.30	32.32	0.00	---	---	Peak																																																																																																																																																																																																																
5	731.31	26.71	46.00	-19.29	27.23	27.92	3.81	32.25	0.00	---	---	Peak																																																																																																																																																																																																																
6	925.31	30.91	46.00	-15.09	28.01	29.72	4.31	31.13	0.00	---	---	Peak																																																																																																																																																																																																																



Mode	2																																																																																																									
	Harmonic																																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																									
ANT	CDD 6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>47.04</td><td>68.20</td><td>-21.16</td><td>61.13</td><td>37.84</td><td>15.36</td><td>67.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	47.04	68.20	-21.16	61.13	37.84	15.36	67.29	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>45.82</td><td>68.20</td><td>-22.38</td><td>59.93</td><td>37.83</td><td>15.35</td><td>67.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	45.82	68.20	-22.38	59.93	37.83	15.35	67.29	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	10440.00	47.04	68.20	-21.16	61.13	37.84	15.36	67.29	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	10440.00	45.82	68.20	-22.38	59.93	37.83	15.35	67.29	0.00	---	---	PEAK																																																																																														





Mode	3																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																							
ANT	CDD 6+7																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>47.64</td><td>68.20</td><td>-20.56</td><td>61.61</td><td>37.88</td><td>15.38</td><td>67.23</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	47.64	68.20	-20.56	61.61	37.88	15.38	67.23	0.00	---											PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>45.45</td><td>68.20</td><td>-22.75</td><td>59.42</td><td>37.88</td><td>15.38</td><td>67.23</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	45.45	68.20	-22.75	59.42	37.88	15.38	67.23	0.00	---										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10400.00	47.64	68.20	-20.56	61.61	37.88	15.38	67.23	0.00	---																																																																																																														
										PEAK																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10400.00	45.45	68.20	-22.75	59.42	37.88	15.38	67.23	0.00	---																																																																																																														
										PEAK																																																																																																														






Mode	4																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																							
ANT	CDD 6+7																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>49.10</td><td>68.20</td><td>-19.10</td><td>62.99</td><td>37.87</td><td>15.42</td><td>67.18</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	49.10	68.20	-19.10	62.99	37.87	15.42	67.18	0.00	---											PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>45.52</td><td>68.20</td><td>-22.68</td><td>59.40</td><td>37.88</td><td>15.42</td><td>67.18</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	45.52	68.20	-22.68	59.40	37.88	15.42	67.18	0.00	---										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10520.00	49.10	68.20	-19.10	62.99	37.87	15.42	67.18	0.00	---																																																																																																														
										PEAK																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10520.00	45.52	68.20	-22.68	59.40	37.88	15.42	67.18	0.00	---																																																																																																														
										PEAK																																																																																																														







		5																																																																						
Mode		Harmonic																																																																						
		U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																						
ANT		CDD 6+7																																																																						
Pol.		Horizontal																																																																						
Peak Avg																																																																								
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10600.00</td><td>49.40</td><td>68.20</td><td>-18.80</td><td>63.25</td><td>37.80</td><td>15.47</td><td>67.12</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>39.57</td><td>54.00</td><td>-14.43</td><td>53.42</td><td>37.80</td><td>15.47</td><td>67.12</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10600.00	49.40	68.20	-18.80	63.25	37.80	15.47	67.12	0.00	300	0 PEAK	2	10600.00	39.57	54.00	-14.43	53.42	37.80	15.47	67.12	0.00	300	0 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	10600.00	49.40	68.20	-18.80	63.25	37.80	15.47	67.12	0.00	300	0 PEAK																																																													
2	10600.00	39.57	54.00	-14.43	53.42	37.80	15.47	67.12	0.00	300	0 AVERAGE																																																													
<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10600.00</td><td>45.67</td><td>68.20</td><td>-22.53</td><td>59.52</td><td>37.80</td><td>15.47</td><td>67.12</td><td>0.00</td><td>---</td><td>---</td></tr><tr><td>2</td><td>10600.00</td><td>39.57</td><td>54.00</td><td>-14.43</td><td>53.42</td><td>37.80</td><td>15.47</td><td>67.12</td><td>0.00</td><td>---</td><td>---</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10600.00	45.67	68.20	-22.53	59.52	37.80	15.47	67.12	0.00	---	---	2	10600.00	39.57	54.00	-14.43	53.42	37.80	15.47	67.12	0.00	---	---	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	10600.00	45.67	68.20	-22.53	59.52	37.80	15.47	67.12	0.00	---	---																																																													
2	10600.00	39.57	54.00	-14.43	53.42	37.80	15.47	67.12	0.00	---	---																																																													
		Vertical																																																																						
Peak Avg																																																																								
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10600.00</td><td>45.67</td><td>68.20</td><td>-22.53</td><td>59.52</td><td>37.80</td><td>15.47</td><td>67.12</td><td>0.00</td><td>---</td><td>---</td></tr><tr><td>2</td><td>10600.00</td><td>39.57</td><td>54.00</td><td>-14.43</td><td>53.42</td><td>37.80</td><td>15.47</td><td>67.12</td><td>0.00</td><td>---</td><td>---</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10600.00	45.67	68.20	-22.53	59.52	37.80	15.47	67.12	0.00	---	---	2	10600.00	39.57	54.00	-14.43	53.42	37.80	15.47	67.12	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	10600.00	45.67	68.20	-22.53	59.52	37.80	15.47	67.12	0.00	---	---																																																													
2	10600.00	39.57	54.00	-14.43	53.42	37.80	15.47	67.12	0.00	---	---																																																													
<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10600.00</td><td>45.67</td><td>68.20</td><td>-22.53</td><td>59.52</td><td>37.80</td><td>15.47</td><td>67.12</td><td>0.00</td><td>---</td><td>---</td></tr><tr><td>2</td><td>10600.00</td><td>39.57</td><td>54.00</td><td>-14.43</td><td>53.42</td><td>37.80</td><td>15.47</td><td>67.12</td><td>0.00</td><td>---</td><td>---</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10600.00	45.67	68.20	-22.53	59.52	37.80	15.47	67.12	0.00	---	---	2	10600.00	39.57	54.00	-14.43	53.42	37.80	15.47	67.12	0.00	---	---	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	10600.00	45.67	68.20	-22.53	59.52	37.80	15.47	67.12	0.00	---	---																																																													
2	10600.00	39.57	54.00	-14.43	53.42	37.80	15.47	67.12	0.00	---	---																																																													





Mode	6																																																						
	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal																																																						
Peak	Fundamental																																																						
																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.90</td><td>59.41</td><td>74.00</td><td>-14.59</td><td>51.10</td><td>34.81</td><td>10.84</td><td>37.34</td><td>0.00</td><td>100</td><td>124 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.90	59.41	74.00	-14.59	51.10	34.81	10.84	37.34	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5354.90	59.41	74.00	-14.59	51.10	34.81	10.84	37.34	0.00	100	124 PEAK																																												
Avg																																																							
																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>49.34</td><td>54.00</td><td>-4.66</td><td>41.05</td><td>34.80</td><td>10.84</td><td>37.35</td><td>0.00</td><td>100</td><td>124 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	49.34	54.00	-4.66	41.05	34.80	10.84	37.35	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	49.34	54.00	-4.66	41.05	34.80	10.84	37.35	0.00	100	124 AVERAGE																																												







Mode	6																																																																																																			
	Band Edge																																																																																																			
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																			
ANT	CDD 6+7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.70</td><td>59.18</td><td>74.00</td><td>-14.82</td><td>50.89</td><td>34.00</td><td>10.84</td><td>37.35</td><td>0.00</td><td>304</td><td>267 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.70	59.18	74.00	-14.82	50.89	34.00	10.84	37.35	0.00	304	267 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>109.81</td><td>-----</td><td>-----</td><td>101.62</td><td>34.74</td><td>10.81</td><td>37.36</td><td>0.00</td><td>304</td><td>267 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.81	-----	-----	101.62	34.74	10.81	37.36	0.00	304
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5350.70	59.18	74.00	-14.82	50.89	34.00	10.84	37.35	0.00	304	267 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	109.81	-----	-----	101.62	34.74	10.81	37.36	0.00	304	267 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>48.21</td><td>54.00</td><td>-5.79</td><td>39.92</td><td>34.00</td><td>10.84</td><td>37.35</td><td>0.00</td><td>304</td><td>267 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	48.21	54.00	-5.79	39.92	34.00	10.84	37.35	0.00	304	267 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>102.09</td><td>-----</td><td>-----</td><td>93.90</td><td>34.74</td><td>10.81</td><td>37.36</td><td>0.00</td><td>304</td><td>267 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.09	-----	-----	93.90	34.74	10.81	37.36	0.00	304
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5350.00	48.21	54.00	-5.79	39.92	34.00	10.84	37.35	0.00	304	267 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	102.09	-----	-----	93.90	34.74	10.81	37.36	0.00	304	267 AVERAGE																																																																																									







Mode	6																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																				
ANT	CDD 6+7																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>48.15</td><td>74.00</td><td>-25.85</td><td>61.86</td><td>37.88</td><td>15.50</td><td>67.09</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>38.22</td><td>54.00</td><td>-15.78</td><td>51.93</td><td>37.88</td><td>15.50</td><td>67.09</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	48.15	74.00	-25.85	61.86	37.88	15.50	67.09	0.00	300	360	PEAK	2	10640.00	38.22	54.00	-15.78	51.93	37.88	15.50	67.09	0.00	300	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>45.16</td><td>74.00</td><td>-28.84</td><td>58.87</td><td>37.88</td><td>15.50</td><td>67.09</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	45.16	74.00	-28.84	58.87	37.88	15.50	67.09	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10640.00	48.15	74.00	-25.85	61.86	37.88	15.50	67.09	0.00	300	360	PEAK																																																																																																									
2	10640.00	38.22	54.00	-15.78	51.93	37.88	15.50	67.09	0.00	300	360	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10640.00	45.16	74.00	-28.84	58.87	37.88	15.50	67.09	0.00	---	---	PEAK																																																																																																									





Mode	7																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																			
ANT	CDD 6+7																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.24</td><td>58.79</td><td>74.00</td><td>-15.21</td><td>50.45</td><td>34.83</td><td>10.85</td><td>37.34</td><td>0.00</td><td>100</td><td>128 PEAK</td></tr><tr><td>2</td><td>5467.12</td><td>58.00</td><td>68.20</td><td>-10.20</td><td>49.35</td><td>34.97</td><td>10.98</td><td>37.30</td><td>0.00</td><td>100</td><td>128 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5364.24	58.79	74.00	-15.21	50.45	34.83	10.85	37.34	0.00	100	128 PEAK	2	5467.12	58.00	68.20	-10.20	49.35	34.97	10.98	37.30	0.00	100	128 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5364.24	58.79	74.00	-15.21	50.45	34.83	10.85	37.34	0.00	100	128 PEAK																																																									
2	5467.12	58.00	68.20	-10.20	49.35	34.97	10.98	37.30	0.00	100	128 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>112.25</td><td>68.20</td><td>44.05</td><td>103.61</td><td>34.90</td><td>11.02</td><td>37.28</td><td>0.00</td><td>100</td><td>128 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	112.25	68.20	44.05	103.61	34.90	11.02	37.28	0.00	100	128 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	112.25	68.20	44.05	103.61	34.90	11.02	37.28	0.00	100	128 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.64</td><td>47.52</td><td>54.00</td><td>-6.48</td><td>38.87</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>100</td><td>128 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	47.52	54.00	-6.48	38.87	34.98	10.97	37.30	0.00	100	128 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5458.64	47.52	54.00	-6.48	38.87	34.98	10.97	37.30	0.00	100	128 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>104.04</td><td>-----</td><td>-----</td><td>95.40</td><td>34.90</td><td>11.02</td><td>37.28</td><td>0.00</td><td>100</td><td>128 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.04	-----	-----	95.40	34.90	11.02	37.28	0.00	100	128 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	104.04	-----	-----	95.40	34.90	11.02	37.28	0.00	100	128 AVERAGE																																																									





Mode	7																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																
ANT	CDD 6+7																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5373.84</td><td>58.48</td><td>74.00</td><td>-15.52</td><td>50.11</td><td>34.85</td><td>10.86</td><td>37.34</td><td>0.00</td><td>299</td><td>266 PEAK</td></tr><tr><td>2</td><td>5468.88</td><td>57.49</td><td>68.20</td><td>-10.71</td><td>48.84</td><td>34.96</td><td>10.98</td><td>37.29</td><td>0.00</td><td>299</td><td>266 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.84	58.48	74.00	-15.52	50.11	34.85	10.86	37.34	0.00	299	266 PEAK	2	5468.88	57.49	68.20	-10.71	48.84	34.96	10.98	37.29	0.00	299	266 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>108.41</td><td>-----</td><td>-----</td><td>99.77</td><td>34.90</td><td>11.02</td><td>37.28</td><td>0.00</td><td>299</td><td>266 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.41	-----	-----	99.77	34.90	11.02	37.28	0.00	299	266 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5373.84	58.48	74.00	-15.52	50.11	34.85	10.86	37.34	0.00	299	266 PEAK																																																																																																						
2	5468.88	57.49	68.20	-10.71	48.84	34.96	10.98	37.29	0.00	299	266 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	108.41	-----	-----	99.77	34.90	11.02	37.28	0.00	299	266 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.76</td><td>47.23</td><td>54.00</td><td>-6.77</td><td>38.58</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>299</td><td>266 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	47.23	54.00	-6.77	38.58	34.98	10.97	37.30	0.00	299	266 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>100.77</td><td>-----</td><td>-----</td><td>92.13</td><td>34.90</td><td>11.02</td><td>37.28</td><td>0.00</td><td>299</td><td>266 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.77	-----	-----	92.13	34.90	11.02	37.28	0.00	299	266 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.76	47.23	54.00	-6.77	38.58	34.98	10.97	37.30	0.00	299	266 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	100.77	-----	-----	92.13	34.90	11.02	37.28	0.00	299	266 AVERAGE																																																																																																						






		7																																																																				
Mode		Harmonic																																																																				
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																				
ANT		CDD 6+7																																																																				
Pol.		Horizontal						Vertical																																																														
Peak Avg																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>47.10</td><td>74.00</td><td>-26.90</td><td>59.94</td><td>38.20</td><td>15.76</td><td>66.80</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>37.09</td><td>54.00</td><td>-16.91</td><td>49.93</td><td>38.20</td><td>15.76</td><td>66.80</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	47.10	74.00	-26.90	59.94	38.20	15.76	66.80	0.00	300	360	PEAK	2	11000.00	37.09	54.00	-16.91	49.93	38.20	15.76	66.80	0.00	300	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11000.00	47.10	74.00	-26.90	59.94	38.20	15.76	66.80	0.00	300	360	PEAK																																																										
2	11000.00	37.09	54.00	-16.91	49.93	38.20	15.76	66.80	0.00	300	360	AVERAGE																																																										
																																																																						
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>45.57</td><td>74.00</td><td>-28.43</td><td>58.41</td><td>38.20</td><td>15.76</td><td>66.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	45.57	74.00	-28.43	58.41	38.20	15.76	66.80	0.00	---	---	PEAK													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	11000.00	45.57	74.00	-28.43	58.41	38.20	15.76	66.80	0.00	---	---	PEAK																																																										






		8																																																										
Mode		Harmonic																																																										
		U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																										
ANT		CDD 6+7																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11160.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>57.60</td><td>38.14</td><td>15.88</td><td>66.77</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	44.85	74.00	-29.15	57.60	38.14	15.88	66.77	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11160.00	44.85	74.00	-29.15	57.60	38.14	15.88	66.77	0.00	---	---	PEAK																																																
																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11160.00</td><td>45.05</td><td>74.00</td><td>-28.95</td><td>57.80</td><td>38.14</td><td>15.88</td><td>66.77</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	45.05	74.00	-28.95	57.80	38.14	15.88	66.77	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11160.00	45.05	74.00	-28.95	57.80	38.14	15.88	66.77	0.00	---	---	PEAK																																																



Mode	9																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																		
ANT	CDD 6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5727.80</td><td>62.29</td><td>68.20</td><td>-5.91</td><td>53.56</td><td>34.96</td><td>11.33</td><td>37.56</td><td>0.00</td><td>100</td><td>133</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.80	62.29	68.20	-5.91	53.56	34.96	11.33	37.56	0.00	100	133	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>110.45</td><td>68.20</td><td>42.25</td><td>101.71</td><td>34.90</td><td>11.29</td><td>37.45</td><td>0.00</td><td>100</td><td>133</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	110.45	68.20	42.25	101.71	34.90	11.29	37.45	0.00	100	133
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5727.80	62.29	68.20	-5.91	53.56	34.96	11.33	37.56	0.00	100	133	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	110.45	68.20	42.25	101.71	34.90	11.29	37.45	0.00	100	133	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.01</td><td>-----</td><td>-----</td><td>94.26</td><td>34.90</td><td>11.29</td><td>37.44</td><td>0.00</td><td>100</td><td>133</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	103.01	-----	-----	94.26	34.90	11.29	37.44	0.00	100	133	AVERAGE																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	103.01	-----	-----	94.26	34.90	11.29	37.44	0.00	100	133	AVERAGE																																																																																							







Mode	9																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																						
ANT	CDD 6+7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5727.16</td><td>61.30</td><td>68.20</td><td>-6.90</td><td>52.58</td><td>34.95</td><td>11.33</td><td>37.56</td><td>0.00</td><td>300</td><td>240</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.16	61.30	68.20	-6.90	52.58	34.95	11.33	37.56	0.00	300	240	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>106.67</td><td>-----</td><td>-----</td><td>97.92</td><td>34.90</td><td>11.29</td><td>37.44</td><td>0.00</td><td>300</td><td>240</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.67	-----	-----	97.92	34.90	11.29	37.44	0.00	300	240
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5727.16	61.30	68.20	-6.90	52.58	34.95	11.33	37.56	0.00	300	240	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5700.00	106.67	-----	-----	97.92	34.90	11.29	37.44	0.00	300	240	PEAK																																																																																											
Avg	Blank																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>99.79</td><td>-----</td><td>-----</td><td>91.04</td><td>34.90</td><td>11.29</td><td>37.44</td><td>0.00</td><td>300</td><td>240</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	99.79	-----	-----	91.04	34.90	11.29	37.44	0.00	300	240	AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5700.00	99.79	-----	-----	91.04	34.90	11.29	37.44	0.00	300	240	AVERAGE																																																																																											







Mode	9																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																									
ANT	CDD 6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>56.07</td><td>38.20</td><td>16.05</td><td>66.72</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	43.60	74.00	-30.40	56.07	38.20	16.05	66.72	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>43.84</td><td>74.00</td><td>-30.16</td><td>56.31</td><td>38.20</td><td>16.05</td><td>66.72</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	43.84	74.00	-30.16	56.31	38.20	16.05	66.72	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11400.00	43.60	74.00	-30.40	56.07	38.20	16.05	66.72	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11400.00	43.84	74.00	-30.16	56.31	38.20	16.05	66.72	0.00	---	---	PEAK																																																																																														





Mode	10																																																																																																				
	Band Edge																																																																																																				
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_5180MHz																																																																																																				
ANT	CDD 6+7																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.00</td><td>62.44</td><td>74.00</td><td>-11.56</td><td>54.63</td><td>34.60</td><td>10.65</td><td>37.44</td><td>0.00</td><td>115</td><td>113 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.00	62.44	74.00	-11.56	54.63	34.60	10.65	37.44	0.00	115	113 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>112.15</td><td>-----</td><td>-----</td><td>104.15</td><td>34.73</td><td>10.69</td><td>37.42</td><td>0.00</td><td>115</td><td>113 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	112.15	-----	-----	104.15	34.73	10.69	37.42	0.00	115
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5145.00	62.44	74.00	-11.56	54.63	34.60	10.65	37.44	0.00	115	113 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5180.00	112.15	-----	-----	104.15	34.73	10.69	37.42	0.00	115	113 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.90</td><td>50.84</td><td>54.00</td><td>-3.16</td><td>43.02</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>115</td><td>113 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.90	50.84	54.00	-3.16	43.02	34.60	10.65	37.43	0.00	115	113 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.75</td><td>-----</td><td>-----</td><td>93.79</td><td>34.70</td><td>10.68</td><td>37.42</td><td>0.00</td><td>115</td><td>113 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.75	-----	-----	93.79	34.70	10.68	37.42	0.00	115
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5149.90	50.84	54.00	-3.16	43.02	34.60	10.65	37.43	0.00	115	113 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5180.00	101.75	-----	-----	93.79	34.70	10.68	37.42	0.00	115	113 AVERAGE																																																																																										





Mode	10																																																																																																	
	Band Edge																																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_5180MHz																																																																																																	
ANT	CDD 6+7																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.60</td><td>59.34</td><td>74.00</td><td>-14.66</td><td>51.53</td><td>34.60</td><td>10.65</td><td>37.44</td><td>0.00</td><td>337 110 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.60	59.34	74.00	-14.66	51.53	34.60	10.65	37.44	0.00	337 110 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>108.40</td><td>-----</td><td>-----</td><td>100.40</td><td>34.73</td><td>10.69</td><td>37.42</td><td>0.00</td><td>337 110 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.40	-----	-----	100.40	34.73	10.69	37.42	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5147.60	59.34	74.00	-14.66	51.53	34.60	10.65	37.44	0.00	337 110 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	108.40	-----	-----	100.40	34.73	10.69	37.42	0.00	337 110 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5150.00</td><td>48.93</td><td>54.00</td><td>-5.07</td><td>41.11</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>337 110 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	48.93	54.00	-5.07	41.11	34.60	10.65	37.43	0.00	337 110 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>101.28</td><td>-----</td><td>-----</td><td>93.28</td><td>34.73</td><td>10.69</td><td>37.42</td><td>0.00</td><td>337 110 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.28	-----	-----	93.28	34.73	10.69	37.42	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5150.00	48.93	54.00	-5.07	41.11	34.60	10.65	37.43	0.00	337 110 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	101.28	-----	-----	93.28	34.73	10.69	37.42	0.00	337 110 AVERAGE																																																																																								





Mode	10																																																																																																						
	Harmonic																																																																																																						
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_5180MHz																																																																																																						
ANT	CDD 6+7																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10360.00</td><td>44.32</td><td>68.20</td><td>-23.88</td><td>59.05</td><td>37.36</td><td>15.30</td><td>67.39</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.32	68.20	-23.88	59.05	37.36	15.30	67.39	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10360.00</td><td>44.24</td><td>68.20</td><td>-23.96</td><td>58.98</td><td>37.36</td><td>15.30</td><td>67.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.24	68.20	-23.96	58.98	37.36	15.30	67.40	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	10360.00	44.32	68.20	-23.88	59.05	37.36	15.30	67.39	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	10360.00	44.24	68.20	-23.96	58.98	37.36	15.30	67.40	0.00	---	---	PEAK																																																																																											





Mode	11																																																						
	Harmonic																																																						
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_5220MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal																																																						
Peak Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>45.05</td><td>68.20</td><td>-23.15</td><td>59.56</td><td>37.43</td><td>15.35</td><td>67.29</td><td>0.00</td><td>---</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	45.05	68.20	-23.15	59.56	37.43	15.35	67.29	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	10440.00	45.05	68.20	-23.15	59.56	37.43	15.35	67.29	0.00	---																																													
	PEAK																																																						
Peak Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>44.80</td><td>68.20</td><td>-23.40</td><td>59.27</td><td>37.45</td><td>15.36</td><td>67.28</td><td>0.00</td><td>---</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	44.80	68.20	-23.40	59.27	37.45	15.36	67.28	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	10440.00	44.80	68.20	-23.40	59.27	37.45	15.36	67.28	0.00	---																																													
	PEAK																																																						





Mode	12																																																																	
	Harmonic																																																																	
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_5240MHz																																																																	
ANT	CDD 6+7																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>43.51</td><td>68.20</td><td>-24.69</td><td>57.85</td><td>37.49</td><td>15.39</td><td>67.22</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	43.51	68.20	-24.69	57.85	37.49	15.39	67.22	0.00	---											PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	10400.00	43.51	68.20	-24.69	57.85	37.49	15.39	67.22	0.00	---																																																								
										PEAK																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>43.51</td><td>68.20</td><td>-24.69</td><td>57.85</td><td>37.49</td><td>15.39</td><td>67.22</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	43.51	68.20	-24.69	57.85	37.49	15.39	67.22	0.00	---											PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	10400.00	43.51	68.20	-24.69	57.85	37.49	15.39	67.22	0.00	---																																																								
										PEAK																																																								
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>44.69</td><td>68.20</td><td>-23.51</td><td>59.04</td><td>37.48</td><td>15.39</td><td>67.22</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	44.69	68.20	-23.51	59.04	37.48	15.39	67.22	0.00	---											PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	10400.00	44.69	68.20	-23.51	59.04	37.48	15.39	67.22	0.00	---																																																								
										PEAK																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>44.69</td><td>68.20</td><td>-23.51</td><td>59.04</td><td>37.48</td><td>15.39</td><td>67.22</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	44.69	68.20	-23.51	59.04	37.48	15.39	67.22	0.00	---											PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	10400.00	44.69	68.20	-23.51	59.04	37.48	15.39	67.22	0.00	---																																																								
										PEAK																																																								







Mode	13																																																																																																					
	Harmonic																																																																																																					
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_5260MHz																																																																																																					
ANT	CDD 6+7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>45.00</td><td>68.20</td><td>-23.20</td><td>59.23</td><td>37.53</td><td>15.42</td><td>67.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	45.00	68.20	-23.20	59.23	37.53	15.42	67.18	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>45.10</td><td>68.20</td><td>-23.10</td><td>59.34</td><td>37.52</td><td>15.42</td><td>67.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	45.10	68.20	-23.10	59.34	37.52	15.42	67.18	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10520.00	45.00	68.20	-23.20	59.23	37.53	15.42	67.18	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10520.00	45.10	68.20	-23.10	59.34	37.52	15.42	67.18	0.00	---	PEAK																																																																																											







Mode	14																																																																																																					
	Harmonic																																																																																																					
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_5300MHz																																																																																																					
ANT	CDD 6+7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>43.18</td><td>68.20</td><td>-25.02</td><td>57.23</td><td>37.60</td><td>15.47</td><td>67.12</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	43.18	68.20	-25.02	57.23	37.60	15.47	67.12	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>43.95</td><td>68.20</td><td>-24.25</td><td>58.00</td><td>37.60</td><td>15.47</td><td>67.12</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	43.95	68.20	-24.25	58.00	37.60	15.47	67.12	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10600.00	43.18	68.20	-25.02	57.23	37.60	15.47	67.12	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10600.00	43.95	68.20	-24.25	58.00	37.60	15.47	67.12	0.00	---	PEAK																																																																																											





		15																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_5320MHz																																																																																																			
ANT	CDD 6+7																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>61.83</td><td>74.00</td><td>-12.17</td><td>53.54</td><td>34.00</td><td>10.84</td><td>37.35</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	61.83	74.00	-12.17	53.54	34.00	10.84	37.35	0.00	100	116 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>109.44</td><td>-----</td><td>-----</td><td>101.25</td><td>34.74</td><td>10.81</td><td>37.36</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.44	-----	-----	101.25	34.74	10.81	37.36	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5350.00	61.83	74.00	-12.17	53.54	34.00	10.84	37.35	0.00	100	116 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	109.44	-----	-----	101.25	34.74	10.81	37.36	0.00	100	116 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>50.83</td><td>54.00</td><td>-3.17</td><td>42.54</td><td>34.00</td><td>10.84</td><td>37.35</td><td>0.00</td><td>100</td><td>116 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	50.83	54.00	-3.17	42.54	34.00	10.84	37.35	0.00	100	116 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>102.36</td><td>-----</td><td>-----</td><td>94.17</td><td>34.74</td><td>10.81</td><td>37.36</td><td>0.00</td><td>100</td><td>116 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.36	-----	-----	94.17	34.74	10.81	37.36	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5350.00	50.83	54.00	-3.17	42.54	34.00	10.84	37.35	0.00	100	116 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	102.36	-----	-----	94.17	34.74	10.81	37.36	0.00	100	116 AVERAGE																																																																																									







		15																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_5320MHz																																																																																																	
ANT	CDD 6+7																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>61.95</td><td>74.00</td><td>-12.05</td><td>53.66</td><td>34.00</td><td>10.84</td><td>37.35</td><td>0.00</td><td>359 100 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	61.95	74.00	-12.05	53.66	34.00	10.84	37.35	0.00	359 100 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>108.14</td><td>-----</td><td>-----</td><td>99.95</td><td>34.74</td><td>10.81</td><td>37.36</td><td>0.00</td><td>359 100 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	108.14	-----	-----	99.95	34.74	10.81	37.36	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5350.00	61.95	74.00	-12.05	53.66	34.00	10.84	37.35	0.00	359 100 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	108.14	-----	-----	99.95	34.74	10.81	37.36	0.00	359 100 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.40</td><td>49.06</td><td>54.00</td><td>-4.94</td><td>40.77</td><td>34.00</td><td>10.84</td><td>37.35</td><td>0.00</td><td>359 100 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.40	49.06	54.00	-4.94	40.77	34.00	10.84	37.35	0.00	359 100 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>100.87</td><td>-----</td><td>-----</td><td>92.68</td><td>34.74</td><td>10.81</td><td>37.36</td><td>0.00</td><td>359 100 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.87	-----	-----	92.68	34.74	10.81	37.36	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5350.40	49.06	54.00	-4.94	40.77	34.00	10.84	37.35	0.00	359 100 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	100.87	-----	-----	92.68	34.74	10.81	37.36	0.00	359 100 AVERAGE																																																																																								







		15																																																																																																																																							
Mode		Harmonic																																																																																																																																							
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_5320MHz																																																																																																																																							
ANT		CDD 6+7																																																																																																																																							
Pol.		Horizontal											Vertical																																																																																																																												
Peak Avg																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>43.43</td><td>74.00</td><td>-30.57</td><td>57.42</td><td>37.60</td><td>15.50</td><td>67.09</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	43.43	74.00	-30.57	57.42	37.60	15.50	67.09	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>43.88</td><td>74.00</td><td>-30.12</td><td>57.87</td><td>37.60</td><td>15.50</td><td>67.09</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	43.88	74.00	-30.12	57.87	37.60	15.50	67.09	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	10640.00	43.43	74.00	-30.57	57.42	37.60	15.50	67.09	0.00	---	---	PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	10640.00	43.88	74.00	-30.12	57.87	37.60	15.50	67.09	0.00	---	---	PEAK																																																																																																																													





Mode	16																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.52</td><td>60.81</td><td>74.00</td><td>-13.19</td><td>52.17</td><td>34.98</td><td>10.96</td><td>37.30</td><td>0.00</td><td>100</td><td>260 PEAK</td></tr><tr><td>2</td><td>5467.60</td><td>64.83</td><td>68.20</td><td>-3.37</td><td>56.19</td><td>34.96</td><td>10.98</td><td>37.30</td><td>0.00</td><td>100</td><td>260 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.52	60.81	74.00	-13.19	52.17	34.98	10.96	37.30	0.00	100	260 PEAK	2	5467.60	64.83	68.20	-3.37	56.19	34.96	10.98	37.30	0.00	100	260 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>110.19</td><td>68.20</td><td>41.99</td><td>101.55</td><td>34.90</td><td>11.02</td><td>37.28</td><td>0.00</td><td>100</td><td>260 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.19	68.20	41.99	101.55	34.90	11.02	37.28	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.52	60.81	74.00	-13.19	52.17	34.98	10.96	37.30	0.00	100	260 PEAK																																																																																																					
2	5467.60	64.83	68.20	-3.37	56.19	34.96	10.98	37.30	0.00	100	260 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	110.19	68.20	41.99	101.55	34.90	11.02	37.28	0.00	100	260 PEAK																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.76</td><td>48.68</td><td>54.00</td><td>-5.32</td><td>40.03</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>100</td><td>260 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	48.68	54.00	-5.32	40.03	34.98	10.97	37.30	0.00	100	260 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>101.89</td><td>-----</td><td>-----</td><td>93.25</td><td>34.90</td><td>11.02</td><td>37.28</td><td>0.00</td><td>100</td><td>260 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.89	-----	-----	93.25	34.90	11.02	37.28	0.00	100	260 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.76	48.68	54.00	-5.32	40.03	34.98	10.97	37.30	0.00	100	260 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	101.89	-----	-----	93.25	34.90	11.02	37.28	0.00	100	260 AVERAGE																																																																																																					





Mode	16																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																																			
ANT	CDD 6+7																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.96</td><td>59.27</td><td>74.00</td><td>-14.73</td><td>50.62</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>300</td><td>80 PEAK</td></tr><tr><td>2</td><td>5469.20</td><td>64.06</td><td>68.20</td><td>-4.14</td><td>55.41</td><td>34.96</td><td>10.98</td><td>37.29</td><td>0.00</td><td>300</td><td>80 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	59.27	74.00	-14.73	50.62	34.98	10.97	37.30	0.00	300	80 PEAK	2	5469.20	64.06	68.20	-4.14	55.41	34.96	10.98	37.29	0.00	300	80 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5458.96	59.27	74.00	-14.73	50.62	34.98	10.97	37.30	0.00	300	80 PEAK																																																									
2	5469.20	64.06	68.20	-4.14	55.41	34.96	10.98	37.29	0.00	300	80 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>108.25</td><td>-----</td><td>-----</td><td>99.61</td><td>34.90</td><td>11.02</td><td>37.28</td><td>0.00</td><td>300</td><td>80 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.25	-----	-----	99.61	34.90	11.02	37.28	0.00	300	80 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	108.25	-----	-----	99.61	34.90	11.02	37.28	0.00	300	80 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.28</td><td>47.52</td><td>54.00</td><td>-6.48</td><td>38.87</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>300</td><td>80 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	47.52	54.00	-6.48	38.87	34.98	10.97	37.30	0.00	300	80 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.28	47.52	54.00	-6.48	38.87	34.98	10.97	37.30	0.00	300	80 AVERAGE																																																									
AVERAGE																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>100.62</td><td>-----</td><td>-----</td><td>91.98</td><td>34.90</td><td>11.02</td><td>37.28</td><td>0.00</td><td>300</td><td>80 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.62	-----	-----	91.98	34.90	11.02	37.28	0.00	300	80 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	100.62	-----	-----	91.98	34.90	11.02	37.28	0.00	300	80 AVERAGE																																																									






		16																																																									
Mode		Harmonic																																																									
		U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																									
ANT		CDD 6+7																																																									
Pol.		Horizontal																																																									
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>58.09</td><td>37.80</td><td>15.76</td><td>66.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	44.85	74.00	-29.15	58.09	37.80	15.76	66.80	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11000.00	44.85	74.00	-29.15	58.09	37.80	15.76	66.80	0.00	---	---	PEAK																																															
		Vertical																																																									
																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>45.72</td><td>74.00</td><td>-28.28</td><td>58.96</td><td>37.80</td><td>15.76</td><td>66.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	45.72	74.00	-28.28	58.96	37.80	15.76	66.80	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11000.00	45.72	74.00	-28.28	58.96	37.80	15.76	66.80	0.00	---	---	PEAK																																															






Mode	17																																																																																																								
	Harmonic																																																																																																								
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																																																																								
ANT	CDD 6+7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>57.72</td><td>37.86</td><td>15.88</td><td>66.77</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	44.69	74.00	-29.31	57.72	37.86	15.88	66.77	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>44.65</td><td>74.00</td><td>-29.35</td><td>57.68</td><td>37.86</td><td>15.88</td><td>66.77</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	44.65	74.00	-29.35	57.68	37.86	15.88	66.77	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11160.00	44.69	74.00	-29.31	57.72	37.86	15.88	66.77	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11160.00	44.65	74.00	-29.35	57.68	37.86	15.88	66.77	0.00	---	---	PEAK																																																																																													





		18																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																																		
ANT	CDD 6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.40</td><td>64.51</td><td>68.20</td><td>-3.69</td><td>55.78</td><td>34.95</td><td>11.33</td><td>37.55</td><td>0.00</td><td>100</td><td>130</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.40	64.51	68.20	-3.69	55.78	34.95	11.33	37.55	0.00	100	130	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.70</td><td>-----</td><td>-----</td><td>100.95</td><td>34.90</td><td>11.29</td><td>37.44</td><td>0.00</td><td>100</td><td>130</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.70	-----	-----	100.95	34.90	11.29	37.44	0.00	100	130
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5725.40	64.51	68.20	-3.69	55.78	34.95	11.33	37.55	0.00	100	130	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	109.70	-----	-----	100.95	34.90	11.29	37.44	0.00	100	130	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.77</td><td>-----</td><td>-----</td><td>93.02</td><td>34.90</td><td>11.29</td><td>37.44</td><td>0.00</td><td>100</td><td>130</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.77	-----	-----	93.02	34.90	11.29	37.44	0.00	100	130	AVERAGE																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	101.77	-----	-----	93.02	34.90	11.29	37.44	0.00	100	130	AVERAGE																																																																																							







Mode	18																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																																						
ANT	CDD 6+7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.48</td><td>64.63</td><td>68.20</td><td>-3.57</td><td>55.90</td><td>34.95</td><td>11.33</td><td>37.55</td><td>0.00</td><td>283</td><td>260</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.48	64.63	68.20	-3.57	55.90	34.95	11.33	37.55	0.00	283	260	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.74</td><td>-----</td><td>-----</td><td>101.00</td><td>34.91</td><td>11.30</td><td>37.47</td><td>0.00</td><td>283</td><td>260</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.74	-----	-----	101.00	34.91	11.30	37.47	0.00	283	260
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5725.48	64.63	68.20	-3.57	55.90	34.95	11.33	37.55	0.00	283	260	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5700.00	109.74	-----	-----	101.00	34.91	11.30	37.47	0.00	283	260	PEAK																																																																																											
Avg	Blank																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>100.27</td><td>-----</td><td>-----</td><td>91.52</td><td>34.90</td><td>11.29</td><td>37.44</td><td>0.00</td><td>283</td><td>260</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	100.27	-----	-----	91.52	34.90	11.29	37.44	0.00	283	260	AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5700.00	100.27	-----	-----	91.52	34.90	11.29	37.44	0.00	283	260	AVERAGE																																																																																											





		18																																																								
Mode		Harmonic																																																								
		U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																								
ANT		CDD 6+7																																																								
Pol.		Horizontal																																																								
Peak Avg																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11400.00</td><td>42.80</td><td>74.00</td><td>-31.20</td><td>55.47</td><td>38.00</td><td>16.05</td><td>66.72</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	42.80	74.00	-31.20	55.47	38.00	16.05	66.72	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	11400.00	42.80	74.00	-31.20	55.47	38.00	16.05	66.72	0.00	---	---	PEAK																																														
		Vertical																																																								
Peak Avg																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11400.00</td><td>43.16</td><td>74.00</td><td>-30.84</td><td>55.83</td><td>38.00</td><td>16.05</td><td>66.72</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	43.16	74.00	-30.84	55.83	38.00	16.05	66.72	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	11400.00	43.16	74.00	-30.84	55.83	38.00	16.05	66.72	0.00	---	---	PEAK																																														



Mode	19																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_5190MHz																																																																																																			
ANT	CDD 6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5129.28</td><td>60.46</td><td>74.00</td><td>-13.54</td><td>52.67</td><td>34.60</td><td>10.63</td><td>37.44</td><td>0.00</td><td>300</td><td>283 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5129.28	60.46	74.00	-13.54	52.67	34.60	10.63	37.44	0.00	300	283 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>104.78</td><td>-----</td><td>-----</td><td>96.72</td><td>34.78</td><td>10.70</td><td>37.42</td><td>0.00</td><td>300</td><td>283 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	104.78	-----	-----	96.72	34.78	10.70	37.42	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5129.28	60.46	74.00	-13.54	52.67	34.60	10.63	37.44	0.00	300	283 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5190.00	104.78	-----	-----	96.72	34.78	10.70	37.42	0.00	300	283 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.76</td><td>50.05</td><td>54.00</td><td>-3.95</td><td>42.23</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>300</td><td>283 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.76	50.05	54.00	-3.95	42.23	34.60	10.65	37.43	0.00	300	283 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>97.64</td><td>-----</td><td>-----</td><td>89.58</td><td>34.78</td><td>10.70</td><td>37.42</td><td>0.00</td><td>300</td><td>283 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	97.64	-----	-----	89.58	34.78	10.70	37.42	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5149.76	50.05	54.00	-3.95	42.23	34.60	10.65	37.43	0.00	300	283 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5190.00	97.64	-----	-----	89.58	34.78	10.70	37.42	0.00	300	283 AVERAGE																																																																																									





Mode	19																																																								
	Band Edge - R																																																								
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_5190MHz																																																								
ANT	CDD 6+7																																																								
Pol.	Horizontal										Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.87</td><td>56.84</td><td>74.00</td><td>-17.16</td><td>48.19</td><td>34.99</td><td>10.96</td><td>37.30</td><td>0.00</td><td>300</td><td>283</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.87	56.84	74.00	-17.16	48.19	34.99	10.96	37.30	0.00	300	283	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5454.87	56.84	74.00	-17.16	48.19	34.99	10.96	37.30	0.00	300	283	PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5422.47</td><td>47.00</td><td>54.00</td><td>-7.00</td><td>38.46</td><td>34.94</td><td>10.92</td><td>37.32</td><td>0.00</td><td>300</td><td>283</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5422.47	47.00	54.00	-7.00	38.46	34.94	10.92	37.32	0.00	300	283	AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5422.47	47.00	54.00	-7.00	38.46	34.94	10.92	37.32	0.00	300	283	AVERAGE																																													





Mode	19																																																						
	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_5190MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5136.48</td><td>62.15</td><td>74.00</td><td>-11.85</td><td>54.35</td><td>34.60</td><td>10.64</td><td>37.44</td><td>0.00</td><td>339 288 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.48	62.15	74.00	-11.85	54.35	34.60	10.64	37.44	0.00	339 288 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5136.48	62.15	74.00	-11.85	54.35	34.60	10.64	37.44	0.00	339 288 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>104.65</td><td>-----</td><td>-----</td><td>96.59</td><td>34.78</td><td>10.70</td><td>37.42</td><td>0.00</td><td>339 288 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	104.65	-----	-----	96.59	34.78	10.70	37.42	0.00	339 288 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	104.65	-----	-----	96.59	34.78	10.70	37.42	0.00	339 288 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.08</td><td>49.47</td><td>54.00</td><td>-4.53</td><td>41.66</td><td>34.60</td><td>10.65</td><td>37.44</td><td>0.00</td><td>339 288 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.08	49.47	54.00	-4.53	41.66	34.60	10.65	37.44	0.00	339 288 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5146.08	49.47	54.00	-4.53	41.66	34.60	10.65	37.44	0.00	339 288 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>95.91</td><td>-----</td><td>-----</td><td>87.88</td><td>34.75</td><td>10.70</td><td>37.42</td><td>0.00</td><td>339 288 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	95.91	-----	-----	87.88	34.75	10.70	37.42	0.00	339 288 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	95.91	-----	-----	87.88	34.75	10.70	37.42	0.00	339 288 AVERAGE																																													



Mode	19																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_5190MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.92</td><td>57.39</td><td>74.00</td><td>-16.61</td><td>48.74</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>339</td><td>288</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.92	57.39	74.00	-16.61	48.74	34.98	10.97	37.30	0.00	339	288	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5458.92	57.39	74.00	-16.61	48.74	34.98	10.97	37.30	0.00	339	288	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.68</td><td>46.86</td><td>54.00</td><td>-7.14</td><td>38.21</td><td>34.99</td><td>10.96</td><td>37.30</td><td>0.00</td><td>339</td><td>288</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.68	46.86	54.00	-7.14	38.21	34.99	10.96	37.30	0.00	339	288	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5455.68	46.86	54.00	-7.14	38.21	34.99	10.96	37.30	0.00	339	288	AVERAGE																																												



		19																																																									
Mode		Harmonic																																																									
		U-NII-1_5.15-5.25_802.11be EHT40_CH38_5190MHz																																																									
ANT		CDD 6+7																																																									
Pol.		Horizontal																																																									
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10300.00</td><td>43.97</td><td>68.20</td><td>-24.23</td><td>58.61</td><td>37.39</td><td>15.32</td><td>67.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10300.00	43.97	68.20	-24.23	58.61	37.39	15.32	67.35	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	10300.00	43.97	68.20	-24.23	58.61	37.39	15.32	67.35	0.00	---	---	PEAK																																															
		Vertical																																																									
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10300.00</td><td>44.59</td><td>68.20</td><td>-23.61</td><td>59.27</td><td>37.38</td><td>15.31</td><td>67.37</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10300.00	44.59	68.20	-23.61	59.27	37.38	15.31	67.37	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	10300.00	44.59	68.20	-23.61	59.27	37.38	15.31	67.37	0.00	---	---	PEAK																																															