





11AX20MIMO_Ant10_6415_26Tone_RU8




11AX20MIMO_Ant10_6415_52Tone_RU40






11AX20MIMO_Ant10_6415_106Tone_RU54




11AX20MIMO_Ant11_6415_26Tone_RU8






11AX20MIMO_Ant11_6415_52Tone_RU40




11AX20MIMO_Ant11_6415_106Tone_RU54






11AX20MIMO_Ant10_6535_26Tone_RU0




11AX20MIMO_Ant10_6535_52Tone_RU37






11AX20MIMO_Ant10_6535_106Tone_RU53




11AX20MIMO_Ant11_6535_26Tone_RU0






11AX20MIMO_Ant11_6535_52Tone_RU37



Date: 1.MAR.2024 07:49:37


11AX20MIMO_Ant11_6535_106Tone_RU53




Date: 1.MAR.2024 07:52:42



11AX20MIMO_Ant10_6695_26Tone_RU0




11AX20MIMO_Ant10_6695_52Tone_RU37






11AX20MIMO_Ant10_6695_106Tone_RU53




11AX20MIMO_Ant11_6695_26Tone_RU0






11AX20MIMO_Ant11_6695_52Tone_RU37



Date: 1.MAR.2024 07:57:58


11AX20MIMO_Ant11_6695_106Tone_RU53




Date: 1.MAR.2024 08:00:43



11AX20MIMO_Ant10_6855_26Tone_RU8




11AX20MIMO_Ant10_6855_52Tone_RU40






11AX20MIMO_Ant10_6855_106Tone_RU54




11AX20MIMO_Ant11_6855_26Tone_RU8






11AX20MIMO_Ant11_6855_52Tone_RU40




11AX20MIMO_Ant11_6855_106Tone_RU54





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	24.2~25.6°C
		Relative Humidity :	37~39%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2023 LINE

mode : Mode 1
IMEI : 861593070015765/861593070015773 #24

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.152	58.27	-7.60	65.87	47.80	0.05	10.42	QP
2	0.152	38.67	-17.20	55.87	28.20	0.05	10.42	Average
3	0.167	56.06	-9.06	65.12	45.60	0.04	10.42	QP
4	0.167	38.66	-16.46	55.12	28.20	0.04	10.42	Average
5	0.186	53.35	-10.85	64.20	42.91	0.03	10.41	QP
6	0.186	36.75	-17.45	54.20	26.31	0.03	10.41	Average
7	0.282	49.58	-11.18	60.76	39.19	0.04	10.35	QP
8	0.282	31.58	-19.18	50.76	21.19	0.04	10.35	Average
9	0.387	44.19	-13.93	58.12	33.90	0.00	10.29	QP
10	0.387	30.59	-17.53	48.12	20.30	0.00	10.29	Average
11	0.561	40.35	-15.65	56.00	30.20	-0.04	10.19	QP
12	0.561	28.35	-17.65	46.00	18.20	-0.04	10.19	Average



Test Engineer :	Amos Zhang	Temperature :	24.2~25.6°C
		Relative Humidity :	37~39%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2023 NEUTRAL

mode : Mode 1
IMEI : 861593070015765/861593070015773 #24

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1 *	0.156	57.06	-8.59	65.65	46.60	0.04	10.42	QP
2	0.156	40.76	-14.89	55.65	30.30	0.04	10.42	Average
3	0.170	53.06	-11.88	64.94	42.60	0.04	10.42	QP
4	0.170	34.36	-20.58	54.94	23.90	0.04	10.42	Average
5	0.238	45.89	-16.28	62.17	35.50	0.01	10.38	QP
6	0.238	30.69	-21.48	52.17	20.30	0.01	10.38	Average
7	0.315	41.78	-18.06	59.84	31.50	-0.04	10.32	QP
8	0.315	26.88	-22.96	49.84	16.60	-0.04	10.32	Average
9	0.406	40.42	-17.31	57.73	30.20	-0.06	10.28	QP
10	0.406	29.02	-18.71	47.73	18.80	-0.06	10.28	Average
11	0.484	41.66	-14.61	56.27	31.50	-0.07	10.23	QP
12	0.484	31.36	-14.91	46.27	21.20	-0.07	10.23	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)
- The same data of conducted emission was used for indoor client mode and standard client mode.



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	41~42 %
		Temperature :	22~23℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	CDD 10+11	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	CDD 10+11	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	CDD 10+11	802.11a	93	6415	6Mbps	-	-
Mode 7	U-NII-7	6.525-6.875	CDD 10+11	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6.525-6.875	CDD 10+11	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	6.525-6.875	CDD 10+11	802.11a	181	6855	6Mbps	-	-
Mode 13	U-NII-5	5.925-6.425	CDD 10+11	802.11ax HE20	1	5955	MCS0	-	-
Mode 14	U-NII-5	5.925-6.425	CDD 10+11	802.11ax HE20	1	5955	MCS0	RU26/0	-
Mode 15	U-NII-5	5.925-6.425	CDD 10+11	802.11ax HE20	1	5955	MCS0	RU52/37	-
Mode 16	U-NII-5	5.925-6.425	CDD 10+11	802.11ax HE20	1	5955	MCS0	RU106/53	-
Mode 17	U-NII-5	5.925-6.425	CDD 10+11	802.11ax HE20	45	6175	MCS0	-	-
Mode 18	U-NII-5	5.925-6.425	CDD 10+11	802.11ax HE20	93	6415	MCS0	-	-
Mode 19	U-NII-5	5.925-6.425	CDD 10+11	802.11ax HE40	3	5965	MCS0	-	-
Mode 20	U-NII-5	5.925-6.425	CDD 10+11	802.11ax HE40	43	6165	MCS0	-	-
Mode 21	U-NII-5	5.925-6.425	CDD 10+11	802.11ax HE40	91	6405	MCS0	-	-
Mode 22	U-NII-5	5.925-6.425	CDD 10+11	802.11ax HE80	7	5985	MCS0	Full	-
Mode 23	U-NII-5	5.925-6.425	CDD 10+11	802.11ax HE80	39	6145	MCS0	Full	-
Mode 24	U-NII-5	5.925-6.425	CDD 10+11	802.11ax HE80	87	6385	MCS0	Full	-
Mode 25	U-NII-5	5.925-6.425	CDD 10+11	802.11ax HE160	15	6025	MCS0	Full	-
Mode 26	U-NII-5	5.925-6.425	CDD 10+11	802.11ax HE160	47	6185	MCS0	Full	-
Mode 27	U-NII-5	5.925-6.425	CDD 10+11	802.11ax HE160	79	6345	MCS0	Full	-
Mode 37	U-NII-7	6.525-6.875	CDD 10+11	802.11ax HE20	117	6535	MCS0	Full	-
Mode 38	U-NII-7	6.525-6.875	CDD 10+11	802.11ax HE20	149	6695	MCS0	Full	-
Mode 39	U-NII-7	6.525-6.875	CDD 10+11	802.11ax HE40	123	6565	MCS0	Full	-
Mode 40	U-NII-7	6.525-6.875	CDD 10+11	802.11ax HE40	147	6685	MCS0	Full	-
Mode 41	U-NII-7	6.525-6.875	CDD 10+11	802.11ax HE40	179	6845	MCS0	Full	-
Mode 42	U-NII-7	6.525-6.875	CDD 10+11	802.11ax HE80	135	6625	MCS0	Full	-
Mode 43	U-NII-7	6.525-6.875	CDD 10+11	802.11ax HE80	151	6705	MCS0	Full	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 44	U-NII-7	6.525-6.875	CDD 10+11	802.11ax HE160	143	6665	MCS0	Full	-
Mode 62	U-NII-7-8	6.525-7.125	CDD 10+11	802.11ax HE20	181	6855	MCS0	Full	-
Mode 63	U-NII-7-8	6.525-7.125	CDD 10+11	802.11ax HE80	167	6785	MCS0	Full	-

Co-location

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 61	2400-2483.5	2400-2483.5	8	Bluetooth-LE	01	2404	2Mbps	-	-
	U-NII-7	6.525-6.875	CDD 10+11	802.11a	149	6695	6Mbps	-	-
	Part 96 n48 BW=40M								



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.97	49.39	68.20	-18.81	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	41.10	54.00	-12.90	V	AVERAGE	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	46.58	74.00	-27.42	V	AVERAGE	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	46.27	88.20	-41.93	V	PEAK	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	46.84	88.20	-41.36	V	PEAK	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	44.35	54.00	-9.65	V	AVERAGE	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	45.43	68.20	-22.77	V	AVERAGE	Pass	Harmonic
13	802.11ax HE20	1	5924.84	46.87	68.20	-21.33	H	AVERAGE	Pass	Band Edge
13	802.11ax HE20	1	11910.00	42.88	54.00	-11.12	V	AVERAGE	Pass	Harmonic
14	802.11ax HE20	1	5825.00	46.65	68.20	-21.55	H	AVERAGE	Pass	Band Edge
14	802.11ax HE20	1	11910.00	39.58	54.00	-14.42	V	AVERAGE	Pass	Harmonic
15	802.11ax HE20	1	5825.00	46.60	68.20	-21.60	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	1	11910.00	48.47	74.00	-25.53	V	PEAK	Pass	Harmonic
16	802.11ax HE20	1	5825.00	46.60	68.20	-21.60	H	AVERAGE	Pass	Band Edge
16	802.11ax HE20	1	11910.00	39.68	54.00	-14.32	V	AVERAGE	Pass	Harmonic
17	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	45	12350.00	44.14	54.00	-9.86	V	AVERAGE	Pass	Harmonic
18	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE20	93	12830.00	47.18	88.20	-41.02	H	PEAK	Pass	Harmonic
19	802.11ax HE40	3	5924.82	47.29	68.20	-20.91	H	AVERAGE	Pass	Band Edge
19	802.11ax HE40	3	11930.00	42.30	54.00	-11.70	V	AVERAGE	Pass	Harmonic
20	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE40	43	12330.00	43.82	54.00	-10.18	V	AVERAGE	Pass	Harmonic
21	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE40	91	12810.00	47.36	88.20	-40.84	H	PEAK	Pass	Harmonic
22	802.11ax HE80	7	5923.40	47.37	68.20	-20.83	H	AVERAGE	Pass	Band Edge
22	802.11ax HE80	7	11970.00	41.63	54.00	-12.37	H	AVERAGE	Pass	Harmonic
23	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE80	39	12290.00	45.99	74.00	-28.01	V	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
24	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE80	87	12770.00	46.62	88.20	-41.58	V	PEAK	Pass	Harmonic
25	802.11ax HE160	15	5894.00	47.63	68.20	-20.57	H	AVERAGE	Pass	Band Edge
25	802.11ax HE160	15	12050.00	46.14	74.00	-27.86	H	PEAK	Pass	Harmonic
26	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE160	47	12370.00	46.43	74.00	-27.57	V	PEAK	Pass	Harmonic
27	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE160	79	12690.00	46.71	74.00	-27.29	H	PEAK	Pass	Harmonic
37	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE20	117	13070.00	46.17	88.20	-42.03	V	PEAK	Pass	Harmonic
38	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE20	149	13390.00	46.49	74.00	-27.51	H	PEAK	Pass	Harmonic
39	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE40	123	13130.00	45.71	88.20	-42.49	H	PEAK	Pass	Harmonic
40	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE40	147	13370.00	46.19	74.00	-27.81	H	PEAK	Pass	Harmonic
41	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE40	179	13690.00	47.53	88.20	-40.67	H	PEAK	Pass	Harmonic
42	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE80	135	13250.00	44.72	74.00	-29.28	H	PEAK	Pass	Harmonic
43	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	151	13410.00	45.97	88.20	-42.23	V	PEAK	Pass	Harmonic
44	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE160	143	13330.00	46.01	74.00	-27.99	V	PEAK	Pass	Harmonic
62	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
62	802.11ax HE20	181	13710.00	45.82	88.20	-42.38	V	PEAK	Pass	Harmonic
63	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
63	802.11ax HE80	167	13570.00	44.99	88.20	-43.21	H	PEAK	Pass	Harmonic





Co-location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
61	Bluetooth-LE	01	2375.39	45.44	54.00	-8.56	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	01	4808.00	38.85	74.00	-35.15	V	PEAK	Pass	Harmonic
	802.11a	149	-	-	-	-	-	-	-	Band Edge
	802.11a	149	13390.00	35.29	54.00	-18.71	V	AVERAGE	Pass	Harmonic



Mode	1																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																						
ANT	CDD 10+11																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.45</td><td>59.42</td><td>88.20</td><td>-28.78</td><td>40.94</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>101</td><td>116</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	59.42	88.20	-28.78	40.94	35.15	13.73	30.40	0.00	101	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5924.45	59.42	88.20	-28.78	40.94	35.15	13.73	30.40	0.00	101	116	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>112.81</td><td>-----</td><td>-----</td><td>94.38</td><td>35.22</td><td>13.63</td><td>30.42</td><td>0.00</td><td>101</td><td>116</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	112.81	-----	-----	94.38	35.22	13.63	30.42	0.00	101	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5955.00	112.81	-----	-----	94.38	35.22	13.63	30.42	0.00	101	116	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>49.39</td><td>68.20</td><td>-18.81</td><td>30.92</td><td>35.15</td><td>13.73</td><td>30.41</td><td>0.00</td><td>101</td><td>116</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	49.39	68.20	-18.81	30.92	35.15	13.73	30.41	0.00	101	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5924.97	49.39	68.20	-18.81	30.92	35.15	13.73	30.41	0.00	101	116	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>105.37</td><td>-----</td><td>-----</td><td>86.94</td><td>35.22</td><td>13.63</td><td>30.42</td><td>0.00</td><td>101</td><td>116</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.37	-----	-----	86.94	35.22	13.63	30.42	0.00	101	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5955.00	105.37	-----	-----	86.94	35.22	13.63	30.42	0.00	101	116	AVERAGE																																											





Mode	1																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																														
ANT	CDD 10+11																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.93</td><td>59.70</td><td>88.20</td><td>-28.50</td><td>41.22</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>318</td><td>84</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.93	59.70	88.20	-28.50	41.22	35.15	13.73	30.40	0.00	318	84	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>109.50</td><td>-----</td><td>-----</td><td>91.07</td><td>35.22</td><td>13.63</td><td>30.42</td><td>0.00</td><td>318</td><td>84</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.50	-----	-----	91.07	35.22	13.63	30.42	0.00	318	84
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5923.93	59.70	88.20	-28.50	41.22	35.15	13.73	30.40	0.00	318	84	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	109.50	-----	-----	91.07	35.22	13.63	30.42	0.00	318	84	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>47.84</td><td>68.20</td><td>-20.36</td><td>29.37</td><td>35.15</td><td>13.73</td><td>30.41</td><td>0.00</td><td>318</td><td>84</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	47.84	68.20	-20.36	29.37	35.15	13.73	30.41	0.00	318	84	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>102.00</td><td>-----</td><td>-----</td><td>83.57</td><td>35.22</td><td>13.63</td><td>30.42</td><td>0.00</td><td>318</td><td>84</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.00	-----	-----	83.57	35.22	13.63	30.42	0.00	318	84
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.97	47.84	68.20	-20.36	29.37	35.15	13.73	30.41	0.00	318	84	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	102.00	-----	-----	83.57	35.22	13.63	30.42	0.00	318	84	AVERAGE																																																																																																			



Mode	1																																																														
	Harmonic																																																														
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																														
ANT	CDD 10+11																																																														
Pol.																																																															
Peak Avg	Horizontal																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11910.00</td><td>45.57</td><td>74.00</td><td>-28.43</td><td>52.49</td><td>38.81</td><td>19.21</td><td>64.94</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11910.00	45.57	74.00	-28.43	52.49	38.81	19.21	64.94	0.00	--	-- PEAK										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1 11910.00	45.57	74.00	-28.43	52.49	38.81	19.21	64.94	0.00	--	-- PEAK																																																					
Peak Avg	Vertical																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11910.00</td><td>49.29</td><td>74.00</td><td>-24.71</td><td>56.21</td><td>38.81</td><td>19.21</td><td>64.94</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2 11910.00</td><td>41.10</td><td>54.00</td><td>-12.90</td><td>48.02</td><td>38.81</td><td>19.21</td><td>64.94</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11910.00	49.29	74.00	-24.71	56.21	38.81	19.21	64.94	0.00	100	0 PEAK	2 11910.00	41.10	54.00	-12.90	48.02	38.81	19.21	64.94	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1 11910.00	49.29	74.00	-24.71	56.21	38.81	19.21	64.94	0.00	100	0 PEAK																																																					
2 11910.00	41.10	54.00	-12.90	48.02	38.81	19.21	64.94	0.00	100	0 AVERAGE																																																					





Mode	2																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH45_6175MHz																																																																																																	
ANT	CDD 10+11																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>45.80</td><td>74.00</td><td>-28.20</td><td>52.34</td><td>39.05</td><td>19.36</td><td>64.95</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	45.80	74.00	-28.20	52.34	39.05	19.36	64.95	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.58</td><td>74.00</td><td>-27.42</td><td>53.12</td><td>39.05</td><td>19.36</td><td>64.95</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	46.58	74.00	-27.42	53.12	39.05	19.36	64.95	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12350.00	45.80	74.00	-28.20	52.34	39.05	19.36	64.95	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12350.00	46.58	74.00	-27.42	53.12	39.05	19.36	64.95	0.00	--	PEAK																																																																																							







Mode	3																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																	
ANT	CDD 10+11																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>45.93</td><td>88.20</td><td>-42.27</td><td>51.47</td><td>39.30</td><td>19.80</td><td>64.64</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	45.93	88.20	-42.27	51.47	39.30	19.80	64.64	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.27</td><td>88.20</td><td>-41.93</td><td>51.81</td><td>39.30</td><td>19.80</td><td>64.64</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.27	88.20	-41.93	51.81	39.30	19.80	64.64	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12830.00	45.93	88.20	-42.27	51.47	39.30	19.80	64.64	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12830.00	46.27	88.20	-41.93	51.81	39.30	19.80	64.64	0.00	--	PEAK																																																																																							





		7																																																			
Mode		Harmonic																																																			
		U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																			
ANT		CDD 10+11																																																			
Pol.		Horizontal					Vertical																																														
Peak Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>46.81</td><td>88.20</td><td>-41.39</td><td>52.05</td><td>39.13</td><td>20.12</td><td>64.49</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.81	88.20	-41.39	52.05	39.13	20.12	64.49	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	13070.00	46.81	88.20	-41.39	52.05	39.13	20.12	64.49	0.00	--	PEAK																																										
Peak Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>46.84</td><td>88.20</td><td>-41.36</td><td>52.08</td><td>39.13</td><td>20.12</td><td>64.49</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.84	88.20	-41.36	52.08	39.13	20.12	64.49	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	13070.00	46.84	88.20	-41.36	52.08	39.13	20.12	64.49	0.00	--	PEAK																																										







Mode	8																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																																														
ANT	CDD 10+11																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>51.53</td><td>74.00</td><td>-22.47</td><td>56.45</td><td>39.20</td><td>20.16</td><td>64.28</td><td>0.00</td><td>100</td><td>55</td><td>PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>42.06</td><td>54.00</td><td>-11.94</td><td>46.98</td><td>39.20</td><td>20.16</td><td>64.28</td><td>0.00</td><td>100</td><td>55</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	51.53	74.00	-22.47	56.45	39.20	20.16	64.28	0.00	100	55	PEAK	2	13390.00	42.06	54.00	-11.94	46.98	39.20	20.16	64.28	0.00	100	55	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>54.20</td><td>74.00</td><td>-19.80</td><td>59.12</td><td>39.20</td><td>20.16</td><td>64.28</td><td>0.00</td><td>100</td><td>128</td><td>PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>44.35</td><td>54.00</td><td>-9.65</td><td>49.27</td><td>39.20</td><td>20.16</td><td>64.28</td><td>0.00</td><td>100</td><td>128</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	54.20	74.00	-19.80	59.12	39.20	20.16	64.28	0.00	100	128	PEAK	2	13390.00	44.35	54.00	-9.65	49.27	39.20	20.16	64.28	0.00	100	128
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	13390.00	51.53	74.00	-22.47	56.45	39.20	20.16	64.28	0.00	100	55	PEAK																																																																																																																			
2	13390.00	42.06	54.00	-11.94	46.98	39.20	20.16	64.28	0.00	100	55	AVERAGE																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	13390.00	54.20	74.00	-19.80	59.12	39.20	20.16	64.28	0.00	100	128	PEAK																																																																																																																			
2	13390.00	44.35	54.00	-9.65	49.27	39.20	20.16	64.28	0.00	100	128	AVERAGE																																																																																																																			
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>54.20</td><td>74.00</td><td>-19.80</td><td>59.12</td><td>39.20</td><td>20.16</td><td>64.28</td><td>0.00</td><td>100</td><td>128</td><td>PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>44.35</td><td>54.00</td><td>-9.65</td><td>49.27</td><td>39.20</td><td>20.16</td><td>64.28</td><td>0.00</td><td>100</td><td>128</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	54.20	74.00	-19.80	59.12	39.20	20.16	64.28	0.00	100	128	PEAK	2	13390.00	44.35	54.00	-9.65	49.27	39.20	20.16	64.28	0.00	100	128	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>54.20</td><td>74.00</td><td>-19.80</td><td>59.12</td><td>39.20</td><td>20.16</td><td>64.28</td><td>0.00</td><td>100</td><td>128</td><td>PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>44.35</td><td>54.00</td><td>-9.65</td><td>49.27</td><td>39.20</td><td>20.16</td><td>64.28</td><td>0.00</td><td>100</td><td>128</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	54.20	74.00	-19.80	59.12	39.20	20.16	64.28	0.00	100	128	PEAK	2	13390.00	44.35	54.00	-9.65	49.27	39.20	20.16	64.28	0.00	100	128
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	13390.00	54.20	74.00	-19.80	59.12	39.20	20.16	64.28	0.00	100	128	PEAK																																																																																																																			
2	13390.00	44.35	54.00	-9.65	49.27	39.20	20.16	64.28	0.00	100	128	AVERAGE																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	13390.00	54.20	74.00	-19.80	59.12	39.20	20.16	64.28	0.00	100	128	PEAK																																																																																																																			
2	13390.00	44.35	54.00	-9.65	49.27	39.20	20.16	64.28	0.00	100	128	AVERAGE																																																																																																																			





		9																																																																																																																															
Mode		Harmonic																																																																																																																															
		U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																																																															
ANT		CDD 10+11																																																																																																																															
Pol.		Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>46.78</td><td>88.20</td><td>-41.42</td><td>51.38</td><td>38.80</td><td>20.56</td><td>63.96</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13710.00	46.78	88.20	-41.42	51.38	38.80	20.56	63.96	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>54.64</td><td>88.20</td><td>-33.56</td><td>59.24</td><td>38.80</td><td>20.56</td><td>63.96</td><td>0.00</td><td>100</td><td>256</td><td>PEAK</td></tr><tr><td>2</td><td>13710.00</td><td>45.43</td><td>68.20</td><td>-22.77</td><td>50.03</td><td>38.80</td><td>20.56</td><td>63.96</td><td>0.00</td><td>100</td><td>256</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13710.00	54.64	88.20	-33.56	59.24	38.80	20.56	63.96	0.00	100	256	PEAK	2	13710.00	45.43	68.20	-22.77	50.03	38.80	20.56	63.96	0.00	100	256
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	13710.00	46.78	88.20	-41.42	51.38	38.80	20.56	63.96	0.00	--	--	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	13710.00	54.64	88.20	-33.56	59.24	38.80	20.56	63.96	0.00	100	256	PEAK																																																																																																																					
2	13710.00	45.43	68.20	-22.77	50.03	38.80	20.56	63.96	0.00	100	256	AVERAGE																																																																																																																					





		13																																																					
Mode		Band Edge																																																					
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																					
ANT		CDD 10+11																																																					
Pol.		Horizontal																																																					
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.39</td><td>57.79</td><td>88.20</td><td>-30.41</td><td>39.31</td><td>35.13</td><td>13.75</td><td>30.40</td><td>0.00</td><td>101</td><td>115</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.39	57.79	88.20	-30.41	39.31	35.13	13.75	30.40	0.00	101	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5916.39	57.79	88.20	-30.41	39.31	35.13	13.75	30.40	0.00	101	115	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>112.48</td><td>-----</td><td>-----</td><td>94.05</td><td>35.22</td><td>13.63</td><td>30.42</td><td>0.00</td><td>101</td><td>115</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	112.48	-----	-----	94.05	35.22	13.63	30.42	0.00	101	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5955.00	112.48	-----	-----	94.05	35.22	13.63	30.42	0.00	101	115	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>46.87</td><td>68.20</td><td>-21.33</td><td>28.40</td><td>35.15</td><td>13.73</td><td>30.41</td><td>0.00</td><td>101</td><td>115</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	46.87	68.20	-21.33	28.40	35.15	13.73	30.41	0.00	101	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5924.84	46.87	68.20	-21.33	28.40	35.15	13.73	30.41	0.00	101	115	AVERAGE																																											
AVERAGE																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>103.50</td><td>-----</td><td>-----</td><td>85.07</td><td>35.20</td><td>13.65</td><td>30.42</td><td>0.00</td><td>101</td><td>115</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.50	-----	-----	85.07	35.20	13.65	30.42	0.00	101	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5955.00	103.50	-----	-----	85.07	35.20	13.65	30.42	0.00	101	115	AVERAGE																																											







		13																																																					
Mode		Band Edge																																																					
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																					
ANT		CDD 10+11																																																					
Pol.		Fundamental																																																					
Peak	Vertical	Fundamental																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5921.72</td><td>57.47</td><td>88.20</td><td>-30.73</td><td>39.00</td><td>35.14</td><td>13.73</td><td>30.40</td><td>0.00</td><td>306</td><td>82</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.72	57.47	88.20	-30.73	39.00	35.14	13.73	30.40	0.00	306	82
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5921.72	57.47	88.20	-30.73	39.00	35.14	13.73	30.40	0.00	306	82	PEAK																																											
Avg	Vertical	Fundamental																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.71</td><td>46.28</td><td>68.20</td><td>-21.92</td><td>27.81</td><td>35.15</td><td>13.73</td><td>30.41</td><td>0.00</td><td>306</td><td>82</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.71	46.28	68.20	-21.92	27.81	35.15	13.73	30.41	0.00	306	82
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5924.71	46.28	68.20	-21.92	27.81	35.15	13.73	30.41	0.00	306	82	AVERAGE																																											








Mode	13																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																																																																																																											
ANT	CDD 10+11																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11910.00</td><td>48.01</td><td>74.00</td><td>-25.99</td><td>54.93</td><td>38.81</td><td>19.21</td><td>64.94</td><td>0.00</td><td>110</td><td>293</td><td>PEAK</td><td></td></tr><tr><td>2 11910.00</td><td>41.65</td><td>54.00</td><td>-12.35</td><td>48.57</td><td>38.81</td><td>19.21</td><td>64.94</td><td>0.00</td><td>110</td><td>293</td><td>AVERAGE</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 11910.00	48.01	74.00	-25.99	54.93	38.81	19.21	64.94	0.00	110	293	PEAK		2 11910.00	41.65	54.00	-12.35	48.57	38.81	19.21	64.94	0.00	110	293	AVERAGE		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11910.00</td><td>49.11</td><td>74.00</td><td>-24.89</td><td>56.03</td><td>38.81</td><td>19.21</td><td>64.94</td><td>0.00</td><td>100</td><td>298</td><td>PEAK</td><td></td></tr><tr><td>2 11910.00</td><td>42.88</td><td>54.00</td><td>-11.12</td><td>49.80</td><td>38.81</td><td>19.21</td><td>64.94</td><td>0.00</td><td>100</td><td>298</td><td>AVERAGE</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 11910.00	49.11	74.00	-24.89	56.03	38.81	19.21	64.94	0.00	100	298	PEAK		2 11910.00	42.88	54.00	-11.12	49.80	38.81	19.21	64.94	0.00	100	298	AVERAGE	
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1 11910.00	48.01	74.00	-25.99	54.93	38.81	19.21	64.94	0.00	110	293	PEAK																																																																																																																																	
2 11910.00	41.65	54.00	-12.35	48.57	38.81	19.21	64.94	0.00	110	293	AVERAGE																																																																																																																																	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1 11910.00	49.11	74.00	-24.89	56.03	38.81	19.21	64.94	0.00	100	298	PEAK																																																																																																																																	
2 11910.00	42.88	54.00	-11.12	49.80	38.81	19.21	64.94	0.00	100	298	AVERAGE																																																																																																																																	







Mode	14																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU26/0_5955MHz																																																																																																														
ANT	CDD 10+11																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5865.43</td><td>59.31</td><td>88.20</td><td>-28.89</td><td>40.87</td><td>34.96</td><td>13.86</td><td>30.38</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5865.43	59.31	88.20	-28.89	40.87	34.96	13.86	30.38	0.00	100	118	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>112.43</td><td>-----</td><td>-----</td><td>94.00</td><td>35.20</td><td>13.65</td><td>30.42</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	112.43	-----	-----	94.00	35.20	13.65	30.42	0.00	100	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5865.43	59.31	88.20	-28.89	40.87	34.96	13.86	30.38	0.00	100	118	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	112.43	-----	-----	94.00	35.20	13.65	30.42	0.00	100	118	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>46.65</td><td>68.20</td><td>-21.55</td><td>27.89</td><td>34.85</td><td>14.13</td><td>30.22</td><td>0.00</td><td>100</td><td>118</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	46.65	68.20	-21.55	27.89	34.85	14.13	30.22	0.00	100	118	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>103.77</td><td>-----</td><td>-----</td><td>85.34</td><td>35.20</td><td>13.65</td><td>30.42</td><td>0.00</td><td>100</td><td>118</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.77	-----	-----	85.34	35.20	13.65	30.42	0.00	100	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5825.00	46.65	68.20	-21.55	27.89	34.85	14.13	30.22	0.00	100	118	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	103.77	-----	-----	85.34	35.20	13.65	30.42	0.00	100	118	AVERAGE																																																																																																			







Mode	14																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU26/0_5955MHz																																																																																																														
ANT	CDD 10+11																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5902.09</td><td>58.44</td><td>88.20</td><td>-29.76</td><td>39.94</td><td>35.10</td><td>13.79</td><td>30.39</td><td>0.00</td><td>353</td><td>85</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5902.09	58.44	88.20	-29.76	39.94	35.10	13.79	30.39	0.00	353	85	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>107.76</td><td>-----</td><td>-----</td><td>89.33</td><td>35.20</td><td>13.65</td><td>30.42</td><td>0.00</td><td>353</td><td>85</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.76	-----	-----	89.33	35.20	13.65	30.42	0.00	353	85
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5902.09	58.44	88.20	-29.76	39.94	35.10	13.79	30.39	0.00	353	85	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	107.76	-----	-----	89.33	35.20	13.65	30.42	0.00	353	85	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>46.62</td><td>68.20</td><td>-21.58</td><td>27.86</td><td>34.85</td><td>14.13</td><td>30.22</td><td>0.00</td><td>353</td><td>85</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	46.62	68.20	-21.58	27.86	34.85	14.13	30.22	0.00	353	85	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.39</td><td>-----</td><td>-----</td><td>81.96</td><td>35.20</td><td>13.65</td><td>30.42</td><td>0.00</td><td>353</td><td>85</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.39	-----	-----	81.96	35.20	13.65	30.42	0.00	353	85
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5825.00	46.62	68.20	-21.58	27.86	34.85	14.13	30.22	0.00	353	85	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	100.39	-----	-----	81.96	35.20	13.65	30.42	0.00	353	85	AVERAGE																																																																																																			







		15																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU52/37_5955MHz																																																																																																		
ANT	CDD 10+11																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5861.66</td><td>57.83</td><td>88.20</td><td>-30.37</td><td>39.38</td><td>34.95</td><td>13.87</td><td>30.37</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5861.66	57.83	88.20	-30.37	39.38	34.95	13.87	30.37	0.00	100	238	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>111.27</td><td>-----</td><td>-----</td><td>92.84</td><td>35.20</td><td>13.65</td><td>30.42</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.27	-----	-----	92.84	35.20	13.65	30.42	0.00	100	238
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5861.66	57.83	88.20	-30.37	39.38	34.95	13.87	30.37	0.00	100	238	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	111.27	-----	-----	92.84	35.20	13.65	30.42	0.00	100	238	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>46.60</td><td>68.20</td><td>-21.60</td><td>27.84</td><td>34.85</td><td>14.13</td><td>30.22</td><td>0.00</td><td>100</td><td>238</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	46.60	68.20	-21.60	27.84	34.85	14.13	30.22	0.00	100	238	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>102.84</td><td>-----</td><td>-----</td><td>84.41</td><td>35.20</td><td>13.65</td><td>30.42</td><td>0.00</td><td>100</td><td>238</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.84	-----	-----	84.41	35.20	13.65	30.42	0.00	100	238
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5825.00	46.60	68.20	-21.60	27.84	34.85	14.13	30.22	0.00	100	238	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	102.84	-----	-----	84.41	35.20	13.65	30.42	0.00	100	238	AVERAGE																																																																																							







Mode	15																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU52/37_5955MHz																																																																																																		
ANT	CDD 10+11																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5848.14</td><td>57.94</td><td>88.20</td><td>-30.26</td><td>39.47</td><td>34.90</td><td>13.91</td><td>30.34</td><td>0.00</td><td>354</td><td>86</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5848.14	57.94	88.20	-30.26	39.47	34.90	13.91	30.34	0.00	354	86	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.38</td><td>-----</td><td>-----</td><td>89.95</td><td>35.20</td><td>13.65</td><td>30.42</td><td>0.00</td><td>354</td><td>86</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.38	-----	-----	89.95	35.20	13.65	30.42	0.00	354	86
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5848.14	57.94	88.20	-30.26	39.47	34.90	13.91	30.34	0.00	354	86	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	100.38	-----	-----	89.95	35.20	13.65	30.42	0.00	354	86	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5826.30</td><td>46.58</td><td>68.20</td><td>-21.62</td><td>27.84</td><td>34.85</td><td>14.12</td><td>30.23</td><td>0.00</td><td>354</td><td>86</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5826.30	46.58	68.20	-21.62	27.84	34.85	14.12	30.23	0.00	354	86	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.02</td><td>-----</td><td>-----</td><td>81.59</td><td>35.20</td><td>13.65</td><td>30.42</td><td>0.00</td><td>354</td><td>86</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.02	-----	-----	81.59	35.20	13.65	30.42	0.00	354	86
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5826.30	46.58	68.20	-21.62	27.84	34.85	14.12	30.23	0.00	354	86	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	100.02	-----	-----	81.59	35.20	13.65	30.42	0.00	354	86	AVERAGE																																																																																							







		15																																																																																																															
Mode		Harmonic																																																																																																															
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU52/37_5955MHz																																																																																																															
ANT		CDD 10+11																																																																																																															
Pol.		Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.66</td><td>74.00</td><td>-27.34</td><td>53.58</td><td>38.81</td><td>19.21</td><td>64.94</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	46.66	74.00	-27.34	53.58	38.81	19.21	64.94	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>48.47</td><td>74.00</td><td>-25.53</td><td>55.39</td><td>38.81</td><td>19.21</td><td>64.94</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	48.47	74.00	-25.53	55.39	38.81	19.21	64.94	0.00	100	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11910.00	46.66	74.00	-27.34	53.58	38.81	19.21	64.94	0.00	--	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	11910.00	48.47	74.00	-25.53	55.39	38.81	19.21	64.94	0.00	100	0	PEAK																																																																																																					





Mode	16																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU106/53_5955MHz																																																																																																														
ANT	CDD 10+11																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5826.95</td><td>58.58</td><td>88.20</td><td>-29.62</td><td>39.85</td><td>34.85</td><td>14.11</td><td>30.23</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5826.95	58.58	88.20	-29.62	39.85	34.85	14.11	30.23	0.00	100	239	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>110.92</td><td>-----</td><td>-----</td><td>92.49</td><td>35.20</td><td>13.65</td><td>30.42</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.92	-----	-----	92.49	35.20	13.65	30.42	0.00	100	239
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5826.95	58.58	88.20	-29.62	39.85	34.85	14.11	30.23	0.00	100	239	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	110.92	-----	-----	92.49	35.20	13.65	30.42	0.00	100	239	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>46.60</td><td>68.20</td><td>-21.60</td><td>27.84</td><td>34.85</td><td>14.13</td><td>30.22</td><td>0.00</td><td>100</td><td>239</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	46.60	68.20	-21.60	27.84	34.85	14.13	30.22	0.00	100	239	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>102.46</td><td>-----</td><td>-----</td><td>84.03</td><td>35.20</td><td>13.65</td><td>30.42</td><td>0.00</td><td>100</td><td>239</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.46	-----	-----	84.03	35.20	13.65	30.42	0.00	100	239
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5825.00	46.60	68.20	-21.60	27.84	34.85	14.13	30.22	0.00	100	239	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	102.46	-----	-----	84.03	35.20	13.65	30.42	0.00	100	239	AVERAGE																																																																																																			





Mode	16																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU106/53_5955MHz																																																																																																														
ANT	CDD 10+11																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.04</td><td>58.70</td><td>88.20</td><td>-29.50</td><td>40.22</td><td>35.13</td><td>13.75</td><td>30.40</td><td>0.00</td><td>354</td><td>87</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.04	58.70	88.20	-29.50	40.22	35.13	13.75	30.40	0.00	354	87	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>107.79</td><td>-----</td><td>-----</td><td>89.36</td><td>35.20</td><td>13.65</td><td>30.42</td><td>0.00</td><td>354</td><td>87</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.79	-----	-----	89.36	35.20	13.65	30.42	0.00	354	87
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5917.04	58.70	88.20	-29.50	40.22	35.13	13.75	30.40	0.00	354	87	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	107.79	-----	-----	89.36	35.20	13.65	30.42	0.00	354	87	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.13</td><td>46.59</td><td>68.20</td><td>-21.61</td><td>27.83</td><td>34.85</td><td>14.13</td><td>30.22</td><td>0.00</td><td>354</td><td>87</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.13	46.59	68.20	-21.61	27.83	34.85	14.13	30.22	0.00	354	87	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>99.87</td><td>-----</td><td>-----</td><td>81.44</td><td>35.20</td><td>13.65</td><td>30.42</td><td>0.00</td><td>354</td><td>87</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.87	-----	-----	81.44	35.20	13.65	30.42	0.00	354	87
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5825.13	46.59	68.20	-21.61	27.83	34.85	14.13	30.22	0.00	354	87	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	99.87	-----	-----	81.44	35.20	13.65	30.42	0.00	354	87	AVERAGE																																																																																																			





Mode	16																																																																																																													
	Harmonic																																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU106/53_5955MHz																																																																																																													
ANT	CDD 10+11																																																																																																													
Pol.	Horizontal						Vertical																																																																																																							
Peak Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.10</td><td>74.00</td><td>-27.90</td><td>53.02</td><td>38.81</td><td>19.21</td><td>64.94</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	46.10	74.00	-27.90	53.02	38.81	19.21	64.94	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.15</td><td>74.00</td><td>-26.85</td><td>54.07</td><td>38.81</td><td>19.21</td><td>64.94</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>39.68</td><td>54.00</td><td>-14.32</td><td>46.60</td><td>38.81</td><td>19.21</td><td>64.94</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	47.15	74.00	-26.85	54.07	38.81	19.21	64.94	0.00	100	0 PEAK	2	11910.00	39.68	54.00	-14.32	46.60	38.81	19.21	64.94	0.00	100	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	11910.00	46.10	74.00	-27.90	53.02	38.81	19.21	64.94	0.00	--	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	11910.00	47.15	74.00	-26.85	54.07	38.81	19.21	64.94	0.00	100	0 PEAK																																																																																																			
2	11910.00	39.68	54.00	-14.32	46.60	38.81	19.21	64.94	0.00	100	0 AVERAGE																																																																																																			







		17																																																																												
Mode		Harmonic																																																																												
		U-NII-5_5.925-6.425_802.11ax HE20_CH45_6175MHz																																																																												
ANT		CDD 10+11																																																																												
Pol.		Horizontal																																																																												
Peak Avg																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12350.00</td><td>48.21</td><td>74.00</td><td>-25.79</td><td>54.75</td><td>39.05</td><td>19.36</td><td>64.95</td><td>0.00</td><td>100</td><td>19</td><td>PEAK</td><td></td></tr><tr><td>2 12350.00</td><td>39.77</td><td>54.00</td><td>-14.23</td><td>46.31</td><td>39.05</td><td>19.36</td><td>64.95</td><td>0.00</td><td>100</td><td>19</td><td>AVERAGE</td><td></td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 12350.00	48.21	74.00	-25.79	54.75	39.05	19.36	64.95	0.00	100	19	PEAK		2 12350.00	39.77	54.00	-14.23	46.31	39.05	19.36	64.95	0.00	100	19	AVERAGE		
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																			
1 12350.00	48.21	74.00	-25.79	54.75	39.05	19.36	64.95	0.00	100	19	PEAK																																																																			
2 12350.00	39.77	54.00	-14.23	46.31	39.05	19.36	64.95	0.00	100	19	AVERAGE																																																																			
		Vertical																																																																												
																																																																														
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12350.00</td><td>49.95</td><td>74.00</td><td>-24.05</td><td>56.49</td><td>39.05</td><td>19.36</td><td>64.95</td><td>0.00</td><td>103</td><td>297</td><td>PEAK</td><td></td></tr><tr><td>2 12350.00</td><td>44.14</td><td>54.00</td><td>-9.86</td><td>50.68</td><td>39.05</td><td>19.36</td><td>64.95</td><td>0.00</td><td>103</td><td>297</td><td>AVERAGE</td><td></td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 12350.00	49.95	74.00	-24.05	56.49	39.05	19.36	64.95	0.00	103	297	PEAK		2 12350.00	44.14	54.00	-9.86	50.68	39.05	19.36	64.95	0.00	103	297	AVERAGE	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																			
1 12350.00	49.95	74.00	-24.05	56.49	39.05	19.36	64.95	0.00	103	297	PEAK																																																																			
2 12350.00	44.14	54.00	-9.86	50.68	39.05	19.36	64.95	0.00	103	297	AVERAGE																																																																			







Mode	18																																																																																																
	Harmonic																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_6415MHz																																																																																																
ANT	CDD 10+11																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.18</td><td>88.20</td><td>-41.02</td><td>52.72</td><td>39.30</td><td>19.80</td><td>64.64</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	47.18	88.20	-41.02	52.72	39.30	19.80	64.64	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.86</td><td>88.20</td><td>-41.34</td><td>52.40</td><td>39.30</td><td>19.80</td><td>64.64</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.86	88.20	-41.34	52.40	39.30	19.80	64.64	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12830.00	47.18	88.20	-41.02	52.72	39.30	19.80	64.64	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12830.00	46.86	88.20	-41.34	52.40	39.30	19.80	64.64	0.00	--	PEAK																																																																																						





Mode	19																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_5965MHz																																																																																																														
ANT	CDD 10+11																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.74</td><td>58.73</td><td>88.20</td><td>-29.47</td><td>40.26</td><td>35.14</td><td>13.73</td><td>30.40</td><td>0.00</td><td>102</td><td>114</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.74	58.73	88.20	-29.47	40.26	35.14	13.73	30.40	0.00	102	114	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>109.57</td><td>-----</td><td>-----</td><td>91.15</td><td>35.25</td><td>13.60</td><td>30.43</td><td>0.00</td><td>102</td><td>114</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	109.57	-----	-----	91.15	35.25	13.60	30.43	0.00	102	114
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5921.74	58.73	88.20	-29.47	40.26	35.14	13.73	30.40	0.00	102	114	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5965.00	109.57	-----	-----	91.15	35.25	13.60	30.43	0.00	102	114	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.82</td><td>47.29</td><td>68.20</td><td>-20.91</td><td>28.82</td><td>35.15</td><td>13.73</td><td>30.41</td><td>0.00</td><td>102</td><td>114</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	47.29	68.20	-20.91	28.82	35.15	13.73	30.41	0.00	102	114	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>99.67</td><td>-----</td><td>-----</td><td>81.25</td><td>35.24</td><td>13.61</td><td>30.43</td><td>0.00</td><td>102</td><td>114</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	99.67	-----	-----	81.25	35.24	13.61	30.43	0.00	102	114
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.82	47.29	68.20	-20.91	28.82	35.15	13.73	30.41	0.00	102	114	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5965.00	99.67	-----	-----	81.25	35.24	13.61	30.43	0.00	102	114	AVERAGE																																																																																																			





Mode	19																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_5965MHz																																																																																																														
ANT	CDD 10+11																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5904.24</td><td>58.38</td><td>88.20</td><td>-29.82</td><td>39.87</td><td>35.11</td><td>13.79</td><td>30.39</td><td>0.00</td><td>301</td><td>84</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5904.24	58.38	88.20	-29.82	39.87	35.11	13.79	30.39	0.00	301	84	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>105.82</td><td>-----</td><td>-----</td><td>87.40</td><td>35.25</td><td>13.60</td><td>30.43</td><td>0.00</td><td>301</td><td>84</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	105.82	-----	-----	87.40	35.25	13.60	30.43	0.00	301	84
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5904.24	58.38	88.20	-29.82	39.87	35.11	13.79	30.39	0.00	301	84	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5965.00	105.82	-----	-----	87.40	35.25	13.60	30.43	0.00	301	84	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.98</td><td>46.58</td><td>68.20</td><td>-21.62</td><td>28.10</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>301</td><td>84</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.98	46.58	68.20	-21.62	28.10	35.15	13.73	30.40	0.00	301	84	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>96.72</td><td>-----</td><td>-----</td><td>78.30</td><td>35.24</td><td>13.61</td><td>30.43</td><td>0.00</td><td>301</td><td>84</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	96.72	-----	-----	78.30	35.24	13.61	30.43	0.00	301	84
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5923.98	46.58	68.20	-21.62	28.10	35.15	13.73	30.40	0.00	301	84	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5965.00	96.72	-----	-----	78.30	35.24	13.61	30.43	0.00	301	84	AVERAGE																																																																																																			





Mode	19																																																																												
	Harmonic																																																																												
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_5965MHz																																																																												
ANT	CDD 10+11																																																																												
Pol.	Horizontal											Vertical																																																																	
Peak Avg																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11930.00</td><td>46.98</td><td>74.00</td><td>-27.02</td><td>54.01</td><td>38.83</td><td>19.13</td><td>64.99</td><td>0.00</td><td>100</td><td>289</td><td>PEAK</td><td></td></tr><tr><td>2 11930.00</td><td>41.22</td><td>54.00</td><td>-12.78</td><td>48.25</td><td>38.83</td><td>19.13</td><td>64.99</td><td>0.00</td><td>100</td><td>289</td><td>AVERAGE</td><td></td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 11930.00	46.98	74.00	-27.02	54.01	38.83	19.13	64.99	0.00	100	289	PEAK		2 11930.00	41.22	54.00	-12.78	48.25	38.83	19.13	64.99	0.00	100	289	AVERAGE	
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 11930.00	46.98	74.00	-27.02	54.01	38.83	19.13	64.99	0.00	100	289	PEAK																																																																		
2 11930.00	41.22	54.00	-12.78	48.25	38.83	19.13	64.99	0.00	100	289	AVERAGE																																																																		
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11930.00</td><td>47.68</td><td>74.00</td><td>-26.32</td><td>54.71</td><td>38.83</td><td>19.13</td><td>64.99</td><td>0.00</td><td>100</td><td>286</td><td>PEAK</td><td></td></tr><tr><td>2 11930.00</td><td>42.30</td><td>54.00</td><td>-11.70</td><td>49.33</td><td>38.83</td><td>19.13</td><td>64.99</td><td>0.00</td><td>100</td><td>286</td><td>AVERAGE</td><td></td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 11930.00	47.68	74.00	-26.32	54.71	38.83	19.13	64.99	0.00	100	286	PEAK		2 11930.00	42.30	54.00	-11.70	49.33	38.83	19.13	64.99	0.00	100	286	AVERAGE		
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 11930.00	47.68	74.00	-26.32	54.71	38.83	19.13	64.99	0.00	100	286	PEAK																																																																		
2 11930.00	42.30	54.00	-11.70	49.33	38.83	19.13	64.99	0.00	100	286	AVERAGE																																																																		







Mode	20																																																																								
	Harmonic																																																																								
	U-NII-5_5.925-6.425_802.11ax HE40_CH43_6165MHz																																																																								
ANT	CDD 10+11																																																																								
Pol.	Horizontal										Vertical																																																														
Peak Avg																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>46.36</td><td>74.00</td><td>-27.64</td><td>53.02</td><td>39.03</td><td>19.27</td><td>64.96</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>12330.00</td><td>36.01</td><td>54.00</td><td>-17.99</td><td>42.67</td><td>39.03</td><td>19.27</td><td>64.96</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12330.00	46.36	74.00	-27.64	53.02	39.03	19.27	64.96	0.00	300	360	PEAK	2	12330.00	36.01	54.00	-17.99	42.67	39.03	19.27	64.96	0.00	300	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	12330.00	46.36	74.00	-27.64	53.02	39.03	19.27	64.96	0.00	300	360	PEAK																																																													
2	12330.00	36.01	54.00	-17.99	42.67	39.03	19.27	64.96	0.00	300	360	AVERAGE																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>48.76</td><td>74.00</td><td>-25.24</td><td>55.42</td><td>39.03</td><td>19.27</td><td>64.96</td><td>0.00</td><td>100</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>12330.00</td><td>43.82</td><td>54.00</td><td>-10.18</td><td>50.48</td><td>39.03</td><td>19.27</td><td>64.96</td><td>0.00</td><td>100</td><td>296</td><td>AVERAGE</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12330.00	48.76	74.00	-25.24	55.42	39.03	19.27	64.96	0.00	100	296	PEAK	2	12330.00	43.82	54.00	-10.18	50.48	39.03	19.27	64.96	0.00	100	296	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	12330.00	48.76	74.00	-25.24	55.42	39.03	19.27	64.96	0.00	100	296	PEAK																																																													
2	12330.00	43.82	54.00	-10.18	50.48	39.03	19.27	64.96	0.00	100	296	AVERAGE																																																													







Mode	21																																																																																																
	Harmonic																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_6405MHz																																																																																																
ANT	CDD 10+11																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>47.36</td><td>88.20</td><td>-40.84</td><td>53.00</td><td>39.30</td><td>19.71</td><td>64.65</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	47.36	88.20	-40.84	53.00	39.30	19.71	64.65	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>46.81</td><td>88.20</td><td>-41.39</td><td>52.45</td><td>39.30</td><td>19.71</td><td>64.65</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	46.81	88.20	-41.39	52.45	39.30	19.71	64.65	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12810.00	47.36	88.20	-40.84	53.00	39.30	19.71	64.65	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12810.00	46.81	88.20	-41.39	52.45	39.30	19.71	64.65	0.00	--	PEAK																																																																																						





Mode	22																																																																																																												
	Band Edge																																																																																																												
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz																																																																																																												
ANT	CDD 10+11																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5879.88</td><td>57.46</td><td>88.20</td><td>-30.74</td><td>38.98</td><td>35.02</td><td>13.84</td><td>30.38</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5879.88	57.46	88.20	-30.74	38.98	35.02	13.84	30.38	0.00	100	114 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>104.70</td><td>-----</td><td>-----</td><td>86.28</td><td>35.25</td><td>13.60</td><td>30.43</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	104.70	-----	-----	86.28	35.25	13.60	30.43	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5879.88	57.46	88.20	-30.74	38.98	35.02	13.84	30.38	0.00	100	114 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5985.00	104.70	-----	-----	86.28	35.25	13.60	30.43	0.00	100	114 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.40</td><td>47.37</td><td>68.20</td><td>-20.83</td><td>28.89</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>100</td><td>114 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.40	47.37	68.20	-20.83	28.89	35.15	13.73	30.40	0.00	100	114 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>95.10</td><td>-----</td><td>-----</td><td>76.68</td><td>35.25</td><td>13.60</td><td>30.43</td><td>0.00</td><td>100</td><td>114 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	95.10	-----	-----	76.68	35.25	13.60	30.43	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5923.40	47.37	68.20	-20.83	28.89	35.15	13.73	30.40	0.00	100	114 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5985.00	95.10	-----	-----	76.68	35.25	13.60	30.43	0.00	100	114 AVERAGE																																																																																																		





		22																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz																																																																																																		
ANT	CDD 10+11																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.84</td><td>57.56</td><td>88.20</td><td>-30.64</td><td>39.08</td><td>35.13</td><td>13.75</td><td>30.40</td><td>0.00</td><td>302</td><td>82</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.84	57.56	88.20	-30.64	39.08	35.13	13.75	30.40	0.00	302	82	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>101.88</td><td>-----</td><td>-----</td><td>83.46</td><td>35.25</td><td>13.60</td><td>30.43</td><td>0.00</td><td>302</td><td>82</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	101.88	-----	-----	83.46	35.25	13.60	30.43	0.00	302	82
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5916.84	57.56	88.20	-30.64	39.08	35.13	13.75	30.40	0.00	302	82	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	101.88	-----	-----	83.46	35.25	13.60	30.43	0.00	302	82	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.36</td><td>46.52</td><td>68.20</td><td>-21.68</td><td>28.04</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>302</td><td>82</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.36	46.52	68.20	-21.68	28.04	35.15	13.73	30.40	0.00	302	82	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>92.36</td><td>-----</td><td>-----</td><td>73.94</td><td>35.25</td><td>13.60</td><td>30.43</td><td>0.00</td><td>302</td><td>82</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	92.36	-----	-----	73.94	35.25	13.60	30.43	0.00	302	82
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.36	46.52	68.20	-21.68	28.04	35.15	13.73	30.40	0.00	302	82	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	92.36	-----	-----	73.94	35.25	13.60	30.43	0.00	302	82	AVERAGE																																																																																							





Mode	22																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz																																																																																																																													
ANT	CDD 10+11																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>48.18</td><td>74.00</td><td>-25.82</td><td>55.43</td><td>38.87</td><td>18.97</td><td>65.09</td><td>0.00</td><td>100</td><td>289</td><td>PEAK</td></tr><tr><td>2</td><td>11970.00</td><td>41.63</td><td>54.00</td><td>-12.37</td><td>48.88</td><td>38.87</td><td>18.97</td><td>65.09</td><td>0.00</td><td>100</td><td>289</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	48.18	74.00	-25.82	55.43	38.87	18.97	65.09	0.00	100	289	PEAK	2	11970.00	41.63	54.00	-12.37	48.88	38.87	18.97	65.09	0.00	100	289	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>54.26</td><td>38.87</td><td>18.97</td><td>65.09</td><td>0.00</td><td>239</td><td>353</td><td>PEAK</td></tr><tr><td>2</td><td>11970.00</td><td>39.91</td><td>54.00</td><td>-14.09</td><td>47.16</td><td>38.87</td><td>18.97</td><td>65.09</td><td>0.00</td><td>239</td><td>353</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	47.01	74.00	-26.99	54.26	38.87	18.97	65.09	0.00	239	353	PEAK	2	11970.00	39.91	54.00	-14.09	47.16	38.87	18.97	65.09	0.00	239	353	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11970.00	48.18	74.00	-25.82	55.43	38.87	18.97	65.09	0.00	100	289	PEAK																																																																																																																		
2	11970.00	41.63	54.00	-12.37	48.88	38.87	18.97	65.09	0.00	100	289	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11970.00	47.01	74.00	-26.99	54.26	38.87	18.97	65.09	0.00	239	353	PEAK																																																																																																																		
2	11970.00	39.91	54.00	-14.09	47.16	38.87	18.97	65.09	0.00	239	353	AVERAGE																																																																																																																		







Mode	23																																																																																															
	Harmonic																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE80_CH39_Full_6145MHz																																																																																															
ANT	CDD 10+11																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>45.87</td><td>74.00</td><td>-28.13</td><td>52.72</td><td>39.00</td><td>19.13</td><td>64.98</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	45.87	74.00	-28.13	52.72	39.00	19.13	64.98	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>52.84</td><td>39.00</td><td>19.13</td><td>64.98</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	45.99	74.00	-28.01	52.84	39.00	19.13	64.98	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12290.00	45.87	74.00	-28.13	52.72	39.00	19.13	64.98	0.00	--	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12290.00	45.99	74.00	-28.01	52.84	39.00	19.13	64.98	0.00	--	PEAK																																																																																					







Mode	24																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full_6385MHz																																																																																																	
ANT	CDD 10+11																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>46.36</td><td>88.20</td><td>-41.84</td><td>52.00</td><td>39.30</td><td>19.66</td><td>64.68</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	46.36	88.20	-41.84	52.00	39.30	19.66	64.68	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>46.62</td><td>88.20</td><td>-41.58</td><td>52.34</td><td>39.30</td><td>19.66</td><td>64.68</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	46.62	88.20	-41.58	52.34	39.30	19.66	64.68	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12770.00	46.36	88.20	-41.84	52.00	39.30	19.66	64.68	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12770.00	46.62	88.20	-41.58	52.34	39.30	19.66	64.68	0.00	--	PEAK																																																																																							





Mode	25																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full_6025MHz																																																																																																		
ANT	CDD 10+11																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5882.00</td><td>57.90</td><td>88.20</td><td>-30.30</td><td>39.42</td><td>35.03</td><td>13.83</td><td>30.38</td><td>0.00</td><td>106</td><td>113</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5882.00	57.90	88.20	-30.30	39.42	35.03	13.83	30.38	0.00	106	113	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>101.49</td><td>-----</td><td>-----</td><td>82.75</td><td>35.40</td><td>13.81</td><td>30.47</td><td>0.00</td><td>106</td><td>113</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	101.49	-----	-----	82.75	35.40	13.81	30.47	0.00	106	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5882.00	57.90	88.20	-30.30	39.42	35.03	13.83	30.38	0.00	106	113	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	101.49	-----	-----	82.75	35.40	13.81	30.47	0.00	106	113	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5894.00</td><td>47.63</td><td>68.20</td><td>-20.57</td><td>29.13</td><td>35.08</td><td>13.81</td><td>30.39</td><td>0.00</td><td>106</td><td>113</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5894.00	47.63	68.20	-20.57	29.13	35.08	13.81	30.39	0.00	106	113	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>90.94</td><td>-----</td><td>-----</td><td>72.44</td><td>35.33</td><td>13.62</td><td>30.45</td><td>0.00</td><td>106</td><td>113</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	90.94	-----	-----	72.44	35.33	13.62	30.45	0.00	106	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5894.00	47.63	68.20	-20.57	29.13	35.08	13.81	30.39	0.00	106	113	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	90.94	-----	-----	72.44	35.33	13.62	30.45	0.00	106	113	AVERAGE																																																																																							




		25																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full_6025MHz																																																																																																		
ANT	CDD 10+11																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.40</td><td>57.83</td><td>88.20</td><td>-30.37</td><td>39.35</td><td>35.13</td><td>13.75</td><td>30.40</td><td>0.00</td><td>310</td><td>82</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.40	57.83	88.20	-30.37	39.35	35.13	13.75	30.40	0.00	310	82	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>97.63</td><td>-----</td><td>-----</td><td>78.86</td><td>35.38</td><td>13.86</td><td>30.47</td><td>0.00</td><td>310</td><td>82</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	97.63	-----	-----	78.86	35.38	13.86	30.47	0.00	310	82
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5917.40	57.83	88.20	-30.37	39.35	35.13	13.75	30.40	0.00	310	82	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	97.63	-----	-----	78.86	35.38	13.86	30.47	0.00	310	82	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5895.00</td><td>46.70</td><td>68.20</td><td>-21.50</td><td>28.20</td><td>35.08</td><td>13.81</td><td>30.39</td><td>0.00</td><td>310</td><td>82</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5895.00	46.70	68.20	-21.50	28.20	35.08	13.81	30.39	0.00	310	82	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>88.07</td><td>-----</td><td>-----</td><td>69.33</td><td>35.40</td><td>13.81</td><td>30.47</td><td>0.00</td><td>310</td><td>82</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	88.07	-----	-----	69.33	35.40	13.81	30.47	0.00	310	82
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5895.00	46.70	68.20	-21.50	28.20	35.08	13.81	30.39	0.00	310	82	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	88.07	-----	-----	69.33	35.40	13.81	30.47	0.00	310	82	AVERAGE																																																																																							





Mode	25																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full_6025MHz																																																																																																	
ANT	CDD 10+11																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>46.14</td><td>74.00</td><td>-27.86</td><td>53.38</td><td>38.95</td><td>18.95</td><td>65.14</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	46.14	74.00	-27.86	53.38	38.95	18.95	65.14	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>53.29</td><td>38.95</td><td>18.95</td><td>65.14</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	46.05	74.00	-27.95	53.29	38.95	18.95	65.14	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12050.00	46.14	74.00	-27.86	53.38	38.95	18.95	65.14	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12050.00	46.05	74.00	-27.95	53.29	38.95	18.95	65.14	0.00	--	PEAK																																																																																							





		26																																																																																																											
Mode		Harmonic																																																																																																											
		U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full_6185MHz																																																																																																											
ANT		CDD 10+11																																																																																																											
Pol.		Horizontal											Vertical																																																																																																
Peak Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12370.00</td><td>46.08</td><td>74.00</td><td>-27.92</td><td>52.54</td><td>39.07</td><td>19.40</td><td>64.93</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	46.08	74.00	-27.92	52.54	39.07	19.40	64.93	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12370.00</td><td>46.43</td><td>74.00</td><td>-27.57</td><td>52.89</td><td>39.07</td><td>19.40</td><td>64.93</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	46.43	74.00	-27.57	52.89	39.07	19.40	64.93	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	12370.00	46.08	74.00	-27.92	52.54	39.07	19.40	64.93	0.00	--	--	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	12370.00	46.43	74.00	-27.57	52.89	39.07	19.40	64.93	0.00	--	--	PEAK																																																																																																	





		27																																																				
Mode		Harmonic																																																				
		U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full_6345MHz																																																				
ANT		CDD 10+11																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>46.71</td><td>74.00</td><td>-27.29</td><td>52.62</td><td>39.19</td><td>19.63</td><td>64.73</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	46.71	74.00	-27.29	52.62	39.19	19.63	64.73	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	12690.00	46.71	74.00	-27.29	52.62	39.19	19.63	64.73	0.00	--	PEAK																																											
																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>46.69</td><td>74.00</td><td>-27.31</td><td>52.60</td><td>39.19</td><td>19.63</td><td>64.73</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	46.69	74.00	-27.31	52.60	39.19	19.63	64.73	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	12690.00	46.69	74.00	-27.31	52.60	39.19	19.63	64.73	0.00	--	PEAK																																											





		37																																																				
Mode		Harmonic																																																				
		U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full_6535MHz																																																				
ANT		CDD 10+11																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>45.70</td><td>88.20</td><td>-42.50</td><td>50.94</td><td>39.13</td><td>20.12</td><td>64.49</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	45.70	88.20	-42.50	50.94	39.13	20.12	64.49	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	13070.00	45.70	88.20	-42.50	50.94	39.13	20.12	64.49	0.00	--	PEAK																																											
																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>46.17</td><td>88.20</td><td>-42.03</td><td>51.41</td><td>39.13</td><td>20.12</td><td>64.49</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.17	88.20	-42.03	51.41	39.13	20.12	64.49	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	13070.00	46.17	88.20	-42.03	51.41	39.13	20.12	64.49	0.00	--	PEAK																																											



Mode	38																																																																																																
	Harmonic																																																																																																
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full_6695MHz																																																																																																
ANT	CDD 10+11																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.49</td><td>74.00</td><td>-27.51</td><td>51.41</td><td>39.20</td><td>20.16</td><td>64.28</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	46.49	74.00	-27.51	51.41	39.20	20.16	64.28	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>50.91</td><td>39.20</td><td>20.16</td><td>64.28</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	45.99	74.00	-28.01	50.91	39.20	20.16	64.28	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	13390.00	46.49	74.00	-27.51	51.41	39.20	20.16	64.28	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	13390.00	45.99	74.00	-28.01	50.91	39.20	20.16	64.28	0.00	--	PEAK																																																																																						




Mode	39																																																																																																											
	Harmonic																																																																																																											
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full_6565MHz																																																																																																											
ANT	CDD 10+11																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak Avg																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>45.71</td><td>88.20</td><td>-42.49</td><td>50.82</td><td>39.07</td><td>20.27</td><td>64.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13130.00	45.71	88.20	-42.49	50.82	39.07	20.27	64.45	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>45.06</td><td>88.20</td><td>-43.14</td><td>50.17</td><td>39.07</td><td>20.27</td><td>64.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13130.00	45.06	88.20	-43.14	50.17	39.07	20.27	64.45	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	13130.00	45.71	88.20	-42.49	50.82	39.07	20.27	64.45	0.00	--	--	PEAK																																																																																																
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	13130.00	45.06	88.20	-43.14	50.17	39.07	20.27	64.45	0.00	--	--	PEAK																																																																																																



Mode	40																																																																																															
	Harmonic																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full_6685MHz																																																																																															
ANT	CDD 10+11																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>51.14</td><td>39.20</td><td>20.14</td><td>64.29</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	46.19	74.00	-27.81	51.14	39.20	20.14	64.29	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>45.16</td><td>74.00</td><td>-28.84</td><td>50.11</td><td>39.20</td><td>20.14</td><td>64.29</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	45.16	74.00	-28.84	50.11	39.20	20.14	64.29	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13370.00	46.19	74.00	-27.81	51.14	39.20	20.14	64.29	0.00	--	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13370.00	45.16	74.00	-28.84	50.11	39.20	20.14	64.29	0.00	--	PEAK																																																																																					





		41																																																						
Mode		Harmonic																																																						
		U-NII-7_6.525-6.875_802.11ax HE40_CH179_Full_6845MHz																																																						
ANT		CDD 10+11																																																						
Pol.		Horizontal																																																						
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>47.53</td><td>88.20</td><td>-40.67</td><td>52.17</td><td>38.81</td><td>20.54</td><td>63.99</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	47.53	88.20	-40.67	52.17	38.81	20.54	63.99	0.00	--	PEAK	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	13690.00	47.53	88.20	-40.67	52.17	38.81	20.54	63.99	0.00	--	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>46.11</td><td>88.20</td><td>-42.09</td><td>50.75</td><td>38.81</td><td>20.54</td><td>63.99</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	46.11	88.20	-42.09	50.75	38.81	20.54	63.99	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	13690.00	46.11	88.20	-42.09	50.75	38.81	20.54	63.99	0.00	--	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>46.11</td><td>88.20</td><td>-42.09</td><td>50.75</td><td>38.81</td><td>20.54</td><td>63.99</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	46.11	88.20	-42.09	50.75	38.81	20.54	63.99	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	13690.00	46.11	88.20	-42.09	50.75	38.81	20.54	63.99	0.00	--	PEAK																																													





Mode	42																																																																																															
	Harmonic																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full_6625MHz																																																																																															
ANT	CDD 10+11																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>44.72</td><td>74.00</td><td>-29.28</td><td>49.70</td><td>39.10</td><td>20.29</td><td>64.37</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	44.72	74.00	-29.28	49.70	39.10	20.29	64.37	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>44.61</td><td>74.00</td><td>-29.39</td><td>49.59</td><td>39.10</td><td>20.29</td><td>64.37</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	44.61	74.00	-29.39	49.59	39.10	20.29	64.37	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13250.00	44.72	74.00	-29.28	49.70	39.10	20.29	64.37	0.00	--	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13250.00	44.61	74.00	-29.39	49.59	39.10	20.29	64.37	0.00	--	PEAK																																																																																					





Mode	43																																																																																																											
	Harmonic																																																																																																											
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full_6705MHz																																																																																																											
ANT	CDD 10+11																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak Avg																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>45.10</td><td>88.20</td><td>-43.10</td><td>50.01</td><td>39.19</td><td>20.17</td><td>64.27</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13410.00	45.10	88.20	-43.10	50.01	39.19	20.17	64.27	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>45.97</td><td>88.20</td><td>-42.23</td><td>50.88</td><td>39.19</td><td>20.17</td><td>64.27</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13410.00	45.97	88.20	-42.23	50.88	39.19	20.17	64.27	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	13410.00	45.10	88.20	-43.10	50.01	39.19	20.17	64.27	0.00	--	--	PEAK																																																																																																
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	13410.00	45.97	88.20	-42.23	50.88	39.19	20.17	64.27	0.00	--	--	PEAK																																																																																																





Mode	44																																																																																															
	Harmonic																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full_6665MHz																																																																																															
ANT	CDD 10+11																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>45.83</td><td>74.00</td><td>-28.17</td><td>50.87</td><td>39.20</td><td>20.00</td><td>64.32</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	45.83	74.00	-28.17	50.87	39.20	20.00	64.32	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>46.01</td><td>74.00</td><td>-27.99</td><td>51.05</td><td>39.20</td><td>20.00</td><td>64.32</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	46.01	74.00	-27.99	51.05	39.20	20.00	64.32	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13330.00	45.83	74.00	-28.17	50.87	39.20	20.00	64.32	0.00	--	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13330.00	46.01	74.00	-27.99	51.05	39.20	20.00	64.32	0.00	--	PEAK																																																																																					





Mode	8																																																																																																								
	LF																																																																																																								
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																								
ANT	CDD 10+11																																																																																																								
Pol.	Horizontal																																																																																																								
Peak																																																																																																									
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>169.68</td><td>24.35</td><td>43.50</td><td>-19.15</td><td>40.10</td><td>14.46</td><td>1.89</td><td>32.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>255.04</td><td>23.28</td><td>46.00</td><td>-22.72</td><td>34.07</td><td>19.08</td><td>2.32</td><td>32.19</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>399.57</td><td>22.72</td><td>46.00</td><td>-23.28</td><td>30.39</td><td>21.71</td><td>2.92</td><td>32.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>567.38</td><td>25.06</td><td>46.00</td><td>-20.94</td><td>28.42</td><td>25.47</td><td>3.47</td><td>32.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>742.95</td><td>28.31</td><td>46.00</td><td>-17.69</td><td>28.76</td><td>27.87</td><td>3.97</td><td>32.29</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>913.67</td><td>34.71</td><td>46.00</td><td>-11.29</td><td>33.24</td><td>29.27</td><td>4.40</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	169.68	24.35	43.50	-19.15	40.10	14.46	1.89	32.10	---	---	Peak	2	255.04	23.28	46.00	-22.72	34.07	19.08	2.32	32.19	---	---	Peak	3	399.57	22.72	46.00	-23.28	30.39	21.71	2.92	32.30	---	---	Peak	4	567.38	25.06	46.00	-20.94	28.42	25.47	3.47	32.30	---	---	Peak	5	742.95	28.31	46.00	-17.69	28.76	27.87	3.97	32.29	---	---	Peak	6	913.67	34.71	46.00	-11.29	33.24	29.27	4.40	32.20	---	---	Peak
		Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
	1	169.68	24.35	43.50	-19.15	40.10	14.46	1.89	32.10	---	---	Peak																																																																																													
	2	255.04	23.28	46.00	-22.72	34.07	19.08	2.32	32.19	---	---	Peak																																																																																													
	3	399.57	22.72	46.00	-23.28	30.39	21.71	2.92	32.30	---	---	Peak																																																																																													
	4	567.38	25.06	46.00	-20.94	28.42	25.47	3.47	32.30	---	---	Peak																																																																																													
5	742.95	28.31	46.00	-17.69	28.76	27.87	3.97	32.29	---	---	Peak																																																																																														
6	913.67	34.71	46.00	-11.29	33.24	29.27	4.40	32.20	---	---	Peak																																																																																														
Vertical																																																																																																									
																																																																																																									
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>58.13</td><td>23.85</td><td>40.00</td><td>-16.15</td><td>42.71</td><td>12.39</td><td>0.89</td><td>32.14</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>169.68</td><td>22.93</td><td>43.50</td><td>-20.57</td><td>38.68</td><td>14.46</td><td>1.89</td><td>32.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>439.34</td><td>24.09</td><td>46.00</td><td>-21.91</td><td>30.72</td><td>22.54</td><td>3.05</td><td>32.22</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>640.13</td><td>26.08</td><td>46.00</td><td>-19.92</td><td>28.24</td><td>26.37</td><td>3.69</td><td>32.22</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>747.80</td><td>30.15</td><td>46.00</td><td>-15.85</td><td>30.42</td><td>28.04</td><td>3.99</td><td>32.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>894.27</td><td>31.18</td><td>46.00</td><td>-14.82</td><td>29.95</td><td>29.09</td><td>4.36</td><td>32.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	58.13	23.85	40.00	-16.15	42.71	12.39	0.89	32.14	---	---	Peak	2	169.68	22.93	43.50	-20.57	38.68	14.46	1.89	32.10	---	---	Peak	3	439.34	24.09	46.00	-21.91	30.72	22.54	3.05	32.22	---	---	Peak	4	640.13	26.08	46.00	-19.92	28.24	26.37	3.69	32.22	---	---	Peak	5	747.80	30.15	46.00	-15.85	30.42	28.04	3.99	32.30	---	---	Peak	6	894.27	31.18	46.00	-14.82	29.95	29.09	4.36	32.22	---	---	Peak	
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	58.13	23.85	40.00	-16.15	42.71	12.39	0.89	32.14	---	---	Peak																																																																																														
2	169.68	22.93	43.50	-20.57	38.68	14.46	1.89	32.10	---	---	Peak																																																																																														
3	439.34	24.09	46.00	-21.91	30.72	22.54	3.05	32.22	---	---	Peak																																																																																														
4	640.13	26.08	46.00	-19.92	28.24	26.37	3.69	32.22	---	---	Peak																																																																																														
5	747.80	30.15	46.00	-15.85	30.42	28.04	3.99	32.30	---	---	Peak																																																																																														
6	894.27	31.18	46.00	-14.82	29.95	29.09	4.36	32.22	---	---	Peak																																																																																														







		62																																																																																																													
Mode		Harmonic																																																																																																													
		U-NII-7-8_6.525-7.125_802.11ax HE20_CH181_Full_6855MHz																																																																																																													
ANT		CDD 10+11																																																																																																													
Pol.		Horizontal											Vertical																																																																																																		
Peak Avg																																																																																																															
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>45.75</td><td>88.20</td><td>-42.45</td><td>50.35</td><td>38.80</td><td>20.56</td><td>63.96</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	45.75	88.20	-42.45	50.35	38.80	20.56	63.96	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>45.82</td><td>88.20</td><td>-42.38</td><td>50.42</td><td>38.80</td><td>20.56</td><td>63.96</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13710.00	45.82	88.20	-42.38	50.42	38.80	20.56	63.96	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	13710.00	45.75	88.20	-42.45	50.35	38.80	20.56	63.96	0.00	--	--	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	13710.00	45.82	88.20	-42.38	50.42	38.80	20.56	63.96	0.00	--	--	PEAK																																																																																																			







Mode	63																																																																																																	
	Harmonic																																																																																																	
	U-NII-7-8_6.525-7.125_802.11ax HE80_CH167_Full_6785MHz																																																																																																	
ANT	CDD 10+11																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>44.99</td><td>88.20</td><td>-43.21</td><td>49.83</td><td>38.96</td><td>20.33</td><td>64.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	44.99	88.20	-43.21	49.83	38.96	20.33	64.13	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>44.43</td><td>88.20</td><td>-43.77</td><td>49.27</td><td>38.96</td><td>20.33</td><td>64.13</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	44.43	88.20	-43.77	49.27	38.96	20.33	64.13	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	13570.00	44.99	88.20	-43.21	49.83	38.96	20.33	64.13	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	13570.00	44.43	88.20	-43.77	49.27	38.96	20.33	64.13	0.00	--	PEAK																																																																																							





Co-location

Mode	61																																																																																																		
Mode	Band Edge																																																																																																		
Mode	2400-2483.5_2400-2483.5_Bluetooth-LE_CH01_2404MHz																																																																																																		
ANT	8																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2383.58</td><td>55.39</td><td>74.00</td><td>-18.61</td><td>39.19</td><td>32.37</td><td>8.76</td><td>30.93</td><td>6.00</td><td>100</td><td>100</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2383.58	55.39	74.00	-18.61	39.19	32.37	8.76	30.93	6.00	100	100	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>103.67</td><td>-----</td><td>-----</td><td>87.39</td><td>32.40</td><td>8.81</td><td>30.93</td><td>6.00</td><td>100</td><td>100</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	103.67	-----	-----	87.39	32.40	8.81	30.93	6.00	100	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2383.58	55.39	74.00	-18.61	39.19	32.37	8.76	30.93	6.00	100	100	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2404.00	103.67	-----	-----	87.39	32.40	8.81	30.93	6.00	100	100	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2375.39</td><td>45.44</td><td>54.00</td><td>-8.56</td><td>29.28</td><td>32.35</td><td>8.74</td><td>30.93</td><td>6.00</td><td>100</td><td>100</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2375.39	45.44	54.00	-8.56	29.28	32.35	8.74	30.93	6.00	100	100	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>101.26</td><td>-----</td><td>-----</td><td>84.98</td><td>32.40</td><td>8.81</td><td>30.93</td><td>6.00</td><td>100</td><td>100</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	101.26	-----	-----	84.98	32.40	8.81	30.93	6.00	100	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2375.39	45.44	54.00	-8.56	29.28	32.35	8.74	30.93	6.00	100	100	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2404.00	101.26	-----	-----	84.98	32.40	8.81	30.93	6.00	100	100	AVERAGE																																																																																							





Mode	61																																																																																																																							
Mode	Band Edge																																																																																																																							
Mode	2400-2483.5_2400-2483.5_Bluetooth-LE_CH01_2404MHz																																																																																																																							
ANT	8																																																																																																																							
Pol.	Vertical					Fundamental																																																																																																																		
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2377.34</td><td>55.37</td><td>74.00</td><td>-18.63</td><td>39.20</td><td>32.35</td><td>8.75</td><td>30.93</td><td>6.00</td><td>36</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2377.34	55.37	74.00	-18.63	39.20	32.35	8.75	30.93	6.00	36											PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>98.28</td><td>-----</td><td>-----</td><td>82.00</td><td>32.40</td><td>8.81</td><td>30.93</td><td>6.00</td><td>36</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	98.28	-----	-----	82.00	32.40	8.81	30.93	6.00	36											PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2377.34	55.37	74.00	-18.63	39.20	32.35	8.75	30.93	6.00	36																																																																																																														
										PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2404.00	98.28	-----	-----	82.00	32.40	8.81	30.93	6.00	36																																																																																																														
										PEAK																																																																																																														
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2382.15</td><td>44.98</td><td>54.00</td><td>-9.02</td><td>28.79</td><td>32.36</td><td>8.76</td><td>30.93</td><td>6.00</td><td>36</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.15	44.98	54.00	-9.02	28.79	32.36	8.76	30.93	6.00	36											AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>96.04</td><td>-----</td><td>-----</td><td>79.76</td><td>32.40</td><td>8.81</td><td>30.93</td><td>6.00</td><td>36</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	96.04	-----	-----	79.76	32.40	8.81	30.93	6.00	36											AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2382.15	44.98	54.00	-9.02	28.79	32.36	8.76	30.93	6.00	36																																																																																																														
										AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2404.00	96.04	-----	-----	79.76	32.40	8.81	30.93	6.00	36																																																																																																														
										AVERAGE																																																																																																														



Mode	61																																																																																																								
	Harmonic																																																																																																								
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH01_2404MHz																																																																																																								
ANT	8																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4888.00</td><td>38.22</td><td>74.00</td><td>-35.78</td><td>57.11</td><td>34.28</td><td>12.51</td><td>65.68</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4888.00	38.22	74.00	-35.78	57.11	34.28	12.51	65.68	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4888.00</td><td>38.85</td><td>74.00</td><td>-35.15</td><td>57.74</td><td>34.28</td><td>12.51</td><td>65.68</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4888.00	38.85	74.00	-35.15	57.74	34.28	12.51	65.68	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4888.00	38.22	74.00	-35.78	57.11	34.28	12.51	65.68	0.00	--	--	PEAK																																																																																													
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4888.00	38.85	74.00	-35.15	57.74	34.28	12.51	65.68	0.00	--	--	PEAK																																																																																													




		61																																																																	
Mode		Harmonic																																																																	
		U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																	
ANT		CDD 10+11																																																																	
Pol.		Horizontal																																																																	
Peak Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.75</td><td>74.00</td><td>-27.25</td><td>51.67</td><td>39.20</td><td>20.16</td><td>64.28</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	46.75	74.00	-27.25	51.67	39.20	20.16	64.28	0.00	--	PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	13390.00	46.75	74.00	-27.25	51.67	39.20	20.16	64.28	0.00	--	PEAK																																																								
		Vertical																																																																	
																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>49.16</td><td>74.00</td><td>-24.84</td><td>54.08</td><td>39.20</td><td>20.16</td><td>64.28</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>35.29</td><td>54.00</td><td>-18.71</td><td>40.22</td><td>39.20</td><td>20.15</td><td>64.28</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	49.16	74.00	-24.84	54.08	39.20	20.16	64.28	0.00	100	0 PEAK	2	13390.00	35.29	54.00	-18.71	40.22	39.20	20.15	64.28	0.00	100	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	13390.00	49.16	74.00	-24.84	54.08	39.20	20.16	64.28	0.00	100	0 PEAK																																																								
2	13390.00	35.29	54.00	-18.71	40.22	39.20	20.15	64.28	0.00	100	0 AVERAGE																																																								

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.97	-	-	10Hz
802.11ax HE20	100	-	-	10Hz
802.11ax HE40	100	-	-	10Hz
802.11ax HE80	100	-	-	10Hz
802.11ax HE160	100	-	-	10Hz
802.11ax HE20 RU26	100	-	-	10Hz
802.11ax HE20 RU52	100	-	-	10Hz
802.11ax HE20 RU106	100	-	-	10Hz

802.11a






802.11ax HE20




802.11ax HE40






802.11ax HE80




802.11ax HE160






802.11ax HE20 RU26



802.11ax HE20 RU52





802.11ax HE20 RU106

