















































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.156	61.67	-4.02	65.69	51.20	0.05	10.42	QP
2	0.156	43.07	-12.62	55.69	32.60	0.05	10.42	Average
3 *	0.194	60.54	-3.30	63.84	50.10	0.03	10.41	QP
4	0.194	33.74	-20.10	53.84	23.30	0.03	10.41	Average
5	0.283	50.58	-10.14	60.72	40.20	0.04	10.34	QP
6	0.283	32.98	-17.74	50.72	22.60	0.04	10.34	Average
7	0.393	48.49	-9.50	57.99	38.21	0.00	10.28	QP
8	0.393	31.49	-16.50	47.99	21.21	0.00	10.28	Average
9	0.486	42.40	-13.83	56.23	32.20	-0.03	10.23	QP
10	0.486	25.70	-20.53	46.23	15.50	-0.03	10.23	Average
11	0.558	41.65	-14.35	56.00	31.50	-0.04	10.19	QP
12	0.558	31.35	-14.65	46.00	21.20	-0.04	10.19	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.182	60.96	-3.46	64.42	50.50	0.05	10.41	QP
2	0.182	41.06	-13.36	54.42	30.60	0.05	10.41	Average
3	0.272	52.83	-8.24	61.07	42.50	-0.02	10.35	QP
4	0.272	32.23	-18.84	51.07	21.90	-0.02	10.35	Average
5	0.360	47.45	-11.29	58.74	37.20	-0.05	10.30	QP
6	0.360	29.85	-18.89	48.74	19.60	-0.05	10.30	Average
7	0.387	46.43	-11.69	58.12	36.20	-0.06	10.29	QP
8	0.387	29.12	-19.00	48.12	18.89	-0.06	10.29	Average
9	0.489	45.66	-10.53	56.19	35.50	-0.07	10.23	QP
10	0.489	26.96	-19.23	46.19	16.80	-0.07	10.23	Average
11	0.582	41.31	-14.69	56.00	31.20	-0.07	10.18	QP
12	0.582	25.61	-20.39	46.00	15.50	-0.07	10.18	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Koi Ji	Relative Humidity :	41 ~ 42%
		Temperature :	22 ~ 23°C



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	8	Bluetooth EDR_8-DPSK	00	2402	3Mbps	-	-
Mode 2	2400-2483.5	8	Bluetooth EDR_8-DPSK	39	2441	3Mbps	-	-
Mode 3	2400-2483.5	8	Bluetooth EDR_8-DPSK	78	2480	3Mbps	-	-
Mode 10	2400-2483.5	9	Bluetooth EDR_8-DPSK	00	2402	3Mbps	-	-
Mode 11	2400-2483.5	9	Bluetooth EDR_8-DPSK	39	2441	3Mbps	-	-
Mode 12	2400-2483.5	9	Bluetooth EDR_8-DPSK	78	2480	3Mbps	-	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth EDR_8-DPSK	00	2369.93	55.70	74.00	-18.30	V	PEAK	Pass	Band Edge
1	Bluetooth EDR_8-DPSK	00	4804.00	39.74	74.00	-34.26	H	PEAK	Pass	Harmonic
2	Bluetooth EDR_8-DPSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth EDR_8-DPSK	39	7323.00	42.71	74.00	-31.29	H	PEAK	Pass	Harmonic
3	Bluetooth EDR_8-DPSK	78	2497.46	56.10	74.00	-17.90	H	PEAK	Pass	Band Edge
3	Bluetooth EDR_8-DPSK	78	7440.00	43.09	74.00	-30.91	H	PEAK	Pass	Harmonic
10	Bluetooth EDR_8-DPSK	00	2389.69	55.87	74.00	-18.13	V	PEAK	Pass	Band Edge
10	Bluetooth EDR_8-DPSK	00	4804.00	40.55	74.00	-33.45	V	PEAK	Pass	Harmonic
11	Bluetooth EDR_8-DPSK	39	-	-	-	-	-	-	-	Band Edge
11	Bluetooth EDR_8-DPSK	39	7323.00	42.99	74.00	-31.01	H	PEAK	Pass	Harmonic
12	Bluetooth EDR_8-DPSK	78	2483.54	56.55	74.00	-17.45	H	PEAK	Pass	Band Edge
12	Bluetooth EDR_8-DPSK	78	7440.00	44.23	74.00	-29.77	V	PEAK	Pass	Harmonic





Mode	1																																																																																																																				
	Band Edge																																																																																																																				
	2400-2483.5_Bluetooth EDR_8-DPSK_CH00_2402MHz																																																																																																																				
ANT	8																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2350.69</td><td>55.10</td><td>74.00</td><td>-18.90</td><td>39.06</td><td>32.30</td><td>8.68</td><td>30.94</td><td>6.00</td><td>103</td><td>50 PEAK</td></tr><tr><td>2</td><td>2350.69</td><td>30.31</td><td>54.00</td><td>-23.69</td><td>14.27</td><td>32.30</td><td>8.68</td><td>30.94</td><td>6.00</td><td>103</td><td>50 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2350.69	55.10	74.00	-18.90	39.06	32.30	8.68	30.94	6.00	103	50 PEAK	2	2350.69	30.31	54.00	-23.69	14.27	32.30	8.68	30.94	6.00	103	50 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>98.95</td><td>-----</td><td>-----</td><td>82.68</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>103</td><td>50 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>74.16</td><td>-----</td><td>-----</td><td>57.89</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>103</td><td>50 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	98.95	-----	-----	82.68	32.40	8.80	30.93	6.00	103	50 PEAK	2	2402.00	74.16	-----	-----	57.89	32.40	8.80	30.93	6.00	103	50 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	2350.69	55.10	74.00	-18.90	39.06	32.30	8.68	30.94	6.00	103	50 PEAK																																																																																																										
2	2350.69	30.31	54.00	-23.69	14.27	32.30	8.68	30.94	6.00	103	50 AVERAGE																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	2402.00	98.95	-----	-----	82.68	32.40	8.80	30.93	6.00	103	50 PEAK																																																																																																										
2	2402.00	74.16	-----	-----	57.89	32.40	8.80	30.93	6.00	103	50 AVERAGE																																																																																																										





Mode	1																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth EDR_8-DPSK_CH00_2402MHz																																																																																																																													
ANT	8																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2369.93</td><td>55.70</td><td>74.00</td><td>-18.30</td><td>39.57</td><td>32.34</td><td>8.73</td><td>30.94</td><td>6.00</td><td>105</td><td>310</td><td>PEAK</td></tr><tr><td>2</td><td>2369.93</td><td>30.91</td><td>54.00</td><td>-23.09</td><td>14.78</td><td>32.34</td><td>8.73</td><td>30.94</td><td>6.00</td><td>105</td><td>310</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2369.93	55.70	74.00	-18.30	39.57	32.34	8.73	30.94	6.00	105	310	PEAK	2	2369.93	30.91	54.00	-23.09	14.78	32.34	8.73	30.94	6.00	105	310	AVERAGE	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>100.72</td><td>-----</td><td>-----</td><td>84.45</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>105</td><td>310</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>75.93</td><td>-----</td><td>-----</td><td>59.66</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>105</td><td>310</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.72	-----	-----	84.45	32.40	8.80	30.93	6.00	105	310	PEAK	2	2402.00	75.93	-----	-----	59.66	32.40	8.80	30.93	6.00	105	310	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2369.93	55.70	74.00	-18.30	39.57	32.34	8.73	30.94	6.00	105	310	PEAK																																																																																																																		
2	2369.93	30.91	54.00	-23.09	14.78	32.34	8.73	30.94	6.00	105	310	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2402.00	100.72	-----	-----	84.45	32.40	8.80	30.93	6.00	105	310	PEAK																																																																																																																		
2	2402.00	75.93	-----	-----	59.66	32.40	8.80	30.93	6.00	105	310	AVERAGE																																																																																																																		



Mode	1																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5_Bluetooth EDR_8-DPSK_CH00_2402MHz																																																																																																			
ANT	8																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>58.60</td><td>34.29</td><td>12.54</td><td>65.69</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.74	74.00	-34.26	58.60	34.29	12.54	65.69	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.44</td><td>74.00</td><td>-34.56</td><td>58.30</td><td>34.29</td><td>12.54</td><td>65.69</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.44	74.00	-34.56	58.30	34.29	12.54	65.69	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4804.00	39.74	74.00	-34.26	58.60	34.29	12.54	65.69	0.00	--	--	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4804.00	39.44	74.00	-34.56	58.30	34.29	12.54	65.69	0.00	--	--	PEAK																																																																																								





Mode	2																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth EDR_8-DPSK_CH39_2441MHz																																																																																																																									
ANT	8																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.64</td><td>74.00</td><td>-34.36</td><td>58.92</td><td>34.20</td><td>12.06</td><td>65.54</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.71</td><td>74.00</td><td>-31.29</td><td>56.78</td><td>35.00</td><td>14.99</td><td>64.86</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	39.64	74.00	-34.36	58.92	34.20	12.06	65.54	0.00	--	PEAK	2	7323.00	42.71	74.00	-31.29	56.78	35.00	14.99	64.86	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.41</td><td>74.00</td><td>-33.59</td><td>59.69</td><td>34.20</td><td>12.06</td><td>65.54</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.57</td><td>74.00</td><td>-31.43</td><td>56.64</td><td>35.80</td><td>14.99</td><td>64.86</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	40.41	74.00	-33.59	59.69	34.20	12.06	65.54	0.00	--	PEAK	2	7323.00	42.57	74.00	-31.43	56.64	35.80	14.99	64.86	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	4882.00	39.64	74.00	-34.36	58.92	34.20	12.06	65.54	0.00	--	PEAK																																																																																																															
2	7323.00	42.71	74.00	-31.29	56.78	35.00	14.99	64.86	0.00	--	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	4882.00	40.41	74.00	-33.59	59.69	34.20	12.06	65.54	0.00	--	PEAK																																																																																																															
2	7323.00	42.57	74.00	-31.43	56.64	35.80	14.99	64.86	0.00	--	PEAK																																																																																																															





Mode	3																																																																																																																																	
	Band Edge																																																																																																																																	
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																																																	
ANT	8																																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																																											
Peak																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2497.46</td><td>56.10</td><td>74.00</td><td>-17.90</td><td>39.80</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>100</td><td>55 PEAK</td></tr><tr><td>2</td><td>2497.46</td><td>31.31</td><td>54.00</td><td>-22.69</td><td>15.01</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>100</td><td>55 AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2497.46	56.10	74.00	-17.90	39.80	32.40	8.87	30.97	6.00	100	55 PEAK	2	2497.46	31.31	54.00	-22.69	15.01	32.40	8.87	30.97	6.00	100	55 AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>95.64</td><td>-----</td><td>-----</td><td>79.33</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>100</td><td>55 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>70.85</td><td>-----</td><td>-----</td><td>54.54</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>100</td><td>55 AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	95.64	-----	-----	79.33	32.40	8.88	30.97	6.00	100	55 PEAK	2	2480.00	70.85	-----	-----	54.54	32.40	8.88	30.97	6.00	100	55 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	2497.46	56.10	74.00	-17.90	39.80	32.40	8.87	30.97	6.00	100	55 PEAK																																																																																																																							
2	2497.46	31.31	54.00	-22.69	15.01	32.40	8.87	30.97	6.00	100	55 AVERAGE																																																																																																																							
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	2480.00	95.64	-----	-----	79.33	32.40	8.88	30.97	6.00	100	55 PEAK																																																																																																																							
2	2480.00	70.85	-----	-----	54.54	32.40	8.88	30.97	6.00	100	55 AVERAGE																																																																																																																							



Mode	3																																																																																																																														
	Band Edge																																																																																																																														
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																																														
ANT	8																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak																																																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2494.16</td><td>55.12</td><td>74.00</td><td>-18.88</td><td>38.82</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>100</td><td>312 PEAK</td></tr><tr><td>2</td><td>2494.16</td><td>30.33</td><td>54.00</td><td>-23.67</td><td>14.03</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>100</td><td>312 AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2494.16	55.12	74.00	-18.88	38.82	32.40	8.87	30.97	6.00	100	312 PEAK	2	2494.16	30.33	54.00	-23.67	14.03	32.40	8.87	30.97	6.00	100	312 AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>101.29</td><td>-----</td><td>84.98</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>100</td><td>312 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>76.50</td><td>-----</td><td>60.19</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>100</td><td>312 AVERAGE</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	101.29	-----	84.98	32.40	8.88	30.97	6.00	100	312 PEAK	2	2480.00	76.50	-----	60.19	32.40	8.88	30.97	6.00	100	312 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	2494.16	55.12	74.00	-18.88	38.82	32.40	8.87	30.97	6.00	100	312 PEAK																																																																																																																				
2	2494.16	30.33	54.00	-23.67	14.03	32.40	8.87	30.97	6.00	100	312 AVERAGE																																																																																																																				
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	2480.00	101.29	-----	84.98	32.40	8.88	30.97	6.00	100	312 PEAK																																																																																																																					
2	2480.00	76.50	-----	60.19	32.40	8.88	30.97	6.00	100	312 AVERAGE																																																																																																																					





Mode	3																																																																	
	Harmonic																																																																	
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																	
ANT	8																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.12</td><td>74.00</td><td>-33.88</td><td>59.21</td><td>34.24</td><td>12.07</td><td>65.40</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.09</td><td>74.00</td><td>-30.91</td><td>57.27</td><td>35.00</td><td>15.21</td><td>65.19</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.12	74.00	-33.88	59.21	34.24	12.07	65.40	0.00	--	PEAK	2	7440.00	43.09	74.00	-30.91	57.27	35.00	15.21	65.19	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4960.00	40.12	74.00	-33.88	59.21	34.24	12.07	65.40	0.00	--	PEAK																																																							
2	7440.00	43.09	74.00	-30.91	57.27	35.00	15.21	65.19	0.00	--	PEAK																																																							
Vertical																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.88</td><td>74.00</td><td>-34.12</td><td>58.97</td><td>34.24</td><td>12.07</td><td>65.40</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.73</td><td>74.00</td><td>-31.27</td><td>56.91</td><td>35.80</td><td>15.21</td><td>65.19</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.88	74.00	-34.12	58.97	34.24	12.07	65.40	0.00	--	PEAK	2	7440.00	42.73	74.00	-31.27	56.91	35.80	15.21	65.19	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4960.00	39.88	74.00	-34.12	58.97	34.24	12.07	65.40	0.00	--	PEAK																																																							
2	7440.00	42.73	74.00	-31.27	56.91	35.80	15.21	65.19	0.00	--	PEAK																																																							





		10																																																																			
Mode		Band Edge																																																																			
		2400-2483.5_Bluetooth EDR_8-DPSK_CH00_2402MHz																																																																			
ANT		9																																																																			
Pol.		Horizontal																																																																			
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2369.15</td><td>55.23</td><td>74.00</td><td>-18.77</td><td>39.10</td><td>32.34</td><td>8.73</td><td>30.94</td><td>6.00</td><td>102</td><td>49</td><td>PEAK</td></tr><tr><td>2</td><td>2369.15</td><td>30.44</td><td>54.00</td><td>-23.56</td><td>14.31</td><td>32.34</td><td>8.73</td><td>30.94</td><td>6.00</td><td>102</td><td>49</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2369.15	55.23	74.00	-18.77	39.10	32.34	8.73	30.94	6.00	102	49	PEAK	2	2369.15	30.44	54.00	-23.56	14.31	32.34	8.73	30.94	6.00	102	49	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2369.15	55.23	74.00	-18.77	39.10	32.34	8.73	30.94	6.00	102	49	PEAK																																																									
2	2369.15	30.44	54.00	-23.56	14.31	32.34	8.73	30.94	6.00	102	49	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2369.15</td><td>55.23</td><td>74.00</td><td>-18.77</td><td>39.10</td><td>32.34</td><td>8.73</td><td>30.94</td><td>6.00</td><td>102</td><td>49</td><td>PEAK</td></tr><tr><td>2</td><td>2369.15</td><td>30.44</td><td>54.00</td><td>-23.56</td><td>14.31</td><td>32.34</td><td>8.73</td><td>30.94</td><td>6.00</td><td>102</td><td>49</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2369.15	55.23	74.00	-18.77	39.10	32.34	8.73	30.94	6.00	102	49	PEAK	2	2369.15	30.44	54.00	-23.56	14.31	32.34	8.73	30.94	6.00	102	49	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2369.15	55.23	74.00	-18.77	39.10	32.34	8.73	30.94	6.00	102	49	PEAK																																																									
2	2369.15	30.44	54.00	-23.56	14.31	32.34	8.73	30.94	6.00	102	49	AVERAGE																																																									
		Fundamental																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>107.22</td><td>-----</td><td>-----</td><td>90.95</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>102</td><td>49</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>82.43</td><td>-----</td><td>-----</td><td>66.16</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>102</td><td>49</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	107.22	-----	-----	90.95	32.40	8.80	30.93	6.00	102	49	PEAK	2	2402.00	82.43	-----	-----	66.16	32.40	8.80	30.93	6.00	102	49	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2402.00	107.22	-----	-----	90.95	32.40	8.80	30.93	6.00	102	49	PEAK																																																									
2	2402.00	82.43	-----	-----	66.16	32.40	8.80	30.93	6.00	102	49	AVERAGE																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>107.22</td><td>-----</td><td>-----</td><td>90.95</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>102</td><td>49</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>82.43</td><td>-----</td><td>-----</td><td>66.16</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>102</td><td>49</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	107.22	-----	-----	90.95	32.40	8.80	30.93	6.00	102	49	PEAK	2	2402.00	82.43	-----	-----	66.16	32.40	8.80	30.93	6.00	102	49	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2402.00	107.22	-----	-----	90.95	32.40	8.80	30.93	6.00	102	49	PEAK																																																									
2	2402.00	82.43	-----	-----	66.16	32.40	8.80	30.93	6.00	102	49	AVERAGE																																																									





Mode	10																																																																																																																																															
	Band Edge																																																																																																																																															
	2400-2483.5_Bluetooth EDR_8-DPSK_CH00_2402MHz																																																																																																																																															
ANT	9																																																																																																																																															
Pol.	Vertical												Fundamental																																																																																																																																			
Peak																																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2389.69</td><td>55.87</td><td>74.00</td><td>-18.13</td><td>39.64</td><td>32.38</td><td>8.78</td><td>30.93</td><td>6.00</td><td>100</td><td>63</td><td>PEAK</td></tr><tr><td>2</td><td>2389.69</td><td>31.08</td><td>54.00</td><td>-22.92</td><td>14.85</td><td>32.38</td><td>8.78</td><td>30.93</td><td>6.00</td><td>100</td><td>63</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2389.69	55.87	74.00	-18.13	39.64	32.38	8.78	30.93	6.00	100	63	PEAK	2	2389.69	31.08	54.00	-22.92	14.85	32.38	8.78	30.93	6.00	100	63	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>102.78</td><td>-----</td><td>-----</td><td>86.51</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>100</td><td>63</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>77.99</td><td>-----</td><td>-----</td><td>61.72</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>100</td><td>63</td><td>AVERAGE</td></tr></table>						Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	102.78	-----	-----	86.51	32.40	8.80	30.93	6.00	100	63	PEAK	2	2402.00	77.99	-----	-----	61.72	32.40	8.80	30.93	6.00	100	63	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	2389.69	55.87	74.00	-18.13	39.64	32.38	8.78	30.93	6.00	100	63	PEAK																																																																																																																																				
2	2389.69	31.08	54.00	-22.92	14.85	32.38	8.78	30.93	6.00	100	63	AVERAGE																																																																																																																																				
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	2402.00	102.78	-----	-----	86.51	32.40	8.80	30.93	6.00	100	63	PEAK																																																																																																																																				
2	2402.00	77.99	-----	-----	61.72	32.40	8.80	30.93	6.00	100	63	AVERAGE																																																																																																																																				





Mode	10																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5_Bluetooth EDR_8-DPSK_CH00_2402MHz																																																																																																			
ANT	9																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.14</td><td>74.00</td><td>-33.86</td><td>59.00</td><td>34.29</td><td>12.54</td><td>65.69</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.14	74.00	-33.86	59.00	34.29	12.54	65.69	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.55</td><td>74.00</td><td>-33.45</td><td>59.41</td><td>34.29</td><td>12.54</td><td>65.69</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.55	74.00	-33.45	59.41	34.29	12.54	65.69	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4804.00	40.14	74.00	-33.86	59.00	34.29	12.54	65.69	0.00	--	--	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4804.00	40.55	74.00	-33.45	59.41	34.29	12.54	65.69	0.00	--	--	PEAK																																																																																								





Mode	11																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth EDR_8-DPSK_CH39_2441MHz																																																																																																																									
ANT	9																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.65</td><td>74.00</td><td>-34.35</td><td>58.93</td><td>34.20</td><td>12.06</td><td>65.54</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.99</td><td>74.00</td><td>-31.01</td><td>57.06</td><td>35.00</td><td>14.99</td><td>64.86</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	39.65	74.00	-34.35	58.93	34.20	12.06	65.54	0.00	--	PEAK	2	7323.00	42.99	74.00	-31.01	57.06	35.00	14.99	64.86	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.14</td><td>74.00</td><td>-33.86</td><td>59.42</td><td>34.20</td><td>12.06</td><td>65.54</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.05</td><td>74.00</td><td>-31.95</td><td>56.12</td><td>35.80</td><td>14.99</td><td>64.86</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.14	74.00	-33.86	59.42	34.20	12.06	65.54	0.00	--	PEAK	2	7323.00	42.05	74.00	-31.95	56.12	35.80	14.99	64.86	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4882.00	39.65	74.00	-34.35	58.93	34.20	12.06	65.54	0.00	--	PEAK																																																																																																															
2	7323.00	42.99	74.00	-31.01	57.06	35.00	14.99	64.86	0.00	--	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4882.00	40.14	74.00	-33.86	59.42	34.20	12.06	65.54	0.00	--	PEAK																																																																																																															
2	7323.00	42.05	74.00	-31.95	56.12	35.80	14.99	64.86	0.00	--	PEAK																																																																																																															







Mode	12																																																																											
	Band Edge																																																																											
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																											
ANT	9																																																																											
Pol.	Horizontal						Fundamental																																																																					
Peak																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.54</td><td>56.55</td><td>74.00</td><td>-17.45</td><td>40.24</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>361</td><td>205</td><td>PEAK</td></tr><tr><td>2</td><td>2483.54</td><td>31.76</td><td>54.00</td><td>-22.24</td><td>15.45</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>361</td><td>205</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2483.54	56.55	74.00	-17.45	40.24	32.40	8.88	30.97	6.00	361	205	PEAK	2	2483.54	31.76	54.00	-22.24	15.45	32.40	8.88	30.97	6.00	361	205	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1	2483.54	56.55	74.00	-17.45	40.24	32.40	8.88	30.97	6.00	361	205	PEAK																																																																
2	2483.54	31.76	54.00	-22.24	15.45	32.40	8.88	30.97	6.00	361	205	AVERAGE																																																																
																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>105.68</td><td>-----</td><td>-----</td><td>89.37</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>361</td><td>205</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>80.89</td><td>-----</td><td>-----</td><td>64.58</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>361</td><td>205</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2480.00	105.68	-----	-----	89.37	32.40	8.88	30.97	6.00	361	205	PEAK	2	2480.00	80.89	-----	-----	64.58	32.40	8.88	30.97	6.00	361	205	AVERAGE
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1	2480.00	105.68	-----	-----	89.37	32.40	8.88	30.97	6.00	361	205	PEAK																																																																
2	2480.00	80.89	-----	-----	64.58	32.40	8.88	30.97	6.00	361	205	AVERAGE																																																																





Mode	12																																																																		
	Band Edge																																																																		
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																		
ANT	9																																																																		
Pol.	Vertical						Fundamental																																																												
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.39</td><td>55.62</td><td>74.00</td><td>-18.38</td><td>39.32</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>294</td><td>102 PEAK</td></tr><tr><td>2</td><td>2492.39</td><td>30.83</td><td>54.00</td><td>-23.17</td><td>14.53</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>294</td><td>102 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.39	55.62	74.00	-18.38	39.32	32.40	8.87	30.97	6.00	294	102 PEAK	2	2492.39	30.83	54.00	-23.17	14.53	32.40	8.87	30.97	6.00	294	102 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2492.39	55.62	74.00	-18.38	39.32	32.40	8.87	30.97	6.00	294	102 PEAK																																																								
2	2492.39	30.83	54.00	-23.17	14.53	32.40	8.87	30.97	6.00	294	102 AVERAGE																																																								
																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.68</td><td>-----</td><td>-----</td><td>85.37</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>294</td><td>102 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>76.89</td><td>-----</td><td>-----</td><td>60.58</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>294</td><td>102 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.68	-----	-----	85.37	32.40	8.88	30.97	6.00	294	102 PEAK	2	2480.00	76.89	-----	-----	60.58	32.40	8.88	30.97	6.00	294	102 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2480.00	101.68	-----	-----	85.37	32.40	8.88	30.97	6.00	294	102 PEAK																																																								
2	2480.00	76.89	-----	-----	60.58	32.40	8.88	30.97	6.00	294	102 AVERAGE																																																								



Mode	12																																																																	
	Harmonic																																																																	
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																	
ANT	9																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.11</td><td>74.00</td><td>-33.89</td><td>59.20</td><td>34.24</td><td>12.07</td><td>65.40</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.56</td><td>74.00</td><td>-31.44</td><td>56.74</td><td>35.00</td><td>15.21</td><td>65.19</td><td>0.00</td><td>-- -- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg	1	4960.00	40.11	74.00	-33.89	59.20	34.24	12.07	65.40	0.00	-- -- PEAK	2	7440.00	42.56	74.00	-31.44	56.74	35.00	15.21	65.19	0.00	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg																																																								
1	4960.00	40.11	74.00	-33.89	59.20	34.24	12.07	65.40	0.00	-- -- PEAK																																																								
2	7440.00	42.56	74.00	-31.44	56.74	35.00	15.21	65.19	0.00	-- -- PEAK																																																								
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.50</td><td>74.00</td><td>-33.50</td><td>59.59</td><td>34.24</td><td>12.07</td><td>65.40</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>44.23</td><td>74.00</td><td>-29.77</td><td>58.41</td><td>35.80</td><td>15.21</td><td>65.19</td><td>0.00</td><td>-- -- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg	1	4960.00	40.50	74.00	-33.50	59.59	34.24	12.07	65.40	0.00	-- -- PEAK	2	7440.00	44.23	74.00	-29.77	58.41	35.80	15.21	65.19	0.00	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg																																																								
1	4960.00	40.50	74.00	-33.50	59.59	34.24	12.07	65.40	0.00	-- -- PEAK																																																								
2	7440.00	44.23	74.00	-29.77	58.41	35.80	15.21	65.19	0.00	-- -- PEAK																																																								
Peak Avg																																																																		
																																																																		




Mode	12																																																																																																							
	LF																																																																																																							
	2400-2483.5_Bluetooth EDR_8-DPSK_CH78_2480MHz																																																																																																							
ANT	9																																																																																																							
Pol.	Horizontal																																																																																																							
Peak																																																																																																								
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>58.13</td><td>22.12</td><td>40.00</td><td>-17.88</td><td>40.98</td><td>12.39</td><td>0.89</td><td>32.14</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>163.86</td><td>23.30</td><td>43.50</td><td>-20.20</td><td>37.99</td><td>15.56</td><td>1.85</td><td>32.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>258.92</td><td>23.48</td><td>46.00</td><td>-22.52</td><td>33.67</td><td>19.65</td><td>2.34</td><td>32.18</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>551.86</td><td>27.01</td><td>46.00</td><td>-18.99</td><td>30.51</td><td>25.38</td><td>3.42</td><td>32.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>766.23</td><td>29.04</td><td>46.00</td><td>-16.96</td><td>29.18</td><td>28.13</td><td>4.03</td><td>32.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>887.48</td><td>30.42</td><td>46.00</td><td>-15.58</td><td>29.25</td><td>29.08</td><td>4.34</td><td>32.25</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	58.13	22.12	40.00	-17.88	40.98	12.39	0.89	32.14	---	---	Peak	2	163.86	23.30	43.50	-20.20	37.99	15.56	1.85	32.10	---	---	Peak	3	258.92	23.48	46.00	-22.52	33.67	19.65	2.34	32.18	---	---	Peak	4	551.86	27.01	46.00	-18.99	30.51	25.38	3.42	32.30	---	---	Peak	5	766.23	29.04	46.00	-16.96	29.18	28.13	4.03	32.30	---	---	Peak	6	887.48	30.42	46.00	-15.58	29.25	29.08	4.34	32.25	---	---
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	58.13	22.12	40.00	-17.88	40.98	12.39	0.89	32.14	---	---	Peak																																																																																													
2	163.86	23.30	43.50	-20.20	37.99	15.56	1.85	32.10	---	---	Peak																																																																																													
3	258.92	23.48	46.00	-22.52	33.67	19.65	2.34	32.18	---	---	Peak																																																																																													
4	551.86	27.01	46.00	-18.99	30.51	25.38	3.42	32.30	---	---	Peak																																																																																													
5	766.23	29.04	46.00	-16.96	29.18	28.13	4.03	32.30	---	---	Peak																																																																																													
6	887.48	30.42	46.00	-15.58	29.25	29.08	4.34	32.25	---	---	Peak																																																																																													
Peak																																																																																																								
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>58.13</td><td>23.49</td><td>40.00</td><td>-16.51</td><td>42.35</td><td>12.39</td><td>0.89</td><td>32.14</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>251.16</td><td>23.12</td><td>46.00</td><td>-22.88</td><td>34.51</td><td>18.51</td><td>2.30</td><td>32.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>442.25</td><td>23.01</td><td>46.00</td><td>-22.99</td><td>29.57</td><td>22.60</td><td>3.06</td><td>32.22</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>576.11</td><td>25.63</td><td>46.00</td><td>-20.37</td><td>28.92</td><td>25.52</td><td>3.49</td><td>32.30</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>636.25</td><td>26.64</td><td>46.00</td><td>-19.36</td><td>28.89</td><td>26.30</td><td>3.68</td><td>32.23</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>831.22</td><td>30.39</td><td>46.00</td><td>-15.61</td><td>29.89</td><td>28.67</td><td>4.19</td><td>32.36</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	58.13	23.49	40.00	-16.51	42.35	12.39	0.89	32.14	---	---	Peak	2	251.16	23.12	46.00	-22.88	34.51	18.51	2.30	32.20	---	---	Peak	3	442.25	23.01	46.00	-22.99	29.57	22.60	3.06	32.22	---	---	Peak	4	576.11	25.63	46.00	-20.37	28.92	25.52	3.49	32.30	---	---	Peak	5	636.25	26.64	46.00	-19.36	28.89	26.30	3.68	32.23	---	---	Peak	6	831.22	30.39	46.00	-15.61	29.89	28.67	4.19	32.36	---	---
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	58.13	23.49	40.00	-16.51	42.35	12.39	0.89	32.14	---	---	Peak																																																																																													
2	251.16	23.12	46.00	-22.88	34.51	18.51	2.30	32.20	---	---	Peak																																																																																													
3	442.25	23.01	46.00	-22.99	29.57	22.60	3.06	32.22	---	---	Peak																																																																																													
4	576.11	25.63	46.00	-20.37	28.92	25.52	3.49	32.30	---	---	Peak																																																																																													
5	636.25	26.64	46.00	-19.36	28.89	26.30	3.68	32.23	---	---	Peak																																																																																													
6	831.22	30.39	46.00	-15.61	29.89	28.67	4.19	32.36	---	---	Peak																																																																																													


Appendix D. Duty Cycle Plots

For Ant.8:

3DH5 on time (One Pulse) Plot on Channel 39



3DH5 on time (Count Pulses) Plot on Channel 39




Note:


1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.

For Ant.9:

3DH5 on time (One Pulse) Plot on Channel 39



3DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.