





11AX20MIMO_Ant9_2437




11AX20MIMO_Ant8_2437






11AX20MIMO_Ant9_2462




11AX20MIMO_Ant8_2462






11AX40MIMO_Ant9_2422



Date: 22.FEB.2024 19:40:48


11AX40MIMO_Ant8_2422




Date: 22.FEB.2024 19:42:25



11AX40MIMO_Ant9_2437




11AX40MIMO_Ant8_2437






11AX40MIMO_Ant9_2452



11AX40MIMO_Ant8_2452





Band edge measurements

Test Result


TestMode	Antenna	ChName	Freq(MHz)	RefLevel[dBm /100KHz]	Result[dBm /100KHz]	Limit[dBm /100KHz]	Verdict
11B-CDD	Ant9	Low	2412	8.86	-31.84	≤-11.14	PASS
	Ant8	Low	2412	8.77	-32.76	≤-11.23	PASS
	Ant9	High	2462	7.92	-43.61	≤-12.08	PASS
	Ant8	High	2462	7.89	-43.86	≤-12.11	PASS
11G-CDD	Ant9	Low	2412	5.63	-30.54	≤-14.37	PASS
	Ant8	Low	2412	6.17	-25.58	≤-13.83	PASS
	Ant9	High	2462	5.80	-43.39	≤-14.2	PASS
	Ant8	High	2462	5.59	-29.71	≤-14.41	PASS
11AX20MIMO	Ant9	Low	2412	4.98	-30.48	≤-15.02	PASS
	Ant8	Low	2412	5.78	-28.54	≤-14.22	PASS
	Ant9	High	2462	5.20	-41.67	≤-14.8	PASS
	Ant8	High	2462	4.84	-25.9	≤-15.16	PASS
11AX40MIMO	Ant9	Low	2422	2.31	-28.17	≤-17.69	PASS
	Ant8	Low	2422	2.82	-26.88	≤-17.18	PASS
	Ant9	High	2452	2.23	-26.1	≤-17.77	PASS
	Ant8	High	2452	2.93	-24.7	≤-17.07	PASS

Test Graphs







11G-CDD_Ant9_Low_2412




11G-CDD_Ant8_Low_2412









11AX20MIMO_Ant9_Low_2412



11AX20MIMO_Ant8_Low_2412




11AX20MIMO_Ant9_High_2462




Date: 22.FEB.2024 19:37:15

11AX20MIMO_Ant8_High_2462




Date: 22.FEB.2024 19:38:53


11AX40MIMO_Ant9_Low_2422




11AX40MIMO_Ant8_Low_2422



11AX40MIMO_Ant9_High_2452



11AX40MIMO_Ant8_High_2452




Conducted Spurious Emission

Test Result

TestMode	Antenna	Freq(MHz)	FreqRange [Mhz]	RefLevel [dBm/100KHz]	Result [dBm/100KHz]	Limit [dBm/100KHz]	Verdict
11B-CDD	Ant9	2412	30~1000	8.86	-45.52	≤-11.14	PASS
			1000~26500	8.86	-36.07	≤-11.14	PASS
	Ant8	2412	30~1000	8.77	-45.27	≤-11.23	PASS
			1000~26500	8.77	-36.45	≤-11.23	PASS
	Ant9	2437	30~1000	7.68	-45.11	≤-12.32	PASS
			1000~26500	7.68	-36.59	≤-12.32	PASS
	Ant8	2437	30~1000	7.74	-45.19	≤-12.26	PASS
			1000~26500	7.74	-36.05	≤-12.26	PASS
	Ant9	2462	30~1000	7.92	-45.14	≤-12.08	PASS
			1000~26500	7.92	-36.5	≤-12.08	PASS
	Ant8	2462	30~1000	7.89	-44.3	≤-12.11	PASS
			1000~26500	7.89	-36.68	≤-12.11	PASS
11G-CDD	Ant9	2412	30~1000	5.63	-45.17	≤-14.37	PASS
			1000~26500	5.63	-36.15	≤-14.37	PASS
	Ant8	2412	30~1000	6.17	-46.01	≤-13.83	PASS
			1000~26500	6.17	-36.84	≤-13.83	PASS
	Ant9	2437	30~1000	5.55	-45.36	≤-14.45	PASS
			1000~26500	5.55	-35.87	≤-14.45	PASS
	Ant8	2437	30~1000	5.87	-45.36	≤-14.13	PASS
			1000~26500	5.87	-36.25	≤-14.13	PASS
	Ant9	2462	30~1000	5.80	-45.67	≤-14.2	PASS
			1000~26500	5.80	-36.22	≤-14.2	PASS
	Ant8	2462	30~1000	5.59	-45.7	≤-14.41	PASS
			1000~26500	5.59	-35.19	≤-14.41	PASS
11AX20MIMO	Ant9	2412	30~1000	4.98	-45.28	≤-15.02	PASS
			1000~26500	4.98	-35.37	≤-15.02	PASS
	Ant8	2412	30~1000	5.78	-45.24	≤-14.22	PASS
			1000~26500	5.78	-35.72	≤-14.22	PASS
	Ant9	2437	30~1000	5.55	-45.73	≤-14.45	PASS
			1000~26500	5.55	-35.92	≤-14.45	PASS
	Ant8	2437	30~1000	5.38	-45.81	≤-14.62	PASS
			1000~26500	5.38	-36.62	≤-14.62	PASS
	Ant9	2462	30~1000	5.20	-44.51	≤-14.8	PASS
			1000~26500	5.20	-35.85	≤-14.8	PASS
	Ant8	2462	30~1000	4.84	-45.47	≤-15.16	PASS
			1000~26500	4.84	-36.65	≤-15.16	PASS
11AX40MIMO	Ant9	2422	30~1000	2.31	-45.8	≤-17.69	PASS
			1000~26500	2.31	-36.03	≤-17.69	PASS
	Ant8	2422	30~1000	2.82	-44.31	≤-17.18	PASS
			1000~26500	2.82	-35.95	≤-17.18	PASS
	Ant9	2437	30~1000	2.11	-45.81	≤-17.89	PASS
			1000~26500	2.11	-36.45	≤-17.89	PASS
	Ant8	2437	30~1000	2.36	-45.52	≤-17.64	PASS
			1000~26500	2.36	-36.69	≤-17.64	PASS
	Ant9	2452	30~1000	2.23	-45.6	≤-17.77	PASS
			1000~26500	2.23	-36.35	≤-17.77	PASS
	Ant8	2452	30~1000	2.93	-44.88	≤-17.07	PASS
			1000~26500	2.93	-35.22	≤-17.07	PASS




Test Graphs






11B-CDD_Ant8_2412_30~1000



Date: 22.FEB.2024 19:05:56


11B-CDD_Ant8_2412_1000~26500




Date: 22.FEB.2024 19:06:11



11B-CDD_Ant9_2437_30~1000




11B-CDD_Ant9_2437_1000~26500






11B-CDD_Ant8_2437_30~1000




11B-CDD_Ant8_2437_1000~26500






11B-CDD_Ant9_2462_30~1000




11B-CDD_Ant9_2462_1000~26500






11B-CDD_Ant8_2462_30~1000




11B-CDD_Ant8_2462_1000~26500






11G-CDD_Ant9_2412_30~1000



Date: 22.FEB.2024 19:15:47


11G-CDD_Ant9_2412_1000~26500



Date: 22.FEB.2024 19:16:03




11G-CDD_Ant8_2412_30~1000



Date: 22.FEB.2024 19:17:25


11G-CDD_Ant8_2412_1000~26500




Date: 22.FEB.2024 19:17:40



11G-CDD_Ant9_2437_30~1000




11G-CDD_Ant9_2437_1000~26500






11G-CDD_Ant8_2437_30~1000




11G-CDD_Ant8_2437_1000~26500






11G-CDD_Ant9_2462_30~1000




11G-CDD_Ant9_2462_1000~26500






11G-CDD_Ant8_2462_30~1000



Date: 22.FEB.2024 19:25:07


11G-CDD_Ant8_2462_1000~26500




Date: 22.FEB.2024 19:25:22



11AX20MIMO_Ant9_2412_30~1000




11AX20MIMO_Ant9_2412_1000~26500






11AX20MIMO_Ant8_2412_30~1000



Date: 22.FEB.2024 19:31:10


11AX20MIMO_Ant8_2412_1000~26500




Date: 22.FEB.2024 19:31:25



11AX20MIMO_Ant9_2437_30~1000




11AX20MIMO_Ant9_2437_1000~26500






11AX20MIMO_Ant8_2437_30~1000



Date: 22.FEB.2024 19:34:19


11AX20MIMO_Ant8_2437_1000~26500



Date: 22.FEB.2024 19:34:34




11AX20MIMO_Ant9_2462_30~1000



Date: 22.FEB.2024 19:37:27


11AX20MIMO_Ant9_2462_1000~26500




Date: 22.FEB.2024 19:37:43




11AX20MIMO_Ant8_2462_30~1000




11AX20MIMO_Ant8_2462_1000~26500



11AX40MIMO_Ant9_2422_30~1000




11AX40MIMO_Ant9_2422_1000~26500







11AX40MIMO_Ant8_2422_30~1000




11AX40MIMO_Ant8_2422_1000~26500



11AX40MIMO_Ant9_2437_30~1000




11AX40MIMO_Ant9_2437_1000~26500







11AX40MIMO_Ant8_2437_30~1000



11AX40MIMO_Ant8_2437_1000~26500




11AX40MIMO_Ant9_2452_30~1000



Date: 22.FEB.2024 19:48:26


11AX40MIMO_Ant9_2452_1000~26500



Date: 22.FEB.2024 19:48:42




11AX40MIMO_Ant8_2452_30~1000



Date: 22.FEB.2024 19:50:02

11AX40MIMO_Ant8_2452_1000~26500



Date: 22.FEB.2024 19:50:17

For 11ax Partial RU


Maximum power spectral density

Test Result


TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20MIMO	Ant9	2412	26Tone	RU0	-10.46	≤8.00	PASS
			52Tone	RU37	-10.62	≤8.00	PASS
			106Tone	RU53	-10.51	≤8.00	PASS
	Ant8	2412	26Tone	RU0	-10.58	≤8.00	PASS
			52Tone	RU37	-10.18	≤8.00	PASS
			106Tone	RU53	-10.26	≤8.00	PASS
	total	2412	26Tone	RU0	-7.51	≤8.00	PASS
			52Tone	RU37	-7.38	≤8.00	PASS
			106Tone	RU53	-7.37	≤8.00	PASS
	Ant9	2437	26Tone	RU0	-10.25	≤8.00	PASS
			52Tone	RU37	-10.01	≤8.00	PASS
			106Tone	RU53	-10.28	≤8.00	PASS
	Ant8	2437	26Tone	RU0	-10.39	≤8.00	PASS
			52Tone	RU37	-10.38	≤8.00	PASS
			106Tone	RU53	-10.70	≤8.00	PASS
	total	2437	26Tone	RU0	-7.31	≤8.00	PASS
			52Tone	RU37	-7.18	≤8.00	PASS
			106Tone	RU53	-7.47	≤8.00	PASS
	Ant9	2462	26Tone	RU8	-13.45	≤8.00	PASS
			52Tone	RU40	-13.46	≤8.00	PASS
			106Tone	RU54	-13.63	≤8.00	PASS
	Ant8	2462	26Tone	RU8	-13.35	≤8.00	PASS
			52Tone	RU40	-13.17	≤8.00	PASS
			106Tone	RU54	-13.57	≤8.00	PASS
	total	2462	26Tone	RU8	-10.39	≤8.00	PASS
			52Tone	RU40	-10.30	≤8.00	PASS
			106Tone	RU54	-10.59	≤8.00	PASS



Test Graphs




11AX20MIMO_Ant9_2412_106Tone_RU53




Date: 29.FEB.2024 02:59:02

11AX20MIMO_Ant8_2412_26Tone_RU0




Date: 29.FEB.2024 02:44:10


11AX20MIMO_Ant8_2412_52Tone_RU37



11AX20MIMO_Ant8_2412_106Tone_RU53




11AX20MIMO_Ant9_2437_26Tone_RU0




Date: 29.FEB.2024 03:01:18

11AX20MIMO_Ant9_2437_52Tone_RU37




Date: 29.FEB.2024 03:02:38


11AX20MIMO_Ant9_2437_106Tone_RU53



11AX20MIMO_Ant8_2437_26Tone_RU0




11AX20MIMO_Ant8_2437_52Tone_RU37




Date: 29.FEB.2024 03:05:31

11AX20MIMO_Ant8_2437_106Tone_RU53




Date: 29.FEB.2024 03:08:43

11AX20MIMO_Ant9_2462_26Tone_RU8



Date: 29.FEB.2024 03:11:42


11AX20MIMO_Ant9_2462_52Tone_RU40



Date: 29.FEB.2024 03:15:03




11AX20MIMO_Ant9_2462_106Tone_RU54




Date: 29.FEB.2024 03:17:09

11AX20MIMO_Ant8_2462_26Tone_RU8




Date: 29.FEB.2024 03:12:58

11AX20MIMO_Ant8_2462_52Tone_RU40




11AX20MIMO_Ant8_2462_106Tone_RU54





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.156	61.67	-4.02	65.69	51.20	0.05	10.42	QP
2	0.156	43.07	-12.62	55.69	32.60	0.05	10.42	Average
3 *	0.194	60.54	-3.30	63.84	50.10	0.03	10.41	QP
4	0.194	33.74	-20.10	53.84	23.30	0.03	10.41	Average
5	0.283	50.58	-10.14	60.72	40.20	0.04	10.34	QP
6	0.283	32.98	-17.74	50.72	22.60	0.04	10.34	Average
7	0.393	48.49	-9.50	57.99	38.21	0.00	10.28	QP
8	0.393	31.49	-16.50	47.99	21.21	0.00	10.28	Average
9	0.486	42.40	-13.83	56.23	32.20	-0.03	10.23	QP
10	0.486	25.70	-20.53	46.23	15.50	-0.03	10.23	Average
11	0.558	41.65	-14.35	56.00	31.50	-0.04	10.19	QP
12	0.558	31.35	-14.65	46.00	21.20	-0.04	10.19	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.182	60.96	-3.46	64.42	50.50	0.05	10.41	QP
2	0.182	41.06	-13.36	54.42	30.60	0.05	10.41	Average
3	0.272	52.83	-8.24	61.07	42.50	-0.02	10.35	QP
4	0.272	32.23	-18.84	51.07	21.90	-0.02	10.35	Average
5	0.360	47.45	-11.29	58.74	37.20	-0.05	10.30	QP
6	0.360	29.85	-18.89	48.74	19.60	-0.05	10.30	Average
7	0.387	46.43	-11.69	58.12	36.20	-0.06	10.29	QP
8	0.387	29.12	-19.00	48.12	18.89	-0.06	10.29	Average
9	0.489	45.66	-10.53	56.19	35.50	-0.07	10.23	QP
10	0.489	26.96	-19.23	46.19	16.80	-0.07	10.23	Average
11	0.582	41.31	-14.69	56.00	31.20	-0.07	10.18	QP
12	0.582	25.61	-20.39	46.00	15.50	-0.07	10.18	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)

Appendix C Radiated Spurious Emission

Test Engineer :	Koi Ji	Relative Humidity :	41 ~42%
		Temperature :	22~23℃





Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	CDD 8+9	802.11b	01	2412	MCS0	-	-
Mode 2	2400-2483.5	CDD 8+9	802.11b	06	2437	MCS0	-	-
Mode 3	2400-2483.5	CDD 8+9	802.11b	11	2462	MCS0	-	-
Mode 4	2400-2483.5	CDD 8+9	802.11g	01	2412	MCS0	-	-
Mode 5	2400-2483.5	CDD 8+9	802.11g	06	2437	MCS0	-	-
Mode 6	2400-2483.5	CDD 8+9	802.11g	11	2462	MCS0	-	-
Mode 7	2400-2483.5	CDD 8+9	802.11ax HE20	01	2412	MCS0	Full	-
Mode 8	2400-2483.5	CDD 8+9	802.11ax HE20	06	2437	MCS0	Full	-
Mode 9	2400-2483.5	CDD 8+9	802.11ax HE20	11	2462	MCS0	Full	-
Mode 10	2400-2483.5	CDD 8+9	802.11ax HE20	01	2412	MCS0	Partial RU26/0	-
Mode 11	2400-2483.5	CDD 8+9	802.11ax HE20	01	2412	MCS0	Partial RU52/37	-
Mode 12	2400-2483.5	CDD 8+9	802.11ax HE20	01	2412	MCS0	Partial RU106/53	-
Mode 13	2400-2483.5	CDD 8+9	802.11ax HE20	11	2462	MCS0	Partial RU26/8	-
Mode 14	2400-2483.5	CDD 8+9	802.11ax HE20	11	2462	MCS0	Partial RU52/40	-
Mode 15	2400-2483.5	CDD 8+9	802.11ax HE20	11	2462	MCS0	Partial RU106/54	-
Mode 16	2400-2483.5	CDD 8+9	802.11ax HE40	03	2422	MCS0	-	-
Mode 17	2400-2483.5	CDD 8+9	802.11ax HE40	06	2437	MCS0	-	-
Mode 18	2400-2483.5	CDD 8+9	802.11ax HE40	09	2452	MCS0	-	-





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2389.30	44.23	54.00	-9.77	H	AVERAGE	Pass	Band Edge
1	802.11b	01	4824.00	40.01	74.00	-33.99	V	PEAK	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
2	802.11b	06	7311.00	43.26	74.00	-30.74	H	PEAK	Pass	Harmonic
3	802.11b	11	2483.50	44.91	54.00	-9.09	H	AVERAGE	Pass	Band Edge
3	802.11b	11	7386.00	44.92	54.00	-9.08	H	AVERAGE	Pass	Harmonic
4	802.11g	01	2389.95	50.19	54.00	-3.81	H	AVERAGE	Pass	Band Edge
4	802.11g	01	4824.00	40.33	74.00	-33.67	H	PEAK	Pass	Harmonic
5	802.11g	06	-	-	-	-	-	-	-	Band Edge
5	802.11g	06	7311.00	45.30	74.00	-28.70	H	PEAK	Pass	Harmonic
6	802.11g	11	2484.46	50.34	54.00	-3.66	H	AVERAGE	Pass	Band Edge
6	802.11g	11	7386.00	44.75	74.00	-29.25	H	PEAK	Pass	Harmonic
7	802.11ax HE20	01	2387.22	49.44	54.00	-4.56	H	AVERAGE	Pass	Band Edge
7	802.11ax HE20	01	4824.00	40.66	74.00	-33.34	V	PEAK	Pass	Harmonic
8	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
8	802.11ax HE20	06	7311.00	44.66	74.00	-29.34	H	PEAK	Pass	Harmonic
9	802.11ax HE20	11	2483.50	50.37	54.00	-3.63	H	AVERAGE	Pass	Band Edge
9	802.11ax HE20	11	7386.00	44.73	74.00	-29.27	V	PEAK	Pass	Harmonic
10	802.11ax HE20	01	2389.95	43.03	54.00	-10.97	H	AVERAGE	Pass	Band Edge
10	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
11	802.11ax HE20	01	2389.17	42.89	54.00	-11.11	V	AVERAGE	Pass	Band Edge
11	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
12	802.11ax HE20	01	2389.82	66.34	74.00	-7.66	H	PEAK	Pass	Band Edge
12	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
13	802.11ax HE20	11	2483.68	42.85	54.00	-11.15	H	AVERAGE	Pass	Band Edge
13	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
14	802.11ax HE20	11	2483.68	42.98	54.00	-11.02	H	AVERAGE	Pass	Band Edge
14	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
15	802.11ax HE20	11	2483.74	42.88	54.00	-11.12	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
16	802.11ax HE40	03	2388.26	50.64	54.00	-3.36	H	AVERAGE	Pass	Band Edge
16	802.11ax HE40	03	7266.00	44.98	74.00	-29.02	V	PEAK	Pass	Harmonic
17	802.11ax HE40	06	2483.50	50.76	54.00	-3.24	H	AVERAGE	Pass	Band Edge
17	802.11ax HE40	06	7311.00	44.54	74.00	-29.46	H	PEAK	Pass	Harmonic
18	802.11ax HE40	09	2483.50	50.27	54.00	-3.73	V	AVERAGE	Pass	Band Edge
18	802.11ax HE40	09	7356.00	44.16	74.00	-29.84	V	PEAK	Pass	Harmonic





Mode	1																																																							
	Band Edge																																																							
	2400-2483.5_802.11b_CH01_2412MHz																																																							
ANT	CDD 8+9																																																							
Pol.	Horizontal						Fundamental																																																	
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2383.06</td><td>55.70</td><td>74.00</td><td>-18.30</td><td>39.50</td><td>32.37</td><td>8.76</td><td>30.93</td><td>6.00</td><td>100</td><td>197</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2383.06	55.70	74.00	-18.30	39.50	32.37	8.76	30.93	6.00	100	197	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2383.06	55.70	74.00	-18.30	39.50	32.37	8.76	30.93	6.00	100	197	PEAK																																												
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.88</td><td>-----</td><td>-----</td><td>87.60</td><td>32.40</td><td>8.82</td><td>30.94</td><td>6.00</td><td>100</td><td>197</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.88	-----	-----	87.60	32.40	8.82	30.94	6.00	100	197	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2412.00	103.88	-----	-----	87.60	32.40	8.82	30.94	6.00	100	197	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>44.23</td><td>54.00</td><td>-9.77</td><td>28.01</td><td>32.38</td><td>8.77</td><td>30.93</td><td>6.00</td><td>100</td><td>197</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	44.23	54.00	-9.77	28.01	32.38	8.77	30.93	6.00	100	197	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2389.30	44.23	54.00	-9.77	28.01	32.38	8.77	30.93	6.00	100	197	AVERAGE																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>99.41</td><td>-----</td><td>-----</td><td>83.13</td><td>32.40</td><td>8.82</td><td>30.94</td><td>6.00</td><td>100</td><td>197</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.41	-----	-----	83.13	32.40	8.82	30.94	6.00	100	197	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2412.00	99.41	-----	-----	83.13	32.40	8.82	30.94	6.00	100	197	AVERAGE																																												





Mode	1																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																														
ANT	CDD 8+9																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2356.80</td><td>55.44</td><td>74.00</td><td>-18.56</td><td>39.37</td><td>32.31</td><td>8.70</td><td>30.94</td><td>6.00</td><td>387</td><td>26</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2356.80	55.44	74.00	-18.56	39.37	32.31	8.70	30.94	6.00	387	26	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>97.77</td><td>-----</td><td>-----</td><td>81.48</td><td>32.40</td><td>8.83</td><td>30.94</td><td>6.00</td><td>387</td><td>26</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	97.77	-----	-----	81.48	32.40	8.83	30.94	6.00	387	26
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2356.80	55.44	74.00	-18.56	39.37	32.31	8.70	30.94	6.00	387	26	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	97.77	-----	-----	81.48	32.40	8.83	30.94	6.00	387	26	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>42.93</td><td>54.00</td><td>-11.07</td><td>26.71</td><td>32.38</td><td>8.77</td><td>30.93</td><td>6.00</td><td>387</td><td>26</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	42.93	54.00	-11.07	26.71	32.38	8.77	30.93	6.00	387	26	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>93.42</td><td>-----</td><td>-----</td><td>77.14</td><td>32.40</td><td>8.82</td><td>30.94</td><td>6.00</td><td>387</td><td>26</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	93.42	-----	-----	77.14	32.40	8.82	30.94	6.00	387	26
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.30	42.93	54.00	-11.07	26.71	32.38	8.77	30.93	6.00	387	26	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	93.42	-----	-----	77.14	32.40	8.82	30.94	6.00	387	26	AVERAGE																																																																																																			







Mode	1																																																																																																
	Harmonic																																																																																																
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																
ANT	CDD 8+9																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>39.94</td><td>74.00</td><td>-34.06</td><td>58.96</td><td>34.25</td><td>12.38</td><td>65.65</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	39.94	74.00	-34.06	58.96	34.25	12.38	65.65	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>40.01</td><td>74.00</td><td>-33.99</td><td>59.03</td><td>34.25</td><td>12.38</td><td>65.65</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	40.01	74.00	-33.99	59.03	34.25	12.38	65.65	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4824.00	39.94	74.00	-34.06	58.96	34.25	12.38	65.65	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4824.00	40.01	74.00	-33.99	59.03	34.25	12.38	65.65	0.00	--	PEAK																																																																																						







Mode	2																																																																																																																							
	Harmonic																																																																																																																							
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																							
ANT	CDD 8+9																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.62</td><td>74.00</td><td>-33.38</td><td>59.89</td><td>34.20</td><td>12.09</td><td>65.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>43.26</td><td>74.00</td><td>-30.74</td><td>57.34</td><td>35.00</td><td>14.95</td><td>64.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	40.62	74.00	-33.38	59.89	34.20	12.09	65.56	0.00	--	--	PEAK	2	7311.00	43.26	74.00	-30.74	57.34	35.00	14.95	64.83	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>41.29</td><td>74.00</td><td>-32.71</td><td>60.56</td><td>34.20</td><td>12.09</td><td>65.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>43.25</td><td>74.00</td><td>-30.75</td><td>57.33</td><td>35.00</td><td>14.95</td><td>64.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	41.29	74.00	-32.71	60.56	34.20	12.09	65.56	0.00	--	--	PEAK	2	7311.00	43.25	74.00	-30.75	57.33	35.00	14.95	64.83	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4874.00	40.62	74.00	-33.38	59.89	34.20	12.09	65.56	0.00	--	--	PEAK																																																																																																												
2	7311.00	43.26	74.00	-30.74	57.34	35.00	14.95	64.83	0.00	--	--	PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4874.00	41.29	74.00	-32.71	60.56	34.20	12.09	65.56	0.00	--	--	PEAK																																																																																																												
2	7311.00	43.25	74.00	-30.75	57.33	35.00	14.95	64.83	0.00	--	--	PEAK																																																																																																												





Mode	3																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11b_CH11_2462MHz																																																																																									
ANT	CDD 8+9																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.88</td><td>55.95</td><td>74.00</td><td>-18.05</td><td>39.64</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>100</td><td>189</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.88	55.95	74.00	-18.05	39.64	32.40	8.88	30.97	6.00	100	189	PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>110.18</td><td>-----</td><td>-----</td><td>93.85</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>100</td><td>189</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	110.18	-----	-----	93.85	32.40	8.89	30.96	6.00	100	189	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2484.88	55.95	74.00	-18.05	39.64	32.40	8.88	30.97	6.00	100	189	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2462.00	110.18	-----	-----	93.85	32.40	8.89	30.96	6.00	100	189	PEAK																																																																														
Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>44.91</td><td>54.00</td><td>-9.09</td><td>28.60</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>100</td><td>189</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	44.91	54.00	-9.09	28.60	32.40	8.88	30.97	6.00	100	189	AVERAGE	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>105.67</td><td>-----</td><td>-----</td><td>89.34</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>100</td><td>189</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	105.67	-----	-----	89.34	32.40	8.89	30.96	6.00	100	189	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2483.50	44.91	54.00	-9.09	28.60	32.40	8.88	30.97	6.00	100	189	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2462.00	105.67	-----	-----	89.34	32.40	8.89	30.96	6.00	100	189	AVERAGE																																																																														







Mode	3																																																																																																										
	Band Edge																																																																																																										
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																										
ANT	CDD 8+9																																																																																																										
Pol.	Vertical						Fundamental																																																																																																				
Peak																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.92</td><td>54.90</td><td>74.00</td><td>-19.10</td><td>38.59</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>100</td><td>215 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.92	54.90	74.00	-19.10	38.59	32.40	8.88	30.97	6.00	100	215 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.00</td><td>-----</td><td>-----</td><td>86.67</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>100</td><td>215 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.00	-----	-----	86.67	32.40	8.89	30.96	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2489.92	54.90	74.00	-19.10	38.59	32.40	8.88	30.97	6.00	100	215 PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2462.00	103.00	-----	-----	86.67	32.40	8.89	30.96	6.00	100	215 PEAK																																																																																																
Avg																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>42.93</td><td>54.00</td><td>-11.07</td><td>26.62</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>100</td><td>215 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	42.93	54.00	-11.07	26.62	32.40	8.88	30.97	6.00	100	215 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>98.53</td><td>-----</td><td>-----</td><td>82.20</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>100</td><td>215 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	98.53	-----	-----	82.20	32.40	8.89	30.96	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2483.50	42.93	54.00	-11.07	26.62	32.40	8.88	30.97	6.00	100	215 AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2462.00	98.53	-----	-----	82.20	32.40	8.89	30.96	6.00	100	215 AVERAGE																																																																																																







Mode	3																																																																																																																																					
	Harmonic																																																																																																																																					
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																					
ANT	CDD 8+9																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																															
Peak Avg																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>42.73</td><td>74.00</td><td>-31.27</td><td>61.94</td><td>34.25</td><td>12.00</td><td>65.46</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>50.22</td><td>74.00</td><td>-23.78</td><td>64.59</td><td>35.80</td><td>14.87</td><td>65.04</td><td>0.00</td><td>100</td><td>110 PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>44.92</td><td>54.00</td><td>-9.08</td><td>59.29</td><td>35.80</td><td>14.87</td><td>65.04</td><td>0.00</td><td>100</td><td>110 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	42.73	74.00	-31.27	61.94	34.25	12.00	65.46	0.00	--	PEAK	2	7386.00	50.22	74.00	-23.78	64.59	35.80	14.87	65.04	0.00	100	110 PEAK	3	7386.00	44.92	54.00	-9.08	59.29	35.80	14.87	65.04	0.00	100	110 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.00</td><td>74.00</td><td>-33.00</td><td>60.21</td><td>34.25</td><td>12.00</td><td>65.46</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>44.74</td><td>74.00</td><td>-29.26</td><td>59.11</td><td>35.80</td><td>14.87</td><td>65.04</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	41.00	74.00	-33.00	60.21	34.25	12.00	65.46	0.00	--	PEAK	2	7386.00	44.74	74.00	-29.26	59.11	35.80	14.87	65.04	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	4924.00	42.73	74.00	-31.27	61.94	34.25	12.00	65.46	0.00	--	PEAK																																																																																																																											
2	7386.00	50.22	74.00	-23.78	64.59	35.80	14.87	65.04	0.00	100	110 PEAK																																																																																																																											
3	7386.00	44.92	54.00	-9.08	59.29	35.80	14.87	65.04	0.00	100	110 AVERAGE																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	4924.00	41.00	74.00	-33.00	60.21	34.25	12.00	65.46	0.00	--	PEAK																																																																																																																											
2	7386.00	44.74	74.00	-29.26	59.11	35.80	14.87	65.04	0.00	--	PEAK																																																																																																																											



Mode	4																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																														
ANT	CDD 8+9																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>61.66</td><td>74.00</td><td>-12.34</td><td>45.43</td><td>32.38</td><td>8.78</td><td>30.93</td><td>6.00</td><td>124</td><td>340</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	61.66	74.00	-12.34	45.43	32.38	8.78	30.93	6.00	124	340	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>108.31</td><td>-----</td><td>-----</td><td>92.02</td><td>32.40</td><td>8.83</td><td>30.94</td><td>6.00</td><td>124</td><td>340</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	108.31	-----	-----	92.02	32.40	8.83	30.94	6.00	124	340
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.69	61.66	74.00	-12.34	45.43	32.38	8.78	30.93	6.00	124	340	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	108.31	-----	-----	92.02	32.40	8.83	30.94	6.00	124	340	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>50.19</td><td>54.00</td><td>-3.81</td><td>33.96</td><td>32.38</td><td>8.78</td><td>30.93</td><td>6.00</td><td>124</td><td>340</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.19	54.00	-3.81	33.96	32.38	8.78	30.93	6.00	124	340	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>98.45</td><td>-----</td><td>-----</td><td>82.16</td><td>32.40</td><td>8.83</td><td>30.94</td><td>6.00</td><td>124</td><td>340</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	98.45	-----	-----	82.16	32.40	8.83	30.94	6.00	124	340
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	50.19	54.00	-3.81	33.96	32.38	8.78	30.93	6.00	124	340	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	98.45	-----	-----	82.16	32.40	8.83	30.94	6.00	124	340	AVERAGE																																																																																																			



Mode	4																																																					
	Band Edge																																																					
	2400-2483.5_802.11g_CH01_2412MHz																																																					
ANT	CDD 8+9																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>61.12</td><td>74.00</td><td>-12.88</td><td>44.89</td><td>32.38</td><td>8.78</td><td>30.93</td><td>6.00</td><td>389</td><td>47</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	61.12	74.00	-12.88	44.89	32.38	8.78	30.93	6.00	389	47
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2389.95	61.12	74.00	-12.88	44.89	32.38	8.78	30.93	6.00	389	47	PEAK																																										
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>107.58</td><td>-----</td><td>-----</td><td>91.29</td><td>32.40</td><td>8.83</td><td>30.94</td><td>6.00</td><td>389</td><td>47</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.58	-----	-----	91.29	32.40	8.83	30.94	6.00	389	47
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2412.00	107.58	-----	-----	91.29	32.40	8.83	30.94	6.00	389	47	PEAK																																										
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>49.21</td><td>54.00</td><td>-4.79</td><td>32.98</td><td>32.38</td><td>8.78</td><td>30.93</td><td>6.00</td><td>389</td><td>47</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	49.21	54.00	-4.79	32.98	32.38	8.78	30.93	6.00	389	47
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2389.95	49.21	54.00	-4.79	32.98	32.38	8.78	30.93	6.00	389	47	AVERAGE																																										
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>98.47</td><td>-----</td><td>-----</td><td>82.18</td><td>32.40</td><td>8.83</td><td>30.94</td><td>6.00</td><td>389</td><td>47</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	98.47	-----	-----	82.18	32.40	8.83	30.94	6.00	389	47
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2412.00	98.47	-----	-----	82.18	32.40	8.83	30.94	6.00	389	47	AVERAGE																																										