




**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

DC\_7A\_N5A

CHANNEL BANDWIDTH: (20+20) MHz

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>20850/166800 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 2  | 1,650.000          | -53.80                | -25.00                | 28.80                 | 14.87              | H            | 227.8            | 1.00                     |
| 3  | 2,475.000          | -40.45                | -25.00                | 15.45                 | 29.06              | H            | 77.8             | 2.00                     |
| 4  | 5,002.000          | -49.18                | -25.00                | 24.18                 | 23.66              | H            | 189.6            | 1.00                     |
| 5  | 7,503.000          | -45.60                | -25.00                | 20.60                 | 27.41              | H            | 127.3            | 1.00                     |






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>20850/166800 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 2  | 1,650.000          | -56.14                | -25.00                | 31.14                 | 14.35              | V            | 169.8            | 1.00                     |
| 3  | 2,475.000          | -41.28                | -25.00                | 16.28                 | 29.30              | V            | 359.1            | 1.00                     |
| 4  | 5,002.000          | -48.62                | -25.00                | 23.62                 | 23.88              | V            | 359              | 2.00                     |
| 5  | 7,503.000          | -45.56                | -25.00                | 20.56                 | 27.39              | V            | 165.5            | 2.00                     |






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: (20+20) MHz**

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>21100/167300 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |


| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 2  | 1,655.000          | -54.31                | -25.00                | 29.31                 | 15.06              | H            | 33.1             | 2.00                     |
| 3  | 2,482.500          | -41.43                | -25.00                | 16.43                 | 29.19              | H            | 67.1             | 1.00                     |
| 4  | 5,052.000          | -48.88                | -25.00                | 23.88                 | 23.97              | H            | 189.5            | 1.00                     |
| 5  | 7,578.000          | -46.11                | -25.00                | 21.11                 | 27.48              | H            | 61.4             | 2.00                     |





|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>21100/167300 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 2  | 1,655.000          | -55.16                | -25.00                | 30.16                 | 14.23              | V            | 20.4             | 2.00                     |
| 3  | 2,482.500          | -39.87                | -25.00                | 14.87                 | 29.42              | V            | 11.8             | 2.00                     |
| 4  | 5,052.000          | -47.71                | -25.00                | 22.71                 | 24.38              | V            | 113.8            | 2.00                     |
| 5  | 7,578.000          | -46.65                | -25.00                | 21.65                 | 27.27              | V            | 105.3            | 2.00                     |






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: (20+20) MHz**

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>21350/167800 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |


| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 2  | 1,660.000          | -55.24                | -25.00                | 30.24                 | 15.24              | H            | 359.1            | 1.00                     |
| 3  | 2,490.000          | -39.62                | -25.00                | 14.62                 | 29.32              | H            | 344.6            | 1.00                     |
| 4  | 5,102.000          | -50.32                | -25.00                | 25.32                 | 23.43              | H            | 1                | 1.00                     |
| 5  | 7,653.000          | -45.31                | -25.00                | 20.31                 | 27.89              | H            | 1                | 2.00                     |





|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>21350/167800 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 2  | 1,660.000          | -56.11                | -25.00                | 31.11                 | 14.12              | V            | 358.7            | 1.00                     |
| 3  | 2,490.000          | -40.86                | -25.00                | 15.86                 | 29.54              | V            | 296.4            | 2.00                     |
| 4  | 5,102.000          | -48.11                | -25.00                | 23.11                 | 23.96              | V            | 185.4            | 1.00                     |
| 5  | 7,653.000          | -45.30                | -25.00                | 20.30                 | 27.73              | V            | 359.1            | 1.00                     |






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

DC\_38A\_N78A

CHANNEL BANDWIDTH: (20+90) MHz

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| CHANNEL BANDWIDTH (20-50) MHz                       |                            |                 |               |
| MODE                                                | TX channel<br>37850/633000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 4  | 5,142.000          | -29.37                | -25.00                | 4.37                  | 33.88              | H            | 94               | 1.00                     |
| 5  | 6,909.000          | -41.90                | -25.00                | 16.90                 | 32.87              | H            | 19.7             | 2.00                     |
| 5  | 7,713.000          | -40.39                | -25.00                | 15.39                 | 33.05              | H            | 236.2            | 2.00                     |
| 6  | 10,363.500         | -53.39                | -25.00                | 28.39                 | 17.98              | H            | 112.4            | 2.00                     |






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>37850/633000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,142.000       | -38.95          | -25.00          | 13.95           | 34.13           | V            | 132.2         | 2.00               |
| 5  | 6,909.000       | -40.29          | -25.00          | 15.29           | 32.84           | V            | 359           | 2.00               |
| 5  | 7,713.000       | -40.20          | -25.00          | 15.20           | 32.81           | V            | 289.4         | 1.00               |
| 6  | 10,363.500      | -53.44          | -25.00          | 28.44           | 17.71           | V            | 67.8          | 2.00               |






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: (20+90) MHz**

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>38000/633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,172.000       | -37.13          | -25.00          | 12.13           | 33.98           | H            | 0.9           | 2.00               |
| 5  | 6,919.020       | -41.39          | -25.00          | 16.39           | 32.88           | H            | 358.7         | 1.00               |
| 5  | 7,758.000       | -41.06          | -25.00          | 16.06           | 33.01           | H            | 234.9         | 1.00               |
| 6  | 10,378.530      | -54.86          | -25.00          | 29.86           | 18.07           | H            | 1             | 1.00               |






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>38000/633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,172.000       | -38.95          | -25.00          | 13.95           | 34.36           | V            | 319.8         | 1.00               |
| 5  | 6,919.020       | -41.44          | -25.00          | 16.44           | 32.88           | V            | 359           | 2.00               |
| 5  | 7,758.000       | -39.96          | -25.00          | 14.96           | 32.76           | V            | 280.8         | 1.00               |
| 6  | 10,378.530      | -52.93          | -25.00          | 27.93           | 17.84           | V            | 359           | 1.00               |






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: (20+90) MHz**

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>38150/633666 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,202.000       | -33.75          | -25.00          | 8.75            | 34.09           | H            | 1.3           | 2.00               |
| 5  | 6,928.980       | -40.03          | -25.00          | 15.03           | 32.81           | H            | 237.6         | 2.00               |
| 5  | 7,803.000       | -39.56          | -25.00          | 14.56           | 32.90           | H            | 359           | 2.00               |
| 6  | 10,393.470      | -54.32          | -25.00          | 29.32           | 18.17           | H            | 246.9         | 1.00               |





|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>38150/633666 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 4  | 5,202.000          | -38.73                | -25.00                | 13.73                 | 34.71              | V            | 31               | 2.00                     |
| 5  | 6,928.980          | -42.16                | -25.00                | 17.16                 | 32.83              | V            | 352.8            | 1.00                     |
| 5  | 7,803.000          | -40.29                | -25.00                | 15.29                 | 32.73              | V            | 0.9              | 2.00                     |
| 6  | 10,393.470         | -53.89                | -25.00                | 28.89                 | 17.96              | V            | 0.9              | 2.00                     |






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

DC\_40A\_N78A

CHANNEL BANDWIDTH: (20+90) MHz

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>38750/633000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 5  | 4,602.000          | -53.59                | -40.00                | 13.59                 | 18.69              | H            | 94.2             | 2.00                     |
| 5  | 6,903.000          | -50.20                | -40.00                | 10.20                 | 23.19              | H            | 359              | 2.00                     |
| 5  | 6,909.000          | -50.19                | -40.00                | 10.19                 | 23.15              | H            | 153.5            | 1.00                     |
| 6  | 10,363.500         | -61.32                | -40.00                | 21.32                 | 11.51              | H            | 205              | 1.00                     |






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>38750/633000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 4,602.000       | -54.77          | -40.00          | 14.77           | 18.69           | V            | 261.1         | 1.00               |
| 5  | 6,903.000       | -52.18          | -40.00          | 12.18           | 23.19           | V            | 261.1         | 1.00               |
| 5  | 6,909.000       | -51.61          | -40.00          | 11.61           | 23.15           | V            | 96.5          | 2.00               |
| 6  | 10,363.500      | -60.36          | -40.00          | 20.36           | 11.51           | V            | 155           | 2.00               |






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: (20+90) MHz**

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>39150/633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |


| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 4,682.000       | -53.27          | -40.00          | 13.27           | 19.11           | H            | 88.1          | 2.00               |
| 5  | 6,919.200       | -51.10          | -40.00          | 11.10           | 23.08           | H            | 7.8           | 2.00               |
| 5  | 7,023.000       | -50.48          | -40.00          | 10.48           | 23.27           | H            | 1             | 1.00               |
| 6  | 10,378.800      | -61.71          | -40.00          | 21.71           | 11.58           | H            | 207.3         | 1.00               |





|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>39150/633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 5  | 4,682.000          | -53.71                | -40.00                | 13.71                 | 19.11              | V            | 198.1            | 2.00                     |
| 5  | 6,919.200          | -53.35                | -40.00                | 13.35                 | 23.08              | V            | 359              | 2.00                     |
| 5  | 7,023.000          | -51.64                | -40.00                | 11.64                 | 23.27              | V            | 359              | 1.00                     |
| 6  | 10,378.800         | -59.58                | -40.00                | 19.58                 | 11.58              | V            | 359              | 2.00                     |






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: (20+90) MHz**

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>39550/633666 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 5  | 4,762.000          | -55.38                | -40.00                | 15.38                 | 19.31              | H            | 1                | 1.00                     |
| 5  | 6,929.000          | -51.50                | -40.00                | 11.50                 | 23.01              | H            | 0.9              | 2.00                     |
| 5  | 7,143.000          | -49.64                | -40.00                | 9.64                  | 24.85              | H            | 91.8             | 2.00                     |
| 6  | 10,393.500         | -61.19                | -40.00                | 21.19                 | 11.66              | H            | 77.4             | 2.00                     |






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>39550/633666 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 5  | 4,762.000       | -53.91          | -40.00          | 13.91           | 19.31           | V            | 359           | 2.00               |
| 5  | 6,929.000       | -51.54          | -40.00          | 11.54           | 23.01           | V            | 158.2         | 1.00               |
| 5  | 7,143.000       | -49.54          | -40.00          | 9.54            | 24.85           | V            | 158.2         | 1.00               |
| 6  | 10,393.500      | -60.25          | -40.00          | 20.25           | 11.66           | V            | 283.8         | 1.00               |






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

DC\_41A\_N78A

CHANNEL BANDWIDTH: (20+90) MHz

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>39750/633000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,168.000       | -38.35          | -25.00          | 13.35           | 33.97           | H            | 2.9           | 2.00               |
| 5  | 6,909.000       | -41.87          | -25.00          | 16.87           | 32.87           | H            | 353.7         | 1.00               |
| 5  | 7,752.000       | -40.77          | -25.00          | 15.77           | 33.04           | H            | 1.9           | 2.00               |
| 6  | 10,363.500      | -53.53          | -25.00          | 28.53           | 17.98           | H            | 198.8         | 2.00               |






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>39750/633000 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,168.000       | -39.30          | -25.00          | 14.30           | 34.32           | V            | 359           | 2.00               |
| 5  | 6,909.000       | -41.13          | -25.00          | 16.13           | 32.84           | V            | 1             | 1.00               |
| 5  | 7,752.000       | -40.54          | -25.00          | 15.54           | 32.78           | V            | 339           | 1.00               |
| 6  | 10,363.500      | -55.79          | -25.00          | 30.79           | 17.71           | V            | 152.1         | 1.00               |






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: (20+90) MHz**

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>40620/633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 4  | 5,168.000          | -33.87                | -25.00                | 8.87                  | 33.97              | H            | 29.5             | 2.00                     |
| 5  | 6,919.200          | -40.92                | -25.00                | 15.92                 | 32.88              | H            | 1                | 1.00                     |
| 5  | 7,752.000          | -40.85                | -25.00                | 15.85                 | 33.04              | H            | 241.2            | 1.00                     |
| 6  | 10,378.800         | -52.99                | -25.00                | 27.99                 | 18.07              | H            | 0.9              | 2.00                     |






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>40620/633334 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg | Frequency<br>[MHz] | PK+<br>Level<br>[dBm] | PK+<br>Limit<br>[dBm] | PK+<br>Margin<br>[dB] | Correction<br>[dB] | Polarization | Azimuth<br>[deg] | Antenna<br>Height<br>[m] |
|----|--------------------|-----------------------|-----------------------|-----------------------|--------------------|--------------|------------------|--------------------------|
| 4  | 5,168.000          | -36.97                | -25.00                | 11.97                 | 34.32              | V            | 80.5             | 2.00                     |
| 5  | 6,919.200          | -40.69                | -25.00                | 15.69                 | 32.88              | V            | 1                | 2.00                     |
| 5  | 7,752.000          | -41.05                | -25.00                | 16.05                 | 32.78              | V            | 171              | 2.00                     |
| 6  | 10,378.800         | -54.60                | -25.00                | 29.60                 | 17.84              | V            | 359              | 2.00                     |






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

**CHANNEL BANDWIDTH: (20+90) MHz**

|                                                     |                            |                 |               |
|-----------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                                | TX channel<br>41490/633666 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                         | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                           | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M |                            |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,342.000       | -33.66          | -25.00          | 8.66            | 34.45           | H            | 124.5         | 2.00               |
| 5  | 6,928.980       | -41.00          | -25.00          | 16.00           | 32.81           | H            | 0.9           | 2.00               |
| 6  | 8,013.000       | -55.48          | -25.00          | 30.48           | 16.95           | H            | 153.4         | 2.00               |
| 6  | 10,393.470      | -52.88          | -25.00          | 27.88           | 18.17           | H            | 11.9          | 2.00               |






**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

|                                                   |                            |                 |               |
|---------------------------------------------------|----------------------------|-----------------|---------------|
| MODE                                              | TX channel<br>41490/633666 | FREQUENCY RANGE | Above 1000MHz |
| ENVIRONMENTAL<br>CONDITIONS                       | 23deg. C, 70%RH            | INPUT POWER     | AC 120V/60HZ  |
| TESTED BY                                         | Hanwen Xu                  |                 |               |
| ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M |                            |                 |               |

| Rg | Frequency [MHz] | PK+ Level [dBm] | PK+ Limit [dBm] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,342.000       | -39.33          | -25.00          | 14.33           | 34.91           | V            | 129.4         | 2.00               |
| 5  | 6,928.980       | -40.80          | -25.00          | 15.80           | 32.83           | V            | 0.9           | 2.00               |
| 6  | 8,013.000       | -54.32          | -25.00          | 29.32           | 16.76           | V            | 15.4          | 2.00               |
| 6  | 10,393.470      | -53.23          | -25.00          | 28.23           | 17.96           | V            | 359.1         | 1.00               |




### 3.7 PEAK TO AVERAGE RATIO

#### 3.7.1 LIMITS OF PEAK TO AVERAGE RATIO MEASUREMENT

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB

#### 3.7.2 TEST SETUP



#### 3.7.3 TEST PROCEDURES

1. Set resolution/measurement bandwidth  $\geq$  signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Record the maximum PAPR level associated with a probability of 0.1%.



**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

### 3.7.4 TEST RESULTS

Please Refer to Appendix Of this test report.



## 4 INFORMATION ON THE TESTING LABORATORIES

We, Huarui 7layers High Technology (Suzhou) Co., Ltd. ,were founded in 2020 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

Huarui 7Layers High Technology (Suzhou) Co., Ltd.

Lab Address:

Tower N, Innovation Center, 88 Zuyi Road, High-tech District, Suzhou City, Anhui Province

Accredited Test Lab Cert 6613.01

If you have any comments, please feel free to contact us at the following:

**Suzhou EMC/RF Lab:**

Tel: +86 (0557) 368 1008



**BUREAU VERITAS** Test Report No.: PSZ-QBJ2501200112RF12

## **5 MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB**

No any modifications are made to the EUT by the lab during the test.



## 6 Appendix

Please refer to Appendix A report