

		Edge_1RB_Right	16.84	/	/	14.86	/	/	<=33	Pass
		Outer_Full	17.42	/	/	15.44	/	/	<=33	Pass
		Inner_Full	17.27	/	/	15.29	/	/	<=33	Pass
		Inner_1RB_Left	17.23	/	/	15.25	/	/	<=33	Pass
		Inner_1RB_Right	16.90	/	/	14.92	/	/	<=33	Pass
	1890	Edge_1RB_Left	17.05	/	/	15.07	/	/	<=33	Pass
		Edge_1RB_Right	16.61	/	/	14.63	/	/	<=33	Pass
		Outer_Full	17.37	/	/	15.39	/	/	<=33	Pass
		Inner_Full	17.33	/	/	15.35	/	/	<=33	Pass
		Inner_1RB_Left	17.06	/	/	15.08	/	/	<=33	Pass
		Inner_1RB_Right	16.73	/	/	14.75	/	/	<=33	Pass
Note1: Antenna Gain: Ant4: -1.98dBi; Note2: EIRP=Conducted Power+Antenna Gain										

2. Frequency Stability

2.1 Test Result

2.1.1 15_S_40M

5G NR n2 SCS=15kHz SISO 40MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM QPSK	1880	Outer_Full	20	LV	2.70	0.0014	>=-2.5 & <=2.5	Pass
				HV	0.70	0.0004	>=-2.5 & <=2.5	Pass
			-30	NV	4.00	0.0021	>=-2.5 & <=2.5	Pass
			-20	NV	-9.60	-0.0051	>=-2.5 & <=2.5	Pass
			-10	NV	-6.20	-0.0033	>=-2.5 & <=2.5	Pass
			0	NV	-3.70	-0.0020	>=-2.5 & <=2.5	Pass
			10	NV	-9.60	-0.0051	>=-2.5 & <=2.5	Pass
			20	NV	-4.10	-0.0022	>=-2.5 & <=2.5	Pass
			30	NV	1.90	0.0010	>=-2.5 & <=2.5	Pass
			40	NV	-8.30	-0.0044	>=-2.5 & <=2.5	Pass
			50	NV	-3.20	-0.0017	>=-2.5 & <=2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 15_S_5M_NTNV

5G NR n2 SCS=15kHz SISO 5MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	4.55	5.21	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	4.53	5.18	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	4.57	5.21	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	4.55	5.25	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	4.58	5.36	/	Pass
CP-OFDM QPSK	1880	Outer_Full	4.56	5.40	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	4.62	5.32	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	4.57	5.36	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	4.55	5.45	/	Pass

3.1.2 15_S_10M_NTNV

5G NR n2 SCS=15kHz SISO 10MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	9.05	9.97	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	9.08	10.11	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	9.08	10.09	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	9.06	10.01	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	9.04	10.04	/	Pass
CP-OFDM QPSK	1880	Outer_Full	9.40	10.55	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	9.40	10.40	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	9.37	10.39	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	9.43	10.47	/	Pass

3.1.3 15_S_15M_NTNV

5G NR n2 SCS=15kHz SISO 15MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	13.57	14.72	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	13.61	14.80	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	13.65	14.89	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	13.58	14.80	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	13.60	14.73	/	Pass
CP-OFDM QPSK	1880	Outer_Full	14.27	15.45	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	14.28	15.54	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	14.29	15.60	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	14.22	15.50	/	Pass

3.1.4 15_S_20M_NTNV

5G NR n2 SCS=15kHz SISO 20MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	18.10	19.52	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	18.07	19.53	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	18.04	19.57	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	18.07	19.60	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	18.08	19.42	/	Pass
CP-OFDM QPSK	1880	Outer_Full	19.06	20.71	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	19.17	20.72	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	19.11	20.62	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	19.19	20.73	/	Pass

3.1.5 15_S_25M_NTNV

5G NR n2 SCS=15kHz SISO 25MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	23.14	24.78	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	23.20	24.87	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	23.16	24.84	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	23.10	24.79	/	Pass

DFT-s-OFDM 256 QAM	1880	Outer_Full	23.12	24.86	/	Pass
CP-OFDM QPSK	1880	Outer_Full	23.98	25.67	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	24.00	25.64	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	23.96	25.82	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	23.96	25.69	/	Pass

3.1.6 15_S_30M_NTNV

5G NR n2 SCS=15kHz SISO 30MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	28.93	30.80	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	28.88	30.82	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	28.89	30.82	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	28.84	30.85	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	28.82	30.86	/	Pass
CP-OFDM QPSK	1880	Outer_Full	28.84	30.90	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	28.90	31.41	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	28.82	33.20	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	28.78	30.84	/	Pass

3.1.7 15_S_35M_NTNV


5G NR n2 SCS=15kHz SISO 35MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	32.48	34.85	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	32.56	34.88	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	32.52	34.90	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	32.52	34.88	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	32.43	34.78	/	Pass
CP-OFDM QPSK	1880	Outer_Full	33.95	36.37	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	33.92	36.34	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	34.01	38.46	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	33.86	36.24	/	Pass

3.1.8 15_S_40M_NTNV


5G NR n2 SCS=15kHz SISO 40MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	38.81	41.52	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	39.12	41.71	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	38.88	41.58	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	38.88	41.48	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	38.90	41.56	/	Pass
CP-OFDM QPSK	1880	Outer_Full	38.95	41.57	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	38.85	41.53	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	39.09	41.63	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	38.84	41.42	/	Pass

3.2 Test Graph


3.2.1 15_S_5M_NTNV




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_16_QAM_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_64_QAM_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO NTN 5MHz DFT-s-OFDM 256 QAM 1880MHz Outer Full Ant4




n2_15kHz_SISO NTN 5MHz CP-OFDM QPSK 1880MHz Outer Full Ant4




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_16_QAM_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_64_QAM_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant4




3.2.2 15_S_10M_NTNV




n2_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM 1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM 1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM 1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM 1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTV_10MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant4




3.2.3 15_S_15M_NTNV




n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM 1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM 1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_15MHz_CP-OFDM 16 QAM 1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_15MHz_CP-OFDM 64 QAM 1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_15MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant4




3.2.4 15_S_20M_NTNV




n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_20MHz_CP-OFDM 16 QAM 1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM 1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_20MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant4




3.2.5 15_S_25M_NTNV




n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM_16_QAM_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM_64_QAM_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_25MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_25MHz_CP-OFDM 16 QAM 1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_25MHz_CP-OFDM 64 QAM 1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_25MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant4




3.2.6 15_S_30M_NTNV




n2_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM 16 QAM 1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM 64 QAM 1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_30MHz_CP-OFDM 16 QAM 1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_30MHz_CP-OFDM 64 QAM 1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_30MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant4




3.2.7 15_S_35M_NTNV




n2_15kHz_SISO_NTNV_35MHz_DFT-s-OFDM_16_QAM_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_35MHz_DFT-s-OFDM_64_QAM_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_35MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_35MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_35MHz_CP-OFDM 16 QAM 1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_35MHz_CP-OFDM 64 QAM 1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_35MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant4




3.2.8 15_S_40M_NTNV




n2_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM 16 QAM 1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM 64 QAM 1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant4




n2_15kHz_SISO_NTNV_40MHz_CP-OFDM 16 QAM 1880MHz_Outer_Full_Ant4



n2_15kHz_SISO_NTNV_40MHz_CP-OFDM 64 QAM 1880MHz_Outer_Full_Ant4



n2_15kHz_SISO_NTNV_40MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant4



4. Peak-Average Ratio


4.1 Test Result

4.1.1 15_S_40M_NTNV


5G NR n2 SCS=15kHz SISO 40MHz NTNv							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	4.31	/	/	<=13	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	4.98	/	/	<=13	Pass
CP-OFDM QPSK	1880	Outer_Full	6.61	/	/	<=13	Pass

4.2 Test Graph

4.2.1 15_S_40M_NTNV



n2_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant4



5. Spurious Emission

5.1 Test Result

5.1.1 15_S_5M_NTNV

5G NR n2 SCS=15kHz SISO 5MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1852.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
	1907.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	1852.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
	1907.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	1852.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
	1907.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass

5.1.2 15_S_25M_NTNV

5G NR n2 SCS=15kHz SISO 25MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1862.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1897.5	Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK		1862.5	Edge_1RB_Left	Refer To Test Graph			
	Outer_Full		Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1897.5	Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK		1862.5	Edge_1RB_Left	Refer To Test Graph			
	Outer_Full		Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1897.5	Outer_Full	Refer To Test Graph				Pass


5.1.3 15_S_40M_NTNV

5G NR n2 SCS=15kHz SISO 40MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1870	Edge 1RB Left	Refer To Test Graph				Pass


		Outer_Full	Refer To Test Graph	Pass
	1880	Edge_1RB_Left	Refer To Test Graph	Pass
	1890	Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
DFT-s-OFDM QPSK	1870	Edge_1RB_Left	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	1880	Edge_1RB_Left	Refer To Test Graph	Pass
	1890	Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
CP-OFDM QPSK	1870	Edge_1RB_Left	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	1880	Edge_1RB_Left	Refer To Test Graph	Pass
	1890	Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass

5.2 Test Graph

5.2.1 15_S_5M_NTNV




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1852.5MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1843.000	-55.60	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1932.500	-42.94	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1852.5MHz_Outer_Full_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.190	-24.59	-13	Pass
1849	1850	0.05179	CHP	2	1849.990	-27.37	-13	Pass
1850	1855	0.05179	CHP	/	/	/	/	/


n2 15kHz SISO NTN 5MHz DFT-s-OFDM PI/2 BPSK 1880MHz Edge 1RB Left Ant4



n2 15kHz SISO NTN 5MHz DFT-s-OFDM PI/2 BPSK 1880MHz Edge 1RB Left Ant4




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1907.5MHz_Edge_1RB_Right_Ant4



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.003	-28.82	-13	Pass
1911	1915	1	CHP	2	1911.500	-42.20	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1907.5MHz_Edge_1RB_Right_Ant4



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	910.200	-62.66	-13	Pass