



n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3555MHz Outer Full Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.305	-54.43	-40	Pass
3530	3540	1	CHP	2	3539.860	-50.79	-25	Pass
3540	3549	1	CHP	3	3548.500	-39.39	-13	Pass
3549	3550	0.09704	CHP	4	3549.985	-35.52	-13	Pass
3550	3560	0.09704	CHP	/	/	/	/	/
3560	3561	0.09704	CHP	5	3560.005	-32.58	-13	Pass
3561	3570	1	CHP	6	3561.505	-40.97	-13	Pass
3570	3720	1	CHP	7	3570.820	-50.71	-25	Pass
3720	3730	1	CHP	8	3723.520	-52.95	-40	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	934.600	-62.21	-40	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3060.500	-55.61	-40	Pass
3530	3609.99	1	/	2	3608.000	-53.61	-25	Pass
3609.99	3618.99	1	/	3	3613.500	-51.89	-13	Pass
3618.99	3634.99	1	/	/	/	/	/	/
3634.99	3639.99	1	/	4	3637.500	-52.80	-13	Pass
3639.99	3720	1	/	5	3711.000	-51.24	-25	Pass
3720	37000	1	/	6	35515.000	-42.45	-40	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3694.98MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3528.805	-54.74	-40	Pass
3530	3679.98	1	CHP	2	3679.975	-52.18	-25	Pass
3679.98	3688.98	1	CHP	3	3688.480	-41.97	-13	Pass
3688.98	3689.98	0.03	/	4	3689.920	-39.30	-13	Pass
3689.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.000	-65.51	-13	Pass
3700.98	3709.98	1	CHP	6	3702.355	-51.52	-13	Pass
3709.98	3720	1	CHP	7	3714.115	-52.88	-25	Pass
3720	3730	1	CHP	8	3720.730	-52.85	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_PI/2_BPSK_3694.98MHz_Edge_1RB_Right_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3522.475	-54.67	-40	Pass
3530	3679.98	1	CHP	2	3678.820	-53.50	-25	Pass
3679.98	3688.98	1	CHP	3	3682.495	-50.36	-13	Pass
3688.98	3689.98	0.03	/	4	3689.830	-63.09	-13	Pass
3689.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.015	-35.29	-13	Pass
3700.98	3709.98	1	CHP	6	3701.485	-42.79	-13	Pass
3709.98	3720	1	CHP	7	3711.730	-52.39	-25	Pass
3720	3730	1	CHP	8	3720.490	-52.75	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_PI/2_BPSK_3694.98MHz_Edge_1RB_Right_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	780.350	-62.16	-40	Pass

n48 30kHz SISO NTNv 10MHz DFT-s-OFDM PI/2 BPSK 3694.98MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2410.500	-54.79	-40	Pass
3530	3679.98	1	/	2	3655.500	-51.39	-25	Pass
3679.98	3688.98	1	/	3	3683.000	-50.00	-13	Pass
3688.98	3704.98	1	/	/	/	/	/	/
3704.98	3709.98	1	/	4	3707.500	-50.95	-13	Pass
3709.98	3720	1	/	5	3712.000	-51.48	-25	Pass
3720	37000	1	/	6	35387.000	-41.69	-40	Pass

n48 30kHz SISO NTNv 10MHz DFT-s-OFDM PI/2 BPSK 3694.98MHz Outer Full Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.075	-54.71	-40	Pass
3530	3679.98	1	CHP	2	3679.795	-53.06	-25	Pass
3679.98	3688.98	1	CHP	3	3684.880	-35.71	-13	Pass
3688.98	3689.98	0.09704	CHP	4	3689.965	-38.06	-13	Pass
3689.98	3699.98	0.09704	CHP	/	/	/	/	/
3699.98	3700.98	0.09704	CHP	5	3699.985	-31.85	-13	Pass
3700.98	3709.98	1	CHP	6	3703.165	-34.95	-13	Pass
3709.98	3720	1	CHP	7	3710.335	-52.44	-25	Pass
3720	3730	1	CHP	8	3725.140	-53.02	-40	Pass

n48 30kHz SISO NTNV 10MHz DFT-s-OFDM QPSK 3555MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3528.955	-54.44	-40	Pass
3530	3540	1	CHP	2	3539.815	-53.55	-25	Pass
3540	3549	1	CHP	3	3548.500	-46.11	-13	Pass
3549	3550	0.03	/	4	3549.955	-30.49	-13	Pass
3550	3560	0.03	/	/	/	/	/	/
3560	3561	0.03	/	5	3560.245	-66.90	-13	Pass
3561	3570	1	CHP	6	3561.850	-53.77	-13	Pass
3570	3720	1	CHP	7	3710.215	-52.97	-25	Pass
3720	3730	1	CHP	8	3723.025	-53.06	-40	Pass

n48 30kHz SISO NTNV 10MHz DFT-s-OFDM QPSK 3555MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	892.850	-62.16	-40	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 3555MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	2423.000	-53.54	-40	Pass
3530	3540	1	/	2	3539.500	-53.57	-25	Pass
3540	3549	1	/	3	3544.500	-50.97	-13	Pass
3549	3565	1	/	/	/	/	/	/
3565	3570	1	/	4	3567.500	-54.87	-13	Pass
3570	3720	1	/	5	3692.500	-51.59	-25	Pass
3720	37000	1	/	6	34922.000	-42.75	-40	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 3555MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.440	-54.51	-40	Pass
3530	3540	1	CHP	2	3538.180	-54.53	-25	Pass
3540	3549	1	CHP	3	3547.480	-53.90	-13	Pass
3549	3550	0.03	/	4	3549.370	-65.55	-13	Pass
3550	3560	0.03	/	/	/	/	/	/
3560	3561	0.03	/	5	3560.005	-31.65	-13	Pass
3561	3570	1	CHP	6	3561.505	-45.88	-13	Pass
3570	3720	1	CHP	7	3708.010	-52.93	-25	Pass
3720	3730	1	CHP	8	3724.000	-52.91	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_3555MHz_Outer_Full_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3528.190	-54.45	-40	Pass
3530	3540	1	CHP	2	3539.995	-49.96	-25	Pass
3540	3549	1	CHP	3	3547.945	-38.00	-13	Pass
3549	3550	0.09704	CHP	4	3549.970	-38.04	-13	Pass
3550	3560	0.09704	CHP	/	/	/	/	/
3560	3561	0.09704	CHP	5	3560.005	-38.29	-13	Pass
3561	3570	1	CHP	6	3562.495	-40.71	-13	Pass
3570	3720	1	CHP	7	3570.010	-50.36	-25	Pass
3720	3730	1	CHP	8	3728.665	-52.97	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	899.450	-62.28	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3098.500	-55.32	-40	Pass
3530	3609.99	1	/	2	3607.000	-52.70	-25	Pass
3609.99	3618.99	1	/	3	3610.500	-52.98	-13	Pass
3618.99	3634.99	1	/	/	/	/	/	/
3634.99	3639.99	1	/	4	3638.000	-51.79	-13	Pass
3639.99	3720	1	/	5	3709.500	-50.96	-25	Pass
3720	37000	1	/	6	36874.000	-42.68	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_3694.98MHz_Edge_1RB_Left_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.725	-54.62	-40	Pass
3530	3679.98	1	CHP	2	3677.965	-52.76	-25	Pass
3679.98	3688.98	1	CHP	3	3688.480	-41.41	-13	Pass
3688.98	3689.98	0.03	/	4	3689.950	-31.96	-13	Pass
3689.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.315	-64.10	-13	Pass
3700.98	3709.98	1	CHP	6	3707.470	-49.58	-13	Pass
3709.98	3720	1	CHP	7	3715.285	-52.65	-25	Pass
3720	3730	1	CHP	8	3723.460	-52.88	-40	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 3694.98MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3520.945	-54.74	-40	Pass
3530	3679.98	1	CHP	2	3679.855	-53.59	-25	Pass
3679.98	3688.98	1	CHP	3	3682.630	-51.79	-13	Pass
3688.98	3689.98	0.03	/	4	3689.410	-65.29	-13	Pass
3689.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.015	-31.36	-13	Pass
3700.98	3709.98	1	CHP	6	3701.485	-43.22	-13	Pass
3709.98	3720	1	CHP	7	3710.620	-52.37	-25	Pass
3720	3730	1	CHP	8	3720.190	-52.84	-40	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 3694.98MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	902.150	-62.30	-40	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 3694.98MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3211.000	-55.31	-40	Pass
3530	3679.98	1	/	2	3676.000	-51.47	-25	Pass
3679.98	3688.98	1	/	3	3683.000	-51.93	-13	Pass
3688.98	3704.98	1	/	/	/	/	/	/
3704.98	3709.98	1	/	4	3707.000	-50.77	-13	Pass
3709.98	3720	1	/	5	3715.000	-51.35	-25	Pass
3720	37000	1	/	6	35765.500	-42.58	-40	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 3694.98MHz Outer Full Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.355	-54.72	-40	Pass
3530	3679.98	1	CHP	2	3678.415	-51.63	-25	Pass
3679.98	3688.98	1	CHP	3	3688.480	-36.26	-13	Pass
3688.98	3689.98	0.09704	CHP	4	3689.965	-33.00	-13	Pass
3689.98	3699.98	0.09704	CHP	/	/	/	/	/
3699.98	3700.98	0.09704	CHP	5	3699.985	-33.86	-13	Pass
3700.98	3709.98	1	CHP	6	3701.485	-36.85	-13	Pass
3709.98	3720	1	CHP	7	3711.505	-51.68	-25	Pass
3720	3730	1	CHP	8	3724.000	-52.83	-40	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3555MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3528.040	-54.35	-40	Pass
3530	3540	1	CHP	2	3538.885	-53.90	-25	Pass
3540	3549	1	CHP	3	3548.500	-43.84	-13	Pass
3549	3550	0.03	/	4	3549.985	-27.01	-13	Pass
3550	3560	0.03	/	/	/	/	/	/
3560	3561	0.03	/	5	3560.800	-64.35	-13	Pass
3561	3570	1	CHP	6	3567.460	-53.63	-13	Pass
3570	3720	1	CHP	7	3707.155	-53.06	-25	Pass
3720	3730	1	CHP	8	3723.415	-52.90	-40	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3555MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	919.050	-62.00	-40	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3555MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	1769.000	-53.53	-40	Pass
3530	3540	1	/	2	3539.000	-53.51	-25	Pass
3540	3549	1	/	3	3544.500	-50.36	-13	Pass
3549	3565	1	/	/	/	/	/	/
3565	3570	1	/	4	3567.500	-49.62	-13	Pass
3570	3720	1	/	5	3694.500	-50.74	-25	Pass
3720	37000	1	/	6	35459.000	-42.67	-40	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3555MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.820	-54.53	-40	Pass
3530	3540	1	CHP	2	3538.900	-54.20	-25	Pass
3540	3549	1	CHP	3	3542.695	-53.04	-13	Pass
3549	3550	0.03	/	4	3549.910	-63.99	-13	Pass
3550	3560	0.03	/	/	/	/	/	/
3560	3561	0.03	/	5	3560.020	-30.85	-13	Pass
3561	3570	1	CHP	6	3561.505	-42.58	-13	Pass
3570	3720	1	CHP	7	3716.755	-52.93	-25	Pass
3720	3730	1	CHP	8	3727.195	-52.95	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_3555MHz_Outer_Full_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.900	-54.51	-40	Pass
3530	3540	1	CHP	2	3539.575	-49.81	-25	Pass
3540	3549	1	CHP	3	3548.500	-35.76	-13	Pass
3549	3550	0.09704	CHP	4	3549.925	-35.27	-13	Pass
3550	3560	0.09704	CHP	/	/	/	/	/
3560	3561	0.09704	CHP	5	3560.005	-33.43	-13	Pass
3561	3570	1	CHP	6	3561.505	-38.54	-13	Pass
3570	3720	1	CHP	7	3570.745	-51.26	-25	Pass
3720	3730	1	CHP	8	3726.775	-52.92	-40	Pass

n48_30kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	935.350	-62.31	-40	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3624.99MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3261.500	-55.81	-40	Pass
3530	3609.99	1	/	2	3603.000	-53.85	-25	Pass
3609.99	3618.99	1	/	3	3613.500	-52.47	-13	Pass
3618.99	3634.99	1	/	/	/	/	/	/
3634.99	3639.99	1	/	4	3638.000	-51.98	-13	Pass
3639.99	3720	1	/	5	3690.000	-50.96	-25	Pass
3720	37000	1	/	6	36645.500	-42.85	-40	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3694.98MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.730	-54.66	-40	Pass
3530	3679.98	1	CHP	2	3675.835	-53.26	-25	Pass
3679.98	3688.98	1	CHP	3	3688.480	-42.45	-13	Pass
3688.98	3689.98	0.03	/	4	3689.935	-29.37	-13	Pass
3689.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.225	-63.91	-13	Pass
3700.98	3709.98	1	CHP	6	3707.605	-50.79	-13	Pass
3709.98	3720	1	CHP	7	3718.000	-52.82	-25	Pass
3720	3730	1	CHP	8	3727.015	-52.84	-40	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3694.98MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.655	-54.52	-40	Pass
3530	3679.98	1	CHP	2	3679.300	-53.42	-25	Pass
3679.98	3688.98	1	CHP	3	3682.765	-49.90	-13	Pass
3688.98	3689.98	0.03	/	4	3689.890	-62.97	-13	Pass
3689.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3699.985	-32.96	-13	Pass
3700.98	3709.98	1	CHP	6	3701.485	-41.10	-13	Pass
3709.98	3720	1	CHP	7	3712.420	-52.19	-25	Pass
3720	3730	1	CHP	8	3720.145	-52.72	-40	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3694.98MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	928.000	-62.10	-40	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3694.98MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3258.000	-55.80	-40	Pass
3530	3679.98	1	/	2	3667.000	-51.97	-25	Pass
3679.98	3688.98	1	/	3	3682.000	-51.80	-13	Pass
3688.98	3704.98	1	/	/	/	/	/	/
3704.98	3709.98	1	/	4	3707.500	-49.36	-13	Pass
3709.98	3720	1	/	5	3716.500	-51.35	-25	Pass
3720	37000	1	/	6	36864.500	-42.72	-40	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3694.98MHz Outer Full Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.990	-54.67	-40	Pass
3530	3679.98	1	CHP	2	3679.930	-48.94	-25	Pass
3679.98	3688.98	1	CHP	3	3688.480	-33.06	-13	Pass
3688.98	3689.98	0.09704	CHP	4	3689.950	-33.14	-13	Pass
3689.98	3699.98	0.09704	CHP	/	/	/	/	/
3699.98	3700.98	0.09704	CHP	5	3700.090	-33.71	-13	Pass
3700.98	3709.98	1	CHP	6	3701.485	-32.21	-13	Pass
3709.98	3720	1	CHP	7	3709.990	-49.89	-25	Pass
3720	3730	1	CHP	8	3720.070	-52.84	-40	Pass

5.2.2 30_S_20M_NTNV




n48 30kHz SISO NTNv 20MHz DFT-s-OFDM PI/2 BPSK 3560.01MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3226.000	-54.88	-40	Pass
3530	3540	1	/	2	3532.000	-53.68	-25	Pass
3540	3549.01	1	/	3	3542.000	-50.50	-13	Pass
3549.01	3575.01	1	/	/	/	/	/	/
3575.01	3590.01	1	/	4	3576.000	-55.24	-13	Pass
3590.01	3720	1	/	5	3694.000	-50.66	-25	Pass
3720	37000	1	/	6	36332.000	-42.87	-40	Pass

n48 30kHz SISO NTNv 20MHz DFT-s-OFDM PI/2 BPSK 3560.01MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.510	-54.42	-40	Pass
3530	3540	1	CHP	2	3533.065	-53.64	-25	Pass
3540	3549.01	1	CHP	3	3548.005	-54.12	-13	Pass
3549.01	3550.01	0.03	/	4	3549.265	-67.04	-13	Pass
3550.01	3570.01	0.03	/	/	/	/	/	/
3570.01	3571.01	0.03	/	5	3570.025	-31.07	-13	Pass
3571.01	3590.01	1	CHP	6	3571.510	-48.58	-13	Pass
3590.01	3720	1	CHP	7	3698.605	-52.90	-25	Pass
3720	3730	1	CHP	8	3728.950	-52.93	-40	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3560.01MHz Outer Full Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3530.000	-53.38	-40	Pass
3530	3540	1	CHP	2	3538.900	-48.50	-25	Pass
3540	3549.01	1	CHP	3	3548.500	-45.34	-13	Pass
3549.01	3550.01	0.1956	CHP	4	3549.950	-38.16	-13	Pass
3550.01	3570.01	0.1956	CHP	/	/	/	/	/
3570.01	3571.01	0.1956	CHP	5	3570.050	-45.53	-13	Pass
3571.01	3590.01	1	CHP	6	3571.650	-47.67	-13	Pass
3590.01	3720	1	CHP	7	3716.150	-52.74	-25	Pass
3720	3730	1	CHP	8	3721.450	-52.79	-40	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	892.250	-61.96	-40	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3228.500	-54.49	-40	Pass
3530	3594.99	1	/	2	3593.000	-54.95	-25	Pass
3594.99	3613.99	1	/	3	3608.000	-53.32	-13	Pass
3613.99	3639.99	1	/	/	/	/	/	/
3639.99	3654.99	1	/	4	3652.500	-52.92	-13	Pass
3654.99	3720	1	/	5	3715.000	-51.45	-25	Pass
3720	37000	1	/	6	35663.500	-42.73	-40	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3690MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.110	-54.63	-40	Pass
3530	3660	1	CHP	2	3659.455	-53.74	-25	Pass
3660	3679	1	CHP	3	3678.490	-41.68	-13	Pass
3679	3680	0.03	/	4	3679.990	-30.38	-13	Pass
3680	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.090	-65.48	-13	Pass
3701	3710	1	CHP	6	3701.530	-52.75	-13	Pass
3710	3720	1	CHP	7	3712.165	-52.69	-25	Pass
3720	3730	1	CHP	8	3720.130	-52.75	-40	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3690MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.005	-54.35	-40	Pass
3530	3660	1	CHP	2	3655.795	-54.02	-25	Pass
3660	3679	1	CHP	3	3678.070	-52.94	-13	Pass
3679	3680	0.03	/	4	3679.690	-65.03	-13	Pass
3680	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.015	-32.72	-13	Pass
3701	3710	1	CHP	6	3701.500	-45.15	-13	Pass
3710	3720	1	CHP	7	3710.080	-51.96	-25	Pass
3720	3730	1	CHP	8	3721.285	-52.51	-40	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3690MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	875.900	-61.48	-40	Pass

n48 30kHz SISO NTV 20MHz DFT-s-OFDM PI/2 BPSK 3690MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3159.000	-55.70	-40	Pass
3530	3660	1	/	2	3627.500	-51.43	-25	Pass
3660	3679	1	/	3	3663.000	-51.93	-13	Pass
3679	3705	1	/	/	/	/	/	/
3705	3710	1	/	4	3709.500	-51.00	-13	Pass
3710	3720	1	/	5	3716.500	-50.61	-25	Pass
3720	37000	1	/	6	36541.000	-42.22	-40	Pass

n48 30kHz SISO NTV 20MHz DFT-s-OFDM PI/2 BPSK 3690MHz Outer_Full Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.450	-54.29	-40	Pass
3530	3660	1	CHP	2	3657.600	-53.70	-25	Pass
3660	3679	1	CHP	3	3671.650	-38.25	-13	Pass
3679	3680	0.1956	CHP	4	3679.950	-38.89	-13	Pass
3680	3700	0.1956	CHP	/	/	/	/	/
3700	3701	0.1956	CHP	5	3700.050	-38.94	-13	Pass
3701	3710	1	CHP	6	3701.500	-36.45	-13	Pass
3710	3720	1	CHP	7	3710.400	-39.21	-25	Pass
3720	3730	1	CHP	8	3724.850	-52.81	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3560.01MHz_Edge_1RB_Left_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.140	-54.17	-40	Pass
3530	3540	1	CHP	2	3539.665	-53.39	-25	Pass
3540	3549.01	1	CHP	3	3548.500	-43.77	-13	Pass
3549.01	3550.01	0.03	/	4	3550.000	-33.05	-13	Pass
3550.01	3570.01	0.03	/	/	/	/	/	/
3570.01	3571.01	0.03	/	5	3570.715	-68.10	-13	Pass
3571.01	3590.01	1	CHP	6	3586.915	-53.68	-13	Pass
3590.01	3720	1	CHP	7	3715.690	-52.92	-25	Pass
3720	3730	1	CHP	8	3722.875	-52.76	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3560.01MHz_Edge_1RB_Left_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	947.400	-61.46	-40	Pass

n48 30kHz SISO NTNv 20MHz DFT-s-OFDM QPSK 3560.01MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3524.500	-54.37	-40	Pass
3530	3540	1	/	2	3539.000	-52.10	-25	Pass
3540	3549.01	1	/	3	3544.500	-49.63	-13	Pass
3549.01	3575.01	1	/	/	/	/	/	/
3575.01	3590.01	1	/	4	3586.500	-55.44	-13	Pass
3590.01	3720	1	/	5	3688.000	-50.08	-25	Pass
3720	37000	1	/	6	36547.500	-42.46	-40	Pass

n48 30kHz SISO NTNv 20MHz DFT-s-OFDM QPSK 3560.01MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.725	-54.57	-40	Pass
3530	3540	1	CHP	2	3534.205	-54.34	-25	Pass
3540	3549.01	1	CHP	3	3546.280	-54.47	-13	Pass
3549.01	3550.01	0.03	/	4	3549.100	-66.81	-13	Pass
3550.01	3570.01	0.03	/	/	/	/	/	/
3570.01	3571.01	0.03	/	5	3570.055	-34.30	-13	Pass
3571.01	3590.01	1	CHP	6	3571.510	-40.51	-13	Pass
3590.01	3720	1	CHP	7	3717.565	-52.83	-25	Pass
3720	3730	1	CHP	8	3723.535	-52.75	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3560.01MHz_Outer_Full_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.800	-52.76	-40	Pass
3530	3540	1	CHP	2	3539.050	-44.81	-25	Pass
3540	3549.01	1	CHP	3	3548.500	-36.68	-13	Pass
3549.01	3550.01	0.1956	CHP	4	3550.000	-35.82	-13	Pass
3550.01	3570.01	0.1956	CHP	/	/	/	/	/
3570.01	3571.01	0.1956	CHP	5	3570.050	-41.26	-13	Pass
3571.01	3590.01	1	CHP	6	3571.550	-38.03	-13	Pass
3590.01	3720	1	CHP	7	3719.350	-52.66	-25	Pass
3720	3730	1	CHP	8	3723.800	-52.89	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	908.900	-62.14	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3201.500	-55.05	-40	Pass
3530	3594.99	1	/	2	3582.000	-56.34	-25	Pass
3594.99	3613.99	1	/	3	3609.000	-51.56	-13	Pass
3613.99	3639.99	1	/	/	/	/	/	/
3639.99	3654.99	1	/	4	3653.500	-52.94	-13	Pass
3654.99	3720	1	/	5	3709.000	-50.65	-25	Pass
3720	37000	1	/	6	35324.500	-42.90	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3690MHz_Edge_1RB_Left_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.330	-54.60	-40	Pass
3530	3660	1	CHP	2	3659.905	-53.98	-25	Pass
3660	3679	1	CHP	3	3678.490	-41.51	-13	Pass
3679	3680	0.03	/	4	3679.975	-34.52	-13	Pass
3680	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.345	-64.65	-13	Pass
3701	3710	1	CHP	6	3704.275	-52.81	-13	Pass
3710	3720	1	CHP	7	3717.115	-52.22	-25	Pass
3720	3730	1	CHP	8	3725.680	-52.78	-40	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3690MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3520.615	-54.43	-40	Pass
3530	3660	1	CHP	2	3656.260	-53.99	-25	Pass
3660	3679	1	CHP	3	3662.980	-53.14	-13	Pass
3679	3680	0.03	/	4	3679.120	-64.95	-13	Pass
3680	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.090	-33.41	-13	Pass
3701	3710	1	CHP	6	3701.500	-42.63	-13	Pass
3710	3720	1	CHP	7	3710.500	-52.10	-25	Pass
3720	3730	1	CHP	8	3720.295	-52.70	-40	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3690MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	780.950	-61.47	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3690MHz_Edge_1RB_Right_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	1767.000	-52.01	-40	Pass
3530	3660	1	/	2	3624.500	-50.73	-25	Pass
3660	3679	1	/	3	3674.500	-51.32	-13	Pass
3679	3705	1	/	/	/	/	/	/
3705	3710	1	/	4	3706.000	-48.52	-13	Pass
3710	3720	1	/	5	3717.000	-50.90	-25	Pass
3720	37000	1	/	6	36979.500	-41.88	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3690MHz_Outer_Full_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3522.550	-54.05	-40	Pass
3530	3660	1	CHP	2	3659.750	-53.47	-25	Pass
3660	3679	1	CHP	3	3677.600	-35.95	-13	Pass
3679	3680	0.1956	CHP	4	3679.950	-35.09	-13	Pass
3680	3700	0.1956	CHP	/	/	/	/	/
3700	3701	0.1956	CHP	5	3700.450	-41.56	-13	Pass
3701	3710	1	CHP	6	3701.500	-36.94	-13	Pass
3710	3720	1	CHP	7	3710.400	-41.86	-25	Pass
3720	3730	1	CHP	8	3722.050	-52.12	-40	Pass

n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3560.01MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.275	-54.35	-40	Pass
3530	3540	1	CHP	2	3539.185	-52.11	-25	Pass
3540	3549.01	1	CHP	3	3548.500	-44.59	-13	Pass
3549.01	3550.01	0.03	/	4	3550.000	-28.45	-13	Pass
3550.01	3570.01	0.03	/	/	/	/	/	/
3570.01	3571.01	0.03	/	5	3570.565	-66.74	-13	Pass
3571.01	3590.01	1	CHP	6	3587.065	-53.10	-13	Pass
3590.01	3720	1	CHP	7	3719.965	-52.86	-25	Pass
3720	3730	1	CHP	8	3720.760	-52.76	-40	Pass

n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3560.01MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	797.050	-61.35	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3560.01MHz_Edge_1RB_Left_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3088.000	-55.24	-40	Pass
3530	3540	1	/	2	3538.500	-51.51	-25	Pass
3540	3549.01	1	/	3	3542.500	-44.90	-13	Pass
3549.01	3575.01	1	/	/	/	/	/	/
3575.01	3590.01	1	/	4	3587.000	-51.45	-13	Pass
3590.01	3720	1	/	5	3700.000	-51.24	-25	Pass
3720	37000	1	/	6	34596.000	-42.59	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3560.01MHz_Edge_1RB_Right_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3520.510	-54.53	-40	Pass
3530	3540	1	CHP	2	3530.755	-54.35	-25	Pass
3540	3549.01	1	CHP	3	3545.485	-54.04	-13	Pass
3549.01	3550.01	0.03	/	4	3549.100	-66.87	-13	Pass
3550.01	3570.01	0.03	/	/	/	/	/	/
3570.01	3571.01	0.03	/	5	3570.040	-33.25	-13	Pass
3571.01	3590.01	1	CHP	6	3571.510	-41.46	-13	Pass
3590.01	3720	1	CHP	7	3719.455	-52.88	-25	Pass
3720	3730	1	CHP	8	3728.680	-52.81	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3560.01MHz_Outer_Full_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.650	-50.47	-40	Pass
3530	3540	1	CHP	2	3539.850	-43.86	-25	Pass
3540	3549.01	1	CHP	3	3548.500	-33.13	-13	Pass
3549.01	3550.01	0.1956	CHP	4	3549.950	-34.52	-13	Pass
3550.01	3570.01	0.1956	CHP	/	/	/	/	/
3570.01	3571.01	0.1956	CHP	5	3570.050	-35.02	-13	Pass
3571.01	3590.01	1	CHP	6	3571.550	-32.45	-13	Pass
3590.01	3720	1	CHP	7	3718.050	-52.67	-25	Pass
3720	3730	1	CHP	8	3728.500	-52.96	-40	Pass

n48_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	872.800	-61.79	-40	Pass

n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3624.99MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3143.500	-54.64	-40	Pass
3530	3594.99	1	/	2	3545.000	-56.15	-25	Pass
3594.99	3613.99	1	/	3	3606.000	-48.08	-13	Pass
3613.99	3639.99	1	/	/	/	/	/	/
3639.99	3654.99	1	/	4	3651.500	-51.96	-13	Pass
3654.99	3720	1	/	5	3713.000	-51.02	-25	Pass
3720	37000	1	/	6	35241.000	-42.04	-40	Pass

n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3690MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.410	-54.55	-40	Pass
3530	3660	1	CHP	2	3656.560	-53.51	-25	Pass
3660	3679	1	CHP	3	3678.490	-39.52	-13	Pass
3679	3680	0.03	/	4	3679.990	-33.68	-13	Pass
3680	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.360	-63.81	-13	Pass
3701	3710	1	CHP	6	3704.200	-52.54	-13	Pass
3710	3720	1	CHP	7	3717.130	-52.65	-25	Pass
3720	3730	1	CHP	8	3726.085	-52.78	-40	Pass

n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3690MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.440	-54.54	-40	Pass
3530	3660	1	CHP	2	3659.920	-54.08	-25	Pass
3660	3679	1	CHP	3	3678.265	-53.00	-13	Pass
3679	3680	0.03	/	4	3679.705	-65.24	-13	Pass
3680	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.030	-28.91	-13	Pass
3701	3710	1	CHP	6	3701.500	-42.98	-13	Pass
3710	3720	1	CHP	7	3711.085	-51.77	-25	Pass
3720	3730	1	CHP	8	3724.195	-52.65	-40	Pass

n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3690MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	880.800	-61.16	-40	Pass

n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3690MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	1926.500	-52.59	-40	Pass
3530	3660	1	/	2	3635.000	-52.44	-25	Pass
3660	3679	1	/	3	3671.000	-51.86	-13	Pass
3679	3705	1	/	/	/	/	/	/
3705	3710	1	/	4	3707.000	-50.64	-13	Pass
3710	3720	1	/	5	3712.500	-49.63	-25	Pass
3720	37000	1	/	6	36855.500	-42.25	-40	Pass

n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3690MHz Outer Full Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.600	-54.42	-40	Pass
3530	3660	1	CHP	2	3659.200	-50.58	-25	Pass
3660	3679	1	CHP	3	3678.400	-32.99	-13	Pass
3679	3680	0.1956	CHP	4	3679.950	-32.74	-13	Pass
3680	3700	0.1956	CHP	/	/	/	/	/
3700	3701	0.1956	CHP	5	3700.050	-35.83	-13	Pass
3701	3710	1	CHP	6	3701.500	-33.53	-13	Pass
3710	3720	1	CHP	7	3710.050	-42.94	-25	Pass
3720	3730	1	CHP	8	3720.950	-50.93	-40	Pass

5.2.3 30_S_40M_NTNV




n48 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 3570MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3230.000	-54.51	-40	Pass
3530	3540	1	/	2	3540.000	-52.05	-25	Pass
3540	3549	1	/	3	3544.000	-49.61	-13	Pass
3549	3595	1	/	/	/	/	/	/
3595	3630	1	/	4	3628.000	-53.60	-13	Pass
3630	3720	1	/	5	3710.000	-50.94	-25	Pass
3720	37000	1	/	6	35756.500	-42.19	-40	Pass

n48 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 3570MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.065	-54.43	-40	Pass
3530	3540	1	CHP	2	3530.470	-54.52	-25	Pass
3540	3549	1	CHP	3	3546.355	-54.23	-13	Pass
3549	3550	0.03	/	4	3549.565	-67.58	-13	Pass
3550	3590	0.03	/	/	/	/	/	/
3590	3591	0.03	/	5	3590.005	-34.06	-13	Pass
3591	3630	1	CHP	6	3591.505	-47.82	-13	Pass
3630	3720	1	CHP	7	3709.720	-52.60	-25	Pass
3720	3730	1	CHP	8	3724.765	-52.82	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 3570MHz Outer Full Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.450	-46.50	-40	Pass
3530	3540	1	CHP	2	3532.150	-45.18	-25	Pass
3540	3549	1	CHP	3	3548.500	-43.69	-13	Pass
3549	3550	0.38305	CHP	4	3549.850	-42.36	-13	Pass
3550	3590	0.38305	CHP	/	/	/	/	/
3590	3591	0.38305	CHP	5	3590.500	-52.67	-13	Pass
3591	3630	1	CHP	6	3604.150	-46.14	-13	Pass
3630	3720	1	CHP	7	3718.900	-51.15	-25	Pass
3720	3730	1	CHP	8	3725.500	-51.36	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	861.100	-61.32	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	1767.500	-52.83	-40	Pass
3530	3564.99	1	/	2	3561.000	-57.20	-25	Pass
3564.99	3603.99	1	/	3	3599.500	-49.87	-13	Pass
3603.99	3649.99	1	/	/	/	/	/	/
3649.99	3684.99	1	/	4	3658.500	-50.13	-13	Pass
3684.99	3720	1	/	5	3698.500	-52.14	-25	Pass
3720	37000	1	/	6	34590.000	-42.13	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 3679.98MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.810	-54.51	-40	Pass
3530	3619.98	1	CHP	2	3546.625	-54.56	-25	Pass
3619.98	3658.98	1	CHP	3	3658.480	-42.88	-13	Pass
3658.98	3659.98	0.03	/	4	3659.950	-35.24	-13	Pass
3659.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.330	-65.71	-13	Pass
3700.98	3710	1	CHP	6	3703.150	-52.80	-13	Pass
3710	3720	1	CHP	7	3718.120	-52.65	-25	Pass
3720	3730	1	CHP	8	3728.035	-52.73	-40	Pass


n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_3679.98MHz_Edge_1RB_Right_Ant8



n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_3679.98MHz_Edge_1RB_Right_Ant8




n48 30kHz SISO NTNv 40MHz DFT-s-OFDM PI/2 BPSK 3679.98MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3345.500	-54.96	-40	Pass
3530	3619.98	1	/	2	3613.000	-54.04	-25	Pass
3619.98	3658.98	1	/	3	3634.000	-53.02	-13	Pass
3658.98	3704.98	1	/	/	/	/	/	/
3704.98	3710	1	/	4	3705.000	-49.30	-13	Pass
3710	3720	1	/	5	3716.500	-48.92	-25	Pass
3720	37000	1	/	6	35715.000	-42.51	-40	Pass

n48 30kHz SISO NTNv 40MHz DFT-s-OFDM PI/2 BPSK 3679.98MHz Outer Full Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.250	-57.88	-40	Pass
3530	3619.98	1	CHP	2	3530.050	-58.11	-25	Pass
3619.98	3658.98	1	CHP	3	3658.450	-36.33	-13	Pass
3658.98	3659.98	0.38305	CHP	4	3659.950	-35.78	-13	Pass
3659.98	3699.98	0.38305	CHP	/	/	/	/	/
3699.98	3700.98	0.38305	CHP	5	3700.000	-42.88	-13	Pass
3700.98	3710	1	CHP	6	3701.500	-41.45	-13	Pass
3710	3720	1	CHP	7	3714.700	-41.22	-25	Pass
3720	3730	1	CHP	8	3724.450	-43.75	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3570MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.405	-54.26	-40	Pass
3530	3540	1	CHP	2	3539.260	-53.36	-25	Pass
3540	3549	1	CHP	3	3548.500	-46.70	-13	Pass
3549	3550	0.03	/	4	3549.970	-33.52	-13	Pass
3550	3590	0.03	/	/	/	/	/	/
3590	3591	0.03	/	5	3590.800	-67.16	-13	Pass
3591	3630	1	CHP	6	3627.100	-54.03	-13	Pass
3630	3720	1	CHP	7	3717.640	-52.88	-25	Pass
3720	3730	1	CHP	8	3722.260	-52.85	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3570MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	990.000	-61.25	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3570MHz Edge 1RB Left Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3273.500	-54.86	-40	Pass
3530	3540	1	/	2	3534.000	-53.24	-25	Pass
3540	3549	1	/	3	3543.500	-50.37	-13	Pass
3549	3595	1	/	/	/	/	/	/
3595	3630	1	/	4	3626.500	-51.82	-13	Pass
3630	3720	1	/	5	3672.000	-50.68	-25	Pass
3720	37000	1	/	6	35542.000	-42.12	-40	Pass

n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3570MHz Edge 1RB Right Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.915	-54.43	-40	Pass
3530	3540	1	CHP	2	3531.835	-54.51	-25	Pass
3540	3549	1	CHP	3	3541.150	-54.60	-13	Pass
3549	3550	0.03	/	4	3549.655	-67.39	-13	Pass
3550	3590	0.03	/	/	/	/	/	/
3590	3591	0.03	/	5	3590.020	-33.84	-13	Pass
3591	3630	1	CHP	6	3591.760	-48.59	-13	Pass
3630	3720	1	CHP	7	3715.990	-52.76	-25	Pass
3720	3730	1	CHP	8	3727.840	-52.63	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_3570MHz_Outer_Full_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.000	-45.14	-40	Pass
3530	3540	1	CHP	2	3539.950	-44.29	-25	Pass
3540	3549	1	CHP	3	3547.600	-40.92	-13	Pass
3549	3550	0.38305	CHP	4	3549.700	-40.76	-13	Pass
3550	3590	0.38305	CHP	/	/	/	/	/
3590	3591	0.38305	CHP	5	3590.050	-49.44	-13	Pass
3591	3630	1	CHP	6	3591.550	-45.93	-13	Pass
3630	3720	1	CHP	7	3696.100	-51.74	-25	Pass
3720	3730	1	CHP	8	3720.100	-51.87	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant8




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	860.300	-61.59	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant8



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	1766.500	-52.96	-40	Pass
3530	3564.99	1	/	2	3560.500	-56.71	-25	Pass
3564.99	3603.99	1	/	3	3599.000	-51.41	-13	Pass
3603.99	3649.99	1	/	/	/	/	/	/
3649.99	3684.99	1	/	4	3666.000	-52.28	-13	Pass
3684.99	3720	1	/	5	3701.000	-51.21	-25	Pass
3720	37000	1	/	6	36485.000	-42.19	-40	Pass

n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_3679.98MHz_Edge_1RB_Left_Ant8



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.990	-54.51	-40	Pass
3530	3619.98	1	CHP	2	3537.370	-54.45	-25	Pass
3619.98	3658.98	1	CHP	3	3658.480	-44.04	-13	Pass
3658.98	3659.98	0.03	/	4	3659.950	-32.83	-13	Pass
3659.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.330	-65.41	-13	Pass
3700.98	3710	1	CHP	6	3706.960	-52.84	-13	Pass
3710	3720	1	CHP	7	3718.045	-52.86	-25	Pass
3720	3730	1	CHP	8	3725.980	-52.60	-40	Pass