



13.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	8.95	13	Pass




13.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	8.86	13	Pass




13.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	20	9.7	13	Pass




13.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2680	0.1	20	7.92	13	Pass




13.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2680	0.1	20	9	13	Pass




13.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2680	0.1	20	8.44	13	Pass



13.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2680	0.1	20	9.66	13	Pass




14. LTE_Band42 3450-3550

14.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




14.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460	0.1	20	9.14	13	Pass




14.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460	0.1	20	8.95	13	Pass




14.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460	0.1	20	9.89	13	Pass




14.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5, Channel:42590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3500	0.1	20	8.34	13	Pass




14.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6, Channel:42590, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3500	0.1	20	9.19	13	Pass




14.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7, Channel:42590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3500	0.1	20	9.19	13	Pass




14.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8, Channel:42590, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3500	0.1	20	9.84	13	Pass




14.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	8.34	13	Pass




14.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	9.14	13	Pass




14.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	9.42	13	Pass




14.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	9.89	13	Pass




1. LTE_Band18(part90)

1.1. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:1, Channel:23875, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.2. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:2, Channel:23875, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
817.5	0.1	10	4.78	13	Pass




1.3. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:3, Channel:23875, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
817.5	0.1	10	4.55	13	Pass




1.4. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:4, Channel:23875, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
817.5	0.1	10	5.67	13	Pass




1.5. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:5, Channel:23895, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819.5	0.1	10	3.61	13	Pass




1.6. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:6, Channel:23895, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819.5	0.1	10	4.69	13	Pass




1.7. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:7, Channel:23895, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819.5	0.1	10	4.45	13	Pass




1.8. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:8, Channel:23895, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819.5	0.1	10	5.67	13	Pass




1.9. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:9, Channel:23915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
821.5	0.1	10	3.56	13	Pass




1.10. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:10, Channel:23915, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
821.5	0.1	10	4.73	13	Pass




1.11. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:11, Channel:23915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
821.5	0.1	10	4.36	13	Pass




1.12. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:12, Channel:23915, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
821.5	0.1	10	5.62	13	Pass




2. LTE_Band26(part90)

2.1. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:1, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




2.2. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:2, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	5.11	13	Pass




2.3. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	4.45	13	Pass




2.4. LTE Peak to Average Ratio_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	5.91	13	Pass




1. CA_7C


**1.5. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1,
Channel:21006|21150, Bandwidth:10|20MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)**




**1.6. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2,
Channel:21006|21150, Bandwidth:10|20MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**




**1.7. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3,
Channel:21051|21195, Bandwidth:20|10MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)**




**1.8. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4,
Channel:21051|21195, Bandwidth:20|10MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**




**1.9. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:5,
Channel:21025|21175, Bandwidth:15|15MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)**




**1.10. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:6,
Channel:21025|21175, Bandwidth:15|15MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**




**1.11. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:7,
Channel:21003|21174, Bandwidth:15|20MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)**




**1.12. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:8,
Channel:21003|21174, Bandwidth:15|20MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**




**1.13. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:9,
Channel:21026|21197, Bandwidth:20|15MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)**




**1.14. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:10,
Channel:21026|21197, Bandwidth:20|15MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**



**1.15. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:11,
Channel:21001|21199, Bandwidth:20|20MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)**




**1.16. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:12,
Channel:21001|21199, Bandwidth:20|20MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**




2. CA_38C


**2.1. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1,
Channel:37925|38075, Bandwidth:15|15MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)**




2.2. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:37925|38075, Bandwidth:15|15MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)



2.3. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:1, Channel:37901|38099, Bandwidth:20|20MHz, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)




2.4. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:2, Channel:37901|38099, Bandwidth:20|20MHz, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)




1. n2

1.1. Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




1.2. Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	4.03	13	Pass




1.3. Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	4.55	13	Pass




1.4. Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	5.3	13	Pass




1.5. Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	5.53	13	Pass




1.6. Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6.05	13	Pass




1.7. Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	5.58	13	Pass




1.8. Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6.23	13	Pass




1.9. Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6.8	13	Pass




1.10. Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6.7	13	Pass




1.11. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	3.56	13	Pass




1.12. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	4.27	13	Pass




1.13. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	5.02	13	Pass




1.14. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	5.39	13	Pass




1.15. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	6.05	13	Pass




1.16. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	6.14	13	Pass




1.17. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	5.95	13	Pass




1.18. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	6.33	13	Pass




1.19. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	6.98	13	Pass




1.20. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	6.8	13	Pass




1.21. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	3.52	13	Pass




1.22. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




1.23. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	4.97	13	Pass




1.24. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	5.06	13	Pass




1.25. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	5.95	13	Pass




1.26. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	5.95	13	Pass




1.27. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	5.91	13	Pass




1.28. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	6.19	13	Pass




1.29. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	6.98	13	Pass




1.30. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	6.8	13	Pass




2. n7

2.1. Peak to Average Ratio for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




2.2. Peak to Average Ratio for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	3.94	13	Pass




2.3. Peak to Average Ratio for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	4.64	13	Pass




2.4. Peak to Average Ratio for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	5.02	13	Pass




2.5. Peak to Average Ratio for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	5.72	13	Pass




2.6. Peak to Average Ratio for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	5.86	13	Pass




2.7. Peak to Average Ratio for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	5.48	13	Pass



2.8. Peak to Average Ratio for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	6.05	13	Pass



2.9. Peak to Average Ratio for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	6.61	13	Pass

