



3.42. Occupied Bandwidth for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)




3.43. Occupied Bandwidth for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)




3.44. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	18.89	19.46	20	Pass




3.45. Occupied Bandwidth for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.03	Peak	18.9	19.54	20	Pass




3.46. Occupied Bandwidth for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.03	Peak	18.91	19.6	20	Pass




3.47. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	18.91	19.54	20	Pass




3.48. Occupied Bandwidth for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.03	Peak	18.91	19.54	20	Pass




3.49. Occupied Bandwidth for SA_Part22-24-27(Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)



3.50. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




3.51. Occupied Bandwidth for SA_Part22-24-27(Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




3.52. Occupied Bandwidth for SA_Part22-24-27(Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2512.5	99	26	1	Peak	24.1	26.31	25	Pass




3.53. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




3.54. Occupied Bandwidth for SA_Part22-24-27(Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




3.55. Occupied Bandwidth for SA_Part22-24-27(Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)



3.56. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




3.57. Occupied Bandwidth for SA_Part22-24-27(Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




3.58. Occupied Bandwidth for SA_Part22-24-27(Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2512.5	99	26	1	Peak	24.13	26.24	25	Pass




3.59. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	1	Peak	24.11	26.21	25	Pass




3.60. Occupied Bandwidth for SA_Part22-24-27(Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)



3.61. Occupied Bandwidth for SA_Part22-24-27(Channel:503000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)




3.62. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)




3.63. Occupied Bandwidth for SA_Part22-24-27(Channel:511000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2555	99	26	1	Peak	28.9	31.11	30	Pass




3.64. Occupied Bandwidth for SA_Part22-24-27(Channel:503000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)




3.65. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)



3.66. Occupied Bandwidth for SA_Part22-24-27(Channel:511000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)




3.67. Occupied Bandwidth for SA_Part22-24-27(Channel:503000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)




3.68. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	1	Peak	28.85	33.69	30	Pass




3.69. Occupied Bandwidth for SA_Part22-24-27(Channel:511000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)




3.70. Occupied Bandwidth for SA_Part22-24-27(Channel:503000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2515	99	26	1	Peak	28.81	31.19	30	Pass




3.71. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	1	Peak	28.79	31.14	30	Pass




3.72. Occupied Bandwidth for SA_Part22-24-27(Channel:511000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2555	99	26	1	Peak	28.82	31.18	30	Pass




3.73. Occupied Bandwidth for SA_Part22-24-27(Channel:503500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:188, RB Position:0)



3.74. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:188, RB Position:0)




3.75. Occupied Bandwidth for SA_Part22-24-27(Channel:510500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:188, RB Position:0)




3.76. Occupied Bandwidth for SA_Part22-24-27(Channel:503500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:188, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2517.5	99	26	1	Peak	33.93	36.31	35	Pass




3.77. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:188, RB Position:0)




3.78. Occupied Bandwidth for SA_Part22-24-27(Channel:510500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:188, RB Position:0)



3.79. Occupied Bandwidth for SA_Part22-24-27(Channel:503500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:188, RB Position:0)




3.80. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:188, RB Position:0)




3.81. Occupied Bandwidth for SA_Part22-24-27(Channel:510500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2552.5	99	26	1	Peak	33.85	37.28	35	Pass




3.82. Occupied Bandwidth for SA_Part22-24-27(Channel:503500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2517.5	99	26	1	Peak	33.81	36.19	35	Pass




3.83. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	1	Peak	33.75	36.09	35	Pass




3.84. Occupied Bandwidth for SA_Part22-24-27(Channel:510500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:188, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2552.5	99	26	1	Peak	33.74	36.06	35	Pass




3.85. Occupied Bandwidth for SA_Part22-24-27(Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2520	99	26	1	Peak	38.75	41.3	40	Pass



3.86. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)




3.87. Occupied Bandwidth for SA_Part22-24-27(Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)




3.88. Occupied Bandwidth for SA_Part22-24-27(Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2520	99	26	1	Peak	38.85	41.33	40	Pass




3.89. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)




3.90. Occupied Bandwidth for SA_Part22-24-27(Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)




3.91. Occupied Bandwidth for SA_Part22-24-27(Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)



3.92. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)




3.93. Occupied Bandwidth for SA_Part22-24-27(Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)




3.94. Occupied Bandwidth for SA_Part22-24-27(Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2520	99	26	1	Peak	38.72	41.21	40	Pass




3.95. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)




3.96. Occupied Bandwidth for SA_Part22-24-27(Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2550	99	26	1	Peak	38.7	41.16	40	Pass




3.97. Occupied Bandwidth for SA_Part22-24-27(Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)



3.98. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)




3.99. Occupied Bandwidth for SA_Part22-24-27(Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)




3.100. Occupied Bandwidth for SA_Part22-24-27(Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2525	99	26	1	Peak	48.45	51.01	50	Pass




3.101. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)




3.102. Occupied Bandwidth for SA_Part22-24-27(Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2545	99	26	1	Peak	48.45	51	50	Pass




3.103. Occupied Bandwidth for SA_Part22-24-27(Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)




3.104. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)




3.105. Occupied Bandwidth for SA_Part22-24-27(Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)




3.106. Occupied Bandwidth for SA_Part22-24-27(Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)



3.107. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)




3.108. Occupied Bandwidth for SA_Part22-24-27(Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)




5. n41


5.1. Occupied Bandwidth for SA_Part22-24-27(Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)




5.2. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)



5.3. Occupied Bandwidth for SA_Part22-24-27(Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)




5.4. Occupied Bandwidth for SA_Part22-24-27(Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)




5.5. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	8.56	9.3	10	Pass




5.6. Occupied Bandwidth for SA_Part22-24-27(Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2685	99	26	0.03	Peak	8.57	9.48	10	Pass




5.7. Occupied Bandwidth for SA_Part22-24-27(Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2501.01	99	26	0.03	Peak	8.57	9.39	10	Pass




5.8. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	8.57	9.5	10	Pass




5.9. Occupied Bandwidth for SA_Part22-24-27(Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2685	99	26	0.03	Peak	8.57	9.38	10	Pass




5.10. Occupied Bandwidth for SA_Part22-24-27(Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)



5.11. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)




5.12. Occupied Bandwidth for SA_Part22-24-27(Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)




5.13. Occupied Bandwidth for SA_Part22-24-27(Channel:500700, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2503.5	99	26	0.03	Peak	13.55	14.41	15	Pass




5.14. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	13.54	14.35	15	Pass



5.15. Occupied Bandwidth for SA_Part22-24-27(Channel:536496, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)




5.16. Occupied Bandwidth for SA_Part22-24-27(Channel:500700, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:38, RB Position:0)




5.17. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	13.54	14.35	15	Pass




5.18. Occupied Bandwidth for SA_Part22-24-27(Channel:536496, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2682.48	99	26	0.03	Peak	13.54	14.4	15	Pass




5.19. Occupied Bandwidth for SA_Part22-24-27(Channel:500700, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:38, RB Position:0)




5.20. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	13.57	14.52	15	Pass




5.21. Occupied Bandwidth for SA_Part22-24-27(Channel:536496, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2682.48	99	26	0.03	Peak	13.57	14.49	15	Pass




5.22. Occupied Bandwidth for SA_Part22-24-27(Channel:500700, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2503.5	99	26	0.03	Peak	13.57	14.34	15	Pass




5.23. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:38, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	13.56	14.32	15	Pass




5.24. Occupied Bandwidth for SA_Part22-24-27(Channel:536496, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:38, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2682.48	99	26	0.03	Peak	13.54	14.33	15	Pass



5.25. Occupied Bandwidth for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)




5.26. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)




5.27. Occupied Bandwidth for SA_Part22-24-27(Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2679.99	99	26	0.03	Peak	18.2	19.09	20	Pass




5.28. Occupied Bandwidth for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506.02	99	26	0.03	Peak	18.2	19.21	20	Pass




5.29. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	0.03	Peak	18.19	19.08	20	Pass




5.30. Occupied Bandwidth for SA_Part22-24-27(Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)




5.31. Occupied Bandwidth for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)




5.32. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)




5.33. Occupied Bandwidth for SA_Part22-24-27(Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)




5.34. Occupied Bandwidth for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)




5.35. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)



5.36. Occupied Bandwidth for SA_Part22-24-27(Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)




5.37. Occupied Bandwidth for SA_Part22-24-27(Channel:501702, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:65, RB Position:0)




5.38. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:65, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	23.5	26.17	25	Pass




5.39. Occupied Bandwidth for SA_Part22-24-27(Channel:535500, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:65, RB Position:0)



5.40. Occupied Bandwidth for SA_Part22-24-27(Channel:501702, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:65, RB Position:0)



5.41. Occupied Bandwidth for SA_Part22-24-27(Channel:518598, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:65, RB Position:0)



5.42. Occupied Bandwidth for SA_Part22-24-27(Channel:535500, Bandwidth:25, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:65, RB Position:0)

